

| Mode                                              | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 7115MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.15G        | 5.20        | -60.01      | -60.01        | -54.81        | -7.00          | -47.81         |
| 7115MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.36998G     | 5.20        | -61.42      | -61.42        | -56.22        | -21.20         | -35.02         |
| 802.11ax HEW20_RU52_Index37_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 5955MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.423G       | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 5955MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.9234G      | 5.20        | -65.42      | -65.42        | -60.22        | -27.00         | -33.22         |
| 5955MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.13805G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 5955MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.4027G      | 5.20        | -71.73      | -71.73        | -66.53        | -41.20         | -25.33         |
| 5955MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.14805G     | 5.20        | -58.04      | -58.04        | -52.84        | -21.20         | -31.64         |
| 5955MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.92485G     | 5.20        | -52.86      | -52.86        | -47.66        | -7.00          | -40.66         |
| 5955MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.13955G     | 5.20        | -60.64      | -60.64        | -55.44        | -7.00          | -48.44         |
| 5955MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.465G       | 5.20        | -60.59      | -60.59        | -55.39        | -21.20         | -34.19         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 6175MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.39285G     | 5.20        | -68.56      | -68.56        | -63.36        | -41.20         | -22.16         |
| 6175MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.90055G     | 5.20        | -66.53      | -66.53        | -61.33        | -27.00         | -34.33         |
| 6175MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.13758G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6175MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.4174G      | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6175MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.36045G     | 5.20        | -57.59      | -57.59        | -52.39        | -21.20         | -31.19         |
| 6175MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.90418G     | 5.20        | -54.28      | -54.28        | -49.08        | -7.00          | -42.08         |
| 6175MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.13344G     | 5.20        | -60.19      | -60.19        | -54.99        | -7.00          | -47.99         |
| 6175MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.3985G      | 5.20        | -60.81      | -60.81        | -55.61        | -21.20         | -34.41         |
| 6415MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.4248G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6415MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.90205G     | 5.20        | -66.54      | -66.54        | -61.34        | -27.00         | -34.34         |
| 6415MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.13075G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6415MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.42353G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6415MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.3609G      | 5.20        | -58.46      | -58.46        | -53.26        | -21.20         | -32.06         |
| 6415MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.91119G     | 5.20        | -54.39      | -54.39        | -49.19        | -7.00          | -42.19         |
| 6415MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.1379G      | 5.20        | -59.88      | -59.88        | -54.68        | -7.00          | -47.68         |
| 6415MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.47533G     | 5.20        | -60.38      | -60.38        | -55.18        | -21.20         | -33.98         |
| 6435MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.4194G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6435MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.91356G     | 5.20        | -66.61      | -66.61        | -61.41        | -27.00         | -34.41         |
| 6435MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.14004G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6435MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.4335G      | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 6435MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.13095G     | 5.20        | -57.30      | -57.30        | -52.10        | -21.20         | -30.90         |
| 6435MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.90314G     | 5.20        | -54.96      | -54.96        | -49.76        | -7.00          | -42.76         |
| 6435MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.14073G     | 5.20        | -59.95      | -59.95        | -54.75        | -7.00          | -47.75         |
| 6435MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.39063G     | 5.20        | -59.98      | -59.98        | -54.78        | -21.20         | -33.58         |
| 6475MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.41805G     | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6475MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.90189G     | 5.20        | -66.81      | -66.81        | -61.61        | -27.00         | -34.61         |
| 6475MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.14083G     | 5.20        | -71.89      | -71.89        | -66.69        | -27.00         | -39.69         |
| 6475MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.45118G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 6475MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.4032G      | 5.20        | -58.25      | -58.25        | -53.05        | -21.20         | -31.85         |
| 6475MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.92061G     | 5.20        | -55.36      | -55.36        | -50.16        | -7.00          | -43.16         |

| Mode                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6475MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.14141G     | 5.20        | -60.10      | -60.10        | -54.90        | -7.00          | -47.90         |
| 6475MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.304G       | 5.20        | -60.45      | -60.45        | -55.25        | -21.20         | -34.05         |
| 6515MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.42885G     | 5.20        | -68.82      | -68.82        | -63.62        | -41.20         | -22.42         |
| 6515MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.9G         | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6515MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13845G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6515MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.3054G      | 5.20        | -71.70      | -71.70        | -66.50        | -41.20         | -25.30         |
| 6515MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.396G       | 5.20        | -57.55      | -57.55        | -52.35        | -21.20         | -31.15         |
| 6515MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.92413G     | 5.20        | -54.41      | -54.41        | -49.21        | -7.00          | -42.21         |
| 6515MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13453G     | 5.20        | -59.75      | -59.75        | -54.55        | -7.00          | -47.55         |
| 6515MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.4748G      | 5.20        | -59.86      | -59.86        | -54.66        | -21.20         | -33.46         |
| 6535MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.4122G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6535MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90023G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6535MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13881G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6535MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.41338G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6535MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.40365G     | 5.20        | -57.77      | -57.77        | -52.57        | -21.20         | -31.37         |
| 6535MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.90623G     | 5.20        | -54.84      | -54.84        | -49.64        | -7.00          | -42.64         |
| 6535MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13094G     | 5.20        | -59.75      | -59.75        | -54.55        | -7.00          | -47.55         |
| 6535MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.318G       | 5.20        | -59.84      | -59.84        | -54.64        | -21.20         | -33.44         |
| 6715MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.4059G      | 5.20        | -68.53      | -68.53        | -63.33        | -41.20         | -22.13         |
| 6715MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90039G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6715MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13776G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6715MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.30453G     | 5.20        | -71.70      | -71.70        | -66.50        | -41.20         | -25.30         |
| 6715MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.03465G     | 5.20        | -57.84      | -57.84        | -52.64        | -21.20         | -31.44         |
| 6715MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91208G     | 5.20        | -55.02      | -55.02        | -49.82        | -7.00          | -42.82         |
| 6715MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13613G     | 5.20        | -60.19      | -60.19        | -54.99        | -7.00          | -47.99         |
| 6715MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.32343G     | 5.20        | -61.04      | -61.04        | -55.84        | -21.20         | -34.64         |
| 6855MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.4248G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6855MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90208G     | 5.20        | -66.54      | -66.54        | -61.34        | -27.00         | -34.34         |
| 6855MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13074G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6855MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.416G       | 5.20        | -71.44      | -71.44        | -66.24        | -41.20         | -25.04         |
| 6855MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.3591G      | 5.20        | -57.59      | -57.59        | -52.39        | -21.20         | -31.19         |
| 6855MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91866G     | 5.20        | -55.20      | -55.20        | -50.00        | -7.00          | -43.00         |
| 6855MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.1273G      | 5.20        | -60.50      | -60.50        | -55.30        | -7.00          | -48.30         |
| 6855MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.29053G     | 5.20        | -60.29      | -60.29        | -55.09        | -21.20         | -33.89         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 5G              | 5.9G           | AV   | 5.3843G      | 5.20        | -68.85      | -68.85        | -63.65        | -41.20         | -22.45         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 5.9G            | 5.925G         | AV   | 5.90045G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.125G          | 7.15G          | AV   | 7.14155G     | 5.20        | -71.89      | -71.89        | -66.69        | -27.00         | -39.69         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.15G           | 7.5G           | AV   | 7.41355G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6875MHz Straddle                   | Pass   | 5G              | 5.9G           | PK   | 5.11835G     | 5.20        | -58.01      | -58.01        | -52.81        | -21.20         | -31.61         |

| Mode                                              | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6.525-6.875GHz                                    |        |                 |                |      |              |             |             |               |               |                |                |
| 6875MHz Straddle<br>6.525-6.875GHz                | Pass   | 5.9G            | 5.925G         | PK   | 5.90999G     | 5.20        | -54.06      | -54.06        | -48.86        | -7.00          | -41.86         |
| 6875MHz Straddle<br>6.525-6.875GHz                | Pass   | 7.125G          | 7.15G          | PK   | 7.1396G      | 5.20        | -59.95      | -59.95        | -54.75        | -7.00          | -47.75         |
| 6875MHz Straddle<br>6.525-6.875GHz                | Pass   | 7.15G           | 7.5G           | PK   | 7.2935G      | 5.20        | -60.73      | -60.73        | -55.53        | -21.20         | -34.33         |
| 6895MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.42255G     | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6895MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.90098G     | 5.20        | -66.81      | -66.81        | -61.61        | -27.00         | -34.61         |
| 6895MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.12918G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6895MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.24975G     | 5.20        | -72.17      | -72.17        | -66.97        | -27.00         | -39.97         |
| 6895MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.4202G      | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6895MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.39015G     | 5.20        | -58.28      | -58.28        | -53.08        | -21.20         | -31.88         |
| 6895MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.91569G     | 5.20        | -53.91      | -53.91        | -48.71        | -7.00          | -41.71         |
| 6895MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.14965G     | 5.20        | -60.32      | -60.32        | -55.12        | -7.00          | -48.12         |
| 6895MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.15123G     | 5.20        | -61.22      | -61.22        | -56.02        | -7.00          | -49.02         |
| 6895MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.3012G      | 5.20        | -60.36      | -60.36        | -55.16        | -21.20         | -33.96         |
| 7015MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.4176G      | 5.20        | -69.31      | -69.31        | -64.11        | -41.20         | -22.91         |
| 7015MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.90004G     | 5.20        | -67.31      | -67.31        | -62.11        | -27.00         | -35.11         |
| 7015MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.13818G     | 5.20        | -72.42      | -72.42        | -67.22        | -27.00         | -40.22         |
| 7015MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.17135G     | 5.20        | -72.58      | -72.58        | -67.38        | -27.00         | -40.38         |
| 7015MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.29945G     | 5.20        | -72.22      | -72.22        | -67.02        | -41.20         | -25.82         |
| 7015MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.42975G     | 5.20        | -58.05      | -58.05        | -52.85        | -21.20         | -31.65         |
| 7015MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.9094G      | 5.20        | -55.30      | -55.30        | -50.10        | -7.00          | -43.10         |
| 7015MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.13768G     | 5.20        | -60.13      | -60.13        | -54.93        | -7.00          | -47.93         |
| 7015MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.16208G     | 5.20        | -62.00      | -62.00        | -56.80        | -7.00          | -49.80         |
| 7015MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.40655G     | 5.20        | -61.25      | -61.25        | -56.05        | -21.20         | -34.85         |
| 802.11ax HEW20_RU52_Index40_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 7095MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.4194G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 7095MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.91443G     | 5.20        | -66.62      | -66.62        | -61.42        | -27.00         | -34.42         |
| 7095MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.1253G      | 5.20        | -70.32      | -70.32        | -65.12        | -27.00         | -38.12         |
| 7095MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.15298G     | 5.20        | -71.35      | -71.35        | -66.15        | -27.00         | -39.15         |
| 7095MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.28738G     | 5.20        | -71.52      | -71.52        | -66.32        | -41.20         | -25.12         |
| 7095MHz                                           | Pass   | 5G              | 5.9G           | PK   | 5.40635G     | 5.20        | -57.84      | -57.84        | -52.64        | -21.20         | -31.44         |
| 7095MHz                                           | Pass   | 5.9G            | 5.925G         | PK   | 5.91144G     | 5.20        | -54.33      | -54.33        | -49.13        | -7.00          | -42.13         |
| 7095MHz                                           | Pass   | 7.125G          | 7.15G          | PK   | 7.12654G     | 5.20        | -56.28      | -56.28        | -51.08        | -7.00          | -44.08         |
| 7095MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.16295G     | 5.20        | -60.65      | -60.65        | -55.45        | -7.00          | -48.45         |
| 7095MHz                                           | Pass   | 7.15G           | 7.5G           | PK   | 7.388G       | 5.20        | -60.30      | -60.30        | -55.10        | -21.20         | -33.90         |
| 7115MHz                                           | Pass   | 5G              | 5.9G           | AV   | 5.4068G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 7115MHz                                           | Pass   | 5.9G            | 5.925G         | AV   | 5.9244G      | 5.20        | -66.69      | -66.69        | -61.49        | -27.00         | -34.49         |
| 7115MHz                                           | Pass   | 7.125G          | 7.15G          | AV   | 7.1255G      | 5.20        | -47.67      | -47.67        | -31.62        | -27.00         | -4.62          |
| 7115MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.15018G     | 5.20        | -70.53      | -70.53        | -65.33        | -27.00         | -38.33         |
| 7115MHz                                           | Pass   | 7.15G           | 7.5G           | AV   | 7.3019G      | 5.20        | -71.68      | -71.68        | -66.48        | -41.20         | -25.28         |

| Mode                                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 7115MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.4545G      | 5.20        | -57.53      | -57.53        | -52.33        | -21.20         | -31.13         |
| 7115MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91123G     | 5.20        | -53.94      | -53.94        | -48.74        | -7.00          | -41.74         |
| 7115MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.1255G      | 5.20        | -35.32      | -35.32        | -19.22        | -7.00          | -12.22         |
| 7115MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.15595G     | 5.20        | -59.22      | -59.22        | -54.02        | -7.00          | -47.02         |
| 7115MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.4713G      | 5.20        | -60.48      | -60.48        | -55.28        | -21.20         | -34.08         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 5955MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.414G       | 5.20        | -68.53      | -68.53        | -63.33        | -41.20         | -22.13         |
| 5955MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.9247G      | 5.20        | -64.12      | -64.12        | -58.92        | -27.00         | -31.92         |
| 5955MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13843G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 5955MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.29945G     | 5.20        | -71.69      | -71.69        | -66.49        | -41.20         | -25.29         |
| 5955MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.3906G      | 5.20        | -58.12      | -58.12        | -52.92        | -21.20         | -31.72         |
| 5955MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.92468G     | 5.20        | -51.53      | -51.53        | -46.33        | -7.00          | -39.33         |
| 5955MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.12865G     | 5.20        | -59.20      | -59.20        | -54.00        | -7.00          | -47.00         |
| 5955MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.43578G     | 5.20        | -61.20      | -61.20        | -56.00        | -21.20         | -34.80         |
| 6175MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.4176G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6175MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90246G     | 5.20        | -66.54      | -66.54        | -61.34        | -27.00         | -34.34         |
| 6175MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13806G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6175MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.43438G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 6175MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.39105G     | 5.20        | -58.12      | -58.12        | -52.92        | -21.20         | -31.72         |
| 6175MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91538G     | 5.20        | -54.16      | -54.16        | -48.96        | -7.00          | -41.96         |
| 6175MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13185G     | 5.20        | -60.49      | -60.49        | -55.29        | -7.00          | -48.29         |
| 6175MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.33953G     | 5.20        | -61.12      | -61.12        | -55.92        | -21.20         | -34.72         |
| 6415MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.3996G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6415MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.91705G     | 5.20        | -66.64      | -66.64        | -61.44        | -27.00         | -34.44         |
| 6415MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.1377G      | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6415MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.4209G      | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6415MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.35865G     | 5.20        | -57.45      | -57.45        | -52.25        | -21.20         | -31.05         |
| 6415MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.92074G     | 5.20        | -55.29      | -55.29        | -50.09        | -7.00          | -43.09         |
| 6415MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13706G     | 5.20        | -60.11      | -60.11        | -54.91        | -7.00          | -47.91         |
| 6415MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.3957G      | 5.20        | -60.91      | -60.91        | -55.71        | -21.20         | -34.51         |
| 6435MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.40815G     | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6435MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90111G     | 5.20        | -66.53      | -66.53        | -61.33        | -27.00         | -34.33         |
| 6435MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.12555G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6435MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.42143G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6435MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.40635G     | 5.20        | -57.92      | -57.92        | -52.72        | -21.20         | -31.52         |
| 6435MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91969G     | 5.20        | -54.65      | -54.65        | -49.45        | -7.00          | -42.45         |
| 6435MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.14421G     | 5.20        | -60.17      | -60.17        | -54.97        | -7.00          | -47.97         |
| 6435MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.42143G     | 5.20        | -60.39      | -60.39        | -55.19        | -21.20         | -33.99         |
| 6475MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.36225G     | 5.20        | -68.65      | -68.65        | -63.45        | -41.20         | -22.25         |
| 6475MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90111G     | 5.20        | -66.53      | -66.53        | -61.33        | -27.00         | -34.33         |
| 6475MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.14101G     | 5.20        | -71.89      | -71.89        | -66.69        | -27.00         | -39.69         |
| 6475MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.29788G     | 5.20        | -71.70      | -71.70        | -66.50        | -41.20         | -25.30         |

| Mode                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6475MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.43605G     | 5.20        | -58.04      | -58.04        | -52.84        | -21.20         | -31.64         |
| 6475MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91481G     | 5.20        | -54.48      | -54.48        | -49.28        | -7.00          | -42.28         |
| 6475MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13241G     | 5.20        | -59.89      | -59.89        | -54.69        | -7.00          | -47.69         |
| 6475MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.40253G     | 5.20        | -60.97      | -60.97        | -55.77        | -21.20         | -34.57         |
| 6515MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.39915G     | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6515MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90033G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6515MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.14776G     | 5.20        | -71.88      | -71.88        | -66.68        | -27.00         | -39.68         |
| 6515MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.4419G      | 5.20        | -71.70      | -71.70        | -66.50        | -41.20         | -25.30         |
| 6515MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.38655G     | 5.20        | -57.13      | -57.13        | -51.93        | -21.20         | -30.73         |
| 6515MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.90786G     | 5.20        | -54.64      | -54.64        | -49.44        | -7.00          | -42.44         |
| 6515MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.12888G     | 5.20        | -60.04      | -60.04        | -54.84        | -7.00          | -47.84         |
| 6515MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.2704G      | 5.20        | -61.05      | -61.05        | -55.85        | -21.20         | -34.65         |
| 6535MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.40275G     | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6535MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.92436G     | 5.20        | -66.69      | -66.69        | -61.49        | -27.00         | -34.49         |
| 6535MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13771G     | 5.20        | -72.18      | -72.18        | -66.98        | -27.00         | -39.98         |
| 6535MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.43543G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 6535MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.14265G     | 5.20        | -56.88      | -56.88        | -51.68        | -21.20         | -30.48         |
| 6535MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.90219G     | 5.20        | -54.67      | -54.67        | -49.47        | -7.00          | -42.47         |
| 6535MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.14438G     | 5.20        | -60.40      | -60.40        | -55.20        | -7.00          | -48.20         |
| 6535MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.39973G     | 5.20        | -60.17      | -60.17        | -54.97        | -21.20         | -33.77         |
| 6715MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.4203G      | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 6715MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90015G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 6715MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.13175G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6715MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.41285G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 6715MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.45675G     | 5.20        | -58.23      | -58.23        | -53.03        | -21.20         | -31.83         |
| 6715MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.9004G      | 5.20        | -54.46      | -54.46        | -49.26        | -7.00          | -42.26         |
| 6715MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.148G       | 5.20        | -60.10      | -60.10        | -54.90        | -7.00          | -47.90         |
| 6715MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.44383G     | 5.20        | -61.03      | -61.03        | -55.83        | -21.20         | -34.63         |
| 6855MHz                            | Pass   | 5G              | 5.9G           | AV   | 5.3996G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6855MHz                            | Pass   | 5.9G            | 5.925G         | AV   | 5.9011G      | 5.20        | -66.53      | -66.53        | -61.33        | -27.00         | -34.33         |
| 6855MHz                            | Pass   | 7.125G          | 7.15G          | AV   | 7.14265G     | 5.20        | -71.88      | -71.88        | -66.68        | -27.00         | -39.68         |
| 6855MHz                            | Pass   | 7.15G           | 7.5G           | AV   | 7.29928G     | 5.20        | -71.69      | -71.69        | -66.49        | -41.20         | -25.29         |
| 6855MHz                            | Pass   | 5G              | 5.9G           | PK   | 5.3501G      | 5.20        | -57.86      | -57.86        | -52.66        | -21.20         | -31.46         |
| 6855MHz                            | Pass   | 5.9G            | 5.925G         | PK   | 5.9034G      | 5.20        | -55.18      | -55.18        | -49.98        | -7.00          | -42.98         |
| 6855MHz                            | Pass   | 7.125G          | 7.15G          | PK   | 7.14311G     | 5.20        | -59.74      | -59.74        | -54.54        | -7.00          | -47.54         |
| 6855MHz                            | Pass   | 7.15G           | 7.5G           | PK   | 7.32973G     | 5.20        | -60.19      | -60.19        | -54.99        | -21.20         | -33.79         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 5G              | 5.9G           | AV   | 5.3996G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 5.9G            | 5.925G         | AV   | 5.90589G     | 5.20        | -66.56      | -66.56        | -61.36        | -27.00         | -34.36         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.125G          | 7.15G          | AV   | 7.12954G     | 5.20        | -71.90      | -71.90        | -66.70        | -27.00         | -39.70         |
| 6875MHz Straddle                   | Pass   | 7.15G           | 7.5G           | AV   | 7.29735G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |



| Mode                                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6.525-6.875GHz                                     |        |                 |                |      |              |             |             |               |               |                |                |
| 6875MHz Straddle<br>6.525-6.875GHz                 | Pass   | 5G              | 5.9G           | PK   | 5.45225G     | 5.20        | -57.76      | -57.76        | -52.56        | -21.20         | -31.36         |
| 6875MHz Straddle<br>6.525-6.875GHz                 | Pass   | 5.9G            | 5.925G         | PK   | 5.91783G     | 5.20        | -54.50      | -54.50        | -49.30        | -7.00          | -42.30         |
| 6875MHz Straddle<br>6.525-6.875GHz                 | Pass   | 7.125G          | 7.15G          | PK   | 7.12983G     | 5.20        | -59.68      | -59.68        | -54.48        | -7.00          | -47.48         |
| 6875MHz Straddle<br>6.525-6.875GHz                 | Pass   | 7.15G           | 7.5G           | PK   | 7.4174G      | 5.20        | -60.01      | -60.01        | -54.81        | -21.20         | -33.61         |
| 6895MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.42885G     | 5.20        | -68.54      | -68.54        | -63.34        | -41.20         | -22.14         |
| 6895MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90986G     | 5.20        | -66.59      | -66.59        | -61.39        | -27.00         | -34.39         |
| 6895MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.14388G     | 5.20        | -71.88      | -71.88        | -66.68        | -27.00         | -39.68         |
| 6895MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.24958G     | 5.20        | -71.89      | -71.89        | -66.69        | -27.00         | -39.69         |
| 6895MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.25798G     | 5.20        | -71.54      | -71.54        | -66.34        | -41.20         | -25.14         |
| 6895MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.37485G     | 5.20        | -57.76      | -57.76        | -52.56        | -21.20         | -31.36         |
| 6895MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91248G     | 5.20        | -54.14      | -54.14        | -48.94        | -7.00          | -41.94         |
| 6895MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13665G     | 5.20        | -60.41      | -60.41        | -55.21        | -7.00          | -48.21         |
| 6895MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.24538G     | 5.20        | -60.04      | -60.04        | -54.84        | -7.00          | -47.84         |
| 6895MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.33743G     | 5.20        | -60.70      | -60.70        | -55.50        | -21.20         | -34.30         |
| 7015MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.41355G     | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 7015MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90004G     | 5.20        | -66.80      | -66.80        | -61.60        | -27.00         | -34.60         |
| 7015MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.1434G      | 5.20        | -71.88      | -71.88        | -66.68        | -27.00         | -39.68         |
| 7015MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.15385G     | 5.20        | -71.91      | -71.91        | -66.71        | -27.00         | -39.71         |
| 7015MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.41618G     | 5.20        | -71.72      | -71.72        | -66.52        | -41.20         | -25.32         |
| 7015MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.44325G     | 5.20        | -58.31      | -58.31        | -53.11        | -21.20         | -31.91         |
| 7015MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.91113G     | 5.20        | -55.01      | -55.01        | -49.81        | -7.00          | -42.81         |
| 7015MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.13858G     | 5.20        | -59.95      | -59.95        | -54.75        | -7.00          | -47.75         |
| 7015MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.18658G     | 5.20        | -60.84      | -60.84        | -55.64        | -7.00          | -48.64         |
| 7015MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.444G       | 5.20        | -60.14      | -60.14        | -54.94        | -21.20         | -33.74         |
| 802.11ax HEW20_RU106_Index54_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 7095MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.41895G     | 5.20        | -68.80      | -68.80        | -63.60        | -41.20         | -22.40         |
| 7095MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90338G     | 5.20        | -66.55      | -66.55        | -61.35        | -27.00         | -34.35         |
| 7095MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.125G       | 5.20        | -69.85      | -69.85        | -64.65        | -27.00         | -37.65         |
| 7095MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.15035G     | 5.20        | -71.06      | -71.06        | -65.86        | -27.00         | -38.86         |
| 7095MHz                                            | Pass   | 7.15G           | 7.5G           | AV   | 7.29735G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 7095MHz                                            | Pass   | 5G              | 5.9G           | PK   | 5.41805G     | 5.20        | -57.76      | -57.76        | -52.56        | -21.20         | -31.36         |
| 7095MHz                                            | Pass   | 5.9G            | 5.925G         | PK   | 5.90294G     | 5.20        | -54.96      | -54.96        | -49.76        | -7.00          | -42.76         |
| 7095MHz                                            | Pass   | 7.125G          | 7.15G          | PK   | 7.12589G     | 5.20        | -57.45      | -57.45        | -52.25        | -7.00          | -45.25         |
| 7095MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.1619G      | 5.20        | -60.27      | -60.27        | -55.07        | -7.00          | -48.07         |
| 7095MHz                                            | Pass   | 7.15G           | 7.5G           | PK   | 7.3089G      | 5.20        | -60.64      | -60.64        | -55.44        | -21.20         | -34.24         |
| 7115MHz                                            | Pass   | 5G              | 5.9G           | AV   | 5.3987G      | 5.20        | -68.81      | -68.81        | -63.61        | -41.20         | -22.41         |
| 7115MHz                                            | Pass   | 5.9G            | 5.925G         | AV   | 5.90051G     | 5.20        | -66.53      | -66.53        | -61.33        | -27.00         | -34.33         |
| 7115MHz                                            | Pass   | 7.125G          | 7.15G          | AV   | 7.1255G      | 5.20        | -46.60      | -46.60        | -30.76        | -27.00         | -3.76          |

| Mode    | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 7115MHz | Pass   | 7.15G           | 7.5G           | AV   | 7.15G        | 5.20        | -69.59      | -69.59        | -64.39        | -27.00         | -37.39         |
| 7115MHz | Pass   | 7.15G           | 7.5G           | AV   | 7.30803G     | 5.20        | -71.71      | -71.71        | -66.51        | -41.20         | -25.31         |
| 7115MHz | Pass   | 5G              | 5.9G           | PK   | 5.40185G     | 5.20        | -57.85      | -57.85        | -52.65        | -21.20         | -31.45         |
| 7115MHz | Pass   | 5.9G            | 5.925G         | PK   | 5.90373G     | 5.20        | -54.82      | -54.82        | -49.62        | -7.00          | -42.62         |
| 7115MHz | Pass   | 7.125G          | 7.15G          | PK   | 7.1255G      | 5.20        | -31.14      | -31.14        | -16.59        | -7.00          | -9.59          |
| 7115MHz | Pass   | 7.15G           | 7.5G           | PK   | 7.1514G      | 5.20        | -59.12      | -59.12        | -53.92        | -7.00          | -46.92         |
| 7115MHz | Pass   | 7.15G           | 7.5G           | PK   | 7.28423G     | 5.20        | -60.27      | -60.27        | -55.07        | -21.20         | -33.87         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



5.925-6.425GHz\_802.11ax HEW20\_RU26\_Index0\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5955MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.0333G  | -58.29    | -58.29  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.9147G  | -54.48    | -54.48  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13439G | -60.81    | -60.81  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.41215G | -60.80    | -60.80  |

5.925-6.425GHz\_802.11ax HEW20\_RU26\_Index0\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5955MHz



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.4221G  | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.9237G  | -66.16    | -66.16  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.1384G  | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.41723G | -71.72    | -71.72  |






5.925-6.425GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6175MHz



5.925-6.425GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6175MHz



5.925-6.425GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6415MHz



5.925-6.425GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6415MHz






6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6435MHz



6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6435MHz



6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.45405G | -58.57    | -58.57  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91779G | -54.91    | -54.91  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.14331G | -60.40    | -60.40  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.29928G | -60.93    | -60.93  |

6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.41175G | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.91286G | -66.61    | -66.61  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13775G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.41775G | -71.72    | -71.72  |



6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.02025G | -58.05    | -58.05  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91396G | -53.96    | -53.96  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.14939G | -60.71    | -60.71  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.4356G  | -59.70    | -59.70  |

6.425-6.525GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.43245G | -68.83    | -68.83  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.903G   | -66.82    | -66.82  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13995G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.39605G | -71.46    | -71.46  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6535MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.4185G  | -57.92    | -57.92  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92394G | -54.03    | -54.03  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13954G | -60.40    | -60.40  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.29665G | -61.04    | -61.04  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6535MHz



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.41895G | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90115G | -66.81    | -66.81  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13839G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.3173G  | -71.76    | -71.76  |






6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6715MHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6715MHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6855MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.1449G  | -58.40    | -58.40  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.90883G | -55.07    | -55.07  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.1497G  | -60.10    | -60.10  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.40218G | -60.72    | -60.72  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6855MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.40275G | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.9009G  | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.12806G | -71.90    | -71.90  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.3054G  | -71.70    | -71.70  |



6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6875MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6895MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.3681G  | -57.41    | -57.41  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91073G | -54.94    | -54.94  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13803G | -59.95    | -59.95  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.16558G | -60.67    | -60.67  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.43455G | -60.78    | -60.78  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6895MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.4014G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90068G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13106G | -71.90    | -71.90  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.15525G | -72.22    | -72.22  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.4188G  | -71.72    | -71.72  |



6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7015MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.37935G | -57.90    | -57.90  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91329G | -55.24    | -55.24  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.14923G | -60.10    | -60.10  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.19918G | -61.09    | -61.09  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.4454G  | -60.69    | -60.69  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index3\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7015MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.423G   | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90038G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13893G | -71.89    | -71.89  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.15018G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.43175G | -71.72    | -71.72  |

6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index8\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.36225G | -58.29    | -58.29  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92075G | -55.44    | -55.44  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.12961G | -58.49    | -58.49  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.20093G | -61.42    | -61.42  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.4587G  | -60.22    | -60.22  |

6.875-7.125GHz\_802.11ax HEW20\_RU26\_Index8\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.3996G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90066G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.12526G | -70.81    | -70.81  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.15193G | -71.34    | -71.34  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.30715G | -71.72    | -71.72  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index8\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7115MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz)    | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|------------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M         | PK   | 5.37215G | -58.93    | -58.93  |
| 5.9G        | 5.925G     | 1M         | PK   | 5.90841G | -55.21    | -55.21  |
| 7.125G      | 7.15G      | 100k(BP1M) | PK   | 7.1255G  | -36.34    | -36.34  |
| 7.15G       | 7.5G       | 1M         | PK   | 7.15G    | -60.01    | -60.01  |
| 7.15G       | 7.5G       | 1M         | PK   | 7.36998G | -61.42    | -61.42  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU26\_Index8\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7115MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz)    | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|------------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M         | AV   | 5.3987G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M         | AV   | 5.90749G | -66.57    | -66.57  |
| 7.125G      | 7.15G      | 100k(BP1M) | AV   | 7.1255G  | -47.86    | -47.86  |
| 7.15G       | 7.5G       | 1M         | AV   | 7.15018G | -70.79    | -70.79  |
| 7.15G       | 7.5G       | 1M         | AV   | 7.41548G | -71.71    | -71.71  |



5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index37\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5955MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.14805G | -58.04    | -58.04  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92485G | -52.86    | -52.86  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13955G | -60.64    | -60.64  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.465G   | -60.59    | -60.59  |

5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index37\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5955MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.423G   | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.9234G  | -65.42    | -65.42  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13805G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.4027G  | -71.73    | -71.73  |



5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6175MHz



5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6175MHz






5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6415MHz



5.925-6.425GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6415MHz






6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6435MHz



6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6435MHz



6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.4032G  | -58.25    | -58.25  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92061G | -55.36    | -55.36  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.14141G | -60.10    | -60.10  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.304G   | -60.45    | -60.45  |

6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.41805G | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90189G | -66.81    | -66.81  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.14083G | -71.89    | -71.89  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.45118G | -71.71    | -71.71  |

6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.396G   | -57.55    | -57.55  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92413G | -54.41    | -54.41  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13453G | -59.75    | -59.75  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.4748G  | -59.86    | -59.86  |

6.425-6.525GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.42885G | -68.82    | -68.82  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.9G     | -66.00    | -66.00  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13845G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.3054G  | -71.70    | -71.70  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6535MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.40365G | -57.77    | -57.77  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.90623G | -54.84    | -54.84  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13094G | -59.75    | -59.75  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.318G   | -59.84    | -59.84  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6535MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.4122G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90023G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13881G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.41338G | -71.72    | -71.72  |



6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6715MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.03465G | -57.84    | -57.84  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91208G | -55.02    | -55.02  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13613G | -60.19    | -60.19  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.32343G | -61.04    | -61.04  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6715MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.4059G  | -68.53    | -68.53  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90039G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13776G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.30453G | -71.70    | -71.70  |

6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6855MHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6855MHz








6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6875MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6895MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.39015G | -58.28    | -58.28  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91509G | -53.91    | -53.91  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.14965G | -60.32    | -60.32  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.15123G | -61.22    | -61.22  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.3012G  | -60.36    | -60.36  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6895MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.42255G | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90096G | -66.81    | -66.81  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.12916G | -71.90    | -71.90  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.24975G | -72.17    | -72.17  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.4202G  | -71.72    | -71.72  |



6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


7015MHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index38\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


7015MHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index40\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.40635G | -57.84    | -57.84  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91144G | -54.33    | -54.33  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.12654G | -56.28    | -56.28  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.16295G | -60.65    | -60.65  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.388G   | -60.30    | -60.30  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index40\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.4194G  | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.91443G | -66.62    | -66.62  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.1253G  | -70.32    | -70.32  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.15298G | -71.35    | -71.35  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.28738G | -71.52    | -71.52  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index40\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7115MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz)    | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|------------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M         | PK   | 5.4545G  | -57.53    | -57.53  |
| 5.9G        | 5.925G     | 1M         | PK   | 5.91123G | -53.94    | -53.94  |
| 7.125G      | 7.15G      | 100k(BP1M) | PK   | 7.1255G  | -35.32    | -35.32  |
| 7.15G       | 7.5G       | 1M         | PK   | 7.15595G | -59.22    | -59.22  |
| 7.15G       | 7.5G       | 1M         | PK   | 7.4713G  | -60.48    | -60.48  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU52\_Index40\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7115MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz)    | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|------------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M         | AV   | 5.4068G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M         | AV   | 5.9244G  | -66.69    | -66.69  |
| 7.125G      | 7.15G      | 100k(BP1M) | AV   | 7.1255G  | -47.67    | -47.67  |
| 7.15G       | 7.5G       | 1M         | AV   | 7.15018G | -70.53    | -70.53  |
| 7.15G       | 7.5G       | 1M         | AV   | 7.3019G  | -71.68    | -71.68  |



5.925-6.425GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

5955MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.906G   | -58.12    | -58.12  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92468G | -51.53    | -51.53  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.12865G | -59.20    | -59.20  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.43578G | -61.20    | -61.20  |

5.925-6.425GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

5955MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.414G   | -68.53    | -68.53  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.9247G  | -64.12    | -64.12  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.13843G | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.29945G | -71.69    | -71.69  |



5.925-6.425GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6175MHz



5.925-6.425GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6175MHz






5.925-6.425GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6415MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.35865G | -57.45    | -57.45  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.92074G | -55.29    | -55.29  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13706G | -60.11    | -60.11  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.3957G  | -60.91    | -60.91  |

5.925-6.425GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6415MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.3996G  | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.91705G | -66.64    | -66.64  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.1377G  | -72.18    | -72.18  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.4209G  | -71.72    | -71.72  |



6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6435MHz



6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6435MHz






6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.43605G | -58.04    | -58.04  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91481G | -54.48    | -54.48  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13241G | -59.89    | -59.89  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.40253G | -60.97    | -60.97  |

6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6475MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.36225G | -68.65    | -68.65  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90111G | -66.53    | -66.53  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.14101G | -71.89    | -71.89  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.29788G | -71.70    | -71.70  |

6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.38655G | -57.13    | -57.13  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.90786G | -54.64    | -54.64  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.12888G | -60.04    | -60.04  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.2704G  | -61.05    | -61.05  |

6.425-6.525GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6515MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.39915G | -68.81    | -68.81  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90033G | -66.80    | -66.80  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.14776G | -71.88    | -71.88  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.4419G  | -71.70    | -71.70  |



6.525-6.875GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6535MHz



6.525-6.875GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6535MHz






6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6715MHz



6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6715MHz






6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6855MHz



6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6855MHz



6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz\_802.11ax HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


6875MHz Straddle 6.525-6.875GHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

6895MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.37485G | -57.76    | -57.76  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.91240G | -54.14    | -54.14  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.13665G | -60.41    | -60.41  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.24538G | -60.04    | -60.04  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.33743G | -60.70    | -60.70  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

6895MHz



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.42885G | -68.54    | -68.54  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90986G | -66.59    | -66.59  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.14380G | -71.88    | -71.88  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.24958G | -71.89    | -71.89  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.25798G | -71.54    | -71.54  |






6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


7015MHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index53\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]


7015MHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index54\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | PK   | 5.41805G | -57.76    | -57.76  |
| 5.9G        | 5.925G     | 1M      | PK   | 5.90294G | -54.96    | -54.96  |
| 7.125G      | 7.15G      | 1M      | PK   | 7.12589G | -57.45    | -57.45  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.1619G  | -60.27    | -60.27  |
| 7.15G       | 7.5G       | 1M      | PK   | 7.3089G  | -60.64    | -60.64  |

6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index54\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7095MHz




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|---------|
| 5G          | 5.9G       | 1M      | AV   | 5.41895G | -68.80    | -68.80  |
| 5.9G        | 5.925G     | 1M      | AV   | 5.90338G | -66.55    | -66.55  |
| 7.125G      | 7.15G      | 1M      | AV   | 7.125G   | -69.85    | -69.85  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.15035G | -71.06    | -71.06  |
| 7.15G       | 7.5G       | 1M      | AV   | 7.29735G | -71.71    | -71.71  |



6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index54\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]


7115MHz



6.875-7.125GHz\_802.11ax\_HEW20\_RU106\_Index54\_20MHz\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7115MHz



**Summary**

| Mode                                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------------------|--------|-----------------|----------------|------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5.925-6.425GHz                                     | -      | -               | -              | -    | -           | -           | -             | -             | -              | -              |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX   | Pass   | 18G             | 40G            | AV   | 5.20        | -57.18      | -57.18        | -51.98        | -41.20         | -10.78         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX  | Pass   | 18G             | 40G            | AV   | 5.20        | -56.72      | -56.72        | -51.52        | -41.20         | -10.32         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX | Pass   | 18G             | 40G            | AV   | 5.20        | -56.74      | -56.74        | -51.54        | -41.20         | -10.34         |
| 6.425-6.525GHz                                     | -      | -               | -              | -    | -           | -           | -             | -             | -              | -              |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX   | Pass   | 18G             | 40G            | AV   | 5.20        | -57.12      | -57.12        | -51.92        | -41.20         | -10.72         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX  | Pass   | 18G             | 40G            | AV   | 5.20        | -56.96      | -56.96        | -51.76        | -41.20         | -10.56         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX | Pass   | 18G             | 40G            | AV   | 5.20        | -56.88      | -56.88        | -51.68        | -41.20         | -10.48         |
| 6.525-6.875GHz                                     | -      | -               | -              | -    | -           | -           | -             | -             | -              | -              |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX   | Pass   | 18G             | 40G            | AV   | 5.20        | -57.11      | -57.11        | -51.91        | -41.20         | -10.71         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX  | Pass   | 18G             | 40G            | AV   | 5.20        | -56.73      | -56.73        | -51.53        | -41.20         | -10.33         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX | Pass   | 18G             | 40G            | AV   | 5.20        | -56.71      | -56.71        | -51.51        | -41.20         | -10.31         |
| 6.875-7.125GHz                                     | -      | -               | -              | -    | -           | -           | -             | -             | -              | -              |
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX   | Pass   | 18G             | 40G            | AV   | 5.20        | -56.49      | -56.49        | -51.29        | -41.20         | -10.09         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX  | Pass   | 18G             | 40G            | AV   | 5.20        | -57.06      | -57.06        | -51.86        | -41.20         | -10.66         |
| 802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX | Pass   | 18G             | 40G            | AV   | 5.20        | -56.87      | -56.87        | -51.67        | -41.20         | -10.47         |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

**Result**

| Mode                                             | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | AV   | 11.92214G    | 5.20        | -71.02      | -71.02        | -65.82        | -41.20         | -24.62         |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | AV   | 15.74841G    | 5.20        | -64.56      | -64.56        | -59.36        | -41.20         | -18.16         |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | AV   | 17.86514G    | 5.20        | -65.65      | -65.65        | -60.45        | -41.20         | -19.25         |
| 5955MHz                                          | Pass   | 18G             | 40G            | AV   | 39.86456G    | 5.20        | -57.19      | -57.19        | -51.99        | -41.20         | -10.79         |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | PK   | 11.90803G    | 5.20        | -62.79      | -62.79        | -57.59        | -21.20         | -36.39         |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | PK   | 15.72773G    | 5.20        | -56.82      | -56.82        | -51.62        | -21.20         | -30.42         |
| 5955MHz                                          | Pass   | 7.5G            | 18G            | PK   | 17.86252G    | 5.20        | -57.63      | -57.63        | -52.43        | -21.20         | -31.23         |
| 5955MHz                                          | Pass   | 18G             | 40G            | PK   | 39.5875G     | 5.20        | -48.52      | -48.52        | -43.32        | -21.20         | -22.12         |
| 6175MHz                                          | Pass   | 7.5G            | 18G            | AV   | 12.34444G    | 5.20        | -71.34      | -71.34        | -66.14        | -41.20         | -24.94         |
| 6175MHz                                          | Pass   | 7.5G            | 18G            | AV   | 15.7507G     | 5.20        | -64.29      | -64.29        | -59.09        | -41.20         | -17.89         |
| 6175MHz                                          | Pass   | 18G             | 40G            | AV   | 18.52869G    | 5.20        | -65.68      | -65.68        | -60.48        | -41.20         | -19.28         |
| 6175MHz                                          | Pass   | 18G             | 40G            | AV   | 39.89894G    | 5.20        | -57.18      | -57.18        | -51.98        | -41.20         | -10.78         |
| 6175MHz                                          | Pass   | 7.5G            | 18G            | PK   | 12.34838G    | 5.20        | -64.02      | -64.02        | -58.82        | -21.20         | -37.62         |
| 6175MHz                                          | Pass   | 7.5G            | 18G            | PK   | 15.73364G    | 5.20        | -55.81      | -55.81        | -50.61        | -21.20         | -29.41         |
| 6175MHz                                          | Pass   | 18G             | 40G            | PK   | 18.51838G    | 5.20        | -56.88      | -56.88        | -51.68        | -21.20         | -30.48         |
| 6175MHz                                          | Pass   | 18G             | 40G            | PK   | 38.8285G     | 5.20        | -49.13      | -49.13        | -43.93        | -21.20         | -22.73         |
| 6415MHz                                          | Pass   | 7.5G            | 18G            | AV   | 12.82613G    | 5.20        | -69.48      | -69.48        | -64.28        | -27.00         | -37.28         |
| 6415MHz                                          | Pass   | 7.5G            | 18G            | AV   | 15.73627G    | 5.20        | -64.38      | -64.38        | -59.18        | -41.20         | -17.98         |
| 6415MHz                                          | Pass   | 18G             | 40G            | AV   | 19.23613G    | 5.20        | -65.50      | -65.50        | -60.30        | -41.20         | -19.10         |
| 6415MHz                                          | Pass   | 18G             | 40G            | AV   | 39.9615G     | 5.20        | -57.19      | -57.19        | -51.99        | -41.20         | -10.79         |
| 6415MHz                                          | Pass   | 7.5G            | 18G            | PK   | 12.82448G    | 5.20        | -62.02      | -62.02        | -56.82        | -7.00          | -49.82         |
| 6415MHz                                          | Pass   | 7.5G            | 18G            | PK   | 15.75202G    | 5.20        | -55.38      | -55.38        | -50.18        | -21.20         | -28.98         |
| 6415MHz                                          | Pass   | 18G             | 40G            | PK   | 19.23956G    | 5.20        | -57.77      | -57.77        | -52.57        | -21.20         | -31.37         |
| 6415MHz                                          | Pass   | 18G             | 40G            | PK   | 39.58819G    | 5.20        | -49.55      | -49.55        | -44.35        | -21.20         | -23.15         |
| 6435MHz                                          | Pass   | 7.5G            | 18G            | AV   | 12.87698G    | 5.20        | -69.69      | -69.69        | -64.49        | -27.00         | -37.49         |
| 6435MHz                                          | Pass   | 7.5G            | 18G            | AV   | 15.74447G    | 5.20        | -64.84      | -64.84        | -59.64        | -41.20         | -18.44         |
| 6435MHz                                          | Pass   | 18G             | 40G            | AV   | 19.29181G    | 5.20        | -65.40      | -65.40        | -60.20        | -41.20         | -19.00         |
| 6435MHz                                          | Pass   | 18G             | 40G            | AV   | 39.85081G    | 5.20        | -57.35      | -57.35        | -52.15        | -41.20         | -10.95         |
| 6435MHz                                          | Pass   | 7.5G            | 18G            | PK   | 12.86222G    | 5.20        | -61.60      | -61.60        | -56.40        | -7.00          | -49.40         |
| 6435MHz                                          | Pass   | 7.5G            | 18G            | PK   | 16.04831G    | 5.20        | -56.43      | -56.43        | -51.23        | -21.20         | -30.03         |
| 6435MHz                                          | Pass   | 18G             | 40G            | PK   | 19.31038G    | 5.20        | -57.95      | -57.95        | -52.75        | -21.20         | -31.55         |
| 6435MHz                                          | Pass   | 18G             | 40G            | PK   | 39.89894G    | 5.20        | -48.86      | -48.86        | -43.66        | -21.20         | -22.46         |
| 6475MHz                                          | Pass   | 7.5G            | 18G            | AV   | 12.96591G    | 5.20        | -70.27      | -70.27        | -65.07        | -27.00         | -38.07         |
| 6475MHz                                          | Pass   | 7.5G            | 18G            | AV   | 16.06702G    | 5.20        | -64.28      | -64.28        | -59.08        | -41.20         | -17.88         |
| 6475MHz                                          | Pass   | 18G             | 40G            | AV   | 19.41763G    | 5.20        | -64.53      | -64.53        | -59.33        | -41.20         | -18.13         |
| 6475MHz                                          | Pass   | 18G             | 40G            | AV   | 39.97938G    | 5.20        | -57.25      | -57.25        | -52.05        | -41.20         | -10.85         |
| 6475MHz                                          | Pass   | 7.5G            | 18G            | PK   | 12.94523G    | 5.20        | -61.60      | -61.60        | -56.40        | -7.00          | -49.40         |
| 6475MHz                                          | Pass   | 7.5G            | 18G            | PK   | 15.94627G    | 5.20        | -55.39      | -55.39        | -50.19        | -21.20         | -28.99         |
| 6475MHz                                          | Pass   | 18G             | 40G            | PK   | 19.42725G    | 5.20        | -55.23      | -55.23        | -50.03        | -21.20         | -28.83         |
| 6475MHz                                          | Pass   | 18G             | 40G            | PK   | 38.75219G    | 5.20        | -48.11      | -48.11        | -42.91        | -21.20         | -21.71         |
| 6515MHz                                          | Pass   | 7.5G            | 18G            | AV   | 13.03481G    | 5.20        | -70.27      | -70.27        | -65.07        | -27.00         | -38.07         |

| Mode                               | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6515MHz                            | Pass   | 7.5G            | 18G            | AV   | 15.74545G    | 5.20        | -64.45      | -64.45        | -59.25        | -41.20         | -18.05         |
| 6515MHz                            | Pass   | 18G             | 40G            | AV   | 19.53106G    | 5.20        | -65.18      | -65.18        | -59.98        | -41.20         | -18.78         |
| 6515MHz                            | Pass   | 18G             | 40G            | AV   | 39.93538G    | 5.20        | -57.12      | -57.12        | -51.92        | -41.20         | -10.72         |
| 6515MHz                            | Pass   | 7.5G            | 18G            | PK   | 13.0463G     | 5.20        | -62.74      | -62.74        | -57.54        | -7.00          | -50.54         |
| 6515MHz                            | Pass   | 7.5G            | 18G            | PK   | 15.73102G    | 5.20        | -56.39      | -56.39        | -51.19        | -21.20         | -29.99         |
| 6515MHz                            | Pass   | 18G             | 40G            | PK   | 19.52763G    | 5.20        | -57.96      | -57.96        | -52.76        | -21.20         | -31.56         |
| 6515MHz                            | Pass   | 18G             | 40G            | PK   | 39.53319G    | 5.20        | -48.93      | -48.93        | -43.73        | -21.20         | -22.53         |
| 6535MHz                            | Pass   | 7.5G            | 18G            | AV   | 13.05942G    | 5.20        | -70.60      | -70.60        | -65.40        | -27.00         | -38.40         |
| 6535MHz                            | Pass   | 7.5G            | 18G            | AV   | 15.73988G    | 5.20        | -64.49      | -64.49        | -59.29        | -41.20         | -18.09         |
| 6535MHz                            | Pass   | 18G             | 40G            | AV   | 19.59294G    | 5.20        | -66.00      | -66.00        | -60.80        | -41.20         | -19.60         |
| 6535MHz                            | Pass   | 18G             | 40G            | AV   | 39.80406G    | 5.20        | -57.11      | -57.11        | -51.91        | -41.20         | -10.71         |
| 6535MHz                            | Pass   | 7.5G            | 18G            | PK   | 13.08469G    | 5.20        | -61.52      | -61.52        | -56.32        | -7.00          | -49.32         |
| 6535MHz                            | Pass   | 7.5G            | 18G            | PK   | 15.73036G    | 5.20        | -55.97      | -55.97        | -50.77        | -21.20         | -29.57         |
| 6535MHz                            | Pass   | 18G             | 40G            | PK   | 19.61219G    | 5.20        | -58.37      | -58.37        | -53.17        | -21.20         | -31.97         |
| 6535MHz                            | Pass   | 18G             | 40G            | PK   | 39.89G       | 5.20        | -48.51      | -48.51        | -43.31        | -21.20         | -22.11         |
| 6715MHz                            | Pass   | 7.5G            | 18G            | AV   | 13.42889G    | 5.20        | -70.42      | -70.42        | -65.22        | -27.00         | -38.22         |
| 6715MHz                            | Pass   | 7.5G            | 18G            | AV   | 15.73988G    | 5.20        | -64.36      | -64.36        | -59.16        | -41.20         | -17.96         |
| 6715MHz                            | Pass   | 18G             | 40G            | AV   | 20.134G      | 5.20        | -66.48      | -66.48        | -61.28        | -41.20         | -20.08         |
| 6715MHz                            | Pass   | 18G             | 40G            | AV   | 39.80956G    | 5.20        | -57.20      | -57.20        | -52.00        | -41.20         | -10.80         |
| 6715MHz                            | Pass   | 7.5G            | 18G            | PK   | 13.42069G    | 5.20        | -62.09      | -62.09        | -56.89        | -7.00          | -49.89         |
| 6715MHz                            | Pass   | 7.5G            | 18G            | PK   | 15.72773G    | 5.20        | -55.67      | -55.67        | -50.47        | -21.20         | -29.27         |
| 6715MHz                            | Pass   | 18G             | 40G            | PK   | 20.15875G    | 5.20        | -58.76      | -58.76        | -53.56        | -21.20         | -32.36         |
| 6715MHz                            | Pass   | 18G             | 40G            | PK   | 38.77763G    | 5.20        | -49.01      | -49.01        | -43.81        | -21.20         | -22.61         |
| 6855MHz                            | Pass   | 7.5G            | 18G            | AV   | 13.70353G    | 5.20        | -69.49      | -69.49        | -64.29        | -27.00         | -37.29         |
| 6855MHz                            | Pass   | 7.5G            | 18G            | AV   | 15.73561G    | 5.20        | -64.64      | -64.64        | -59.44        | -41.20         | -18.24         |
| 6855MHz                            | Pass   | 18G             | 40G            | AV   | 20.55681G    | 5.20        | -68.01      | -68.01        | -62.81        | -41.20         | -21.61         |
| 6855MHz                            | Pass   | 18G             | 40G            | AV   | 39.85219G    | 5.20        | -57.23      | -57.23        | -52.03        | -41.20         | -10.83         |
| 6855MHz                            | Pass   | 7.5G            | 18G            | PK   | 13.70058G    | 5.20        | -61.97      | -61.97        | -56.77        | -7.00          | -49.77         |
| 6855MHz                            | Pass   | 7.5G            | 18G            | PK   | 15.7635G     | 5.20        | -55.86      | -55.86        | -50.66        | -21.20         | -29.46         |
| 6855MHz                            | Pass   | 18G             | 40G            | PK   | 20.55819G    | 5.20        | -60.10      | -60.10        | -54.90        | -21.20         | -33.70         |
| 6855MHz                            | Pass   | 18G             | 40G            | PK   | 39.94844G    | 5.20        | -49.02      | -49.02        | -43.82        | -21.20         | -22.62         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.5G            | 18G            | AV   | 13.73273G    | 5.20        | -69.59      | -69.59        | -64.39        | -27.00         | -37.39         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.5G            | 18G            | AV   | 15.7192G     | 5.20        | -64.25      | -64.25        | -59.05        | -41.20         | -17.85         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 18G             | 40G            | AV   | 20.61594G    | 5.20        | -68.72      | -68.72        | -63.52        | -41.20         | -22.32         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 18G             | 40G            | AV   | 39.97181G    | 5.20        | -57.20      | -57.20        | -52.00        | -41.20         | -10.80         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.5G            | 18G            | PK   | 13.75242G    | 5.20        | -61.64      | -61.64        | -56.44        | -7.00          | -49.44         |
| 6875MHz Straddle<br>6.525-6.875GHz | Pass   | 7.5G            | 18G            | PK   | 15.68902G    | 5.20        | -56.67      | -56.67        | -51.47        | -21.20         | -30.27         |
| 6875MHz Straddle                   | Pass   | 18G             | 40G            | PK   | 20.60975G    | 5.20        | -61.39      | -61.39        | -56.19        | -21.20         | -34.99         |

| Mode                                              | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 6.525-6.875GHz                                    |        |                 |                |      |              |             |             |               |               |                |                |
| 6875MHz Straddle<br>6.525-6.875GHz                | Pass   | 18G             | 40G            | PK   | 39.879G      | 5.20        | -47.16      | -47.16        | -41.96        | -21.20         | -20.76         |
| 6895MHz                                           | Pass   | 7.5G            | 18G            | AV   | 13.79803G    | 5.20        | -69.71      | -69.71        | -64.51        | -27.00         | -37.51         |
| 6895MHz                                           | Pass   | 7.5G            | 18G            | AV   | 15.74086G    | 5.20        | -64.48      | -64.48        | -59.28        | -41.20         | -18.08         |
| 6895MHz                                           | Pass   | 18G             | 40G            | AV   | 20.67025G    | 5.20        | -67.61      | -67.61        | -62.41        | -41.20         | -21.21         |
| 6895MHz                                           | Pass   | 18G             | 40G            | AV   | 39.98556G    | 5.20        | -56.93      | -56.93        | -51.73        | -41.20         | -10.53         |
| 6895MHz                                           | Pass   | 7.5G            | 18G            | PK   | 13.80427G    | 5.20        | -60.75      | -60.75        | -55.55        | -7.00          | -48.55         |
| 6895MHz                                           | Pass   | 7.5G            | 18G            | PK   | 15.67425G    | 5.20        | -56.12      | -56.12        | -50.92        | -21.20         | -29.72         |
| 6895MHz                                           | Pass   | 18G             | 40G            | PK   | 20.67163G    | 5.20        | -60.73      | -60.73        | -55.53        | -21.20         | -34.33         |
| 6895MHz                                           | Pass   | 18G             | 40G            | PK   | 39.90238G    | 5.20        | -48.64      | -48.64        | -43.44        | -21.20         | -22.24         |
| 7015MHz                                           | Pass   | 7.5G            | 18G            | AV   | 14.01952G    | 5.20        | -68.79      | -68.79        | -63.59        | -27.00         | -36.59         |
| 7015MHz                                           | Pass   | 7.5G            | 18G            | AV   | 15.76088G    | 5.20        | -64.39      | -64.39        | -59.19        | -41.20         | -17.99         |
| 7015MHz                                           | Pass   | 18G             | 40G            | AV   | 21.03463G    | 5.20        | -68.16      | -68.16        | -62.96        | -41.20         | -21.76         |
| 7015MHz                                           | Pass   | 18G             | 40G            | AV   | 39.86113G    | 5.20        | -57.03      | -57.03        | -51.83        | -41.20         | -10.63         |
| 7015MHz                                           | Pass   | 7.5G            | 18G            | PK   | 14.02345G    | 5.20        | -61.25      | -61.25        | -56.05        | -7.00          | -49.05         |
| 7015MHz                                           | Pass   | 7.5G            | 18G            | PK   | 15.75661G    | 5.20        | -55.59      | -55.59        | -50.39        | -21.20         | -29.19         |
| 7015MHz                                           | Pass   | 18G             | 40G            | PK   | 21.05113G    | 5.20        | -60.54      | -60.54        | -55.34        | -21.20         | -34.14         |
| 7015MHz                                           | Pass   | 18G             | 40G            | PK   | 39.72569G    | 5.20        | -48.84      | -48.84        | -43.64        | -21.20         | -22.44         |
| 7095MHz                                           | Pass   | 7.5G            | 18G            | AV   | 14.17734G    | 5.20        | -69.09      | -69.09        | -63.89        | -27.00         | -36.89         |
| 7095MHz                                           | Pass   | 7.5G            | 18G            | AV   | 15.75497G    | 5.20        | -64.41      | -64.41        | -59.21        | -41.20         | -18.01         |
| 7095MHz                                           | Pass   | 18G             | 40G            | AV   | 21.27319G    | 5.20        | -66.67      | -66.67        | -61.47        | -41.20         | -20.27         |
| 7095MHz                                           | Pass   | 18G             | 40G            | AV   | 39.5655G     | 5.20        | -57.26      | -57.26        | -52.06        | -41.20         | -10.86         |
| 7095MHz                                           | Pass   | 7.5G            | 18G            | PK   | 14.20392G    | 5.20        | -61.01      | -61.01        | -55.81        | -7.00          | -48.81         |
| 7095MHz                                           | Pass   | 7.5G            | 18G            | PK   | 15.72445G    | 5.20        | -56.06      | -56.06        | -50.86        | -21.20         | -29.66         |
| 7095MHz                                           | Pass   | 18G             | 40G            | PK   | 21.28075G    | 5.20        | -58.50      | -58.50        | -53.30        | -21.20         | -32.10         |
| 7095MHz                                           | Pass   | 18G             | 40G            | PK   | 39.86869G    | 5.20        | -48.03      | -48.03        | -42.83        | -21.20         | -21.63         |
| 7115MHz                                           | Pass   | 7.5G            | 18G            | AV   | 14.21344G    | 5.20        | -68.97      | -68.97        | -63.77        | -27.00         | -36.77         |
| 7115MHz                                           | Pass   | 7.5G            | 18G            | AV   | 15.75923G    | 5.20        | -64.52      | -64.52        | -59.32        | -41.20         | -18.12         |
| 7115MHz                                           | Pass   | 18G             | 40G            | AV   | 21.34675G    | 5.20        | -66.77      | -66.77        | -61.57        | -41.20         | -20.37         |
| 7115MHz                                           | Pass   | 18G             | 40G            | AV   | 39.87213G    | 5.20        | -56.49      | -56.49        | -51.29        | -41.20         | -10.09         |
| 7115MHz                                           | Pass   | 7.5G            | 18G            | PK   | 14.23247G    | 5.20        | -61.02      | -61.02        | -55.82        | -7.00          | -48.82         |
| 7115MHz                                           | Pass   | 7.5G            | 18G            | PK   | 15.74644G    | 5.20        | -56.34      | -56.34        | -51.14        | -21.20         | -29.94         |
| 7115MHz                                           | Pass   | 18G             | 40G            | PK   | 21.35225G    | 5.20        | -60.46      | -60.46        | -55.26        | -21.20         | -34.06         |
| 7115MHz                                           | Pass   | 18G             | 40G            | PK   | 39.98625G    | 5.20        | -49.23      | -49.23        | -44.03        | -21.20         | -22.83         |
| 802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX |        |                 |                |      |              |             |             |               |               |                |                |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | AV   | 11.90377G    | 5.20        | -70.36      | -70.36        | -65.16        | -41.20         | -23.96         |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | AV   | 15.74972G    | 5.20        | -64.42      | -64.42        | -59.22        | -41.20         | -18.02         |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | AV   | 17.84841G    | 5.20        | -65.93      | -65.93        | -60.73        | -41.20         | -19.53         |
| 5955MHz                                           | Pass   | 18G             | 40G            | AV   | 39.846G      | 5.20        | -56.72      | -56.72        | -51.52        | -41.20         | -10.32         |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | PK   | 11.91328G    | 5.20        | -62.40      | -62.40        | -57.20        | -21.20         | -36.00         |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | PK   | 15.75923G    | 5.20        | -55.91      | -55.91        | -50.71        | -21.20         | -29.51         |
| 5955MHz                                           | Pass   | 7.5G            | 18G            | PK   | 17.85366G    | 5.20        | -57.43      | -57.43        | -52.23        | -21.20         | -31.03         |