

Annex A.5 Spurious Emission at Antenna Terminals

WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.3	-13	Pass	2986
30	1000	0.1	Peak	791.8	-51.18	-13	Pass	9701
1000	3000	1	Peak	1854	22.54	-13	N/A	2001
3000	20000	1	Peak	20000	-19.16	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-37.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.6	-13	Pass	2986
30	1000	0.1	Peak	764.6	-51.38	-13	Pass	9701
1000	3000	1	Peak	1879	22.73	-13	N/A	2001
3000	20000	1	Peak	19979	-19.58	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.47	-13	Pass	2986
30	1000	0.1	Peak	942.4	-50.8	-13	Pass	9701
1000	3000	1	Peak	1906	22.86	-13	N/A	2001
3000	20000	1	Peak	19792	-20.01	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.59	-13	Pass	2986
30	1000	0.1	Peak	835.6	-50.55	-13	Pass	9701
1000	3000	1	Peak	1714	23.04	-13	N/A	2001
3000	20000	1	Peak	19780	-19.99	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.4	-13	Pass	2986
30	1000	0.1	Peak	885.4	-50.8	-13	Pass	9701
1000	3000	1	Peak	1734	23.01	-13	N/A	2001
3000	20000	1	Peak	19997	-19.08	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.2	-13	Pass	2986
30	1000	0.1	Peak	859.3	-50.83	-13	Pass	9701
1000	3000	1	Peak	1754	22.72	-13	N/A	2001
3000	20000	1	Peak	19417	-20.13	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.78	-13	Pass	2986
30	500	0.1	Peak	464.4	-53.39	-13	Pass	4701
500	1000	0.1	Peak	827.7	17.62	-13	N/A	5001
1000	10000	1	Peak	9946	-29.15	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.11	-13	Pass	2986
30	500	0.1	Peak	467.4	-53.32	-13	Pass	4701
500	1000	0.1	Peak	836.7	17.37	-13	N/A	5001
1000	10000	1	Peak	9970	-29.57	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.19	-13	Pass	2986
30	500	0.1	Peak	483.3	-53.05	-13	Pass	4701
500	1000	0.1	Peak	846.3	17.61	-13	N/A	5001
1000	10000	1	Peak	7475	-29.51	-13	Pass	9001




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.35	-13	Pass	2986
30	1000	0.1	RMS	911.7	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1850.2	22.31	60	Pass	401
1920	3000	1	RMS	2656	-46.4	-13	Pass	1081
3000	12000	1	RMS	11851	-37.95	-13	Pass	9001
12000	20000	1	RMS	19999	-22.67	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.2	21.28	60	Pass	401
1920	3000	1	RMS	2648	-46.39	-13	Pass	1081
3000	12000	1	RMS	11853	-37.96	-13	Pass	9001
12000	20000	1	RMS	19999	-22.52	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.65	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.29	-13	Pass	9701
1000	1840	1	RMS	1837	-50.53	-13	Pass	841
1840	1920	1	RMS	1879.6	22.13	60	Pass	401
1920	3000	1	RMS	2654	-46.41	-13	Pass	1081
3000	12000	1	RMS	11854	-38.04	-13	Pass	9001
12000	20000	1	RMS	19994	-22.62	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	945.6	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1879.6	21.86	60	Pass	401
1920	3000	1	RMS	2650	-46.45	-13	Pass	1081
3000	12000	1	RMS	11848	-38	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	1000	0.1	RMS	815.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1908.8	22.31	60	Pass	401
1920	3000	1	RMS	2651	-46.46	-13	Pass	1081
3000	12000	1	RMS	11850	-37.96	-13	Pass	9001
12000	20000	1	RMS	19996	-22.6	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	939.8	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1908.8	21.07	60	Pass	401
1920	3000	1	RMS	2641	-46.49	-13	Pass	1081
3000	12000	1	RMS	11861	-38.03	-13	Pass	9001
12000	20000	1	RMS	19996	-22.48	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1850.2	22.17	60	Pass	401
1920	3000	1	RMS	2643	-46.46	-13	Pass	1081
3000	12000	1	RMS	11840	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1850.2	21.15	60	Pass	401
1920	3000	1	RMS	2651	-46.42	-13	Pass	1081
3000	12000	1	RMS	11862	-37.99	-13	Pass	9001
12000	20000	1	RMS	19998	-22.6	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.3	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1920	1	RMS	1878.8	22.13	60	Pass	401
1920	3000	1	RMS	2647	-46.42	-13	Pass	1081
3000	12000	1	RMS	11859	-37.96	-13	Pass	9001
12000	20000	1	RMS	19999	-22.41	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	951.8	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1878.8	21.63	60	Pass	401
1920	3000	1	RMS	2643	-46.43	-13	Pass	1081
3000	12000	1	RMS	11859	-38.02	-13	Pass	9001
12000	20000	1	RMS	19989	-22.54	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.26	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	22.3	60	Pass	401
1920	3000	1	RMS	3000	-46.45	-13	Pass	1081
3000	12000	1	RMS	11859	-37.96	-13	Pass	9001
12000	20000	1	RMS	19996	-22.53	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	1000	0.1	RMS	956.7	-62.28	-13	Pass	9701
1000	1840	1	RMS	1837	-50.68	-13	Pass	841
1840	1920	1	RMS	1907.2	21.22	60	Pass	401
1920	3000	1	RMS	2654	-46.5	-13	Pass	1081
3000	12000	1	RMS	11862	-37.99	-13	Pass	9001
12000	20000	1	RMS	19996	-22.57	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1850.4	21.98	60	Pass	401
1920	3000	1	RMS	2650	-46.38	-13	Pass	1081
3000	12000	1	RMS	11857	-37.98	-13	Pass	9001
12000	20000	1	RMS	19997	-22.58	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.89	-13	Pass	2986
30	1000	0.1	RMS	945.2	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.4	21.06	60	Pass	401
1920	3000	1	RMS	2642	-46.44	-13	Pass	1081
3000	12000	1	RMS	11873	-38.06	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.74	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.29	-13	Pass	9701
1000	1840	1	RMS	1838	-50.61	-13	Pass	841
1840	1920	1	RMS	1877.8	22.12	60	Pass	401
1920	3000	1	RMS	2644	-46.37	-13	Pass	1081
3000	12000	1	RMS	11840	-38.05	-13	Pass	9001
12000	20000	1	RMS	20000	-22.52	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.02	-13	Pass	2986
30	1000	0.1	RMS	947	-62.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	Pass	841
1840	1920	1	RMS	1877.8	21.84	60	Pass	401
1920	3000	1	RMS	2650	-46.46	-13	Pass	1081
3000	12000	1	RMS	11858	-37.95	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1905.4	21.82	60	Pass	401
1920	3000	1	RMS	2642	-46.47	-13	Pass	1081
3000	12000	1	RMS	11846	-37.96	-13	Pass	9001
12000	20000	1	RMS	19995	-22.49	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.15	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1905.4	21.04	60	Pass	401
1920	3000	1	RMS	2642	-46.4	-13	Pass	1081
3000	12000	1	RMS	11863	-38.02	-13	Pass	9001
12000	20000	1	RMS	19995	-22.57	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	1000	0.1	RMS	922	-62.3	-13	Pass	9701
1000	1840	1	RMS	1833	-49.7	-13	Pass	841
1840	1920	1	RMS	1850.6	22.19	60	Pass	401
1920	3000	1	RMS	2643	-46.42	-13	Pass	1081
3000	12000	1	RMS	11851	-38.02	-13	Pass	9001
12000	20000	1	RMS	19998	-22.59	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.4	-13	Pass	2986
30	1000	0.1	RMS	941.6	-62.14	-13	Pass	9701
1000	1840	1	RMS	1833	-50.08	-13	Pass	841
1840	1920	1	RMS	1850.6	20.76	60	Pass	401
1920	3000	1	RMS	2642	-46.46	-13	Pass	1081
3000	12000	1	RMS	11861	-37.99	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.57	-13	Pass	841
1840	1920	1	RMS	1875.6	22.33	60	Pass	401
1920	3000	1	RMS	2645	-46.43	-13	Pass	1081
3000	12000	1	RMS	11859	-38.01	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.58	-13	Pass	2986
30	1000	0.1	RMS	942.6	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1920	1	RMS	1875.6	21.77	60	Pass	401
1920	3000	1	RMS	2650	-46.42	-13	Pass	1081
3000	12000	1	RMS	11853	-37.98	-13	Pass	9001
12000	20000	1	RMS	19998	-22.47	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.53	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1900.6	22.53	60	Pass	401
1920	3000	1	RMS	2640	-46.43	-13	Pass	1081
3000	12000	1	RMS	11852	-37.97	-13	Pass	9001
12000	20000	1	RMS	19997	-22.53	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	1000	0.1	RMS	956.5	-62.29	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1920	1	RMS	1900.6	21.47	60	Pass	401
1920	3000	1	RMS	2640	-46.45	-13	Pass	1081
3000	12000	1	RMS	11864	-38.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.52	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.26	-13	Pass	2986
30	1000	0.1	RMS	902	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-46.92	-13	Pass	841
1840	1920	1	RMS	1850.8	22.29	60	Pass	401
1920	3000	1	RMS	2644	-46.44	-13	Pass	1081
3000	12000	1	RMS	11856	-37.99	-13	Pass	9001
12000	20000	1	RMS	19999	-22.48	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.15	-13	Pass	9701
1000	1840	1	RMS	1838	-48.97	-13	Pass	841
1840	1920	1	RMS	1850.8	21.16	60	Pass	401
1920	3000	1	RMS	2641	-46.44	-13	Pass	1081
3000	12000	1	RMS	11855	-37.99	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.48	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1873.4	22.31	60	Pass	401
1920	3000	1	RMS	2650	-46.45	-13	Pass	1081
3000	12000	1	RMS	11853	-37.85	-13	Pass	9001
12000	20000	1	RMS	19998	-22.56	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.39	-13	Pass	2986
30	1000	0.1	RMS	889.5	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1920	1	RMS	1873.4	21.47	60	Pass	401
1920	3000	1	RMS	2648	-46.39	-13	Pass	1081
3000	12000	1	RMS	11839	-38.04	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.26	-13	Pass	2986
30	1000	0.1	RMS	861.8	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1895.8	22.37	60	Pass	401
1920	3000	1	RMS	2646	-46.45	-13	Pass	1081
3000	12000	1	RMS	11848	-38.04	-13	Pass	9001
12000	20000	1	RMS	19998	-22.56	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-13	Pass	2986
30	1000	0.1	RMS	975	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1895.8	22.09	60	Pass	401
1920	3000	1	RMS	2645	-46.42	-13	Pass	1081
3000	12000	1	RMS	11848	-37.96	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.25	-13	Pass	9701
1000	1840	1	RMS	1833	-49.14	-13	Pass	841
1840	1920	1	RMS	1851	22.16	60	Pass	401
1920	3000	1	RMS	2645	-46.48	-13	Pass	1081
3000	12000	1	RMS	11848	-38.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.48	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-13	Pass	2986
30	1000	0.1	RMS	936.2	-62.31	-13	Pass	9701
1000	1840	1	RMS	1833	-49.43	-13	Pass	841
1840	1920	1	RMS	1851	21.5	60	Pass	401
1920	3000	1	RMS	2642	-46.4	-13	Pass	1081
3000	12000	1	RMS	11846	-38.04	-13	Pass	9001
12000	20000	1	RMS	19996	-22.55	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.46	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.19	-13	Pass	9701
1000	1840	1	RMS	1836	-49.71	-13	Pass	841
1840	1920	1	RMS	1871	22.45	60	Pass	401
1920	3000	1	RMS	2642	-46.45	-13	Pass	1081
3000	12000	1	RMS	11850	-37.99	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.24	-13	Pass	9701
1000	1840	1	RMS	1835	-50.17	-13	Pass	841
1840	1920	1	RMS	1871	21.25	60	Pass	401
1920	3000	1	RMS	2638	-46.48	-13	Pass	1081
3000	12000	1	RMS	11856	-38.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.48	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.7	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.23	-13	Pass	9701
1000	1840	1	RMS	1837	-50.64	-13	Pass	841
1840	1920	1	RMS	1891	21.96	60	Pass	401
1920	3000	1	RMS	2652	-46.45	-13	Pass	1081
3000	12000	1	RMS	11859	-38.04	-13	Pass	9001
12000	20000	1	RMS	20000	-22.6	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1891	21.58	60	Pass	401
1920	3000	1	RMS	2640	-46.43	-13	Pass	1081
3000	12000	1	RMS	11865	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1765	1	RMS	1710.238	22.56	60	Pass	401
1765	3000	1	RMS	2642	-46.49	-13	Pass	1236
3000	12000	1	RMS	11861	-38.05	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1710.238	21.44	60	Pass	401
1765	3000	1	RMS	2641	-46.45	-13	Pass	1236
3000	12000	1	RMS	11850	-38	-13	Pass	9001
12000	20000	1	RMS	19995	-22.61	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.08	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1732.013	22.2	60	Pass	401
1765	3000	1	RMS	2641	-46.38	-13	Pass	1236
3000	12000	1	RMS	11862	-38.02	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.07	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.2	-13	Pass	9701
1000	1700	1	RMS	1578	-51.27	-13	Pass	701
1700	1765	1	RMS	1732.013	21.94	60	Pass	401
1765	3000	1	RMS	2642	-46.45	-13	Pass	1236
3000	12000	1	RMS	11837	-37.96	-13	Pass	9001
12000	20000	1	RMS	19996	-22.59	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.89	-13	Pass	2986
30	1000	0.1	RMS	944	-61.96	-13	Pass	9701
1000	1700	1	RMS	1611	-51.24	-13	Pass	701
1700	1765	1	RMS	1753.788	22.11	60	Pass	401
1765	3000	1	RMS	2640	-46.45	-13	Pass	1236
3000	12000	1	RMS	11854	-38.02	-13	Pass	9001
12000	20000	1	RMS	19996	-22.55	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.42	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1696	-51.27	-13	Pass	701
1700	1765	1	RMS	1753.788	21.07	60	Pass	401
1765	3000	1	RMS	2647	-46.48	-13	Pass	1236
3000	12000	1	RMS	11851	-37.99	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1765	1	RMS	1710.238	22.25	60	Pass	401
1765	3000	1	RMS	2643	-46.47	-13	Pass	1236
3000	12000	1	RMS	11846	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.34	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1710.238	21.32	60	Pass	401
1765	3000	1	RMS	2651	-46.48	-13	Pass	1236
3000	12000	1	RMS	11853	-38	-13	Pass	9001
12000	20000	1	RMS	19998	-22.59	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-13	Pass	2986
30	1000	0.1	RMS	914.3	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1731.2	22.05	60	Pass	401
1765	3000	1	RMS	2640	-46.48	-13	Pass	1236
3000	12000	1	RMS	11866	-38.03	-13	Pass	9001
12000	20000	1	RMS	19996	-22.61	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-51.26	-13	Pass	701
1700	1765	1	RMS	1731.2	21.74	60	Pass	401
1765	3000	1	RMS	2650	-46.46	-13	Pass	1236
3000	12000	1	RMS	11848	-38	-13	Pass	9001
12000	20000	1	RMS	19992	-22.61	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-13	Pass	2986
30	1000	0.1	RMS	948.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1690	-51.24	-13	Pass	701
1700	1765	1	RMS	1752.163	22.07	60	Pass	401
1765	3000	1	RMS	2641	-46.49	-13	Pass	1236
3000	12000	1	RMS	11846	-38.05	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	909.8	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1752.325	20.96	60	Pass	401
1765	3000	1	RMS	2644	-46.49	-13	Pass	1236
3000	12000	1	RMS	11851	-38.02	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.76	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1765	1	RMS	1710.4	22.03	60	Pass	401
1765	3000	1	RMS	2647	-46.47	-13	Pass	1236
3000	12000	1	RMS	11859	-37.96	-13	Pass	9001
12000	20000	1	RMS	19994	-22.58	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.4	20.96	60	Pass	401
1765	3000	1	RMS	2651	-46.37	-13	Pass	1236
3000	12000	1	RMS	11864	-38.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	915.1	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1730.388	22.21	60	Pass	401
1765	3000	1	RMS	2651	-46.44	-13	Pass	1236
3000	12000	1	RMS	11857	-38.04	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.3	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1695	-51.22	-13	Pass	701
1700	1765	1	RMS	1730.388	21.58	60	Pass	401
1765	3000	1	RMS	2658	-46.5	-13	Pass	1236
3000	12000	1	RMS	11845	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1699	-51.25	-13	Pass	701
1700	1765	1	RMS	1750.375	21.99	60	Pass	401
1765	3000	1	RMS	2644	-46.49	-13	Pass	1236
3000	12000	1	RMS	11857	-37.99	-13	Pass	9001
12000	20000	1	RMS	19998	-22.59	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.44	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.26	-13	Pass	9701
1000	1700	1	RMS	1691	-51.29	-13	Pass	701
1700	1765	1	RMS	1750.375	21.1	60	Pass	401
1765	3000	1	RMS	2638	-46.48	-13	Pass	1236
3000	12000	1	RMS	11853	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.26	-13	Pass	9701
1000	1700	1	RMS	1693	-46.63	-13	Pass	701
1700	1765	1	RMS	1710.563	22.45	60	Pass	401
1765	3000	1	RMS	2649	-46.48	-13	Pass	1236
3000	12000	1	RMS	11844	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	1000	0.1	RMS	915.6	-62.29	-13	Pass	9701
1000	1700	1	RMS	1693	-47.99	-13	Pass	701
1700	1765	1	RMS	1710.563	21.41	60	Pass	401
1765	3000	1	RMS	2651	-46.49	-13	Pass	1236
3000	12000	1	RMS	11849	-37.99	-13	Pass	9001
12000	20000	1	RMS	20000	-22.53	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.18	-13	Pass	701
1700	1765	1	RMS	1728.113	22.38	60	Pass	401
1765	3000	1	RMS	2644	-46.48	-13	Pass	1236
3000	12000	1	RMS	11849	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.42	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1728.113	22.56	60	Pass	401
1765	3000	1	RMS	2655	-46.48	-13	Pass	1236
3000	12000	1	RMS	11847	-37.97	-13	Pass	9001
12000	20000	1	RMS	19995	-22.64	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.31	-13	Pass	9701
1000	1700	1	RMS	1698	-51.21	-13	Pass	701
1700	1765	1	RMS	1745.663	22.29	60	Pass	401
1765	3000	1	RMS	2648	-46.46	-13	Pass	1236
3000	12000	1	RMS	11873	-38	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.24	-13	Pass	9701
1000	1700	1	RMS	1683	-51.3	-13	Pass	701
1700	1765	1	RMS	1745.663	20.95	60	Pass	401
1765	3000	1	RMS	2640	-46.44	-13	Pass	1236
3000	12000	1	RMS	11867	-38.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.57	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	1000	0.1	RMS	994.2	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-40.67	-13	Pass	701
1700	1765	1	RMS	1710.888	22.29	60	Pass	401
1765	3000	1	RMS	2650	-46.37	-13	Pass	1236
3000	12000	1	RMS	11853	-38.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.34	-13	Pass	9701
1000	1700	1	RMS	1698	-42.06	-13	Pass	701
1700	1765	1	RMS	1710.888	21.37	60	Pass	401
1765	3000	1	RMS	2644	-46.49	-13	Pass	1236
3000	12000	1	RMS	11870	-37.97	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-13	Pass	2986
30	1000	0.1	RMS	995.6	-62.3	-13	Pass	9701
1000	1700	1	RMS	1699	-46.67	-13	Pass	701
1700	1765	1	RMS	1725.838	22.34	60	Pass	401
1765	3000	1	RMS	2650	-46.47	-13	Pass	1236
3000	12000	1	RMS	11866	-38	-13	Pass	9001
12000	20000	1	RMS	19995	-22.63	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.19	-13	Pass	9701
1000	1700	1	RMS	1699	-46.98	-13	Pass	701
1700	1765	1	RMS	1725.838	21.99	60	Pass	401
1765	3000	1	RMS	2640	-46.45	-13	Pass	1236
3000	12000	1	RMS	11866	-38.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.2	-13	Pass	701
1700	1765	1	RMS	1740.788	22.11	60	Pass	401
1765	3000	1	RMS	1767	-33.79	-13	Pass	1236
3000	12000	1	RMS	11845	-38.06	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	1000	0.1	RMS	927.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1698	-51.28	-13	Pass	701
1700	1765	1	RMS	1740.788	20.81	60	Pass	401
1765	3000	1	RMS	1768	-36.46	-13	Pass	1236
3000	12000	1	RMS	11847	-38.08	-13	Pass	9001
12000	20000	1	RMS	19991	-22.64	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.24	-13	Pass	2986
30	1000	0.1	RMS	968.6	-62.21	-13	Pass	9701
1000	1700	1	RMS	1693	-40.62	-13	Pass	701
1700	1765	1	RMS	1711.05	22.32	60	Pass	401
1765	3000	1	RMS	2646	-46.5	-13	Pass	1236
3000	12000	1	RMS	11855	-37.95	-13	Pass	9001
12000	20000	1	RMS	19992	-22.64	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.25	-13	Pass	9701
1000	1700	1	RMS	1693	-42.59	-13	Pass	701
1700	1765	1	RMS	1711.05	21.53	60	Pass	401
1765	3000	1	RMS	2646	-46.49	-13	Pass	1236
3000	12000	1	RMS	11865	-38.04	-13	Pass	9001
12000	20000	1	RMS	19999	-22.66	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.26	-13	Pass	9701
1000	1700	1	RMS	1688	-49.73	-13	Pass	701
1700	1765	1	RMS	1723.563	22.57	60	Pass	401
1765	3000	1	RMS	2641	-46.47	-13	Pass	1236
3000	12000	1	RMS	11856	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1688	-50.55	-13	Pass	701
1700	1765	1	RMS	1723.563	21.21	60	Pass	401
1765	3000	1	RMS	2649	-46.52	-13	Pass	1236
3000	12000	1	RMS	11855	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.66	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.05	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-47.25	-13	Pass	701
1700	1765	1	RMS	1736.075	22.39	60	Pass	401
1765	3000	1	RMS	1772	-35.24	-13	Pass	1236
3000	12000	1	RMS	11849	-38	-13	Pass	9001
12000	20000	1	RMS	19994	-22.63	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-47.31	-13	Pass	701
1700	1765	1	RMS	1736.238	21.94	60	Pass	401
1765	3000	1	RMS	1772	-35.66	-13	Pass	1236
3000	12000	1	RMS	11851	-38.05	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.2	19.36	60	Pass	461
860	1000	0.1	RMS	960	-62.72	-13	Pass	1401
1000	3000	1	RMS	2638	-46.52	-13	Pass	2001
3000	10000	1	RMS	9967	-40.93	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.47	-13	Pass	7841
814	860	0.1	RMS	824.3	18.37	60	Pass	461
860	1000	0.1	RMS	989.6	-61.72	-13	Pass	1401
1000	3000	1	RMS	2650	-46.51	-13	Pass	2001
3000	10000	1	RMS	9954	-40.94	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.75	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.43	-13	Pass	7841
814	860	0.1	RMS	836	19.13	60	Pass	461
860	1000	0.1	RMS	957.5	-62.62	-13	Pass	1401
1000	3000	1	RMS	1672	-45.76	-13	Pass	2001
3000	10000	1	RMS	9959	-40.87	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2986
30	814	0.1	RMS	784.5	-62.52	-13	Pass	7841
814	860	0.1	RMS	836	18.86	60	Pass	461
860	1000	0.1	RMS	973.3	-62.52	-13	Pass	1401
1000	3000	1	RMS	1672	-45.87	-13	Pass	2001
3000	10000	1	RMS	9949	-40.87	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	814	0.1	RMS	772.2	-62.48	-13	Pass	7841
814	860	0.1	RMS	847.9	19.46	60	Pass	461
860	1000	0.1	RMS	940.6	-62.56	-13	Pass	1401
1000	3000	1	RMS	2647	-46.49	-13	Pass	2001
3000	10000	1	RMS	9961	-40.89	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-13	Pass	2986
30	814	0.1	RMS	804	-62.52	-13	Pass	7841
814	860	0.1	RMS	847.9	18.22	60	Pass	461
860	1000	0.1	RMS	921.7	-62.58	-13	Pass	1401
1000	3000	1	RMS	2651	-46.54	-13	Pass	2001
3000	10000	1	RMS	9955	-40.89	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.3	-13	Pass	7841
814	860	0.1	RMS	824.2	19.61	60	Pass	461
860	1000	0.1	RMS	990.6	-61.16	-13	Pass	1401
1000	3000	1	RMS	2646	-46.51	-13	Pass	2001
3000	10000	1	RMS	9952	-40.83	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	814	0.1	RMS	814	-62.62	-13	Pass	7841
814	860	0.1	RMS	824.2	17.89	60	Pass	461
860	1000	0.1	RMS	933.9	-62.52	-13	Pass	1401
1000	3000	1	RMS	2638	-46.55	-13	Pass	2001
3000	10000	1	RMS	9956	-40.88	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.38	-13	Pass	7841
814	860	0.1	RMS	835.2	19.35	60	Pass	461
860	1000	0.1	RMS	925.1	-62.56	-13	Pass	1401
1000	3000	1	RMS	2640	-46.51	-13	Pass	2001
3000	10000	1	RMS	9952	-40.87	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-13	Pass	2986
30	814	0.1	RMS	814	-62.47	-13	Pass	7841
814	860	0.1	RMS	835.2	18.89	60	Pass	461
860	1000	0.1	RMS	936.5	-62.47	-13	Pass	1401
1000	3000	1	RMS	2643	-46.52	-13	Pass	2001
3000	10000	1	RMS	9958	-40.85	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	814	0.1	RMS	809.1	-62.47	-13	Pass	7841
814	860	0.1	RMS	846.2	19.81	60	Pass	461
860	1000	0.1	RMS	930.1	-62.68	-13	Pass	1401
1000	3000	1	RMS	2642	-46.52	-13	Pass	2001
3000	10000	1	RMS	9957	-40.86	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.18	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.61	-13	Pass	7841
814	860	0.1	RMS	846.2	18.43	60	Pass	461
860	1000	0.1	RMS	943	-62.47	-13	Pass	1401
1000	3000	1	RMS	2651	-46.56	-13	Pass	2001
3000	10000	1	RMS	9957	-40.86	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-13	Pass	2986
30	814	0.1	RMS	814	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.3	19.32	60	Pass	461
860	1000	0.1	RMS	910.2	-62.5	-13	Pass	1401
1000	3000	1	RMS	2651	-46.51	-13	Pass	2001
3000	10000	1	RMS	9958	-40.88	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.91	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.49	-13	Pass	7841
814	860	0.1	RMS	824.3	17.85	60	Pass	461
860	1000	0.1	RMS	991.8	-61.84	-13	Pass	1401
1000	3000	1	RMS	2644	-46.52	-13	Pass	2001
3000	10000	1	RMS	9961	-40.86	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.52	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	19.38	60	Pass	461
860	1000	0.1	RMS	924.8	-62.69	-13	Pass	1401
1000	3000	1	RMS	2648	-46.5	-13	Pass	2001
3000	10000	1	RMS	9962	-40.84	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.49	-13	Pass	7841
814	860	0.1	RMS	834.3	18.74	60	Pass	461
860	1000	0.1	RMS	901.5	-62.69	-13	Pass	1401
1000	3000	1	RMS	2648	-46.5	-13	Pass	2001
3000	10000	1	RMS	9956	-40.84	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.53	-13	Pass	7841
814	860	0.1	RMS	844.3	19.58	60	Pass	461
860	1000	0.1	RMS	916.2	-62.49	-13	Pass	1401
1000	3000	1	RMS	2639	-46.51	-13	Pass	2001
3000	10000	1	RMS	9950	-40.89	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-13	Pass	2986
30	814	0.1	RMS	783.2	-62.57	-13	Pass	7841
814	860	0.1	RMS	844.3	18.61	60	Pass	461
860	1000	0.1	RMS	925.1	-62.67	-13	Pass	1401
1000	3000	1	RMS	2640	-46.54	-13	Pass	2001
3000	10000	1	RMS	9956	-40.85	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.58	-13	Pass	2986
30	814	0.1	RMS	811.4	-60.67	-13	Pass	7841
814	860	0.1	RMS	824.6	19.95	60	Pass	461
860	1000	0.1	RMS	994.8	-62.29	-13	Pass	1401
1000	3000	1	RMS	2646	-46.5	-13	Pass	2001
3000	10000	1	RMS	9953	-40.89	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.72	-13	Pass	2986
30	814	0.1	RMS	811.3	-61.08	-13	Pass	7841
814	860	0.1	RMS	824.6	19.17	60	Pass	461
860	1000	0.1	RMS	931.3	-62.56	-13	Pass	1401
1000	3000	1	RMS	2641	-46.48	-13	Pass	2001
3000	10000	1	RMS	9955	-40.88	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.63	-13	Pass	2986
30	814	0.1	RMS	814	-62.41	-13	Pass	7841
814	860	0.1	RMS	832.1	19.92	60	Pass	461
860	1000	0.1	RMS	919.6	-62.64	-13	Pass	1401
1000	3000	1	RMS	2649	-46.53	-13	Pass	2001
3000	10000	1	RMS	9954	-40.88	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.51	-13	Pass	2986
30	814	0.1	RMS	814	-62.5	-13	Pass	7841
814	860	0.1	RMS	832.1	19.52	60	Pass	461
860	1000	0.1	RMS	970.2	-62.73	-13	Pass	1401
1000	3000	1	RMS	2655	-46.53	-13	Pass	2001
3000	10000	1	RMS	9956	-40.86	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-13	Pass	2986
30	814	0.1	RMS	806.7	-62.56	-13	Pass	7841
814	860	0.1	RMS	839.6	19.91	60	Pass	461
860	1000	0.1	RMS	943.4	-62.46	-13	Pass	1401
1000	3000	1	RMS	2639	-46.49	-13	Pass	2001
3000	10000	1	RMS	9956	-40.89	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.56	-13	Pass	7841
814	860	0.1	RMS	839.6	19.07	60	Pass	461
860	1000	0.1	RMS	937	-62.64	-13	Pass	1401
1000	3000	1	RMS	2640	-46.54	-13	Pass	2001
3000	10000	1	RMS	9965	-40.88	-13	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2986
30	689	0.1	RMS	687.5	-63.49	-13	Pass	6591
689	726	0.1	RMS	699.268	20.22	60	Pass	401
726	1000	0.1	RMS	919.3	-62.36	-13	Pass	2741
1000	3000	1	RMS	2648	-46.49	-13	Pass	2001
3000	10000	1	RMS	9956	-40.87	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2986
30	689	0.1	RMS	685.9	-63.53	-13	Pass	6591
689	726	0.1	RMS	699.268	19.11	60	Pass	401
726	1000	0.1	RMS	952.8	-62.39	-13	Pass	2741
1000	3000	1	RMS	2650	-46.53	-13	Pass	2001
3000	10000	1	RMS	9952	-40.88	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.1	-13	Pass	2986
30	689	0.1	RMS	684.8	-63.54	-13	Pass	6591
689	726	0.1	RMS	707.038	20.24	60	Pass	401
726	1000	0.1	RMS	917.9	-62.26	-13	Pass	2741
1000	3000	1	RMS	2644	-46.49	-13	Pass	2001
3000	10000	1	RMS	9950	-40.87	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.97	-13	Pass	2986
30	689	0.1	RMS	680.9	-63.6	-13	Pass	6591
689	726	0.1	RMS	707.038	19.7	60	Pass	401
726	1000	0.1	RMS	928.8	-62.33	-13	Pass	2741
1000	3000	1	RMS	2642	-46.47	-13	Pass	2001
3000	10000	1	RMS	9957	-40.9	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	689	0.1	RMS	684.7	-63.57	-13	Pass	6591
689	726	0.1	RMS	714.808	19.93	60	Pass	401
726	1000	0.1	RMS	914.1	-62.36	-13	Pass	2741
1000	3000	1	RMS	2640	-46.51	-13	Pass	2001
3000	10000	1	RMS	9956	-40.93	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.66	-13	Pass	2986
30	689	0.1	RMS	676.3	-63.58	-13	Pass	6591
689	726	0.1	RMS	714.808	18.98	60	Pass	401
726	1000	0.1	RMS	886.8	-62.31	-13	Pass	2741
1000	3000	1	RMS	2648	-46.51	-13	Pass	2001
3000	10000	1	RMS	9951	-40.95	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.34	-13	Pass	2986
30	689	0.1	RMS	686.1	-63.44	-13	Pass	6591
689	726	0.1	RMS	699.268	19.87	60	Pass	401
726	1000	0.1	RMS	924.9	-62.34	-13	Pass	2741
1000	3000	1	RMS	2640	-46.52	-13	Pass	2001
3000	10000	1	RMS	9956	-40.82	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-13	Pass	2986
30	689	0.1	RMS	688.2	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.268	18.89	60	Pass	401
726	1000	0.1	RMS	928.6	-62.47	-13	Pass	2741
1000	3000	1	RMS	2640	-46.53	-13	Pass	2001
3000	10000	1	RMS	9957	-40.84	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	689	0.1	RMS	688.3	-63.48	-13	Pass	6591
689	726	0.1	RMS	706.205	19.95	60	Pass	401
726	1000	0.1	RMS	929.8	-62.21	-13	Pass	2741
1000	3000	1	RMS	2642	-46.48	-13	Pass	2001
3000	10000	1	RMS	9949	-40.96	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	689	0.1	RMS	518.3	-63.51	-13	Pass	6591
689	726	0.1	RMS	706.205	19.19	60	Pass	401
726	1000	0.1	RMS	921.5	-62.37	-13	Pass	2741
1000	3000	1	RMS	2644	-46.49	-13	Pass	2001
3000	10000	1	RMS	9958	-40.85	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	689	0.1	RMS	689	-63.44	-13	Pass	6591
689	726	0.1	RMS	713.235	20.44	60	Pass	401
726	1000	0.1	RMS	943.4	-62.22	-13	Pass	2741
1000	3000	1	RMS	2643	-46.52	-13	Pass	2001
3000	10000	1	RMS	9953	-40.85	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	689	0.1	RMS	676.3	-63.64	-13	Pass	6591
689	726	0.1	RMS	713.235	19.63	60	Pass	401
726	1000	0.1	RMS	937.1	-62.38	-13	Pass	2741
1000	3000	1	RMS	2642	-46.51	-13	Pass	2001
3000	10000	1	RMS	9955	-40.93	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	689	0.1	RMS	520.2	-63.6	-13	Pass	6591
689	726	0.1	RMS	699.36	19.63	60	Pass	401
726	1000	0.1	RMS	953.7	-62.32	-13	Pass	2741
1000	3000	1	RMS	2647	-46.5	-13	Pass	2001
3000	10000	1	RMS	9951	-40.91	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.04	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.46	-13	Pass	6591
689	726	0.1	RMS	699.36	18.83	60	Pass	401
726	1000	0.1	RMS	952.5	-62.18	-13	Pass	2741
1000	3000	1	RMS	2643	-46.56	-13	Pass	2001
3000	10000	1	RMS	9956	-40.88	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.82	-13	Pass	2986
30	689	0.1	RMS	683.1	-63.44	-13	Pass	6591
689	726	0.1	RMS	705.373	19.39	60	Pass	401
726	1000	0.1	RMS	889.5	-62.43	-13	Pass	2741
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	9951	-40.88	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.96	-13	Pass	2986
30	689	0.1	RMS	677.7	-63.61	-13	Pass	6591
689	726	0.1	RMS	705.373	19.38	60	Pass	401
726	1000	0.1	RMS	921.4	-62.32	-13	Pass	2741
1000	3000	1	RMS	2646	-46.49	-13	Pass	2001
3000	10000	1	RMS	9952	-40.95	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.92	-13	Pass	2986
30	689	0.1	RMS	687	-63.5	-13	Pass	6591
689	726	0.1	RMS	711.293	19.39	60	Pass	401
726	1000	0.1	RMS	932.7	-62.36	-13	Pass	2741
1000	3000	1	RMS	2639	-46.51	-13	Pass	2001
3000	10000	1	RMS	9948	-40.88	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.21	-13	Pass	2986
30	689	0.1	RMS	664	-63.5	-13	Pass	6591
689	726	0.1	RMS	711.385	18.24	60	Pass	401
726	1000	0.1	RMS	921.2	-62.29	-13	Pass	2741
1000	3000	1	RMS	2641	-46.52	-13	Pass	2001
3000	10000	1	RMS	9954	-40.9	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.49	-13	Pass	2986
30	689	0.1	RMS	689	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.545	19.32	60	Pass	401
726	1000	0.1	RMS	873.6	-62.37	-13	Pass	2741
1000	3000	1	RMS	2643	-46.49	-13	Pass	2001
3000	10000	1	RMS	9955	-40.9	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.17	-13	Pass	2986
30	689	0.1	RMS	671.5	-63.66	-13	Pass	6591
689	726	0.1	RMS	699.545	18.6	60	Pass	401
726	1000	0.1	RMS	904.4	-62.39	-13	Pass	2741
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	9947	-40.95	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.57	-13	Pass	2986
30	689	0.1	RMS	682.3	-63.53	-13	Pass	6591
689	726	0.1	RMS	703.06	19.55	60	Pass	401
726	1000	0.1	RMS	957.2	-62.28	-13	Pass	2741
1000	3000	1	RMS	1406	-46.47	-13	Pass	2001
3000	10000	1	RMS	9956	-40.89	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.49	-13	Pass	2986
30	689	0.1	RMS	685.1	-63.5	-13	Pass	6591
689	726	0.1	RMS	703.06	19.06	60	Pass	401
726	1000	0.1	RMS	902.1	-62.26	-13	Pass	2741
1000	3000	1	RMS	2649	-46.53	-13	Pass	2001
3000	10000	1	RMS	9952	-40.86	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	689	0.1	RMS	689	-63.13	-13	Pass	6591
689	726	0.1	RMS	706.575	20.28	60	Pass	401
726	1000	0.1	RMS	881.4	-62.27	-13	Pass	2741
1000	3000	1	RMS	2638	-46.5	-13	Pass	2001
3000	10000	1	RMS	9970	-40.81	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.39	-13	Pass	6591
689	726	0.1	RMS	706.575	19.52	60	Pass	401
726	1000	0.1	RMS	898.7	-62.18	-13	Pass	2741
1000	3000	1	RMS	2641	-46.53	-13	Pass	2001
3000	10000	1	RMS	9964	-40.82	-13	Pass	7001

