


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.28	-13	Pass	401
0.15	30	0.01	Peak	0.77	-52.85	-13	Pass	2986
30	500	0.1	Peak	364.8	-44.51	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.87	-13	N/A	5001
1000	10000	1	Peak	7456.788	-22.37	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.07	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.75	-13	Pass	2986
30	500	0.1	Peak	491.3	-42.83	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.94	-13	N/A	5001
1000	10000	1	Peak	7703.818	-22.33	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.51	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.48	-13	Pass	2986
30	500	0.1	Peak	426.9	-43.95	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.04	-13	N/A	5001
1000	10000	1	Peak	8038.859	-22.54	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.35	-13	Pass	401
0.15	30	0.01	Peak	29.46	-59.63	-13	Pass	2986
30	1000	0.1	Peak	490.656	-48.87	-13	Pass	9700
1000	3000	1	Peak	1850	29.77	-13	N/A	2001
3000	20000	1	Peak	19898	-46.11	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.72	-13	Pass	2986
30	1000	0.1	Peak	977.885	-49.23	-13	Pass	9700
1000	3000	1	Peak	1880	28.81	-13	N/A	2001
3000	20000	1	Peak	19833	-45.16	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.41	-13	Pass	401
0.15	30	0.01	Peak	0.19	-59.83	-13	Pass	2986
30	1000	0.1	Peak	843.199	-48.73	-13	Pass	9700
1000	3000	1	Peak	1910	29.9	-13	N/A	2001
3000	20000	1	Peak	19854	-45.68	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.88	-13	Pass	2986
30	500	0.1	Peak	489.8	-43.91	-13	Pass	4701
500	1000	0.1	Peak	824.2	26.3	-13	N/A	5001
1000	10000	1	Peak	7100.745	-22.06	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.31	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.24	-13	Pass	2986
30	500	0.1	Peak	440.2	-43.82	-13	Pass	4701
500	1000	0.1	Peak	836.6	26.53	-13	N/A	5001
1000	10000	1	Peak	7578.803	-22.76	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-56.93	-13	Pass	401
0.15	30	0.01	Peak	0.41	-52.94	-13	Pass	2986
30	500	0.1	Peak	483.6	-43.26	-13	Pass	4701
500	1000	0.1	Peak	848.8	25.71	-13	N/A	5001
1000	10000	1	Peak	8768.948	-22.59	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.57	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.04	-13	Pass	2986
30	1000	0.1	Peak	852.402	-48.91	-13	Pass	9700
1000	3000	1	Peak	1850	25.32	-13	N/A	2001
3000	20000	1	Peak	19318.992	-45.65	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.17	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.43	-13	Pass	2986
30	1000	0.1	Peak	427.649	-49.45	-13	Pass	9700
1000	3000	1	Peak	1880	25.57	-13	N/A	2001
3000	20000	1	Peak	19292.989	-45.29	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.28	-13	Pass	401
0.15	30	0.01	Peak	0.23	-60.2	-13	Pass	2986
30	1000	0.1	Peak	573.266	-49.2	-13	Pass	9700
1000	3000	1	Peak	1910	24.72	-13	N/A	2001
3000	20000	1	Peak	19355.997	-45.84	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.04	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.2	-13	Pass	2985
30	1000	0.1	Peak	839.299	-53.75	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.72	-13	N/A	2000
3000	20000	1	Peak	19785.652	-25	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.94	-13	Pass	401
0.15	30	0.01	Peak	0.26	-62.55	-13	Pass	2985
30	1000	0.1	Peak	888.252	-54.22	-13	Pass	9699
1000	3000	1	Peak	1879.44	22.68	-13	N/A	2000
3000	20000	1	Peak	19787.655	-25.7	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.73	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.59	-13	Pass	2985
30	1000	0.1	Peak	978.872	-53.51	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.67	-13	N/A	2000
3000	20000	1	Peak	19983.974	-25.42	-13	Pass	17000



6. WCDMA_Band5


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.14	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.73	-13	Pass	2985
30	500	0.1	Peak	342.567	-54.03	-13	Pass	4700
500	1000	0.1	Peak	827.666	16.48	-13	N/A	5000
1000	10000	1	Peak	7998.854	-32.5	-13	Pass	9000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.7	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.69	-13	Pass	2985
30	500	0.1	Peak	430.985	-54.38	-13	Pass	4700
500	1000	0.1	Peak	835.967	16.77	-13	N/A	5000
1000	10000	1	Peak	8825.955	-32.53	-13	Pass	9000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.48	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.16	-13	Pass	2985
30	500	0.1	Peak	477.795	-54.42	-13	Pass	4700
500	1000	0.1	Peak	847.269	17.63	-13	N/A	5000
1000	10000	1	Peak	7115.747	-32	-13	Pass	9000




LTE

7. LTE_Band2


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2985
30	1000	0.1	RMS	991.589	-65.45	-13	Pass	9699
1000	1840	1	RMS	1840	-52.6	-13	Pass	840
1840	1920	1	RMS	1850.2	22.6	60	Pass	401
1920	3000	1	RMS	2949.954	-50.15	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.95	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.89	-13	Pass	8000




**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.9	-13	Pass	2985
30	1000	0.1	RMS	993.992	-65.37	-13	Pass	9699
1000	1840	1	RMS	1840	-52.79	-13	Pass	840
1840	1920	1	RMS	1850.2	21.54	60	Pass	401
1920	3000	1	RMS	2953.957	-50.17	-13	Pass	1080
3000	12000	1	RMS	11435.301	-43.94	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.82	-13	Pass	8000




**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	852.504	-65.39	-13	Pass	9699
1000	1840	1	RMS	1799.952	-53.3	-13	Pass	840
1840	1920	1	RMS	1879.4	22.14	60	Pass	401
1920	3000	1	RMS	2954.958	-50.17	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.89	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.89	-13	Pass	8000




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.1	-13	Pass	2985
30	1000	0.1	RMS	882.144	-65.43	-13	Pass	9699
1000	1840	1	RMS	1799.952	-53.23	-13	Pass	840
1840	1920	1	RMS	1879.4	21.6	60	Pass	401
1920	3000	1	RMS	2959.963	-50.22	-13	Pass	1080
3000	12000	1	RMS	11439.306	-43.93	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.9	-13	Pass	8000




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-13	Pass	2985
30	1000	0.1	RMS	857.411	-65.45	-13	Pass	9699
1000	1840	1	RMS	1806.961	-53.22	-13	Pass	840
1840	1920	1	RMS	1908.8	22.49	60	Pass	401
1920	3000	1	RMS	2936.942	-50.17	-13	Pass	1080
3000	12000	1	RMS	11342.186	-43.95	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.9	-13	Pass	8000




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	864.12	-65.15	-13	Pass	9699
1000	1840	1	RMS	1798.951	-53.21	-13	Pass	840
1840	1920	1	RMS	1908.8	20.76	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	11441.309	-43.92	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.81	-13	Pass	8000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.29	-13	Pass	2985
30	1000	0.1	RMS	989.286	-65.35	-13	Pass	9699
1000	1840	1	RMS	1840	-52.72	-13	Pass	840
1840	1920	1	RMS	1850.2	22.16	60	Pass	401
1920	3000	1	RMS	2949.954	-50.13	-13	Pass	1080
3000	12000	1	RMS	11433.299	-43.86	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.91	-13	Pass	8000




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	Pass	2985
30	1000	0.1	RMS	869.227	-65.42	-13	Pass	9699
1000	1840	1	RMS	1840	-53.01	-13	Pass	840
1840	1920	1	RMS	1850.2	20.44	60	Pass	401
1920	3000	1	RMS	2923.93	-50.19	-13	Pass	1080
3000	12000	1	RMS	11441.309	-43.95	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.89	-13	Pass	8000




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-13	Pass	2985
30	1000	0.1	RMS	876.336	-65.32	-13	Pass	9699
1000	1840	1	RMS	1792.944	-53.19	-13	Pass	840
1840	1920	1	RMS	1878.6	22.2	60	Pass	401
1920	3000	1	RMS	2955.959	-50.2	-13	Pass	1080
3000	12000	1	RMS	11430.295	-43.91	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.78	-13	Pass	8000




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	1000	0.1	RMS	881.443	-65.37	-13	Pass	9699
1000	1840	1	RMS	1802.956	-53.23	-13	Pass	840
1840	1920	1	RMS	1878.6	22.16	60	Pass	401
1920	3000	1	RMS	2956.96	-50.21	-13	Pass	1080
3000	12000	1	RMS	11428.292	-43.94	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.88	-13	Pass	8000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.2	-13	Pass	2985
30	1000	0.1	RMS	898.465	-65.53	-13	Pass	9699
1000	1840	1	RMS	1794.946	-53.28	-13	Pass	840
1840	1920	1	RMS	1907.2	21.86	60	Pass	401
1920	3000	1	RMS	2946.951	-50.2	-13	Pass	1080
3000	12000	1	RMS	11453.323	-43.94	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.94	-13	Pass	8000




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	Pass	2985
30	1000	0.1	RMS	884.447	-65.33	-13	Pass	9699
1000	1840	1	RMS	1801.955	-53.22	-13	Pass	840
1840	1920	1	RMS	1907.2	20.71	60	Pass	401
1920	3000	1	RMS	2945.95	-50.17	-13	Pass	1080
3000	12000	1	RMS	11430.295	-43.98	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.91	-13	Pass	8000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2985
30	1000	0.1	RMS	875.835	-65.37	-13	Pass	9699
1000	1840	1	RMS	1840	-52.66	-13	Pass	840
1840	1920	1	RMS	1850.2	21.82	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	11344.188	-43.89	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.79	-13	Pass	8000




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.3	-13	Pass	2985
30	1000	0.1	RMS	876.536	-65.41	-13	Pass	9699
1000	1840	1	RMS	1840	-52.79	-13	Pass	840
1840	1920	1	RMS	1850.2	20.31	60	Pass	401
1920	3000	1	RMS	2835.848	-50.15	-13	Pass	1080
3000	12000	1	RMS	11435.301	-44.02	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.86	-13	Pass	8000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	1000	0.1	RMS	864.62	-65.45	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.16	-13	Pass	840
1840	1920	1	RMS	1877.8	22.04	60	Pass	401
1920	3000	1	RMS	2946.951	-50.16	-13	Pass	1080
3000	12000	1	RMS	11449.318	-43.91	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.91	-13	Pass	8000




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.09	-13	Pass	2985
30	1000	0.1	RMS	895.762	-65.4	-13	Pass	9699
1000	1840	1	RMS	1793.945	-53.3	-13	Pass	840
1840	1920	1	RMS	1877.8	21.45	60	Pass	401
1920	3000	1	RMS	2952.956	-50.13	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.96	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.9	-13	Pass	8000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	Pass	2985
30	1000	0.1	RMS	872.231	-65.5	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.26	-13	Pass	840
1840	1920	1	RMS	1905.2	21.85	60	Pass	401
1920	3000	1	RMS	2945.95	-50.17	-13	Pass	1080
3000	12000	1	RMS	11430.295	-43.93	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.78	-13	Pass	8000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	1000	0.1	RMS	858.713	-65.51	-13	Pass	9699
1000	1840	1	RMS	1795.948	-53.25	-13	Pass	840
1840	1920	1	RMS	1905.2	21.09	60	Pass	401
1920	3000	1	RMS	2920.927	-50.15	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.99	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.94	-13	Pass	8000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.84	-13	Pass	2985
30	1000	0.1	RMS	870.228	-65.5	-13	Pass	9699
1000	1840	1	RMS	1832.992	-51.17	-13	Pass	840
1840	1920	1	RMS	1850.4	21.91	60	Pass	401
1920	3000	1	RMS	2942.947	-50.17	-13	Pass	1080
3000	12000	1	RMS	11435.301	-43.97	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.84	-13	Pass	8000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	869.727	-65.56	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.26	-13	Pass	840
1840	1920	1	RMS	1850.4	20.94	60	Pass	401
1920	3000	1	RMS	2955.959	-50.18	-13	Pass	1080
3000	12000	1	RMS	11342.186	-43.96	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.85	-13	Pass	8000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	994.192	-65.42	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.2	-13	Pass	840
1840	1920	1	RMS	1875.4	22.28	60	Pass	401
1920	3000	1	RMS	2839.852	-50.17	-13	Pass	1080
3000	12000	1	RMS	11443.311	-43.94	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.8	-13	Pass	8000




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.91	-13	Pass	2985
30	1000	0.1	RMS	994.292	-65.47	-13	Pass	9699
1000	1840	1	RMS	1799.952	-53.25	-13	Pass	840
1840	1920	1	RMS	1875.4	21.28	60	Pass	401
1920	3000	1	RMS	2949.954	-50.19	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.83	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.83	-13	Pass	8000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.55	-13	Pass	2985
30	1000	0.1	RMS	870.729	-65.44	-13	Pass	9699
1000	1840	1	RMS	1805.959	-53.23	-13	Pass	840
1840	1920	1	RMS	1900.4	22.09	60	Pass	401
1920	3000	1	RMS	2938.943	-50.12	-13	Pass	1080
3000	12000	1	RMS	11447.316	-43.91	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.9	-13	Pass	8000




**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.79	-13	Pass	2985
30	1000	0.1	RMS	973.465	-65.32	-13	Pass	9699
1000	1840	1	RMS	1797.95	-53.3	-13	Pass	840
1840	1920	1	RMS	1900.4	21.27	60	Pass	401
1920	3000	1	RMS	2945.95	-50.07	-13	Pass	1080
3000	12000	1	RMS	11434.3	-43.87	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.87	-13	Pass	8000




**7.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	881.443	-65.37	-13	Pass	9699
1000	1840	1	RMS	1837.998	-47.06	-13	Pass	840
1840	1920	1	RMS	1850.8	21.96	60	Pass	401
1920	3000	1	RMS	2953.957	-49.96	-13	Pass	1080
3000	12000	1	RMS	11446.315	-43.57	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.74	-13	Pass	8000




**7.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.93	-13	Pass	2985
30	1000	0.1	RMS	216.323	-64.5	-13	Pass	9699
1000	1840	1	RMS	1837.998	-47.91	-13	Pass	840
1840	1920	1	RMS	1850.8	20.77	60	Pass	401
1920	3000	1	RMS	2942.947	-49.95	-13	Pass	1080
3000	12000	1	RMS	11457.328	-43.73	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.76	-13	Pass	8000




**7.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	1000	0.1	RMS	868.526	-65.39	-13	Pass	9699
1000	1840	1	RMS	1796.949	-53.03	-13	Pass	840
1840	1920	1	RMS	1873.2	22.09	60	Pass	401
1920	3000	1	RMS	2952.956	-49.97	-13	Pass	1080
3000	12000	1	RMS	11444.312	-43.66	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.68	-13	Pass	8000




**7.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2985
30	1000	0.1	RMS	889.754	-65.32	-13	Pass	9699
1000	1840	1	RMS	1794.946	-53.21	-13	Pass	840
1840	1920	1	RMS	1873.2	21.4	60	Pass	401
1920	3000	1	RMS	2951.956	-50.17	-13	Pass	1080
3000	12000	1	RMS	11436.302	-43.85	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.86	-13	Pass	8000




**7.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.68	-13	Pass	2985
30	1000	0.1	RMS	982.577	-65.46	-13	Pass	9699
1000	1840	1	RMS	1801.955	-53.14	-13	Pass	840
1840	1920	1	RMS	1895.8	22.06	60	Pass	401
1920	3000	1	RMS	1922.002	-48.71	-13	Pass	1080
3000	12000	1	RMS	11337.18	-43.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.85	-13	Pass	8000




**7.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2985
30	1000	0.1	RMS	873.733	-65.43	-13	Pass	9699
1000	1840	1	RMS	1796.949	-53.2	-13	Pass	840
1840	1920	1	RMS	1895.8	20.74	60	Pass	401
1920	3000	1	RMS	1922.002	-48.88	-13	Pass	1080
3000	12000	1	RMS	11338.181	-43.91	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.86	-13	Pass	8000




**7.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	1000	0.1	RMS	892.257	-65.32	-13	Pass	9699
1000	1840	1	RMS	1832.992	-49.76	-13	Pass	840
1840	1920	1	RMS	1851	22	60	Pass	401
1920	3000	1	RMS	2950.955	-50.13	-13	Pass	1080
3000	12000	1	RMS	11427.291	-43.89	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.83	-13	Pass	8000




**7.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2985
30	1000	0.1	RMS	866.223	-65.26	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.46	-13	Pass	840
1840	1920	1	RMS	1851	21.11	60	Pass	401
1920	3000	1	RMS	2949.954	-50.12	-13	Pass	1080
3000	12000	1	RMS	11432.297	-43.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.79	-13	Pass	8000




**7.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	979.172	-65.48	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.65	-13	Pass	840
1840	1920	1	RMS	1871	22.23	60	Pass	401
1920	3000	1	RMS	2848.86	-50.15	-13	Pass	1080
3000	12000	1	RMS	11438.305	-43.84	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**7.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.23	-13	Pass	2985
30	1000	0.1	RMS	864.62	-65.37	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.72	-13	Pass	840
1840	1920	1	RMS	1871	21.43	60	Pass	401
1920	3000	1	RMS	2939.944	-50.19	-13	Pass	1080
3000	12000	1	RMS	11428.292	-43.94	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.82	-13	Pass	8000




**7.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.8	-13	Pass	2985
30	1000	0.1	RMS	871.73	-65.44	-13	Pass	9699
1000	1840	1	RMS	1800.954	-53.17	-13	Pass	840
1840	1920	1	RMS	1891	21.97	60	Pass	401
1920	3000	1	RMS	2950.955	-50.16	-13	Pass	1080
3000	12000	1	RMS	11332.173	-43.93	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.8	-13	Pass	8000



**7.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	996.796	-65.36	-13	Pass	9699
1000	1840	1	RMS	1797.95	-53.21	-13	Pass	840
1840	1920	1	RMS	1891	21.25	60	Pass	401
1920	3000	1	RMS	2948.953	-50.18	-13	Pass	1080
3000	12000	1	RMS	11438.305	-43.85	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.86	-13	Pass	8000



8. LTE_Band4


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.7	-13	Pass	2985
30	1000	0.1	RMS	866.523	-65.26	-13	Pass	9699
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1765	1	RMS	1710.238	21.54	60	Pass	401
1765	3000	1	RMS	2949.959	-50.08	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.71	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.83	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.33	-13	Pass	2985
30	1000	0.1	RMS	980.274	-65.47	-13	Pass	9699
1000	1700	1	RMS	1700	-53.08	-13	Pass	700
1700	1765	1	RMS	1710.238	20.38	60	Pass	401
1765	3000	1	RMS	2840.871	-50.12	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.89	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.88	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	878.739	-65.36	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.52	-13	Pass	700
1700	1765	1	RMS	1732.013	21.22	60	Pass	401
1765	3000	1	RMS	2947.958	-50.1	-13	Pass	1235
3000	12000	1	RMS	11431.296	-43.83	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.9	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.67	-13	Pass	2985
30	1000	0.1	RMS	858.312	-65.39	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.56	-13	Pass	700
1700	1765	1	RMS	1732.013	20.86	60	Pass	401
1765	3000	1	RMS	2944.955	-50.16	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.86	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.79	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	Pass	2985
30	1000	0.1	RMS	866.323	-65.35	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.55	-13	Pass	700
1700	1765	1	RMS	1753.788	21.51	60	Pass	401
1765	3000	1	RMS	2951.961	-50.15	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.83	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.9	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	Pass	2985
30	1000	0.1	RMS	848	-65.47	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.52	-13	Pass	700
1700	1765	1	RMS	1753.788	20.29	60	Pass	401
1765	3000	1	RMS	2948.959	-50.14	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.97	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.86	-13	Pass	8000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	870.829	-65.41	-13	Pass	9699
1000	1700	1	RMS	1700	-52.9	-13	Pass	700
1700	1765	1	RMS	1710.075	21.27	60	Pass	401
1765	3000	1	RMS	2950.96	-50.12	-13	Pass	1235
3000	12000	1	RMS	11433.299	-43.86	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.78	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.37	-13	Pass	2985
30	1000	0.1	RMS	873.733	-65.48	-13	Pass	9699
1000	1700	1	RMS	1700	-53.26	-13	Pass	700
1700	1765	1	RMS	1710.075	20.06	60	Pass	401
1765	3000	1	RMS	2944.955	-50.12	-13	Pass	1235
3000	12000	1	RMS	11339.182	-43.89	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.84	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2985
30	1000	0.1	RMS	860.715	-65.38	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.48	-13	Pass	700
1700	1765	1	RMS	1731.2	21.36	60	Pass	401
1765	3000	1	RMS	2840.871	-50.07	-13	Pass	1235
3000	12000	1	RMS	11431.296	-43.87	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.76	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.86	-13	Pass	2985
30	1000	0.1	RMS	891.756	-65.22	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.49	-13	Pass	700
1700	1765	1	RMS	1731.2	20.86	60	Pass	401
1765	3000	1	RMS	2841.872	-49.91	-13	Pass	1235
3000	12000	1	RMS	11343.187	-43.84	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.71	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.97	-13	Pass	2985
30	1000	0.1	RMS	518.66	-63.38	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.28	-13	Pass	700
1700	1765	1	RMS	1752.163	21.28	60	Pass	401
1765	3000	1	RMS	2943.955	-49.84	-13	Pass	1235
3000	12000	1	RMS	11427.291	-43.65	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2985
30	1000	0.1	RMS	875.835	-65.35	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.27	-13	Pass	700
1700	1765	1	RMS	1752.163	20.18	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11629.542	-43.86	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.82	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	652.576	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.7	-13	Pass	700
1700	1765	1	RMS	1710.238	21.12	60	Pass	401
1765	3000	1	RMS	2944.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11440.307	-43.73	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.73	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	Pass	2985
30	1000	0.1	RMS	873.032	-65.39	-13	Pass	9699
1000	1700	1	RMS	1700	-52.98	-13	Pass	700
1700	1765	1	RMS	1710.238	19.95	60	Pass	401
1765	3000	1	RMS	2948.959	-49.93	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.68	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.7	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	872.13	-62.86	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.23	-13	Pass	700
1700	1765	1	RMS	1730.225	21.16	60	Pass	401
1765	3000	1	RMS	2943.955	-49.9	-13	Pass	1235
3000	12000	1	RMS	11337.18	-43.64	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.7	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2985
30	1000	0.1	RMS	907.077	-62.78	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.21	-13	Pass	700
1700	1765	1	RMS	1730.225	20.56	60	Pass	401
1765	3000	1	RMS	2839.87	-49.85	-13	Pass	1235
3000	12000	1	RMS	11431.296	-43.67	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.69	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	Pass	2985
30	1000	0.1	RMS	900.368	-62.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.2	-13	Pass	700
1700	1765	1	RMS	1750.213	21.41	60	Pass	401
1765	3000	1	RMS	2921.937	-49.88	-13	Pass	1235
3000	12000	1	RMS	11340.183	-43.68	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.79	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.9	-13	Pass	2985
30	1000	0.1	RMS	376.542	-63.57	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.23	-13	Pass	700
1700	1765	1	RMS	1750.213	20.13	60	Pass	401
1765	3000	1	RMS	2943.955	-49.84	-13	Pass	1235
3000	12000	1	RMS	11440.307	-43.6	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.74	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	1000	0.1	RMS	849.2	-62.8	-13	Pass	9699
1000	1700	1	RMS	1700	-52.15	-13	Pass	700
1700	1765	1	RMS	1710.563	21.61	60	Pass	401
1765	3000	1	RMS	2952.962	-49.89	-13	Pass	1235
3000	12000	1	RMS	11441.309	-43.58	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.66	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	1000	0.1	RMS	866.323	-65.44	-13	Pass	9699
1000	1700	1	RMS	1700	-52.64	-13	Pass	700
1700	1765	1	RMS	1710.563	20.31	60	Pass	401
1765	3000	1	RMS	2950.96	-50.11	-13	Pass	1235
3000	12000	1	RMS	11438.305	-43.57	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.65	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.09	-13	Pass	2985
30	1000	0.1	RMS	443.751	-63.51	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.29	-13	Pass	700
1700	1765	1	RMS	1727.95	21.25	60	Pass	401
1765	3000	1	RMS	2949.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.63	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.7	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2985
30	1000	0.1	RMS	458.652	-63.53	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.19	-13	Pass	700
1700	1765	1	RMS	1727.95	20.03	60	Pass	401
1765	3000	1	RMS	2842.873	-49.87	-13	Pass	1235
3000	12000	1	RMS	11429.294	-43.6	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.74	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2985
30	1000	0.1	RMS	976.869	-62.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.1	-13	Pass	700
1700	1765	1	RMS	1745.5	21.58	60	Pass	401
1765	3000	1	RMS	2950.96	-49.89	-13	Pass	1235
3000	12000	1	RMS	11431.296	-43.5	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.67	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.81	-71.67	-13	Pass	2985
30	1000	0.1	RMS	729.985	-63.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.22	-13	Pass	700
1700	1765	1	RMS	1745.5	20.72	60	Pass	401
1765	3000	1	RMS	2837.869	-49.86	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.46	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.68	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.9	-13	Pass	2985
30	1000	0.1	RMS	880.842	-65.38	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.47	-13	Pass	700
1700	1765	1	RMS	1710.725	21.3	60	Pass	401
1765	3000	1	RMS	2835.867	-50.16	-13	Pass	1235
3000	12000	1	RMS	11451.321	-43.88	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.83	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.68	-13	Pass	2985
30	1000	0.1	RMS	885.148	-65.28	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.05	-13	Pass	700
1700	1765	1	RMS	1710.725	20.44	60	Pass	401
1765	3000	1	RMS	2949.959	-50.1	-13	Pass	1235
3000	12000	1	RMS	11441.309	-43.64	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.77	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.05	-13	Pass	2985
30	1000	0.1	RMS	883.345	-65.46	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.04	-13	Pass	700
1700	1765	1	RMS	1725.838	21.32	60	Pass	401
1765	3000	1	RMS	2844.874	-50.01	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.55	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.69	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.09	-13	Pass	2985
30	1000	0.1	RMS	898.766	-65.39	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.17	-13	Pass	700
1700	1765	1	RMS	1725.675	20	60	Pass	401
1765	3000	1	RMS	2952.962	-49.94	-13	Pass	1235
3000	12000	1	RMS	11451.321	-43.64	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.78	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	Pass	401
0.15	30	0.01	RMS	14.585	-71.84	-13	Pass	2985
30	1000	0.1	RMS	847.7	-62.72	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.25	-13	Pass	700
1700	1765	1	RMS	1740.788	21.63	60	Pass	401
1765	3000	1	RMS	1767.002	-33.28	-13	Pass	1235
3000	12000	1	RMS	11337.18	-43.64	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.73	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2985
30	1000	0.1	RMS	894.861	-62.87	-13	Pass	9699
1000	1700	1	RMS	1676.967	-53.21	-13	Pass	700
1700	1765	1	RMS	1740.788	20.82	60	Pass	401
1765	3000	1	RMS	1767.002	-34.06	-13	Pass	1235
3000	12000	1	RMS	11339.182	-43.59	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.81	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.48	-62.17	-13	Pass	2985
30	1000	0.1	RMS	916.79	-65.05	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.48	-13	Pass	700
1700	1765	1	RMS	1711.05	21.57	60	Pass	401
1765	3000	1	RMS	2944.955	-50.06	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.82	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.74	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.48	-62.7	-13	Pass	2985
30	1000	0.1	RMS	997.497	-65	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.48	-13	Pass	700
1700	1765	1	RMS	1711.05	20.74	60	Pass	401
1765	3000	1	RMS	2947.958	-50.05	-13	Pass	1235
3000	12000	1	RMS	11338.181	-43.77	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.83	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2985
30	1000	0.1	RMS	265.429	-64.3	-13	Pass	9699
1000	1700	1	RMS	1700	-53.21	-13	Pass	700
1700	1765	1	RMS	1723.563	21.6	60	Pass	401
1765	3000	1	RMS	2950.96	-50	-13	Pass	1235
3000	12000	1	RMS	11339.182	-43.74	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	862.618	-65.26	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.39	-13	Pass	700
1700	1765	1	RMS	1723.563	20.67	60	Pass	401
1765	3000	1	RMS	2954.964	-50.05	-13	Pass	1235
3000	12000	1	RMS	11433.299	-43.83	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.88	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	876.536	-65.43	-13	Pass	9699
1000	1700	1	RMS	1700	-53.2	-13	Pass	700
1700	1765	1	RMS	1736.075	21.74	60	Pass	401
1765	3000	1	RMS	1772.006	-31.51	-13	Pass	1235
3000	12000	1	RMS	11435.301	-43.75	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.86	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2985
30	1000	0.1	RMS	994.292	-65.34	-13	Pass	9699
1000	1700	1	RMS	1700	-53.39	-13	Pass	700
1700	1765	1	RMS	1736.075	20	60	Pass	401
1765	3000	1	RMS	1772.006	-36.07	-13	Pass	1235
3000	12000	1	RMS	11436.302	-43.92	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.9	-13	Pass	8000



9. LTE_Band5


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.21	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.25	-13	Pass	7840
814	860	0.1	RMS	824.222	19.67	60	Pass	460
860	1000	0.1	RMS	898.528	-65.44	-13	Pass	1400
1000	3000	1	RMS	2948.974	-50.19	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.88	-13	Pass	7000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.88	-13	Pass	2985
30	814	0.1	RMS	470.556	-65.74	-13	Pass	7840
814	860	0.1	RMS	824.222	18.07	60	Pass	460
860	1000	0.1	RMS	862.502	-65.38	-13	Pass	1400
1000	3000	1	RMS	2947.974	-50.17	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.8	-13	Pass	7000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2985
30	814	0.1	RMS	461.055	-65.63	-13	Pass	7840
814	860	0.1	RMS	836.048	19.63	60	Pass	460
860	1000	0.1	RMS	872.609	-65.4	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.14	-13	Pass	2000
3000	10000	1	RMS	7108.587	-44.6	-13	Pass	7000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.83	-13	Pass	2985
30	814	0.1	RMS	668.281	-64	-13	Pass	7840
814	860	0.1	RMS	836.048	18.68	60	Pass	460
860	1000	0.1	RMS	874.21	-65.35	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.79	-13	Pass	2000
3000	10000	1	RMS	7106.587	-44.61	-13	Pass	7000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.06	-13	Pass	2985
30	814	0.1	RMS	487.458	-65.71	-13	Pass	7840
814	860	0.1	RMS	847.874	19.07	60	Pass	460
860	1000	0.1	RMS	879.714	-65.31	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.52	-13	Pass	2000
3000	10000	1	RMS	8006.715	-44.7	-13	Pass	7000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2985
30	814	0.1	RMS	727.389	-65.75	-13	Pass	7840
814	860	0.1	RMS	847.874	18.67	60	Pass	460
860	1000	0.1	RMS	997.398	-65.46	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.64	-13	Pass	2000
3000	10000	1	RMS	7995.714	-44.95	-13	Pass	7000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.44	-13	Pass	7840
814	860	0.1	RMS	824.222	19.56	60	Pass	460
860	1000	0.1	RMS	866.305	-65.32	-13	Pass	1400
1000	3000	1	RMS	2950.975	-50.17	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.79	-13	Pass	7000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.35	-13	Pass	7840
814	860	0.1	RMS	824.222	18.26	60	Pass	460
860	1000	0.1	RMS	880.615	-65.35	-13	Pass	1400
1000	3000	1	RMS	2919.96	-50.23	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.78	-13	Pass	7000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.13	-13	Pass	2985
30	814	0.1	RMS	744.791	-65.56	-13	Pass	7840
814	860	0.1	RMS	835.246	19.61	60	Pass	460
860	1000	0.1	RMS	873.31	-65.38	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.45	-13	Pass	2000
3000	10000	1	RMS	8004.715	-44.87	-13	Pass	7000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-13	Pass	2985
30	814	0.1	RMS	476.657	-65.47	-13	Pass	7840
814	860	0.1	RMS	835.246	19.01	60	Pass	460
860	1000	0.1	RMS	994.396	-65.24	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.68	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.82	-13	Pass	7000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	Pass	2985
30	814	0.1	RMS	481.358	-65.53	-13	Pass	7840
814	860	0.1	RMS	846.27	19.34	60	Pass	460
860	1000	0.1	RMS	882.516	-65.31	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.98	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.82	-13	Pass	7000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	814	0.1	RMS	811	-65.62	-13	Pass	7840
814	860	0.1	RMS	846.27	18.08	60	Pass	460
860	1000	0.1	RMS	875.411	-65.23	-13	Pass	1400
1000	3000	1	RMS	1692.346	-50.15	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.8	-13	Pass	7000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.03	-13	Pass	7840
814	860	0.1	RMS	824.322	19.22	60	Pass	460
860	1000	0.1	RMS	888.22	-65.19	-13	Pass	1400
1000	3000	1	RMS	2946.973	-50.2	-13	Pass	2000
3000	10000	1	RMS	7996.714	-44.93	-13	Pass	7000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.38	-13	Pass	7840
814	860	0.1	RMS	824.322	18.08	60	Pass	460
860	1000	0.1	RMS	879.214	-65.29	-13	Pass	1400
1000	3000	1	RMS	2948.974	-50.21	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.87	-13	Pass	7000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2985
30	814	0.1	RMS	467.656	-65.68	-13	Pass	7840
814	860	0.1	RMS	834.344	19.37	60	Pass	460
860	1000	0.1	RMS	880.615	-65.34	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.24	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.92	-13	Pass	7000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.69	-13	Pass	2985
30	814	0.1	RMS	812.9	-65.72	-13	Pass	7840
814	860	0.1	RMS	834.344	18.61	60	Pass	460
860	1000	0.1	RMS	871.408	-65.35	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.94	-13	Pass	2000
3000	10000	1	RMS	7996.714	-44.76	-13	Pass	7000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-13	Pass	2985
30	814	0.1	RMS	809.499	-65.64	-13	Pass	7840
814	860	0.1	RMS	844.366	19.08	60	Pass	460
860	1000	0.1	RMS	878.413	-65.4	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.2	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.93	-13	Pass	7000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.51	-13	Pass	2985
30	814	0.1	RMS	725.289	-65.75	-13	Pass	7840
814	860	0.1	RMS	844.366	18.34	60	Pass	460
860	1000	0.1	RMS	909.936	-65.32	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.52	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.86	-13	Pass	7000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.13	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.96	-13	Pass	7840
814	860	0.1	RMS	824.623	19.4	60	Pass	460
860	1000	0.1	RMS	885.718	-65.17	-13	Pass	1400
1000	3000	1	RMS	2952.976	-50.17	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.91	-13	Pass	7000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.57	-13	Pass	7840
814	860	0.1	RMS	824.623	18.04	60	Pass	460
860	1000	0.1	RMS	871.708	-65.45	-13	Pass	1400
1000	3000	1	RMS	2952.976	-50.22	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.91	-13	Pass	7000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2985
30	814	0.1	RMS	738.09	-65.78	-13	Pass	7840
814	860	0.1	RMS	832.139	18.85	60	Pass	460
860	1000	0.1	RMS	897.727	-65.43	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.9	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.91	-13	Pass	7000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-13	Pass	2985
30	814	0.1	RMS	742.291	-65.59	-13	Pass	7840
814	860	0.1	RMS	832.039	18.62	60	Pass	460
860	1000	0.1	RMS	874.01	-65.16	-13	Pass	1400
1000	3000	1	RMS	2949.975	-50.18	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.85	-13	Pass	7000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.16	-13	Pass	2985
30	814	0.1	RMS	735.89	-65.81	-13	Pass	7840
814	860	0.1	RMS	839.556	19.37	60	Pass	460
860	1000	0.1	RMS	868.806	-65.2	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.02	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.83	-13	Pass	7000



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.97	-13	Pass	2985
30	814	0.1	RMS	734.49	-65.65	-13	Pass	7840
814	860	0.1	RMS	839.556	17.98	60	Pass	460
860	1000	0.1	RMS	870.207	-65.36	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.58	-13	Pass	2000
3000	10000	1	RMS	8004.715	-44.84	-13	Pass	7000



10. LTE_Band7

10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.48	-69.92	-25	Pass	2985
30	1000	0.1	RMS	882.945	-65.14	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.44	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.56	60	Pass	401
2590	3000	1	RMS	2949.878	-50.09	-25	Pass	410
3000	12000	1	RMS	11604.511	-53.64	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.38	-25	Pass	14000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.32	-25	Pass	2985
30	1000	0.1	RMS	863.719	-65.15	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.44	-25	Pass	1480
2480	2590	1	RMS	2500.075	20.64	60	Pass	401
2590	3000	1	RMS	2948.875	-50.09	-25	Pass	410
3000	12000	1	RMS	11610.518	-53.53	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.33	-25	Pass	14000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.63	-25	Pass	2985
30	1000	0.1	RMS	892.758	-64.99	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.46	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.74	60	Pass	401
2590	3000	1	RMS	2921.809	-50.09	-25	Pass	410
3000	12000	1	RMS	11523.41	-53.5	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.35	-25	Pass	14000



10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.11	-25	Pass	2985
30	1000	0.1	RMS	874.433	-64.99	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.49	-25	Pass	1480
2480	2590	1	RMS	2532.8	20.77	60	Pass	401
2590	3000	1	RMS	2950.88	-50.06	-25	Pass	410
3000	12000	1	RMS	11520.406	-53.54	-25	Pass	9000
12000	26000	1	RMS	25892.982	-40.35	-25	Pass	14000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.56	-25	Pass	2985
30	1000	0.1	RMS	857.912	-65.06	-25	Pass	9699
1000	2480	1	RMS	2480	-51.49	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.74	60	Pass	401
2590	3000	1	RMS	2924.817	-50.08	-25	Pass	410
3000	12000	1	RMS	11520.406	-53.56	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.41	-25	Pass	14000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.71	-25	Pass	2985
30	1000	0.1	RMS	861.516	-65.02	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.47	-25	Pass	1480
2480	2590	1	RMS	2565.25	20.04	60	Pass	401
2590	3000	1	RMS	2949.878	-50.08	-25	Pass	410
3000	12000	1	RMS	11522.409	-53.6	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.33	-25	Pass	14000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.13	-25	Pass	2985
30	1000	0.1	RMS	850.602	-65.06	-25	Pass	9699
1000	2480	1	RMS	2480	-51.39	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.3	60	Pass	401
2590	3000	1	RMS	2945.868	-50.1	-25	Pass	410
3000	12000	1	RMS	7501.55	-52.07	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.36	-25	Pass	14000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.23	-25	Pass	2985
30	1000	0.1	RMS	878.239	-64.99	-25	Pass	9699
1000	2480	1	RMS	2480	-51.36	-25	Pass	1480
2480	2590	1	RMS	2500.35	19.89	60	Pass	401
2590	3000	1	RMS	2949.878	-50.1	-25	Pass	410
3000	12000	1	RMS	7501.55	-53	-25	Pass	9000
12000	26000	1	RMS	25886.981	-40.29	-25	Pass	14000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.11	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.28	-25	Pass	2985
30	1000	0.1	RMS	854.107	-65.06	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.47	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.64	60	Pass	401
2590	3000	1	RMS	2919.804	-50.07	-25	Pass	410
3000	12000	1	RMS	11522.409	-53.55	-25	Pass	9000
12000	26000	1	RMS	25906.984	-40.38	-25	Pass	14000



**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.28	-25	Pass	2985
30	1000	0.1	RMS	896.463	-65.06	-25	Pass	9699
1000	2480	1	RMS	2480	-51.51	-25	Pass	1480
2480	2590	1	RMS	2530.325	20.41	60	Pass	401
2590	3000	1	RMS	2948.875	-50.09	-25	Pass	410
3000	12000	1	RMS	11518.404	-53.58	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.33	-25	Pass	14000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.13	-25	Pass	2985
30	1000	0.1	RMS	997.697	-65.08	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.51	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.5	60	Pass	401
2590	3000	1	RMS	2948.875	-50.07	-25	Pass	410
3000	12000	1	RMS	11523.41	-53.59	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.28	-25	Pass	14000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.46	-25	Pass	2985
30	1000	0.1	RMS	852.204	-65.15	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.49	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.95	60	Pass	401
2590	3000	1	RMS	2951.883	-50.12	-25	Pass	410
3000	12000	1	RMS	11520.406	-53.57	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.3	-25	Pass	14000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.68	-25	Pass	2985
30	1000	0.1	RMS	903.372	-65.15	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.25	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.3	60	Pass	401
2590	3000	1	RMS	2949.878	-50.09	-25	Pass	410
3000	12000	1	RMS	7502.55	-53.19	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.4	-25	Pass	14000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.85	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.05	-25	Pass	2985
30	1000	0.1	RMS	826.297	-65.08	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.49	-25	Pass	1480
2480	2590	1	RMS	2500.625	20.01	60	Pass	401
2590	3000	1	RMS	2950.88	-50.09	-25	Pass	410
3000	12000	1	RMS	11615.524	-53.64	-25	Pass	9000
12000	26000	1	RMS	25888.981	-40.26	-25	Pass	14000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-25	Pass	2985
30	1000	0.1	RMS	864.42	-65	-25	Pass	9699
1000	2480	1	RMS	2480	-51.44	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.84	60	Pass	401
2590	3000	1	RMS	2951.883	-50.11	-25	Pass	410
3000	12000	1	RMS	11521.408	-53.64	-25	Pass	9000
12000	26000	1	RMS	25889.981	-40.34	-25	Pass	14000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	Pass	2985
30	1000	0.1	RMS	870.228	-65.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.39	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.05	60	Pass	401
2590	3000	1	RMS	2942.861	-50.1	-25	Pass	410
3000	12000	1	RMS	11611.519	-53.6	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.42	-25	Pass	14000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.32	-25	Pass	2985
30	1000	0.1	RMS	871.229	-64.92	-25	Pass	9699
1000	2480	1	RMS	2480	-51.49	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.4	60	Pass	401
2590	3000	1	RMS	2949.878	-50.07	-25	Pass	410
3000	12000	1	RMS	11598.503	-53.59	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.3	-25	Pass	14000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.28	-25	Pass	2985
30	1000	0.1	RMS	904.774	-64.86	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.45	-25	Pass	1480
2480	2590	1	RMS	2555.625	20.24	60	Pass	401
2590	3000	1	RMS	2844.621	-50.1	-25	Pass	410
3000	12000	1	RMS	11527.415	-53.58	-25	Pass	9000
12000	26000	1	RMS	25889.981	-40.28	-25	Pass	14000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.48	-69.66	-25	Pass	2985
30	1000	0.1	RMS	877.437	-65.07	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.29	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.22	60	Pass	401
2590	3000	1	RMS	2947.873	-50.1	-25	Pass	410
3000	12000	1	RMS	11521.408	-53.6	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.21	-25	Pass	14000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2985
30	1000	0.1	RMS	875.935	-65.1	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.41	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.82	60	Pass	401
2590	3000	1	RMS	2920.807	-50.13	-25	Pass	410
3000	12000	1	RMS	11604.511	-53.57	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.33	-25	Pass	14000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-25	Pass	2985
30	1000	0.1	RMS	872.03	-65.09	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.41	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.93	60	Pass	401
2590	3000	1	RMS	2922.812	-50.12	-25	Pass	410
3000	12000	1	RMS	11519.405	-53.56	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.38	-25	Pass	14000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.17	-25	Pass	2985
30	1000	0.1	RMS	907.878	-65.14	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.46	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.01	60	Pass	401
2590	3000	1	RMS	2946.87	-50.09	-25	Pass	410
3000	12000	1	RMS	11519.405	-53.58	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.4	-25	Pass	14000



**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2985
30	1000	0.1	RMS	891.957	-65.02	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.5	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.92	60	Pass	401
2590	3000	1	RMS	2948.875	-50.07	-25	Pass	410
3000	12000	1	RMS	11521.408	-53.54	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.35	-25	Pass	14000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.48	-70.8	-25	Pass	2985
30	1000	0.1	RMS	869.427	-65.11	-25	Pass	9699
1000	2480	1	RMS	2480	-51.51	-25	Pass	1480
2480	2590	1	RMS	2550.95	20.69	60	Pass	401
2590	3000	1	RMS	2946.87	-50.08	-25	Pass	410
3000	12000	1	RMS	11519.405	-53.61	-25	Pass	9000
12000	26000	1	RMS	25906.984	-40.38	-25	Pass	14000



11. LTE_Band66


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.72	-13	Pass	2985
30	1000	0.1	RMS	876.937	-65.4	-13	Pass	9699
1000	1700	1	RMS	1700	-52.65	-13	Pass	700
1700	1790	1	RMS	1710.125	22.34	60	Pass	401
1790	3000	1	RMS	2843.871	-50.16	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.97	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.8	-13	Pass	8000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2985
30	1000	0.1	RMS	874.233	-65.42	-13	Pass	9699
1000	1700	1	RMS	1700	-53	-13	Pass	700
1700	1790	1	RMS	1710.125	21.4	60	Pass	401
1790	3000	1	RMS	2949.959	-50.07	-13	Pass	1210
3000	12000	1	RMS	11427.291	-43.89	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.8	-13	Pass	8000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	869.026	-65.55	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.62	-13	Pass	700
1700	1790	1	RMS	1744.55	22.02	60	Pass	401
1790	3000	1	RMS	2946.956	-50.12	-13	Pass	1210
3000	12000	1	RMS	11524.411	-43.98	-13	Pass	9000
12000	20000	1	RMS	19788.974	-36.89	-13	Pass	8000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.55	-13	Pass	2985
30	1000	0.1	RMS	870.729	-65.29	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.63	-13	Pass	700
1700	1790	1	RMS	1744.325	21.19	60	Pass	401
1790	3000	1	RMS	2941.952	-50.17	-13	Pass	1210
3000	12000	1	RMS	11341.185	-44.02	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.91	-13	Pass	8000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	866.022	-65.32	-13	Pass	9699
1000	1700	1	RMS	1700	-53.63	-13	Pass	700
1700	1790	1	RMS	1778.75	22.06	60	Pass	401
1790	3000	1	RMS	2947.957	-50.1	-13	Pass	1210
3000	12000	1	RMS	11443.311	-43.86	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.89	-13	Pass	8000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2985
30	1000	0.1	RMS	995.694	-65.33	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.56	-13	Pass	700
1700	1790	1	RMS	1778.75	20.81	60	Pass	401
1790	3000	1	RMS	2952.961	-50.17	-13	Pass	1210
3000	12000	1	RMS	11433.299	-43.88	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.89	-13	Pass	8000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.36	-13	Pass	2985
30	1000	0.1	RMS	862.818	-65.14	-13	Pass	9699
1000	1700	1	RMS	1700	-53	-13	Pass	700
1700	1790	1	RMS	1710.125	21.61	60	Pass	401
1790	3000	1	RMS	2945.955	-50.13	-13	Pass	1210
3000	12000	1	RMS	11434.3	-43.93	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.83	-13	Pass	8000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	841.499	-65.42	-13	Pass	9699
1000	1700	1	RMS	1700	-53.13	-13	Pass	700
1700	1790	1	RMS	1710.125	20.46	60	Pass	401
1790	3000	1	RMS	2947.957	-50.21	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.79	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.88	-13	Pass	8000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	Pass	2985
30	1000	0.1	RMS	884.947	-65.37	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.58	-13	Pass	700
1700	1790	1	RMS	1743.65	21.74	60	Pass	401
1790	3000	1	RMS	2941.952	-50.17	-13	Pass	1210
3000	12000	1	RMS	11441.309	-43.88	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.88	-13	Pass	8000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	868.926	-65.3	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.62	-13	Pass	700
1700	1790	1	RMS	1743.65	21.23	60	Pass	401
1790	3000	1	RMS	2951.96	-50.22	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.94	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.88	-13	Pass	8000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	860.815	-65.09	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.61	-13	Pass	700
1700	1790	1	RMS	1777.175	21.5	60	Pass	401
1790	3000	1	RMS	2843.871	-50.21	-13	Pass	1210
3000	12000	1	RMS	11340.183	-43.96	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.83	-13	Pass	8000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	877.638	-65.27	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.61	-13	Pass	700
1700	1790	1	RMS	1777.175	20.45	60	Pass	401
1790	3000	1	RMS	2841.869	-50.13	-13	Pass	1210
3000	12000	1	RMS	11434.3	-43.93	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.95	-13	Pass	8000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.83	-13	Pass	2985
30	1000	0.1	RMS	837.299	-65.43	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1710.125	21.23	60	Pass	401
1790	3000	1	RMS	2951.96	-50.17	-13	Pass	1210
3000	12000	1	RMS	11437.304	-43.93	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.84	-13	Pass	8000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	874.534	-65.49	-13	Pass	9699
1000	1700	1	RMS	1700	-53.2	-13	Pass	700
1700	1790	1	RMS	1710.125	20.04	60	Pass	401
1790	3000	1	RMS	2947.957	-50.16	-13	Pass	1210
3000	12000	1	RMS	11428.292	-43.93	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.87	-13	Pass	8000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.72	-13	Pass	2985
30	1000	0.1	RMS	867.524	-65.33	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.59	-13	Pass	700
1700	1790	1	RMS	1742.75	21.52	60	Pass	401
1790	3000	1	RMS	2949.959	-50.21	-13	Pass	1210
3000	12000	1	RMS	11431.296	-43.95	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.9	-13	Pass	8000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.76	-13	Pass	2985
30	1000	0.1	RMS	859.614	-65.47	-13	Pass	9699
1000	1700	1	RMS	1700	-53.61	-13	Pass	700
1700	1790	1	RMS	1742.75	20.8	60	Pass	401
1790	3000	1	RMS	2955.964	-50.18	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.86	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.97	-13	Pass	8000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.31	-13	Pass	2985
30	1000	0.1	RMS	854.507	-65.31	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.55	-13	Pass	700
1700	1790	1	RMS	1775.15	22.01	60	Pass	401
1790	3000	1	RMS	2952.961	-50.08	-13	Pass	1210
3000	12000	1	RMS	11341.185	-43.96	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.86	-13	Pass	8000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-13	Pass	2985
30	1000	0.1	RMS	863.118	-65.35	-13	Pass	9699
1000	1700	1	RMS	1700	-53.58	-13	Pass	700
1700	1790	1	RMS	1775.15	20.25	60	Pass	401
1790	3000	1	RMS	2944.955	-50.16	-13	Pass	1210
3000	12000	1	RMS	11436.302	-43.97	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.84	-13	Pass	8000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2985
30	1000	0.1	RMS	892.157	-65.31	-13	Pass	9699
1000	1700	1	RMS	1700	-52.63	-13	Pass	700
1700	1790	1	RMS	1710.575	21.44	60	Pass	401
1790	3000	1	RMS	2836.865	-50.18	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.95	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.82	-13	Pass	8000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.39	-13	Pass	2985
30	1000	0.1	RMS	890.755	-65.29	-13	Pass	9699
1000	1700	1	RMS	1700	-52.8	-13	Pass	700
1700	1790	1	RMS	1710.575	20.22	60	Pass	401
1790	3000	1	RMS	2946.956	-50.18	-13	Pass	1210
3000	12000	1	RMS	11342.186	-43.81	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.84	-13	Pass	8000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	Pass	2985
30	1000	0.1	RMS	862.718	-65.51	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.62	-13	Pass	700
1700	1790	1	RMS	1740.5	21.96	60	Pass	401
1790	3000	1	RMS	2841.869	-50.08	-13	Pass	1210
3000	12000	1	RMS	11433.299	-43.89	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.74	-13	Pass	8000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-13	Pass	2985
30	1000	0.1	RMS	880.041	-65.35	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.56	-13	Pass	700
1700	1790	1	RMS	1740.5	20.71	60	Pass	401
1790	3000	1	RMS	2840.868	-50.11	-13	Pass	1210
3000	12000	1	RMS	11449.318	-43.89	-13	Pass	9000
12000	20000	1	RMS	19811.976	-36.87	-13	Pass	8000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.8	-13	Pass	2985
30	1000	0.1	RMS	875.735	-65.34	-13	Pass	9699
1000	1700	1	RMS	1700	-53.56	-13	Pass	700
1700	1790	1	RMS	1770.425	21.8	60	Pass	401
1790	3000	1	RMS	2834.864	-50.22	-13	Pass	1210
3000	12000	1	RMS	11432.297	-43.9	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.86	-13	Pass	8000




**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	866.924	-65.22	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.59	-13	Pass	700
1700	1790	1	RMS	1770.425	20.67	60	Pass	401
1790	3000	1	RMS	2948.958	-50.16	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.87	-13	Pass	9000
12000	20000	1	RMS	19785.973	-36.9	-13	Pass	8000




**11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-13	Pass	2985
30	1000	0.1	RMS	878.138	-65.32	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.11	-13	Pass	700
1700	1790	1	RMS	1710.8	21.42	60	Pass	401
1790	3000	1	RMS	2958.966	-50.19	-13	Pass	1210
3000	12000	1	RMS	11434.3	-43.92	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.82	-13	Pass	8000




**11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	878.739	-65.26	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.55	-13	Pass	700
1700	1790	1	RMS	1710.8	20.03	60	Pass	401
1790	3000	1	RMS	2949.959	-50.17	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.9	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.8	-13	Pass	8000




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72	-13	Pass	2985
30	1000	0.1	RMS	905.375	-65.23	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.56	-13	Pass	700
1700	1790	1	RMS	1738.25	21.58	60	Pass	401
1790	3000	1	RMS	2949.959	-50.16	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.93	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.88	-13	Pass	8000




**11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	880.842	-65.34	-13	Pass	9699
1000	1700	1	RMS	1700	-53.53	-13	Pass	700
1700	1790	1	RMS	1738.25	20.2	60	Pass	401
1790	3000	1	RMS	2952.961	-50.18	-13	Pass	1210
3000	12000	1	RMS	11437.304	-43.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.86	-13	Pass	8000




**11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.96	-13	Pass	2985
30	1000	0.1	RMS	883.245	-65.24	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.6	-13	Pass	700
1700	1790	1	RMS	1765.7	21.79	60	Pass	401
1790	3000	1	RMS	1792.002	-42.56	-13	Pass	1210
3000	12000	1	RMS	11341.185	-43.93	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.93	-13	Pass	8000




**11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.42	-13	Pass	2985
30	1000	0.1	RMS	868.125	-65.37	-13	Pass	9699
1000	1700	1	RMS	1686.981	-53.61	-13	Pass	700
1700	1790	1	RMS	1765.7	20.5	60	Pass	401
1790	3000	1	RMS	1793.002	-44.64	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.93	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.88	-13	Pass	8000




**11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	874.333	-65.28	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.36	-13	Pass	700
1700	1790	1	RMS	1711.025	21.35	60	Pass	401
1790	3000	1	RMS	2951.96	-50.18	-13	Pass	1210
3000	12000	1	RMS	11436.302	-43.87	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.92	-13	Pass	8000




**11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	Pass	2985
30	1000	0.1	RMS	866.924	-65.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.36	-13	Pass	700
1700	1790	1	RMS	1711.25	19.85	60	Pass	401
1790	3000	1	RMS	2956.964	-50.18	-13	Pass	1210
3000	12000	1	RMS	11432.297	-43.94	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.82	-13	Pass	8000




**11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-13	Pass	2985
30	1000	0.1	RMS	859.814	-65.33	-13	Pass	9699
1000	1700	1	RMS	1700	-53.35	-13	Pass	700
1700	1790	1	RMS	1736	21.47	60	Pass	401
1790	3000	1	RMS	2946.956	-50.22	-13	Pass	1210
3000	12000	1	RMS	11433.299	-43.81	-13	Pass	9000
12000	20000	1	RMS	19811.976	-36.81	-13	Pass	8000




**11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-13	Pass	2985
30	1000	0.1	RMS	880.542	-65.33	-13	Pass	9699
1000	1700	1	RMS	1700	-53.37	-13	Pass	700
1700	1790	1	RMS	1736	20.72	60	Pass	401
1790	3000	1	RMS	2848.875	-50.17	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.9	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.82	-13	Pass	8000




**11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.48	-13	Pass	2985
30	1000	0.1	RMS	879.54	-65.28	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.51	-13	Pass	700
1700	1790	1	RMS	1760.975	21.96	60	Pass	401
1790	3000	1	RMS	1797.006	-49.36	-13	Pass	1210
3000	12000	1	RMS	11443.311	-43.9	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.88	-13	Pass	8000



**11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-13	Pass	2985
30	1000	0.1	RMS	865.922	-65.34	-13	Pass	9699
1000	1700	1	RMS	1700	-53.54	-13	Pass	700
1700	1790	1	RMS	1760.975	20.97	60	Pass	401
1790	3000	1	RMS	2949.959	-50.1	-13	Pass	1210
3000	12000	1	RMS	11437.304	-43.89	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.89	-13	Pass	8000



END