



**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.51	-13	Pass	2986
30	809	0.1	Peak	796.8	-52.33	-13	Pass	7791
809	829	0.1	Peak	814.35	23.24	60	Pass	401
829	1000	0.1	Peak	936.2	-52.01	-13	Pass	1711
1000	3000	1	Peak	2700	-34.28	-13	Pass	2001
3000	10000	1	Peak	9813	-28.46	-13	Pass	7001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-45.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.03	-13	Pass	2986
30	809	0.1	Peak	704.9	-51.93	-13	Pass	7791
809	829	0.1	Peak	814.3	23.31	60	Pass	401
829	1000	0.1	Peak	963.9	-51.16	-13	Pass	1711
1000	3000	1	Peak	2961	-34.72	-13	Pass	2001
3000	10000	1	Peak	9806	-28.82	-13	Pass	7001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.4	-13	Pass	2986
30	809	0.1	Peak	808.2	-45.37	-13	Pass	7791
809	829	0.1	Peak	816.9	22.95	60	Pass	401
829	1000	0.1	Peak	975.3	-51.96	-13	Pass	1711
1000	3000	1	Peak	2963	-35.24	-13	Pass	2001
3000	10000	1	Peak	9836	-28.13	-13	Pass	7001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-46.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-56.9	-13	Pass	2986
30	809	0.1	Peak	808.3	-41.96	-13	Pass	7791
809	829	0.1	Peak	816.85	23.2	60	Pass	401
829	1000	0.1	Peak	849.4	-38.1	-13	Pass	1711
1000	3000	1	Peak	2814	-34.88	-13	Pass	2001
3000	10000	1	Peak	9759	-28.44	-13	Pass	7001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.77	-13	Pass	2986
30	809	0.1	Peak	804	-51.53	-13	Pass	7791
809	829	0.1	Peak	819.4	23.59	60	Pass	401
829	1000	0.1	Peak	842.5	-51.19	-13	Pass	1711
1000	3000	1	Peak	2703	-34.71	-13	Pass	2001
3000	10000	1	Peak	9752	-28.73	-13	Pass	7001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.4	-13	Pass	2986
30	809	0.1	Peak	738	-52.7	-13	Pass	7791
809	829	0.1	Peak	819.3	23.66	60	Pass	401
829	1000	0.1	Peak	839	-36.8	-13	Pass	1711
1000	3000	1	Peak	2630	-35.24	-13	Pass	2001
3000	10000	1	Peak	9782	-28.57	-13	Pass	7001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-45.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-56.6	-13	Pass	2986
30	809	0.1	Peak	808.4	-49.73	-13	Pass	7791
809	829	0.1	Peak	814.55	22.96	60	Pass	401
829	1000	0.1	Peak	832.2	-34.65	-13	Pass	1711
1000	3000	1	Peak	2790	-35	-13	Pass	2001
3000	10000	1	Peak	9716	-28.85	-13	Pass	7001



**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.34	-13	Pass	2986
30	809	0.1	Peak	808.4	-47.91	-13	Pass	7791
809	829	0.1	Peak	814.65	23.5	60	Pass	401
829	1000	0.1	Peak	832.2	-33.35	-13	Pass	1711
1000	3000	1	Peak	2930	-34.84	-13	Pass	2001
3000	10000	1	Peak	9795	-28.2	-13	Pass	7001



10. LTE_Band38


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-25	Pass	2986
30	1000	0.1	RMS	859.8	-58.38	-25	Pass	9701
1000	2560	1	RMS	2560	-42.23	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.61	60	Pass	401
2630	3000	1	RMS	2997.225	-44.2	-25	Pass	401
3000	12000	1	RMS	11798	-46.19	-25	Pass	9001
12000	26500	1	RMS	26291	-37.83	-25	Pass	14501




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-25	Pass	2986
30	1000	0.1	RMS	890	-58.44	-25	Pass	9701
1000	2560	1	RMS	2560	-42.34	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.26	60	Pass	401
2630	3000	1	RMS	2999.075	-44.15	-25	Pass	401
3000	12000	1	RMS	11812	-46.2	-25	Pass	9001
12000	26500	1	RMS	26292	-37.86	-25	Pass	14501




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.73	-25	Pass	2986
30	1000	0.1	RMS	891	-58.38	-25	Pass	9701
1000	2560	1	RMS	2539	-43.42	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.8	60	Pass	401
2630	3000	1	RMS	2989.825	-44.18	-25	Pass	401
3000	12000	1	RMS	11798	-46.17	-25	Pass	9001
12000	26500	1	RMS	26295	-37.84	-25	Pass	14501




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.66	-25	Pass	2986
30	1000	0.1	RMS	887.4	-58.35	-25	Pass	9701
1000	2560	1	RMS	2539	-43.47	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.89	60	Pass	401
2630	3000	1	RMS	3000	-44.14	-25	Pass	401
3000	12000	1	RMS	11799	-46.17	-25	Pass	9001
12000	26500	1	RMS	26290	-37.86	-25	Pass	14501




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.98	-25	Pass	2986
30	1000	0.1	RMS	880.3	-58.25	-25	Pass	9701
1000	2560	1	RMS	2507	-43.38	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.43	60	Pass	401
2630	3000	1	RMS	2632.775	-43.82	-25	Pass	401
3000	12000	1	RMS	11817	-46.19	-25	Pass	9001
12000	26500	1	RMS	26288	-37.89	-25	Pass	14501




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.26	-25	Pass	2986
30	1000	0.1	RMS	895	-58.26	-25	Pass	9701
1000	2560	1	RMS	2534	-43.45	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.56	60	Pass	401
2630	3000	1	RMS	2632.775	-44.14	-25	Pass	401
3000	12000	1	RMS	11807	-46.2	-25	Pass	9001
12000	26500	1	RMS	26284	-37.92	-25	Pass	14501




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.26	-25	Pass	2986
30	1000	0.1	RMS	920.7	-58.39	-25	Pass	9701
1000	2560	1	RMS	2553	-35.73	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.28	60	Pass	401
2630	3000	1	RMS	3000	-44.12	-25	Pass	401
3000	12000	1	RMS	11800	-46.12	-25	Pass	9001
12000	26500	1	RMS	26270	-37.88	-25	Pass	14501




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-25	Pass	2986
30	1000	0.1	RMS	877.7	-58.4	-25	Pass	9701
1000	2560	1	RMS	2551	-38.18	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.45	60	Pass	401
2630	3000	1	RMS	2995.375	-44.2	-25	Pass	401
3000	12000	1	RMS	11797	-46.26	-25	Pass	9001
12000	26500	1	RMS	26281	-37.85	-25	Pass	14501




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.14	-25	Pass	2986
30	1000	0.1	RMS	892.1	-58.32	-25	Pass	9701
1000	2560	1	RMS	2542	-43.42	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.95	60	Pass	401
2630	3000	1	RMS	3000	-44.17	-25	Pass	401
3000	12000	1	RMS	11799	-46.09	-25	Pass	9001
12000	26500	1	RMS	26286	-37.89	-25	Pass	14501




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.79	-25	Pass	2986
30	1000	0.1	RMS	889.7	-55.11	-25	Pass	9701
1000	2560	1	RMS	2552	-43.4	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.58	60	Pass	401
2630	3000	1	RMS	3000	-44.14	-25	Pass	401
3000	12000	1	RMS	11801	-46.24	-25	Pass	9001
12000	26500	1	RMS	26249	-37.85	-25	Pass	14501




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.26	-25	Pass	2986
30	1000	0.1	RMS	904.3	-58.33	-25	Pass	9701
1000	2560	1	RMS	2533	-43.4	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.44	60	Pass	401
2630	3000	1	RMS	2630	-34.8	-25	Pass	401
3000	12000	1	RMS	11803	-46.14	-25	Pass	9001
12000	26500	1	RMS	26306	-37.86	-25	Pass	14501




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.4	-25	Pass	2986
30	1000	0.1	RMS	910.1	-58.37	-25	Pass	9701
1000	2560	1	RMS	2540	-43.39	-25	Pass	1561
2560	2630	1	RMS	2610.4	21.4	60	Pass	401
2630	3000	1	RMS	2630	-36.62	-25	Pass	401
3000	12000	1	RMS	11453	-45.34	-25	Pass	9001
12000	26500	1	RMS	26296	-36.85	-25	Pass	14501




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.03	-25	Pass	2986
30	1000	0.1	RMS	884.9	-58.39	-25	Pass	9701
1000	2560	1	RMS	2559	-37.92	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.55	60	Pass	401
2630	3000	1	RMS	3000	-44.18	-25	Pass	401
3000	12000	1	RMS	11709	-45.34	-25	Pass	9001
12000	26500	1	RMS	26267	-36.85	-25	Pass	14501




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-25	Pass	2986
30	1000	0.1	RMS	880.3	-58.24	-25	Pass	9701
1000	2560	1	RMS	2559	-38.35	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.84	60	Pass	401
2630	3000	1	RMS	2999.075	-44.18	-25	Pass	401
3000	12000	1	RMS	11711	-45.34	-25	Pass	9001
12000	26500	1	RMS	26290	-36.83	-25	Pass	14501




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.1	-25	Pass	2986
30	1000	0.1	RMS	922	-58.16	-25	Pass	9701
1000	2560	1	RMS	2560	-39.08	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.37	60	Pass	401
2630	3000	1	RMS	2630	-41.59	-25	Pass	401
3000	12000	1	RMS	11699	-45.36	-25	Pass	9001
12000	26500	1	RMS	26294	-36.87	-25	Pass	14501




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.22	-25	Pass	2986
30	1000	0.1	RMS	872.8	-58.25	-25	Pass	9701
1000	2560	1	RMS	2560	-41.2	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.05	60	Pass	401
2630	3000	1	RMS	2630	-42.68	-25	Pass	401
3000	12000	1	RMS	11805	-45.31	-25	Pass	9001
12000	26500	1	RMS	26298	-36.76	-25	Pass	14501




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.76	-25	Pass	2986
30	1000	0.1	RMS	864.7	-58.26	-25	Pass	9701
1000	2560	1	RMS	2537	-43.33	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.89	60	Pass	401
2630	3000	1	RMS	2632.775	-30.12	-25	Pass	401
3000	12000	1	RMS	11697	-45.29	-25	Pass	9001
12000	26500	1	RMS	26276	-36.82	-25	Pass	14501




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-25	Pass	2986
30	1000	0.1	RMS	864.7	-58.14	-25	Pass	9701
1000	2560	1	RMS	2554	-43.37	-25	Pass	1561
2560	2630	1	RMS	2605.675	21.17	60	Pass	401
2630	3000	1	RMS	2631.85	-32.22	-25	Pass	401
3000	12000	1	RMS	11702	-45.32	-25	Pass	9001
12000	26500	1	RMS	26269	-36.78	-25	Pass	14501




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.12	-25	Pass	2986
30	1000	0.1	RMS	903.1	-58.27	-25	Pass	9701
1000	2560	1	RMS	2534	-40.92	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.13	60	Pass	401
2630	3000	1	RMS	2645.725	-43.73	-25	Pass	401
3000	12000	1	RMS	11711	-45.31	-25	Pass	9001
12000	26500	1	RMS	26270	-36.84	-25	Pass	14501




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.04	-25	Pass	2986
30	1000	0.1	RMS	891.5	-58.03	-25	Pass	9701
1000	2560	1	RMS	2533	-40.29	-25	Pass	1561
2560	2630	1	RMS	2571.025	21	60	Pass	401
2630	3000	1	RMS	2645.725	-43.66	-25	Pass	401
3000	12000	1	RMS	11711	-45.27	-25	Pass	9001
12000	26500	1	RMS	26280	-36.78	-25	Pass	14501




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.39	-25	Pass	2986
30	1000	0.1	RMS	920.4	-58.25	-25	Pass	9701
1000	2560	1	RMS	2549	-39.75	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.94	60	Pass	401
2630	3000	1	RMS	2634.625	-41.77	-25	Pass	401
3000	12000	1	RMS	11707	-45.36	-25	Pass	9001
12000	26500	1	RMS	26291	-36.79	-25	Pass	14501




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.94	-25	Pass	2986
30	1000	0.1	RMS	861.5	-58.29	-25	Pass	9701
1000	2560	1	RMS	2549	-41.16	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.4	60	Pass	401
2630	3000	1	RMS	2634.625	-42.64	-25	Pass	401
3000	12000	1	RMS	11798	-45.37	-25	Pass	9001
12000	26500	1	RMS	26266	-36.87	-25	Pass	14501




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.3	-25	Pass	2986
30	1000	0.1	RMS	891	-58.22	-25	Pass	9701
1000	2560	1	RMS	2557	-43.03	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.91	60	Pass	401
2630	3000	1	RMS	2636.475	-28.98	-25	Pass	401
3000	12000	1	RMS	11449	-45.28	-25	Pass	9001
12000	26500	1	RMS	26298	-36.79	-25	Pass	14501



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.82	-25	Pass	2986
30	1000	0.1	RMS	899.9	-58.2	-25	Pass	9701
1000	2560	1	RMS	2558	-42.65	-25	Pass	1561
2560	2630	1	RMS	2601.125	21.88	60	Pass	401
2630	3000	1	RMS	2636.475	-31.97	-25	Pass	401
3000	12000	1	RMS	11713	-45.31	-25	Pass	9001
12000	26500	1	RMS	26291	-36.78	-25	Pass	14501



11. LTE_Band41


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-48.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.37	-25	Pass	2986
30	1000	0.1	RMS	904.6	-58.49	-25	Pass	9701
1000	2486	1	RMS	2486	-42.76	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.62	60	Pass	401
2700	3000	1	RMS	2999.25	-44.18	-25	Pass	401
3000	12000	1	RMS	11707	-45.33	-25	Pass	9001
12000	27000	1	RMS	26287	-36.85	-25	Pass	15001




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.02	-25	Pass	2986
30	1000	0.1	RMS	908.1	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-42.42	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.21	60	Pass	401
2700	3000	1	RMS	3000	-44.17	-25	Pass	401
3000	12000	1	RMS	11448	-45.31	-25	Pass	9001
12000	27000	1	RMS	26299	-36.82	-25	Pass	15001




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.9	-25	Pass	2986
30	1000	0.1	RMS	918.2	-58.35	-25	Pass	9701
1000	2486	1	RMS	2471	-43.52	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.59	60	Pass	401
2700	3000	1	RMS	2999.25	-44.14	-25	Pass	401
3000	12000	1	RMS	11702	-45.29	-25	Pass	9001
12000	27000	1	RMS	26270	-36.79	-25	Pass	15001




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.91	-25	Pass	2986
30	1000	0.1	RMS	879.5	-58.37	-25	Pass	9701
1000	2486	1	RMS	2485	-43.54	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.1	60	Pass	401
2700	3000	1	RMS	2997.75	-44.17	-25	Pass	401
3000	12000	1	RMS	11451	-45.29	-25	Pass	9001
12000	27000	1	RMS	26287	-36.83	-25	Pass	15001




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.4	-25	Pass	2986
30	1000	0.1	RMS	899.9	-58.09	-25	Pass	9701
1000	2486	1	RMS	2485	-43.56	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.82	60	Pass	401
2700	3000	1	RMS	2998.5	-44.13	-25	Pass	401
3000	12000	1	RMS	11722	-45.29	-25	Pass	9001
12000	27000	1	RMS	26318	-36.85	-25	Pass	15001




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.99	-25	Pass	2986
30	1000	0.1	RMS	891.9	-58.27	-25	Pass	9701
1000	2486	1	RMS	2482	-43.47	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.19	60	Pass	401
2700	3000	1	RMS	2998.5	-44.14	-25	Pass	401
3000	12000	1	RMS	11820	-45.32	-25	Pass	9001
12000	27000	1	RMS	26274	-36.75	-25	Pass	15001




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.91	-25	Pass	2986
30	1000	0.1	RMS	875.8	-58.33	-25	Pass	9701
1000	2486	1	RMS	2483	-41.28	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.46	60	Pass	401
2700	3000	1	RMS	3000	-44.15	-25	Pass	401
3000	12000	1	RMS	11699	-45.28	-25	Pass	9001
12000	27000	1	RMS	26276	-36.81	-25	Pass	15001




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.73	-25	Pass	2986
30	1000	0.1	RMS	895.6	-58.3	-25	Pass	9701
1000	2486	1	RMS	2480	-40.31	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.77	60	Pass	401
2700	3000	1	RMS	2998.5	-44.16	-25	Pass	401
3000	12000	1	RMS	11710	-45.33	-25	Pass	9001
12000	27000	1	RMS	26278	-36.77	-25	Pass	15001




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-48.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.24	-25	Pass	2986
30	1000	0.1	RMS	893.2	-58.32	-25	Pass	9701
1000	2486	1	RMS	2483	-43.52	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.04	60	Pass	401
2700	3000	1	RMS	2999.25	-44.17	-25	Pass	401
3000	12000	1	RMS	11467	-45.32	-25	Pass	9001
12000	27000	1	RMS	26252	-36.8	-25	Pass	15001




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.32	-25	Pass	2986
30	1000	0.1	RMS	883	-58.31	-25	Pass	9701
1000	2486	1	RMS	2485	-43.52	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.63	60	Pass	401
2700	3000	1	RMS	3000	-44.16	-25	Pass	401
3000	12000	1	RMS	11811	-45.33	-25	Pass	9001
12000	27000	1	RMS	26292	-36.82	-25	Pass	15001




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.57	-25	Pass	2986
30	1000	0.1	RMS	898	-58.27	-25	Pass	9701
1000	2486	1	RMS	2472	-43.47	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.08	60	Pass	401
2700	3000	1	RMS	2700	-37.77	-25	Pass	401
3000	12000	1	RMS	11461	-45.32	-25	Pass	9001
12000	27000	1	RMS	26296	-36.79	-25	Pass	15001




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.77	-25	Pass	2986
30	1000	0.1	RMS	919.1	-58.4	-25	Pass	9701
1000	2486	1	RMS	2483	-43.47	-25	Pass	1487
2486	2700	1	RMS	2680.205	19.96	60	Pass	401
2700	3000	1	RMS	2700	-38.78	-25	Pass	401
3000	12000	1	RMS	11462	-45.32	-25	Pass	9001
12000	27000	1	RMS	26287	-36.83	-25	Pass	15001




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.07	-25	Pass	2986
30	1000	0.1	RMS	883.1	-58.22	-25	Pass	9701
1000	2486	1	RMS	2484	-41.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.5	60	Pass	401
2700	3000	1	RMS	3000	-44.15	-25	Pass	401
3000	12000	1	RMS	11444	-45.29	-25	Pass	9001
12000	27000	1	RMS	26288	-36.77	-25	Pass	15001




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-48.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-25	Pass	2986
30	1000	0.1	RMS	894.6	-58.27	-25	Pass	9701
1000	2486	1	RMS	2483	-41.46	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.23	60	Pass	401
2700	3000	1	RMS	2999.25	-44.17	-25	Pass	401
3000	12000	1	RMS	11449	-45.28	-25	Pass	9001
12000	27000	1	RMS	26299	-36.82	-25	Pass	15001




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.42	-25	Pass	2986
30	1000	0.1	RMS	908.8	-58.33	-25	Pass	9701
1000	2486	1	RMS	2482	-43.52	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.34	60	Pass	401
2700	3000	1	RMS	2998.5	-44.12	-25	Pass	401
3000	12000	1	RMS	11452	-45.32	-25	Pass	9001
12000	27000	1	RMS	26284	-36.88	-25	Pass	15001




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.63	-25	Pass	2986
30	1000	0.1	RMS	902.9	-58.3	-25	Pass	9701
1000	2486	1	RMS	2484	-43.48	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.09	60	Pass	401
2700	3000	1	RMS	2999.25	-44.15	-25	Pass	401
3000	12000	1	RMS	11806	-45.33	-25	Pass	9001
12000	27000	1	RMS	26306	-36.66	-25	Pass	15001




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.42	-25	Pass	2986
30	1000	0.1	RMS	884.2	-58.28	-25	Pass	9701
1000	2486	1	RMS	2486	-43.5	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.91	60	Pass	401
2700	3000	1	RMS	2703.75	-35.11	-25	Pass	401
3000	12000	1	RMS	11707	-45.34	-25	Pass	9001
12000	27000	1	RMS	26248	-36.83	-25	Pass	15001




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.08	-25	Pass	2986
30	1000	0.1	RMS	894.8	-58.4	-25	Pass	9701
1000	2486	1	RMS	2485	-43.5	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.32	60	Pass	401
2700	3000	1	RMS	2702.25	-36.7	-25	Pass	401
3000	12000	1	RMS	11448	-45.32	-25	Pass	9001
12000	27000	1	RMS	26279	-36.81	-25	Pass	15001




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.27	-25	Pass	2986
30	1000	0.1	RMS	891.6	-58.28	-25	Pass	9701
1000	2486	1	RMS	2486	-42.66	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.01	60	Pass	401
2700	3000	1	RMS	2995.5	-44.17	-25	Pass	401
3000	12000	1	RMS	11459	-45.32	-25	Pass	9001
12000	27000	1	RMS	26244	-36.75	-25	Pass	15001




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.63	-25	Pass	2986
30	1000	0.1	RMS	920.7	-58.28	-25	Pass	9701
1000	2486	1	RMS	2485	-42.97	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.43	60	Pass	401
2700	3000	1	RMS	2993.25	-44.14	-25	Pass	401
3000	12000	1	RMS	11694	-45.32	-25	Pass	9001
12000	27000	1	RMS	26301	-36.8	-25	Pass	15001




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.69	-25	Pass	2986
30	1000	0.1	RMS	891.8	-58.25	-25	Pass	9701
1000	2486	1	RMS	2480	-43.53	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.08	60	Pass	401
2700	3000	1	RMS	3000	-44.09	-25	Pass	401
3000	12000	1	RMS	11703	-45.21	-25	Pass	9001
12000	27000	1	RMS	26275	-36.71	-25	Pass	15001




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.93	-25	Pass	2986
30	1000	0.1	RMS	904.7	-58.28	-25	Pass	9701
1000	2486	1	RMS	2482	-43.51	-25	Pass	1487
2486	2700	1	RMS	2584.44	20.2	60	Pass	401
2700	3000	1	RMS	2999.25	-44.18	-25	Pass	401
3000	12000	1	RMS	11803	-45.38	-25	Pass	9001
12000	27000	1	RMS	26251	-36.81	-25	Pass	15001




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.54	-25	Pass	2986
30	1000	0.1	RMS	919.9	-58.23	-25	Pass	9701
1000	2486	1	RMS	2484	-43.56	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.43	60	Pass	401
2700	3000	1	RMS	2706.75	-33.85	-25	Pass	401
3000	12000	1	RMS	11702	-45.37	-25	Pass	9001
12000	27000	1	RMS	26299	-36.93	-25	Pass	15001



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.61	-25	Pass	2986
30	1000	0.1	RMS	881.9	-58.27	-25	Pass	9701
1000	2486	1	RMS	2484	-43.5	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.1	60	Pass	401
2700	3000	1	RMS	2706.75	-37.41	-25	Pass	401
3000	12000	1	RMS	11705	-45.19	-25	Pass	9001
12000	27000	1	RMS	26285	-36.7	-25	Pass	15001



12. GPRS_GSM850


12.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-33.67	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.98	-13	Pass	2986
30	500	0.1	Peak	498.7	-43.29	-13	Pass	4701
500	1000	0.1	Peak	824.3	28.05	-13	N/A	5001
1000	10000	1	Peak	9043	-18.93	-13	Pass	9001




12.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-35.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-46.6	-13	Pass	2986
30	500	0.1	Peak	478	-42.96	-13	Pass	4701
500	1000	0.1	Peak	836.7	31.62	-13	N/A	5001
1000	10000	1	Peak	8944	-19.4	-13	Pass	9001



12.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.08	-13	Pass	2986
30	500	0.1	Peak	400.1	-43.93	-13	Pass	4701
500	1000	0.1	Peak	848.7	31.56	-13	N/A	5001
1000	10000	1	Peak	9858	-18.86	-13	Pass	9001



13. GPRS_PCS


13.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-35.59	-13	Pass	401
0.15	30	0.01	Peak	0.18	-46.38	-13	Pass	2986
30	1000	0.1	Peak	845.7	-40.96	-13	Pass	9701
1000	3000	1	Peak	1850	28.62	-13	N/A	2001
3000	20000	1	Peak	19281	-41.22	-13	Pass	17001




13.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-34.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.46	-13	Pass	2986
30	1000	0.1	Peak	892.6	-41.22	-13	Pass	9701
1000	3000	1	Peak	1880	29.39	-13	N/A	2001
3000	20000	1	Peak	19452	-41.6	-13	Pass	17001



13.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-34.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.72	-13	Pass	2986
30	1000	0.1	Peak	941.6	-41.41	-13	Pass	9701
1000	3000	1	Peak	1911	22.86	-13	N/A	2001
3000	20000	1	Peak	19250	-41.51	-13	Pass	17001



14. EGPRS_GSM850


14.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-52.38	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.99	-13	Pass	2986
30	500	0.1	Peak	488.6	-43.58	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.93	-13	N/A	5001
1000	10000	1	Peak	7729	-20.08	-13	Pass	9002




14.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-51.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.53	-13	Pass	2986
30	500	0.1	Peak	402.8	-43.49	-13	Pass	4701
500	1000	0.1	Peak	836.6	25.05	-13	N/A	5001
1000	10000	1	Peak	7742	-20.11	-13	Pass	9002



14.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.17	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.49	-13	Pass	2986
30	500	0.1	Peak	470.4	-43.85	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.57	-13	N/A	5001
1000	10000	1	Peak	7155	-19.98	-13	Pass	9002



15. EGPRS_PCS


15.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.43	-13	Pass	401
0.15	30	0.01	Peak	0.19	-57.89	-13	Pass	2986
30	1000	0.1	Peak	861.308	-48.37	-13	Pass	9701
1000	3000	1	Peak	1850	28.73	-13	N/A	2001
3000	20000	1	Peak	17288	-42.47	-13	Pass	17003




15.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-57.77	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.76	-13	Pass	2986
30	1000	0.1	Peak	714.5	-48.8	-13	Pass	9701
1000	3000	1	Peak	1879	23.21	-13	N/A	2001
3000	20000	1	Peak	16778	-42.44	-13	Pass	17003



15.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-58.68	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.09	-13	Pass	2986
30	1000	0.1	Peak	889.627	-45.62	-13	Pass	9701
1000	3000	1	Peak	1910	28.36	-13	N/A	2001
3000	20000	1	Peak	16909	-41.93	-13	Pass	17003



16. WCDMA_Band2


16.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-46.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.33	-13	Pass	2986
30	1000	0.1	Peak	792.7	-51.11	-13	Pass	9701
1000	3000	1	Peak	1851	22.37	-13	N/A	2001
3000	20000	1	Peak	19186	-23.14	-13	Pass	17001




16.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.91	-13	Pass	2986
30	1000	0.1	Peak	873.7	-51.34	-13	Pass	9701
1000	3000	1	Peak	1881	22.56	-13	N/A	2001
3000	20000	1	Peak	19197	-22.59	-13	Pass	17001



16.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.68	-13	Pass	2986
30	1000	0.1	Peak	973.5	-51.02	-13	Pass	9701
1000	3000	1	Peak	1909	22.15	-13	N/A	2001
3000	20000	1	Peak	19453	-22.51	-13	Pass	17001



17. WCDMA_Band4


17.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.92	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.47	-13	Pass	9701
1000	3000	1	RMS	1712	17.76	-13	N/A	2001
3000	20000	1	RMS	19403	-34.59	-13	Pass	17001




17.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61.34	-13	Pass	2986
30	1000	0.1	RMS	895.2	-62.26	-13	Pass	9701
1000	3000	1	RMS	1733	17.19	-13	N/A	2001
3000	20000	1	RMS	19425	-34.57	-13	Pass	17001



17.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.91	-13	Pass	2986
30	1000	0.1	RMS	897.6	-62.3	-13	Pass	9701
1000	3000	1	RMS	1752	17.39	-13	N/A	2001
3000	20000	1	RMS	19406	-34.54	-13	Pass	17001



18. WCDMA_Band5


18.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-44.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.64	-13	Pass	2986
30	500	0.1	Peak	484.2	-53.69	-13	Pass	4701
500	1000	0.1	Peak	827.1	15.92	-13	N/A	5001
1000	10000	1	Peak	9825	-29.2	-13	Pass	9001




18.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-44.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.9	-13	Pass	2986
30	500	0.1	Peak	485.5	-54.44	-13	Pass	4701
500	1000	0.1	Peak	837.3	15.91	-13	N/A	5001
1000	10000	1	Peak	9829	-29.69	-13	Pass	9001



18.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-45.51	-13	Pass	401
0.15	30	0.01	Peak	0.17	-56.52	-13	Pass	2986
30	500	0.1	Peak	496.7	-53.86	-13	Pass	4701
500	1000	0.1	Peak	847.9	16.87	-13	N/A	5001
1000	10000	1	Peak	9559	-29.28	-13	Pass	9001



--BLANK BELOW--