

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	14.94	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	14.98	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	14.82	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	14.97	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	14.96	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	14.95	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	13.93	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	14.58	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	14.64	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	14.58	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	14.68	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	14.65	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	14.65	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	13.67	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	14.41	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	14.62	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	14.41	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	14.48	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	14.47	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	14.54	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	13.53	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	14.07	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	14.09	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	14.03	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	13.93	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	13.89	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	13.84	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	12.96	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	13.77	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	13.88	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	13.70	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	13.59	PASS

Band2	1.4MHz	16QAM	18900	3RB#1	13.60	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	13.54	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	12.68	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	13.57	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	13.85	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	13.58	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	13.41	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	13.44	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	13.44	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	12.42	PASS
Band2	3MHz	QPSK	18615	1RB#0	14.90	PASS
Band2	3MHz	QPSK	18615	1RB#8	14.86	PASS
Band2	3MHz	QPSK	18615	1RB#14	14.85	PASS
Band2	3MHz	QPSK	18615	8RB#0	13.88	PASS
Band2	3MHz	QPSK	18615	8RB#4	13.81	PASS
Band2	3MHz	QPSK	18615	8RB#7	13.90	PASS
Band2	3MHz	QPSK	18615	15RB#0	13.85	PASS
Band2	3MHz	QPSK	18900	1RB#0	14.69	PASS
Band2	3MHz	QPSK	18900	1RB#8	14.65	PASS
Band2	3MHz	QPSK	18900	1RB#14	14.58	PASS
Band2	3MHz	QPSK	18900	8RB#0	13.65	PASS
Band2	3MHz	QPSK	18900	8RB#4	13.66	PASS
Band2	3MHz	QPSK	18900	8RB#7	13.60	PASS
Band2	3MHz	QPSK	18900	15RB#0	13.62	PASS
Band2	3MHz	QPSK	19185	1RB#0	14.50	PASS
Band2	3MHz	QPSK	19185	1RB#8	14.47	PASS
Band2	3MHz	QPSK	19185	1RB#14	14.50	PASS
Band2	3MHz	QPSK	19185	8RB#0	13.49	PASS
Band2	3MHz	QPSK	19185	8RB#4	13.49	PASS
Band2	3MHz	QPSK	19185	8RB#7	13.49	PASS
Band2	3MHz	QPSK	19185	15RB#0	13.47	PASS
Band2	3MHz	16QAM	18615	1RB#0	14.18	PASS
Band2	3MHz	16QAM	18615	1RB#8	14.10	PASS
Band2	3MHz	16QAM	18615	1RB#14	13.98	PASS
Band2	3MHz	16QAM	18615	8RB#0	12.96	PASS
Band2	3MHz	16QAM	18615	8RB#4	12.93	PASS
Band2	3MHz	16QAM	18615	8RB#7	12.96	PASS

Band2	3MHz	16QAM	18615	15RB#0	12.89	PASS
Band2	3MHz	16QAM	18900	1RB#0	13.81	PASS
Band2	3MHz	16QAM	18900	1RB#8	13.78	PASS
Band2	3MHz	16QAM	18900	1RB#14	13.74	PASS
Band2	3MHz	16QAM	18900	8RB#0	12.65	PASS
Band2	3MHz	16QAM	18900	8RB#4	12.64	PASS
Band2	3MHz	16QAM	18900	8RB#7	12.59	PASS
Band2	3MHz	16QAM	18900	15RB#0	12.57	PASS
Band2	3MHz	16QAM	19185	1RB#0	13.39	PASS
Band2	3MHz	16QAM	19185	1RB#8	13.46	PASS
Band2	3MHz	16QAM	19185	1RB#14	13.42	PASS
Band2	3MHz	16QAM	19185	8RB#0	12.48	PASS
Band2	3MHz	16QAM	19185	8RB#4	12.46	PASS
Band2	3MHz	16QAM	19185	8RB#7	12.51	PASS
Band2	3MHz	16QAM	19185	15RB#0	12.42	PASS
Band2	5MHz	QPSK	18625	1RB#0	14.86	PASS
Band2	5MHz	QPSK	18625	1RB#12	14.96	PASS
Band2	5MHz	QPSK	18625	1RB#24	14.71	PASS
Band2	5MHz	QPSK	18625	12RB#0	13.80	PASS
Band2	5MHz	QPSK	18625	12RB#6	13.79	PASS
Band2	5MHz	QPSK	18625	12RB#13	13.89	PASS
Band2	5MHz	QPSK	18625	25RB#0	13.88	PASS
Band2	5MHz	QPSK	18900	1RB#0	14.61	PASS
Band2	5MHz	QPSK	18900	1RB#12	14.75	PASS
Band2	5MHz	QPSK	18900	1RB#24	14.55	PASS
Band2	5MHz	QPSK	18900	12RB#0	13.70	PASS
Band2	5MHz	QPSK	18900	12RB#6	13.66	PASS
Band2	5MHz	QPSK	18900	12RB#13	13.58	PASS
Band2	5MHz	QPSK	18900	25RB#0	13.70	PASS
Band2	5MHz	QPSK	19175	1RB#0	14.42	PASS
Band2	5MHz	QPSK	19175	1RB#12	14.61	PASS
Band2	5MHz	QPSK	19175	1RB#24	14.49	PASS
Band2	5MHz	QPSK	19175	12RB#0	13.46	PASS
Band2	5MHz	QPSK	19175	12RB#6	13.46	PASS
Band2	5MHz	QPSK	19175	12RB#13	13.48	PASS
Band2	5MHz	QPSK	19175	25RB#0	13.46	PASS
Band2	5MHz	16QAM	18625	1RB#0	13.90	PASS

Band2	5MHz	16QAM	18625	1RB#12	14.00	PASS
Band2	5MHz	16QAM	18625	1RB#24	13.77	PASS
Band2	5MHz	16QAM	18625	12RB#0	12.73	PASS
Band2	5MHz	16QAM	18625	12RB#6	12.77	PASS
Band2	5MHz	16QAM	18625	12RB#13	13.00	PASS
Band2	5MHz	16QAM	18625	25RB#0	12.91	PASS
Band2	5MHz	16QAM	18900	1RB#0	13.90	PASS
Band2	5MHz	16QAM	18900	1RB#12	13.94	PASS
Band2	5MHz	16QAM	18900	1RB#24	13.76	PASS
Band2	5MHz	16QAM	18900	12RB#0	12.71	PASS
Band2	5MHz	16QAM	18900	12RB#6	12.75	PASS
Band2	5MHz	16QAM	18900	12RB#13	12.64	PASS
Band2	5MHz	16QAM	18900	25RB#0	12.65	PASS
Band2	5MHz	16QAM	19175	1RB#0	13.45	PASS
Band2	5MHz	16QAM	19175	1RB#12	13.61	PASS
Band2	5MHz	16QAM	19175	1RB#24	13.47	PASS
Band2	5MHz	16QAM	19175	12RB#0	12.45	PASS
Band2	5MHz	16QAM	19175	12RB#6	12.49	PASS
Band2	5MHz	16QAM	19175	12RB#13	12.52	PASS
Band2	5MHz	16QAM	19175	25RB#0	12.52	PASS
Band2	10MHz	QPSK	18650	1RB#0	14.86	PASS
Band2	10MHz	QPSK	18650	1RB#24	14.86	PASS
Band2	10MHz	QPSK	18650	1RB#49	14.64	PASS
Band2	10MHz	QPSK	18650	25RB#0	13.69	PASS
Band2	10MHz	QPSK	18650	25RB#12	13.65	PASS
Band2	10MHz	QPSK	18650	25RB#25	14.03	PASS
Band2	10MHz	QPSK	18650	50RB#0	13.85	PASS
Band2	10MHz	QPSK	18900	1RB#0	14.67	PASS
Band2	10MHz	QPSK	18900	1RB#24	14.75	PASS
Band2	10MHz	QPSK	18900	1RB#49	14.51	PASS
Band2	10MHz	QPSK	18900	25RB#0	13.77	PASS
Band2	10MHz	QPSK	18900	25RB#12	13.77	PASS
Band2	10MHz	QPSK	18900	25RB#25	13.71	PASS
Band2	10MHz	QPSK	18900	50RB#0	13.74	PASS
Band2	10MHz	QPSK	19150	1RB#0	14.28	PASS
Band2	10MHz	QPSK	19150	1RB#24	14.56	PASS
Band2	10MHz	QPSK	19150	1RB#49	14.51	PASS

Band2	10MHz	QPSK	19150	25RB#0	13.68	PASS
Band2	10MHz	QPSK	19150	25RB#12	13.71	PASS
Band2	10MHz	QPSK	19150	25RB#25	13.43	PASS
Band2	10MHz	QPSK	19150	50RB#0	13.58	PASS
Band2	10MHz	16QAM	18650	1RB#0	14.12	PASS
Band2	10MHz	16QAM	18650	1RB#24	14.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	13.92	PASS
Band2	10MHz	16QAM	18650	25RB#0	12.70	PASS
Band2	10MHz	16QAM	18650	25RB#12	12.69	PASS
Band2	10MHz	16QAM	18650	25RB#25	13.03	PASS
Band2	10MHz	16QAM	18650	50RB#0	12.93	PASS
Band2	10MHz	16QAM	18900	1RB#0	13.90	PASS
Band2	10MHz	16QAM	18900	1RB#24	13.93	PASS
Band2	10MHz	16QAM	18900	1RB#49	13.69	PASS
Band2	10MHz	16QAM	18900	25RB#0	12.78	PASS
Band2	10MHz	16QAM	18900	25RB#12	12.79	PASS
Band2	10MHz	16QAM	18900	25RB#25	12.75	PASS
Band2	10MHz	16QAM	18900	50RB#0	12.73	PASS
Band2	10MHz	16QAM	19150	1RB#0	13.25	PASS
Band2	10MHz	16QAM	19150	1RB#24	13.37	PASS
Band2	10MHz	16QAM	19150	1RB#49	13.40	PASS
Band2	10MHz	16QAM	19150	25RB#0	12.77	PASS
Band2	10MHz	16QAM	19150	25RB#12	12.73	PASS
Band2	10MHz	16QAM	19150	25RB#25	12.47	PASS
Band2	10MHz	16QAM	19150	50RB#0	12.58	PASS
Band2	15MHz	QPSK	18675	1RB#0	14.85	PASS
Band2	15MHz	QPSK	18675	1RB#38	14.70	PASS
Band2	15MHz	QPSK	18675	1RB#74	14.67	PASS
Band2	15MHz	QPSK	18675	38RB#0	13.80	PASS
Band2	15MHz	QPSK	18675	38RB#18	13.76	PASS
Band2	15MHz	QPSK	18675	38RB#37	13.76	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.76	PASS
Band2	15MHz	QPSK	18900	1RB#0	14.64	PASS
Band2	15MHz	QPSK	18900	1RB#38	14.60	PASS
Band2	15MHz	QPSK	18900	1RB#74	14.30	PASS
Band2	15MHz	QPSK	18900	38RB#0	13.70	PASS
Band2	15MHz	QPSK	18900	38RB#18	13.70	PASS

Band2	15MHz	QPSK	18900	38RB#37	13.76	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.72	PASS
Band2	15MHz	QPSK	19125	1RB#0	14.25	PASS
Band2	15MHz	QPSK	19125	1RB#38	14.44	PASS
Band2	15MHz	QPSK	19125	1RB#74	14.48	PASS
Band2	15MHz	QPSK	19125	38RB#0	13.49	PASS
Band2	15MHz	QPSK	19125	38RB#18	13.50	PASS
Band2	15MHz	QPSK	19125	38RB#37	13.50	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.45	PASS
Band2	15MHz	16QAM	18675	1RB#0	14.06	PASS
Band2	15MHz	16QAM	18675	1RB#38	14.00	PASS
Band2	15MHz	16QAM	18675	1RB#74	13.82	PASS
Band2	15MHz	16QAM	18675	38RB#0	13.76	PASS
Band2	15MHz	16QAM	18675	38RB#18	13.77	PASS
Band2	15MHz	16QAM	18675	38RB#37	13.76	PASS
Band2	15MHz	16QAM	18675	75RB#0	12.72	PASS
Band2	15MHz	16QAM	18900	1RB#0	13.97	PASS
Band2	15MHz	16QAM	18900	1RB#38	13.90	PASS
Band2	15MHz	16QAM	18900	1RB#74	13.65	PASS
Band2	15MHz	16QAM	18900	38RB#0	13.70	PASS
Band2	15MHz	16QAM	18900	38RB#18	13.77	PASS
Band2	15MHz	16QAM	18900	38RB#37	13.73	PASS
Band2	15MHz	16QAM	18900	75RB#0	12.73	PASS
Band2	15MHz	16QAM	19125	1RB#0	13.26	PASS
Band2	15MHz	16QAM	19125	1RB#38	13.40	PASS
Band2	15MHz	16QAM	19125	1RB#74	13.34	PASS
Band2	15MHz	16QAM	19125	38RB#0	13.48	PASS
Band2	15MHz	16QAM	19125	38RB#18	13.53	PASS
Band2	15MHz	16QAM	19125	38RB#37	13.48	PASS
Band2	15MHz	16QAM	19125	75RB#0	12.46	PASS
Band2	20MHz	QPSK	18700	1RB#0	14.89	PASS
Band2	20MHz	QPSK	18700	1RB#49	14.93	PASS
Band2	20MHz	QPSK	18700	1RB#99	14.72	PASS
Band2	20MHz	QPSK	18700	50RB#0	13.38	PASS
Band2	20MHz	QPSK	18700	50RB#25	13.39	PASS
Band2	20MHz	QPSK	18700	50RB#50	13.71	PASS
Band2	20MHz	QPSK	18700	100RB#0	13.54	PASS

Band2	20MHz	QPSK	18900	1RB#0	14.65	PASS
Band2	20MHz	QPSK	18900	1RB#49	14.77	PASS
Band2	20MHz	QPSK	18900	1RB#99	14.36	PASS
Band2	20MHz	QPSK	18900	50RB#0	13.86	PASS
Band2	20MHz	QPSK	18900	50RB#25	13.84	PASS
Band2	20MHz	QPSK	18900	50RB#50	13.72	PASS
Band2	20MHz	QPSK	18900	100RB#0	13.81	PASS
Band2	20MHz	QPSK	19100	1RB#0	14.11	PASS
Band2	20MHz	QPSK	19100	1RB#49	14.37	PASS
Band2	20MHz	QPSK	19100	1RB#99	14.32	PASS
Band2	20MHz	QPSK	19100	50RB#0	13.24	PASS
Band2	20MHz	QPSK	19100	50RB#25	13.16	PASS
Band2	20MHz	QPSK	19100	50RB#50	13.08	PASS
Band2	20MHz	QPSK	19100	100RB#0	13.13	PASS
Band2	20MHz	16QAM	18700	1RB#0	13.98	PASS
Band2	20MHz	16QAM	18700	1RB#49	14.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	13.81	PASS
Band2	20MHz	16QAM	18700	50RB#0	12.36	PASS
Band2	20MHz	16QAM	18700	50RB#25	12.35	PASS
Band2	20MHz	16QAM	18700	50RB#50	12.66	PASS
Band2	20MHz	16QAM	18700	100RB#0	12.51	PASS
Band2	20MHz	16QAM	18900	1RB#0	13.87	PASS
Band2	20MHz	16QAM	18900	1RB#49	14.03	PASS
Band2	20MHz	16QAM	18900	1RB#99	13.54	PASS
Band2	20MHz	16QAM	18900	50RB#0	12.89	PASS
Band2	20MHz	16QAM	18900	50RB#25	12.87	PASS
Band2	20MHz	16QAM	18900	50RB#50	12.72	PASS
Band2	20MHz	16QAM	18900	100RB#0	12.73	PASS
Band2	20MHz	16QAM	19100	1RB#0	13.27	PASS
Band2	20MHz	16QAM	19100	1RB#49	13.46	PASS
Band2	20MHz	16QAM	19100	1RB#99	13.45	PASS
Band2	20MHz	16QAM	19100	50RB#0	12.25	PASS
Band2	20MHz	16QAM	19100	50RB#25	12.27	PASS
Band2	20MHz	16QAM	19100	50RB#50	12.10	PASS
Band2	20MHz	16QAM	19100	100RB#0	12.14	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	3.57	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	4.64	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	2.81	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	4.49	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.42	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	3.94	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	3.62	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	4.61	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	3.36	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	4.58	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.51	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	4.35	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	3.65	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.75	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	3.83	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.49	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.48	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.75	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	3.45	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	4.61	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	4.17	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	4.38	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.39	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.07	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	3.28	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	4.43	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	4.17	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	4.17	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	5.33	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	4.93	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	3.71	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	4.38	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	4.03	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	4.61	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.25	13	PASS


Band2	20MHz	16QAM	19100	100RB#0	4.72	13	PASS
-------	-------	-------	-------	---------	------	----	------

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0



Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.113	1.97	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.098	1.30	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.213	2.25	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.108	1.60	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.103	1.32	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.113	1.98	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.696	2.94	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.686	2.92	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.696	3.53	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.696	3.00	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.686	2.91	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.705	3.59	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.555	5.86	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.545	5.25	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.555	5.58	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.545	5.40	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.515	5.23	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.545	5.38	PASS
Band2	10MHz	QPSK	18650	50RB#0	9.052	12.23	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.018	10.43	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.052	10.87	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.018	13.17	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.018	10.23	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.052	10.27	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.478	16.35	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.627	15.35	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.727	22.65	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.478	16.65	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.577	15.30	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.727	22.60	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.97	20.27	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.17	23.27	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.369	28.47	PASS


Band2	20MHz	16QAM	18700	100RB#0	18.037	20.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.236	26.47	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.369	27.33	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-6RB#0



Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-18900-50RB#0




Band2-10MHz-QPSK-19150-50RB#0




Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-18900-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0




Band2-15MHz-QPSK-18900-75RB#0




Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-18900-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0




Band2-20MHz-QPSK-18900-100RB#0




Band2-20MHz-QPSK-19100-100RB#0




Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Date: 13.08.2023 10:49:51


Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	-17.56	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-14.95	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-22.87	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-16.55	PASS
Band2	3MHz	QPSK	18615	15RB#0	-20.91	PASS
Band2	3MHz	QPSK	19185	15RB#0	-18.09	PASS
Band2	3MHz	16QAM	18615	15RB#0	-24.44	PASS
Band2	3MHz	16QAM	19185	15RB#0	-20.92	PASS
Band2	5MHz	QPSK	18625	25RB#0	-19.84	PASS
Band2	5MHz	QPSK	19175	25RB#0	-19.44	PASS
Band2	5MHz	16QAM	18625	25RB#0	-23.58	PASS
Band2	5MHz	16QAM	19175	25RB#0	-21.66	PASS
Band2	10MHz	QPSK	18650	50RB#0	-22.00	PASS
Band2	10MHz	QPSK	19150	50RB#0	-23.21	PASS
Band2	10MHz	16QAM	18650	50RB#0	-25.19	PASS
Band2	10MHz	16QAM	19150	50RB#0	-25.42	PASS
Band2	15MHz	QPSK	18675	75RB#0	-20.28	PASS
Band2	15MHz	QPSK	19125	75RB#0	-21.26	PASS
Band2	15MHz	16QAM	18675	75RB#0	-24.34	PASS
Band2	15MHz	16QAM	19125	75RB#0	-24.21	PASS
Band2	20MHz	QPSK	18700	100RB#0	-22.28	PASS
Band2	20MHz	QPSK	19100	100RB#0	-19.73	PASS
Band2	20MHz	16QAM	18700	100RB#0	-25.69	PASS
Band2	20MHz	16QAM	19100	100RB#0	-22.74	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-50RB#0




Band2-10MHz-QPSK-19150-50RB#0



Band2-10MHz-16QAM-18650-50RB#0




Band2-10MHz-16QAM-19150-50RB#0




Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-19125-75RB#0




Band2-15MHz-16QAM-18675-75RB#0




Band2-15MHz-16QAM-19125-75RB#0




Band2-20MHz-QPSK-18700-100RB#0



Band2-20MHz-QPSK-19100-100RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-19100-100RB#0



Date: 13.08.2023 10:46:23

Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	Range1:30~1000MHz	-27.44	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	Range2:1000~2000MHz	-27.47	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	Range3:2000~20000MHz	-25.4	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range1:30~1000MHz	-26.84	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range2:1000~2000MHz	-28.55	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	Range3:2000~20000MHz	-25.91	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range1:30~1000MHz	-27.79	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range2:1000~2000MHz	-27.21	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	Range3:2000~20000MHz	-25.87	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range1:30~1000MHz	-27.77	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range2:1000~2000MHz	-27.98	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	Range3:2000~20000MHz	-26.23	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range1:30~1000MHz	-27.84	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range2:1000~2000MHz	-28.05	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	Range3:2000~20000MHz	-26.35	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range1:30~1000MHz	-26.93	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range2:1000~2000MHz	-27.25	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	Range3:2000~20000MHz	-26.42	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range1:30~1000MHz	-28.38	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range2:1000~2000MHz	-27.73	PASS
Band2	3MHz	QPSK	18615	6RB#0	Range3:2000~20000MHz	-26.07	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range1:30~1000MHz	-25.76	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range2:1000~2000MHz	-27.13	PASS
Band2	3MHz	QPSK	18900	6RB#0	Range3:2000~20000MHz	-26.03	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range1:30~1000MHz	-27.8	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range2:1000~2000MHz	-27.35	PASS
Band2	3MHz	QPSK	19185	6RB#0	Range3:2000~20000MHz	-25.94	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range1:30~1000MHz	-28.07	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range2:1000~2000MHz	-27.83	PASS
Band2	3MHz	16QAM	18615	6RB#0	Range3:2000~20000MHz	-26.61	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range1:30~1000MHz	-27.67	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range2:1000~2000MHz	-27.59	PASS
Band2	3MHz	16QAM	18900	6RB#0	Range3:2000~20000MHz	-26.58	PASS
Band2	3MHz	16QAM	19185	6RB#0	Range1:30~1000MHz	-28.18	PASS
Band2	3MHz	16QAM	19185	6RB#0	Range2:1000~2000MHz	-28.38	PASS

Band2	3MHz	16QAM	19185	6RB#0	Range3:2000~20000MHz	-26.26	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range1:30~1000MHz	-27.87	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range2:1000~2000MHz	-26.87	PASS
Band2	5MHz	QPSK	18625	25RB#0	Range3:2000~20000MHz	-26.04	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range1:30~1000MHz	-27.51	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range2:1000~2000MHz	-27.04	PASS
Band2	5MHz	QPSK	18900	25RB#0	Range3:2000~20000MHz	-26.64	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range1:30~1000MHz	-28.42	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range2:1000~2000MHz	-28.1	PASS
Band2	5MHz	QPSK	19175	25RB#0	Range3:2000~20000MHz	-26.31	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range1:30~1000MHz	-28.65	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range2:1000~2000MHz	-26.51	PASS
Band2	5MHz	16QAM	18625	25RB#0	Range3:2000~20000MHz	-25.84	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range1:30~1000MHz	-27.68	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range2:1000~2000MHz	-28.07	PASS
Band2	5MHz	16QAM	18900	25RB#0	Range3:2000~20000MHz	-25.97	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range1:30~1000MHz	-27.85	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range2:1000~2000MHz	-27.47	PASS
Band2	5MHz	16QAM	19175	25RB#0	Range3:2000~20000MHz	-25.89	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range1:30~1000MHz	-28.03	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range2:1000~2000MHz	-28.28	PASS
Band2	10MHz	QPSK	18650	50RB#0	Range3:2000~20000MHz	-26.23	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range1:30~1000MHz	-27.41	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range2:1000~2000MHz	-28.41	PASS
Band2	10MHz	QPSK	18900	50RB#0	Range3:2000~20000MHz	-26.96	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range1:30~1000MHz	-27.18	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range2:1000~2000MHz	-28.28	PASS
Band2	10MHz	QPSK	19150	50RB#0	Range3:2000~20000MHz	-27.07	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range1:30~1000MHz	-28.2	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range2:1000~2000MHz	-28.07	PASS
Band2	10MHz	16QAM	18650	50RB#0	Range3:2000~20000MHz	-26.33	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range1:30~1000MHz	-28.21	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range2:1000~2000MHz	-27.71	PASS
Band2	10MHz	16QAM	18900	50RB#0	Range3:2000~20000MHz	-26.39	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range1:30~1000MHz	-28.35	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range2:1000~2000MHz	-27.8	PASS
Band2	10MHz	16QAM	19150	50RB#0	Range3:2000~20000MHz	-25.33	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range1:30~1000MHz	-28.22	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range2:1000~2000MHz	-27.07	PASS
Band2	15MHz	QPSK	18675	75RB#0	Range3:2000~20000MHz	-26.55	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range1:30~1000MHz	-27.63	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range2:1000~2000MHz	-27.44	PASS
Band2	15MHz	QPSK	18900	75RB#0	Range3:2000~20000MHz	-25.99	PASS


Band2	15MHz	QPSK	19125	75RB#0	Range1:30~1000MHz	-28.02	PASS
Band2	15MHz	QPSK	19125	75RB#0	Range2:1000~2000MHz	-27.94	PASS
Band2	15MHz	QPSK	19125	75RB#0	Range3:2000~20000MHz	-27.15	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range1:30~1000MHz	-28.46	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range2:1000~2000MHz	-28.68	PASS
Band2	15MHz	16QAM	18675	75RB#0	Range3:2000~20000MHz	-25.5	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range1:30~1000MHz	-27.51	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range2:1000~2000MHz	-28.75	PASS
Band2	15MHz	16QAM	18900	75RB#0	Range3:2000~20000MHz	-25.3	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range1:30~1000MHz	-27.61	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range2:1000~2000MHz	-27.7	PASS
Band2	15MHz	16QAM	19125	75RB#0	Range3:2000~20000MHz	-25.72	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range1:30~1000MHz	-27.83	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range2:1000~2000MHz	-27.84	PASS
Band2	20MHz	QPSK	18700	100RB#0	Range3:2000~20000MHz	-25.66	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range1:30~1000MHz	-28.03	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range2:1000~2000MHz	-27.75	PASS
Band2	20MHz	QPSK	18900	100RB#0	Range3:2000~20000MHz	-26	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range1:30~1000MHz	-28.3	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range2:1000~2000MHz	-28.33	PASS
Band2	20MHz	QPSK	19100	100RB#0	Range3:2000~20000MHz	-26.56	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range1:30~1000MHz	-28.37	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range2:1000~2000MHz	-28.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	Range3:2000~20000MHz	-25.46	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range1:30~1000MHz	-27.1	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range2:1000~2000MHz	-27.6	PASS
Band2	20MHz	16QAM	18900	100RB#0	Range3:2000~20000MHz	-26.41	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range1:30~1000MHz	-26.91	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range2:1000~2000MHz	-27.48	PASS
Band2	20MHz	16QAM	19100	100RB#0	Range3:2000~20000MHz	-25.96	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-18607-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-18607-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-18900-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-QPSK-19193-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-18607-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-18900-6RB#0-Range3:2000~20000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range1:30~1000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range2:1000~2000MHz




Band2-1.4MHz-16QAM-19193-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-18615-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-18900-6RB#0-Range3:2000~20000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range1:30~1000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range2:1000~2000MHz




Band2-3MHz-QPSK-19185-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-18615-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-18900-6RB#0-Range3:2000~20000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range1:30~1000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range2:1000~2000MHz




Band2-3MHz-16QAM-19185-6RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-18625-25RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-18900-25RB#0-Range3:2000~20000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range1:30~1000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range2:1000~2000MHz




Band2-5MHz-QPSK-19175-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-18625-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-18900-25RB#0-Range3:2000~20000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range1:30~1000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range2:1000~2000MHz




Band2-5MHz-16QAM-19175-25RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-18650-50RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-18900-50RB#0-Range3:2000~20000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range1:30~1000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range2:1000~2000MHz




Band2-10MHz-QPSK-19150-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-18650-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-18900-50RB#0-Range3:2000~20000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range1:30~1000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range2:1000~2000MHz




Band2-10MHz-16QAM-19150-50RB#0-Range3:2000~20000MHz




Band2-15MHz-QPSK-18675-75RB#0-Range1:30~1000MHz




Band2-15MHz-QPSK-18675-75RB#0-Range2:1000~2000MHz




Band2-15MHz-QPSK-18675-75RB#0-Range3:2000~20000MHz




Band2-15MHz-QPSK-18900-75RB#0-Range1:30~1000MHz




Band2-15MHz-QPSK-18900-75RB#0-Range2:1000~2000MHz




Band2-15MHz-QPSK-18900-75RB#0-Range3:2000~20000MHz




Band2-15MHz-QPSK-19125-75RB#0-Range1:30~1000MHz




Band2-15MHz-QPSK-19125-75RB#0-Range2:1000~2000MHz




Band2-15MHz-QPSK-19125-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-18675-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-18900-75RB#0-Range3:2000~20000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range1:30~1000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range2:1000~2000MHz




Band2-15MHz-16QAM-19125-75RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-18700-100RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-18900-100RB#0-Range3:2000~20000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range1:30~1000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range2:1000~2000MHz




Band2-20MHz-QPSK-19100-100RB#0-Range3:2000~20000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range1:30~1000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range2:1000~2000MHz




Band2-20MHz-16QAM-18700-100RB#0-Range3:2000~20000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range1:30~1000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range2:1000~2000MHz




Band2-20MHz-16QAM-18900-100RB#0-Range3:2000~20000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range1:30~1000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range2:1000~2000MHz



Band2-20MHz-16QAM-19100-100RB#0-Range3:2000~20000MHz

