









WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH149 6695MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH185 6875MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -





Band 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH123 6565MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH147 6685MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH187 6885MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 VERTICAL - : -





Band 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH135 6625MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK (UNII)_SE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK (UNII)_SE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH151 6705MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 3m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH183 6865MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL -- --	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL -- --



Band 7 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH143 6665MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH175 6825MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -



Band 8 - 6875~7125MHz
WIFI 802.11a (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
6+7	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11a CH233 7115MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
6+7	Vertical	Fundamental
Peak	Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a sharp peak at 7115 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 6500 to 7245 MHz. A red line indicates the peak level at approximately 90.0 dBuV/m. Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at 7115 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the peak level at approximately 90.0 dBuV/m. Site : 03CH07-HY Condition : : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a sharp peak at 7115 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 6500 to 7245 MHz. A red line indicates the average level at approximately 80.0 dBuV/m. Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at 7115 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the average level at approximately 80.0 dBuV/m. Site : 03CH07-HY Condition : : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH233 7115MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH233 7115MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/62 CH227 7085MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-18	 Site : 03CH07-HY Condition : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-18
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:2.000kHz SWTAuto Date: 2024-06-18	 Site : 03CH07-HY Condition : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:2.000kHz SWTAuto Date: 2024-06-18



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/62 CH227 7085MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIMB)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
6+7	Vertical	Fundamental
Peak	Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a blue trace with a red peak at 7025 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 6500 to 7245 MHz. A red line indicates the peak level at approximately 135 dBuV/m. Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue trace with a red peak at 7025 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the peak level at approximately 135 dBuV/m. Site : 03CH07-HY Condition : : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a blue trace with a red peak at 7025 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 6500 to 7245 MHz. A red line indicates the peak level at approximately 135 dBuV/m. Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue trace with a red peak at 7025 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the peak level at approximately 135 dBuV/m. Site : 03CH07-HY Condition : : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto

Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIMB)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIMB)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIMB)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIMB)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto



Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH207 6985MHz	
6+7	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH207 6985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-17	 Site : 03CH07-HY Condition : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-17
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:2.000kHz SWTAuto Date: 2024-06-17	 Site : 03CH07-HY Condition : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:2.000kHz SWTAuto Date: 2024-06-17



Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/68 CH207 6985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/68 CH207 6985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-18	 Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto Date: 2024-06-18
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto Date: 2024-06-18	 Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto Date: 2024-06-18





Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH189 6895MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 HORIZONTAL - - - - -	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 VERTICAL - - - - -





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH209 6995MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11a CH233 7115MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -





Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH189 6895MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH209 6995MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH233 7115MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 VERTICAL - : -





Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH195 6925MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH211 7005MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)01_06 1m SHF-EHF_9170251 VERTICAL - : -



Band 8 - 6875~7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH199 6945MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL



WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH215 7025MHz	
6+7	Horizontal	Vertical
Peak Avg.	Site : 09CH07-HY Condition : PEAK(AV)01_0E 1m SHF-EHF_9170251 HORIZONTAL - - - - -	Site : 09CH07-HY Condition : PEAK(AV)01_0E 1m SHF-EHF_9170251 VERTICAL - - - - -





Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	Band 8 6875~7125MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH207 6985MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL



Emission below 1GHz
6GHz WIFI 802.11ax HE20 Full (LF)


WIFI	6GHz WIFI	
ANT	802.11ax HE20 Full LF	
6+7	Horizontal	Vertical
QP / Peak	 Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6)_H HORIZONTAL - - - - -	 Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6)_H VERTICAL - - - - -



Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	85.87	1720	0.58	1kHz
6+7	6GHz 802.11ax HE20 Full RU	85.40	544	1.84	2kHz
6+7	6GHz 802.11ax HE20 106 RU	90.17	4770	0.21	300Hz
6+7	6GHz 802.11ax HE40 Full RU	85.43	557	1.80	2kHz
6+7	6GHz 802.11ax HE40 242 RU	85.42	504	1.98	2kHz
6+7	6GHz 802.11ax HE80 Full RU	85.52	561	1.78	2kHz
6+7	6GHz 802.11ax HE80 484 RU	85.80	1710	0.58	1kHz
6+7	6GHz 802.11ax HE160 Full RU	85.76	566	1.77	2kHz
6+7	6GHz 802.11ax HE160 996 RU	85.86	1123	0.89	1kHz

MIMO <Ant. 6+7>






6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU



6GHz 802.11ax HE40 242 RU




6GHz 802.11ax HE80 Full RU






6GHz 802.11ax HE80 484 RU



6GHz 802.11ax HE160 Full RU



6GHz 802.11ax HE160 996 RU

