

ter of acceptance

SPECIFICATION FOR APPROVAL

CUSTOMER's name: Li Jing ke Ji you xian gong si

Customer item (CUSTOMER P/N):

Name (DESCRIPTION): Wireless charging coil DATE:2025/4/12

SPECIFICATION) : G43.5 slotted /0.8mm+ 12-length adhes EV.NO.:A0

Hongri Shengwei Technology admits to signing and sealing.

departm ent	Confirmation/ date	Audit/date	Approval/date	(official seal of the company)
quality	Dong wanhong	Lu Hui	Wei hanman	
enginee ring	He weihua	Wei lihong	Wei lihong	

Remarks:

Lijing Technology acknowledges the signing,
verification and seal.

ent	date	Audit/date	Approval/date	seal of the
Develop ment				
purchas e				
quality				

Remarks:


Shenzhen Hongri Shengwei Technology Limited Companystrict, Shenzhen
HRSW ELECTRONICS CO.,LTD
ADD: Floor 2, Building 1, No.48 Guanlan Huanguan Middle Road, Longhua New Di TEL: +86-15112254520 FAX: +86-0755-28015170
page:1/3

SPECIFICATION FOR APPROVAL

1. MECHANICAL DIMENSION (UNIT:mm)

magnetic disk, and the size of the magnetic disk.
43.5mm, and the thickness is 0.8
0.05 mm.
Open 1-slot
2. Coil on position Adhesive tape for 1-2Ts;
3. Sticking back glue on the back

2. SCHEMATICS:



A	B	C	D2	E	H	remarks	I
43.5±0.5	20±1.0	0.8±0.5	12±3	3±1.5	1.7MAX		

3. WIRING:

STEP	START-FINISH	WIRE TYPE	TURNS	TAPE	REMARK
N1	S-F	Thermal bisector 0.08 * 24 2uew	10TS (Ref)		

4. ELECTRICAL SPECIFICATION:

ITEM	L	DCR	L	Q value	HI-POT
TEST CONDITION	1 plus magnetic sh	S-F	Separate coil		
	100KHz, 0.25V	AT 25°C	100KHz, 0.25V		
SPEC	6.5uH±10%	80mΩ Max	3.8uH±15%		

5. BILL OF MATERIAL:

NO.	ITEM	MATERIAL SPECIFICATION	MANUFACTURER	SGS NO.
1	silk covered wire	0.08*24*2P	NANJINGJINNINGCO,LTD	
2	Lead-free tin bar	Lead-free tin bar	QIAODO	
3	magnetic sheet	43.5 * 0.8 Mn-Zn hard magnetic sheet with L slot	TAIYI CO.,LTD	
4	glue	Yellow gum 9999	LIANCHENG CO.,LTD	
5	High temperature adhesive tape	8mm wide high temperature adhesive tape	CUDAK CO.,LTD	
6	gum	ø41.8*0.1	CUDAK CO.,LTD	

HRSW ELECTRONICS CO.,LTD		PART NO	
		TITLE	grooving /0.8mm+ 12mm adhe
DRAWN BY		CHECKED BY	APPROVED BY
He weihua		Wei lihong	Wei lihong