

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	20.45	18.45	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	20.47	18.47	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	20.23	18.23	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	20.30	18.30	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	20.23	18.23	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	20.22	18.22	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	19.07	17.07	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	20.16	18.16	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	20.35	18.35	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	20.32	18.32	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	20.28	18.28	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	20.16	18.16	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	20.17	18.17	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	19.16	17.16	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	20.06	18.06	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	19.96	17.96	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	19.87	17.87	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	19.97	17.97	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	19.98	17.98	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	19.97	17.97	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	18.89	16.89	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	19.34	17.34	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	19.57	17.57	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	19.44	17.44	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	18.89	16.89	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	18.89	16.89	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	18.98	16.98	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	18.23	16.23	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	19.46	17.46	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	19.55	17.55	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	19.52	17.52	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	19.09	17.09	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	19.09	17.09	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	19.03	17.03	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	18.32	16.32	33	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	19.38	17.38	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	19.27	17.27	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	19.03	17.03	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	19.14	17.14	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	19.15	17.15	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#2	19.08	17.08	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	18.12	16.12	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	20.12	18.12	33	PASS
Band2	3MHz	QPSK	18615	1RB#7	20.04	18.04	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	20.13	18.13	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	19.20	17.20	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	19.11	17.11	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	19.05	17.05	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	19.21	17.21	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	20.05	18.05	33	PASS
Band2	3MHz	QPSK	18900	1RB#7	20.00	18.00	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	20.19	18.19	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	19.32	17.32	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	19.25	17.25	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	19.30	17.30	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	19.31	17.31	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	19.99	17.99	33	PASS
Band2	3MHz	QPSK	19185	1RB#7	19.81	17.81	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	20.00	18.00	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	19.14	17.14	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	19.12	17.12	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	19.14	17.14	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	19.03	17.03	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	19.13	17.13	33	PASS
Band2	3MHz	16QAM	18615	1RB#7	19.32	17.32	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	19.06	17.06	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	18.11	16.11	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	18.24	16.24	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	18.19	16.19	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	18.05	16.05	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	19.28	17.28	33	PASS
Band2	3MHz	16QAM	18900	1RB#7	19.18	17.18	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	19.06	17.06	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	18.36	16.36	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	18.43	16.43	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	18.11	16.11	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	18.39	16.39	33	PASS

Band2	3MHz	16QAM	19185	1RB#0	18.99	16.99	33	PASS
Band2	3MHz	16QAM	19185	1RB#7	18.67	16.67	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	19.03	17.03	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	18.16	16.16	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	18.13	16.13	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	18.17	16.17	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	18.16	16.16	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	20.01	18.01	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	19.99	17.99	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	19.97	17.97	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	19.19	17.19	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	19.15	17.15	33	PASS
Band2	5MHz	QPSK	18625	12RB#11	19.16	17.16	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	19.02	17.02	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	20.27	18.27	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	20.03	18.03	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	20.30	18.30	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	19.33	17.33	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	19.26	17.26	33	PASS
Band2	5MHz	QPSK	18900	12RB#11	19.30	17.30	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	19.17	17.17	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	20.13	18.13	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	19.73	17.73	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	19.62	17.62	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	19.05	17.05	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	19.05	17.05	33	PASS
Band2	5MHz	QPSK	19175	12RB#11	19.13	17.13	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	19.11	17.11	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	18.87	16.87	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	18.92	16.92	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	18.85	16.85	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	18.05	16.05	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	18.19	16.19	33	PASS
Band2	5MHz	16QAM	18625	12RB#11	18.07	16.07	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	18.15	16.15	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	19.47	17.47	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	19.42	17.42	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	19.46	17.46	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	18.25	16.25	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	18.38	16.38	33	PASS
Band2	5MHz	16QAM	18900	12RB#11	18.20	16.20	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	18.24	16.24	33	PASS

Band2	5MHz	16QAM	19175	1RB#0	19.25	17.25	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	18.68	16.68	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	19.26	17.26	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	17.88	15.88	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	17.93	15.93	33	PASS
Band2	5MHz	16QAM	19175	12RB#11	17.86	15.86	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	18.05	16.05	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	20.11	18.11	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	20.25	18.25	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	19.76	17.76	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	19.20	17.20	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	19.11	17.11	33	PASS
Band2	10MHz	QPSK	18650	25RB#24	19.11	17.11	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	19.04	17.04	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	19.94	17.94	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	20.47	18.47	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	20.46	18.46	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	19.20	17.20	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	19.23	17.23	33	PASS
Band2	10MHz	QPSK	18900	25RB#24	19.25	17.25	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	19.33	17.33	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	20.36	18.36	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	20.08	18.08	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	19.82	17.82	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	19.39	17.39	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	19.42	17.42	33	PASS
Band2	10MHz	QPSK	19150	25RB#24	19.33	17.33	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	19.16	17.16	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	19.26	17.26	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	19.96	17.96	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	19.06	17.06	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	18.09	16.09	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	18.22	16.22	33	PASS
Band2	10MHz	16QAM	18650	25RB#24	18.10	16.10	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	18.14	16.14	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	19.22	17.22	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	19.50	17.50	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	19.67	17.67	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	18.17	16.17	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	18.19	16.19	33	PASS
Band2	10MHz	16QAM	18900	25RB#24	18.12	16.12	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	18.29	16.29	33	PASS

Band2	10MHz	16QAM	19150	1RB#0	19.35	17.35	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	19.34	17.34	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	19.37	17.37	33	PASS
Band2	10MHz	16QAM	19150	25RB#0	18.52	16.52	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	18.49	16.49	33	PASS
Band2	10MHz	16QAM	19150	25RB#24	18.44	16.44	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	18.19	16.19	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	20.08	18.08	33	PASS
Band2	15MHz	QPSK	18675	1RB#37	19.82	17.82	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	19.60	17.60	33	PASS
Band2	15MHz	QPSK	18675	36RB#0	19.19	17.19	33	PASS
Band2	15MHz	QPSK	18675	36RB#16	19.24	17.24	33	PASS
Band2	15MHz	QPSK	18675	36RB#35	19.19	17.19	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	19.02	17.02	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	19.80	17.80	33	PASS
Band2	15MHz	QPSK	18900	1RB#37	20.26	18.26	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	20.29	18.29	33	PASS
Band2	15MHz	QPSK	18900	36RB#0	19.14	17.14	33	PASS
Band2	15MHz	QPSK	18900	36RB#16	19.17	17.17	33	PASS
Band2	15MHz	QPSK	18900	36RB#35	19.17	17.17	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	19.21	17.21	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	20.33	18.33	33	PASS
Band2	15MHz	QPSK	19125	1RB#37	20.46	18.46	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	20.09	18.09	33	PASS
Band2	15MHz	QPSK	19125	36RB#0	19.37	17.37	33	PASS
Band2	15MHz	QPSK	19125	36RB#16	19.37	17.37	33	PASS
Band2	15MHz	QPSK	19125	36RB#35	19.45	17.45	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	19.16	17.16	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	19.26	17.26	33	PASS
Band2	15MHz	16QAM	18675	1RB#37	18.98	16.98	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	18.93	16.93	33	PASS
Band2	15MHz	16QAM	18675	36RB#0	17.94	15.94	33	PASS
Band2	15MHz	16QAM	18675	36RB#16	17.96	15.96	33	PASS
Band2	15MHz	16QAM	18675	36RB#35	18.17	16.17	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	18.12	16.12	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	19.12	17.12	33	PASS
Band2	15MHz	16QAM	18900	1RB#37	19.27	17.27	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	19.61	17.61	33	PASS
Band2	15MHz	16QAM	18900	36RB#0	17.96	15.96	33	PASS
Band2	15MHz	16QAM	18900	36RB#16	18.05	16.05	33	PASS
Band2	15MHz	16QAM	18900	36RB#35	18.06	16.06	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	18.31	16.31	33	PASS

Band2	15MHz	16QAM	19125	1RB#0	19.32	17.32	33	PASS
Band2	15MHz	16QAM	19125	1RB#37	20.06	18.06	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	19.21	17.21	33	PASS
Band2	15MHz	16QAM	19125	36RB#0	18.39	16.39	33	PASS
Band2	15MHz	16QAM	19125	36RB#16	18.39	16.39	33	PASS
Band2	15MHz	16QAM	19125	36RB#35	18.39	16.39	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	18.24	16.24	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	20.06	18.06	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	20.23	18.23	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	20.04	18.04	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	19.10	17.10	33	PASS
Band2	20MHz	QPSK	18700	50RB#24	19.08	17.08	33	PASS
Band2	20MHz	QPSK	18700	50RB#49	19.12	17.12	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.95	16.95	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	19.75	17.75	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	20.52	18.52	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	20.44	18.44	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	19.16	17.16	33	PASS
Band2	20MHz	QPSK	18900	50RB#24	19.11	17.11	33	PASS
Band2	20MHz	QPSK	18900	50RB#49	19.13	17.13	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	19.25	17.25	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	20.46	18.46	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	20.56	18.56	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	20.29	18.29	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	19.48	17.48	33	PASS
Band2	20MHz	QPSK	19100	50RB#24	19.45	17.45	33	PASS
Band2	20MHz	QPSK	19100	50RB#49	19.43	17.43	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	19.28	17.28	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	19.19	17.19	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	19.53	17.53	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	19.03	17.03	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	18.13	16.13	33	PASS
Band2	20MHz	16QAM	18700	50RB#24	18.20	16.20	33	PASS
Band2	20MHz	16QAM	18700	50RB#49	18.17	16.17	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.02	16.02	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	19.00	17.00	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	19.85	17.85	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	19.60	17.60	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	18.29	16.29	33	PASS
Band2	20MHz	16QAM	18900	50RB#24	18.19	16.19	33	PASS
Band2	20MHz	16QAM	18900	50RB#49	18.11	16.11	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.32	16.32	33	PASS

Band2	20MHz	16QAM	19100	1RB#0	19.93	17.93	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	20.55	18.55	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	19.55	17.55	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	18.54	16.54	33	PASS
Band2	20MHz	16QAM	19100	50RB#24	18.48	16.48	33	PASS
Band2	20MHz	16QAM	19100	50RB#49	18.42	16.42	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	18.25	16.25	33	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	22.52	17.87	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	22.58	17.93	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.63	17.98	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.39	17.74	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.21	17.56	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	22.22	17.57	34.8	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	21.44	16.79	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.41	17.76	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.28	17.63	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	22.35	17.70	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.36	17.71	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.23	17.58	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	22.33	17.68	34.8	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.33	16.68	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.61	17.96	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.46	17.81	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	22.50	17.85	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.62	17.97	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.46	17.81	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	22.46	17.81	34.8	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	21.55	16.90	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	21.79	17.14	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	21.89	17.24	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	21.67	17.02	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	21.17	16.52	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	21.17	16.52	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	21.17	16.52	34.8	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	20.58	15.93	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.75	17.10	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	21.96	17.31	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	21.61	16.96	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	21.26	16.61	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	21.27	16.62	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	21.21	16.56	34.8	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	20.50	15.85	34.8	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	21.78	17.13	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	21.67	17.02	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	21.46	16.81	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	21.60	16.95	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	21.51	16.86	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	21.52	16.87	34.8	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	20.64	15.99	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#0	22.32	17.67	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#7	22.09	17.44	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#14	22.15	17.50	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#0	21.23	16.58	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#4	21.21	16.56	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#7	21.32	16.67	34.8	PASS
Band12	3MHz	QPSK	23025	15RB#0	21.19	16.54	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#0	22.28	17.63	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#7	22.31	17.66	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#14	22.03	17.38	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#0	21.28	16.63	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#4	21.23	16.58	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#7	21.34	16.69	34.8	PASS
Band12	3MHz	QPSK	23095	15RB#0	21.25	16.60	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#0	22.16	17.51	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#7	22.39	17.74	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#14	22.20	17.55	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#0	21.41	16.76	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#4	21.39	16.74	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#7	21.47	16.82	34.8	PASS
Band12	3MHz	QPSK	23165	15RB#0	21.37	16.72	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#0	21.07	16.42	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#7	21.04	16.39	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#14	21.23	16.58	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#0	20.23	15.58	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#4	20.49	15.84	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#7	20.18	15.53	34.8	PASS
Band12	3MHz	16QAM	23025	15RB#0	20.22	15.57	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#0	21.08	16.43	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#7	21.06	16.41	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#14	21.01	16.36	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#0	20.38	15.73	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#4	20.44	15.79	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#7	20.32	15.67	34.8	PASS
Band12	3MHz	16QAM	23095	15RB#0	20.31	15.66	34.8	PASS

Band12	3MHz	16QAM	23165	1RB#0	21.63	16.98	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#7	21.57	16.92	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#14	21.61	16.96	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#0	20.44	15.79	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#4	20.72	16.07	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#7	20.48	15.83	34.8	PASS
Band12	3MHz	16QAM	23165	15RB#0	20.35	15.70	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#0	22.28	17.63	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#12	22.33	17.68	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#24	22.23	17.58	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#0	20.88	16.23	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#6	20.74	16.09	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#11	20.85	16.20	34.8	PASS
Band12	5MHz	QPSK	23035	25RB#0	20.96	16.31	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.11	17.46	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#12	21.81	17.16	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#24	21.63	16.98	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#0	20.92	16.27	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#6	20.95	16.30	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#11	20.97	16.32	34.8	PASS
Band12	5MHz	QPSK	23095	25RB#0	20.85	16.20	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#0	21.42	16.77	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#12	22.03	17.38	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#24	21.80	17.15	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#0	20.75	16.10	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#6	20.70	16.05	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#11	20.70	16.05	34.8	PASS
Band12	5MHz	QPSK	23155	25RB#0	21.29	16.64	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#0	20.97	16.32	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#12	21.33	16.68	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#24	21.40	16.75	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#0	19.84	15.19	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#6	19.85	15.20	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#11	19.86	15.21	34.8	PASS
Band12	5MHz	16QAM	23035	25RB#0	20.04	15.39	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#0	20.66	16.01	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#12	20.69	16.04	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#24	21.01	16.36	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#0	20.10	15.45	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#6	20.13	15.48	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#11	20.15	15.50	34.8	PASS
Band12	5MHz	16QAM	23095	25RB#0	20.07	15.42	34.8	PASS

Band12	5MHz	16QAM	23155	1RB#0	20.86	16.21	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.30	16.65	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#24	20.99	16.34	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#0	19.51	14.86	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#6	19.59	14.94	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#11	19.65	15.00	34.8	PASS
Band12	5MHz	16QAM	23155	25RB#0	20.39	15.74	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#0	21.82	17.17	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#24	22.09	17.44	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#49	21.74	17.09	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#0	20.98	16.33	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#12	21.64	16.99	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#24	21.60	16.95	34.8	PASS
Band12	10MHz	QPSK	23060	50RB#0	21.57	16.92	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#0	22.21	17.56	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#24	22.35	17.70	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#49	22.20	17.55	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#0	21.49	16.84	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#12	21.50	16.85	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#24	21.51	16.86	34.8	PASS
Band12	10MHz	QPSK	23095	50RB#0	21.43	16.78	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#0	22.15	17.50	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#24	22.79	18.14	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#49	22.57	17.92	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#0	21.47	16.82	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#12	21.43	16.78	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#24	21.41	16.76	34.8	PASS
Band12	10MHz	QPSK	23130	50RB#0	21.38	16.73	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#0	20.96	16.31	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#24	21.60	16.95	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#49	20.84	16.19	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#0	20.03	15.38	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#12	20.45	15.80	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#24	20.61	15.96	34.8	PASS
Band12	10MHz	16QAM	23060	50RB#0	20.57	15.92	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#0	21.60	16.95	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#24	21.08	16.43	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#49	21.48	16.83	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#0	20.45	15.80	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#12	20.57	15.92	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#24	20.56	15.91	34.8	PASS
Band12	10MHz	16QAM	23095	50RB#0	20.55	15.90	34.8	PASS

Band12	10MHz	16QAM	23130	1RB#0	21.48	16.83	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.26	17.61	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.56	16.91	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#0	20.57	15.92	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#12	20.64	15.99	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#24	20.36	15.71	34.8	PASS
Band12	10MHz	16QAM	23130	50RB#0	20.42	15.77	34.8	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	19.07	15.27	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	18.87	15.07	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	18.86	15.06	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	18.96	15.16	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	18.78	14.98	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	18.78	14.98	38.5	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	17.86	14.06	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	19.49	15.69	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	19.54	15.74	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	19.31	15.51	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	19.32	15.52	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	19.41	15.61	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	19.34	15.54	38.5	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	18.54	14.74	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	19.92	16.12	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	19.77	15.97	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	19.96	16.16	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	19.88	16.08	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	19.80	16.00	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	19.79	15.99	38.5	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	18.80	15.00	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	17.91	14.11	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	18.43	14.63	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	18.21	14.41	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	17.79	13.99	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	17.69	13.89	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	17.69	13.89	38.5	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	17.09	13.29	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	18.27	14.47	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	18.57	14.77	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	18.36	14.56	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	18.37	14.57	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	18.28	14.48	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	18.39	14.59	38.5	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	17.36	13.56	38.5	PASS

Band66	1.4MHz	16QAM	132665	1RB#0	19.23	15.43	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	19.28	15.48	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	19.08	15.28	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	18.68	14.88	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	18.62	14.82	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	18.61	14.81	38.5	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	17.85	14.05	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#0	18.95	15.15	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#7	18.84	15.04	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#14	18.99	15.19	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#0	17.90	14.10	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#4	17.92	14.12	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#7	17.86	14.06	38.5	PASS
Band66	3MHz	QPSK	131987	15RB#0	17.84	14.04	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#0	19.63	15.83	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#7	19.33	15.53	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#14	19.40	15.60	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#0	18.49	14.69	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#4	18.51	14.71	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#7	18.38	14.58	38.5	PASS
Band66	3MHz	QPSK	132322	15RB#0	18.38	14.58	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#0	19.87	16.07	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#7	19.79	15.99	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#14	19.59	15.79	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#0	18.85	15.05	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#4	18.92	15.12	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#7	18.71	14.91	38.5	PASS
Band66	3MHz	QPSK	132657	15RB#0	18.78	14.98	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#0	17.96	14.16	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#7	17.79	13.99	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#14	18.00	14.20	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#0	16.96	13.16	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#4	16.96	13.16	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#7	16.91	13.11	38.5	PASS
Band66	3MHz	16QAM	131987	15RB#0	17.10	13.30	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#0	18.91	15.11	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#7	18.31	14.51	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#14	18.40	14.60	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#0	17.33	13.53	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#4	17.60	13.80	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#7	17.22	13.42	38.5	PASS
Band66	3MHz	16QAM	132322	15RB#0	17.39	13.59	38.5	PASS

Band66	3MHz	16QAM	132657	1RB#0	19.04	15.24	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#7	19.01	15.21	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#14	18.71	14.91	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#0	18.13	14.33	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#4	18.02	14.22	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#7	18.19	14.39	38.5	PASS
Band66	3MHz	16QAM	132657	15RB#0	17.75	13.95	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#0	18.75	14.95	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#12	18.81	15.01	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#24	18.76	14.96	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#0	17.87	14.07	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#6	17.90	14.10	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#11	17.97	14.17	38.5	PASS
Band66	5MHz	QPSK	131997	25RB#0	17.78	13.98	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#0	19.45	15.65	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#12	19.33	15.53	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#24	19.05	15.25	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#0	18.46	14.66	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#6	18.43	14.63	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#11	18.45	14.65	38.5	PASS
Band66	5MHz	QPSK	132322	25RB#0	18.36	14.56	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#0	19.96	16.16	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#12	19.76	15.96	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#24	19.72	15.92	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#0	18.99	15.19	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#6	18.97	15.17	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#11	19.02	15.22	38.5	PASS
Band66	5MHz	QPSK	132647	25RB#0	18.78	14.98	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#0	17.59	13.79	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#12	17.35	13.55	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#24	17.59	13.79	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#0	16.81	13.01	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#6	16.82	13.02	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#11	16.87	13.07	38.5	PASS
Band66	5MHz	16QAM	131997	25RB#0	16.77	12.97	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#0	18.25	14.45	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#12	17.87	14.07	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#24	18.07	14.27	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#0	17.38	13.58	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#6	17.32	13.52	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#11	17.41	13.61	38.5	PASS
Band66	5MHz	16QAM	132322	25RB#0	17.36	13.56	38.5	PASS

Band66	5MHz	16QAM	132647	1RB#0	19.03	15.23	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#12	18.90	15.10	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#24	18.58	14.78	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#0	17.92	14.12	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#6	18.10	14.30	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#11	17.89	14.09	38.5	PASS
Band66	5MHz	16QAM	132647	25RB#0	17.96	14.16	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#0	18.97	15.17	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#24	18.84	15.04	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#49	19.20	15.40	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#0	17.87	14.07	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#12	17.83	14.03	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#24	17.84	14.04	38.5	PASS
Band66	10MHz	QPSK	132022	50RB#0	17.85	14.05	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#0	19.93	16.13	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#24	19.46	15.66	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#49	19.04	15.24	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#0	18.57	14.77	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#12	18.69	14.89	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#24	18.67	14.87	38.5	PASS
Band66	10MHz	QPSK	132322	50RB#0	18.38	14.58	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#0	20.03	16.23	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#24	19.79	15.99	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#49	19.79	15.99	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#0	19.13	15.33	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#12	19.27	15.47	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#24	19.25	15.45	38.5	PASS
Band66	10MHz	QPSK	132622	50RB#0	18.92	15.12	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#0	17.53	13.73	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#24	17.90	14.10	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#49	18.46	14.66	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#0	16.91	13.11	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#12	16.86	13.06	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#24	16.87	13.07	38.5	PASS
Band66	10MHz	16QAM	132022	50RB#0	16.85	13.05	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#0	19.09	15.29	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#24	19.01	15.21	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#49	18.28	14.48	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#0	17.58	13.78	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#12	17.67	13.87	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#24	17.60	13.80	38.5	PASS
Band66	10MHz	16QAM	132322	50RB#0	17.44	13.64	38.5	PASS

Band66	10MHz	16QAM	132622	1RB#0	18.94	15.14	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#24	18.91	15.11	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#49	18.69	14.89	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#0	18.13	14.33	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#12	18.23	14.43	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#24	18.23	14.43	38.5	PASS
Band66	10MHz	16QAM	132622	50RB#0	18.00	14.20	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#0	18.83	15.03	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#37	19.01	15.21	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#74	19.51	15.71	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#0	18.01	14.21	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#16	17.94	14.14	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#35	18.02	14.22	38.5	PASS
Band66	15MHz	QPSK	132047	75RB#0	18.09	14.29	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#0	19.85	16.05	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#37	19.17	15.37	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#74	19.25	15.45	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#0	18.75	14.95	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#16	18.71	14.91	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#35	18.72	14.92	38.5	PASS
Band66	15MHz	QPSK	132322	75RB#0	18.38	14.58	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#0	19.86	16.06	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#37	20.17	16.37	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#74	19.86	16.06	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#0	19.20	15.40	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#16	19.23	15.43	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#35	19.23	15.43	38.5	PASS
Band66	15MHz	QPSK	132597	75RB#0	18.97	15.17	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#0	17.64	13.84	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#37	17.84	14.04	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#74	18.76	14.96	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#0	16.97	13.17	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#16	16.96	13.16	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#35	16.89	13.09	38.5	PASS
Band66	15MHz	16QAM	132047	75RB#0	17.14	13.34	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#0	18.80	15.00	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#37	18.44	14.64	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#74	18.36	14.56	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#0	17.47	13.67	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#16	17.57	13.77	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#35	17.59	13.79	38.5	PASS
Band66	15MHz	16QAM	132322	75RB#0	17.33	13.53	38.5	PASS

Band66	15MHz	16QAM	132597	1RB#0	19.21	15.41	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#37	19.85	16.05	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#74	18.75	14.95	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#0	18.10	14.30	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#16	18.10	14.30	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#35	18.10	14.30	38.5	PASS
Band66	15MHz	16QAM	132597	75RB#0	18.03	14.23	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#0	18.98	15.18	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#49	19.46	15.66	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#99	19.74	15.94	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#0	17.98	14.18	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#24	17.99	14.19	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#49	18.00	14.20	38.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	18.20	14.40	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#0	19.85	16.05	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#49	19.66	15.86	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#99	19.29	15.49	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#0	18.69	14.89	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#24	18.75	14.95	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#49	18.77	14.97	38.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.46	14.66	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#0	19.63	15.83	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#49	20.44	16.64	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#99	19.75	15.95	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#0	19.13	15.33	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#24	19.06	15.26	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#49	19.07	15.27	38.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	18.94	15.14	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#0	18.15	14.35	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#49	18.68	14.88	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#99	18.70	14.90	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#0	17.01	13.21	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#24	17.10	13.30	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#49	17.10	13.30	38.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.30	13.50	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#0	19.16	15.36	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#49	18.90	15.10	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#99	19.04	15.24	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#0	17.72	13.92	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#24	17.74	13.94	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#49	17.86	14.06	38.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.52	13.72	38.5	PASS

Band66	20MHz	16QAM	132572	1RB#0	18.80	15.00	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#49	19.67	15.87	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#99	18.94	15.14	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#0	18.11	14.31	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#24	18.12	14.32	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#49	18.13	14.33	38.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	18.07	14.27	38.5	PASS
Band71	5MHz	QPSK	133147	1RB#0	21.51	16.66	38.5	PASS
Band71	5MHz	QPSK	133147	1RB#12	22.32	17.47	38.5	PASS
Band71	5MHz	QPSK	133147	1RB#24	22.14	17.29	38.5	PASS
Band71	5MHz	QPSK	133147	12RB#0	21.62	16.77	38.5	PASS
Band71	5MHz	QPSK	133147	12RB#6	21.28	16.43	38.5	PASS
Band71	5MHz	QPSK	133147	12RB#11	21.40	16.55	38.5	PASS
Band71	5MHz	QPSK	133147	25RB#0	21.36	16.51	38.5	PASS
Band71	5MHz	QPSK	133297	1RB#0	22.23	17.38	38.5	PASS
Band71	5MHz	QPSK	133297	1RB#12	22.60	17.75	38.5	PASS
Band71	5MHz	QPSK	133297	1RB#24	22.58	17.73	38.5	PASS
Band71	5MHz	QPSK	133297	12RB#0	21.30	16.45	38.5	PASS
Band71	5MHz	QPSK	133297	12RB#6	21.31	16.46	38.5	PASS
Band71	5MHz	QPSK	133297	12RB#11	21.27	16.42	38.5	PASS
Band71	5MHz	QPSK	133297	25RB#0	21.51	16.66	38.5	PASS
Band71	5MHz	QPSK	133447	1RB#0	22.70	17.85	38.5	PASS
Band71	5MHz	QPSK	133447	1RB#12	22.74	17.89	38.5	PASS
Band71	5MHz	QPSK	133447	1RB#24	22.71	17.86	38.5	PASS
Band71	5MHz	QPSK	133447	12RB#0	21.77	16.92	38.5	PASS
Band71	5MHz	QPSK	133447	12RB#6	21.66	16.81	38.5	PASS
Band71	5MHz	QPSK	133447	12RB#11	21.65	16.80	38.5	PASS
Band71	5MHz	QPSK	133447	25RB#0	21.67	16.82	38.5	PASS
Band71	5MHz	16QAM	133147	1RB#0	20.54	15.69	38.5	PASS
Band71	5MHz	16QAM	133147	1RB#12	21.35	16.50	38.5	PASS
Band71	5MHz	16QAM	133147	1RB#24	21.17	16.32	38.5	PASS
Band71	5MHz	16QAM	133147	12RB#0	20.35	15.50	38.5	PASS
Band71	5MHz	16QAM	133147	12RB#6	20.35	15.50	38.5	PASS
Band71	5MHz	16QAM	133147	12RB#11	20.47	15.62	38.5	PASS
Band71	5MHz	16QAM	133147	25RB#0	20.26	15.41	38.5	PASS
Band71	5MHz	16QAM	133297	1RB#0	21.20	16.35	38.5	PASS
Band71	5MHz	16QAM	133297	1RB#12	21.85	17.00	38.5	PASS
Band71	5MHz	16QAM	133297	1RB#24	21.84	16.99	38.5	PASS
Band71	5MHz	16QAM	133297	12RB#0	20.44	15.59	38.5	PASS
Band71	5MHz	16QAM	133297	12RB#6	20.43	15.58	38.5	PASS
Band71	5MHz	16QAM	133297	12RB#11	20.43	15.58	38.5	PASS
Band71	5MHz	16QAM	133297	25RB#0	20.34	15.49	38.5	PASS

Band71	5MHz	16QAM	133447	1RB#0	21.53	16.68	38.5	PASS
Band71	5MHz	16QAM	133447	1RB#12	21.49	16.64	38.5	PASS
Band71	5MHz	16QAM	133447	1RB#24	22.00	17.15	38.5	PASS
Band71	5MHz	16QAM	133447	12RB#0	20.77	15.92	38.5	PASS
Band71	5MHz	16QAM	133447	12RB#6	20.65	15.80	38.5	PASS
Band71	5MHz	16QAM	133447	12RB#11	20.64	15.79	38.5	PASS
Band71	5MHz	16QAM	133447	25RB#0	20.78	15.93	38.5	PASS
Band71	10MHz	QPSK	133172	1RB#0	22.05	17.20	38.5	PASS
Band71	10MHz	QPSK	133172	1RB#24	22.35	17.50	38.5	PASS
Band71	10MHz	QPSK	133172	1RB#49	21.27	16.42	38.5	PASS
Band71	10MHz	QPSK	133172	25RB#0	21.19	16.34	38.5	PASS
Band71	10MHz	QPSK	133172	25RB#12	21.12	16.27	38.5	PASS
Band71	10MHz	QPSK	133172	25RB#24	21.03	16.18	38.5	PASS
Band71	10MHz	QPSK	133172	50RB#0	21.13	16.28	38.5	PASS
Band71	10MHz	QPSK	133297	1RB#0	21.83	16.98	38.5	PASS
Band71	10MHz	QPSK	133297	1RB#24	22.34	17.49	38.5	PASS
Band71	10MHz	QPSK	133297	1RB#49	21.67	16.82	38.5	PASS
Band71	10MHz	QPSK	133297	25RB#0	20.95	16.10	38.5	PASS
Band71	10MHz	QPSK	133297	25RB#12	21.02	16.17	38.5	PASS
Band71	10MHz	QPSK	133297	25RB#24	21.00	16.15	38.5	PASS
Band71	10MHz	QPSK	133297	50RB#0	20.94	16.09	38.5	PASS
Band71	10MHz	QPSK	133422	1RB#0	22.04	17.19	38.5	PASS
Band71	10MHz	QPSK	133422	1RB#24	22.63	17.78	38.5	PASS
Band71	10MHz	QPSK	133422	1RB#49	22.27	17.42	38.5	PASS
Band71	10MHz	QPSK	133422	25RB#0	20.82	15.97	38.5	PASS
Band71	10MHz	QPSK	133422	25RB#12	20.70	15.85	38.5	PASS
Band71	10MHz	QPSK	133422	25RB#24	20.76	15.91	38.5	PASS
Band71	10MHz	QPSK	133422	50RB#0	20.99	16.14	38.5	PASS
Band71	10MHz	16QAM	133172	1RB#0	21.20	16.35	38.5	PASS
Band71	10MHz	16QAM	133172	1RB#24	21.25	16.40	38.5	PASS
Band71	10MHz	16QAM	133172	1RB#49	20.42	15.57	38.5	PASS
Band71	10MHz	16QAM	133172	25RB#0	20.05	15.20	38.5	PASS
Band71	10MHz	16QAM	133172	25RB#12	20.15	15.30	38.5	PASS
Band71	10MHz	16QAM	133172	25RB#24	20.15	15.30	38.5	PASS
Band71	10MHz	16QAM	133172	50RB#0	20.21	15.36	38.5	PASS
Band71	10MHz	16QAM	133297	1RB#0	21.28	16.43	38.5	PASS
Band71	10MHz	16QAM	133297	1RB#24	21.11	16.26	38.5	PASS
Band71	10MHz	16QAM	133297	1RB#49	21.08	16.23	38.5	PASS
Band71	10MHz	16QAM	133297	25RB#0	20.09	15.24	38.5	PASS
Band71	10MHz	16QAM	133297	25RB#12	20.06	15.21	38.5	PASS
Band71	10MHz	16QAM	133297	25RB#24	20.14	15.29	38.5	PASS
Band71	10MHz	16QAM	133297	50RB#0	19.94	15.09	38.5	PASS

Band71	10MHz	16QAM	133422	1RB#0	21.02	16.17	38.5	PASS
Band71	10MHz	16QAM	133422	1RB#24	21.02	16.17	38.5	PASS
Band71	10MHz	16QAM	133422	1RB#49	21.65	16.80	38.5	PASS
Band71	10MHz	16QAM	133422	25RB#0	20.04	15.19	38.5	PASS
Band71	10MHz	16QAM	133422	25RB#12	20.01	15.16	38.5	PASS
Band71	10MHz	16QAM	133422	25RB#24	19.76	14.91	38.5	PASS
Band71	10MHz	16QAM	133422	50RB#0	19.90	15.05	38.5	PASS
Band71	15MHz	QPSK	133197	1RB#0	22.05	17.20	38.5	PASS
Band71	15MHz	QPSK	133197	1RB#37	22.06	17.21	38.5	PASS
Band71	15MHz	QPSK	133197	1RB#74	22.03	17.18	38.5	PASS
Band71	15MHz	QPSK	133197	36RB#0	21.14	16.29	38.5	PASS
Band71	15MHz	QPSK	133197	36RB#16	21.03	16.18	38.5	PASS
Band71	15MHz	QPSK	133197	36RB#35	20.92	16.07	38.5	PASS
Band71	15MHz	QPSK	133197	75RB#0	20.90	16.05	38.5	PASS
Band71	15MHz	QPSK	133297	1RB#0	21.10	16.25	38.5	PASS
Band71	15MHz	QPSK	133297	1RB#37	21.90	17.05	38.5	PASS
Band71	15MHz	QPSK	133297	1RB#74	21.69	16.84	38.5	PASS
Band71	15MHz	QPSK	133297	36RB#0	20.83	15.98	38.5	PASS
Band71	15MHz	QPSK	133297	36RB#16	20.81	15.96	38.5	PASS
Band71	15MHz	QPSK	133297	36RB#35	20.81	15.96	38.5	PASS
Band71	15MHz	QPSK	133297	75RB#0	20.72	15.87	38.5	PASS
Band71	15MHz	QPSK	133397	1RB#0	21.94	17.09	38.5	PASS
Band71	15MHz	QPSK	133397	1RB#37	21.89	17.04	38.5	PASS
Band71	15MHz	QPSK	133397	1RB#74	22.22	17.37	38.5	PASS
Band71	15MHz	QPSK	133397	36RB#0	20.58	15.73	38.5	PASS
Band71	15MHz	QPSK	133397	36RB#16	20.64	15.79	38.5	PASS
Band71	15MHz	QPSK	133397	36RB#35	20.63	15.78	38.5	PASS
Band71	15MHz	QPSK	133397	75RB#0	20.77	15.92	38.5	PASS
Band71	15MHz	16QAM	133197	1RB#0	21.07	16.22	38.5	PASS
Band71	15MHz	16QAM	133197	1RB#37	21.26	16.41	38.5	PASS
Band71	15MHz	16QAM	133197	1RB#74	21.16	16.31	38.5	PASS
Band71	15MHz	16QAM	133197	36RB#0	20.21	15.36	38.5	PASS
Band71	15MHz	16QAM	133197	36RB#16	20.10	15.25	38.5	PASS
Band71	15MHz	16QAM	133197	36RB#35	20.10	15.25	38.5	PASS
Band71	15MHz	16QAM	133197	75RB#0	20.02	15.17	38.5	PASS
Band71	15MHz	16QAM	133297	1RB#0	20.40	15.55	38.5	PASS
Band71	15MHz	16QAM	133297	1RB#37	21.16	16.31	38.5	PASS
Band71	15MHz	16QAM	133297	1RB#74	20.84	15.99	38.5	PASS
Band71	15MHz	16QAM	133297	36RB#0	19.96	15.11	38.5	PASS
Band71	15MHz	16QAM	133297	36RB#16	19.85	15.00	38.5	PASS
Band71	15MHz	16QAM	133297	36RB#35	19.85	15.00	38.5	PASS
Band71	15MHz	16QAM	133297	75RB#0	19.79	14.94	38.5	PASS

Band71	15MHz	16QAM	133397	1RB#0	21.04	16.19	38.5	PASS
Band71	15MHz	16QAM	133397	1RB#37	21.01	16.16	38.5	PASS
Band71	15MHz	16QAM	133397	1RB#74	21.31	16.46	38.5	PASS
Band71	15MHz	16QAM	133397	36RB#0	19.72	14.87	38.5	PASS
Band71	15MHz	16QAM	133397	36RB#16	19.66	14.81	38.5	PASS
Band71	15MHz	16QAM	133397	36RB#35	19.56	14.71	38.5	PASS
Band71	15MHz	16QAM	133397	75RB#0	19.81	14.96	38.5	PASS
Band71	20MHz	QPSK	133222	1RB#0	21.84	16.99	38.5	PASS
Band71	20MHz	QPSK	133222	1RB#49	22.05	17.20	38.5	PASS
Band71	20MHz	QPSK	133222	1RB#99	22.05	17.20	38.5	PASS
Band71	20MHz	QPSK	133222	50RB#0	21.05	16.20	38.5	PASS
Band71	20MHz	QPSK	133222	50RB#24	20.99	16.14	38.5	PASS
Band71	20MHz	QPSK	133222	50RB#49	21.04	16.19	38.5	PASS
Band71	20MHz	QPSK	133222	100RB#0	20.94	16.09	38.5	PASS
Band71	20MHz	QPSK	133322	1RB#0	20.58	15.73	38.5	PASS
Band71	20MHz	QPSK	133322	1RB#49	22.35	17.50	38.5	PASS
Band71	20MHz	QPSK	133322	1RB#99	21.40	16.55	38.5	PASS
Band71	20MHz	QPSK	133322	50RB#0	20.83	15.98	38.5	PASS
Band71	20MHz	QPSK	133322	50RB#24	20.77	15.92	38.5	PASS
Band71	20MHz	QPSK	133322	50RB#49	20.78	15.93	38.5	PASS
Band71	20MHz	QPSK	133322	100RB#0	20.77	15.92	38.5	PASS
Band71	20MHz	QPSK	133372	1RB#0	21.86	17.01	38.5	PASS
Band71	20MHz	QPSK	133372	1RB#49	21.78	16.93	38.5	PASS
Band71	20MHz	QPSK	133372	1RB#99	22.08	17.23	38.5	PASS
Band71	20MHz	QPSK	133372	50RB#0	20.61	15.76	38.5	PASS
Band71	20MHz	QPSK	133372	50RB#24	20.58	15.73	38.5	PASS
Band71	20MHz	QPSK	133372	50RB#49	20.70	15.85	38.5	PASS
Band71	20MHz	QPSK	133372	100RB#0	20.64	15.79	38.5	PASS
Band71	20MHz	16QAM	133222	1RB#0	20.94	16.09	38.5	PASS
Band71	20MHz	16QAM	133222	1RB#49	21.04	16.19	38.5	PASS
Band71	20MHz	16QAM	133222	1RB#99	21.03	16.18	38.5	PASS
Band71	20MHz	16QAM	133222	50RB#0	20.16	15.31	38.5	PASS
Band71	20MHz	16QAM	133222	50RB#24	20.11	15.26	38.5	PASS
Band71	20MHz	16QAM	133222	50RB#49	20.08	15.23	38.5	PASS
Band71	20MHz	16QAM	133222	100RB#0	19.99	15.14	38.5	PASS
Band71	20MHz	16QAM	133322	1RB#0	19.80	14.95	38.5	PASS
Band71	20MHz	16QAM	133322	1RB#49	21.54	16.69	38.5	PASS
Band71	20MHz	16QAM	133322	1RB#99	20.61	15.76	38.5	PASS
Band71	20MHz	16QAM	133322	50RB#0	19.84	14.99	38.5	PASS
Band71	20MHz	16QAM	133322	50RB#24	19.85	15.00	38.5	PASS
Band71	20MHz	16QAM	133322	50RB#49	19.86	15.01	38.5	PASS
Band71	20MHz	16QAM	133322	100RB#0	19.84	14.99	38.5	PASS

Band71	20MHz	16QAM	133372	1RB#0	20.89	16.04	38.5	PASS
Band71	20MHz	16QAM	133372	1RB#49	20.57	15.72	38.5	PASS
Band71	20MHz	16QAM	133372	1RB#99	20.73	15.88	38.5	PASS
Band71	20MHz	16QAM	133372	50RB#0	19.76	14.91	38.5	PASS
Band71	20MHz	16QAM	133372	50RB#24	19.80	14.95	38.5	PASS
Band71	20MHz	16QAM	133372	50RB#49	19.80	14.95	38.5	PASS
Band71	20MHz	16QAM	133372	100RB#0	19.79	14.94	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 12 & 71)


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	4.50	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.42	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.33	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.08	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.29	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.12	13	PASS
Band71	20MHz	QPSK	133322	1RB#0	4.84	13	PASS
Band71	20MHz	QPSK	133322	100RB#0	5.00	13	PASS
Band71	20MHz	16QAM	133322	1RB#0	5.68	13	PASS
Band71	20MHz	16QAM	133322	100RB#0	5.92	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.1004	1.320	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.1022	1.340	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1023	1.275	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1021	1.292	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1028	1.318	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0984	1.301	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7027	2.978	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7014	2.968	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7033	2.974	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6985	2.996	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7012	2.990	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7008	2.998	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5225	5.017	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5246	5.038	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5049	5.031	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5042	5.004	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5071	4.999	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5256	5.034	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9854	9.882	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9586	9.903	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9040	9.762	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9800	9.844	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9630	9.837	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.8992	9.791	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.486	14.87	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.386	14.71	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.361	14.57	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.473	14.71	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.374	14.59	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.346	14.49	PASS
Band2	20MHz	QPSK	18700	100RB#0	18.016	19.50	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.751	19.20	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.847	19.49	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.012	19.45	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.766	19.26	PASS

Band2	20MHz	16QAM	19100	100RB#0	17.838	19.26	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1.1002	1.280	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0974	1.288	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0954	1.304	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0991	1.297	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0881	1.268	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.1005	1.297	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6997	2.946	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7056	2.980	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.6907	2.949	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.7038	2.977	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6967	2.975	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6923	2.958	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5083	4.989	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5232	5.018	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.4801	4.989	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.4894	4.981	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5072	5.014	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5009	5.000	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.8650	9.714	PASS
Band12	10MHz	QPSK	23095	50RB#0	9.0060	9.922	PASS
Band12	10MHz	QPSK	23130	50RB#0	9.0205	9.932	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.8597	9.695	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9860	9.905	PASS
Band12	10MHz	16QAM	23130	50RB#0	9.0210	9.944	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.1004	1.271	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0922	1.291	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0973	1.273	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0948	1.299	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0982	1.315	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0967	1.307	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7031	2.955	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7005	2.972	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7040	2.968	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6997	2.979	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6961	2.980	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6995	2.979	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5157	5.009	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5235	5.035	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5018	5.022	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5004	4.990	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5056	4.996	PASS

Band66	5MHz	16QAM	132647	25RB#0	4.5199	5.035	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9923	9.990	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9697	9.906	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9753	9.923	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9744	9.870	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9614	9.807	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9628	9.826	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.480	14.83	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.426	14.79	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.417	14.63	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.474	14.73	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.439	14.68	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.423	14.60	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.943	19.42	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.877	19.30	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.836	19.50	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.949	19.49	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.855	19.36	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.813	19.37	PASS
Band71	5MHz	QPSK	133147	25RB#0	4.5091	4.992	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.5119	5.012	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5217	5.018	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.4813	4.979	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.4931	4.983	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5021	5.009	PASS
Band71	10MHz	QPSK	133172	50RB#0	8.9306	9.904	PASS
Band71	10MHz	QPSK	133297	50RB#0	8.9000	9.861	PASS
Band71	10MHz	QPSK	133422	50RB#0	9.0033	9.896	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9337	9.802	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9238	9.755	PASS
Band71	10MHz	16QAM	133422	50RB#0	8.9922	9.907	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.484	14.71	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.294	14.51	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.550	14.85	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.487	14.63	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.336	14.53	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.549	14.70	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.976	19.39	PASS
Band71	20MHz	QPSK	133322	100RB#0	17.751	19.05	PASS
Band71	20MHz	QPSK	133372	100RB#0	17.987	19.57	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.979	19.45	PASS
Band71	20MHz	16QAM	133322	100RB#0	17.778	19.22	PASS

Band71	20MHz	16QAM	133372	100RB#0	17.961	19.53	PASS
--------	-------	-------	--------	---------	--------	-------	------

Test Graphs

