


APPENDIX REPORT

Project No.	SHT2401001704W	Radio Specification	LTE
Test sample No.	YPHT24010017003_05	Model No.	Power K Pro
Start test date	2024-01-16	Finish date	2024-01-17
Temperature	24.5℃	Humidity	46%
Test Engineer	Xiaodong Zhao	Auditor	

Appendix clause	Test item	Result
A	Conducted Output Power	PASS
B	Peak-to-Average Ratio	PASS
C	26 dB Bandwidth and Occupied Bandwidth	PASS
D	Band edge	PASS
E	Conducted Spurious Emission	PASS
F	Frequency Stability	PASS
G	ERP and EIRP	PASS

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.04	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.03	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.03	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.20	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.31	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.27	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.31	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.39	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.36	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.18	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.31	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.30	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.06	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.32	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.24	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.23	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.23	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.41	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.52	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.48	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.51	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.59	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.56	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.38	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.51	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.50	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.26	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.51	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.86	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.85	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.85	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.03	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.13	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	23.09	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.14	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.22	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.19	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.14	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.13	PASS

Band2	1.4MHz	16QAM	19193	3RB#3	21.89	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.16	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.93	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.97	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.96	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.16	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.16	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.04	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.11	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.21	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.02	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.97	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.43	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.43	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.36	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.16	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.13	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.17	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.16	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.36	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.36	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.24	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.31	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.41	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.22	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.17	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.62	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.62	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.55	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.35	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.75	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.79	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.78	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.99	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.99	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.88	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.94	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.04	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.86	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.81	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.27	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.27	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.20	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.00	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.01	PASS

Band2	5MHz	QPSK	18625	1RB#12	23.07	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.10	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.18	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.23	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.08	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.22	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.13	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.27	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.27	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.33	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.37	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.26	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.36	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.21	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.27	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.31	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.38	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.43	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.28	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.42	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.47	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.47	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.52	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.56	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.45	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.55	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.83	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.89	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.93	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.06	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.91	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.05	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.96	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.10	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.10	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.17	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.21	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.10	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.20	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.04	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.14	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.15	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.23	PASS

Band2	10MHz	QPSK	18650	25RB#12	22.08	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.15	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.00	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.30	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.28	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.42	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.54	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.24	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.35	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.36	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.43	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.28	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.35	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.20	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.50	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.48	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.52	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.61	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.73	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.86	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.97	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.98	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.06	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.91	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.98	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.84	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.13	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.11	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.17	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.26	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.37	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.25	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.45	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.08	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.91	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.91	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.96	PASS
Band2	15MHz	QPSK	18675	38RB#0	22.22	PASS
Band2	15MHz	QPSK	18675	38RB#18	22.20	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.20	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.05	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.05	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.15	PASS
Band2	15MHz	16QAM	18675	38RB#0	22.21	PASS

Band2	15MHz	16QAM	18675	38RB#18	22.20	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.20	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.11	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.11	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.16	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.42	PASS
Band2	15MHz	QPSK	18900	38RB#18	22.40	PASS
Band2	15MHz	QPSK	18900	38RB#37	22.40	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.25	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.25	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.35	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.41	PASS
Band2	15MHz	16QAM	18900	38RB#18	22.40	PASS
Band2	15MHz	16QAM	18900	38RB#37	22.40	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.73	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.73	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.78	PASS
Band2	15MHz	QPSK	19125	38RB#0	22.05	PASS
Band2	15MHz	QPSK	19125	38RB#18	22.03	PASS
Band2	15MHz	QPSK	19125	38RB#37	22.03	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.89	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.89	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.98	PASS
Band2	15MHz	16QAM	19125	38RB#0	22.04	PASS
Band2	15MHz	16QAM	19125	38RB#18	22.03	PASS
Band2	15MHz	16QAM	19125	38RB#37	22.03	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.19	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.39	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.02	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.09	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.16	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.27	PASS
Band2	20MHz	16QAM	18700	1RB#0	23.04	PASS
Band2	20MHz	16QAM	18700	1RB#49	23.09	PASS
Band2	20MHz	16QAM	18700	1RB#99	23.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.29	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.37	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.48	PASS
Band2	20MHz	16QAM	18900	1RB#0	23.24	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.29	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.21	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.91	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.99	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.09	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.86	PASS

Band2	20MHz	16QAM	19100	1RB#49	22.91	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.83	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.98	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.93	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.34	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.25	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.18	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.12	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.54	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.45	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.82	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.76	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.17	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.08	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	23.43	PASS
Band4	1.4MHz	QPSK	19957	1RB#2	23.38	PASS
Band4	1.4MHz	QPSK	19957	1RB#5	23.37	PASS
Band4	1.4MHz	QPSK	19957	3RB#0	23.36	PASS
Band4	1.4MHz	QPSK	19957	3RB#1	23.35	PASS
Band4	1.4MHz	QPSK	19957	3RB#3	23.37	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	22.40	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	21.72	PASS
Band4	1.4MHz	16QAM	19957	1RB#2	21.74	PASS
Band4	1.4MHz	16QAM	19957	1RB#5	21.74	PASS
Band4	1.4MHz	16QAM	19957	3RB#0	22.22	PASS
Band4	1.4MHz	16QAM	19957	3RB#1	22.24	PASS
Band4	1.4MHz	16QAM	19957	3RB#3	22.25	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	21.41	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	23.84	PASS
Band4	1.4MHz	QPSK	20175	1RB#2	23.79	PASS
Band4	1.4MHz	QPSK	20175	1RB#5	23.78	PASS
Band4	1.4MHz	QPSK	20175	3RB#0	23.77	PASS
Band4	1.4MHz	QPSK	20175	3RB#1	23.76	PASS
Band4	1.4MHz	QPSK	20175	3RB#3	23.78	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	22.80	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	22.10	PASS
Band4	1.4MHz	16QAM	20175	1RB#2	22.13	PASS
Band4	1.4MHz	16QAM	20175	1RB#5	22.12	PASS
Band4	1.4MHz	16QAM	20175	3RB#0	22.61	PASS
Band4	1.4MHz	16QAM	20175	3RB#1	22.63	PASS
Band4	1.4MHz	16QAM	20175	3RB#3	22.64	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	21.79	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	23.64	PASS
Band4	1.4MHz	QPSK	20393	1RB#2	23.59	PASS
Band4	1.4MHz	QPSK	20393	1RB#5	23.58	PASS

Band4	1.4MHz	QPSK	20393	3RB#0	23.57	PASS
Band4	1.4MHz	QPSK	20393	3RB#1	23.56	PASS
Band4	1.4MHz	QPSK	20393	3RB#3	23.58	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	22.61	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	21.92	PASS
Band4	1.4MHz	16QAM	20393	1RB#2	21.95	PASS
Band4	1.4MHz	16QAM	20393	1RB#5	21.94	PASS
Band4	1.4MHz	16QAM	20393	3RB#0	22.42	PASS
Band4	1.4MHz	16QAM	20393	3RB#1	22.44	PASS
Band4	1.4MHz	16QAM	20393	3RB#3	22.45	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	21.61	PASS
Band4	3MHz	QPSK	19965	1RB#0	23.33	PASS
Band4	3MHz	QPSK	19965	1RB#8	23.35	PASS
Band4	3MHz	QPSK	19965	1RB#14	23.32	PASS
Band4	3MHz	QPSK	19965	8RB#0	22.32	PASS
Band4	3MHz	QPSK	19965	8RB#4	22.32	PASS
Band4	3MHz	QPSK	19965	8RB#7	22.39	PASS
Band4	3MHz	QPSK	19965	15RB#0	22.37	PASS
Band4	3MHz	16QAM	19965	1RB#0	21.76	PASS
Band4	3MHz	16QAM	19965	1RB#8	21.69	PASS
Band4	3MHz	16QAM	19965	1RB#14	21.72	PASS
Band4	3MHz	16QAM	19965	8RB#0	21.65	PASS
Band4	3MHz	16QAM	19965	8RB#4	21.65	PASS
Band4	3MHz	16QAM	19965	8RB#7	21.70	PASS
Band4	3MHz	16QAM	19965	15RB#0	21.43	PASS
Band4	3MHz	QPSK	20175	1RB#0	23.74	PASS
Band4	3MHz	QPSK	20175	1RB#8	23.76	PASS
Band4	3MHz	QPSK	20175	1RB#14	23.73	PASS
Band4	3MHz	QPSK	20175	8RB#0	22.72	PASS
Band4	3MHz	QPSK	20175	8RB#4	22.72	PASS
Band4	3MHz	QPSK	20175	8RB#7	22.79	PASS
Band4	3MHz	QPSK	20175	15RB#0	22.77	PASS
Band4	3MHz	16QAM	20175	1RB#0	22.15	PASS
Band4	3MHz	16QAM	20175	1RB#8	22.07	PASS
Band4	3MHz	16QAM	20175	1RB#14	22.10	PASS
Band4	3MHz	16QAM	20175	8RB#0	22.03	PASS
Band4	3MHz	16QAM	20175	8RB#4	22.03	PASS
Band4	3MHz	16QAM	20175	8RB#7	22.08	PASS
Band4	3MHz	16QAM	20175	15RB#0	21.81	PASS
Band4	3MHz	QPSK	20385	1RB#0	23.54	PASS
Band4	3MHz	QPSK	20385	1RB#8	23.56	PASS
Band4	3MHz	QPSK	20385	1RB#14	23.53	PASS
Band4	3MHz	QPSK	20385	8RB#0	22.53	PASS
Band4	3MHz	QPSK	20385	8RB#4	22.53	PASS
Band4	3MHz	QPSK	20385	8RB#7	22.60	PASS

Band4	3MHz	QPSK	20385	15RB#0	22.58	PASS
Band4	3MHz	16QAM	20385	1RB#0	21.97	PASS
Band4	3MHz	16QAM	20385	1RB#8	21.89	PASS
Band4	3MHz	16QAM	20385	1RB#14	21.92	PASS
Band4	3MHz	16QAM	20385	8RB#0	21.85	PASS
Band4	3MHz	16QAM	20385	8RB#4	21.85	PASS
Band4	3MHz	16QAM	20385	8RB#7	21.90	PASS
Band4	3MHz	16QAM	20385	15RB#0	21.63	PASS
Band4	5MHz	QPSK	19975	1RB#0	23.37	PASS
Band4	5MHz	QPSK	19975	1RB#12	23.37	PASS
Band4	5MHz	QPSK	19975	1RB#24	23.43	PASS
Band4	5MHz	QPSK	19975	12RB#0	22.39	PASS
Band4	5MHz	QPSK	19975	12RB#6	22.39	PASS
Band4	5MHz	QPSK	19975	12RB#13	22.48	PASS
Band4	5MHz	QPSK	19975	25RB#0	22.46	PASS
Band4	5MHz	16QAM	19975	1RB#0	22.64	PASS
Band4	5MHz	16QAM	19975	1RB#12	22.51	PASS
Band4	5MHz	16QAM	19975	1RB#24	22.64	PASS
Band4	5MHz	16QAM	19975	12RB#0	21.66	PASS
Band4	5MHz	16QAM	19975	12RB#6	21.66	PASS
Band4	5MHz	16QAM	19975	12RB#13	21.65	PASS
Band4	5MHz	16QAM	19975	25RB#0	21.55	PASS
Band4	5MHz	QPSK	20175	1RB#0	23.78	PASS
Band4	5MHz	QPSK	20175	1RB#12	23.78	PASS
Band4	5MHz	QPSK	20175	1RB#24	23.84	PASS
Band4	5MHz	QPSK	20175	12RB#0	22.79	PASS
Band4	5MHz	QPSK	20175	12RB#6	22.79	PASS
Band4	5MHz	QPSK	20175	12RB#13	22.88	PASS
Band4	5MHz	QPSK	20175	25RB#0	22.86	PASS
Band4	5MHz	16QAM	20175	1RB#0	23.04	PASS
Band4	5MHz	16QAM	20175	1RB#12	22.91	PASS
Band4	5MHz	16QAM	20175	1RB#24	23.04	PASS
Band4	5MHz	16QAM	20175	12RB#0	22.04	PASS
Band4	5MHz	16QAM	20175	12RB#6	22.04	PASS
Band4	5MHz	16QAM	20175	12RB#13	22.03	PASS
Band4	5MHz	16QAM	20175	25RB#0	21.93	PASS
Band4	5MHz	QPSK	20375	1RB#0	23.58	PASS
Band4	5MHz	QPSK	20375	1RB#12	23.58	PASS
Band4	5MHz	QPSK	20375	1RB#24	23.64	PASS
Band4	5MHz	QPSK	20375	12RB#0	22.60	PASS
Band4	5MHz	QPSK	20375	12RB#6	22.60	PASS
Band4	5MHz	QPSK	20375	12RB#13	22.69	PASS
Band4	5MHz	QPSK	20375	25RB#0	22.67	PASS
Band4	5MHz	16QAM	20375	1RB#0	22.85	PASS
Band4	5MHz	16QAM	20375	1RB#12	22.72	PASS

Band4	5MHz	16QAM	20375	1RB#24	22.85	PASS
Band4	5MHz	16QAM	20375	12RB#0	21.86	PASS
Band4	5MHz	16QAM	20375	12RB#6	21.86	PASS
Band4	5MHz	16QAM	20375	12RB#13	21.85	PASS
Band4	5MHz	16QAM	20375	25RB#0	21.75	PASS
Band4	10MHz	QPSK	20000	1RB#0	23.33	PASS
Band4	10MHz	QPSK	20000	1RB#24	23.34	PASS
Band4	10MHz	QPSK	20000	1RB#49	23.27	PASS
Band4	10MHz	QPSK	20000	25RB#0	22.49	PASS
Band4	10MHz	QPSK	20000	25RB#12	22.49	PASS
Band4	10MHz	QPSK	20000	25RB#25	22.46	PASS
Band4	10MHz	16QAM	20000	1RB#0	22.36	PASS
Band4	10MHz	16QAM	20000	1RB#24	22.23	PASS
Band4	10MHz	16QAM	20000	1RB#49	22.27	PASS
Band4	10MHz	16QAM	20000	25RB#0	21.64	PASS
Band4	10MHz	16QAM	20000	25RB#12	21.64	PASS
Band4	10MHz	16QAM	20000	25RB#25	21.60	PASS
Band4	10MHz	QPSK	20175	1RB#0	23.74	PASS
Band4	10MHz	QPSK	20175	1RB#24	23.75	PASS
Band4	10MHz	QPSK	20175	1RB#49	23.68	PASS
Band4	10MHz	QPSK	20175	25RB#0	22.89	PASS
Band4	10MHz	QPSK	20175	25RB#12	22.89	PASS
Band4	10MHz	QPSK	20175	25RB#25	22.86	PASS
Band4	10MHz	16QAM	20175	1RB#0	22.76	PASS
Band4	10MHz	16QAM	20175	1RB#24	22.62	PASS
Band4	10MHz	16QAM	20175	1RB#49	22.66	PASS
Band4	10MHz	16QAM	20175	25RB#0	22.02	PASS
Band4	10MHz	16QAM	20175	25RB#12	22.02	PASS
Band4	10MHz	16QAM	20175	25RB#25	21.98	PASS
Band4	10MHz	QPSK	20350	1RB#0	23.54	PASS
Band4	10MHz	QPSK	20350	1RB#24	23.55	PASS
Band4	10MHz	QPSK	20350	1RB#49	23.48	PASS
Band4	10MHz	QPSK	20350	25RB#0	22.70	PASS
Band4	10MHz	QPSK	20350	25RB#12	22.70	PASS
Band4	10MHz	QPSK	20350	25RB#25	22.67	PASS
Band4	10MHz	16QAM	20350	1RB#0	22.57	PASS
Band4	10MHz	16QAM	20350	1RB#24	22.43	PASS
Band4	10MHz	16QAM	20350	1RB#49	22.47	PASS
Band4	10MHz	16QAM	20350	25RB#0	21.84	PASS
Band4	10MHz	16QAM	20350	25RB#12	21.84	PASS
Band4	10MHz	16QAM	20350	25RB#25	21.80	PASS
Band4	10MHz	QPSK	20000	50RB#0	22.30	PASS
Band4	10MHz	QPSK	20175	50RB#0	22.69	PASS
Band4	10MHz	QPSK	20350	50RB#0	22.50	PASS
Band4	15MHz	QPSK	20025	1RB#0	23.33	PASS

Band4	15MHz	QPSK	20025	1RB#38	23.31	PASS
Band4	15MHz	QPSK	20025	1RB#74	23.19	PASS
Band4	15MHz	QPSK	20025	38RB#0	22.40	PASS
Band4	15MHz	QPSK	20025	38RB#18	22.40	PASS
Band4	15MHz	QPSK	20025	38RB#37	22.39	PASS
Band4	15MHz	16QAM	20025	1RB#0	22.49	PASS
Band4	15MHz	16QAM	20025	1RB#38	22.45	PASS
Band4	15MHz	16QAM	20025	1RB#74	22.31	PASS
Band4	15MHz	16QAM	20025	38RB#0	22.40	PASS
Band4	15MHz	16QAM	20025	38RB#18	22.39	PASS
Band4	15MHz	16QAM	20025	38RB#37	22.38	PASS
Band4	15MHz	QPSK	20175	1RB#0	23.74	PASS
Band4	15MHz	QPSK	20175	1RB#38	23.72	PASS
Band4	15MHz	QPSK	20175	1RB#74	23.60	PASS
Band4	15MHz	QPSK	20175	38RB#0	22.80	PASS
Band4	15MHz	QPSK	20175	38RB#18	22.80	PASS
Band4	15MHz	QPSK	20175	38RB#37	22.79	PASS
Band4	15MHz	16QAM	20175	1RB#0	22.89	PASS
Band4	15MHz	16QAM	20175	1RB#38	22.85	PASS
Band4	15MHz	16QAM	20175	1RB#74	22.70	PASS
Band4	15MHz	16QAM	20175	38RB#0	22.80	PASS
Band4	15MHz	16QAM	20175	38RB#18	22.79	PASS
Band4	15MHz	16QAM	20175	38RB#37	22.78	PASS
Band4	15MHz	QPSK	20325	1RB#0	23.54	PASS
Band4	15MHz	QPSK	20325	1RB#38	23.52	PASS
Band4	15MHz	QPSK	20325	1RB#74	23.40	PASS
Band4	15MHz	QPSK	20325	38RB#0	22.61	PASS
Band4	15MHz	QPSK	20325	38RB#18	22.61	PASS
Band4	15MHz	QPSK	20325	38RB#37	22.60	PASS
Band4	15MHz	16QAM	20325	1RB#0	22.70	PASS
Band4	15MHz	16QAM	20325	1RB#38	22.66	PASS
Band4	15MHz	16QAM	20325	1RB#74	22.51	PASS
Band4	15MHz	16QAM	20325	38RB#0	22.61	PASS
Band4	15MHz	16QAM	20325	38RB#18	22.60	PASS
Band4	15MHz	16QAM	20325	38RB#37	22.59	PASS
Band4	15MHz	QPSK	20025	75RB#0	22.31	PASS
Band4	15MHz	QPSK	20175	75RB#0	22.70	PASS
Band4	15MHz	QPSK	20325	75RB#0	22.51	PASS
Band4	20MHz	QPSK	20050	1RB#0	23.38	PASS
Band4	20MHz	QPSK	20050	1RB#49	23.35	PASS
Band4	20MHz	QPSK	20050	1RB#99	23.33	PASS
Band4	20MHz	16QAM	20050	1RB#0	22.86	PASS
Band4	20MHz	16QAM	20050	1RB#49	22.72	PASS
Band4	20MHz	16QAM	20050	1RB#99	22.72	PASS
Band4	20MHz	QPSK	20175	1RB#0	23.79	PASS

Band4	20MHz	QPSK	20175	1RB#49	23.76	PASS
Band4	20MHz	QPSK	20175	1RB#99	23.74	PASS
Band4	20MHz	16QAM	20175	1RB#0	23.26	PASS
Band4	20MHz	16QAM	20175	1RB#49	23.12	PASS
Band4	20MHz	16QAM	20175	1RB#99	23.12	PASS
Band4	20MHz	QPSK	20300	1RB#0	23.59	PASS
Band4	20MHz	QPSK	20300	1RB#49	23.56	PASS
Band4	20MHz	QPSK	20300	1RB#99	23.54	PASS
Band4	20MHz	16QAM	20300	1RB#0	23.07	PASS
Band4	20MHz	16QAM	20300	1RB#49	22.93	PASS
Band4	20MHz	16QAM	20300	1RB#99	22.93	PASS
Band4	20MHz	QPSK	20050	50RB#0	22.39	PASS
Band4	20MHz	QPSK	20050	50RB#25	22.47	PASS
Band4	20MHz	QPSK	20050	50RB#50	22.28	PASS
Band4	20MHz	QPSK	20050	100RB#0	22.30	PASS
Band4	20MHz	QPSK	20175	50RB#0	22.79	PASS
Band4	20MHz	QPSK	20175	50RB#25	22.87	PASS
Band4	20MHz	QPSK	20175	50RB#50	22.67	PASS
Band4	20MHz	QPSK	20175	100RB#0	22.69	PASS
Band4	20MHz	QPSK	20300	50RB#0	22.60	PASS
Band4	20MHz	QPSK	20300	50RB#25	22.68	PASS
Band4	20MHz	QPSK	20300	50RB#50	22.48	PASS
Band4	20MHz	QPSK	20300	100RB#0	22.50	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	21.87	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	21.97	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	21.99	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.03	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.06	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	22.05	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	20.95	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	20.30	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	20.34	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	20.18	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	20.61	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	20.53	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	20.51	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	20.35	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	22.02	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	22.12	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.14	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.18	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	22.21	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	22.20	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	21.09	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	20.44	PASS

Band5	1.4MHz	16QAM	20525	1RB#2	20.48	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	20.32	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	20.75	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	20.67	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	20.65	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	20.49	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	21.96	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.06	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.08	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.12	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.15	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.14	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	21.03	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	20.38	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	20.42	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	20.26	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	20.69	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	20.61	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	20.59	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	20.43	PASS
Band5	3MHz	QPSK	20415	1RB#0	21.92	PASS
Band5	3MHz	QPSK	20415	1RB#8	22.08	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.03	PASS
Band5	3MHz	QPSK	20415	8RB#0	20.91	PASS
Band5	3MHz	QPSK	20415	8RB#4	21.05	PASS
Band5	3MHz	QPSK	20415	8RB#7	20.97	PASS
Band5	3MHz	QPSK	20415	15RB#0	21.04	PASS
Band5	3MHz	16QAM	20415	1RB#0	20.41	PASS
Band5	3MHz	16QAM	20415	1RB#8	20.27	PASS
Band5	3MHz	16QAM	20415	1RB#14	20.21	PASS
Band5	3MHz	16QAM	20415	8RB#0	20.51	PASS
Band5	3MHz	16QAM	20415	8RB#4	20.51	PASS
Band5	3MHz	16QAM	20415	8RB#7	20.50	PASS
Band5	3MHz	16QAM	20415	15RB#0	20.32	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.07	PASS
Band5	3MHz	QPSK	20525	1RB#8	22.23	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.18	PASS
Band5	3MHz	QPSK	20525	8RB#0	21.05	PASS
Band5	3MHz	QPSK	20525	8RB#4	21.19	PASS
Band5	3MHz	QPSK	20525	8RB#7	21.11	PASS
Band5	3MHz	QPSK	20525	15RB#0	21.18	PASS
Band5	3MHz	16QAM	20525	1RB#0	20.55	PASS
Band5	3MHz	16QAM	20525	1RB#8	20.41	PASS
Band5	3MHz	16QAM	20525	1RB#14	20.35	PASS
Band5	3MHz	16QAM	20525	8RB#0	20.65	PASS

Band5	3MHz	16QAM	20525	8RB#4	20.65	PASS
Band5	3MHz	16QAM	20525	8RB#7	20.64	PASS
Band5	3MHz	16QAM	20525	15RB#0	20.46	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.01	PASS
Band5	3MHz	QPSK	20635	1RB#8	22.17	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.12	PASS
Band5	3MHz	QPSK	20635	8RB#0	20.99	PASS
Band5	3MHz	QPSK	20635	8RB#4	21.13	PASS
Band5	3MHz	QPSK	20635	8RB#7	21.05	PASS
Band5	3MHz	QPSK	20635	15RB#0	21.12	PASS
Band5	3MHz	16QAM	20635	1RB#0	20.49	PASS
Band5	3MHz	16QAM	20635	1RB#8	20.35	PASS
Band5	3MHz	16QAM	20635	1RB#14	20.29	PASS
Band5	3MHz	16QAM	20635	8RB#0	20.59	PASS
Band5	3MHz	16QAM	20635	8RB#4	20.59	PASS
Band5	3MHz	16QAM	20635	8RB#7	20.58	PASS
Band5	3MHz	16QAM	20635	15RB#0	20.40	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.03	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.03	PASS
Band5	5MHz	QPSK	20425	1RB#24	21.90	PASS
Band5	5MHz	QPSK	20425	12RB#0	20.91	PASS
Band5	5MHz	QPSK	20425	12RB#6	20.90	PASS
Band5	5MHz	QPSK	20425	12RB#13	21.03	PASS
Band5	5MHz	QPSK	20425	25RB#0	20.98	PASS
Band5	5MHz	16QAM	20425	1RB#0	21.10	PASS
Band5	5MHz	16QAM	20425	1RB#12	20.97	PASS
Band5	5MHz	16QAM	20425	1RB#24	21.07	PASS
Band5	5MHz	16QAM	20425	12RB#0	20.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	20.46	PASS
Band5	5MHz	16QAM	20425	12RB#13	20.44	PASS
Band5	5MHz	16QAM	20425	25RB#0	20.37	PASS
Band5	5MHz	QPSK	20525	1RB#0	22.18	PASS
Band5	5MHz	QPSK	20525	1RB#12	22.18	PASS
Band5	5MHz	QPSK	20525	1RB#24	22.05	PASS
Band5	5MHz	QPSK	20525	12RB#0	21.05	PASS
Band5	5MHz	QPSK	20525	12RB#6	21.04	PASS
Band5	5MHz	QPSK	20525	12RB#13	21.17	PASS
Band5	5MHz	QPSK	20525	25RB#0	21.12	PASS
Band5	5MHz	16QAM	20525	1RB#0	21.24	PASS
Band5	5MHz	16QAM	20525	1RB#12	21.11	PASS
Band5	5MHz	16QAM	20525	1RB#24	21.21	PASS
Band5	5MHz	16QAM	20525	12RB#0	20.59	PASS
Band5	5MHz	16QAM	20525	12RB#6	20.60	PASS
Band5	5MHz	16QAM	20525	12RB#13	20.58	PASS
Band5	5MHz	16QAM	20525	25RB#0	20.51	PASS

Band5	5MHz	QPSK	20625	1RB#0	22.12	PASS
Band5	5MHz	QPSK	20625	1RB#12	22.12	PASS
Band5	5MHz	QPSK	20625	1RB#24	21.99	PASS
Band5	5MHz	QPSK	20625	12RB#0	20.99	PASS
Band5	5MHz	QPSK	20625	12RB#6	20.98	PASS
Band5	5MHz	QPSK	20625	12RB#13	21.11	PASS
Band5	5MHz	QPSK	20625	25RB#0	21.06	PASS
Band5	5MHz	16QAM	20625	1RB#0	21.18	PASS
Band5	5MHz	16QAM	20625	1RB#12	21.05	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.15	PASS
Band5	5MHz	16QAM	20625	12RB#0	20.53	PASS
Band5	5MHz	16QAM	20625	12RB#6	20.54	PASS
Band5	5MHz	16QAM	20625	12RB#13	20.52	PASS
Band5	5MHz	16QAM	20625	25RB#0	20.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	21.87	PASS
Band5	10MHz	QPSK	20450	1RB#24	21.92	PASS
Band5	10MHz	QPSK	20450	1RB#49	21.82	PASS
Band5	10MHz	QPSK	20450	25RB#0	20.80	PASS
Band5	10MHz	QPSK	20450	25RB#12	20.79	PASS
Band5	10MHz	QPSK	20450	25RB#25	20.82	PASS
Band5	10MHz	16QAM	20450	1RB#0	21.03	PASS
Band5	10MHz	16QAM	20450	1RB#24	20.80	PASS
Band5	10MHz	16QAM	20450	1RB#49	21.03	PASS
Band5	10MHz	16QAM	20450	25RB#0	20.37	PASS
Band5	10MHz	16QAM	20450	25RB#12	20.36	PASS
Band5	10MHz	16QAM	20450	25RB#25	19.71	PASS
Band5	10MHz	QPSK	20525	1RB#0	22.02	PASS
Band5	10MHz	QPSK	20525	1RB#24	22.07	PASS
Band5	10MHz	QPSK	20525	1RB#49	21.97	PASS
Band5	10MHz	QPSK	20525	25RB#0	20.94	PASS
Band5	10MHz	QPSK	20525	25RB#12	20.93	PASS
Band5	10MHz	QPSK	20525	25RB#25	20.96	PASS
Band5	10MHz	16QAM	20525	1RB#0	21.17	PASS
Band5	10MHz	16QAM	20525	1RB#24	20.94	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.17	PASS
Band5	10MHz	16QAM	20525	25RB#0	20.51	PASS
Band5	10MHz	16QAM	20525	25RB#12	20.50	PASS
Band5	10MHz	16QAM	20525	25RB#25	19.84	PASS
Band5	10MHz	QPSK	20600	1RB#0	21.96	PASS
Band5	10MHz	QPSK	20600	1RB#24	22.01	PASS
Band5	10MHz	QPSK	20600	1RB#49	21.91	PASS
Band5	10MHz	QPSK	20600	25RB#0	20.88	PASS
Band5	10MHz	QPSK	20600	25RB#12	20.87	PASS
Band5	10MHz	QPSK	20600	25RB#25	20.90	PASS
Band5	10MHz	16QAM	20600	1RB#0	21.11	PASS

Band5	10MHz	16QAM	20600	1RB#24	20.88	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.11	PASS
Band5	10MHz	16QAM	20600	25RB#0	20.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	20.44	PASS
Band5	10MHz	16QAM	20600	25RB#25	19.78	PASS
Band5	10MHz	QPSK	20450	50RB#0	20.86	PASS
Band5	10MHz	QPSK	20525	50RB#0	21.00	PASS
Band5	10MHz	QPSK	20600	50RB#0	20.94	PASS
Band7	5MHz	QPSK	20775	1RB#0	22.15	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.24	PASS
Band7	5MHz	QPSK	20775	1RB#24	22.17	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.06	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.03	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.14	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.14	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.71	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.79	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.78	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.17	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.13	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.19	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.34	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.34	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.43	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.36	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.24	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.21	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.32	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.32	PASS
Band7	5MHz	16QAM	21100	1RB#0	20.89	PASS
Band7	5MHz	16QAM	21100	1RB#12	20.97	PASS
Band7	5MHz	16QAM	21100	1RB#24	20.96	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.34	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.30	PASS
Band7	5MHz	16QAM	21100	12RB#13	20.37	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.52	PASS
Band7	5MHz	QPSK	21425	1RB#0	21.99	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.08	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.01	PASS
Band7	5MHz	QPSK	21425	12RB#0	20.91	PASS
Band7	5MHz	QPSK	21425	12RB#6	20.88	PASS
Band7	5MHz	QPSK	21425	12RB#13	20.99	PASS
Band7	5MHz	QPSK	21425	25RB#0	20.99	PASS
Band7	5MHz	16QAM	21425	1RB#0	20.57	PASS
Band7	5MHz	16QAM	21425	1RB#12	20.64	PASS

Band7	5MHz	16QAM	21425	1RB#24	20.64	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.02	PASS
Band7	5MHz	16QAM	21425	12RB#6	19.99	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.05	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.20	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.01	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.13	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.17	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.23	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.24	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.24	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.23	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.33	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.51	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.20	PASS
Band7	10MHz	16QAM	20800	25RB#12	20.20	PASS
Band7	10MHz	16QAM	20800	25RB#25	20.19	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.20	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.32	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.36	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.41	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.42	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.42	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.41	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.51	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.70	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.38	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.38	PASS
Band7	10MHz	16QAM	21100	25RB#25	20.37	PASS
Band7	10MHz	QPSK	21400	1RB#0	21.86	PASS
Band7	10MHz	QPSK	21400	1RB#24	21.97	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.01	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.08	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.09	PASS
Band7	10MHz	QPSK	21400	25RB#25	21.09	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.08	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.18	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.36	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.06	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.06	PASS
Band7	10MHz	16QAM	21400	25RB#25	20.05	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.23	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.41	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.08	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.10	PASS

Band7	15MHz	QPSK	20825	1RB#38	22.07	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.03	PASS
Band7	15MHz	QPSK	20825	38RB#0	21.26	PASS
Band7	15MHz	QPSK	20825	38RB#18	21.25	PASS
Band7	15MHz	QPSK	20825	38RB#37	21.25	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.22	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.30	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.31	PASS
Band7	15MHz	16QAM	20825	38RB#0	21.24	PASS
Band7	15MHz	16QAM	20825	38RB#18	21.25	PASS
Band7	15MHz	16QAM	20825	38RB#37	21.25	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.29	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.26	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.22	PASS
Band7	15MHz	QPSK	21100	38RB#0	21.44	PASS
Band7	15MHz	QPSK	21100	38RB#18	21.43	PASS
Band7	15MHz	QPSK	21100	38RB#37	21.43	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.40	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.48	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.49	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.42	PASS
Band7	15MHz	16QAM	21100	38RB#18	21.43	PASS
Band7	15MHz	16QAM	21100	38RB#37	21.43	PASS
Band7	15MHz	QPSK	21375	1RB#0	21.94	PASS
Band7	15MHz	QPSK	21375	1RB#38	21.91	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.88	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.11	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.10	PASS
Band7	15MHz	QPSK	21375	38RB#37	21.10	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.07	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.15	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.16	PASS
Band7	15MHz	16QAM	21375	38RB#0	21.09	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.10	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.10	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.10	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.28	PASS
Band7	15MHz	QPSK	21375	75RB#0	20.95	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.39	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.42	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.41	PASS
Band7	20MHz	16QAM	20850	1RB#0	20.77	PASS
Band7	20MHz	16QAM	20850	1RB#49	20.85	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.87	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.58	PASS

Band7	20MHz	QPSK	21100	1RB#49	22.61	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.60	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.95	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.03	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.05	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.23	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.26	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.25	PASS
Band7	20MHz	16QAM	21350	1RB#0	20.63	PASS
Band7	20MHz	16QAM	21350	1RB#49	20.70	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.72	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.13	PASS
Band7	20MHz	QPSK	20850	50RB#25	21.05	PASS
Band7	20MHz	QPSK	20850	50RB#50	21.13	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.33	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.31	PASS
Band7	20MHz	QPSK	21100	50RB#25	21.23	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.31	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.52	PASS
Band7	20MHz	QPSK	21350	50RB#0	20.98	PASS
Band7	20MHz	QPSK	21350	50RB#25	20.90	PASS
Band7	20MHz	QPSK	21350	50RB#50	20.98	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.19	PASS
Band17	5MHz	QPSK	23755	1RB#0	22.46	PASS
Band17	5MHz	QPSK	23755	1RB#12	22.50	PASS
Band17	5MHz	QPSK	23755	1RB#24	22.38	PASS
Band17	5MHz	QPSK	23755	12RB#0	21.30	PASS
Band17	5MHz	QPSK	23755	12RB#6	21.43	PASS
Band17	5MHz	QPSK	23755	12RB#13	21.30	PASS
Band17	5MHz	QPSK	23755	25RB#0	21.27	PASS
Band17	5MHz	16QAM	23755	1RB#0	20.42	PASS
Band17	5MHz	16QAM	23755	1RB#12	20.58	PASS
Band17	5MHz	16QAM	23755	1RB#24	20.47	PASS
Band17	5MHz	16QAM	23755	12RB#0	20.32	PASS
Band17	5MHz	16QAM	23755	12RB#6	20.40	PASS
Band17	5MHz	16QAM	23755	12RB#13	20.62	PASS
Band17	5MHz	16QAM	23755	25RB#0	20.79	PASS
Band17	5MHz	QPSK	23790	1RB#0	22.74	PASS
Band17	5MHz	QPSK	23790	1RB#12	22.78	PASS
Band17	5MHz	QPSK	23790	1RB#24	22.66	PASS
Band17	5MHz	QPSK	23790	12RB#0	21.57	PASS
Band17	5MHz	QPSK	23790	12RB#6	21.70	PASS
Band17	5MHz	QPSK	23790	12RB#13	21.57	PASS
Band17	5MHz	QPSK	23790	25RB#0	21.54	PASS
Band17	5MHz	16QAM	23790	1RB#0	20.68	PASS

Band17	5MHz	16QAM	23790	1RB#12	20.84	PASS
Band17	5MHz	16QAM	23790	1RB#24	20.73	PASS
Band17	5MHz	16QAM	23790	12RB#0	20.58	PASS
Band17	5MHz	16QAM	23790	12RB#6	20.66	PASS
Band17	5MHz	16QAM	23790	12RB#13	20.88	PASS
Band17	5MHz	16QAM	23790	25RB#0	21.05	PASS
Band17	5MHz	QPSK	23825	1RB#0	22.41	PASS
Band17	5MHz	QPSK	23825	1RB#12	22.45	PASS
Band17	5MHz	QPSK	23825	1RB#24	22.33	PASS
Band17	5MHz	QPSK	23825	12RB#0	21.25	PASS
Band17	5MHz	QPSK	23825	12RB#6	21.38	PASS
Band17	5MHz	QPSK	23825	12RB#13	21.25	PASS
Band17	5MHz	QPSK	23825	25RB#0	21.22	PASS
Band17	5MHz	16QAM	23825	1RB#0	20.37	PASS
Band17	5MHz	16QAM	23825	1RB#12	20.53	PASS
Band17	5MHz	16QAM	23825	1RB#24	20.42	PASS
Band17	5MHz	16QAM	23825	12RB#0	20.27	PASS
Band17	5MHz	16QAM	23825	12RB#6	20.35	PASS
Band17	5MHz	16QAM	23825	12RB#13	20.57	PASS
Band17	5MHz	16QAM	23825	25RB#0	20.74	PASS
Band17	10MHz	QPSK	23780	1RB#0	22.22	PASS
Band17	10MHz	QPSK	23780	1RB#24	22.11	PASS
Band17	10MHz	QPSK	23780	1RB#49	22.34	PASS
Band17	10MHz	QPSK	23780	25RB#0	21.31	PASS
Band17	10MHz	QPSK	23780	25RB#12	21.28	PASS
Band17	10MHz	QPSK	23780	25RB#25	21.32	PASS
Band17	10MHz	16QAM	23780	1RB#0	21.36	PASS
Band17	10MHz	16QAM	23780	1RB#24	21.37	PASS
Band17	10MHz	16QAM	23780	1RB#49	21.43	PASS
Band17	10MHz	16QAM	23780	25RB#0	20.63	PASS
Band17	10MHz	16QAM	23780	25RB#12	20.62	PASS
Band17	10MHz	16QAM	23780	25RB#25	20.75	PASS
Band17	10MHz	QPSK	23790	1RB#0	22.50	PASS
Band17	10MHz	QPSK	23790	1RB#24	22.39	PASS
Band17	10MHz	QPSK	23790	1RB#49	22.62	PASS
Band17	10MHz	QPSK	23790	25RB#0	21.58	PASS
Band17	10MHz	QPSK	23790	25RB#12	21.55	PASS
Band17	10MHz	QPSK	23790	25RB#25	21.59	PASS
Band17	10MHz	16QAM	23790	1RB#0	21.63	PASS
Band17	10MHz	16QAM	23790	1RB#24	21.64	PASS
Band17	10MHz	16QAM	23790	1RB#49	21.70	PASS
Band17	10MHz	16QAM	23790	25RB#0	20.89	PASS
Band17	10MHz	16QAM	23790	25RB#12	20.88	PASS
Band17	10MHz	16QAM	23790	25RB#25	21.01	PASS
Band17	10MHz	QPSK	23800	1RB#0	22.17	PASS

Band17	10MHz	QPSK	23800	1RB#24	22.06	PASS
Band17	10MHz	QPSK	23800	1RB#49	22.29	PASS
Band17	10MHz	QPSK	23800	25RB#0	21.26	PASS
Band17	10MHz	QPSK	23800	25RB#12	21.23	PASS
Band17	10MHz	QPSK	23800	25RB#25	21.27	PASS
Band17	10MHz	16QAM	23800	1RB#0	21.31	PASS
Band17	10MHz	16QAM	23800	1RB#24	21.32	PASS
Band17	10MHz	16QAM	23800	1RB#49	21.38	PASS
Band17	10MHz	16QAM	23800	25RB#0	20.58	PASS
Band17	10MHz	16QAM	23800	25RB#12	20.57	PASS
Band17	10MHz	16QAM	23800	25RB#25	20.70	PASS
Band17	10MHz	QPSK	23780	50RB#0	21.33	PASS
Band17	10MHz	QPSK	23790	50RB#0	21.60	PASS
Band17	10MHz	QPSK	23800	50RB#0	21.28	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.77	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	5.76	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.19	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.96	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.50	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	6.51	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.71	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.47	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3.82	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	4.76	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.47	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.29	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	4.72	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	5.88	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.12	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.93	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.61	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	6.50	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.67	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.42	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	4.27	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	5.46	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	4.59	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.45	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	4.76	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.46	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.16	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.87	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.80	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	6.13	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.68	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.29	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	4.99	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	5.66	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.86	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.63	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	4.72	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	5.72	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	5.56	13	PASS

Band2	10MHz	16QAM	18900	1RB#0	6.57	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	5.50	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	6.36	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.20	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.66	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.32	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	4.88	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	5.76	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	5.60	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	6.58	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	5.13	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	6.00	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.65	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.96	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.81	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	4.66	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	5.46	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	5.64	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	6.64	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	4.79	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	5.56	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.57	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.75	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	8.35	13	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	5.22	13	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	6.13	13	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	5.64	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	6.42	13	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	4.63	13	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	5.78	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.23	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.02	13	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	5.07	13	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	5.92	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.51	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	6.31	13	PASS
Band4	3MHz	QPSK	19965	1RB#0	5.26	13	PASS
Band4	3MHz	16QAM	19965	1RB#0	6.27	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.72	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.50	13	PASS
Band4	3MHz	QPSK	20175	1RB#0	4.67	13	PASS
Band4	3MHz	16QAM	20175	1RB#0	5.80	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.27	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.04	13	PASS
Band4	3MHz	QPSK	20385	1RB#0	5.15	13	PASS


Band4	3MHz	16QAM	20385	1RB#0	6.20	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.56	13	PASS
Band4	3MHz	16QAM	20385	15RB#0	6.34	13	PASS
Band4	5MHz	QPSK	19975	1RB#0	5.37	13	PASS
Band4	5MHz	16QAM	19975	1RB#0	6.03	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.74	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.36	13	PASS
Band4	5MHz	QPSK	20175	1RB#0	4.76	13	PASS
Band4	5MHz	16QAM	20175	1RB#0	5.43	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.21	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	5.94	13	PASS
Band4	5MHz	QPSK	20375	1RB#0	5.16	13	PASS
Band4	5MHz	16QAM	20375	1RB#0	5.85	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.53	13	PASS
Band4	5MHz	16QAM	20375	25RB#0	6.20	13	PASS
Band4	10MHz	QPSK	20000	1RB#0	5.30	13	PASS
Band4	10MHz	16QAM	20000	1RB#0	6.18	13	PASS
Band4	10MHz	QPSK	20175	1RB#0	4.83	13	PASS
Band4	10MHz	16QAM	20175	1RB#0	5.67	13	PASS
Band4	10MHz	QPSK	20350	1RB#0	4.99	13	PASS
Band4	10MHz	16QAM	20350	1RB#0	5.83	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.78	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.35	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.53	13	PASS
Band4	15MHz	QPSK	20025	1RB#0	5.31	13	PASS
Band4	15MHz	16QAM	20025	1RB#0	6.16	13	PASS
Band4	15MHz	QPSK	20175	1RB#0	4.93	13	PASS
Band4	15MHz	16QAM	20175	1RB#0	5.60	13	PASS
Band4	15MHz	QPSK	20325	1RB#0	4.74	13	PASS
Band4	15MHz	16QAM	20325	1RB#0	5.65	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	6.07	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.71	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.85	13	PASS
Band4	20MHz	QPSK	20050	1RB#0	5.12	13	PASS
Band4	20MHz	16QAM	20050	1RB#0	5.90	13	PASS
Band4	20MHz	QPSK	20175	1RB#0	5.12	13	PASS
Band4	20MHz	16QAM	20175	1RB#0	5.89	13	PASS
Band4	20MHz	QPSK	20300	1RB#0	4.57	13	PASS
Band4	20MHz	16QAM	20300	1RB#0	5.67	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	5.75	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	5.58	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	5.61	13	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	4.85	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	6.05	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.47	13	PASS

Band5	1.4MHz	16QAM	20407	6RB#0	6.34	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	4.72	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.64	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.22	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	5.91	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	4.91	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	5.97	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	5.55	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	6.18	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	4.85	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	6.11	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.48	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.33	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	4.76	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.96	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.27	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	5.94	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	4.72	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	5.77	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.50	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.30	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	4.93	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.70	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.53	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.23	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	4.88	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	5.83	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.26	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.89	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	4.40	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	5.26	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.35	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	6.13	13	PASS
Band5	10MHz	QPSK	20450	1RB#0	5.01	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	6.08	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	5.04	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	5.86	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.36	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.05	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.64	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.43	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.36	13	PASS
Band7	5MHz	QPSK	20775	1RB#0	4.84	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	5.74	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.65	13	PASS


Band7	5MHz	16QAM	20775	25RB#0	6.42	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	8.36	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	5.84	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.48	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.24	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	8.36	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	6.06	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.65	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	6.40	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.95	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	5.83	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	5.02	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	5.88	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	5.53	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	6.37	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.83	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.49	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.71	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	4.99	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	5.84	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	4.96	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	5.78	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	5.64	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	6.54	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	6.18	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.71	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	6.04	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.85	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	5.61	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	4.77	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	5.86	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	5.28	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	6.08	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.93	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.57	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.77	13	PASS
Band17	5MHz	QPSK	23755	1RB#0	5.30	13	PASS
Band17	5MHz	16QAM	23755	1RB#0	5.89	13	PASS
Band17	5MHz	QPSK	23755	25RB#0	5.48	13	PASS
Band17	5MHz	16QAM	23755	25RB#0	6.12	13	PASS
Band17	5MHz	QPSK	23790	1RB#0	4.59	13	PASS
Band17	5MHz	16QAM	23790	1RB#0	5.66	13	PASS
Band17	5MHz	QPSK	23790	25RB#0	5.41	13	PASS
Band17	5MHz	16QAM	23790	25RB#0	5.97	13	PASS
Band17	5MHz	QPSK	23825	1RB#0	4.90	13	PASS

Band17	5MHz	16QAM	23825	1RB#0	5.74	13	PASS
Band17	5MHz	QPSK	23825	25RB#0	5.64	13	PASS
Band17	5MHz	16QAM	23825	25RB#0	6.36	13	PASS
Band17	10MHz	QPSK	23780	1RB#0	5.19	13	PASS
Band17	10MHz	16QAM	23780	1RB#0	6.12	13	PASS
Band17	10MHz	QPSK	23790	1RB#0	5.07	13	PASS
Band17	10MHz	16QAM	23790	1RB#0	6.09	13	PASS
Band17	10MHz	QPSK	23800	1RB#0	4.88	13	PASS
Band17	10MHz	16QAM	23800	1RB#0	5.77	13	PASS
Band17	10MHz	QPSK	23780	50RB#0	5.56	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.54	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.56	13	PASS


Test Graphs




Band2-1.4MHz-QPSK-18607-1RB#0-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-PASS




Band2-1.4MHz-16QAM-18607-6RB#0-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-PASS




Band2-1.4MHz-16QAM-18900-1RB#0-PASS




Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-16QAM-18900-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-1RB#0-PASS




Band2-1.4MHz-16QAM-19193-1RB#0-PASS



Band2-1.4MHz-QPSK-19193-6RB#0-PASS



Band2-1.4MHz-16QAM-19193-6RB#0-PASS



Agilent Spectrum Analyzer - Power Stat CCDF

Center Freq 1.851500000 GHz

Center Freq 1.851500000 GHz

Trig: Free Run

Counts: 10.0 M/10.0 Mpt

Radio Std: None

Frequency

Center Freq

1.851500000 GHz

CF Step

5.000000 MHz

Auto

Man

Freq Offset

0 Hz

Average Power

20.26 dBm

46.88 % at 0dB

10.0 % 2.34 dB

1.0 % 4.19 dB

0.1 % 5.12 dB

0.01 % 5.60 dB

0.001 % 5.92 dB

0.0001 % 5.98 dB

Peak 6.00 dB

26.26 dBm

Gaussian

100 %

10 %

1 %

0.1 %

0.01 %

0.001 %


0.0001 %

0 dB

20 dB

Info BW 25.000 MHz


Band2-3MHz-QPSK-18615-15RB#0-PASS




Band2-3MHz-16QAM-18615-15RB#0-PASS




Band2-3MHz-QPSK-18900-1RB#0-PASS




Band2-3MHz-16QAM-18900-1RB#0-PASS




Band2-3MHz-QPSK-18900-15RB#0-PASS




Band2-3MHz-16QAM-18900-15RB#0-PASS




Band2-3MHz-QPSK-19185-1RB#0-PASS




Band2-3MHz-16QAM-19185-1RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-16QAM-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-1RB#0-PASS




Band2-5MHz-16QAM-18625-1RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-16QAM-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-1RB#0-PASS




Band2-5MHz-16QAM-18900-1RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS




Band2-5MHz-16QAM-18900-25RB#0-PASS




Band2-5MHz-QPSK-19175-1RB#0-PASS




Band2-5MHz-16QAM-19175-1RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-5MHz-16QAM-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-1RB#0-PASS




Band2-10MHz-16QAM-18650-1RB#0-PASS




Band2-10MHz-QPSK-18900-1RB#0-PASS




Band2-10MHz-16QAM-18900-1RB#0-PASS




Band2-10MHz-QPSK-19150-1RB#0-PASS




Band2-10MHz-16QAM-19150-1RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-QPSK-18900-50RB#0-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-16QAM-18675-1RB#0-PASS




Band2-15MHz-QPSK-18900-1RB#0-PASS




Band2-15MHz-16QAM-18900-1RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#0-PASS




Band2-15MHz-16QAM-19125-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-16QAM-18700-1RB#0-PASS




Band2-20MHz-QPSK-18900-1RB#0-PASS




Band2-20MHz-16QAM-18900-1RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-16QAM-19100-1RB#0-PASS



Agilent Spectrum Analyzer - Power Stat CCDF

Center Freq 1.900000000 GHz

Center Freq 1.900000000 GHz

Trig: Free Run

Counts: 10.0 M/10.0 Mpt

Radio Std: None

Frequency

Center Freq
1.900000000 GHz

CF Step
5.000000 MHz

Auto

Man

Freq Offset
0 Hz

Average Power

-23.60 dBm

36.91 % at 0dB

10.0 % 3.62 dB

1.0 % 6.61 dB

0.1 % 8.35 dB

0.01 % 9.57 dB

0.001 % 10.60 dB

0.0001 % 11.28 dB

Peak 12.33 dB

-11.27 dBm

Gaussian

100 %

10 %

1 %

0.1 %

0.01 %

0.001 %


0.0001 %

0 dB


20 dB

Info BW 25.000 MHz


Band2-20MHz-QPSK-19100-100RB#0-PASS



Band4-1.4MHz-QPSK-19957-1RB#0-PASS



Band4-1.4MHz-16QAM-19957-1RB#0-PASS



Band4-1.4MHz-QPSK-19957-6RB#0-PASS