



,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					,,
10491	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10492	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.41	± 9.6 %
10493	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.37	± 9.6 %
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10497	AAB	AB LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)		7.67	± 9.6 %
10498	AAB LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)		LTE-TDD	8.40	± 9.6 %
10499	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.68	± 9.6 %
10500	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.67	± 9.6 %
10501	AAC LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)		LTE-TDD	8.44	± 9.6 %
10502	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.52	± 9.6 %
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.72	± 9.6 %
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.31	± 9.6 %
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.54	± 9.6 %
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.55	± 9.6 %
10509	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.99	± 9.6 %
10510	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.49	± 9.6 %
10511	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.42	± 9.6 %
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	LTE-TDD	8.45	± 9.6 %
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	WLAN	1.57	± 9.6 %
10517	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	WLAN	1.58	± 9.6 %
10518	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.23	± 9.6 %
10519	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.12	± 9.6 %
		IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	WLAN	7.97	± 9.6 %
10521	AAB				
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.45	
10522 10523	AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.45 8.08	± 9.6 %
10522 10523 10524	AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN WLAN	8.45	± 9.6 %
10522 10523	AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	WLAN	8.45 8.08	± 9.6 % ± 9.6 %
10522 10523 10524	AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	WLAN WLAN	8.45 8.08 8.27	± 9.6 % ± 9.6 % ± 9.6 %
10522 10523 10524 10525	AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	WLAN WLAN WLAN WLAN	8.45 8.08 8.27 8.36 8.42	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10522 10523 10524 10525 10526 10527	AAB AAB AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	WLAN WLAN WLAN WLAN WLAN	8.45 8.08 8.27 8.36 8.42 8.21	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10522 10523 10524 10525 10526 10527 10528	AAB AAB AAB AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN	8.45 8.08 8.27 8.36 8.42 8.21 8.36	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10522 10523 10524 10525 10526 10527 10528 10529	AAB AAB AAB AAB AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN WLAN WLAN	8.45 8.08 8.27 8.36 8.42 8.21 8.36 8.36	± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 % ± 9.6 %
10522 10523 10524 10525 10526 10527 10528	AAB AAB AAB AAB AAB AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle) IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	WLAN WLAN WLAN WLAN WLAN WLAN	8.45 8.08 8.27 8.36 8.42 8.21 8.36	± 9.6 % ± 9.6 %

Certificate No: EX3-3617\_Jan20/2

Page 16 of 23





10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	MALANI	0.45	+069/
10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	WLAN	8.45 8.45	± 9.6 %
10536	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	WLAN	8.32	± 9.6 % ± 9.6 %
10537	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	WLAN	8.44	± 9.6 %
10538	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10540	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10541	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10542	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10543	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	WLAN	8.65	± 9.6 %
10544	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10545	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10546	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	WLAN	8.35	± 9.6 %
10547	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10548	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10550	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	WLAN	8.38	± 9.6 %
10551	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	WLAN	8.50	
10552	AAB	IEEE 902.11ac WIFI (00MHz, MCS2, 99pc duty cycle)			± 9.6 %
10552	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle) IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10555	AAC	IEEE 802.11ac WIFI (160MHz, MCS0, 99pc duty cycle)	99.05.000, 99.700	8.48	± 9.6 %
	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	WLAN	8.47	± 9.6 %
10556		IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10564	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10565	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	WLAN	8.13	± 9.6 %
10567	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	WLAN	8.00	± 9.6 %
10568	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	WLAN	8.37	± 9.6 %
10569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	WLAN	8.10	± 9.6 %
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	WLAN	1.99	± 9.6 %
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	WLAN	1.98	± 9.6 %
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10576	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10578	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	WLAN	8.36	± 9.6 %
10580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10581	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	WLAN	8.35	± 9.6 %
10582	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10583	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	WLAN	8.59	± 9.6 %
10584	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	WLAN	8.60	± 9.6 %
10585	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10586	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	WLAN	8.49	± 9.6 %

Certificate No: EX3-3617\_Jan20/2 Page 17 of 23





10587         AAB         IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)         WLAN         8.3           10588         AAB         IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)         WLAN         8.7           10589         AAB         IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)         WLAN         8.5           10590         AAB         IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)         WLAN         8.6           10591         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)         WLAN         8.6           10592         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)         WLAN         8.7           10593         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)         WLAN         8.6           10594         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)         WLAN         8.7           10595         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)         WLAN         8.7           10596         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)         WLAN         8.7           10597         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)         WLAN         8.7           10598         AAB         IEEE 802.11n	76 ±9.6 35 ±9.6 67 ±9.6 63 ±9.6 79 ±9.6 64 ±9.6 74 ±9.6 74 ±9.6 71 ±9.6
10589	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
10590	67
10591   AAB   IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)   WLAN   8.6	63 ± 9.6 79 ± 9.6 64 ± 9.6 74 ± 9.6 74 ± 9.6 71 ± 9.6
10592	79 ± 9.6 64 ± 9.6 74 ± 9.6 74 ± 9.6 71 ± 9.6
10593         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)         WLAN         8.6           10594         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)         WLAN         8.7           10595         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)         WLAN         8.7           10596         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)         WLAN         8.7           10597         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)         WLAN         8.7           10598         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)         WLAN         8.6           10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.8           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.8           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.8	64 ± 9.6 74 ± 9.6 74 ± 9.6 71 ± 9.6
10594	74 ± 9.6 74 ± 9.6 71 ± 9.6
10595         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)         WLAN         8.7           10596         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)         WLAN         8.7           10597         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)         WLAN         8.7           10598         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)         WLAN         8.5           10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.8           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.8           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.8	74 ± 9.6 71 ± 9.6
10596         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)         WLAN         8.7           10597         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)         WLAN         8.7           10598         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)         WLAN         8.5           10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.8           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.8           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.8	71 ± 9.6
10597         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)         WLAN         8.7           10598         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)         WLAN         8.6           10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.6           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.6           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.5	
10598         AAB         IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)         WLAN         8.5           10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.5           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.5           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.5	
10599         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)         WLAN         8.7           10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.8           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.8           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.8	
10600         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)         WLAN         8.8           10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.8           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.8	
10601         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)         WLAN         8.6           10602         AAB         IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)         WLAN         8.5	
10602 AAB IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle) WLAN 8.9	
	03 ± 9.6
	76 ± 9.6
	97 ± 9.6
	82 ± 9.6
	64 ± 9.6
	77 ± 9.6
	57 ± 9.6
	78 ± 9.6
	$\frac{70}{.77}$ $\pm 9.6$
	$.94 \pm 9.6$
	.59 ± 9.0
	.82 ± 9.0
	.82 ± 9.0
	.81 ± 9.0
	.58 ± 9.0
	.86 ± 9.0
	.87 ± 9.0
	.77 ± 9.0
	.68 ± 9.0
	.82 ± 9.0
	.96 ± 9.
	.96 ± 9.
	.83 ± 9.
	.88 ± 9.
	.71 ± 9.
10629 AAB IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle) WLAN 8.	.85 ± 9.
10630 AAB IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle) WLAN 8.	.72 ± 9.
	.81 ± 9.
	.74 ± 9.
	.83 ± 9.
	.80 ± 9.
	.81 ± 9.
	.83 ± 9.
	.79 ± 9.
	.86 ± 9.
	.85 ± 9.
	.98 ± 9.
	.06 ± 9.
	.06 ± 9.
	.89 ± 9.
	.05 ± 9.
1 1064E   AAC   IEEE 900 1100 MIE (160MH= MCCO 00 1-1	.11 ± 9.
	1.96 ± 9.
10646 AAG LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7) LTE-TDD 11	1.96 ± 9.
10646         AAG         LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11           10647         AAF         LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11	
10646         AAG         LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11           10647         AAF         LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11           10648         AAA         CDMA2000 (1x Advanced)         CDMA2000         3.	.45 ± 9.
10646         AAG         LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11           10647         AAF         LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)         LTE-TDD         11           10648         AAA         CDMA2000 (1x Advanced)         CDMA2000         3.           10652         AAE         LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)         LTE-TDD         6.	

Certificate No: EX3-3617\_Jan20/2

Page 18 of 23





10654	AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAA	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAA	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAA	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAA	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAA	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAA	IEEE 802.11ax (20MHz, MCS0, 90pc duty cycle)	WLAN	9.09	± 9.6 %
10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc duty cycle)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc duty cycle)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc duty cycle)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc duty cycle)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc duty cycle)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc duty cycle)	WLAN		
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc duty cycle)	WLAN	8.62	± 9.6 %
10683	AAA			8.83	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc duty cycle)	WLAN	8.42	± 9.6 %
	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10685 10686	AAA	IEEE 802.11ax (20MHz, MCS2, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc duty cycle)	WLAN	8.28	± 9.6 %
		IEEE 802.11ax (20MHz, MCS4, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10689	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS8, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc duty cycle)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc duty cycle)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc duty cycle)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc duty cycle)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc duty cycle)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc duty cycle)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc duty cycle)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc duty cycle)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc duty cycle)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc duty cycle)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc duty cycle)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc duty cycle)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc duty cycle)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc duty cycle)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc duty cycle)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc duty cycle)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc duty cycle)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc duty cycle)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc duty cycle)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc duty cycle)	WLAN	8.55	± 9.6 %
	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc duty cycle)	WLAN	8.70	± 9.6 %
10//3		IEEE 802.11ax (80MHz, MCS5, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10723	AAA				
10723 10724 10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc duty cycle)	WLAN	8.74	± 9.6 %

Certificate No: EX3-3617\_Jan20/2

Page 19 of 23





10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc duty cycle)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc duty cycle)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc duty cycle)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc duty cycle)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc duty cycle)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc duty cycle)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc duty cycle)	WLAN	8.33	± 9.6 %
10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc duty cycle)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc duty cycle)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc duty cycle)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc duty cycle)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc duty cycle)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc duty cycle)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc duty cycle)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc duty cycle)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc duty cycle)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc duty cycle)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc duty cycle)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc duty cycle)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc duty cycle)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc duty cycle)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc duty cycle)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc duty cycle)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc duty cycle)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc duty cycle)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc duty cycle)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc duty cycle)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc duty cycle)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc duty cycle)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc duty cycle)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc duty cycle)	WLAN	8.51	± 9.6 %
10767	AAB	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1	7.99	± 9.6 %
			TDD		The second secon
10768	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1	8.01	± 9.6 %
			TDD		
10769	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1	8.01	± 9.6 %
			TDD		
10770	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
			TDD		
10771	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
A000000 00 00 1		I and the second	TDD	Samuel Samuel	
10772	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1	8.23	± 9.6 %
0.000.000.0000			TDD		
10773	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1	8.03	± 9.6 %
300000 X		The second secon	TDD		01000000000000000000000000000000000000
10774	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1	8.02	± 9.6 %
0.00000.0000000000000000000000000000000			TDD		
10776	AAB	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1	8.30	± 9.6 %
	-	, , , , , , , , , , , , , , , , , , , ,	TDD		
10778	AAB	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1	8.34	± 9.6 %
300000000000000000000000000000000000000	No. of Contract of	(	TDD		
10780	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1	8.38	± 9.6 %
			TDD		
1					
10781	AAB	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1	8.38	± 9.6 %

Certificate No: EX3-3617\_Jan20/2

Page 20 of 23





EX3DV4- SN:3617

January 30, 2020

AAB	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1	8.40	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1	8.35	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1	7.95	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1	7.82	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1	7.84	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1	7.82	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1	8.01	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1	7.89	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1	7.93	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1	7.89	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1	7.87	± 9.6 %
AAB	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1	7.93	± 9.6 %
AAB	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1	8.34	± 9.6 %
AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1	8.37	± 9.6 %
AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1	8.34	± 9.6 %
AAB	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1	8.34	± 9.6 %
AAB	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1	8.35	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1	8.35	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1	8.34	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1	8.33	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1	8.30	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1	8.41	± 9.6 %
AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1	8.41	± 9.6 %
		100	1	
	AAB	AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)  AAB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)  5G NR FR1 TDD  AAB 5G NR (CP-OF	AAB 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  ABB 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)  5G NR FR1 7.89  TDD  ABB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  5G NR FR1 8.34  TDD  ABB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  5G NR FR1 8.34  ABB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  5G NR FR1 8.34  TDD  ABB 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)  5G NR FR1 8.34  TDD  ABB 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)  5G NR FR1 8.34  TDD  ABB 5G NR (CP-OFDM,

Certificate No: EX3-3617\_Jan20/2

Page 21 of 23





EX3DV4- SN:3617

January 30, 2020

10824	AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAB	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAB	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAB	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAB	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAB	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAB	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAB	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAB	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAB	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAB	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAB	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1	7.70	± 9.6 %
10840	AAB	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAB	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAB	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAB	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1	8.41	± 9.6 %
10854	AAB	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1	8.34	± 9.6 %
10855	AAB	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1	8.36	± 9.6 %
10856	AAB	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1	8.37	± 9.6 %
10857	AAB	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1	8.35	± 9.6 %
10858	AAB	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1	8.36	± 9.6 %
10859	AAB	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1	8.34	± 9.6 %
10860	AAB	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1	8.41	± 9.6 %
10861	AAB	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1	8.40	± 9.6 %
10863	AAB	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1	8.41	± 9.6 %
10864	AAB	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1	8.37	± 9.6 %
10865	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1	8.41	± 9.6 %
10866	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1	5.68	± 9.6 %
10868	AAB	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1	5.89	± 9.6 %
10869	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %

Certificate No: EX3-3617\_Jan20/2

Page 22 of 23





-NOD V -	011.0011				.,,
10870	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2	8.41	± 9.6 %
10879	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2	8.12	± 9.6 %
10880	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAC	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAC	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2	6.65	± 9.6 %
10887	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2	7.78	± 9.6 %
10888	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2	8.13	± 9.6 %
10892	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
					1

<sup>&</sup>lt;sup>E</sup> Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX3-3617\_Jan20/2

Page 23 of 23





## **ANNEX H** Dipole Calibration Certificate

## 750 MHz Dipole Calibration Certificate

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA

Multilateral Agreement for the recognition of calibration certificates

Client

CTTL (Auden)

Certificate No: D750V3-1017\_Jul19

Dbject	D750V3 - SN:101	7	
Calibration procedure(s)	QA CAL-05.v11 Calibration Proce	dure for SAR Validation Sources	between 0.7-3 GHz
Calibration date:	July 18, 2019		
	ed in the closed laborator	robability are given on the following pages an ry facility: environment temperature $(22 \pm 3)^{\circ}$ C	
Primary Standards	ID#	Cal Date (Certificate No.)	Scheduled Calibration
Primary Standards Power meter NRP	ID # SN: 104778	Cal Date (Certificate No.) 03-Apr-19 (No. 217-02892/02893)	Scheduled Calibration Apr-20
Power meter NRP	(A. 10)		
Power meter NRP Power sensor NRP-Z91	SN: 104778	03-Apr-19 (No. 217-02892/02893)	Apr-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 104778 SN: 103244	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892)	Apr-20 Apr-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator	SN: 104778 SN: 103244 SN: 103245	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893)	Apr-20 Apr-20 Apr-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k)	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894)	Apr-20 Apr-20 Apr-20 Apr-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20
	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20 In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B Power sensor HP 8481A Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783 SN: MY41092317	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20 In house check: Oct-20 In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783 SN: MY41092317 SN: 100972	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18) 15-Jun-15 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783 SN: MY41092317	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20 In house check: Oct-20 In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter E4419B Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783 SN: MY41092317 SN: 100972	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19) Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18) 15-Jun-15 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB39512475 SN: US37292783 SN: MY41092317 SN: 100972 SN: US41080477	03-Apr-19 (No. 217-02892/02893) 03-Apr-19 (No. 217-02892) 03-Apr-19 (No. 217-02893) 04-Apr-19 (No. 217-02894) 04-Apr-19 (No. 217-02895) 29-May-19 (No. EX3-7349_May19) 30-Apr-19 (No. DAE4-601_Apr19)  Check Date (in house) 30-Oct-14 (in house check Feb-19) 07-Oct-15 (in house check Oct-18) 15-Jun-15 (in house check Oct-18) 31-Mar-14 (in house check Oct-18)	Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 Apr-20 May-20 Apr-20 Scheduled Check In house check: Oct-20

Certificate No: D750V3-1017\_Jul19

Page 1 of 8





Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S

C

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL

tissue simulating liquid

ConvF N/A sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

 a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013

b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016

c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010

d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

## **Additional Documentation:**

e) DASY4/5 System Handbook

## Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
  of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
  point exactly below the center marking of the flat phantom section, with the arms oriented
  parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
  positioned under the liquid filled phantom. The impedance stated is transformed from the
  measurement at the SMA connector to the feed point. The Return Loss ensures low
  reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
   No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate	No:	D750V3-1017_	Jul19