


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

2437MHz

14/09/2019




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

EBW

2452MHz

14/09/2019





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-	-	-
VHT20-BF_Nss1,(MCS0)_2TX	17.525M	17.616M	17M6D1D	15.9M	17.566M
VHT40-BF_Nss1,(MCS0)_2TX	35M	36.032M	36M0D1D	26.05M	35.982M
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	17.5M	17.616M	17M6D1D	15.025M	17.591M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	35.1M	36.032M	36M0D1D	24.8M	36.032M

Max-N dB = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.375M	17.591M	17.25M	17.566M
2437MHz	Pass	500k	15.9M	17.566M	17.1M	17.591M
2462MHz	Pass	500k	17.375M	17.616M	17.525M	17.591M
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	31.05M	35.982M	32.5M	36.032M
2437MHz	Pass	500k	35M	36.032M	26.05M	36.032M
2452MHz	Pass	500k	35M	35.982M	33.8M	36.032M
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	16.825M	17.616M	17.25M	17.591M
2437MHz	Pass	500k	15.025M	17.591M	16.925M	17.591M
2462MHz	Pass	500k	15.1M	17.591M	17.5M	17.591M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.1M	36.032M	32.55M	36.032M
2437MHz	Pass	500k	24.8M	36.032M	32.5M	36.032M
2452MHz	Pass	500k	35M	36.032M	35M	36.032M


Port X-N dB = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

VHT20-BF_Nss1,(MCS0)_2TX
EBW
2412MHz

14/09/2019



VHT20-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

13/09/2019




VHT20-BF_Nss1,(MCS0)_2TX
2462MHz

13/09/2019



VHT40-BF_Nss1,(MCS0)_2TX
2422MHz

14/09/2019




VHT40-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

14/09/2019



VHT40-BF_Nss1,(MCS0)_2TX
EBW
2452MHz

14/09/2019




802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2412MHz

14/09/2019



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

13/09/2019




802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2462MHz

13/09/2019



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2422MHz

14/09/2019




802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

14/09/2019


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2452MHz

14/09/2019





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-	-	-
VHT20-BF_Nss1,(MCS0)_2TX	17.525M	17.616M	17M6D1D	15.9M	17.566M
VHT40-BF_Nss1,(MCS0)_2TX	35M	36.032M	36M0D1D	26.05M	35.982M
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	17.5M	17.616M	17M6D1D	15.025M	17.591M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	35.1M	36.032M	36M0D1D	24.8M	36.032M

Max-N dB = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.375M	17.591M	17.25M	17.566M
2437MHz	Pass	500k	15.9M	17.566M	17.1M	17.591M
2462MHz	Pass	500k	17.375M	17.616M	17.525M	17.591M
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	31.05M	35.982M	32.5M	36.032M
2437MHz	Pass	500k	35M	36.032M	26.05M	36.032M
2452MHz	Pass	500k	35M	35.982M	32.55M	35.982M
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	16.825M	17.616M	17.25M	17.591M
2437MHz	Pass	500k	15.025M	17.591M	16.925M	17.591M
2462MHz	Pass	500k	15.1M	17.591M	17.5M	17.591M
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.1M	36.032M	32.55M	36.032M
2437MHz	Pass	500k	24.8M	36.032M	32.5M	36.032M
2452MHz	Pass	500k	35.05M	36.032M	33.75M	36.032M


Port X-N dB = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

VHT20-BF_Nss1,(MCS0)_2TX
EBW
2412MHz

14/09/2019



VHT20-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

13/09/2019




VHT20-BF_Nss1,(MCS0)_2TX
2462MHz

13/09/2019



VHT40-BF_Nss1,(MCS0)_2TX
2422MHz

14/09/2019




VHT40-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

14/09/2019



VHT40-BF_Nss1,(MCS0)_2TX
EBW
2452MHz

14/09/2019




802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2412MHz

14/09/2019



802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

13/09/2019




802.11ax HEW20-BF_Nss1,(MCS0)_2TX
EBW
2462MHz

13/09/2019



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2422MHz

14/09/2019




802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2437MHz

14/09/2019


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
EBW
2452MHz

14/09/2019



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	21.92	0.15560
802.11b_Nss1,(1Mbps)_2TX	24.78	0.30061
802.11g_Nss1,(6Mbps)_1TX(Port2)	20.48	0.11169
802.11g_Nss1,(6Mbps)_2TX	22.74	0.18793
VHT20_Nss1,(MCS0)_1TX(Port2)	20.30	0.10715
VHT20_Nss1,(MCS0)_2TX	22.86	0.19320
VHT40_Nss1,(MCS0)_1TX(Port2)	17.22	0.05272
VHT40_Nss1,(MCS0)_2TX	19.62	0.09162
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	20.31	0.10740
802.11ax HEW20_Nss1,(MCS0)_2TX	22.92	0.19588
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	17.38	0.05470
802.11ax HEW40_Nss1,(MCS0)_2TX	19.70	0.09333

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		20.71	20.71	30.00
2417MHz_TnomVnom	Pass	4.00		21.10	21.10	30.00
2437MHz_TnomVnom	Pass	4.00		21.92	21.92	30.00
2457MHz_TnomVnom	Pass	4.00		20.96	20.96	30.00
2462MHz_TnomVnom	Pass	4.00		20.42	20.42	30.00
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00	20.18	20.20	23.20	30.00
2417MHz_TnomVnom	Pass	4.00	20.96	20.98	23.98	30.00
2437MHz_TnomVnom	Pass	4.00	21.71	21.82	24.78	30.00
2457MHz_TnomVnom	Pass	4.00	20.27	20.88	23.60	30.00
2462MHz_TnomVnom	Pass	4.00	19.46	20.35	22.94	30.00
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		17.91	17.91	30.00
2417MHz_TnomVnom	Pass	4.00		18.67	18.67	30.00
2437MHz_TnomVnom	Pass	4.00		20.48	20.48	30.00
2457MHz_TnomVnom	Pass	4.00		18.16	18.16	30.00
2462MHz_TnomVnom	Pass	4.00		17.95	17.95	30.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00	15.79	16.00	18.91	30.00
2417MHz_TnomVnom	Pass	4.00	16.03	16.33	19.19	30.00
2437MHz_TnomVnom	Pass	4.00	19.49	19.95	22.74	30.00
2457MHz_TnomVnom	Pass	4.00	16.25	16.92	19.61	30.00
2462MHz_TnomVnom	Pass	4.00	15.31	16.15	18.76	30.00
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		17.31	17.31	30.00
2417MHz_TnomVnom	Pass	4.00		18.16	18.16	30.00
2437MHz_TnomVnom	Pass	4.00		20.30	20.30	30.00
2457MHz_TnomVnom	Pass	4.00		17.75	17.75	30.00
2462MHz_TnomVnom	Pass	4.00		17.46	17.46	30.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00	15.59	15.96	18.79	30.00
2417MHz_TnomVnom	Pass	4.00	16.00	16.26	19.14	30.00
2437MHz_TnomVnom	Pass	4.00	19.67	20.02	22.86	30.00
2457MHz_TnomVnom	Pass	4.00	16.15	16.82	19.51	30.00
2462MHz_TnomVnom	Pass	4.00	15.06	16.11	18.63	30.00
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00		16.83	16.83	30.00
2427MHz_TnomVnom	Pass	4.00		17.22	17.22	30.00
2437MHz_TnomVnom	Pass	4.00		17.22	17.22	30.00
2447MHz_TnomVnom	Pass	4.00		17.18	17.18	30.00
2452MHz_TnomVnom	Pass	4.00		16.46	16.46	30.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00	15.67	15.86	18.78	30.00



Average Power_Group 1

Appendix C

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz_TnomVnom	Pass	4.00	16.00	16.25	19.14	30.00
2437MHz_TnomVnom	Pass	4.00	16.38	16.82	19.62	30.00
2447MHz_TnomVnom	Pass	4.00	15.77	16.21	19.01	30.00
2452MHz_TnomVnom	Pass	4.00	15.54	16.04	18.81	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		17.51	17.51	30.00
2417MHz_TnomVnom	Pass	4.00		18.27	18.27	30.00
2437MHz_TnomVnom	Pass	4.00		20.31	20.31	30.00
2457MHz_TnomVnom	Pass	4.00		17.90	17.90	30.00
2462MHz_TnomVnom	Pass	4.00		17.59	17.59	30.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00	15.77	16.13	18.96	30.00
2417MHz_TnomVnom	Pass	4.00	16.14	16.42	19.29	30.00
2437MHz_TnomVnom	Pass	4.00	19.69	20.12	22.92	30.00
2457MHz_TnomVnom	Pass	4.00	16.35	17.12	19.76	30.00
2462MHz_TnomVnom	Pass	4.00	15.40	16.23	18.85	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00		16.94	16.94	30.00
2427MHz_TnomVnom	Pass	4.00		17.28	17.28	30.00
2437MHz_TnomVnom	Pass	4.00		17.38	17.38	30.00
2447MHz_TnomVnom	Pass	4.00		17.25	17.25	30.00
2452MHz_TnomVnom	Pass	4.00		16.64	16.64	30.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00	15.76	15.97	18.88	30.00
2427MHz_TnomVnom	Pass	4.00	16.06	16.39	19.24	30.00
2437MHz_TnomVnom	Pass	4.00	16.41	16.96	19.70	30.00
2447MHz_TnomVnom	Pass	4.00	15.73	16.29	19.03	30.00
2452MHz_TnomVnom	Pass	4.00	15.62	16.09	18.87	30.00

DG = Directional Gain; **Port X** = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	21.01	0.12618
802.11b_Nss1,(1Mbps)_2TX	23.55	0.22646
802.11g_Nss1,(6Mbps)_1TX(Port2)	18.95	0.07852
802.11g_Nss1,(6Mbps)_2TX	20.82	0.12078
VHT20_Nss1,(MCS0)_1TX(Port2)	17.97	0.06266
VHT20_Nss1,(MCS0)_2TX	20.79	0.11995
VHT40_Nss1,(MCS0)_1TX(Port2)	16.39	0.04355
VHT40_Nss1,(MCS0)_2TX	18.85	0.07674
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	18.19	0.06592
802.11ax HEW20_Nss1,(MCS0)_2TX	21.01	0.12618
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	16.51	0.04477
802.11ax HEW40_Nss1,(MCS0)_2TX	18.93	0.07816

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		19.83	19.83	25.00
2417MHz	Pass	11.00		19.86	19.86	25.00
2437MHz	Pass	11.00		21.01	21.01	25.00
2457MHz	Pass	11.00		20.40	20.40	25.00
2462MHz	Pass	11.00		20.10	20.10	25.00
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.00	20.23	20.11	23.18	25.00
2417MHz	Pass	11.00	20.63	20.44	23.55	25.00
2437MHz	Pass	11.00	20.25	19.61	22.95	25.00
2457MHz	Pass	11.00	20.00	19.28	22.67	25.00
2462MHz	Pass	11.00	20.06	19.27	22.69	25.00
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		15.47	15.47	25.00
2417MHz	Pass	11.00		16.36	16.36	25.00
2437MHz	Pass	11.00		18.95	18.95	25.00
2457MHz	Pass	11.00		16.54	16.54	25.00
2462MHz	Pass	11.00		15.72	15.72	25.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.00	15.35	15.43	18.40	25.00
2417MHz	Pass	11.00	16.16	16.38	19.28	25.00
2437MHz	Pass	11.00	17.68	17.93	20.82	25.00
2457MHz	Pass	11.00	15.51	16.02	18.78	25.00
2462MHz	Pass	11.00	15.03	15.67	18.37	25.00
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		15.80	15.80	25.00
2417MHz	Pass	11.00		16.25	16.25	25.00
2437MHz	Pass	11.00		17.97	17.97	25.00
2457MHz	Pass	11.00		16.32	16.32	25.00
2462MHz	Pass	11.00		15.47	15.47	25.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.00	14.12	14.39	17.27	25.00
2417MHz	Pass	11.00	15.50	15.80	18.66	25.00
2437MHz	Pass	11.00	17.53	18.01	20.79	25.00
2457MHz	Pass	11.00	14.88	15.45	18.18	25.00
2462MHz	Pass	11.00	14.49	15.17	17.85	25.00
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	11.00		15.39	15.39	25.00
2427MHz	Pass	11.00		15.93	15.93	25.00
2437MHz	Pass	11.00		16.39	16.39	25.00
2447MHz	Pass	11.00		15.48	15.48	25.00
2452MHz	Pass	11.00		15.27	15.27	25.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.00	15.29	15.44	18.38	25.00



Average Power_Group 2

Appendix C

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz	Pass	11.00	15.25	15.41	18.34	25.00
2437MHz	Pass	11.00	15.69	15.99	18.85	25.00
2447MHz	Pass	11.00	14.79	14.91	17.86	25.00
2452MHz	Pass	11.00	14.34	14.72	17.54	25.00
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		15.99	15.99	25.00
2417MHz	Pass	11.00		16.46	16.46	25.00
2437MHz	Pass	11.00		18.19	18.19	25.00
2457MHz	Pass	11.00		16.54	16.54	25.00
2462MHz	Pass	11.00		15.73	15.73	25.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.00	14.40	14.66	17.54	25.00
2417MHz	Pass	11.00	15.73	15.95	18.85	25.00
2437MHz	Pass	11.00	17.77	18.22	21.01	25.00
2457MHz	Pass	11.00	15.02	15.68	18.37	25.00
2462MHz	Pass	11.00	14.62	15.37	18.02	25.00
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	11.00		15.52	15.52	25.00
2427MHz	Pass	11.00		15.98	15.98	25.00
2437MHz	Pass	11.00		16.51	16.51	25.00
2447MHz	Pass	11.00		15.54	15.54	25.00
2452MHz	Pass	11.00		15.30	15.30	25.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.00	15.38	15.54	18.47	25.00
2427MHz	Pass	11.00	15.29	15.35	18.33	25.00
2437MHz	Pass	11.00	15.80	16.04	18.93	25.00
2447MHz	Pass	11.00	14.90	14.97	17.95	25.00
2452MHz	Pass	11.00	14.47	14.77	17.63	25.00

DG = Directional Gain; **Port X** = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	21.58	0.14388
802.11b_Nss1,(1Mbps)_2TX	24.45	0.27861
802.11g_Nss1,(6Mbps)_1TX(Port2)	19.62	0.09162
802.11g_Nss1,(6Mbps)_2TX	22.81	0.19099
VHT20_Nss1,(MCS0)_1TX(Port2)	19.51	0.08933
VHT20_Nss1,(MCS0)_2TX	21.21	0.13213
VHT40_Nss1,(MCS0)_1TX(Port2)	17.20	0.05248
VHT40_Nss1,(MCS0)_2TX	19.63	0.09183
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	19.76	0.09462
802.11ax HEW20_Nss1,(MCS0)_2TX	21.39	0.13772
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	17.30	0.05370
802.11ax HEW40_Nss1,(MCS0)_2TX	19.71	0.09354

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		20.77	20.77	27.90
2417MHz_TnomVnom	Pass	8.10		21.41	21.41	27.90
2437MHz_TnomVnom	Pass	8.10		21.58	21.58	27.90
2457MHz_TnomVnom	Pass	8.10		19.87	19.87	27.90
2462MHz_TnomVnom	Pass	8.10		19.28	19.28	27.90
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10	19.60	20.27	22.96	27.90
2417MHz_TnomVnom	Pass	8.10	20.56	20.56	23.57	27.90
2437MHz_TnomVnom	Pass	8.10	21.36	21.51	24.45	27.90
2457MHz_TnomVnom	Pass	8.10	18.73	19.49	22.14	27.90
2462MHz_TnomVnom	Pass	8.10	18.31	19.13	21.75	27.90
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		15.96	15.96	27.90
2417MHz_TnomVnom	Pass	8.10		16.85	16.85	27.90
2437MHz_TnomVnom	Pass	8.10		19.62	19.62	27.90
2457MHz_TnomVnom	Pass	8.10		16.43	16.43	27.90
2462MHz_TnomVnom	Pass	8.10		16.19	16.19	27.90
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10	15.65	15.97	18.82	27.90
2417MHz_TnomVnom	Pass	8.10	16.06	16.44	19.26	27.90
2437MHz_TnomVnom	Pass	8.10	19.62	19.97	22.81	27.90
2457MHz_TnomVnom	Pass	8.10	15.25	15.99	18.65	27.90
2462MHz_TnomVnom	Pass	8.10	14.76	15.65	18.24	27.90
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		16.81	16.81	27.90
2417MHz_TnomVnom	Pass	8.10		17.64	17.64	27.90
2437MHz_TnomVnom	Pass	8.10		19.51	19.51	27.90
2457MHz_TnomVnom	Pass	8.10		16.42	16.42	27.90
2462MHz_TnomVnom	Pass	8.10		15.14	15.14	27.90
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10	16.02	16.40	19.22	27.90
2417MHz_TnomVnom	Pass	8.10	16.51	16.82	19.68	27.90
2437MHz_TnomVnom	Pass	8.10	17.97	18.42	21.21	27.90
2457MHz_TnomVnom	Pass	8.10	15.21	15.96	18.61	27.90
2462MHz_TnomVnom	Pass	8.10	13.79	14.63	17.24	27.90
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10		16.82	16.82	27.90
2427MHz_TnomVnom	Pass	8.10		16.80	16.80	27.90
2437MHz_TnomVnom	Pass	8.10		17.20	17.20	27.90
2447MHz_TnomVnom	Pass	8.10		15.31	15.31	27.90
2452MHz_TnomVnom	Pass	8.10		14.63	14.63	27.90
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10	15.08	15.35	18.23	27.90

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz_TnomVnom	Pass	8.10	16.03	16.23	19.14	27.90
2437MHz_TnomVnom	Pass	8.10	16.39	16.83	19.63	27.90
2447MHz_TnomVnom	Pass	8.10	14.38	14.87	17.64	27.90
2452MHz_TnomVnom	Pass	8.10	13.51	14.15	16.85	27.90
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		17.20	17.20	27.90
2417MHz_TnomVnom	Pass	8.10		18.00	18.00	27.90
2437MHz_TnomVnom	Pass	8.10		19.76	19.76	27.90
2457MHz_TnomVnom	Pass	8.10		16.63	16.63	27.90
2462MHz_TnomVnom	Pass	8.10		15.42	15.42	27.90
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10	16.27	16.62	19.46	27.90
2417MHz_TnomVnom	Pass	8.10	16.62	16.98	19.81	27.90
2437MHz_TnomVnom	Pass	8.10	18.13	18.61	21.39	27.90
2457MHz_TnomVnom	Pass	8.10	15.37	16.12	18.77	27.90
2462MHz_TnomVnom	Pass	8.10	14.03	14.90	17.50	27.90
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10		16.94	16.94	27.90
2427MHz_TnomVnom	Pass	8.10		16.90	16.90	27.90
2437MHz_TnomVnom	Pass	8.10		17.30	17.30	27.90
2447MHz_TnomVnom	Pass	8.10		15.51	15.51	27.90
2452MHz_TnomVnom	Pass	8.10		14.79	14.79	27.90
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10	15.12	15.43	18.29	27.90
2427MHz_TnomVnom	Pass	8.10	16.04	16.37	19.22	27.90
2437MHz_TnomVnom	Pass	8.10	16.52	16.87	19.71	27.90
2447MHz_TnomVnom	Pass	8.10	14.55	14.98	17.78	27.90
2452MHz_TnomVnom	Pass	8.10	13.70	14.28	17.01	27.90

DG = Directional Gain; **Port X** = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	21.03	0.12677
802.11b_Nss1,(1Mbps)_2TX	23.74	0.23659
802.11g_Nss1,(6Mbps)_1TX(Port2)	18.56	0.07178
802.11g_Nss1,(6Mbps)_2TX	21.36	0.13677
VHT20_Nss1,(MCS0)_1TX(Port2)	18.04	0.06368
VHT20_Nss1,(MCS0)_2TX	21.25	0.13335
VHT40_Nss1,(MCS0)_1TX(Port2)	16.01	0.03990
VHT40_Nss1,(MCS0)_2TX	18.88	0.07727
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	18.26	0.06699
802.11ax HEW20_Nss1,(MCS0)_2TX	21.45	0.13964
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	16.17	0.04140
802.11ax HEW40_Nss1,(MCS0)_2TX	18.93	0.07816

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		20.27	20.27	26.20
2417MHz	Pass	9.80		20.29	20.29	26.20
2437MHz	Pass	9.80		21.03	21.03	26.20
2457MHz	Pass	9.80		20.03	20.03	26.20
2462MHz	Pass	9.80		19.64	19.64	26.20
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.80	20.22	20.20	23.22	26.20
2417MHz	Pass	9.80	20.35	20.51	23.44	26.20
2437MHz	Pass	9.80	20.48	20.97	23.74	26.20
2457MHz	Pass	9.80	19.37	19.90	22.65	26.20
2462MHz	Pass	9.80	18.85	19.29	22.09	26.20
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		15.47	15.47	26.20
2417MHz	Pass	9.80		16.44	16.44	26.20
2437MHz	Pass	9.80		18.56	18.56	26.20
2457MHz	Pass	9.80		16.03	16.03	26.20
2462MHz	Pass	9.80		15.70	15.70	26.20
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.80	15.26	15.51	18.40	26.20
2417MHz	Pass	9.80	16.16	16.35	19.27	26.20
2437MHz	Pass	9.80	18.08	18.61	21.36	26.20
2457MHz	Pass	9.80	15.51	16.08	18.81	26.20
2462MHz	Pass	9.80	15.06	15.69	18.40	26.20
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		14.51	14.51	26.20
2417MHz	Pass	9.80		16.79	16.79	26.20
2437MHz	Pass	9.80		18.04	18.04	26.20
2457MHz	Pass	9.80		15.89	15.89	26.20
2462MHz	Pass	9.80		15.18	15.18	26.20
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.80	15.71	11.86	17.21	26.20
2417MHz	Pass	9.80	16.55	16.77	19.67	26.20
2437MHz	Pass	9.80	18.03	18.44	21.25	26.20
2457MHz	Pass	9.80	15.40	15.97	18.70	26.20
2462MHz	Pass	9.80	14.53	15.21	17.89	26.20
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	9.80		15.42	15.42	26.20
2427MHz	Pass	9.80		15.88	15.88	26.20
2437MHz	Pass	9.80		16.01	16.01	26.20
2447MHz	Pass	9.80		15.38	15.38	26.20
2452MHz	Pass	9.80		14.69	14.69	26.20
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	9.80	15.16	15.40	18.29	26.20



Average Power_Group 4

Appendix C

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz	Pass	9.80	15.80	15.87	18.85	26.20
2437MHz	Pass	9.80	15.76	15.97	18.88	26.20
2447MHz	Pass	9.80	15.05	15.37	18.22	26.20
2452MHz	Pass	9.80	14.35	14.72	17.55	26.20
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		14.44	14.44	26.20
2417MHz	Pass	9.80		16.97	16.97	26.20
2437MHz	Pass	9.80		18.26	18.26	26.20
2457MHz	Pass	9.80		16.09	16.09	26.20
2462MHz	Pass	9.80		15.43	15.43	26.20
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.80	15.85	16.10	18.99	26.20
2417MHz	Pass	9.80	16.66	16.92	19.80	26.20
2437MHz	Pass	9.80	18.16	18.70	21.45	26.20
2457MHz	Pass	9.80	15.48	16.12	18.82	26.20
2462MHz	Pass	9.80	14.64	15.35	18.02	26.20
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	9.80		15.55	15.55	26.20
2427MHz	Pass	9.80		16.06	16.06	26.20
2437MHz	Pass	9.80		16.17	16.17	26.20
2447MHz	Pass	9.80		16.01	16.01	26.20
2452MHz	Pass	9.80		14.92	14.92	26.20
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	9.80	15.32	15.53	18.44	26.20
2427MHz	Pass	9.80	15.89	15.94	18.93	26.20
2437MHz	Pass	9.80	15.86	15.97	18.93	26.20
2447MHz	Pass	9.80	15.27	15.49	18.39	26.20
2452MHz	Pass	9.80	14.49	14.89	17.70	26.20

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_1TX	13.68	0.02333
802.11g_Nss1,(6Mbps)_1TX	21.47	0.14028
VHT20_Nss1,(MCS0)_1TX	21.72	0.14859
VHT40_Nss1,(MCS0)_1TX	17.21	0.05260

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.60	12.56	12.56	30.00
2417MHz	Pass	4.60	13.64	13.64	30.00
2437MHz	Pass	4.60	13.68	13.68	30.00
2457MHz	Pass	4.60	13.47	13.47	30.00
2462MHz	Pass	4.60	12.93	12.93	30.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	4.60	16.24	16.24	30.00
2417MHz	Pass	4.60	19.99	19.99	30.00
2437MHz	Pass	4.60	21.47	21.47	30.00
2457MHz	Pass	4.60	19.77	19.77	30.00
2462MHz	Pass	4.60	16.35	16.35	30.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	4.60	15.10	15.10	30.00
2417MHz	Pass	4.60	19.85	19.85	30.00
2437MHz	Pass	4.60	21.72	21.72	30.00
2457MHz	Pass	4.60	19.64	19.64	30.00
2462MHz	Pass	4.60	15.80	15.80	30.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz	Pass	4.60	13.14	13.14	30.00
2427MHz	Pass	4.60	15.16	15.16	30.00
2437MHz	Pass	4.60	17.21	17.21	30.00
2447MHz	Pass	4.60	14.65	14.65	30.00
2452MHz	Pass	4.60	11.57	11.57	30.00

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	19.44	0.08790
VHT40-BF_Nss1,(MCS0)_2TX	18.78	0.07551
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.46	0.08831
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.85	0.07674

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.01	14.95	15.29	18.13	28.99
2417MHz	Pass	7.01	16.18	16.22	19.21	28.99
2437MHz	Pass	7.01	16.19	16.33	19.27	28.99
2457MHz	Pass	7.01	16.36	16.50	19.44	28.99
2462MHz	Pass	7.01	15.39	15.54	18.48	28.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.01	14.92	15.65	18.31	28.99
2427MHz	Pass	7.01	15.31	15.43	18.38	28.99
2437MHz	Pass	7.01	15.81	15.72	18.78	28.99
2447MHz	Pass	7.01	13.55	13.40	16.49	28.99
2452MHz	Pass	7.01	13.25	13.35	16.31	28.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.01	15.35	15.33	18.35	28.99
2417MHz	Pass	7.01	16.17	16.30	19.25	28.99
2437MHz	Pass	7.01	16.38	16.18	19.29	28.99
2457MHz	Pass	7.01	16.41	16.49	19.46	28.99
2462MHz	Pass	7.01	15.41	15.54	18.49	28.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.01	15.46	15.64	18.56	28.99
2427MHz	Pass	7.01	15.26	15.54	18.41	28.99
2437MHz	Pass	7.01	16.51	15.04	18.85	28.99
2447MHz	Pass	7.01	13.47	13.71	16.60	28.99
2452MHz	Pass	7.01	13.72	13.14	16.45	28.99

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	19.44	0.08790
VHT40-BF_Nss1,(MCS0)_2TX	17.46	0.05572
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.46	0.08831
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	17.53	0.05662



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	13.43	13.38	16.42	21.99
2417MHz	Pass	14.01	15.10	15.32	18.22	21.99
2437MHz	Pass	14.01	16.19	16.33	19.27	21.99
2457MHz	Pass	14.01	16.36	16.50	19.44	21.99
2462MHz	Pass	14.01	15.39	15.54	18.48	21.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	12.20	12.56	15.39	21.99
2427MHz	Pass	14.01	13.48	13.43	16.47	21.99
2437MHz	Pass	14.01	14.33	14.57	17.46	21.99
2447MHz	Pass	14.01	13.55	13.40	16.49	21.99
2452MHz	Pass	14.01	11.56	11.77	14.68	21.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	13.36	13.47	16.43	21.99
2417MHz	Pass	14.01	15.15	15.45	18.31	21.99
2437MHz	Pass	14.01	16.38	16.18	19.29	21.99
2457MHz	Pass	14.01	16.41	16.49	19.46	21.99
2462MHz	Pass	14.01	15.41	15.54	18.49	21.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	12.46	12.72	15.60	21.99
2427MHz	Pass	14.01	13.84	13.63	16.75	21.99
2437MHz	Pass	14.01	14.55	14.48	17.53	21.99
2447MHz	Pass	14.01	13.47	13.71	16.60	21.99
2452MHz	Pass	14.01	11.84	11.61	14.74	21.99

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	19.44	0.08790
VHT40-BF_Nss1,(MCS0)_2TX	18.37	0.06871
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.46	0.08831
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.45	0.06998



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.11	13.43	13.38	16.42	24.89
2417MHz	Pass	11.11	16.18	16.22	19.21	24.89
2437MHz	Pass	11.11	16.19	16.33	19.27	24.89
2457MHz	Pass	11.11	16.36	16.50	19.44	24.89
2462MHz	Pass	11.11	15.39	15.54	18.48	24.89
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.11	12.20	12.56	15.39	24.89
2427MHz	Pass	11.11	13.48	13.43	16.47	24.89
2437MHz	Pass	11.11	15.18	15.54	18.37	24.89
2447MHz	Pass	11.11	13.55	13.40	16.49	24.89
2452MHz	Pass	11.11	12.48	12.64	15.57	24.89
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.11	13.36	13.47	16.43	24.89
2417MHz	Pass	11.11	16.17	16.30	19.25	24.89
2437MHz	Pass	11.11	16.38	16.18	19.29	24.89
2457MHz	Pass	11.11	16.41	16.49	19.46	24.89
2462MHz	Pass	11.11	15.41	15.54	18.49	24.89
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.11	12.46	12.72	15.60	24.89
2427MHz	Pass	11.11	13.84	13.63	16.75	24.89
2437MHz	Pass	11.11	15.46	15.41	18.45	24.89
2447MHz	Pass	11.11	13.47	13.71	16.60	24.89
2452MHz	Pass	11.11	12.58	12.63	15.62	24.89

DG = Directional Gain; **Port X** = Port X output power



Summary

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
VHT20-BF_Nss1,(MCS0)_2TX	19.27	0.08453
VHT40-BF_Nss1,(MCS0)_2TX	18.37	0.06871
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	19.29	0.08492
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.45	0.06998

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	13.43	13.38	16.42	23.19
2417MHz	Pass	12.81	15.09	15.31	18.21	23.19
2437MHz	Pass	12.81	16.19	16.33	19.27	23.19
2457MHz	Pass	12.81	15.25	15.42	18.35	23.19
2462MHz	Pass	12.81	15.39	15.54	18.48	23.19
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	12.20	12.56	15.39	23.19
2427MHz	Pass	12.81	13.48	13.43	16.47	23.19
2437MHz	Pass	12.81	15.18	15.54	18.37	23.19
2447MHz	Pass	12.81	14.45	14.49	17.48	23.19
2452MHz	Pass	12.81	14.55	14.56	17.57	23.19
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	13.36	13.47	16.43	23.19
2417MHz	Pass	12.81	15.09	15.38	18.25	23.19
2437MHz	Pass	12.81	16.38	16.18	19.29	23.19
2457MHz	Pass	12.81	15.24	15.46	18.36	23.19
2462MHz	Pass	12.81	15.41	15.54	18.49	23.19
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	12.46	12.72	15.60	23.19
2427MHz	Pass	12.81	13.84	13.63	16.75	23.19
2437MHz	Pass	12.81	15.46	15.41	18.45	23.19
2447MHz	Pass	12.81	14.41	14.67	17.55	23.19
2452MHz	Pass	12.81	14.47	14.72	17.61	23.19

DG = Directional Gain; **Port X** = Port X output power

Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-1.45
802.11b_Nss1,(1Mbps)_2TX	-0.67
802.11g_Nss1,(6Mbps)_1TX(Port2)	-6.53
802.11g_Nss1,(6Mbps)_2TX	-5.76
VHT20_Nss1,(MCS0)_1TX(Port2)	-6.27
VHT20_Nss1,(MCS0)_2TX	-4.09
VHT40_Nss1,(MCS0)_1TX(Port2)	-11.39
VHT40_Nss1,(MCS0)_2TX	-10.43
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-7.16
802.11ax HEW20_Nss1,(MCS0)_2TX	-4.75
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-10.79
802.11ax HEW40_Nss1,(MCS0)_2TX	-11.61

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		-3.12	-3.12	8.00
2437MHz_TnomVnom	Pass	4.00		-1.45	-1.45	8.00
2462MHz_TnomVnom	Pass	4.00		-2.41	-2.41	8.00
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	7.01	-3.34	-3.99	-1.36	6.99
2437MHz_TnomVnom	Pass	7.01	-2.65	-2.17	-0.67	6.99
2462MHz_TnomVnom	Pass	7.01	-4.45	-3.42	-1.68	6.99
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		-10.71	-10.71	8.00
2437MHz_TnomVnom	Pass	4.00		-6.53	-6.53	8.00
2462MHz_TnomVnom	Pass	4.00		-10.26	-10.26	8.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	7.01	-12.78	-12.34	-10.28	6.99
2437MHz_TnomVnom	Pass	7.01	-8.97	-7.36	-5.76	6.99
2462MHz_TnomVnom	Pass	7.01	-13.07	-11.94	-10.66	6.99
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		-7.97	-7.97	8.00
2437MHz_TnomVnom	Pass	4.00		-6.27	-6.27	8.00
2462MHz_TnomVnom	Pass	4.00		-9.17	-9.17	8.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	7.01	-11.03	-11.11	-9.23	6.99
2437MHz_TnomVnom	Pass	7.01	-6.30	-6.80	-4.09	6.99
2462MHz_TnomVnom	Pass	7.01	-9.82	-9.55	-9.01	6.99
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00		-12.20	-12.20	8.00
2437MHz_TnomVnom	Pass	4.00		-11.39	-11.39	8.00
2452MHz_TnomVnom	Pass	4.00		-12.73	-12.73	8.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	7.01	-12.12	-12.89	-11.56	6.99
2437MHz_TnomVnom	Pass	7.01	-11.79	-11.24	-10.43	6.99
2452MHz_TnomVnom	Pass	7.01	-12.57	-11.68	-10.78	6.99
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.00		-9.31	-9.31	8.00
2437MHz_TnomVnom	Pass	4.00		-7.16	-7.16	8.00
2462MHz_TnomVnom	Pass	4.00		-8.77	-8.77	8.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	7.01	-11.49	-11.52	-10.21	6.99
2437MHz_TnomVnom	Pass	7.01	-6.16	-5.69	-4.75	6.99
2462MHz_TnomVnom	Pass	7.01	-10.81	-9.95	-8.98	6.99
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.00		-10.79	-10.79	8.00
2437MHz_TnomVnom	Pass	4.00		-11.29	-11.29	8.00
2452MHz_TnomVnom	Pass	4.00		-12.71	-12.71	8.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	7.01	-13.94	-13.52	-12.61	6.99
2437MHz_TnomVnom	Pass	7.01	-13.21	-12.95	-11.61	6.99
2452MHz_TnomVnom	Pass	7.01	-13.43	-12.78	-12.17	6.99

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.12	-3.12		-3.12

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.45	-1.45		-1.45

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.41	-2.41		-2.41

802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.36	-1.36	-3.34	-3.99

802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.67	-0.67	-2.65	-2.17

802.11b_Nss1,(1Mbps)_2TX

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.68	-1.68	-4.45	-3.42

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.71	-10.71		-10.71

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.53	-6.53		-6.53

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.26	-10.26		-10.26

802.11g_Nss1,(6Mbps)_2TX


PSD

2412MHz

12/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.28	-10.28	-12.78	-12.34




802.11g_Nss1,(6Mbps)_2TX


PSD

2437MHz

12/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.76	-5.76	-8.97	-7.36




802.11g_Nss1,(6Mbps)_2TX


PSD

2462MHz

12/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.66	-10.66	-13.07	-11.94




VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.97	-7.97		-7.97

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.27	-6.27		-6.27

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.17	-9.17		-9.17

VHT20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.23	-9.23	-11.03	-11.11

VHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.09	-4.09	-6.30	-6.80

VHT20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.01	-9.01	-9.82	-9.55

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.20	-12.20		-12.20

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.39	-11.39		-11.39

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.73	-12.73		-12.73

VHT40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.56	-11.56	-12.12	-12.89

VHT40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.43	-10.43	-11.79	-11.24

VHT40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.78	-10.78	-12.57	-11.68

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.31	-9.31		-9.31

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.16	-7.16		-7.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.77	-8.77		-8.77

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.21	-10.21	-11.49	-11.52

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.75	-4.75	-6.16	-5.69

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.98	-8.98	-10.81	-9.95

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.79	-10.79		-10.79

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.29	-11.29		-11.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.71	-12.71		-12.71

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.61	-12.61	-13.94	-13.52

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.61	-11.61	-13.21	-12.95

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.17	-12.17	-13.43	-12.78

Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-2.21
802.11b_Nss1,(1Mbps)_2TX	-0.10
802.11g_Nss1,(6Mbps)_1TX(Port2)	-8.45
802.11g_Nss1,(6Mbps)_2TX	-7.95
VHT20_Nss1,(MCS0)_1TX(Port2)	-7.87
VHT20_Nss1,(MCS0)_2TX	-6.78
VHT40_Nss1,(MCS0)_1TX(Port2)	-12.07
VHT40_Nss1,(MCS0)_2TX	-11.28
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-8.79
802.11ax HEW20_Nss1,(MCS0)_2TX	-7.13
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-11.39
802.11ax HEW40_Nss1,(MCS0)_2TX	-10.77

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		-2.64	-2.64	3.00
2417MHz						
2437MHz	Pass	11.00		-2.21	-2.21	3.00
2457MHz						
2462MHz	Pass	11.00		-2.63	-2.63	3.00
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-2.59	-1.28	-0.48	-0.01
2417MHz						
2437MHz	Pass	14.01	-0.42	-2.98	-0.10	-0.01
2457MHz						
2462MHz	Pass	14.01	-0.70	-2.86	-0.43	-0.01
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		-11.63	-11.63	3.00
2417MHz						
2437MHz	Pass	11.00		-8.45	-8.45	3.00
2457MHz						
2462MHz	Pass	11.00		-11.28	-11.28	3.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-11.23	-11.92	-9.97	-0.01
2417MHz						
2437MHz	Pass	14.01	-9.63	-8.90	-7.95	-0.01
2457MHz						
2462MHz	Pass	14.01	-12.38	-11.82	-9.80	-0.01
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		-10.62	-10.62	3.00
2417MHz						
2437MHz	Pass	11.00		-7.87	-7.87	3.00
2457MHz						
2462MHz	Pass	11.00		-10.47	-10.47	3.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-12.30	-12.04	-10.28	-0.01
2417MHz						
2437MHz	Pass	14.01	-7.75	-8.35	-6.78	-0.01
2457MHz						
2462MHz	Pass	14.01	-11.24	-11.11	-8.17	-0.01
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	11.00		-13.00	-13.00	3.00
2427MHz						
2437MHz	Pass	11.00		-12.07	-12.07	3.00
2447MHz						
2452MHz	Pass	11.00		-12.73	-12.73	3.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	-13.13	-12.90	-11.48	-0.01

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
2427MHz						
2437MHz	Pass	14.01	-12.06	-12.84	-11.28	-0.01
2447MHz						
2452MHz	Pass	14.01	-12.23	-13.95	-11.62	-0.01
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	11.00		-11.42	-11.42	3.00
2417MHz						
2437MHz	Pass	11.00		-8.79	-8.79	3.00
2457MHz						
2462MHz	Pass	11.00		-10.50	-10.50	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-12.46	-12.48	-10.78	-0.01
2417MHz						
2437MHz	Pass	14.01	-8.13	-8.05	-7.13	-0.01
2457MHz						
2462MHz	Pass	14.01	-12.08	-11.68	-10.45	-0.01
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	11.00		-13.28	-13.28	3.00
2427MHz						
2437MHz	Pass	11.00		-11.39	-11.39	3.00
2447MHz						
2452MHz	Pass	11.00		-13.13	-13.13	3.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	-12.93	-13.31	-12.25	-0.01
2427MHz						
2437MHz	Pass	14.01	-13.30	-11.48	-10.77	-0.01
2447MHz						
2452MHz	Pass	14.01	-14.70	-14.35	-12.71	-0.01

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.64	-2.64		-2.64

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21		-2.21

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.63	-2.63		-2.63

802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.48	-0.48	-2.59	-1.28

802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.10	-0.10	-0.42	-2.98

802.11b_Nss1,(1Mbps)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.43	-0.43	-0.70	-2.86

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.63	-11.63		-11.63

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.45	-8.45		-8.45

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.28	-11.28		-11.28

802.11g_Nss1,(6Mbps)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.97	-9.97	-11.23	-11.92

802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.95	-7.95	-9.63	-8.90

802.11g_Nss1,(6Mbps)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.80	-9.80	-12.38	-11.82

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.62	-10.62		-10.62

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.87	-7.87		-7.87

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.47	-10.47		-10.47


VHT20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019

CF
2.412GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
334ms
Detector Type
Peak



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.28	-10.28	-12.30	-12.04


VHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019

CF
2.437GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
334ms
Detector Type
Peak



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.78	-6.78	-7.75	-8.35


VHT20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019

CF
2.462GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
334ms
Detector Type
Peak



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.17	-8.17	-11.24	-11.11

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.00	-13.00		-13.00

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.07	-12.07		-12.07

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.73	-12.73		-12.73

VHT40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.48	-11.48	-13.13	-12.90

VHT40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.28	-11.28	-12.06	-12.84

VHT40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.62	-11.62	-12.23	-13.95

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.42	-11.42		-11.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.79	-8.79		-8.79

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.50	-10.50		-10.50

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.78	-10.78	-12.46	-12.48

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.13	-7.13	-8.13	-8.05

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.45	-10.45	-12.08	-11.68

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.28	-13.28		-13.28

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.39	-11.39		-11.39

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.13	-13.13		-13.13

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.25	-12.25	-12.93	-13.31

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.77	-10.77	-13.30	-11.48

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.71	-12.71	-14.70	-14.35

Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-1.22
802.11b_Nss1,(1Mbps)_2TX	0.59
802.11g_Nss1,(6Mbps)_1TX(Port2)	-8.28
802.11g_Nss1,(6Mbps)_2TX	-5.98
VHT20_Nss1,(MCS0)_1TX(Port2)	-6.94
VHT20_Nss1,(MCS0)_2TX	-6.02
VHT40_Nss1,(MCS0)_1TX(Port2)	-11.23
VHT40_Nss1,(MCS0)_2TX	-8.93
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-6.65
802.11ax HEW20_Nss1,(MCS0)_2TX	-6.41
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-11.59
802.11ax HEW40_Nss1,(MCS0)_2TX	-11.35

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		-3.23	-3.23	5.90
2437MHz_TnomVnom	Pass	8.10		-1.22	-1.22	5.90
2462MHz_TnomVnom	Pass	8.10		-4.66	-4.66	5.90
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	11.11	-0.04	-2.68	0.59	2.89
2437MHz_TnomVnom	Pass	11.11	-2.19	-2.32	-0.79	2.89
2462MHz_TnomVnom	Pass	11.11	-5.27	-4.19	-3.06	2.89
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		-12.33	-12.33	5.90
2437MHz_TnomVnom	Pass	8.10		-8.28	-8.28	5.90
2462MHz_TnomVnom	Pass	8.10		-11.09	-11.09	5.90
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	11.11	-12.56	-11.12	-9.73	2.89
2437MHz_TnomVnom	Pass	11.11	-6.23	-8.20	-5.98	2.89
2462MHz_TnomVnom	Pass	11.11	-12.39	-12.24	-10.54	2.89
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		-9.40	-9.40	5.90
2437MHz_TnomVnom	Pass	8.10		-6.94	-6.94	5.90
2462MHz_TnomVnom	Pass	8.10		-11.15	-11.15	5.90
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	11.11	-9.50	-9.78	-8.65	2.89
2437MHz_TnomVnom	Pass	11.11	-7.37	-6.94	-6.02	2.89
2462MHz_TnomVnom	Pass	11.11	-12.86	-11.91	-11.07	2.89
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10		-11.88	-11.88	5.90
2437MHz_TnomVnom	Pass	8.10		-11.23	-11.23	5.90
2452MHz_TnomVnom	Pass	8.10		-14.42	-14.42	5.90
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	11.11	-13.04	-13.75	-10.42	2.89
2437MHz_TnomVnom	Pass	11.11	-12.14	-11.66	-8.93	2.89
2452MHz_TnomVnom	Pass	11.11	-15.35	-14.53	-13.19	2.89
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	8.10		-9.01	-9.01	5.90
2437MHz_TnomVnom	Pass	8.10		-6.65	-6.65	5.90
2462MHz_TnomVnom	Pass	8.10		-12.13	-12.13	5.90
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	11.11	-11.09	-9.50	-8.56	2.89
2437MHz_TnomVnom	Pass	11.11	-8.70	-7.88	-6.41	2.89
2462MHz_TnomVnom	Pass	11.11	-12.42	-12.06	-10.63	2.89
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	8.10		-11.60	-11.60	5.90
2437MHz_TnomVnom	Pass	8.10		-11.59	-11.59	5.90
2452MHz_TnomVnom	Pass	8.10		-15.09	-15.09	5.90



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	11.11	-14.10	-13.61	-11.35	2.89
2437MHz_TnomVnom	Pass	11.11	-13.38	-12.80	-11.35	2.89
2452MHz_TnomVnom	Pass	11.11	-14.74	-14.62	-13.51	2.89

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.23	-3.23		-3.23

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.22	-1.22		-1.22

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.66	-4.66		-4.66

802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.59	0.59	-0.04	-2.68

802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.79	-0.79	-2.19	-2.32

802.11b_Nss1,(1Mbps)_2TX

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.06	-3.06	-5.27	-4.19

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.33	-12.33		-12.33

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.28	-8.28		-8.28

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.09	-11.09		-11.09

802.11g_Nss1,(6Mbps)_2TX

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.73	-9.73	-12.56	-11.12

802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.98	-5.98	-6.23	-8.20

802.11g_Nss1,(6Mbps)_2TX

PSD

2462MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.54	-10.54	-12.39	-12.24

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.40	-9.40		-9.40

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.94	-6.94		-6.94

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.15	-11.15		-11.15

VHT20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.65	-8.65	-9.50	-9.78

VHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.02	-6.02	-7.37	-6.94

VHT20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.07	-11.07	-12.86	-11.91

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.88	-11.88		-11.88

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.23	-11.23		-11.23

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-14.42	-14.42		-14.42

VHT40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.42	-10.42	-13.04	-13.75

VHT40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.93	-8.93	-12.14	-11.66

VHT40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.19	-13.19	-15.35	-14.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.01	-9.01		-9.01

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

12/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.65	-6.65		-6.65

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.13	-12.13		-12.13

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.56	-8.56	-11.09	-9.50

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.41	-6.41	-8.70	-7.88

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.63	-10.63	-12.42	-12.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.60	-11.60		-11.60

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.59	-11.59		-11.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-15.09	-15.09		-15.09

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)
-11.35	-11.35	-14.10	-13.61

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)
-11.35	-11.35	-13.38	-12.80

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019



Sum	PD	Port 1	Port 2
(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)	(dBm/100Hz)
-13.51	-13.51	-14.74	-14.62

Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-2.45
802.11b_Nss1,(1Mbps)_2TX	-0.44
802.11g_Nss1,(6Mbps)_1TX(Port2)	-8.04
802.11g_Nss1,(6Mbps)_2TX	-7.30
VHT20_Nss1,(MCS0)_1TX(Port2)	-8.36
VHT20_Nss1,(MCS0)_2TX	-5.46
VHT40_Nss1,(MCS0)_1TX(Port2)	-12.38
VHT40_Nss1,(MCS0)_2TX	-10.33
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-8.80
802.11ax HEW20_Nss1,(MCS0)_2TX	-6.03
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-12.88
802.11ax HEW40_Nss1,(MCS0)_2TX	-11.01

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		-3.16	-3.16	4.20
2417MHz						
2437MHz	Pass	9.80		-2.60	-2.60	4.20
2457MHz						
2462MHz	Pass	9.80		-2.45	-2.45	4.20
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-2.10	-3.12	-1.10	1.19
2417MHz						
2437MHz	Pass	12.81	-2.77	-2.67	-0.44	1.19
2457MHz						
2462MHz	Pass	12.81	-2.48	-2.13	-0.65	1.19
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		-12.23	-12.23	4.20
2417MHz						
2437MHz	Pass	9.80		-8.04	-8.04	4.20
2457MHz						
2462MHz	Pass	9.80		-11.67	-11.67	4.20
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-12.45	-10.42	-9.85	1.19
2417MHz						
2437MHz	Pass	12.81	-9.56	-8.93	-7.30	1.19
2457MHz						
2462MHz	Pass	12.81	-12.32	-11.68	-10.60	1.19
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		-11.38	-11.38	4.20
2417MHz						
2437MHz	Pass	9.80		-8.36	-8.36	4.20
2457MHz						
2462MHz	Pass	9.80		-10.79	-10.79	4.20
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-9.84	-9.41	-7.81	1.19
2417MHz						
2437MHz	Pass	12.81	-7.50	-7.95	-5.46	1.19
2457MHz						
2462MHz	Pass	12.81	-11.47	-11.34	-9.66	1.19
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	9.80		-12.38	-12.38	4.20
2427MHz						
2437MHz	Pass	9.80		-12.83	-12.83	4.20
2447MHz						
2452MHz	Pass	9.80		-14.12	-14.12	4.20
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	-13.30	-13.14	-10.93	1.19

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
2427MHz						
2437MHz	Pass	12.81	-12.97	-11.36	-10.33	1.19
2447MHz						
2452MHz	Pass	12.81	-13.20	-12.12	-11.10	1.19
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2412MHz	Pass	9.80		-11.86	-11.86	4.20
2417MHz						
2437MHz	Pass	9.80		-8.80	-8.80	4.20
2457MHz						
2462MHz	Pass	9.80		-11.07	-11.07	4.20
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-11.32	-10.83	-9.44	1.19
2417MHz						
2437MHz	Pass	12.81	-9.00	-8.20	-6.03	1.19
2457MHz						
2462MHz	Pass	12.81	-11.44	-11.38	-10.13	1.19
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-
2422MHz	Pass	9.80		-13.23	-13.23	4.20
2427MHz						
2437MHz	Pass	9.80		-12.88	-12.88	4.20
2447MHz						
2452MHz	Pass	9.80		-14.69	-14.69	4.20
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	-12.43	-14.05	-11.01	1.19
2427MHz						
2437MHz	Pass	12.81	-13.20	-11.99	-11.73	1.19
2447MHz						
2452MHz	Pass	12.81	-14.22	-14.32	-12.44	1.19

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.16	-3.16		-3.16

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.60	-2.60		-2.60

802.11b_Nss1,(1Mbps)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.45	-2.45		-2.45

802.11b_Nss1,(1Mbps)_2TX

2412MHz

PSD

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.10	-1.10	-2.10	-3.12

802.11b_Nss1,(1Mbps)_2TX

2437MHz

PSD

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.44	-0.44	-2.77	-2.67

802.11b_Nss1,(1Mbps)_2TX

2462MHz

PSD

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.65	-0.65	-2.48	-2.13

802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2412MHz

13/08/2019




802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2437MHz

13/08/2019




802.11g_Nss1,(6Mbps)_1TX(Port2)

PSD

2462MHz

13/08/2019




802.11g_Nss1,(6Mbps)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.85	-9.85	-12.45	-10.42

802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.30	-7.30	-9.56	-8.93

802.11g_Nss1,(6Mbps)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.60	-10.60	-12.32	-11.68

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019



Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.38	-11.38		-11.38

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019



Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.36	-8.36		-8.36

VHT20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019



Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.79	-10.79		-10.79

VHT20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.81	-7.81	-9.84	-9.41

VHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.46	-5.46	-7.50	-7.95

VHT20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.66	-9.66	-11.47	-11.34

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.38	-12.38		-12.38

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.83	-12.83		-12.83

VHT40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-14.12	-14.12		-14.12

VHT40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.93	-10.93	-13.30	-13.14

VHT40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.33	-10.33	-12.97	-11.36

VHT40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.10	-11.10	-13.20	-12.12

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.86	-11.86		-11.86

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.80	-8.80		-8.80

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.07	-11.07		-11.07

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-9.44	-9.44	-11.32	-10.83

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-6.03	-6.03	-9.00	-8.20

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-10.13	-10.13	-11.44	-11.38

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.23	-13.23		-13.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.88	-12.88		-12.88

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

PSD

2452MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-14.69	-14.69		-14.69

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2422MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.01	-11.01	-12.43	-14.05

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2437MHz

13/08/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.73	-11.73	-13.20	-11.99

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

2452MHz

13/08/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.44	-12.44	-14.22	-14.32



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	-11.25
802.11g_Nss1,(6Mbps)_1TX	-6.65
VHT20_Nss1,(MCS0)_1TX	-4.70
VHT40_Nss1,(MCS0)_1TX	-13.38

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.60	-13.11	-13.11	8.00
2437MHz_TnomVnom	Pass	4.60	-11.93	-11.93	8.00
2462MHz_TnomVnom	Pass	4.60	-11.25	-11.25	8.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.60	-11.64	-11.64	8.00
2437MHz_TnomVnom	Pass	4.60	-6.65	-6.65	8.00
2462MHz_TnomVnom	Pass	4.60	-11.54	-11.54	8.00
VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz_TnomVnom	Pass	4.60	-12.51	-12.51	8.00
2437MHz_TnomVnom	Pass	4.60	-4.70	-4.70	8.00
2462MHz_TnomVnom	Pass	4.60	-11.86	-11.86	8.00
VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
2422MHz_TnomVnom	Pass	4.60	-16.89	-16.89	8.00
2437MHz_TnomVnom	Pass	4.60	-13.38	-13.38	8.00
2452MHz_TnomVnom	Pass	4.60	-19.53	-19.53	8.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_1TX

PSD

2412MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.11	-13.11	-13.11

802.11b_Nss1,(1Mbps)_1TX

PSD

2437MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.93	-11.93	-11.93

802.11b_Nss1,(1Mbps)_1TX

PSD

2462MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.25	-11.25	-11.25

802.11g_Nss1,(6Mbps)_1TX

PSD

2412MHz

21/08/2019




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.64	-11.64	-11.64

802.11g_Nss1,(6Mbps)_1TX

PSD

2437MHz

21/08/2019




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.65	-6.65	-6.65

802.11g_Nss1,(6Mbps)_1TX

PSD

2462MHz

21/08/2019




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.54	-11.54	-11.54

VHT20_Nss1,(MCS0)_1TX

PSD

2412MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.51	-12.51	-12.51

VHT20_Nss1,(MCS0)_1TX

PSD

2437MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.70	-4.70	-4.70

VHT20_Nss1,(MCS0)_1TX

PSD

2462MHz

21/08/2019




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.86	-11.86	-11.86

VHT40_Nss1,(MCS0)_1TX

PSD

2422MHz

21/08/2019




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-16.89	-16.89	-16.89

VHT40_Nss1,(MCS0)_1TX

PSD

2437MHz

21/08/2019




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.38	-13.38	-13.38

VHT40_Nss1,(MCS0)_1TX

PSD

2452MHz

21/08/2019



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-19.53	-19.53	-19.53



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-8.45
VHT40-BF_Nss1,(MCS0)_2TX	-6.61
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-8.37
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-8.12

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.01	-11.26	-11.46	-10.31	6.99
2437MHz	Pass	7.01	-8.78	-9.97	-8.45	6.99
2462MHz	Pass	7.01	-11.09	-11.13	-9.59	6.99
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.01	-13.15	-10.74	-10.56	6.99
2437MHz	Pass	7.01	-7.22	-7.44	-6.61	6.99
2452MHz	Pass	7.01	-12.59	-14.43	-12.11	6.99
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	7.01	-11.98	-9.28	-9.02	6.99
2437MHz	Pass	7.01	-10.77	-9.02	-8.37	6.99
2462MHz	Pass	7.01	-9.68	-9.63	-8.86	6.99
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	7.01	-8.32	-10.44	-8.12	6.99
2437MHz	Pass	7.01	-11.29	-9.20	-8.94	6.99
2452MHz	Pass	7.01	-9.61	-15.38	-9.53	6.99

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.31	-10.31	-11.26	-11.46

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.45	-8.45	-8.78	-9.97

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.59	-9.59	-11.09	-11.13

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.56	-10.56	-13.15	-10.74

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.61	-6.61	-7.22	-7.44

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.11	-12.11	-12.59	-14.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.02	-9.02	-11.98	-9.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.37	-8.37	-10.77	-9.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.86	-8.86	-9.68	-9.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.12	-8.12	-8.32	-10.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.94	-8.94	-11.29	-9.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

13/09/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.53	-9.53	-9.61	-15.38



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-8.45
VHT40-BF_Nss1,(MCS0)_2TX	-8.29
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-8.37
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-9.93

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-13.11	-11.65	-10.61	-0.01
2437MHz	Pass	14.01	-8.78	-9.97	-8.45	-0.01
2462MHz	Pass	14.01	-11.09	-11.13	-9.59	-0.01
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	-10.74	-13.08	-10.68	-0.01
2437MHz	Pass	14.01	-13.00	-8.49	-8.29	-0.01
2452MHz	Pass	14.01	-13.92	-15.48	-13.51	-0.01
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	14.01	-12.96	-12.87	-11.16	-0.01
2437MHz	Pass	14.01	-10.77	-9.02	-8.37	-0.01
2462MHz	Pass	14.01	-9.68	-9.63	-8.86	-0.01
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	14.01	-13.58	-13.14	-12.39	-0.01
2437MHz	Pass	14.01	-10.59	-12.05	-9.93	-0.01
2452MHz	Pass	14.01	-14.83	-13.48	-13.06	-0.01

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.61	-10.61	-13.11	-11.65

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.45	-8.45	-8.78	-9.97

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.59	-9.59	-11.09	-11.13

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.68	-10.68	-10.74	-13.08

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.29	-8.29	-13.00	-8.49

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.51	-13.51	-13.92	-15.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.16	-11.16	-12.96	-12.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.37	-8.37	-10.77	-9.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.86	-8.86	-9.68	-9.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.39	-12.39	-13.58	-13.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.93	-9.93	-10.59	-12.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-13.06	-13.06	-14.83	-13.48



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-8.45
VHT40-BF_Nss1,(MCS0)_2TX	-9.65
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-8.37
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-7.53

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.11	-13.11	-11.65	-10.61	2.89
2437MHz	Pass	11.11	-8.78	-9.97	-8.45	2.89
2462MHz	Pass	11.11	-11.09	-11.13	-9.59	2.89
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.11	-10.74	-13.08	-10.68	2.89
2437MHz	Pass	11.11	-10.03	-10.59	-9.65	2.89
2452MHz	Pass	11.11	-12.28	-13.70	-10.58	2.89
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	11.11	-12.96	-12.87	-11.16	2.89
2437MHz	Pass	11.11	-10.77	-9.02	-8.37	2.89
2462MHz	Pass	11.11	-9.68	-9.63	-8.86	2.89
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	11.11	-13.58	-13.14	-12.39	2.89
2437MHz	Pass	11.11	-12.52	-7.84	-7.53	2.89
2452MHz	Pass	11.11	-13.74	-13.10	-12.59	2.89

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.61	-10.61	-13.11	-11.65

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.45	-8.45	-8.78	-9.97

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.59	-9.59	-11.09	-11.13

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.68	-10.68	-10.74	-13.08

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.65	-9.65	-10.03	-10.59

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.58	-10.58	-12.28	-13.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.16	-11.16	-12.96	-12.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.37	-8.37	-10.77	-9.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.86	-8.86	-9.68	-9.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.39	-12.39	-13.58	-13.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.53	-7.53	-12.52	-7.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.59	-12.59	-13.74	-13.10



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
VHT20-BF_Nss1,(MCS0)_2TX	-8.45
VHT40-BF_Nss1,(MCS0)_2TX	-9.65
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-8.37
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-7.53

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-13.11	-11.65	-10.61	1.19
2437MHz	Pass	12.81	-8.78	-9.97	-8.45	1.19
2462MHz	Pass	12.81	-11.09	-11.13	-9.59	1.19
VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	-10.74	-13.08	-10.68	1.19
2437MHz	Pass	12.81	-10.03	-10.59	-9.65	1.19
2452MHz	Pass	12.81	-10.30	-13.66	-10.05	1.19
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	12.81	-12.96	-12.87	-11.16	1.19
2437MHz	Pass	12.81	-10.77	-9.02	-8.37	1.19
2462MHz	Pass	12.81	-9.68	-9.63	-8.86	1.19
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	12.81	-13.58	-13.14	-12.39	1.19
2437MHz	Pass	12.81	-12.52	-7.84	-7.53	1.19
2452MHz	Pass	12.81	-9.94	-10.26	-9.64	1.19

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2412MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.61	-10.61	-13.11	-11.65

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.45	-8.45	-8.78	-9.97

VHT20-BF_Nss1,(MCS0)_2TX

PSD

2462MHz

13/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.59	-9.59	-11.09	-11.13

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.68	-10.68	-10.74	-13.08

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.65	-9.65	-10.03	-10.59

VHT40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.05	-10.05	-10.30	-13.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


PSD

2412MHz

14/09/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.16	-11.16	-12.96	-12.87




802.11ax HEW20-BF_Nss1,(MCS0)_2TX


PSD

2437MHz

13/09/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.37	-8.37	-10.77	-9.02




802.11ax HEW20-BF_Nss1,(MCS0)_2TX


PSD

2462MHz

13/09/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.86	-8.86	-9.68	-9.63




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2422MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.39	-12.39	-13.58	-13.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2437MHz

14/09/2019




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.53	-7.53	-12.52	-7.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

2452MHz

14/09/2019



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.64	-9.64	-9.94	-10.26

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	2.43599G	13.76	-16.24	2.30408G	-54.62	2.396G	-35.01	2.51546G	-51.84	24.64038G	-40.33	2
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43799G	12.77	-17.23	2.30117G	-54.91	2.39998G	-38.63	2.50106G	-52.30	24.34256G	-40.73	2
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	2.43945G	9.76	-20.24	2.13516G	-53.87	2.39996G	-28.52	2.491G	-51.06	24.40437G	-40.46	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.442G	9.88	-20.12	2.13807G	-54.86	2.39982G	-35.37	2.50828G	-51.86	24.45214G	-39.59	2
VHT20_Nss1,(MCS0)_1TX(Port2)	Pass	2.43945G	9.52	-20.48	1.88031G	-54.61	2.39924G	-30.55	2.50972G	-51.25	24.36223G	-41.31	2
VHT20_Nss1,(MCS0)_2TX	Pass	2.43824G	9.18	-20.82	2.30059G	-54.69	2.39986G	-34.40	2.48888G	-52.09	24.54204G	-40.65	1
VHT40_Nss1,(MCS0)_1TX(Port2)	Pass	2.44075G	3.51	-26.49	2.1972G	-54.92	2.39972G	-37.10	2.4857G	-51.13	16.71532G	-40.84	2
VHT40_Nss1,(MCS0)_2TX	Pass	2.43198G	3.36	-26.64	2.13451G	-53.90	2.39984G	-38.79	2.54234G	-49.18	24.01279G	-40.16	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	2.43198G	9.81	-20.19	2.30874G	-54.69	2.39966G	-28.33	2.48934G	-50.40	24.72466G	-40.92	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.442G	10.00	-20.00	2.14622G	-54.67	2.39988G	-33.31	2.49132G	-51.96	24.43809G	-39.68	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	2.442G	3.42	-26.58	2.30683G	-54.46	2.39832G	-34.44	2.4849G	-48.22	24.41104G	-40.41	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	2.44952G	2.35	-27.65	2.30712G	-54.17	2.3978G	-49.23	2.4845G	-37.83	24.07449G	-40.34	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43599G	13.76	-16.24	2.30408G	-54.62	2.396G	-35.01	2.51546G	-51.84	24.64038G	-40.33	2
2437MHz_TnomVnom	Pass	2.43599G	13.76	-16.24	2.15059G	-55.30	2.39702G	-40.99	2.48748G	-46.51	24.94943G	-41.20	2
2462MHz_TnomVnom	Pass	2.43599G	13.76	-16.24	1.99914G	-54.52	2.39976G	-52.68	2.48352G	-41.95	23.17097G	-41.33	2
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.30408G	-53.21	2.39602G	-39.18	2.50064G	-52.18	15.1272G	-40.86	1
2412MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.30117G	-54.91	2.39998G	-38.63	2.50106G	-52.30	24.34256G	-40.73	2
2437MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.11943G	-54.25	2.39904G	-45.22	2.4875G	-48.67	24.41842G	-40.28	1
2437MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.10632G	-54.87	2.39698G	-41.95	2.48398G	-45.55	23.42945G	-41.45	2
2462MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.18845G	-54.70	2.39526G	-53.16	2.48356G	-49.39	23.46317G	-40.73	1
2462MHz_TnomVnom	Pass	2.43799G	12.77	-17.23	2.10021G	-54.64	2.39988G	-52.79	2.48354G	-43.17	24.44933G	-40.54	2
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43945G	9.76	-20.24	2.13516G	-53.87	2.39996G	-28.52	2.491G	-51.06	24.40437G	-40.46	2
2437MHz_TnomVnom	Pass	2.43945G	9.76	-20.24	1.98283G	-54.10	2.39978G	-35.70	2.48382G	-41.30	24.10656G	-39.12	2
2462MHz_TnomVnom	Pass	2.43945G	9.76	-20.24	2.12205G	-54.50	2.3991G	-51.73	2.48446G	-33.25	24.03913G	-40.20	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.442G	9.88	-20.12	2.13778G	-54.72	2.39968G	-35.46	2.49754G	-52.12	24.42685G	-40.45	1
2412MHz_TnomVnom	Pass	2.442G	9.88	-20.12	2.13807G	-54.86	2.39982G	-35.37	2.50828G	-51.86	24.45214G	-39.59	2
2437MHz_TnomVnom	Pass	2.442G	9.88	-20.12	2.01458G	-54.04	2.39944G	-40.53	2.48386G	-46.58	24.5589G	-41.00	1
2437MHz_TnomVnom	Pass	2.442G	9.88	-20.12	1.96099G	-54.47	2.3995G	-36.80	2.48488G	-44.07	24.15994G	-40.63	2
2462MHz_TnomVnom	Pass	2.442G	9.88	-20.12	2.17506G	-54.70	2.39514G	-53.28	2.4851G	-47.63	24.61228G	-40.88	1
2462MHz_TnomVnom	Pass	2.442G	9.88	-20.12	2.19195G	-54.37	2.39672G	-52.86	2.48364G	-43.93	23.44631G	-40.83	2
VHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43945G	9.52	-20.48	1.88031G	-54.61	2.39924G	-30.55	2.50972G	-51.25	24.36223G	-41.31	2
2437MHz_TnomVnom	Pass	2.43945G	9.52	-20.48	2.30903G	-54.14	2.39924G	-36.67	2.48604G	-42.26	23.15974G	-40.43	2
2462MHz_TnomVnom	Pass	2.43945G	9.52	-20.48	2.16894G	-53.63	2.39622G	-51.89	2.48364G	-36.22	24.48585G	-40.37	2
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.30059G	-54.69	2.39986G	-34.40	2.48888G	-52.09	24.54204G	-40.65	1
2412MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.30874G	-54.43	2.39946G	-35.51	2.51582G	-51.91	24.39594G	-40.96	2
2437MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.17593G	-54.36	2.39948G	-40.32	2.48594G	-46.46	24.44371G	-40.55	1
2437MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.14215G	-53.62	2.3989G	-36.50	2.48362G	-42.02	15.34072G	-40.23	2
2462MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.05361G	-54.59	2.39386G	-53.05	2.48384G	-46.59	24.37909G	-40.99	1
2462MHz_TnomVnom	Pass	2.43824G	9.18	-20.82	2.16049G	-54.26	2.39508G	-52.96	2.48374G	-43.34	24.05318G	-40.41	2
VHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.44075G	3.51	-26.49	2.1972G	-54.92	2.39972G	-37.10	2.4857G	-51.13	16.71532G	-40.84	2
2437MHz_TnomVnom	Pass	2.44075G	3.51	-26.49	2.30483G	-53.41	2.39856G	-39.77	2.4841G	-42.83	24.71393G	-40.82	2
2452MHz_TnomVnom	Pass	2.44075G	3.51	-26.49	1.91438G	-54.81	2.39852G	-46.51	2.48478G	-38.35	15.09989G	-40.11	2
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	2.13451G	-53.90	2.39984G	-38.79	2.54234G	-49.18	24.01279G	-40.16	1
2422MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	2.12964G	-54.22	2.39988G	-39.18	2.5045G	-51.72	24.44189G	-40.51	2
2437MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	2.08556G	-55.25	2.39704G	-45.65	2.48718G	-48.93	24.07449G	-40.07	1
2437MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	2.18002G	-54.22	2.39732G	-42.55	2.48606G	-46.00	24.09132G	-41.27	2
2452MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	1.93041G	-54.30	2.39164G	-51.48	2.48946G	-46.35	24.58212G	-40.90	1
2452MHz_TnomVnom	Pass	2.43198G	3.36	-26.64	2.14882G	-55.16	2.39852G	-50.46	2.48634G	-41.68	24.13339G	-41.07	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.43198G	9.81	-20.19	2.30874G	-54.69	2.39966G	-28.33	2.48934G	-50.40	24.72466G	-40.92	2
2437MHz_TnomVnom	Pass	2.43198G	9.81	-20.19	2.14127G	-54.80	2.39982G	-34.62	2.4847G	-41.29	23.51655G	-40.79	2
2462MHz_TnomVnom	Pass	2.43198G	9.81	-20.19	2.09933G	-54.56	2.39806G	-51.92	2.48408G	-34.19	15.08786G	-40.00	2


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.442G	10.00	-20.00	2.30321G	-54.46	2.39976G	-34.95	2.50462G	-51.64	24.11218G	-40.67	1
2412MHz_TnomVnom	Pass	2.442G	10.00	-20.00	2.14622G	-54.67	2.39988G	-33.31	2.49132G	-51.96	24.43809G	-39.68	2
2437MHz_TnomVnom	Pass	2.442G	10.00	-20.00	1.63508G	-54.94	2.39998G	-38.51	2.48492G	-44.48	24.54204G	-41.57	1
2437MHz_TnomVnom	Pass	2.442G	10.00	-20.00	2.30495G	-54.46	2.3975G	-35.56	2.48426G	-41.25	24.26951G	-40.12	2
2462MHz_TnomVnom	Pass	2.442G	10.00	-20.00	2.13632G	-54.91	2.39306G	-53.34	2.48364G	-42.54	16.63031G	-41.09	1
2462MHz_TnomVnom	Pass	2.442G	10.00	-20.00	1.94963G	-53.77	2.3905G	-52.76	2.48448G	-39.69	24.45494G	-40.36	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.442G	3.42	-26.58	2.30683G	-54.46	2.39832G	-34.44	2.4849G	-48.22	24.41104G	-40.41	2
2437MHz_TnomVnom	Pass	2.442G	3.42	-26.58	2.30426G	-54.13	2.39772G	-35.60	2.4845G	-40.66	24.52883G	-41.32	2
2452MHz_TnomVnom	Pass	2.442G	3.42	-26.58	1.96877G	-54.06	2.39952G	-46.03	2.48394G	-34.71	23.24154G	-41.07	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	2.19262G	-54.49	2.39996G	-39.27	2.5421G	-48.43	24.54847G	-40.63	1
2422MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	2.30054G	-53.15	2.39984G	-37.88	2.53446G	-51.85	24.49237G	-39.01	2
2437MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	2.30254G	-54.59	2.39564G	-43.28	2.48362G	-44.86	24.42506G	-40.36	1
2437MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	2.30483G	-54.41	2.39508G	-38.73	2.4839G	-43.21	24.16424G	-41.22	2
2452MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	1.98566G	-54.89	2.39956G	-50.48	2.4847G	-41.20	23.14058G	-40.97	1
2452MHz_TnomVnom	Pass	2.44952G	2.35	-27.65	2.30712G	-54.17	2.3978G	-49.23	2.4845G	-37.83	24.07449G	-40.34	2

802.11b_Nss1,(1Mbps)_1TX(Port2)


CSE NdB

2412MHz

12/08/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43599G	13.76	-16.24	2.30408G	-54.62	2.396G	-35.01	2.51546G	-51.84	24.64038G	-40.33	2

802.11b_Nss1,(1Mbps)_1TX(Port2)


CSE NdB

2437MHz

12/08/2019



Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43599G	13.76	-16.24	2.15059G	-55.30	2.39702G	-40.99	2.48748G	-46.51	24.94943G	-41.20	2

802.11b_Nss1,(1Mbps)_1TX(Port2)


CSE NdB

2462MHz



12/08/2019

Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43599G	13.76	-16.24	1.99914G	-54.52	2.39976G	-52.68	2.48352G	-41.95	23.17097G	-41.33	2

802.11b_Nss1,(1Mbps)_2TX


CSE NdB

2412MHz



12/08/2019

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43799G	12.77	-17.23	2.30408G	-53.21	2.39602G	-39.18	2.50064G	-52.18	15.1272G	-40.86	1
2.43799G	12.77	-17.23	2.30117G	-54.91	2.39998G	-38.63	2.50106G	-52.30	24.34256G	-40.73	2

802.11b_Nss1,(1Mbps)_2TX

2437MHz

CSE NdB

12/08/2019




802.11b_Nss1,(1Mbps)_2TX

2462MHz

CSE NdB


12/08/2019



802.11g_Nss1,(6Mbps)_1TX(Port2)

CSE NdB


2412MHz



802.11g_Nss1,(6Mbps)_1TX(Port2)

CSE NdB


2437MHz



802.11g_Nss1,(6Mbps)_1TX(Port2)

CSE NdB


2462MHz



802.11g_Nss1,(6Mbps)_2TX

CSE NdB

2412MHz





802.11g_Nss1,(6Mbps)_2TX

2437MHz

CSE NdB

12/08/2019

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	9.88	-20.12	2.01458G	-54.04	2.39944G	-40.53	2.48386G	-46.58	24.5589G	-41.00	1
2.442G	9.88	-20.12	1.96099G	-54.47	2.3995G	-36.80	2.48488G	-44.07	24.15994G	-40.63	2



802.11g_Nss1,(6Mbps)_2TX

2462MHz

CSE NdB

12/08/2019

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442G	9.88	-20.12	2.17506G	-54.70	2.39514G	-53.28	2.4851G	-47.63	24.61228G	-40.88	1
2.442G	9.88	-20.12	2.19195G	-54.37	2.39672G	-52.86	2.48364G	-43.93	23.44631G	-40.83	2

VHT20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2412MHz

13/08/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43945G	9.52	-20.48	1.88031G	-54.61	2.39924G	-30.55	2.50972G	-51.25	2.436223G	-41.31	2

VHT20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

13/08/2019



Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43945G	9.52	-20.48	2.30903G	-54.14	2.39924G	-36.67	2.48604G	-42.26	2.515974G	-40.43	2

VHT20_Nss1,(MCS0)_1TX(Port2)

CSE NdB


2462MHz



VHT20_Nss1,(MCS0)_2TX

CSE NdB


2412MHz



VHT20_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



VHT20_Nss1,(MCS0)_2TX

CSE NdB

2462MHz




VHT40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2422MHz

13/08/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44075G	3.51	-26.49	2.1972G	-54.92	2.39972G	-37.10	2.4857G	-51.13	16.71532G	-40.84	2

VHT40_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz

13/08/2019



Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44075G	3.51	-26.49	2.30483G	-53.41	2.39856G	-39.77	2.4841G	-42.83	24.71393G	-40.82	2



VHT40_Nss1,(MCS0)_1TX(Port2)

CSE NdB

2452MHz

13/08/2019

Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44075G	3.51	-26.49	1.91438G	-54.81	2.39852G	-46.51	2.48478G	-38.35	15.09989G	-40.11	2



VHT40_Nss1,(MCS0)_2TX

CSE NdB

2422MHz

13/08/2019

Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	3.36	-26.64	2.13451G	-53.90	2.39984G	-38.79	2.54234G	-49.18	24.01279G	-40.16	1
2.43198G	3.36	-26.64	2.12964G	-54.22	2.39988G	-39.18	2.5045G	-51.72	24.44189G	-40.51	2

VHT40_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



VHT40_Nss1,(MCS0)_2TX

CSE NdB


2452MHz



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2412MHz



12/08/2019

Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	9.81	-20.19	2.30874G	-54.69	2.39966G	-28.33	2.48934G	-50.40	2.47246G	-40.92	2

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


CSE NdB

2437MHz



12/08/2019

Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	9.81	-20.19	2.14127G	-54.80	2.39982G	-34.62	2.4847G	-41.29	2.51655G	-40.79	2