




6.525-6.875GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


6885MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD

6925MHz






6.875-7.125GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


7005MHz



6.875-7.125GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD

7085MHz






5.925-6.425GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5965MHz



5.925-6.425GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

6165MHz






5.925-6.425GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

6405MHz

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.90	-9.90	-12.44	-13.09


Sum
Port 1
Port 2

6.425-6.525GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

6445MHz

CF
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.85	-9.85	-12.57	-13.00


Sum
Port 1
Port 2



6.425-6.525GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


6485MHz



6.425-6.525GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


6565MHz



6.525-6.875GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


6725MHz



6.525-6.875GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


6845MHz



6.525-6.875GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

6885MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

6925MHz

CF
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.10	-10.10	-13.22	-12.74


Sum
Port 1
Port 2

6.875-7.125GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

7005MHz

CF
7.005GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4ms
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.47	-10.47	-13.67	-13.06


Sum
Port 1
Port 2

6.875-7.125GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

7085MHz

CF
7.085GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.03	-10.03	-13.43	-12.53

5.925-6.425GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

5965MHz

CF
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.20	-10.20	-13.81	-12.52

5.925-6.425GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

6165MHz

CF
6.165GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.86	-9.86	-12.73	-12.71

5.925-6.425GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

6405MHz

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.92	-9.92	-12.60	-13.10



6.425-6.525GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


6445MHz



6.425-6.525GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


6485MHz



6.425-6.525GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

6565MHz






6.525-6.875GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


6725MHz



6.525-6.875GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

6845MHz






6.525-6.875GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


6885MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

6925MHz






6.875-7.125GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


7005MHz



6.875-7.125GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


7085MHz



5.925-6.425GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


5985MHz



5.925-6.425GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6145MHz



5.925-6.425GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6385MHz



6.425-6.525GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6465MHz



6.425-6.525GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6625MHz



6.525-6.875GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6705MHz



6.525-6.875GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

6785MHz






6.525-6.875GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


6945MHz



6.875-7.125GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


7025MHz



5.925-6.425GHz_802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD

5985MHz






5.925-6.425GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6145MHz



5.925-6.425GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD

6385MHz






6.425-6.525GHz_802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6465MHz



6.425-6.525GHz_802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD

6545MHz Straddle 6.425-6.525GHz






6.525-6.875GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6625MHz



6.525-6.875GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD

6705MHz






6.525-6.875GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6785MHz



6.525-6.875GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


6945MHz



6.875-7.125GHz_802.11ax_HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX

PSD


7025MHz



5.925-6.425GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


5985MHz



5.925-6.425GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD

6145MHz




5.925-6.425GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD

6385MHz

CF
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.99	-9.99	-12.70	-13.23

6.425-6.525GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD

6465MHz

CF
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.27	-10.27	-13.00	-13.48



6.425-6.525GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


6625MHz



6.525-6.875GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


6705MHz



6.525-6.875GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD

6785MHz






6.525-6.875GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD

6945MHz






6.875-7.125GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

PSD


7025MHz



5.925-6.425GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

5985MHz






5.925-6.425GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD


6145MHz



5.925-6.425GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD


6385MHz



6.425-6.525GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD


6465MHz



6.425-6.525GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

6545MHz Straddle 6.425-6.525GHz






6.525-6.875GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

6625MHz

CF
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.24	-10.24	-13.04	-13.12


Sum
Port 1
Port 2

6.525-6.875GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

6705MHz

CF
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.81	-9.81	-12.75	-12.74

Sum
Port 1
Port 2

6.525-6.875GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD


6785MHz



6.525-6.875GHz_802.11ax_HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

6865MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD


6945MHz



6.875-7.125GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

PSD

7025MHz






5.925-6.425GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD


5985MHz



5.925-6.425GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

6145MHz






5.925-6.425GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD


6385MHz



6.425-6.525GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

6465MHz






6.425-6.525GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

6625MHz






6.525-6.875GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD


6705MHz



6.525-6.875GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

6785MHz






6.525-6.875GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD


6865MHz Straddle 6.525-6.875GHz



6.875-7.125GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

6945MHz






6.875-7.125GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

PSD

7025MHz



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	GRF (dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	Pass	30M	1G	PK	8.21	-82.85	-80.63	-78.59	4.7	-65.68	-55.20	-10.48

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	GRF (dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
6385MHz	Pass	30M	1G	PK	86.02M	8.21	-82.85	-80.63	-78.59	4.7	-65.68	-55.20	-10.48


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



5.925-6.425GHz_802.11ax_HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6385MHz



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-74.16	-63.44	-54.88	-63.09	-41.20	-13.68
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.39	-62.98	-54.39	-62.60	-41.20	-13.19
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.63	-62.83	-54.27	-62.48	-41.20	-13.07
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.61	-63.57	-54.95	-63.16	-41.20	-13.75
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.11	-63.33	-54.69	-62.90	-41.20	-13.49
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.96	-63.74	-55.14	-63.35	-41.20	-13.94
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.96	-63.58	-54.99	-63.20	-41.20	-13.79
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-74.75	-64.38	-55.79	-64.00	-41.20	-14.59
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-74.47	-64.38	-55.76	-63.97	-41.20	-14.56
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.92	-64.47	-55.79	-64.00	-41.20	-14.59
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-74.19	-64.47	-55.82	-64.03	-41.20	-14.62
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-74.47	-64.38	-55.76	-63.97	-41.20	-14.56
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.25	-61.69	-53.11	-61.32	-41.20	-11.91
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-71.66	-61.40	-52.80	-61.01	-41.20	-11.60
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.25	-61.51	-52.95	-61.16	-41.20	-11.75
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.72	-61.72	-53.18	-61.39	-41.20	-11.98
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.72	-61.84	-53.29	-61.50	-41.20	-12.09
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.19	-62.26	-53.63	-61.84	-41.20	-12.43
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.82	-62.12	-53.56	-61.77	-41.20	-12.36
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-72.45	-61.69	-53.13	-61.34	-41.20	-11.93
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-71.47	-62.24	-53.54	-61.75	-41.20	-12.34
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-71.85	-61.75	-53.14	-61.35	-41.20	-11.94
802.11ax	Pass	1G	5G	AV	8.21	-72.04	-62.05	-53.43	-61.64	-41.20	-12.23

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX											
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-73.32	-62.44	-53.89	-62.10	-41.20	-12.69
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.43	-61.43	-52.43	-60.64	-41.20	-11.23
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.43	-61.48	-52.47	-60.68	-41.20	-11.27
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.46	-61.35	-52.37	-60.58	-41.20	-11.17
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.67	-61.53	-52.55	-60.76	-41.20	-11.35
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.41	-61.35	-52.36	-60.57	-41.20	-11.16
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.77	-61.68	-52.69	-60.90	-41.20	-11.49
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.04	-61.74	-52.79	-61.00	-41.20	-11.59
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.18	-61.53	-52.63	-60.84	-41.20	-11.43
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.18	-61.30	-52.43	-60.64	-41.20	-11.23
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.18	-61.41	-52.53	-60.74	-41.20	-11.33
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.60	-61.30	-52.49	-60.70	-41.20	-11.29
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-69.32	-61.53	-52.65	-60.86	-41.20	-11.45
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-65.16	-60.77	-51.21	-59.42	-41.20	-10.01
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-65.16	-60.67	-51.14	-59.35	-41.20	-9.94
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-65.78	-60.57	-51.22	-59.43	-41.20	-10.02
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-66.48	-61.46	-52.06	-60.27	-41.20	-10.86
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-66.89	-61.13	-51.90	-60.11	-41.20	-10.70
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-67.09	-61.45	-52.19	-60.40	-41.20	-10.99
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-67.09	-61.01	-51.84	-60.05	-41.20	-10.64
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-67.98	-61.84	-52.68	-60.89	-41.20	-11.48
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.10	-61.49	-52.42	-60.63	-41.20	-11.22
802.11ax	Pass	1G	5G	AV	8.21	-67.98	-61.26	-52.21	-60.42	-41.20	-11.01



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	DG (dBi)	P1 (dBm)	P2 (dBm)	EIRP (dBm)	Psum (dBm)	Limit (dBm)	Margin (dB)
HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX											
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.10	-61.66	-52.56	-60.77	-41.20	-11.36
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	Pass	1G	5G	AV	8.21	-68.60	-61.38	-52.42	-60.63	-41.20	-11.22

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Unwanted Conducted Emissions (1G~5GHz) - SC Module

Appendix D.2

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	5G	AV	4.3965G	8.21	-74.47	-74.20	-71.32	-63.11	-41.20	-21.91	-74.20
5955MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.50	-71.77	-63.56	-41.20	-22.36	-74.50
5955MHz	Pass	1G	5G	PK	4.9715G	8.21	-65.73	-63.75	-61.62	-53.41	-21.20	-32.21	-63.75
5955MHz	Pass	1G	5G	PK	5G	8.21	-65.68	-66.30	-62.97	-54.76	-21.20	-33.56	-66.30
6175MHz	Pass	1G	5G	AV	4.975G	8.21	-74.53	-74.25	-71.38	-63.17	-41.20	-21.97	-74.25
6175MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6175MHz	Pass	1G	5G	PK	4.234G	8.21	-63.36	-66.39	-61.61	-53.40	-21.20	-32.20	-66.39
6175MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-65.68	-63.17	-54.96	-21.20	-33.76	-65.68
6415MHz	Pass	1G	5G	AV	4.277G	8.21	-74.16	-63.44	-63.09	-54.88	-41.20	-13.68	-63.44
6415MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6415MHz	Pass	1G	5G	PK	4.277G	8.21	-66.46	-59.39	-58.61	-50.40	-21.20	-29.20	-59.39
6415MHz	Pass	1G	5G	PK	5G	8.21	-65.58	-65.88	-62.72	-54.51	-21.20	-33.31	-65.88
6435MHz	Pass	1G	5G	AV	4.29G	8.21	-73.50	-62.80	-62.45	-54.24	-41.20	-13.04	-62.80
6435MHz	Pass	1G	5G	AV	5G	8.21	-74.23	-74.50	-71.35	-63.14	-41.20	-21.94	-74.50
6435MHz	Pass	1G	5G	PK	4.2905G	8.21	-67.28	-60.18	-59.41	-51.20	-21.20	-30.00	-60.18
6435MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-66.30	-63.51	-55.30	-21.20	-34.10	-66.30
6475MHz	Pass	1G	5G	AV	4.317G	8.21	-72.86	-61.88	-61.55	-53.34	-41.20	-12.14	-61.88
6475MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6475MHz	Pass	1G	5G	PK	4.317G	8.21	-66.03	-59.01	-58.22	-50.01	-21.20	-28.81	-59.01
6475MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-64.54	-62.50	-54.29	-21.20	-33.09	-64.54
6515MHz	Pass	1G	5G	AV	4.3435G	8.21	-72.25	-61.69	-61.32	-53.11	-41.20	-11.91	-61.69
6515MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.50	-71.49	-63.28	-41.20	-22.08	-74.50
6515MHz	Pass	1G	5G	PK	4.344G	8.21	-66.37	-59.20	-58.44	-50.23	-21.20	-29.03	-59.20
6515MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-66.09	-63.45	-55.24	-21.20	-34.04	-66.09
6535MHz	Pass	1G	5G	AV	4.357G	8.21	-71.82	-61.78	-61.37	-53.16	-41.20	-11.96	-61.78
6535MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6535MHz	Pass	1G	5G	PK	4.357G	8.21	-64.84	-58.44	-57.54	-49.33	-21.20	-28.13	-58.44
6535MHz	Pass	1G	5G	PK	5G	8.21	-67.10	-66.64	-63.85	-55.64	-21.20	-34.44	-66.64
6715MHz	Pass	1G	5G	AV	4.254G	8.21	-74.37	-74.09	-71.22	-63.01	-41.20	-21.81	-74.09
6715MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6715MHz	Pass	1G	5G	PK	4.259G	8.21	-66.18	-63.41	-61.57	-53.36	-21.20	-32.16	-63.41
6715MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-66.41	-63.62	-55.41	-21.20	-34.21	-66.41
6855MHz	Pass	1G	5G	AV	4.57G	8.21	-68.59	-61.41	-60.65	-52.44	-41.20	-11.24	-61.41
6855MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6855MHz	Pass	1G	5G	PK	4.5705G	8.21	-62.80	-59.03	-57.51	-49.30	-21.20	-28.10	-59.03
6855MHz	Pass	1G	5G	PK	5G	8.21	-67.59	-66.86	-64.20	-55.99	-21.20	-34.79	-66.86
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.5835G	8.21	-68.43	-61.43	-60.64	-52.43	-41.20	-11.23	-61.43
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.23	-74.79	-71.49	-63.28	-41.20	-22.08	-74.79
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5835G	8.21	-64.08	-57.98	-57.03	-48.82	-21.20	-27.62	-57.98
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.64	-66.09	-63.35	-55.14	-21.20	-33.94	-66.09
6895MHz	Pass	1G	5G	AV	4.597G	8.21	-67.90	-61.35	-60.48	-52.27	-41.20	-11.07	-61.35
6895MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.50	-71.77	-63.56	-41.20	-22.36	-74.50
6895MHz	Pass	1G	5G	PK	4.5975G	8.21	-62.95	-58.60	-57.24	-49.03	-21.20	-27.83	-58.60
6895MHz	Pass	1G	5G	PK	5G	8.21	-65.78	-66.09	-62.92	-54.71	-21.20	-33.51	-66.09

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
7015MHz	Pass	1G	5G	AV	4.677G	8.21	-67.74	-61.66	-60.70	-52.49	-41.20	-11.29	-61.66
7015MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-75.08	-71.77	-63.56	-41.20	-22.36	-75.08
7015MHz	Pass	1G	5G	PK	4.6775G	8.21	-63.34	-58.59	-57.34	-49.13	-21.20	-27.93	-58.59
7015MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-65.98	-63.34	-55.13	-21.20	-33.93	-65.98
7095MHz	Pass	1G	5G	AV	4.73G	8.21	-66.28	-61.29	-60.09	-51.88	-41.20	-10.68	-61.29
7095MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
7095MHz	Pass	1G	5G	PK	4.7305G	8.21	-62.83	-58.90	-57.42	-49.21	-21.20	-28.01	-58.90
7095MHz	Pass	1G	5G	PK	5G	8.21	-66.64	-67.10	-63.85	-55.64	-21.20	-34.44	-67.10
7115MHz	Pass	1G	5G	AV	4.7435G	8.21	-65.16	-60.77	-59.42	-51.21	-41.20	-10.01	-60.77
7115MHz	Pass	1G	5G	AV	5G	8.21	-74.58	-74.58	-71.57	-63.36	-41.20	-22.16	-74.58
7115MHz	Pass	1G	5G	PK	4.744G	8.21	-61.51	-58.60	-56.81	-48.60	-21.20	-27.40	-58.60
7115MHz	Pass	1G	5G	PK	5G	8.21	-65.26	-68.32	-63.52	-55.31	-21.20	-34.11	-68.32
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	5G	AV	4.2545G	8.21	-74.09	-74.37	-71.22	-63.01	-41.20	-21.81	-74.37
5955MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
5955MHz	Pass	1G	5G	PK	4.2385G	8.21	-64.05	-65.42	-61.67	-53.46	-21.20	-32.26	-65.42
5955MHz	Pass	1G	5G	PK	5G	8.21	-65.98	-66.30	-63.13	-54.92	-21.20	-33.72	-66.30
6175MHz	Pass	1G	5G	AV	4.2685G	8.21	-74.40	-74.13	-71.25	-63.04	-41.20	-21.84	-74.13
6175MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-75.08	-71.77	-63.56	-41.20	-22.36	-75.08
6175MHz	Pass	1G	5G	PK	4.9565G	8.21	-67.50	-62.87	-61.58	-53.37	-21.20	-32.17	-62.87
6175MHz	Pass	1G	5G	PK	5G	8.21	-66.52	-67.10	-63.79	-55.58	-21.20	-34.38	-67.10
6415MHz	Pass	1G	5G	AV	4.277G	8.21	-73.39	-62.98	-62.60	-54.39	-41.20	-13.19	-62.98
6415MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6415MHz	Pass	1G	5G	PK	4.277G	8.21	-64.30	-59.75	-58.44	-50.23	-21.20	-29.03	-59.75
6415MHz	Pass	1G	5G	PK	5G	8.21	-66.98	-66.64	-63.80	-55.59	-21.20	-34.39	-66.64
6435MHz	Pass	1G	5G	AV	4.29G	8.21	-73.50	-62.94	-62.57	-54.36	-41.20	-13.16	-62.94
6435MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
6435MHz	Pass	1G	5G	PK	4.2905G	8.21	-65.43	-59.76	-58.72	-50.51	-21.20	-29.31	-59.76
6435MHz	Pass	1G	5G	PK	5G	8.21	-64.45	-66.75	-62.44	-54.23	-21.20	-33.03	-66.75
6475MHz	Pass	1G	5G	AV	4.317G	8.21	-72.43	-61.95	-61.58	-53.37	-41.20	-12.17	-61.95
6475MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6475MHz	Pass	1G	5G	PK	4.317G	8.21	-65.07	-58.92	-57.98	-49.77	-21.20	-28.57	-58.92
6475MHz	Pass	1G	5G	PK	5G	8.21	-66.09	-66.20	-63.13	-54.92	-21.20	-33.72	-66.20
6515MHz	Pass	1G	5G	AV	4.3435G	8.21	-71.66	-61.40	-61.01	-52.80	-41.20	-11.60	-61.40
6515MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
6515MHz	Pass	1G	5G	PK	4.344G	8.21	-64.21	-59.20	-58.01	-49.80	-21.20	-28.60	-59.20
6515MHz	Pass	1G	5G	PK	5G	8.21	-64.37	-67.72	-62.72	-54.51	-21.20	-33.31	-67.72
6535MHz	Pass	1G	5G	AV	4.357G	8.21	-72.02	-61.84	-61.44	-53.23	-41.20	-12.03	-61.84
6535MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
6535MHz	Pass	1G	5G	PK	4.357G	8.21	-63.86	-58.78	-57.61	-49.40	-21.20	-28.20	-58.78
6535MHz	Pass	1G	5G	PK	5G	8.21	-68.11	-65.19	-63.40	-55.19	-21.20	-33.99	-65.19
6715MHz	Pass	1G	5G	AV	4.272G	8.21	-74.14	-74.41	-71.26	-63.05	-41.20	-21.85	-74.41
6715MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.50	-71.49	-63.28	-41.20	-22.08	-74.50
6715MHz	Pass	1G	5G	PK	4.291G	8.21	-64.00	-65.54	-61.69	-53.48	-21.20	-32.28	-65.54
6715MHz	Pass	1G	5G	PK	5G	8.21	-67.22	-67.10	-64.15	-55.94	-21.20	-34.74	-67.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6855MHz	Pass	1G	5G	AV	4.57G	8.21	-68.59	-61.46	-60.69	-52.48	-41.20	-11.28	-61.46
6855MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6855MHz	Pass	1G	5G	PK	4.5705G	8.21	-63.07	-58.04	-56.85	-48.64	-21.20	-27.44	-58.04
6855MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-66.20	-63.51	-55.30	-21.20	-34.10	-66.20
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.5835G	8.21	-68.43	-61.48	-60.68	-52.47	-41.20	-11.27	-61.48
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.50	-71.63	-63.42	-41.20	-22.22	-74.50
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.584G	8.21	-63.77	-58.96	-57.72	-49.51	-21.20	-28.31	-58.96
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-65.48	-66.30	-62.86	-54.65	-21.20	-33.45	-66.30
6895MHz	Pass	1G	5G	AV	4.597G	8.21	-68.27	-61.40	-60.59	-52.38	-41.20	-11.18	-61.40
6895MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.50	-71.63	-63.42	-41.20	-22.22	-74.50
6895MHz	Pass	1G	5G	PK	4.597G	8.21	-63.23	-59.12	-57.70	-49.49	-21.20	-28.29	-59.12
6895MHz	Pass	1G	5G	PK	5G	8.21	-66.41	-66.98	-63.68	-55.47	-21.20	-34.27	-66.98
7015MHz	Pass	1G	5G	AV	4.677G	8.21	-67.63	-61.55	-60.59	-52.38	-41.20	-11.18	-61.55
7015MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
7015MHz	Pass	1G	5G	PK	4.6775G	8.21	-62.74	-58.67	-57.23	-49.02	-21.20	-27.82	-58.67
7015MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-65.58	-63.16	-54.95	-21.20	-33.75	-65.58
7095MHz	Pass	1G	5G	AV	4.73G	8.21	-66.58	-60.87	-59.84	-51.63	-41.20	-10.43	-60.87
7095MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
7095MHz	Pass	1G	5G	PK	4.7305G	8.21	-61.84	-58.42	-56.79	-48.58	-21.20	-27.38	-58.42
7095MHz	Pass	1G	5G	PK	5G	8.21	-66.64	-66.09	-63.35	-55.14	-21.20	-33.94	-66.09
7115MHz	Pass	1G	5G	AV	4.7435G	8.21	-65.16	-60.67	-59.35	-51.14	-41.20	-9.94	-60.67
7115MHz	Pass	1G	5G	AV	5G	8.21	-74.58	-75.16	-71.85	-63.64	-41.20	-22.44	-75.16
7115MHz	Pass	1G	5G	PK	4.744G	8.21	-61.45	-58.48	-56.71	-48.50	-21.20	-27.30	-58.48
7115MHz	Pass	1G	5G	PK	5G	8.21	-66.94	-66.60	-63.76	-55.55	-21.20	-34.35	-66.60
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1G	5G	AV	4.3985G	8.21	-74.44	-73.89	-71.15	-62.94	-41.20	-21.74	-73.89
5955MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
5955MHz	Pass	1G	5G	PK	4.261G	8.21	-63.50	-66.86	-61.85	-53.64	-21.20	-32.44	-66.86
5955MHz	Pass	1G	5G	PK	5G	8.21	-66.09	-65.28	-62.66	-54.45	-21.20	-33.25	-65.28
6175MHz	Pass	1G	5G	AV	4.247G	8.21	-74.10	-74.38	-71.23	-63.02	-41.20	-21.82	-74.38
6175MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-75.08	-71.77	-63.56	-41.20	-22.36	-75.08
6175MHz	Pass	1G	5G	PK	4.092G	8.21	-66.85	-63.52	-61.86	-53.65	-21.20	-32.45	-63.52
6175MHz	Pass	1G	5G	PK	5G	8.21	-66.64	-66.98	-63.80	-55.59	-21.20	-34.39	-66.98
6415MHz	Pass	1G	5G	AV	4.2765G	8.21	-73.63	-62.83	-62.48	-54.27	-41.20	-13.07	-62.83
6415MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6415MHz	Pass	1G	5G	PK	4.277G	8.21	-66.57	-59.85	-59.01	-50.80	-21.20	-29.60	-59.85
6415MHz	Pass	1G	5G	PK	5G	8.21	-64.90	-67.98	-63.16	-54.95	-21.20	-33.75	-67.98
6435MHz	Pass	1G	5G	AV	4.29G	8.21	-73.02	-62.73	-62.34	-54.13	-41.20	-12.93	-62.73
6435MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6435MHz	Pass	1G	5G	PK	4.2905G	8.21	-66.36	-60.13	-59.20	-50.99	-21.20	-29.79	-60.13
6435MHz	Pass	1G	5G	PK	5G	8.21	-66.30	-65.48	-62.86	-54.65	-21.20	-33.45	-65.48
6475MHz	Pass	1G	5G	AV	4.317G	8.21	-72.86	-61.95	-61.61	-53.40	-41.20	-12.20	-61.95
6475MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6475MHz	Pass	1G	5G	PK	4.317G	8.21	-65.93	-58.92	-58.13	-49.92	-21.20	-28.72	-58.92
6475MHz	Pass	1G	5G	PK	5G	8.21	-66.64	-66.52	-63.57	-55.36	-21.20	-34.16	-66.52

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6515MHz	Pass	1G	5G	AV	4.3435G	8.21	-72.25	-61.51	-61.16	-52.95	-41.20	-11.75	-61.51
6515MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.23	-71.62	-63.41	-41.20	-22.21	-74.23
6515MHz	Pass	1G	5G	PK	4.344G	8.21	-65.31	-59.20	-58.25	-50.04	-21.20	-28.84	-59.20
6515MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-66.20	-63.51	-55.30	-21.20	-34.10	-66.20
6535MHz	Pass	1G	5G	AV	4.357G	8.21	-72.22	-61.78	-61.40	-53.19	-41.20	-11.99	-61.78
6535MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
6535MHz	Pass	1G	5G	PK	4.357G	8.21	-66.04	-59.26	-58.43	-50.22	-21.20	-29.02	-59.26
6535MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-67.10	-63.91	-55.70	-21.20	-34.50	-67.10
6715MHz	Pass	1G	5G	AV	4.244G	8.21	-74.40	-73.86	-71.11	-62.90	-41.20	-21.70	-73.86
6715MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6715MHz	Pass	1G	5G	PK	4.378G	8.21	-64.34	-65.89	-62.04	-53.83	-21.20	-32.63	-65.89
6715MHz	Pass	1G	5G	PK	5G	8.21	-67.34	-66.52	-63.90	-55.69	-21.20	-34.49	-66.52
6855MHz	Pass	1G	5G	AV	4.57G	8.21	-68.46	-61.35	-60.58	-52.37	-41.20	-11.17	-61.35
6855MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
6855MHz	Pass	1G	5G	PK	4.5705G	8.21	-63.65	-58.99	-57.71	-49.50	-21.20	-28.30	-58.99
6855MHz	Pass	1G	5G	PK	5G	8.21	-67.59	-65.19	-63.22	-55.01	-21.20	-33.81	-65.19
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.5835G	8.21	-68.56	-61.37	-60.61	-52.40	-41.20	-11.20	-61.37
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.50	-71.63	-63.42	-41.20	-22.22	-74.50
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5835G	8.21	-63.70	-58.54	-57.38	-49.17	-21.20	-27.97	-58.54
6875MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.09	-66.75	-63.40	-55.19	-21.20	-33.99	-66.75
6895MHz	Pass	1G	5G	AV	4.597G	8.21	-68.80	-61.46	-60.72	-52.51	-41.20	-11.31	-61.46
6895MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
6895MHz	Pass	1G	5G	PK	4.597G	8.21	-62.82	-58.64	-57.24	-49.03	-21.20	-27.83	-58.64
6895MHz	Pass	1G	5G	PK	5G	8.21	-67.22	-67.22	-64.21	-56.00	-21.20	-34.80	-67.22
7015MHz	Pass	1G	5G	AV	4.677G	8.21	-68.34	-61.66	-60.82	-52.61	-41.20	-11.41	-61.66
7015MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
7015MHz	Pass	1G	5G	PK	4.677G	8.21	-62.36	-58.67	-57.12	-48.91	-21.20	-27.71	-58.67
7015MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-65.98	-63.39	-55.18	-21.20	-33.98	-65.98
7095MHz	Pass	1G	5G	AV	4.73G	8.21	-66.99	-61.19	-60.18	-51.97	-41.20	-10.77	-61.19
7095MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
7095MHz	Pass	1G	5G	PK	4.7305G	8.21	-63.09	-58.70	-57.35	-49.14	-21.20	-27.94	-58.70
7095MHz	Pass	1G	5G	PK	5G	8.21	-65.88	-66.30	-63.07	-54.86	-21.20	-33.66	-66.30
7115MHz	Pass	1G	5G	AV	4.7435G	8.21	-65.78	-60.57	-59.43	-51.22	-41.20	-10.02	-60.57
7115MHz	Pass	1G	5G	AV	5G	8.21	-75.46	-74.86	-72.14	-63.93	-41.20	-22.73	-74.86
7115MHz	Pass	1G	5G	PK	4.744G	8.21	-61.73	-57.73	-56.27	-48.06	-21.20	-26.86	-57.73
7115MHz	Pass	1G	5G	PK	5G	8.21	-66.71	-66.60	-63.64	-55.43	-21.20	-34.23	-66.60
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	5G	AV	4.9675G	8.21	-74.31	-74.04	-71.16	-62.95	-41.20	-21.75	-74.04
5965MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
5965MHz	Pass	1G	5G	PK	4.2625G	8.21	-64.79	-65.66	-62.19	-53.98	-21.20	-32.78	-65.66
5965MHz	Pass	1G	5G	PK	5G	8.21	-67.84	-67.46	-64.64	-56.43	-21.20	-35.23	-67.46
6165MHz	Pass	1G	5G	AV	4.2725G	8.21	-74.14	-74.14	-71.13	-62.92	-41.20	-21.72	-74.14
6165MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6165MHz	Pass	1G	5G	PK	4.843G	8.21	-63.85	-65.36	-61.53	-53.32	-21.20	-32.12	-65.36
6165MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-65.88	-63.33	-55.12	-21.20	-33.92	-65.88

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6405MHz	Pass	1G	5G	AV	4.27G	8.21	-73.61	-63.57	-63.16	-54.95	-41.20	-13.75	-63.57
6405MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6405MHz	Pass	1G	5G	PK	4.2705G	8.21	-66.21	-59.46	-58.63	-50.42	-21.20	-29.22	-59.46
6405MHz	Pass	1G	5G	PK	5G	8.21	-65.68	-66.52	-63.07	-54.86	-21.20	-33.66	-66.52
6445MHz	Pass	1G	5G	AV	4.297G	8.21	-73.56	-62.50	-62.17	-53.96	-41.20	-12.76	-62.50
6445MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.50	-71.77	-63.56	-41.20	-22.36	-74.50
6445MHz	Pass	1G	5G	PK	4.297G	8.21	-67.21	-59.62	-58.92	-50.71	-21.20	-29.51	-59.62
6445MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-65.98	-63.34	-55.13	-21.20	-33.93	-65.98
6485MHz	Pass	1G	5G	AV	4.3235G	8.21	-72.72	-61.72	-61.39	-53.18	-41.20	-11.98	-61.72
6485MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
6485MHz	Pass	1G	5G	PK	4.324G	8.21	-66.42	-59.85	-58.99	-50.78	-21.20	-29.58	-59.85
6485MHz	Pass	1G	5G	PK	5G	8.21	-65.48	-65.48	-62.47	-54.26	-21.20	-33.06	-65.48
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.35G	8.21	-71.71	-61.98	-61.54	-53.33	-41.20	-12.13	-61.98
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.50	-75.08	-71.77	-63.56	-41.20	-22.36	-75.08
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3505G	8.21	-66.31	-58.76	-58.06	-49.85	-21.20	-28.65	-58.76
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-66.86	-66.86	-63.85	-55.64	-21.20	-34.44	-66.86
6565MHz	Pass	1G	5G	AV	4.3765G	8.21	-71.04	-61.68	-61.20	-52.99	-41.20	-11.79	-61.68
6565MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.50	-71.77	-63.56	-41.20	-22.36	-74.50
6565MHz	Pass	1G	5G	PK	4.377G	8.21	-63.71	-58.50	-57.36	-49.15	-21.20	-27.95	-58.50
6565MHz	Pass	1G	5G	PK	5G	8.21	-67.10	-66.75	-63.91	-55.70	-21.20	-34.50	-66.75
6725MHz	Pass	1G	5G	AV	4.951G	8.21	-74.16	-74.43	-71.28	-63.07	-41.20	-21.87	-74.43
6725MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.50	-71.63	-63.42	-41.20	-22.22	-74.50
6725MHz	Pass	1G	5G	PK	4.8995G	8.21	-64.64	-65.81	-62.18	-53.97	-21.20	-32.77	-65.81
6725MHz	Pass	1G	5G	PK	5G	8.21	-66.09	-64.54	-62.24	-54.03	-21.20	-32.83	-64.54
6845MHz	Pass	1G	5G	AV	4.255G	8.21	-74.95	-73.83	-71.34	-63.13	-41.20	-21.93	-73.83
6845MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.50	-71.49	-63.28	-41.20	-22.08	-74.50
6845MHz	Pass	1G	5G	PK	4.2395G	8.21	-66.35	-63.01	-61.36	-53.15	-21.20	-31.95	-63.01
6845MHz	Pass	1G	5G	PK	5G	8.21	-66.41	-67.84	-64.06	-55.85	-21.20	-34.65	-67.84
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.59G	8.21	-68.67	-61.53	-60.76	-52.55	-41.20	-11.35	-61.53
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.23	-71.49	-63.28	-41.20	-22.08	-74.23
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5905G	8.21	-62.62	-59.08	-57.49	-49.28	-21.20	-28.08	-59.08
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.75	-66.86	-63.79	-55.58	-21.20	-34.38	-66.86
6925MHz	Pass	1G	5G	AV	4.617G	8.21	-67.84	-61.18	-60.33	-52.12	-41.20	-10.92	-61.18
6925MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
6925MHz	Pass	1G	5G	PK	4.617G	8.21	-63.22	-58.79	-57.45	-49.24	-21.20	-28.04	-58.79
6925MHz	Pass	1G	5G	PK	5G	8.21	-66.98	-65.68	-63.27	-55.06	-21.20	-33.86	-65.68
7005MHz	Pass	1G	5G	AV	4.67G	8.21	-67.71	-61.35	-60.45	-52.24	-41.20	-11.04	-61.35
7005MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
7005MHz	Pass	1G	5G	PK	4.6705G	8.21	-63.32	-58.49	-57.26	-49.05	-21.20	-27.85	-58.49
7005MHz	Pass	1G	5G	PK	5G	8.21	-66.52	-66.98	-63.73	-55.52	-21.20	-34.32	-66.98
7085MHz	Pass	1G	5G	AV	4.7235G	8.21	-66.48	-61.46	-60.27	-52.06	-41.20	-10.86	-61.46
7085MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.50	-71.63	-63.42	-41.20	-22.22	-74.50
7085MHz	Pass	1G	5G	PK	4.724G	8.21	-61.17	-58.54	-56.65	-48.44	-21.20	-27.24	-58.54
7085MHz	Pass	1G	5G	PK	5G	8.21	-66.41	-66.41	-63.40	-55.19	-21.20	-33.99	-66.41
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
5965MHz	Pass	1G	5G	AV	4.9775G	8.21	-74.25	-74.25	-71.24	-63.03	-41.20	-21.83	-74.25
5965MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
5965MHz	Pass	1G	5G	PK	4.9915G	8.21	-65.69	-64.21	-61.88	-53.67	-21.20	-32.47	-64.21
5965MHz	Pass	1G	5G	PK	5G	8.21	-67.22	-66.86	-64.03	-55.82	-21.20	-34.62	-66.86
6165MHz	Pass	1G	5G	AV	4.2655G	8.21	-74.12	-74.40	-71.25	-63.04	-41.20	-21.84	-74.40
6165MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
6165MHz	Pass	1G	5G	PK	4.975G	8.21	-65.80	-64.22	-61.93	-53.72	-21.20	-32.52	-64.22
6165MHz	Pass	1G	5G	PK	5G	8.21	-67.34	-67.59	-64.45	-56.24	-21.20	-35.04	-67.59
6405MHz	Pass	1G	5G	AV	4.27G	8.21	-73.11	-63.33	-62.90	-54.69	-41.20	-13.49	-63.33
6405MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6405MHz	Pass	1G	5G	PK	4.27G	8.21	-66.77	-59.12	-58.43	-50.22	-21.20	-29.02	-59.12
6405MHz	Pass	1G	5G	PK	5G	8.21	-67.22	-64.72	-62.78	-54.57	-21.20	-33.37	-64.72
6445MHz	Pass	1G	5G	AV	4.297G	8.21	-73.81	-62.57	-62.26	-54.05	-41.20	-12.85	-62.57
6445MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6445MHz	Pass	1G	5G	PK	4.297G	8.21	-66.53	-58.29	-57.68	-49.47	-21.20	-28.27	-58.29
6445MHz	Pass	1G	5G	PK	5G	8.21	-66.64	-64.90	-62.67	-54.46	-21.20	-33.26	-64.90
6485MHz	Pass	1G	5G	AV	4.3235G	8.21	-72.72	-61.84	-61.50	-53.29	-41.20	-12.09	-61.84
6485MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-74.79	-71.78	-63.57	-41.20	-22.37	-74.79
6485MHz	Pass	1G	5G	PK	4.324G	8.21	-66.32	-60.20	-59.25	-51.04	-21.20	-29.84	-60.20
6485MHz	Pass	1G	5G	PK	5G	8.21	-66.20	-67.10	-63.62	-55.41	-21.20	-34.21	-67.10
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.35G	8.21	-72.30	-61.92	-61.54	-53.33	-41.20	-12.13	-61.92
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3505G	8.21	-64.74	-58.89	-57.89	-49.68	-21.20	-28.48	-58.89
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-67.46	-66.98	-64.20	-55.99	-21.20	-34.79	-66.98
6565MHz	Pass	1G	5G	AV	4.3765G	8.21	-72.41	-61.56	-61.22	-53.01	-41.20	-11.81	-61.56
6565MHz	Pass	1G	5G	AV	5G	8.21	-75.39	-75.08	-72.22	-64.01	-41.20	-22.81	-75.08
6565MHz	Pass	1G	5G	PK	4.377G	8.21	-64.52	-59.17	-58.06	-49.85	-21.20	-28.65	-59.17
6565MHz	Pass	1G	5G	PK	5G	8.21	-66.86	-65.48	-63.11	-54.90	-21.20	-33.70	-65.48
6725MHz	Pass	1G	5G	AV	4.2505G	8.21	-74.36	-74.36	-71.35	-63.14	-41.20	-21.94	-74.36
6725MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
6725MHz	Pass	1G	5G	PK	4.107G	8.21	-66.29	-64.31	-62.18	-53.97	-21.20	-32.77	-64.31
6725MHz	Pass	1G	5G	PK	5G	8.21	-66.52	-65.78	-63.12	-54.91	-21.20	-33.71	-65.78
6845MHz	Pass	1G	5G	AV	4.257G	8.21	-74.10	-74.37	-71.22	-63.01	-41.20	-21.81	-74.37
6845MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
6845MHz	Pass	1G	5G	PK	4.9795G	8.21	-65.80	-63.64	-61.58	-53.37	-21.20	-32.17	-63.64
6845MHz	Pass	1G	5G	PK	5G	8.21	-64.81	-65.09	-61.94	-53.73	-21.20	-32.53	-65.09
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.59G	8.21	-68.41	-61.35	-60.57	-52.36	-41.20	-11.16	-61.35
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-75.08	-75.08	-72.07	-63.86	-41.20	-22.66	-75.08
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5905G	8.21	-63.24	-59.08	-57.67	-49.46	-21.20	-28.26	-59.08
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-67.10	-68.38	-64.68	-56.47	-21.20	-35.27	-68.38
6925MHz	Pass	1G	5G	AV	4.617G	8.21	-68.46	-61.35	-60.58	-52.37	-41.20	-11.17	-61.35
6925MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
6925MHz	Pass	1G	5G	PK	4.617G	8.21	-63.81	-58.45	-57.34	-49.13	-21.20	-27.93	-58.45
6925MHz	Pass	1G	5G	PK	5G	8.21	-67.72	-67.59	-64.64	-56.43	-21.20	-35.23	-67.59
7005MHz	Pass	1G	5G	AV	4.67G	8.21	-67.37	-61.64	-60.61	-52.40	-41.20	-11.20	-61.64
7005MHz	Pass	1G	5G	AV	5G	8.21	-75.39	-74.50	-71.91	-63.70	-41.20	-22.50	-74.50

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
7005MHz	Pass	1G	5G	PK	4.6705G	8.21	-63.46	-59.19	-57.81	-49.60	-21.20	-28.40	-59.19
7005MHz	Pass	1G	5G	PK	5G	8.21	-65.68	-66.86	-63.22	-55.01	-21.20	-33.81	-66.86
7085MHz	Pass	1G	5G	AV	4.7235G	8.21	-66.89	-61.13	-60.11	-51.90	-41.20	-10.70	-61.13
7085MHz	Pass	1G	5G	AV	5G	8.21	-74.79	-75.08	-71.92	-63.71	-41.20	-22.51	-75.08
7085MHz	Pass	1G	5G	PK	4.7235G	8.21	-61.56	-58.74	-56.91	-48.70	-21.20	-27.50	-58.74
7085MHz	Pass	1G	5G	PK	5G	8.21	-66.75	-66.52	-63.62	-55.41	-21.20	-34.21	-66.52
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	5G	AV	4.237G	8.21	-74.18	-74.18	-71.17	-62.96	-41.20	-21.76	-74.18
5965MHz	Pass	1G	5G	AV	5G	8.21	-75.08	-74.79	-71.92	-63.71	-41.20	-22.51	-74.79
5965MHz	Pass	1G	5G	PK	4.2565G	8.21	-63.65	-65.65	-61.53	-53.32	-21.20	-32.12	-65.65
5965MHz	Pass	1G	5G	PK	5G	8.21	-67.59	-67.72	-64.64	-56.43	-21.20	-35.23	-67.72
6165MHz	Pass	1G	5G	AV	4.9815G	8.21	-74.52	-73.98	-71.23	-63.02	-41.20	-21.82	-73.98
6165MHz	Pass	1G	5G	AV	5G	8.21	-74.50	-74.79	-71.63	-63.42	-41.20	-22.22	-74.79
6165MHz	Pass	1G	5G	PK	4.2975G	8.21	-66.31	-63.81	-61.87	-53.66	-21.20	-32.46	-63.81
6165MHz	Pass	1G	5G	PK	5G	8.21	-67.46	-66.98	-64.20	-55.99	-21.20	-34.79	-66.98
6405MHz	Pass	1G	5G	AV	4.27G	8.21	-73.96	-63.74	-63.35	-55.14	-41.20	-13.94	-63.74
6405MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6405MHz	Pass	1G	5G	PK	4.2705G	8.21	-65.48	-60.12	-59.01	-50.80	-21.20	-29.60	-60.12
6405MHz	Pass	1G	5G	PK	5G	8.21	-65.09	-66.18	-62.59	-54.38	-21.20	-33.18	-66.18
6445MHz	Pass	1G	5G	AV	4.297G	8.21	-73.65	-63.10	-62.73	-54.52	-41.20	-13.32	-63.10
6445MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6445MHz	Pass	1G	5G	PK	4.297G	8.21	-63.36	-59.18	-57.78	-49.57	-21.20	-28.37	-59.18
6445MHz	Pass	1G	5G	PK	5G	8.21	-65.18	-65.77	-62.45	-54.24	-21.20	-33.04	-65.77
6485MHz	Pass	1G	5G	AV	4.3235G	8.21	-72.82	-62.31	-61.94	-53.73	-41.20	-12.53	-62.31
6485MHz	Pass	1G	5G	AV	5G	8.21	-74.32	-75.18	-71.72	-63.51	-41.20	-22.31	-75.18
6485MHz	Pass	1G	5G	PK	4.324G	8.21	-65.35	-59.99	-58.88	-50.67	-21.20	-29.47	-59.99
6485MHz	Pass	1G	5G	PK	5G	8.21	-65.87	-66.62	-63.22	-55.01	-21.20	-33.81	-66.62
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.35G	8.21	-72.19	-62.26	-61.84	-53.63	-41.20	-12.43	-62.26
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3505G	8.21	-65.26	-58.94	-58.03	-49.82	-21.20	-28.62	-58.94
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-66.08	-66.18	-63.12	-54.91	-21.20	-33.71	-66.18
6565MHz	Pass	1G	5G	AV	4.377G	8.21	-71.88	-62.02	-61.59	-53.38	-41.20	-12.18	-62.02
6565MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6565MHz	Pass	1G	5G	PK	4.3775G	8.21	-63.79	-59.48	-58.11	-49.90	-21.20	-28.70	-59.48
6565MHz	Pass	1G	5G	PK	5G	8.21	-65.67	-66.96	-63.26	-55.05	-21.20	-33.85	-66.96
6725MHz	Pass	1G	5G	AV	4.986G	8.21	-74.33	-74.06	-71.18	-62.97	-41.20	-21.77	-74.06
6725MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6725MHz	Pass	1G	5G	PK	4.21G	8.21	-65.79	-63.56	-61.52	-53.31	-21.20	-32.11	-63.56
6725MHz	Pass	1G	5G	PK	5G	8.21	-67.56	-64.55	-62.79	-54.58	-21.20	-33.38	-64.55
6845MHz	Pass	1G	5G	AV	4.279G	8.21	-73.75	-74.55	-71.12	-62.91	-41.20	-21.71	-74.55
6845MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6845MHz	Pass	1G	5G	PK	4.2185G	8.21	-63.56	-65.07	-61.24	-53.03	-21.20	-31.83	-65.07
6845MHz	Pass	1G	5G	PK	5G	8.21	-66.40	-66.29	-63.33	-55.12	-21.20	-33.92	-66.29
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.59G	8.21	-68.77	-61.68	-60.90	-52.69	-41.20	-11.49	-61.68
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5905G	8.21	-63.48	-57.94	-56.87	-48.66	-21.20	-27.46	-57.94
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-65.37	-66.08	-62.70	-54.49	-21.20	-33.29	-66.08
6925MHz	Pass	1G	5G	AV	4.617G	8.21	-68.43	-61.73	-60.89	-52.68	-41.20	-11.48	-61.73
6925MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6925MHz	Pass	1G	5G	PK	4.617G	8.21	-63.18	-58.71	-57.38	-49.17	-21.20	-27.97	-58.71
6925MHz	Pass	1G	5G	PK	5G	8.21	-65.57	-65.77	-62.66	-54.45	-21.20	-33.25	-65.77
7005MHz	Pass	1G	5G	AV	4.67G	8.21	-67.92	-61.67	-60.75	-52.54	-41.20	-11.34	-61.67
7005MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
7005MHz	Pass	1G	5G	PK	4.6705G	8.21	-62.55	-58.62	-57.14	-48.93	-21.20	-27.73	-58.62
7005MHz	Pass	1G	5G	PK	5G	8.21	-64.64	-66.96	-62.64	-54.43	-21.20	-33.23	-66.96
7085MHz	Pass	1G	5G	AV	4.7235G	8.21	-67.09	-61.45	-60.40	-52.19	-41.20	-10.99	-61.45
7085MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
7085MHz	Pass	1G	5G	PK	4.7235G	8.21	-62.42	-57.83	-56.53	-48.32	-21.20	-27.12	-57.83
7085MHz	Pass	1G	5G	PK	5G	8.21	-66.40	-65.47	-62.90	-54.69	-21.20	-33.49	-65.47
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1G	5G	AV	4.2505G	8.21	-74.45	-73.91	-71.16	-62.95	-41.20	-21.75	-73.91
5965MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
5965MHz	Pass	1G	5G	PK	4.2405G	8.21	-64.04	-65.40	-61.66	-53.45	-21.20	-32.25	-65.40
5965MHz	Pass	1G	5G	PK	5G	8.21	-65.97	-65.09	-62.50	-54.29	-21.20	-33.09	-65.09
6165MHz	Pass	1G	5G	AV	4.2475G	8.21	-74.19	-74.47	-71.32	-63.11	-41.20	-21.91	-74.47
6165MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.88	-71.73	-63.52	-41.20	-22.32	-74.88
6165MHz	Pass	1G	5G	PK	4.2885G	8.21	-65.71	-63.67	-61.56	-53.35	-21.20	-32.15	-63.67
6165MHz	Pass	1G	5G	PK	5G	8.21	-66.18	-64.72	-62.38	-54.17	-21.20	-32.97	-64.72
6405MHz	Pass	1G	5G	AV	4.27G	8.21	-73.96	-63.58	-63.20	-54.99	-41.20	-13.79	-63.58
6405MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6405MHz	Pass	1G	5G	PK	4.27G	8.21	-64.81	-59.81	-58.62	-50.41	-21.20	-29.21	-59.81
6405MHz	Pass	1G	5G	PK	5G	8.21	-67.08	-67.68	-64.36	-56.15	-21.20	-34.95	-67.68
6445MHz	Pass	1G	5G	AV	4.297G	8.21	-73.91	-63.02	-62.68	-54.47	-41.20	-13.27	-63.02
6445MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6445MHz	Pass	1G	5G	PK	4.297G	8.21	-65.20	-58.95	-58.03	-49.82	-21.20	-28.62	-58.95
6445MHz	Pass	1G	5G	PK	5G	8.21	-65.97	-66.62	-63.27	-55.06	-21.20	-33.86	-66.62
6485MHz	Pass	1G	5G	AV	4.3235G	8.21	-72.82	-62.12	-61.77	-53.56	-41.20	-12.36	-62.12
6485MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6485MHz	Pass	1G	5G	PK	4.324G	8.21	-65.62	-60.14	-59.06	-50.85	-21.20	-29.65	-60.14
6485MHz	Pass	1G	5G	PK	5G	8.21	-66.73	-65.00	-62.77	-54.56	-21.20	-33.36	-65.00
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.35G	8.21	-72.80	-62.14	-61.78	-53.57	-41.20	-12.37	-62.14
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.48	-72.01	-63.80	-41.20	-22.60	-75.48
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3505G	8.21	-65.35	-59.24	-58.29	-50.08	-21.20	-28.88	-59.24
6525MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-65.67	-65.77	-62.71	-54.50	-21.20	-33.30	-65.77
6565MHz	Pass	1G	5G	AV	4.377G	8.21	-72.08	-62.02	-61.61	-53.40	-41.20	-12.20	-62.02
6565MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6565MHz	Pass	1G	5G	PK	4.377G	8.21	-64.79	-58.77	-57.80	-49.59	-21.20	-28.39	-58.77
6565MHz	Pass	1G	5G	PK	5G	8.21	-66.73	-66.08	-63.38	-55.17	-21.20	-33.97	-66.08
6725MHz	Pass	1G	5G	AV	4.2345G	8.21	-74.29	-74.29	-71.28	-63.07	-41.20	-21.87	-74.29
6725MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.32	-71.72	-63.51	-41.20	-22.31	-74.32

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6725MHz	Pass	1G	5G	PK	4.1195G	8.21	-64.90	-62.86	-60.75	-52.54	-21.20	-31.34	-62.86
6725MHz	Pass	1G	5G	PK	5G	8.21	-65.18	-66.73	-62.88	-54.67	-21.20	-33.47	-66.73
6845MHz	Pass	1G	5G	AV	4.255G	8.21	-74.19	-73.92	-71.04	-62.83	-41.20	-21.63	-73.92
6845MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6845MHz	Pass	1G	5G	PK	4.3765G	8.21	-66.01	-63.58	-61.62	-53.41	-21.20	-32.21	-63.58
6845MHz	Pass	1G	5G	PK	5G	8.21	-66.18	-65.09	-62.59	-54.38	-21.20	-33.18	-65.09
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.59G	8.21	-69.04	-61.74	-61.00	-52.79	-41.20	-11.59	-61.74
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.5905G	8.21	-63.41	-58.83	-57.53	-49.32	-21.20	-28.12	-58.83
6885MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-65.47	-65.57	-62.51	-54.30	-21.20	-33.10	-65.57
6925MHz	Pass	1G	5G	AV	4.617G	8.21	-68.82	-61.27	-60.57	-52.36	-41.20	-11.16	-61.27
6925MHz	Pass	1G	5G	AV	5G	8.21	-74.32	-74.88	-71.58	-63.37	-41.20	-22.17	-74.88
6925MHz	Pass	1G	5G	PK	4.617G	8.21	-63.68	-58.88	-57.64	-49.43	-21.20	-28.23	-58.88
6925MHz	Pass	1G	5G	PK	5G	8.21	-65.37	-66.29	-62.80	-54.59	-21.20	-33.39	-66.29
7005MHz	Pass	1G	5G	AV	4.67G	8.21	-67.81	-61.50	-60.59	-52.38	-41.20	-11.18	-61.50
7005MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
7005MHz	Pass	1G	5G	PK	4.6705G	8.21	-62.87	-58.23	-56.95	-48.74	-21.20	-27.54	-58.23
7005MHz	Pass	1G	5G	PK	5G	8.21	-65.97	-66.73	-63.32	-55.11	-21.20	-33.91	-66.73
7085MHz	Pass	1G	5G	AV	4.7235G	8.21	-67.09	-61.01	-60.05	-51.84	-41.20	-10.64	-61.01
7085MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.60	-71.87	-63.66	-41.20	-22.46	-74.60
7085MHz	Pass	1G	5G	PK	4.7235G	8.21	-62.35	-57.58	-56.33	-48.12	-21.20	-26.92	-57.58
7085MHz	Pass	1G	5G	PK	5G	8.21	-66.29	-66.96	-63.60	-55.39	-21.20	-34.19	-66.96
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	5G	AV	4.248G	8.21	-74.46	-74.19	-71.31	-63.10	-41.20	-21.90	-74.19
5985MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
5985MHz	Pass	1G	5G	PK	4.9015G	8.21	-64.39	-64.31	-61.34	-53.13	-21.20	-31.93	-64.31
5985MHz	Pass	1G	5G	PK	5G	8.21	-65.87	-66.08	-62.96	-54.75	-21.20	-33.55	-66.08
6145MHz	Pass	1G	5G	AV	4.9965G	8.21	-74.60	-74.33	-71.45	-63.24	-41.20	-22.04	-74.33
6145MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6145MHz	Pass	1G	5G	PK	4.249G	8.21	-64.58	-63.33	-60.90	-52.69	-21.20	-31.49	-63.33
6145MHz	Pass	1G	5G	PK	5G	8.21	-64.64	-66.96	-62.64	-54.43	-21.20	-33.23	-66.96
6385MHz	Pass	1G	5G	AV	4.257G	8.21	-74.75	-64.38	-64.00	-55.79	-41.20	-14.59	-64.38
6385MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6385MHz	Pass	1G	5G	PK	4.257G	8.21	-66.38	-60.19	-59.25	-51.04	-21.20	-29.84	-60.19
6385MHz	Pass	1G	5G	PK	5G	8.21	-66.96	-65.77	-63.31	-55.10	-21.20	-33.90	-65.77
6465MHz	Pass	1G	5G	AV	4.31G	8.21	-73.32	-62.54	-62.19	-53.98	-41.20	-12.78	-62.54
6465MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6465MHz	Pass	1G	5G	PK	4.3105G	8.21	-64.91	-59.67	-58.53	-50.32	-21.20	-29.12	-59.67
6465MHz	Pass	1G	5G	PK	5G	8.21	-65.57	-66.62	-63.05	-54.84	-21.20	-33.64	-66.62
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.3635G	8.21	-72.45	-61.69	-61.34	-53.13	-41.20	-11.93	-61.69
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.48	-72.16	-63.95	-41.20	-22.75	-75.48
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3635G	8.21	-64.95	-59.51	-58.42	-50.21	-21.20	-29.01	-59.51
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-66.73	-65.57	-63.10	-54.89	-21.20	-33.69	-65.57
6625MHz	Pass	1G	5G	AV	4.3965G	8.21	-74.57	-74.02	-71.28	-63.07	-41.20	-21.87	-74.02
6625MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.60	-71.87	-63.66	-41.20	-22.46	-74.60

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	5G	PK	4.223G	8.21	-64.28	-64.12	-61.19	-52.98	-21.20	-31.78	-64.12
6625MHz	Pass	1G	5G	PK	5G	8.21	-66.29	-64.81	-62.48	-54.27	-21.20	-33.07	-64.81
6705MHz	Pass	1G	5G	AV	4.2485G	8.21	-74.46	-74.46	-71.45	-63.24	-41.20	-22.04	-74.46
6705MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6705MHz	Pass	1G	5G	PK	4.9655G	8.21	-64.05	-65.77	-61.82	-53.61	-21.20	-32.41	-65.77
6705MHz	Pass	1G	5G	PK	5G	8.21	-66.29	-65.97	-63.12	-54.91	-21.20	-33.71	-65.97
6785MHz	Pass	1G	5G	AV	4.5235G	8.21	-69.18	-61.53	-60.84	-52.63	-41.20	-11.43	-61.53
6785MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.60	-71.87	-63.66	-41.20	-22.46	-74.60
6785MHz	Pass	1G	5G	PK	4.524G	8.21	-62.40	-58.12	-56.74	-48.53	-21.20	-27.33	-58.12
6785MHz	Pass	1G	5G	PK	5G	8.21	-66.08	-65.37	-62.70	-54.49	-21.20	-33.29	-65.37
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.577G	8.21	-68.93	-61.76	-61.00	-52.79	-41.20	-11.59	-61.76
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-75.18	-75.18	-72.17	-63.96	-41.20	-22.76	-75.18
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.577G	8.21	-63.72	-58.89	-57.66	-49.45	-21.20	-28.25	-58.89
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.40	-67.19	-63.77	-55.56	-21.20	-34.36	-67.19
6945MHz	Pass	1G	5G	AV	4.63G	8.21	-67.98	-61.84	-60.89	-52.68	-41.20	-11.48	-61.84
6945MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.88	-71.73	-63.52	-41.20	-22.32	-74.88
6945MHz	Pass	1G	5G	PK	4.6305G	8.21	-62.43	-58.68	-57.15	-48.94	-21.20	-27.74	-58.68
6945MHz	Pass	1G	5G	PK	5G	8.21	-65.67	-65.87	-62.76	-54.55	-21.20	-33.35	-65.87
7025MHz	Pass	1G	5G	AV	4.6835G	8.21	-67.71	-62.16	-61.09	-52.88	-41.20	-11.68	-62.16
7025MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.88	-71.73	-63.52	-41.20	-22.32	-74.88
7025MHz	Pass	1G	5G	PK	4.684G	8.21	-63.43	-58.84	-57.54	-49.33	-21.20	-28.13	-58.84
7025MHz	Pass	1G	5G	PK	5G	8.21	-64.72	-66.29	-62.42	-54.21	-21.20	-33.01	-66.29
802.11ax HEW80_RU52_Index50_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	5G	AV	4.257G	8.21	-74.75	-73.92	-71.30	-63.09	-41.20	-21.89	-73.92
5985MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
5985MHz	Pass	1G	5G	PK	4.0915G	8.21	-63.53	-65.78	-61.50	-53.29	-21.20	-32.09	-65.78
5985MHz	Pass	1G	5G	PK	5G	8.21	-65.57	-66.84	-63.15	-54.94	-21.20	-33.74	-66.84
6145MHz	Pass	1G	5G	AV	4.996G	8.21	-74.33	-74.33	-71.32	-63.11	-41.20	-21.91	-74.33
6145MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6145MHz	Pass	1G	5G	PK	4.2855G	8.21	-64.30	-65.39	-61.80	-53.59	-21.20	-32.39	-65.39
6145MHz	Pass	1G	5G	PK	5G	8.21	-64.46	-65.87	-62.10	-53.89	-21.20	-32.69	-65.87
6385MHz	Pass	1G	5G	AV	4.257G	8.21	-74.47	-64.38	-63.97	-55.76	-41.20	-14.56	-64.38
6385MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.60	-71.73	-63.52	-41.20	-22.32	-74.60
6385MHz	Pass	1G	5G	PK	4.257G	8.21	-65.85	-60.41	-59.32	-51.11	-21.20	-29.91	-60.41
6385MHz	Pass	1G	5G	PK	5G	8.21	-66.62	-65.87	-63.22	-55.01	-21.20	-33.81	-65.87
6465MHz	Pass	1G	5G	AV	4.31G	8.21	-72.22	-62.68	-62.22	-54.01	-41.20	-12.81	-62.68
6465MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.18	-71.87	-63.66	-41.20	-22.46	-75.18
6465MHz	Pass	1G	5G	PK	4.3105G	8.21	-66.67	-58.62	-57.99	-49.78	-21.20	-28.58	-58.62
6465MHz	Pass	1G	5G	PK	5G	8.21	-66.62	-65.28	-62.89	-54.68	-21.20	-33.48	-65.28
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.3635G	8.21	-71.47	-62.24	-61.75	-53.54	-41.20	-12.34	-62.24
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.48	-72.01	-63.80	-41.20	-22.60	-75.48
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.364G	8.21	-64.20	-59.41	-58.17	-49.96	-21.20	-28.76	-59.41
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-65.47	-65.97	-62.70	-54.49	-21.20	-33.29	-65.97
6625MHz	Pass	1G	5G	AV	4.249G	8.21	-74.45	-74.45	-71.44	-63.23	-41.20	-22.03	-74.45
6625MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	5G	PK	4.2195G	8.21	-64.78	-64.52	-61.64	-53.43	-21.20	-32.23	-64.52
6625MHz	Pass	1G	5G	PK	5G	8.21	-65.57	-67.19	-63.29	-55.08	-21.20	-33.88	-67.19
6705MHz	Pass	1G	5G	AV	4.254G	8.21	-74.46	-74.18	-71.31	-63.10	-41.20	-21.90	-74.18
6705MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6705MHz	Pass	1G	5G	PK	4.9205G	8.21	-63.93	-64.84	-61.35	-53.14	-21.20	-31.94	-64.84
6705MHz	Pass	1G	5G	PK	5G	8.21	-66.18	-66.84	-63.49	-55.28	-21.20	-34.08	-66.84
6785MHz	Pass	1G	5G	AV	4.5235G	8.21	-69.18	-61.30	-60.64	-52.43	-41.20	-11.23	-61.30
6785MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6785MHz	Pass	1G	5G	PK	4.5235G	8.21	-63.91	-58.67	-57.53	-49.32	-21.20	-28.12	-58.67
6785MHz	Pass	1G	5G	PK	5G	8.21	-66.73	-66.73	-63.72	-55.51	-21.20	-34.31	-66.73
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.577G	8.21	-69.06	-61.59	-60.87	-52.66	-41.20	-11.46	-61.59
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.577G	8.21	-62.87	-58.77	-57.34	-49.13	-21.20	-27.93	-58.77
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.08	-67.19	-63.59	-55.38	-21.20	-34.18	-67.19
6945MHz	Pass	1G	5G	AV	4.63G	8.21	-68.10	-61.49	-60.63	-52.42	-41.20	-11.22	-61.49
6945MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6945MHz	Pass	1G	5G	PK	4.6305G	8.21	-62.95	-58.48	-57.15	-48.94	-21.20	-27.74	-58.48
6945MHz	Pass	1G	5G	PK	5G	8.21	-66.08	-65.87	-62.96	-54.75	-21.20	-33.55	-65.87
7025MHz	Pass	1G	5G	AV	4.6835G	8.21	-68.18	-61.87	-60.96	-52.75	-41.20	-11.55	-61.87
7025MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
7025MHz	Pass	1G	5G	PK	4.684G	8.21	-63.29	-58.88	-57.54	-49.33	-21.20	-28.13	-58.88
7025MHz	Pass	1G	5G	PK	5G	8.21	-66.96	-66.18	-63.54	-55.33	-21.20	-34.13	-66.18
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	5G	AV	4.239G	8.21	-73.99	-74.82	-71.37	-63.16	-41.20	-21.96	-74.82
5985MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.48	-72.01	-63.80	-41.20	-22.60	-75.48
5985MHz	Pass	1G	5G	PK	4.209G	8.21	-64.88	-64.88	-61.87	-53.66	-21.20	-32.46	-64.88
5985MHz	Pass	1G	5G	PK	5G	8.21	-65.37	-67.94	-63.46	-55.25	-21.20	-34.05	-67.94
6145MHz	Pass	1G	5G	AV	4.258G	8.21	-74.19	-74.47	-71.32	-63.11	-41.20	-21.91	-74.47
6145MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.18	-71.87	-63.66	-41.20	-22.46	-75.18
6145MHz	Pass	1G	5G	PK	4.236G	8.21	-63.59	-65.73	-61.52	-53.31	-21.20	-32.11	-65.73
6145MHz	Pass	1G	5G	PK	5G	8.21	-67.08	-66.84	-63.95	-55.74	-21.20	-34.54	-66.84
6385MHz	Pass	1G	5G	AV	4.2565G	8.21	-73.92	-64.47	-64.00	-55.79	-41.20	-14.59	-64.47
6385MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6385MHz	Pass	1G	5G	PK	4.257G	8.21	-65.06	-60.75	-59.38	-51.17	-21.20	-29.97	-60.75
6385MHz	Pass	1G	5G	PK	5G	8.21	-66.08	-66.18	-63.12	-54.91	-21.20	-33.71	-66.18
6465MHz	Pass	1G	5G	AV	4.31G	8.21	-72.87	-62.48	-62.10	-53.89	-41.20	-12.69	-62.48
6465MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6465MHz	Pass	1G	5G	PK	4.3105G	8.21	-66.14	-59.11	-58.32	-50.11	-21.20	-28.91	-59.11
6465MHz	Pass	1G	5G	PK	5G	8.21	-67.68	-65.28	-63.31	-55.10	-21.20	-33.90	-65.28
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.3635G	8.21	-71.85	-61.75	-61.35	-53.14	-41.20	-11.94	-61.75
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3635G	8.21	-64.53	-59.33	-58.18	-49.97	-21.20	-28.77	-59.33
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-64.91	-66.51	-62.63	-54.42	-21.20	-33.22	-66.51
6625MHz	Pass	1G	5G	AV	4.2455G	8.21	-74.48	-73.94	-71.19	-62.98	-41.20	-21.78	-73.94
6625MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	5G	PK	4.9925G	8.21	-65.39	-63.96	-61.61	-53.40	-21.20	-32.20	-63.96
6625MHz	Pass	1G	5G	PK	5G	8.21	-66.08	-66.18	-63.12	-54.91	-21.20	-33.71	-66.18
6705MHz	Pass	1G	5G	AV	4.2515G	8.21	-74.45	-74.18	-71.30	-63.09	-41.20	-21.89	-74.18
6705MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6705MHz	Pass	1G	5G	PK	4.1315G	8.21	-67.47	-63.12	-61.76	-53.55	-21.20	-32.35	-63.12
6705MHz	Pass	1G	5G	PK	5G	8.21	-67.31	-66.51	-63.88	-55.67	-21.20	-34.47	-66.51
6785MHz	Pass	1G	5G	AV	4.5235G	8.21	-69.18	-61.41	-60.74	-52.53	-41.20	-11.33	-61.41
6785MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6785MHz	Pass	1G	5G	PK	4.524G	8.21	-63.91	-59.27	-57.99	-49.78	-21.20	-28.58	-59.27
6785MHz	Pass	1G	5G	PK	5G	8.21	-64.81	-65.28	-62.03	-53.82	-21.20	-32.62	-65.28
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.577G	8.21	-69.06	-61.88	-61.12	-52.91	-41.20	-11.71	-61.88
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-75.48	-75.18	-72.32	-64.11	-41.20	-22.91	-75.18
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.577G	8.21	-62.54	-59.15	-57.51	-49.30	-21.20	-28.10	-59.15
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-65.18	-66.08	-62.60	-54.39	-21.20	-33.19	-66.08
6945MHz	Pass	1G	5G	AV	4.63G	8.21	-67.98	-61.26	-60.42	-52.21	-41.20	-11.01	-61.26
6945MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.32	-71.72	-63.51	-41.20	-22.31	-74.32
6945MHz	Pass	1G	5G	PK	4.6305G	8.21	-63.30	-58.68	-57.39	-49.18	-21.20	-27.98	-58.68
6945MHz	Pass	1G	5G	PK	5G	8.21	-66.51	-66.73	-63.61	-55.40	-21.20	-34.20	-66.73
7025MHz	Pass	1G	5G	AV	4.6835G	8.21	-68.06	-61.98	-61.02	-52.81	-41.20	-11.61	-61.98
7025MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
7025MHz	Pass	1G	5G	PK	4.684G	8.21	-64.00	-58.76	-57.62	-49.41	-21.20	-28.21	-58.76
7025MHz	Pass	1G	5G	PK	5G	8.21	-65.00	-65.77	-62.36	-54.15	-21.20	-32.95	-65.77
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	5G	AV	4.2835G	8.21	-74.05	-74.31	-71.17	-62.96	-41.20	-21.76	-74.31
5985MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.32	-71.58	-63.37	-41.20	-22.17	-74.32
5985MHz	Pass	1G	5G	PK	4.9715G	8.21	-66.13	-62.79	-61.14	-52.93	-21.20	-31.73	-62.79
5985MHz	Pass	1G	5G	PK	5G	8.21	-66.08	-66.62	-63.33	-55.12	-21.20	-33.92	-66.62
6145MHz	Pass	1G	5G	AV	4.2345G	8.21	-74.29	-74.29	-71.28	-63.07	-41.20	-21.87	-74.29
6145MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6145MHz	Pass	1G	5G	PK	4.264G	8.21	-66.29	-62.77	-61.17	-52.96	-21.20	-31.76	-62.77
6145MHz	Pass	1G	5G	PK	5G	8.21	-65.77	-65.57	-62.66	-54.45	-21.20	-33.25	-65.57
6385MHz	Pass	1G	5G	AV	4.2565G	8.21	-74.19	-64.47	-64.03	-55.82	-41.20	-14.62	-64.47
6385MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-75.18	-72.17	-63.96	-41.20	-22.76	-75.18
6385MHz	Pass	1G	5G	PK	4.257G	8.21	-66.38	-59.42	-58.62	-50.41	-21.20	-29.21	-59.42
6385MHz	Pass	1G	5G	PK	5G	8.21	-66.18	-65.37	-62.75	-54.54	-21.20	-33.34	-65.37
6465MHz	Pass	1G	5G	AV	4.31G	8.21	-73.56	-62.82	-62.47	-54.26	-41.20	-13.06	-62.82
6465MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6465MHz	Pass	1G	5G	PK	4.3105G	8.21	-66.56	-59.39	-58.63	-50.42	-21.20	-29.22	-59.39
6465MHz	Pass	1G	5G	PK	5G	8.21	-66.96	-65.57	-63.20	-54.99	-21.20	-33.79	-65.57
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.3635G	8.21	-72.04	-62.05	-61.64	-53.43	-41.20	-12.23	-62.05
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3635G	8.21	-66.67	-59.28	-58.55	-50.34	-21.20	-29.14	-59.28
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-65.67	-66.73	-63.16	-54.95	-21.20	-33.75	-66.73
6625MHz	Pass	1G	5G	AV	4.25G	8.21	-73.91	-74.45	-71.16	-62.95	-41.20	-21.75	-74.45
6625MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	5G	PK	4.387G	8.21	-63.78	-65.24	-61.44	-53.23	-21.20	-32.03	-65.24
6625MHz	Pass	1G	5G	PK	5G	8.21	-67.43	-66.40	-63.87	-55.66	-21.20	-34.46	-66.40
6705MHz	Pass	1G	5G	AV	4.28G	8.21	-74.28	-74.56	-71.41	-63.20	-41.20	-22.00	-74.56
6705MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.88	-71.73	-63.52	-41.20	-22.32	-74.88
6705MHz	Pass	1G	5G	PK	4.2995G	8.21	-65.32	-64.17	-61.70	-53.49	-21.20	-32.29	-64.17
6705MHz	Pass	1G	5G	PK	5G	8.21	-67.08	-64.81	-62.79	-54.58	-21.20	-33.38	-64.81
6785MHz	Pass	1G	5G	AV	4.5235G	8.21	-69.60	-61.30	-60.70	-52.49	-41.20	-11.29	-61.30
6785MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6785MHz	Pass	1G	5G	PK	4.5235G	8.21	-63.47	-57.74	-56.71	-48.50	-21.20	-27.30	-57.74
6785MHz	Pass	1G	5G	PK	5G	8.21	-66.29	-66.08	-63.17	-54.96	-21.20	-33.76	-66.08
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.577G	8.21	-69.34	-61.76	-61.06	-52.85	-41.20	-11.65	-61.76
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.05	-74.32	-71.17	-62.96	-41.20	-21.76	-74.32
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.577G	8.21	-63.36	-58.89	-57.56	-49.35	-21.20	-28.15	-58.89
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-66.18	-66.29	-63.22	-55.01	-21.20	-33.81	-66.29
6945MHz	Pass	1G	5G	AV	4.63G	8.21	-68.10	-61.66	-60.77	-52.56	-41.20	-11.36	-61.66
6945MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6945MHz	Pass	1G	5G	PK	4.6305G	8.21	-62.82	-58.64	-57.24	-49.03	-21.20	-27.83	-58.64
6945MHz	Pass	1G	5G	PK	5G	8.21	-66.84	-65.97	-63.37	-55.16	-21.20	-33.96	-65.97
7025MHz	Pass	1G	5G	AV	4.6835G	8.21	-68.55	-62.10	-61.21	-53.00	-41.20	-11.80	-62.10
7025MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
7025MHz	Pass	1G	5G	PK	4.6835G	8.21	-63.02	-59.05	-57.59	-49.38	-21.20	-28.18	-59.05
7025MHz	Pass	1G	5G	PK	5G	8.21	-66.29	-65.87	-63.06	-54.85	-21.20	-33.65	-65.87
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1G	5G	AV	4.2425G	8.21	-74.51	-74.23	-71.36	-63.15	-41.20	-21.95	-74.23
5985MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
5985MHz	Pass	1G	5G	PK	4.2465G	8.21	-67.07	-63.28	-61.76	-53.55	-21.20	-32.35	-63.28
5985MHz	Pass	1G	5G	PK	5G	8.21	-65.97	-66.18	-63.06	-54.85	-21.20	-33.65	-66.18
6145MHz	Pass	1G	5G	AV	4.2775G	8.21	-74.26	-74.26	-71.25	-63.04	-41.20	-21.84	-74.26
6145MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.88	-72.02	-63.81	-41.20	-22.61	-74.88
6145MHz	Pass	1G	5G	PK	4.285G	8.21	-65.00	-64.47	-61.72	-53.51	-21.20	-32.31	-64.47
6145MHz	Pass	1G	5G	PK	5G	8.21	-67.19	-66.51	-63.83	-55.62	-21.20	-34.42	-66.51
6385MHz	Pass	1G	5G	AV	4.257G	8.21	-74.47	-64.38	-63.97	-55.76	-41.20	-14.56	-64.38
6385MHz	Pass	1G	5G	AV	5G	8.21	-75.48	-74.88	-72.16	-63.95	-41.20	-22.75	-74.88
6385MHz	Pass	1G	5G	PK	4.257G	8.21	-66.38	-59.93	-59.04	-50.83	-21.20	-29.63	-59.93
6385MHz	Pass	1G	5G	PK	5G	8.21	-66.62	-67.43	-64.00	-55.79	-21.20	-34.59	-67.43
6465MHz	Pass	1G	5G	AV	4.31G	8.21	-72.87	-63.03	-62.60	-54.39	-41.20	-13.19	-63.03
6465MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6465MHz	Pass	1G	5G	PK	4.3105G	8.21	-65.74	-59.67	-58.71	-50.50	-21.20	-29.30	-59.67
6465MHz	Pass	1G	5G	PK	5G	8.21	-65.67	-64.46	-62.01	-53.80	-21.20	-32.60	-64.46
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	4.3635G	8.21	-73.32	-62.44	-62.10	-53.89	-41.20	-12.69	-62.44
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	4.3635G	8.21	-65.49	-59.10	-58.20	-49.99	-21.20	-28.79	-59.10
6545MHz Straddle 6.425-6.525GHz	Pass	1G	5G	PK	5G	8.21	-65.57	-66.51	-63.00	-54.79	-21.20	-33.59	-66.51
6625MHz	Pass	1G	5G	AV	4.2475G	8.21	-74.19	-74.47	-71.32	-63.11	-41.20	-21.91	-74.47
6625MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-75.18	-71.87	-63.66	-41.20	-22.46	-75.18

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
6625MHz	Pass	1G	5G	PK	4.823G	8.21	-66.34	-63.31	-61.56	-53.35	-21.20	-32.15	-63.31
6625MHz	Pass	1G	5G	PK	5G	8.21	-66.18	-67.19	-63.65	-55.44	-21.20	-34.24	-67.19
6705MHz	Pass	1G	5G	AV	4.9495G	8.21	-74.53	-74.01	-71.25	-63.04	-41.20	-21.84	-74.01
6705MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6705MHz	Pass	1G	5G	PK	4.249G	8.21	-63.98	-65.53	-61.68	-53.47	-21.20	-32.27	-65.53
6705MHz	Pass	1G	5G	PK	5G	8.21	-65.28	-66.62	-62.89	-54.68	-21.20	-33.48	-66.62
6785MHz	Pass	1G	5G	AV	4.5235G	8.21	-69.32	-61.53	-60.86	-52.65	-41.20	-11.45	-61.53
6785MHz	Pass	1G	5G	AV	5G	8.21	-75.18	-74.60	-71.87	-63.66	-41.20	-22.46	-74.60
6785MHz	Pass	1G	5G	PK	4.524G	8.21	-64.29	-58.39	-57.40	-49.19	-21.20	-27.99	-58.39
6785MHz	Pass	1G	5G	PK	5G	8.21	-65.09	-66.08	-62.55	-54.34	-21.20	-33.14	-66.08
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	4.577G	8.21	-69.63	-61.76	-61.10	-52.89	-41.20	-11.69	-61.76
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	AV	5G	8.21	-74.88	-74.88	-71.87	-63.66	-41.20	-22.46	-74.88
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	4.577G	8.21	-62.61	-58.28	-56.92	-48.71	-21.20	-27.51	-58.28
6865MHz Straddle 6.525-6.875GHz	Pass	1G	5G	PK	5G	8.21	-67.43	-64.64	-62.80	-54.59	-21.20	-33.39	-64.64
6945MHz	Pass	1G	5G	AV	4.63G	8.21	-68.60	-61.38	-60.63	-52.42	-41.20	-11.22	-61.38
6945MHz	Pass	1G	5G	AV	5G	8.21	-74.60	-74.60	-71.59	-63.38	-41.20	-22.18	-74.60
6945MHz	Pass	1G	5G	PK	4.6305G	8.21	-62.06	-58.80	-57.12	-48.91	-21.20	-27.71	-58.80
6945MHz	Pass	1G	5G	PK	5G	8.21	-65.09	-66.40	-62.69	-54.48	-21.20	-33.28	-66.40
7025MHz	Pass	1G	5G	AV	4.6835G	8.21	-68.55	-61.87	-61.03	-52.82	-41.20	-11.62	-61.87
7025MHz	Pass	1G	5G	AV	5G	8.21	-74.88	-75.18	-72.02	-63.81	-41.20	-22.61	-75.18
7025MHz	Pass	1G	5G	PK	4.684G	8.21	-63.36	-58.68	-57.41	-49.20	-21.20	-28.00	-58.68
7025MHz	Pass	1G	5G	PK	5G	8.21	-65.18	-66.84	-62.92	-54.71	-21.20	-33.51	-66.84


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.9715G	-61.62	-65.73	-63.75
1G	5G	1M	PK	5G	-62.97	-65.68	-66.30

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.3965G	-71.32	-74.47	-74.20
1G	5G	1M	AV	5G	-71.77	-75.08	-74.50



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6175MHz



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]


6175MHz



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.277G	-58.61	-66.46	-59.39
1G	5G	1M	PK	5G	-62.72	-65.58	-65.88

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.277G	-63.09	-74.16	-63.44
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.2905G	-59.41	-67.28	-60.18
1G	5G	1M	PK	5G	-63.51	-66.75	-66.30

6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.29G	-62.45	-73.50	-62.80
1G	5G	1M	AV	5G	-71.35	-74.23	-74.50



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6475MHz



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6475MHz






6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6515MHz



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6515MHz






6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.357G	-57.54	-64.84	-58.44
1G	5G	1M	PK	5G	-63.85	-67.10	-66.64

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.357G	-61.37	-71.82	-61.78
1G	5G	1M	AV	5G	-72.07	-75.08	-75.08



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6715MHz



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]


6715MHz



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5705G	-57.51	-62.80	-59.03
1G	5G	1M	PK	5G	-64.20	-67.59	-66.86

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.57G	-60.65	-68.59	-61.41
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6875MHz Straddle 6.525-6.875GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5835G	-57.03	-64.08	-57.98
1G	5G	1M	PK	5G	-63.35	-66.64	-66.09

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6875MHz Straddle 6.525-6.875GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.5835G	-60.64	-68.43	-61.43
1G	5G	1M	AV	5G	-71.49	-74.23	-74.79



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5975G	-57.24	-62.95	-58.60
1G	5G	1M	PK	5G	-62.92	-65.78	-66.09

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.597G	-60.48	-67.90	-61.35
1G	5G	1M	AV	5G	-71.77	-75.08	-74.50



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.6775G	-57.34	-63.34	-58.59
1G	5G	1M	PK	5G	-63.34	-66.75	-65.98

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.677G	-60.70	-67.74	-61.66
1G	5G	1M	AV	5G	-71.77	-74.50	-75.08



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.7305G	-57.42	-62.83	-58.90
1G	5G	1M	PK	5G	-63.85	-66.64	-67.10

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.73G	-60.09	-66.28	-61.29
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


7115MHz



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7115MHz






5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


5955MHz



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

5955MHz






5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6175MHz



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6175MHz






5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.277G	-58.44	-64.30	-59.75
1G	5G	1M	PK	5G	-63.80	-66.98	-66.64

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.277G	-62.60	-73.39	-62.98
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6435MHz



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6435MHz






6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.317G	-57.98	-65.07	-58.92
1G	5G	1M	PK	5G	-63.13	-66.09	-66.20

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.317G	-61.58	-72.43	-61.95
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.344G	-58.01	-64.21	-59.20
1G	5G	1M	PK	5G	-62.72	-64.37	-67.72

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.3435G	-61.01	-71.66	-61.40
1G	5G	1M	AV	5G	-71.63	-74.50	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.357G	-57.61	-63.86	-58.78
1G	5G	1M	PK	5G	-63.40	-68.11	-65.19

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.357G	-61.44	-72.02	-61.84
1G	5G	1M	AV	5G	-71.92	-74.79	-75.08



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.291G	-61.69	-64.00	-65.54
1G	5G	1M	PK	5G	-64.15	-67.22	-67.10

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.272G	-71.26	-74.14	-74.41
1G	5G	1M	AV	5G	-71.49	-74.50	-74.50



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5705G	-56.85	-63.07	-58.04
1G	5G	1M	PK	5G	-63.51	-66.86	-66.20

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.57G	-60.69	-68.59	-61.46
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6875MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.597G	-57.70	-63.23	-59.12
1G	5G	1M	PK	5G	-63.68	-66.41	-66.98

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.597G	-60.59	-68.27	-61.40
1G	5G	1M	AV	5G	-71.63	-74.79	-74.50



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.6775G	-57.23	-62.74	-58.67
1G	5G	1M	PK	5G	-63.16	-66.86	-65.58

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.677G	-60.59	-67.63	-61.55
1G	5G	1M	AV	5G	-71.92	-74.79	-75.08



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.7305G	-56.79	-61.84	-58.42
1G	5G	1M	PK	5G	-63.35	-66.64	-66.09

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.73G	-59.84	-66.58	-60.87
1G	5G	1M	AV	5G	-72.07	-75.08	-75.08



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


7115MHz



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7115MHz






5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


5955MHz



5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

5955MHz






5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.092G	-61.86	-66.85	-63.52
1G	5G	1M	PK	5G	-63.80	-66.64	-66.98

5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.247G	-71.23	-74.10	-74.38
1G	5G	1M	AV	5G	-71.77	-74.50	-75.08



5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.277G	-59.01	-66.57	-59.85
1G	5G	1M	PK	5G	-63.16	-64.90	-67.98

5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.2765G	-62.48	-73.63	-62.83
1G	5G	1M	AV	5G	-72.07	-75.08	-75.08



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.2905G	-59.20	-66.36	-60.13
1G	5G	1M	PK	5G	-62.86	-66.30	-65.48

6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.29G	-62.34	-73.02	-62.73
1G	5G	1M	AV	5G	-72.07	-75.08	-75.08



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.317G	-58.13	-65.93	-58.92
1G	5G	1M	PK	5G	-63.57	-66.64	-66.52

6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.317G	-61.61	-72.86	-61.95
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6515MHz



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6515MHz






6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.357G	-58.43	-66.04	-59.26
1G	5G	1M	PK	5G	-63.91	-66.75	-67.10

6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.357G	-61.40	-72.22	-61.78
1G	5G	1M	AV	5G	-71.63	-74.50	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.378G	-62.04	-64.34	-65.89
1G	5G	1M	PK	5G	-63.90	-67.34	-66.52

6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.244G	-71.11	-74.40	-73.86
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5705G	-57.71	-63.65	-58.99
1G	5G	1M	PK	5G	-63.22	-67.59	-65.19

6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.57G	-60.58	-68.46	-61.35
1G	5G	1M	AV	5G	-71.92	-75.08	-74.79



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6875MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.597G	-57.24	-62.82	-58.64
1G	5G	1M	PK	5G	-64.21	-67.22	-67.22

6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.597G	-60.72	-68.80	-61.46
1G	5G	1M	AV	5G	-71.92	-75.08	-74.79



6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.677G	-57.12	-62.36	-58.67
1G	5G	1M	PK	5G	-63.39	-66.86	-65.98

6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.677G	-60.82	-68.34	-61.66
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.7305G	-57.35	-63.09	-58.70
1G	5G	1M	PK	5G	-63.07	-65.88	-66.30

6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.73G	-60.18	-66.99	-61.19
1G	5G	1M	AV	5G	-71.63	-74.50	-74.79



6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.744G	-56.27	-61.73	-57.73
1G	5G	1M	PK	5G	-63.64	-66.71	-66.60

6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.7435G	-59.43	-65.78	-60.57
1G	5G	1M	AV	5G	-72.14	-75.46	-74.86



5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

5965MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.2625G	-62.19	-64.79	-65.66
1G	5G	1M	PK	5G	-64.64	-67.84	-67.46

5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

5965MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.9675G	-71.16	-74.31	-74.04
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6165MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.843G	-61.53	-63.85	-65.36
1G	5G	1M	PK	5G	-63.33	-66.86	-65.88

5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6165MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.2725G	-71.13	-74.14	-74.14
1G	5G	1M	AV	5G	-72.07	-75.08	-75.08



5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6405MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.2705G	-58.63	-66.21	-59.46
1G	5G	1M	PK	5G	-63.07	-65.68	-66.52

5.925-6.425GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6405MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.27G	-63.16	-73.61	-63.57
1G	5G	1M	AV	5G	-71.78	-74.79	-74.79



6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6445MHz



6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6445MHz






6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6485MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.324G	-58.99	-66.42	-59.85
1G	5G	1M	PK	5G	-62.47	-65.48	-65.48

6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6485MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.3235G	-61.39	-72.72	-61.72
1G	5G	1M	AV	5G	-71.92	-75.08	-74.79



6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6525MHz Straddle 6.425-6.525GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.3505G	-58.06	-66.31	-58.76
1G	5G	1M	PK	5G	-63.85	-66.86	-66.86

6.425-6.525GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6525MHz Straddle 6.425-6.525GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.35G	-61.54	-71.71	-61.98
1G	5G	1M	AV	5G	-71.77	-74.50	-75.08



6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6565MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.377G	-57.36	-63.71	-58.50
1G	5G	1M	PK	5G	-63.91	-67.10	-66.75

6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6565MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.3765G	-61.20	-71.04	-61.68
1G	5G	1M	AV	5G	-71.77	-75.08	-74.50



6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6725MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.8995G	-62.18	-64.64	-65.81
1G	5G	1M	PK	5G	-62.24	-66.09	-64.54

6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6725MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.951G	-71.28	-74.16	-74.43
1G	5G	1M	AV	5G	-71.63	-74.79	-74.50



6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]


6845MHz



6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6845MHz






6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6885MHz Straddle 6.525-6.875GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.5905G	-57.49	-62.62	-59.08
1G	5G	1M	PK	5G	-63.79	-66.75	-66.86

6.525-6.875GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6885MHz Straddle 6.525-6.875GHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.59G	-60.76	-68.67	-61.53
1G	5G	1M	AV	5G	-71.49	-74.79	-74.23



6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

6925MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.617G	-57.45	-63.22	-58.79
1G	5G	1M	PK	5G	-63.27	-66.98	-65.68

6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

6925MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.617G	-60.33	-67.84	-61.18
1G	5G	1M	AV	5G	-71.92	-75.08	-74.79



6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7005MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.6705G	-57.26	-63.32	-58.49
1G	5G	1M	PK	5G	-63.73	-66.52	-66.98

6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7005MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.67G	-60.45	-67.71	-61.35
1G	5G	1M	AV	5G	-71.63	-74.50	-74.79



6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [PK]

7085MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	PK	4.724G	-56.65	-61.17	-58.54
1G	5G	1M	PK	5G	-63.40	-66.41	-66.41

6.875-7.125GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

CSE Other [AV]

7085MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5G	1M	AV	4.7235G	-60.27	-66.48	-61.46
1G	5G	1M	AV	5G	-71.63	-74.79	-74.50