

Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.44	-13	Pass	401
0.15	30	0.01	Peak	0.17	-38.8	-13	Pass	2986
30	500	0.1	Peak	409.3	-41.78	-13	Pass	4701
500	1000	0.1	Peak	824.1	32	-13	N/A	5001
1000	10000	1	Peak	8252	-18.34	-13	Pass	9001




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-37.49	-13	Pass	2986
30	500	0.1	Peak	437.3	-41.77	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.02	-13	N/A	5001
1000	10000	1	Peak	9737	-17.14	-13	Pass	9001



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.69	-13	Pass	2986
30	500	0.1	Peak	395	-40.31	-13	Pass	4701
500	1000	0.1	Peak	848.9	34.05	-13	N/A	5001
1000	10000	1	Peak	7652	-16.97	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.49	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.77	-13	Pass	2986
30	1000	0.1	Peak	772.9	-48.2	-13	Pass	9701
1000	3000	1	Peak	1850	28.16	-13	N/A	2001
3000	20000	1	Peak	19988	-40.32	-13	Pass	17003




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.12	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.37	-13	Pass	2986
30	1000	0.1	Peak	844.7	-48.52	-13	Pass	9701
1000	3000	1	Peak	1880	27.28	-13	N/A	2001
3000	20000	1	Peak	19735	-40.31	-13	Pass	17003



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.51	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.8	-13	Pass	2986
30	1000	0.1	Peak	879.12	-48.04	-13	Pass	9701
1000	3000	1	Peak	1910	28.75	-13	N/A	2001
3000	20000	1	Peak	19385	-40.01	-13	Pass	17003




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	1000	0.1	RMS	948.1	-60.76	-13	Pass	9701
1000	1840	1	RMS	1836	-42.27	-13	Pass	841
1840	1920	1	RMS	1850.2	23.85	60	Pass	401
1920	3000	1	RMS	2801	-46.99	-13	Pass	1081
3000	12000	1	RMS	11858	-36.97	-13	Pass	9001
12000	20000	1	RMS	19922	-24.41	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2986
30	1000	0.1	RMS	946.2	-60.82	-13	Pass	9701
1000	1840	1	RMS	1836	-41.58	-13	Pass	841
1840	1920	1	RMS	1850.2	23.1	60	Pass	401
1920	3000	1	RMS	3000	-46.93	-13	Pass	1081
3000	12000	1	RMS	11854	-37.05	-13	Pass	9001
12000	20000	1	RMS	19944	-24.42	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	939.3	-60.65	-13	Pass	9701
1000	1840	1	RMS	1838	-50.1	-13	Pass	841
1840	1920	1	RMS	1879.6	23.52	60	Pass	401
1920	3000	1	RMS	2999	-46.97	-13	Pass	1081
3000	12000	1	RMS	11859	-37.01	-13	Pass	9001
12000	20000	1	RMS	19943	-24.37	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.1	-13	Pass	2986
30	1000	0.1	RMS	972.6	-60.72	-13	Pass	9701
1000	1840	1	RMS	1836	-50.06	-13	Pass	841
1840	1920	1	RMS	1879.6	22.81	60	Pass	401
1920	3000	1	RMS	2800	-46.98	-13	Pass	1081
3000	12000	1	RMS	11864	-37.02	-13	Pass	9001
12000	20000	1	RMS	19934	-24.37	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	917.7	-60.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1908.8	24.11	60	Pass	401
1920	3000	1	RMS	2999	-46.96	-13	Pass	1081
3000	12000	1	RMS	11862	-36.99	-13	Pass	9001
12000	20000	1	RMS	19942	-24.41	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.62	-13	Pass	2986
30	1000	0.1	RMS	932.8	-60.83	-13	Pass	9701
1000	1840	1	RMS	1839	-50.18	-13	Pass	841
1840	1920	1	RMS	1908.8	23.41	60	Pass	401
1920	3000	1	RMS	2796	-46.98	-13	Pass	1081
3000	12000	1	RMS	11866	-37.06	-13	Pass	9001
12000	20000	1	RMS	19944	-24.41	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	897.3	-60.91	-13	Pass	9701
1000	1840	1	RMS	1836	-40.98	-13	Pass	841
1840	1920	1	RMS	1850.2	23.89	60	Pass	401
1920	3000	1	RMS	2997	-46.92	-13	Pass	1081
3000	12000	1	RMS	11862	-37.03	-13	Pass	9001
12000	20000	1	RMS	19930	-24.4	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	931.9	-60.65	-13	Pass	9701
1000	1840	1	RMS	1836	-40.49	-13	Pass	841
1840	1920	1	RMS	1850.2	23.29	60	Pass	401
1920	3000	1	RMS	2799	-47	-13	Pass	1081
3000	12000	1	RMS	11853	-37.05	-13	Pass	9001
12000	20000	1	RMS	19957	-24.33	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.56	-13	Pass	2986
30	1000	0.1	RMS	917.5	-60.77	-13	Pass	9701
1000	1840	1	RMS	1839	-50.15	-13	Pass	841
1840	1920	1	RMS	1878.8	23.24	60	Pass	401
1920	3000	1	RMS	3000	-46.98	-13	Pass	1081
3000	12000	1	RMS	11847	-37.09	-13	Pass	9001
12000	20000	1	RMS	19934	-24.42	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	925.6	-60.79	-13	Pass	9701
1000	1840	1	RMS	1840	-50.2	-13	Pass	841
1840	1920	1	RMS	1878.8	22.59	60	Pass	401
1920	3000	1	RMS	2999	-46.98	-13	Pass	1081
3000	12000	1	RMS	11853	-37.04	-13	Pass	9001
12000	20000	1	RMS	19951	-24.37	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	915.3	-60.77	-13	Pass	9701
1000	1840	1	RMS	1836	-50.1	-13	Pass	841
1840	1920	1	RMS	1907.2	23.8	60	Pass	401
1920	3000	1	RMS	2793	-46.94	-13	Pass	1081
3000	12000	1	RMS	11859	-37	-13	Pass	9001
12000	20000	1	RMS	19926	-24.42	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2986
30	1000	0.1	RMS	934	-60.68	-13	Pass	9701
1000	1840	1	RMS	1840	-50.1	-13	Pass	841
1840	1920	1	RMS	1907.2	23.06	60	Pass	401
1920	3000	1	RMS	3000	-46.94	-13	Pass	1081
3000	12000	1	RMS	11861	-37.05	-13	Pass	9001
12000	20000	1	RMS	19930	-24.34	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.11	-13	Pass	2986
30	1000	0.1	RMS	927.9	-60.64	-13	Pass	9701
1000	1840	1	RMS	1836	-38.87	-13	Pass	841
1840	1920	1	RMS	1850.4	24.29	60	Pass	401
1920	3000	1	RMS	2775	-46.95	-13	Pass	1081
3000	12000	1	RMS	11861	-37.08	-13	Pass	9001
12000	20000	1	RMS	19944	-24.38	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-13	Pass	2986
30	1000	0.1	RMS	897.3	-60.73	-13	Pass	9701
1000	1840	1	RMS	1836	-40.7	-13	Pass	841
1840	1920	1	RMS	1850.4	23.53	60	Pass	401
1920	3000	1	RMS	2999	-46.97	-13	Pass	1081
3000	12000	1	RMS	11857	-37	-13	Pass	9001
12000	20000	1	RMS	19946	-24.34	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	959.6	-60.82	-13	Pass	9701
1000	1840	1	RMS	1839	-50.11	-13	Pass	841
1840	1920	1	RMS	1877.8	23.58	60	Pass	401
1920	3000	1	RMS	2799	-46.94	-13	Pass	1081
3000	12000	1	RMS	11856	-36.99	-13	Pass	9001
12000	20000	1	RMS	19958	-24.43	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	912.9	-60.82	-13	Pass	9701
1000	1840	1	RMS	1838	-50.11	-13	Pass	841
1840	1920	1	RMS	1877.8	22.86	60	Pass	401
1920	3000	1	RMS	2999	-46.94	-13	Pass	1081
3000	12000	1	RMS	11852	-36.96	-13	Pass	9001
12000	20000	1	RMS	19939	-24.41	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	1000	0.1	RMS	904.8	-60.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.09	-13	Pass	841
1840	1920	1	RMS	1905.4	23.58	60	Pass	401
1920	3000	1	RMS	2643	-46.95	-13	Pass	1081
3000	12000	1	RMS	11861	-36.98	-13	Pass	9001
12000	20000	1	RMS	19956	-24.38	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	1000	0.1	RMS	925.3	-60.83	-13	Pass	9701
1000	1840	1	RMS	1838	-50.17	-13	Pass	841
1840	1920	1	RMS	1905.4	22.97	60	Pass	401
1920	3000	1	RMS	3000	-46.91	-13	Pass	1081
3000	12000	1	RMS	11855	-37.05	-13	Pass	9001
12000	20000	1	RMS	19949	-24.43	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	1000	0.1	RMS	931.8	-60.79	-13	Pass	9701
1000	1840	1	RMS	1836	-39.88	-13	Pass	841
1840	1920	1	RMS	1850.6	24.12	60	Pass	401
1920	3000	1	RMS	2799	-46.96	-13	Pass	1081
3000	12000	1	RMS	11858	-37	-13	Pass	9001
12000	20000	1	RMS	19951	-24.39	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	1000	0.1	RMS	915.4	-60.83	-13	Pass	9701
1000	1840	1	RMS	1836	-39.07	-13	Pass	841
1840	1920	1	RMS	1850.6	23.42	60	Pass	401
1920	3000	1	RMS	2998	-46.97	-13	Pass	1081
3000	12000	1	RMS	11858	-37.01	-13	Pass	9001
12000	20000	1	RMS	19946	-24.43	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.14	-13	Pass	2986
30	1000	0.1	RMS	903	-60.83	-13	Pass	9701
1000	1840	1	RMS	1839	-50.1	-13	Pass	841
1840	1920	1	RMS	1875.6	23.44	60	Pass	401
1920	3000	1	RMS	2801	-46.93	-13	Pass	1081
3000	12000	1	RMS	11869	-36.98	-13	Pass	9001
12000	20000	1	RMS	19950	-24.33	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	888.3	-60.85	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1875.6	22.67	60	Pass	401
1920	3000	1	RMS	2998	-46.93	-13	Pass	1081
3000	12000	1	RMS	11857	-37.01	-13	Pass	9001
12000	20000	1	RMS	19889	-24.4	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	938.3	-60.74	-13	Pass	9701
1000	1840	1	RMS	1839	-50.11	-13	Pass	841
1840	1920	1	RMS	1900.6	23.9	60	Pass	401
1920	3000	1	RMS	3000	-46.95	-13	Pass	1081
3000	12000	1	RMS	11849	-37	-13	Pass	9001
12000	20000	1	RMS	19945	-24.42	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	1000	0.1	RMS	915.5	-60.75	-13	Pass	9701
1000	1840	1	RMS	1838	-50.14	-13	Pass	841
1840	1920	1	RMS	1900.6	23.05	60	Pass	401
1920	3000	1	RMS	2801	-46.96	-13	Pass	1081
3000	12000	1	RMS	11852	-36.99	-13	Pass	9001
12000	20000	1	RMS	19942	-24.42	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	911.1	-60.75	-13	Pass	9701
1000	1840	1	RMS	1838	-29.16	-13	Pass	841
1840	1920	1	RMS	1850.8	24.31	60	Pass	401
1920	3000	1	RMS	3000	-46.94	-13	Pass	1081
3000	12000	1	RMS	11847	-37.03	-13	Pass	9001
12000	20000	1	RMS	19950	-24.38	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	1000	0.1	RMS	928.2	-60.78	-13	Pass	9701
1000	1840	1	RMS	1838	-29.8	-13	Pass	841
1840	1920	1	RMS	1850.8	23.48	60	Pass	401
1920	3000	1	RMS	2999	-46.94	-13	Pass	1081
3000	12000	1	RMS	11857	-37.02	-13	Pass	9001
12000	20000	1	RMS	19956	-24.46	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2986
30	1000	0.1	RMS	909.3	-60.78	-13	Pass	9701
1000	1840	1	RMS	1840	-49.82	-13	Pass	841
1840	1920	1	RMS	1873.4	23.9	60	Pass	401
1920	3000	1	RMS	3000	-46.93	-13	Pass	1081
3000	12000	1	RMS	11864	-37.07	-13	Pass	9001
12000	20000	1	RMS	19951	-24.4	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	960	-60.76	-13	Pass	9701
1000	1840	1	RMS	1840	-49.93	-13	Pass	841
1840	1920	1	RMS	1873.4	23.18	60	Pass	401
1920	3000	1	RMS	2997	-46.92	-13	Pass	1081
3000	12000	1	RMS	11853	-37.03	-13	Pass	9001
12000	20000	1	RMS	19936	-24.41	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.04	-13	Pass	2986
30	1000	0.1	RMS	928.3	-60.76	-13	Pass	9701
1000	1840	1	RMS	1837	-50.07	-13	Pass	841
1840	1920	1	RMS	1895.8	24.69	60	Pass	401
1920	3000	1	RMS	2798	-46.94	-13	Pass	1081
3000	12000	1	RMS	11849	-36.97	-13	Pass	9001
12000	20000	1	RMS	19910	-24.37	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	1000	0.1	RMS	930	-60.77	-13	Pass	9701
1000	1840	1	RMS	1840	-50.15	-13	Pass	841
1840	1920	1	RMS	1895.8	23.98	60	Pass	401
1920	3000	1	RMS	3000	-46.95	-13	Pass	1081
3000	12000	1	RMS	11856	-36.97	-13	Pass	9001
12000	20000	1	RMS	19945	-24.42	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	1000	0.1	RMS	955.2	-60.73	-13	Pass	9701
1000	1840	1	RMS	1833	-33.11	-13	Pass	841
1840	1920	1	RMS	1851	24.21	60	Pass	401
1920	3000	1	RMS	2802	-46.92	-13	Pass	1081
3000	12000	1	RMS	11851	-37.07	-13	Pass	9001
12000	20000	1	RMS	19941	-24.4	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	1000	0.1	RMS	935.4	-60.76	-13	Pass	9701
1000	1840	1	RMS	1833	-36.36	-13	Pass	841
1840	1920	1	RMS	1851.2	23.38	60	Pass	401
1920	3000	1	RMS	3000	-46.98	-13	Pass	1081
3000	12000	1	RMS	11854	-37.04	-13	Pass	9001
12000	20000	1	RMS	19930	-24.42	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	911.9	-60.78	-13	Pass	9701
1000	1840	1	RMS	1835	-44.17	-13	Pass	841
1840	1920	1	RMS	1871	23.86	60	Pass	401
1920	3000	1	RMS	3000	-47	-13	Pass	1081
3000	12000	1	RMS	11849	-36.96	-13	Pass	9001
12000	20000	1	RMS	19916	-24.41	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	920.4	-60.73	-13	Pass	9701
1000	1840	1	RMS	1835	-45.89	-13	Pass	841
1840	1920	1	RMS	1871.2	23.06	60	Pass	401
1920	3000	1	RMS	3000	-46.9	-13	Pass	1081
3000	12000	1	RMS	11854	-37.04	-13	Pass	9001
12000	20000	1	RMS	19943	-24.36	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	926.8	-60.66	-13	Pass	9701
1000	1840	1	RMS	1838	-49.87	-13	Pass	841
1840	1920	1	RMS	1891	24.76	60	Pass	401
1920	3000	1	RMS	2995	-46.96	-13	Pass	1081
3000	12000	1	RMS	11863	-37.01	-13	Pass	9001
12000	20000	1	RMS	19937	-24.46	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.94	-13	Pass	2986
30	1000	0.1	RMS	910.2	-60.79	-13	Pass	9701
1000	1840	1	RMS	1840	-49.98	-13	Pass	841
1840	1920	1	RMS	1891	23.89	60	Pass	401
1920	3000	1	RMS	2796	-46.94	-13	Pass	1081
3000	12000	1	RMS	11858	-37.02	-13	Pass	9001
12000	20000	1	RMS	19941	-24.43	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	902.2	-60.9	-13	Pass	9701
1000	1700	1	RMS	1696	-48.64	-13	Pass	701
1700	1765	1	RMS	1710.238	23.45	60	Pass	401
1765	3000	1	RMS	2998	-46.91	-13	Pass	1236
3000	12000	1	RMS	11856	-37.26	-13	Pass	9001
12000	20000	1	RMS	19957	-24.62	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	1000	0.1	RMS	907.8	-60.93	-13	Pass	9701
1000	1700	1	RMS	1696	-49.05	-13	Pass	701
1700	1765	1	RMS	1710.238	22.65	60	Pass	401
1765	3000	1	RMS	2800	-46.94	-13	Pass	1236
3000	12000	1	RMS	11859	-37.28	-13	Pass	9001
12000	20000	1	RMS	19952	-24.59	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.96	-13	Pass	2986
30	1000	0.1	RMS	919.1	-60.99	-13	Pass	9701
1000	1700	1	RMS	1697	-51.04	-13	Pass	701
1700	1765	1	RMS	1732.013	23.11	60	Pass	401
1765	3000	1	RMS	2791	-46.93	-13	Pass	1236
3000	12000	1	RMS	11852	-37.21	-13	Pass	9001
12000	20000	1	RMS	19913	-24.65	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	923.7	-61.04	-13	Pass	9701
1000	1700	1	RMS	1696	-51.06	-13	Pass	701
1700	1765	1	RMS	1732.013	22.27	60	Pass	401
1765	3000	1	RMS	2801	-46.99	-13	Pass	1236
3000	12000	1	RMS	11866	-37.3	-13	Pass	9001
12000	20000	1	RMS	19934	-24.61	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	934	-60.97	-13	Pass	9701
1000	1700	1	RMS	1697	-51	-13	Pass	701
1700	1765	1	RMS	1753.788	23.48	60	Pass	401
1765	3000	1	RMS	2994	-46.89	-13	Pass	1236
3000	12000	1	RMS	11861	-37.18	-13	Pass	9001
12000	20000	1	RMS	19947	-24.59	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.14	-13	Pass	2986
30	1000	0.1	RMS	939.5	-60.98	-13	Pass	9701
1000	1700	1	RMS	1635	-51.08	-13	Pass	701
1700	1765	1	RMS	1753.95	22.68	60	Pass	401
1765	3000	1	RMS	2999	-46.92	-13	Pass	1236
3000	12000	1	RMS	11872	-37.28	-13	Pass	9001
12000	20000	1	RMS	19922	-24.6	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	1000	0.1	RMS	949.9	-60.95	-13	Pass	9701
1000	1700	1	RMS	1696	-49.19	-13	Pass	701
1700	1765	1	RMS	1710.238	23.47	60	Pass	401
1765	3000	1	RMS	2997	-46.97	-13	Pass	1236
3000	12000	1	RMS	11856	-37.26	-13	Pass	9001
12000	20000	1	RMS	19937	-24.57	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	916.7	-60.93	-13	Pass	9701
1000	1700	1	RMS	1696	-48	-13	Pass	701
1700	1765	1	RMS	1710.238	22.9	60	Pass	401
1765	3000	1	RMS	2999	-46.84	-13	Pass	1236
3000	12000	1	RMS	11858	-37.18	-13	Pass	9001
12000	20000	1	RMS	19958	-24.56	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	1000	0.1	RMS	938.1	-60.98	-13	Pass	9701
1000	1700	1	RMS	1698	-51.02	-13	Pass	701
1700	1765	1	RMS	1731.2	23.01	60	Pass	401
1765	3000	1	RMS	2534	-46.49	-13	Pass	1236
3000	12000	1	RMS	11854	-37.22	-13	Pass	9001
12000	20000	1	RMS	19935	-24.51	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	929.1	-61	-13	Pass	9701
1000	1700	1	RMS	1699	-51.01	-13	Pass	701
1700	1765	1	RMS	1731.2	22.15	60	Pass	401
1765	3000	1	RMS	2999	-46.9	-13	Pass	1236
3000	12000	1	RMS	11861	-37.18	-13	Pass	9001
12000	20000	1	RMS	19953	-24.57	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2986
30	1000	0.1	RMS	925.5	-61.08	-13	Pass	9701
1000	1700	1	RMS	1694	-51.05	-13	Pass	701
1700	1765	1	RMS	1752.163	23.64	60	Pass	401
1765	3000	1	RMS	2802	-46.98	-13	Pass	1236
3000	12000	1	RMS	11862	-37.17	-13	Pass	9001
12000	20000	1	RMS	19948	-24.52	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.53	-13	Pass	2986
30	1000	0.1	RMS	915.5	-60.97	-13	Pass	9701
1000	1700	1	RMS	1618	-51.05	-13	Pass	701
1700	1765	1	RMS	1752.163	22.8	60	Pass	401
1765	3000	1	RMS	2998	-46.9	-13	Pass	1236
3000	12000	1	RMS	11859	-37.26	-13	Pass	9001
12000	20000	1	RMS	19923	-24.57	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	1000	0.1	RMS	961	-60.99	-13	Pass	9701
1000	1700	1	RMS	1696	-48.39	-13	Pass	701
1700	1765	1	RMS	1710.4	23.51	60	Pass	401
1765	3000	1	RMS	2999	-46.91	-13	Pass	1236
3000	12000	1	RMS	11874	-37.3	-13	Pass	9001
12000	20000	1	RMS	19901	-24.63	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	1000	0.1	RMS	950.1	-61.02	-13	Pass	9701
1000	1700	1	RMS	1696	-49.08	-13	Pass	701
1700	1765	1	RMS	1710.4	22.75	60	Pass	401
1765	3000	1	RMS	3000	-46.96	-13	Pass	1236
3000	12000	1	RMS	11860	-37.24	-13	Pass	9001
12000	20000	1	RMS	19930	-24.6	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	Pass	2986
30	1000	0.1	RMS	945.6	-61.05	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1730.388	22.96	60	Pass	401
1765	3000	1	RMS	2796	-46.98	-13	Pass	1236
3000	12000	1	RMS	11855	-37.25	-13	Pass	9001
12000	20000	1	RMS	19959	-24.58	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	920.4	-61.05	-13	Pass	9701
1000	1700	1	RMS	1696	-51	-13	Pass	701
1700	1765	1	RMS	1730.388	22.28	60	Pass	401
1765	3000	1	RMS	2992	-46.94	-13	Pass	1236
3000	12000	1	RMS	11857	-37.22	-13	Pass	9001
12000	20000	1	RMS	19940	-24.6	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2986
30	1000	0.1	RMS	904.9	-60.84	-13	Pass	9701
1000	1700	1	RMS	1695	-51	-13	Pass	701
1700	1765	1	RMS	1750.375	23.71	60	Pass	401
1765	3000	1	RMS	2998	-46.93	-13	Pass	1236
3000	12000	1	RMS	11856	-37.21	-13	Pass	9001
12000	20000	1	RMS	19938	-24.56	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2986
30	1000	0.1	RMS	924.2	-60.99	-13	Pass	9701
1000	1700	1	RMS	1697	-51.06	-13	Pass	701
1700	1765	1	RMS	1750.375	23.03	60	Pass	401
1765	3000	1	RMS	2796	-46.95	-13	Pass	1236
3000	12000	1	RMS	11863	-37.26	-13	Pass	9001
12000	20000	1	RMS	19923	-24.59	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	1000	0.1	RMS	936.2	-60.97	-13	Pass	9701
1000	1700	1	RMS	1696	-48.6	-13	Pass	701
1700	1765	1	RMS	1710.563	23.52	60	Pass	401
1765	3000	1	RMS	2998	-46.92	-13	Pass	1236
3000	12000	1	RMS	11850	-37.24	-13	Pass	9001
12000	20000	1	RMS	19926	-24.61	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	1000	0.1	RMS	976.1	-60.97	-13	Pass	9701
1000	1700	1	RMS	1696	-47.8	-13	Pass	701
1700	1765	1	RMS	1710.563	22.77	60	Pass	401
1765	3000	1	RMS	2801	-46.97	-13	Pass	1236
3000	12000	1	RMS	11868	-37.23	-13	Pass	9001
12000	20000	1	RMS	19908	-24.6	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	910.9	-60.92	-13	Pass	9701
1000	1700	1	RMS	1699	-50.99	-13	Pass	701
1700	1765	1	RMS	1728.113	23.01	60	Pass	401
1765	3000	1	RMS	2999	-46.94	-13	Pass	1236
3000	12000	1	RMS	11845	-37.26	-13	Pass	9001
12000	20000	1	RMS	19953	-24.57	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	913.4	-60.71	-13	Pass	9701
1000	1700	1	RMS	1697	-50.92	-13	Pass	701
1700	1765	1	RMS	1728.113	22.17	60	Pass	401
1765	3000	1	RMS	2999	-46.95	-13	Pass	1236
3000	12000	1	RMS	11861	-37.21	-13	Pass	9001
12000	20000	1	RMS	19938	-24.62	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.55	-13	Pass	2986
30	1000	0.1	RMS	945.2	-60.99	-13	Pass	9701
1000	1700	1	RMS	1696	-50.99	-13	Pass	701
1700	1765	1	RMS	1745.663	23.67	60	Pass	401
1765	3000	1	RMS	2806	-46.94	-13	Pass	1236
3000	12000	1	RMS	11863	-37.23	-13	Pass	9001
12000	20000	1	RMS	19951	-24.59	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	921.8	-61.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1745.663	22.85	60	Pass	401
1765	3000	1	RMS	3000	-46.95	-13	Pass	1236
3000	12000	1	RMS	11859	-37.23	-13	Pass	9001
12000	20000	1	RMS	19959	-24.58	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	1000	0.1	RMS	946.2	-60.91	-13	Pass	9701
1000	1700	1	RMS	1698	-30.94	-13	Pass	701
1700	1765	1	RMS	1710.888	23.65	60	Pass	401
1765	3000	1	RMS	3000	-46.9	-13	Pass	1236
3000	12000	1	RMS	11850	-37.25	-13	Pass	9001
12000	20000	1	RMS	19912	-24.54	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	922.7	-61.09	-13	Pass	9701
1000	1700	1	RMS	1697	-32.18	-13	Pass	701
1700	1765	1	RMS	1710.888	22.89	60	Pass	401
1765	3000	1	RMS	2998	-46.93	-13	Pass	1236
3000	12000	1	RMS	11871	-37.3	-13	Pass	9001
12000	20000	1	RMS	19953	-24.57	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	1000	0.1	RMS	935.2	-61.01	-13	Pass	9701
1000	1700	1	RMS	1699	-49.99	-13	Pass	701
1700	1765	1	RMS	1725.838	23.49	60	Pass	401
1765	3000	1	RMS	2997	-46.92	-13	Pass	1236
3000	12000	1	RMS	11865	-37.18	-13	Pass	9001
12000	20000	1	RMS	19906	-24.58	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	928.6	-60.91	-13	Pass	9701
1000	1700	1	RMS	1699	-50.38	-13	Pass	701
1700	1765	1	RMS	1725.838	22.67	60	Pass	401
1765	3000	1	RMS	2998	-46.95	-13	Pass	1236
3000	12000	1	RMS	11859	-37.27	-13	Pass	9001
12000	20000	1	RMS	19953	-24.6	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2986
30	1000	0.1	RMS	942.3	-61.01	-13	Pass	9701
1000	1700	1	RMS	1699	-50.94	-13	Pass	701
1700	1765	1	RMS	1740.788	23.57	60	Pass	401
1765	3000	1	RMS	1767	-41.06	-13	Pass	1236
3000	12000	1	RMS	11860	-37.25	-13	Pass	9001
12000	20000	1	RMS	19938	-24.6	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	914.6	-61.02	-13	Pass	9701
1000	1700	1	RMS	1698	-50.95	-13	Pass	701
1700	1765	1	RMS	1740.788	22.82	60	Pass	401
1765	3000	1	RMS	1767	-42.13	-13	Pass	1236
3000	12000	1	RMS	11853	-37.19	-13	Pass	9001
12000	20000	1	RMS	19938	-24.6	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	1000	0.1	RMS	959.8	-60.99	-13	Pass	9701
1000	1700	1	RMS	1693	-31.22	-13	Pass	701
1700	1765	1	RMS	1711.05	23.66	60	Pass	401
1765	3000	1	RMS	2999	-46.94	-13	Pass	1236
3000	12000	1	RMS	11844	-37.27	-13	Pass	9001
12000	20000	1	RMS	19957	-24.56	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.1	-13	Pass	9701
1000	1700	1	RMS	1693	-33.67	-13	Pass	701
1700	1765	1	RMS	1711.05	22.96	60	Pass	401
1765	3000	1	RMS	2997	-46.94	-13	Pass	1236
3000	12000	1	RMS	11860	-37.24	-13	Pass	9001
12000	20000	1	RMS	19901	-24.62	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	1000	0.1	RMS	951.5	-60.94	-13	Pass	9701
1000	1700	1	RMS	1688	-49.58	-13	Pass	701
1700	1765	1	RMS	1723.563	23.36	60	Pass	401
1765	3000	1	RMS	2998	-46.88	-13	Pass	1236
3000	12000	1	RMS	11873	-37.25	-13	Pass	9001
12000	20000	1	RMS	19928	-24.58	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	931.9	-61.04	-13	Pass	9701
1000	1700	1	RMS	1697	-50.19	-13	Pass	701
1700	1765	1	RMS	1723.563	22.57	60	Pass	401
1765	3000	1	RMS	3000	-46.96	-13	Pass	1236
3000	12000	1	RMS	11850	-37.27	-13	Pass	9001
12000	20000	1	RMS	19940	-24.61	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	910.7	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-46.31	-13	Pass	701
1700	1765	1	RMS	1736.075	23.49	60	Pass	401
1765	3000	1	RMS	1772	-35.59	-13	Pass	1236
3000	12000	1	RMS	11849	-37.25	-13	Pass	9001
12000	20000	1	RMS	19937	-24.6	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	931	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-47.33	-13	Pass	701
1700	1765	1	RMS	1736.075	22.58	60	Pass	401
1765	3000	1	RMS	1772	-37.15	-13	Pass	1236
3000	12000	1	RMS	11859	-37.23	-13	Pass	9001
12000	20000	1	RMS	19956	-24.52	-13	Pass	8001



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.8	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.67	-13	Pass	7841
814	860	0.1	RMS	824.3	19.47	60	Pass	461
860	1000	0.1	RMS	925	-62	-13	Pass	1401
1000	3000	1	RMS	1648	-38.33	-13	Pass	2001
3000	10000	1	RMS	9749	-40.05	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.98	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.61	-13	Pass	7841
814	860	0.1	RMS	824.3	18.77	60	Pass	461
860	1000	0.1	RMS	921.5	-62.05	-13	Pass	1401
1000	3000	1	RMS	1648	-39.13	-13	Pass	2001
3000	10000	1	RMS	9754	-40.1	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.56	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.86	-13	Pass	7841
814	860	0.1	RMS	836.1	20.54	60	Pass	461
860	1000	0.1	RMS	936.3	-61.96	-13	Pass	1401
1000	3000	1	RMS	1672	-42.01	-13	Pass	2001
3000	10000	1	RMS	9745	-40.04	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2986
30	814	0.1	RMS	812.9	-60.93	-13	Pass	7841
814	860	0.1	RMS	836.1	19.71	60	Pass	461
860	1000	0.1	RMS	917.6	-62.01	-13	Pass	1401
1000	3000	1	RMS	1672	-42.62	-13	Pass	2001
3000	10000	1	RMS	9739	-40	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	814	0.1	RMS	795.4	-60.84	-13	Pass	7841
814	860	0.1	RMS	847.9	19.8	60	Pass	461
860	1000	0.1	RMS	945.8	-61.99	-13	Pass	1401
1000	3000	1	RMS	1696	-41.26	-13	Pass	2001
3000	10000	1	RMS	9746	-39.99	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	814	0.1	RMS	808.8	-60.95	-13	Pass	7841
814	860	0.1	RMS	847.9	19.09	60	Pass	461
860	1000	0.1	RMS	932.3	-62.07	-13	Pass	1401
1000	3000	1	RMS	1696	-42.02	-13	Pass	2001
3000	10000	1	RMS	9733	-40.06	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.29	-13	Pass	7841
814	860	0.1	RMS	824.2	19.43	60	Pass	461
860	1000	0.1	RMS	962.2	-62	-13	Pass	1401
1000	3000	1	RMS	1648	-38.19	-13	Pass	2001
3000	10000	1	RMS	9718	-40.03	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2986
30	814	0.1	RMS	812.9	-60.57	-13	Pass	7841
814	860	0.1	RMS	824.2	18.72	60	Pass	461
860	1000	0.1	RMS	986	-62.12	-13	Pass	1401
1000	3000	1	RMS	1648	-38.81	-13	Pass	2001
3000	10000	1	RMS	9714	-40.08	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2986
30	814	0.1	RMS	810.2	-60.85	-13	Pass	7841
814	860	0.1	RMS	835.2	20.48	60	Pass	461
860	1000	0.1	RMS	963	-62.04	-13	Pass	1401
1000	3000	1	RMS	1670	-43.64	-13	Pass	2001
3000	10000	1	RMS	9733	-40.1	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	814	0.1	RMS	810	-60.86	-13	Pass	7841
814	860	0.1	RMS	835.2	19.59	60	Pass	461
860	1000	0.1	RMS	944.9	-62.01	-13	Pass	1401
1000	3000	1	RMS	1670	-44.11	-13	Pass	2001
3000	10000	1	RMS	9738	-40.08	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2986
30	814	0.1	RMS	810.3	-60.96	-13	Pass	7841
814	860	0.1	RMS	846.2	20.15	60	Pass	461
860	1000	0.1	RMS	878.5	-62.07	-13	Pass	1401
1000	3000	1	RMS	1692	-42.17	-13	Pass	2001
3000	10000	1	RMS	9745	-40.06	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	814	0.1	RMS	810.1	-60.93	-13	Pass	7841
814	860	0.1	RMS	846.2	19.48	60	Pass	461
860	1000	0.1	RMS	927.1	-62.01	-13	Pass	1401
1000	3000	1	RMS	1692	-42.72	-13	Pass	2001
3000	10000	1	RMS	9742	-40.07	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.12	-13	Pass	7841
814	860	0.1	RMS	824.3	19.44	60	Pass	461
860	1000	0.1	RMS	907.8	-62.12	-13	Pass	1401
1000	3000	1	RMS	1649	-37.23	-13	Pass	2001
3000	10000	1	RMS	9753	-40.06	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.14	-13	Pass	7841
814	860	0.1	RMS	824.4	18.61	60	Pass	461
860	1000	0.1	RMS	932.9	-62.1	-13	Pass	1401
1000	3000	1	RMS	1649	-38.06	-13	Pass	2001
3000	10000	1	RMS	9748	-40.01	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	814	0.1	RMS	810.9	-60.68	-13	Pass	7841
814	860	0.1	RMS	834.3	20.71	60	Pass	461
860	1000	0.1	RMS	918.7	-62.04	-13	Pass	1401
1000	3000	1	RMS	1669	-42.68	-13	Pass	2001
3000	10000	1	RMS	9737	-40.02	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	814	0.1	RMS	802	-60.81	-13	Pass	7841
814	860	0.1	RMS	834.3	19.99	60	Pass	461
860	1000	0.1	RMS	928.4	-62.03	-13	Pass	1401
1000	3000	1	RMS	1669	-43.01	-13	Pass	2001
3000	10000	1	RMS	9709	-40.05	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	814	0.1	RMS	804.9	-60.84	-13	Pass	7841
814	860	0.1	RMS	844.3	20.22	60	Pass	461
860	1000	0.1	RMS	933.2	-62.08	-13	Pass	1401
1000	3000	1	RMS	1689	-38.47	-13	Pass	2001
3000	10000	1	RMS	9735	-40	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.59	-13	Pass	2986
30	814	0.1	RMS	776.5	-60.95	-13	Pass	7841
814	860	0.1	RMS	844.3	19.5	60	Pass	461
860	1000	0.1	RMS	944	-62.11	-13	Pass	1401
1000	3000	1	RMS	1689	-39.01	-13	Pass	2001
3000	10000	1	RMS	9748	-40.09	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	814	0.1	RMS	811.4	-57.88	-13	Pass	7841
814	860	0.1	RMS	824.6	20.06	60	Pass	461
860	1000	0.1	RMS	991.3	-62.11	-13	Pass	1401
1000	3000	1	RMS	1649	-36.73	-13	Pass	2001
3000	10000	1	RMS	9751	-40.07	-13	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.09	-13	Pass	2986
30	814	0.1	RMS	811.4	-58.44	-13	Pass	7841
814	860	0.1	RMS	824.6	19.42	60	Pass	461
860	1000	0.1	RMS	904.6	-62.05	-13	Pass	1401
1000	3000	1	RMS	1649	-37.35	-13	Pass	2001
3000	10000	1	RMS	9750	-40.1	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	814	0.1	RMS	810.1	-60.08	-13	Pass	7841
814	860	0.1	RMS	832.1	21.06	60	Pass	461
860	1000	0.1	RMS	966.5	-62.08	-13	Pass	1401
1000	3000	1	RMS	1664	-39.59	-13	Pass	2001
3000	10000	1	RMS	9713	-40.13	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	814	0.1	RMS	810.1	-60.58	-13	Pass	7841
814	860	0.1	RMS	832.1	20.19	60	Pass	461
860	1000	0.1	RMS	957.3	-62.14	-13	Pass	1401
1000	3000	1	RMS	1664	-40.25	-13	Pass	2001
3000	10000	1	RMS	9752	-40.08	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	814	0.1	RMS	813.3	-60.85	-13	Pass	7841
814	860	0.1	RMS	839.6	20.01	60	Pass	461
860	1000	0.1	RMS	929.1	-62.07	-13	Pass	1401
1000	3000	1	RMS	1679	-38.79	-13	Pass	2001
3000	10000	1	RMS	9743	-40.09	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	814	0.1	RMS	809.2	-60.85	-13	Pass	7841
814	860	0.1	RMS	839.6	19.11	60	Pass	461
860	1000	0.1	RMS	938	-62.16	-13	Pass	1401
1000	3000	1	RMS	1679	-39.64	-13	Pass	2001
3000	10000	1	RMS	9729	-40.12	-13	Pass	7001



3. LTE_Band7

3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-25	Pass	2986
30	1000	0.1	RMS	941.3	-61.04	-25	Pass	9701
1000	2490	1	RMS	2486	-40.59	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.79	60	Pass	401
2580	3000	1	RMS	2999	-47.22	-25	Pass	421
3000	12000	1	RMS	11862	-60.64	-25	Pass	9001
12000	26000	1	RMS	25293	-39.99	-25	Pass	14001



3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-25	Pass	2986
30	1000	0.1	RMS	919.4	-61.13	-25	Pass	9701
1000	2490	1	RMS	2486	-38	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.86	60	Pass	401
2580	3000	1	RMS	2792	-47.23	-25	Pass	421
3000	12000	1	RMS	7501	-59.99	-25	Pass	9001
12000	26000	1	RMS	25301	-40.75	-25	Pass	14001



3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-25	Pass	2986
30	1000	0.1	RMS	938.6	-60.93	-25	Pass	9701
1000	2490	1	RMS	2489	-47.37	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.4	60	Pass	401
2580	3000	1	RMS	2798	-47.24	-25	Pass	421
3000	12000	1	RMS	7599	-59.72	-25	Pass	9001
12000	26000	1	RMS	25295	-40.8	-25	Pass	14001



3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-25	Pass	2986
30	1000	0.1	RMS	930.8	-60.97	-25	Pass	9701
1000	2490	1	RMS	2489	-47.29	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.16	60	Pass	401
2580	3000	1	RMS	2779	-47.25	-25	Pass	421
3000	12000	1	RMS	7599	-59.75	-25	Pass	9001
12000	26000	1	RMS	25293	-40.6	-25	Pass	14001



3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2986
30	1000	0.1	RMS	923.2	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.54	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.58	60	Pass	401
2580	3000	1	RMS	3000	-47.22	-25	Pass	421
3000	12000	1	RMS	7696	-59.76	-25	Pass	9001
12000	26000	1	RMS	25292	-40.71	-25	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-25	Pass	2986
30	1000	0.1	RMS	909.2	-61.04	-25	Pass	9701
1000	2490	1	RMS	2489	-47.62	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.91	60	Pass	401
2580	3000	1	RMS	2580	-46.84	-25	Pass	421
3000	12000	1	RMS	7696	-59.25	-25	Pass	9001
12000	26000	1	RMS	25294	-40.78	-25	Pass	14001



3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.18	-25	Pass	2986
30	1000	0.1	RMS	942.4	-61.12	-25	Pass	9701
1000	2490	1	RMS	2486	-39.29	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.94	60	Pass	401
2580	3000	1	RMS	2998	-47.19	-25	Pass	421
3000	12000	1	RMS	7502	-60.39	-25	Pass	9001
12000	26000	1	RMS	25295	-40.72	-25	Pass	14001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-25	Pass	2986
30	1000	0.1	RMS	940.4	-61.06	-25	Pass	9701
1000	2490	1	RMS	2486	-37.93	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.03	60	Pass	401
2580	3000	1	RMS	3000	-47.24	-25	Pass	421
3000	12000	1	RMS	7502	-59.74	-25	Pass	9001
12000	26000	1	RMS	25296	-40.73	-25	Pass	14001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.34	-25	Pass	2986
30	1000	0.1	RMS	927.1	-60.72	-25	Pass	9701
1000	2490	1	RMS	2487	-47.47	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.45	60	Pass	401
2580	3000	1	RMS	2801	-47.22	-25	Pass	421
3000	12000	1	RMS	7592	-59.2	-25	Pass	9001
12000	26000	1	RMS	25295	-40.72	-25	Pass	14001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-25	Pass	2986
30	1000	0.1	RMS	952	-61.05	-25	Pass	9701
1000	2490	1	RMS	2487	-47.43	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.89	60	Pass	401
2580	3000	1	RMS	2798	-47.19	-25	Pass	421
3000	12000	1	RMS	7592	-60.17	-25	Pass	9001
12000	26000	1	RMS	25297	-40.72	-25	Pass	14001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57	-25	Pass	2986
30	1000	0.1	RMS	960.5	-61.07	-25	Pass	9701
1000	2490	1	RMS	2490	-47.5	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.26	60	Pass	401
2580	3000	1	RMS	2803	-47.25	-25	Pass	421
3000	12000	1	RMS	7682	-56.99	-25	Pass	9001
12000	26000	1	RMS	25293	-40.76	-25	Pass	14001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2986
30	1000	0.1	RMS	939.8	-61.04	-25	Pass	9701
1000	2490	1	RMS	2490	-47.53	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.32	60	Pass	401
2580	3000	1	RMS	3000	-47.23	-25	Pass	421
3000	12000	1	RMS	7682	-56.28	-25	Pass	9001
12000	26000	1	RMS	25299	-40.84	-25	Pass	14001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2986
30	1000	0.1	RMS	915.4	-61.15	-25	Pass	9701
1000	2490	1	RMS	2487	-33.96	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.57	60	Pass	401
2580	3000	1	RMS	3000	-47.22	-25	Pass	421
3000	12000	1	RMS	7503	-60.07	-25	Pass	9001
12000	26000	1	RMS	25294	-40.77	-25	Pass	14001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-25	Pass	2986
30	1000	0.1	RMS	894.6	-60.99	-25	Pass	9701
1000	2490	1	RMS	2487	-34.36	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.12	60	Pass	401
2580	3000	1	RMS	3000	-47.24	-25	Pass	421
3000	12000	1	RMS	7503	-60.41	-25	Pass	9001
12000	26000	1	RMS	25299	-40.81	-25	Pass	14001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-25	Pass	2986
30	1000	0.1	RMS	881.4	-61.01	-25	Pass	9701
1000	2490	1	RMS	2475	-46.6	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.92	60	Pass	401
2580	3000	1	RMS	2582	-39.16	-25	Pass	421
3000	12000	1	RMS	7585	-59.1	-25	Pass	9001
12000	26000	1	RMS	25304	-40.77	-25	Pass	14001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-25	Pass	2986
30	1000	0.1	RMS	913.7	-60.92	-25	Pass	9701
1000	2490	1	RMS	2475	-47.08	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.27	60	Pass	401
2580	3000	1	RMS	2582	-40.49	-25	Pass	421
3000	12000	1	RMS	7585	-59.85	-25	Pass	9001
12000	26000	1	RMS	25296	-40.72	-25	Pass	14001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-25	Pass	2986
30	1000	0.1	RMS	937.2	-61.1	-25	Pass	9701
1000	2490	1	RMS	2490	-47.46	-25	Pass	1491
2490	2580	1	RMS	2555.925	24.14	60	Pass	401
2580	3000	1	RMS	2582	-34.88	-25	Pass	421
3000	12000	1	RMS	7668	-57.04	-25	Pass	9001
12000	26000	1	RMS	25294	-40.84	-25	Pass	14001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2986
30	1000	0.1	RMS	930.9	-61.01	-25	Pass	9701
1000	2490	1	RMS	2489	-47.34	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.84	60	Pass	401
2580	3000	1	RMS	2582	-34.63	-25	Pass	421
3000	12000	1	RMS	7668	-56.73	-25	Pass	9001
12000	26000	1	RMS	25301	-40.84	-25	Pass	14001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.68	-25	Pass	2986
30	1000	0.1	RMS	923.4	-61.06	-25	Pass	9701
1000	2490	1	RMS	2483	-34.6	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.37	60	Pass	401
2580	3000	1	RMS	3000	-47.2	-25	Pass	421
3000	12000	1	RMS	7503	-59.2	-25	Pass	9001
12000	26000	1	RMS	25295	-40.66	-25	Pass	14001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-25	Pass	2986
30	1000	0.1	RMS	935	-61.04	-25	Pass	9701
1000	2490	1	RMS	2483	-34.23	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.07	60	Pass	401
2580	3000	1	RMS	2999	-47.22	-25	Pass	421
3000	12000	1	RMS	7503	-59.56	-25	Pass	9001
12000	26000	1	RMS	25296	-40.74	-25	Pass	14001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.16	-25	Pass	2986
30	1000	0.1	RMS	944.9	-61.38	-25	Pass	9701
1000	2490	1	RMS	2490	-28.56	-25	Pass	1491
2490	2580	1	RMS	2526	23.7	60	Pass	401
2580	3000	1	RMS	2662	-47.34	-25	Pass	421
3000	12000	1	RMS	7578	-60.81	-25	Pass	9001
12000	26000	1	RMS	25300	-41.15	-25	Pass	14001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-25	Pass	2986
30	1000	0.1	RMS	995.5	-61.29	-25	Pass	9701
1000	2490	1	RMS	2490	-35.24	-25	Pass	1491
2490	2580	1	RMS	2526	22.52	60	Pass	401
2580	3000	1	RMS	2663	-47.38	-25	Pass	421
3000	12000	1	RMS	11878	-61.55	-25	Pass	9001
12000	26000	1	RMS	25305	-41.27	-25	Pass	14001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-25	Pass	2986
30	1000	0.1	RMS	942.9	-61.11	-25	Pass	9701
1000	2490	1	RMS	2480	-42.7	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.42	60	Pass	401
2580	3000	1	RMS	2587	-31.26	-25	Pass	421
3000	12000	1	RMS	7653	-58	-25	Pass	9001
12000	26000	1	RMS	25296	-40.69	-25	Pass	14001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-25	Pass	2986
30	1000	0.1	RMS	920.1	-61.03	-25	Pass	9701
1000	2490	1	RMS	2480	-43.23	-25	Pass	1491
2490	2580	1	RMS	2550.975	24	60	Pass	401
2580	3000	1	RMS	2587	-31.13	-25	Pass	421
3000	12000	1	RMS	7653	-57.6	-25	Pass	9001
12000	26000	1	RMS	25303	-40.77	-25	Pass	14001

