



























Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant0	2402	Reference	4.95	4.95	---	PASS
			30~1000	4.95	-55.52	≤-15.05	PASS
			1000~26500	4.95	-49.85	≤-15.05	PASS
	Ant1	2402	Reference	5.76	5.76	---	PASS
			30~1000	5.76	-55.92	≤-14.24	PASS
			1000~26500	5.76	-50.01	≤-14.24	PASS
	Ant0	2441	Reference	5.46	5.46	---	PASS
			30~1000	5.46	-55.89	≤-14.54	PASS
			1000~26500	5.46	-49.59	≤-14.54	PASS
	Ant1	2441	Reference	6.50	6.50	---	PASS
			30~1000	6.50	-56.41	≤-13.5	PASS
			1000~26500	6.50	-49.74	≤-13.5	PASS
	Ant0	2480	Reference	5.86	5.86	---	PASS
			30~1000	5.86	-55.99	≤-14.14	PASS
			1000~26500	5.86	-50.03	≤-14.14	PASS
	Ant1	2480	Reference	6.46	6.46	---	PASS
			30~1000	6.46	-56.13	≤-13.54	PASS
			1000~26500	6.46	-50.12	≤-13.54	PASS
2DH1	Ant0	2402	Reference	2.79	2.79	---	PASS
			30~1000	2.79	-56.22	≤-17.21	PASS
			1000~26500	2.79	-49.5	≤-17.21	PASS
	Ant1	2402	Reference	3.71	3.71	---	PASS
			30~1000	3.71	-55.91	≤-16.29	PASS
			1000~26500	3.71	-49.85	≤-16.29	PASS
	Ant0	2441	Reference	3.48	3.48	---	PASS
			30~1000	3.48	-56.01	≤-16.52	PASS
			1000~26500	3.48	-49.2	≤-16.52	PASS
	Ant1	2441	Reference	4.57	4.57	---	PASS
			30~1000	4.57	-55.86	≤-15.43	PASS
			1000~26500	4.57	-49.12	≤-15.43	PASS
	Ant0	2480	Reference	3.97	3.97	---	PASS
			30~1000	3.97	-55.98	≤-16.03	PASS
			1000~26500	3.97	-49.2	≤-16.03	PASS





	Ant1	2480	Reference	4.68	4.68	---	PASS
			30~1000	4.68	-54.91	≤ -15.32	PASS
			1000~26500	4.68	-49.85	≤ -15.32	PASS
3DH1	Ant0	2402	Reference	2.95	2.95	---	PASS
			30~1000	2.95	-56.07	≤ -17.05	PASS
			1000~26500	2.95	-50.4	≤ -17.05	PASS
	Ant1	2402	Reference	3.85	3.85	---	PASS
			30~1000	3.85	-55.88	≤ -16.15	PASS
			1000~26500	3.85	-50	≤ -16.15	PASS
	Ant0	2441	Reference	3.64	3.64	---	PASS
			30~1000	3.64	-56.23	≤ -16.36	PASS
			1000~26500	3.64	-49.7	≤ -16.36	PASS
	Ant1	2441	Reference	4.71	4.71	---	PASS
			30~1000	4.71	-55.65	≤ -15.29	PASS
			1000~26500	4.71	-50.55	≤ -15.29	PASS
	Ant0	2480	Reference	4.15	4.15	---	PASS
			30~1000	4.15	-55.25	≤ -15.85	PASS
			1000~26500	4.15	-49.95	≤ -15.85	PASS
	Ant1	2480	Reference	4.80	4.80	---	PASS
			30~1000	4.80	-56.54	≤ -15.2	PASS
			1000~26500	4.80	-49.69	≤ -15.2	PASS





Test Graphs














































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.166	58.72	-6.44	65.16	48.19	0.11	10.42	QP
2	0.166	39.72	-15.44	55.16	29.19	0.11	10.42	Average
3	0.184	51.10	-13.18	64.28	40.60	0.09	10.41	QP
4	0.184	30.10	-24.18	54.28	19.60	0.09	10.41	Average
5	0.260	49.05	-12.37	61.42	38.60	0.09	10.36	QP
6	0.260	32.35	-19.07	51.42	21.90	0.09	10.36	Average
7	0.410	41.04	-16.60	57.64	30.80	-0.03	10.27	QP
8	0.410	21.74	-25.90	47.64	11.50	-0.03	10.27	Average
9	0.510	38.40	-17.60	56.00	28.29	-0.11	10.22	QP
10	0.510	23.40	-22.60	46.00	13.29	-0.11	10.22	Average
11	0.604	35.54	-20.46	56.00	25.49	-0.13	10.18	QP
12	0.604	22.94	-23.06	46.00	12.89	-0.13	10.18	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.160	54.74	-10.73	65.47	44.20	0.12	10.42	QP
2	0.160	38.74	-16.73	55.47	28.20	0.12	10.42	Average
3 *	0.172	54.74	-10.12	64.86	44.20	0.12	10.42	QP
4	0.172	40.14	-14.72	54.86	29.60	0.12	10.42	Average
5	0.248	46.96	-14.86	61.82	36.59	0.00	10.37	QP
6	0.248	30.56	-21.26	51.82	20.19	0.00	10.37	Average
7	0.424	41.32	-16.05	57.37	31.20	-0.14	10.26	QP
8	0.424	28.62	-18.75	47.37	18.50	-0.14	10.26	Average
9	0.497	39.67	-16.38	56.05	29.60	-0.15	10.22	QP
10	0.497	26.57	-19.48	46.05	16.50	-0.15	10.22	Average
11	0.634	38.90	-17.10	56.00	28.90	-0.16	10.16	QP
12	0.634	25.90	-20.10	46.00	15.90	-0.16	10.16	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42 %
		Temperature :	22~23℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 2	2400-2483.5	0	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	0	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 5	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 7	2400-2483.5	CDD 0+1	Bluetooth BR_GFSK	0	2402	1Mbps	-	-
Mode 8	2400-2483.5	CDD 0+1	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 9	2400-2483.5	CDD 0+1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2365.64	49.27	74.00	-24.73	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	40.65	74.00	-33.35	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.60	55.24	74.00	-18.76	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.65	74.00	-31.35	V	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	0	2379.55	49.21	74.00	-24.79	V	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	0	4804.00	41.09	74.00	-32.91	H	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth BR_GFSK	39	7323.00	43.02	74.00	-30.98	V	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2483.78	55.33	74.00	-18.67	V	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	42.90	74.00	-31.10	V	PEAK	Pass	Harmonic
19	Bluetooth BR_GFSK	0	2375.13	49.01	74.00	-24.99	H	PEAK	Pass	Band Edge
19	Bluetooth BR_GFSK	0	4804.00	40.37	74.00	-33.63	H	PEAK	Pass	Harmonic
20	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
20	Bluetooth BR_GFSK	39	7323.00	43.09	74.00	-30.91	H	PEAK	Pass	Harmonic
21	Bluetooth BR_GFSK	78	2483.54	54.73	74.00	-19.27	H	PEAK	Pass	Band Edge
21	Bluetooth BR_GFSK	78	7440.00	43.30	74.00	-30.70	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.71</td><td>49.04</td><td>74.00</td><td>-24.96</td><td>41.00</td><td>32.01</td><td>7.00</td><td>37.05</td><td>6.00</td><td>345</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>2370.71</td><td>24.25</td><td>54.00</td><td>-29.75</td><td>16.21</td><td>32.01</td><td>7.00</td><td>37.05</td><td>6.00</td><td>345</td><td>134</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.71	49.04	74.00	-24.96	41.00	32.01	7.00	37.05	6.00	345	134	PEAK	2	2370.71	24.25	54.00	-29.75	16.21	32.01	7.00	37.05	6.00	345	134	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.41</td><td>-----</td><td>-----</td><td>96.03</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>345</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.62</td><td>-----</td><td>-----</td><td>71.24</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>345</td><td>134</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.41	-----	-----	96.03	32.30	7.12	37.04	6.00	345	134	PEAK	2	2402.00	79.62	-----	-----	71.24	32.30	7.12	37.04	6.00	345	134	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2370.71	49.04	74.00	-24.96	41.00	32.01	7.00	37.05	6.00	345	134	PEAK																																																																																																																		
2	2370.71	24.25	54.00	-29.75	16.21	32.01	7.00	37.05	6.00	345	134	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	104.41	-----	-----	96.03	32.30	7.12	37.04	6.00	345	134	PEAK																																																																																																																		
2	2402.00	79.62	-----	-----	71.24	32.30	7.12	37.04	6.00	345	134	AVERAGE																																																																																																																		



Mode	1																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																																	
ANT	0																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.64</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>41.30</td><td>31.96</td><td>7.07</td><td>37.06</td><td>6.00</td><td>353</td><td>55 PEAK</td></tr><tr><td>2</td><td>2365.64</td><td>24.48</td><td>54.00</td><td>-29.52</td><td>16.51</td><td>31.96</td><td>7.07</td><td>37.06</td><td>6.00</td><td>353</td><td>55 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2365.64	49.27	74.00	-24.73	41.30	31.96	7.07	37.06	6.00	353	55 PEAK	2	2365.64	24.48	54.00	-29.52	16.51	31.96	7.07	37.06	6.00	353	55 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.57</td><td>-----</td><td>-----</td><td>100.19</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>353</td><td>55 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.78</td><td>-----</td><td>-----</td><td>75.40</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>353</td><td>55 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.57	-----	-----	100.19	32.30	7.12	37.04	6.00	353	55 PEAK	2	2402.00	83.78	-----	-----	75.40	32.30	7.12	37.04	6.00	353	55 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2365.64	49.27	74.00	-24.73	41.30	31.96	7.07	37.06	6.00	353	55 PEAK																																																																																																																							
2	2365.64	24.48	54.00	-29.52	16.51	31.96	7.07	37.06	6.00	353	55 AVERAGE																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2402.00	108.57	-----	-----	100.19	32.30	7.12	37.04	6.00	353	55 PEAK																																																																																																																							
2	2402.00	83.78	-----	-----	75.40	32.30	7.12	37.04	6.00	353	55 AVERAGE																																																																																																																							





Mode	1																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>61.85</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.65	74.00	-33.35	61.85	34.08	10.20	65.48	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>61.58</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.38	74.00	-33.62	61.58	34.08	10.20	65.48	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	40.65	74.00	-33.35	61.85	34.08	10.20	65.48	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	40.38	74.00	-33.62	61.58	34.08	10.20	65.48	0.00	--	PEAK																																																																																							





Mode	2																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																											
ANT	0																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.92</td><td>74.00</td><td>-33.08</td><td>62.00</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.26</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.92	74.00	-33.08	62.00	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	43.40	74.00	-30.60	61.26	35.75	12.72	66.33	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4882.00	40.92	74.00	-33.08	62.00	34.15	10.30	65.53	0.00	--	--	PEAK																																																																
2	7323.00	43.40	74.00	-30.60	61.26	35.75	12.72	66.33	0.00	--	--	PEAK																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.03</td><td>74.00</td><td>-32.97</td><td>62.11</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>60.42</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.03	74.00	-32.97	62.11	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.56	74.00	-31.44	60.42	35.75	12.72	66.33	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4882.00	41.03	74.00	-32.97	62.11	34.15	10.30	65.53	0.00	--	--	PEAK																																																																
2	7323.00	42.56	74.00	-31.44	60.42	35.75	12.72	66.33	0.00	--	--	PEAK																																																																



Mode	3																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																																				
Peak	 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.83</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>42.41</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>127 PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>26.50</td><td>54.00</td><td>-27.50</td><td>17.62</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>127 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.83	51.29	74.00	-22.71	42.41	32.47	7.26	36.85	6.00	362	127 PEAK	2	2483.83	26.50	54.00	-27.50	17.62	32.47	7.26	36.85	6.00	362	127 AVERAGE	 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.93</td><td>-----</td><td>99.08</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>362</td><td>127 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.14</td><td>-----</td><td>74.29</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>362</td><td>127 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.93	-----	99.08	32.46	7.25	36.86	6.00	362	127 PEAK	2	2480.00	83.14	-----	74.29	32.46	7.25	36.86	6.00	362	127 AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2483.83	51.29	74.00	-22.71	42.41	32.47	7.26	36.85	6.00	362	127 PEAK																																																																																																															
2	2483.83	26.50	54.00	-27.50	17.62	32.47	7.26	36.85	6.00	362	127 AVERAGE																																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2480.00	107.93	-----	99.08	32.46	7.25	36.86	6.00	362	127 PEAK																																																																																																																
2	2480.00	83.14	-----	74.29	32.46	7.25	36.86	6.00	362	127 AVERAGE																																																																																																																



Mode	3																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>46.36</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>366</td><td>48 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>30.45</td><td>54.00</td><td>-23.55</td><td>21.57</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>366</td><td>48 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	55.24	74.00	-18.76	46.36	32.47	7.26	36.85	6.00	366	48 PEAK	2	2483.60	30.45	54.00	-23.55	21.57	32.47	7.26	36.85	6.00	366	48 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.00</td><td>-----</td><td>-----</td><td>100.15</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>366</td><td>48 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.21</td><td>-----</td><td>-----</td><td>75.36</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>366</td><td>48 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.00	-----	-----	100.15	32.46	7.25	36.86	6.00	366	48 PEAK	2	2480.00	84.21	-----	-----	75.36	32.46	7.25	36.86	6.00	366	48 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2483.60	55.24	74.00	-18.76	46.36	32.47	7.26	36.85	6.00	366	48 PEAK																																																																																																															
2	2483.60	30.45	54.00	-23.55	21.57	32.47	7.26	36.85	6.00	366	48 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2480.00	109.00	-----	-----	100.15	32.46	7.25	36.86	6.00	366	48 PEAK																																																																																																															
2	2480.00	84.21	-----	-----	75.36	32.46	7.25	36.86	6.00	366	48 AVERAGE																																																																																																															





Mode	3																																																																																																												
	Harmonic																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Horizontal							Vertical																																																																																																					
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4" rowspan="3"></th></tr><tr><td>1</td><td>4960.00</td><td>40.99</td><td>74.00</td><td>-33.01</td><td>61.96</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>2</td><td>7440.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>60.59</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr></table>																Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	4960.00	40.99	74.00	-33.01	61.96	34.22	10.40	65.59	0.00	--	--	PEAK							2	7440.00	42.54	74.00	-31.46	60.59	35.00	12.78	66.63	0.00	--	--	PEAK						
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																															
1	4960.00	40.99	74.00	-33.01	61.96	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																	
2	7440.00	42.54	74.00	-31.46	60.59	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4" rowspan="3"></th></tr><tr><td>1</td><td>4960.00</td><td>41.02</td><td>74.00</td><td>-32.98</td><td>61.99</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>2</td><td>7440.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>60.70</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr></table>																Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	4960.00	41.02	74.00	-32.98	61.99	34.22	10.40	65.59	0.00	--	--	PEAK							2	7440.00	42.65	74.00	-31.35	60.70	35.00	12.78	66.63	0.00	--	--	PEAK							
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																															
1	4960.00	41.02	74.00	-32.98	61.99	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																	
2	7440.00	42.65	74.00	-31.35	60.70	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																	





Mode	4																																																																						
	Band Edge																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																						
ANT	1																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.90</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>40.93</td><td>31.96</td><td>7.07</td><td>37.06</td><td>6.00</td><td>347</td><td>129 PEAK</td></tr><tr><td>2</td><td>2365.90</td><td>24.14</td><td>54.00</td><td>-29.86</td><td>16.17</td><td>31.96</td><td>7.07</td><td>37.06</td><td>6.00</td><td>347</td><td>129 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2365.90	48.90	74.00	-25.10	40.93	31.96	7.07	37.06	6.00	347	129 PEAK	2	2365.90	24.14	54.00	-29.86	16.17	31.96	7.07	37.06	6.00	347	129 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2365.90	48.90	74.00	-25.10	40.93	31.96	7.07	37.06	6.00	347	129 PEAK																																																												
2	2365.90	24.14	54.00	-29.86	16.17	31.96	7.07	37.06	6.00	347	129 AVERAGE																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.29</td><td>-----</td><td>-----</td><td>96.91</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>347</td><td>129 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.53</td><td>-----</td><td>-----</td><td>72.15</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>347</td><td>129 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	105.29	-----	-----	96.91	32.30	7.12	37.04	6.00	347	129 PEAK	2	2402.00	80.53	-----	-----	72.15	32.30	7.12	37.04	6.00	347	129 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	105.29	-----	-----	96.91	32.30	7.12	37.04	6.00	347	129 PEAK																																																												
2	2402.00	80.53	-----	-----	72.15	32.30	7.12	37.04	6.00	347	129 AVERAGE																																																												





Mode	4																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Vertical	Fundamental																																																																																																																						
Peak																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.55</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>41.07</td><td>32.10</td><td>7.09</td><td>37.05</td><td>6.00</td><td>352</td><td>52 PEAK</td></tr><tr><td>2</td><td>2379.55</td><td>24.45</td><td>54.00</td><td>-29.55</td><td>16.31</td><td>32.10</td><td>7.09</td><td>37.05</td><td>6.00</td><td>352</td><td>52 AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2379.55	49.21	74.00	-24.79	41.07	32.10	7.09	37.05	6.00	352	52 PEAK	2	2379.55	24.45	54.00	-29.55	16.31	32.10	7.09	37.05	6.00	352	52 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.30</td><td>-----</td><td>-----</td><td>99.92</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>352</td><td>52 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.54</td><td>-----</td><td>-----</td><td>75.16</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>352</td><td>52 AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.30	-----	-----	99.92	32.30	7.12	37.04	6.00	352	52 PEAK	2	2402.00	83.54	-----	-----	75.16	32.30	7.12	37.04	6.00	352	52 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2379.55	49.21	74.00	-24.79	41.07	32.10	7.09	37.05	6.00	352	52 PEAK																																																																																																													
2	2379.55	24.45	54.00	-29.55	16.31	32.10	7.09	37.05	6.00	352	52 AVERAGE																																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2402.00	108.30	-----	-----	99.92	32.30	7.12	37.04	6.00	352	52 PEAK																																																																																																													
2	2402.00	83.54	-----	-----	75.16	32.30	7.12	37.04	6.00	352	52 AVERAGE																																																																																																													





Mode	4																																																																																			
	Harmonic																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4084.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>62.29</td><td>34.08</td><td>10.20</td><td>65.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4084.00	41.09	74.00	-32.91	62.29	34.08	10.20	65.48	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4084.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>61.72</td><td>34.08</td><td>10.20</td><td>65.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4084.00	40.52	74.00	-33.48	61.72	34.08	10.20	65.48
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	4084.00	41.09	74.00	-32.91	62.29	34.08	10.20	65.48																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	4084.00	40.52	74.00	-33.48	61.72	34.08	10.20	65.48																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4084.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>62.29</td><td>34.08</td><td>10.20</td><td>65.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4084.00	41.09	74.00	-32.91	62.29	34.08	10.20	65.48	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4084.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>61.72</td><td>34.08</td><td>10.20</td><td>65.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4084.00	40.52	74.00	-33.48	61.72	34.08	10.20	65.48	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	4084.00	41.09	74.00	-32.91	62.29	34.08	10.20	65.48																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	4084.00	40.52	74.00	-33.48	61.72	34.08	10.20	65.48																																																																												





Mode	5																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>62.43</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>60.64</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.35	74.00	-32.65	62.43	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.78	74.00	-31.22	60.64	35.75	12.72	66.33	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>61.81</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>60.88</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.73	74.00	-33.27	61.81	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	43.02	74.00	-30.98	60.88	35.75	12.72	66.33	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	41.35	74.00	-32.65	62.43	34.15	10.30	65.53	0.00	--	--	PEAK																																																																																																																																
2	7323.00	42.78	74.00	-31.22	60.64	35.75	12.72	66.33	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	40.73	74.00	-33.27	61.81	34.15	10.30	65.53	0.00	--	--	PEAK																																																																																																																																
2	7323.00	43.02	74.00	-30.98	60.88	35.75	12.72	66.33	0.00	--	--	PEAK																																																																																																																																



Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>44.01</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>360</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>2483.66</td><td>28.13</td><td>54.00</td><td>-25.87</td><td>19.25</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>360</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	52.89	74.00	-21.11	44.01	32.47	7.26	36.85	6.00	360	126	PEAK	2	2483.66	28.13	54.00	-25.87	19.25	32.47	7.26	36.85	6.00	360	126	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.24</td><td>-----</td><td>-----</td><td>99.39</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>360</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.48</td><td>-----</td><td>-----</td><td>74.63</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>360</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.24	-----	-----	99.39	32.46	7.25	36.86	6.00	360	126	PEAK	2	2480.00	83.48	-----	-----	74.63	32.46	7.25	36.86	6.00	360	126	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.66	52.89	74.00	-21.11	44.01	32.47	7.26	36.85	6.00	360	126	PEAK																																																																																																																		
2	2483.66	28.13	54.00	-25.87	19.25	32.47	7.26	36.85	6.00	360	126	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	108.24	-----	-----	99.39	32.46	7.25	36.86	6.00	360	126	PEAK																																																																																																																		
2	2480.00	83.48	-----	-----	74.63	32.46	7.25	36.86	6.00	360	126	AVERAGE																																																																																																																		





Mode	6																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.78</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>46.45</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>369</td><td>47 PEAK</td></tr><tr><td>2</td><td>2483.78</td><td>30.57</td><td>54.00</td><td>-23.43</td><td>21.69</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>369</td><td>47 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	55.33	74.00	-18.67	46.45	32.47	7.26	36.85	6.00	369	47 PEAK	2	2483.78	30.57	54.00	-23.43	21.69	32.47	7.26	36.85	6.00	369	47 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.08</td><td>-----</td><td>-----</td><td>100.23</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>369</td><td>47 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.32</td><td>-----</td><td>-----</td><td>75.47</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>369</td><td>47 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.08	-----	-----	100.23	32.46	7.25	36.86	6.00	369	47 PEAK	2	2480.00	84.32	-----	-----	75.47	32.46	7.25	36.86	6.00	369	47 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2483.78	55.33	74.00	-18.67	46.45	32.47	7.26	36.85	6.00	369	47 PEAK																																																																																																														
2	2483.78	30.57	54.00	-23.43	21.69	32.47	7.26	36.85	6.00	369	47 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2480.00	109.08	-----	-----	100.23	32.46	7.25	36.86	6.00	369	47 PEAK																																																																																																														
2	2480.00	84.32	-----	-----	75.47	32.46	7.25	36.86	6.00	369	47 AVERAGE																																																																																																														




Mode	6																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>61.34</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.33</td><td>74.00</td><td>-31.67</td><td>60.38</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.37	74.00	-33.63	61.34	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.33	74.00	-31.67	60.38	35.00	12.78	66.63	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>61.91</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>60.95</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.94	74.00	-33.06	61.91	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.90	74.00	-31.10	60.95	35.80	12.78	66.63	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	40.37	74.00	-33.63	61.34	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																																
2	7440.00	42.33	74.00	-31.67	60.38	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	40.94	74.00	-33.06	61.91	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																																
2	7440.00	42.90	74.00	-31.10	60.95	35.80	12.78	66.63	0.00	--	--	PEAK																																																																																																																																





Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	6																																																																																																											
	30-1G																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>26.22</td><td>40.00</td><td>-13.78</td><td>33.33</td><td>25.09</td><td>0.76</td><td>32.96</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>107.60</td><td>23.66</td><td>43.50</td><td>-19.84</td><td>38.33</td><td>16.62</td><td>1.53</td><td>32.82</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>156.10</td><td>28.53</td><td>43.50</td><td>-14.97</td><td>42.65</td><td>16.72</td><td>1.82</td><td>32.66</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>283.17</td><td>30.48</td><td>46.00</td><td>-15.52</td><td>42.01</td><td>18.97</td><td>2.40</td><td>32.90</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>492.69</td><td>21.61</td><td>46.00</td><td>-24.39</td><td>27.93</td><td>23.87</td><td>3.14</td><td>33.33</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>806.97</td><td>26.38</td><td>46.00</td><td>-19.62</td><td>27.11</td><td>28.26</td><td>4.23</td><td>33.22</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>													Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	26.22	40.00	-13.78	33.33	25.09	0.76	32.96	0.00	--	-- Peak	2	107.60	23.66	43.50	-19.84	38.33	16.62	1.53	32.82	0.00	--	-- Peak	3	156.10	28.53	43.50	-14.97	42.65	16.72	1.82	32.66	0.00	--	-- Peak	4	283.17	30.48	46.00	-15.52	42.01	18.97	2.40	32.90	0.00	--	-- Peak	5	492.69	21.61	46.00	-24.39	27.93	23.87	3.14	33.33	0.00	--	-- Peak	6	806.97	26.38	46.00	-19.62	27.11	28.26	4.23	33.22	0.00	--	-- Peak
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	30.97	26.22	40.00	-13.78	33.33	25.09	0.76	32.96	0.00	--	-- Peak																																																																																																	
2	107.60	23.66	43.50	-19.84	38.33	16.62	1.53	32.82	0.00	--	-- Peak																																																																																																	
3	156.10	28.53	43.50	-14.97	42.65	16.72	1.82	32.66	0.00	--	-- Peak																																																																																																	
4	283.17	30.48	46.00	-15.52	42.01	18.97	2.40	32.90	0.00	--	-- Peak																																																																																																	
5	492.69	21.61	46.00	-24.39	27.93	23.87	3.14	33.33	0.00	--	-- Peak																																																																																																	
6	806.97	26.38	46.00	-19.62	27.11	28.26	4.23	33.22	0.00	--	-- Peak																																																																																																	
<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>37.76</td><td>32.74</td><td>40.00</td><td>-7.26</td><td>44.01</td><td>20.91</td><td>0.82</td><td>33.00</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>77.53</td><td>22.56</td><td>40.00</td><td>-17.44</td><td>39.52</td><td>14.12</td><td>1.25</td><td>32.33</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>149.31</td><td>20.17</td><td>43.50</td><td>-23.33</td><td>33.95</td><td>17.06</td><td>1.79</td><td>32.63</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>212.36</td><td>20.84</td><td>43.50</td><td>-22.66</td><td>36.45</td><td>15.23</td><td>2.09</td><td>32.93</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>539.25</td><td>22.66</td><td>46.00</td><td>-23.34</td><td>28.13</td><td>24.87</td><td>3.18</td><td>33.52</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>6</td><td>792.42</td><td>25.74</td><td>46.00</td><td>-20.26</td><td>26.74</td><td>28.09</td><td>4.20</td><td>33.29</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>													Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	37.76	32.74	40.00	-7.26	44.01	20.91	0.82	33.00	0.00	--	-- Peak	2	77.53	22.56	40.00	-17.44	39.52	14.12	1.25	32.33	0.00	--	-- Peak	3	149.31	20.17	43.50	-23.33	33.95	17.06	1.79	32.63	0.00	--	-- Peak	4	212.36	20.84	43.50	-22.66	36.45	15.23	2.09	32.93	0.00	--	-- Peak	5	539.25	22.66	46.00	-23.34	28.13	24.87	3.18	33.52	0.00	--	-- Peak	6	792.42	25.74	46.00	-20.26	26.74	28.09	4.20	33.29	0.00	--	-- Peak	
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	37.76	32.74	40.00	-7.26	44.01	20.91	0.82	33.00	0.00	--	-- Peak																																																																																																	
2	77.53	22.56	40.00	-17.44	39.52	14.12	1.25	32.33	0.00	--	-- Peak																																																																																																	
3	149.31	20.17	43.50	-23.33	33.95	17.06	1.79	32.63	0.00	--	-- Peak																																																																																																	
4	212.36	20.84	43.50	-22.66	36.45	15.23	2.09	32.93	0.00	--	-- Peak																																																																																																	
5	539.25	22.66	46.00	-23.34	28.13	24.87	3.18	33.52	0.00	--	-- Peak																																																																																																	
6	792.42	25.74	46.00	-20.26	26.74	28.09	4.20	33.29	0.00	--	-- Peak																																																																																																	





Mode	7																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																			
ANT	CDD 0+1																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.13</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>40.93</td><td>32.05</td><td>7.00</td><td>37.05</td><td>6.00</td><td>302</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>2375.13</td><td>24.19</td><td>54.00</td><td>-29.81</td><td>16.11</td><td>32.05</td><td>7.00</td><td>37.05</td><td>6.00</td><td>302</td><td>130</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.13	49.01	74.00	-24.99	40.93	32.05	7.00	37.05	6.00	302	130	PEAK	2	2375.13	24.19	54.00	-29.81	16.11	32.05	7.00	37.05	6.00	302	130	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.14</td><td>-----</td><td>-----</td><td>96.76</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>302</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.32</td><td>-----</td><td>-----</td><td>71.94</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>302</td><td>130</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.14	-----	-----	96.76	32.30	7.12	37.04	6.00	302	130	PEAK	2	2402.00	80.32	-----	-----	71.94	32.30	7.12	37.04	6.00	302	130	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2375.13	49.01	74.00	-24.99	40.93	32.05	7.00	37.05	6.00	302	130	PEAK																																																																																																								
2	2375.13	24.19	54.00	-29.81	16.11	32.05	7.00	37.05	6.00	302	130	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2402.00	105.14	-----	-----	96.76	32.30	7.12	37.04	6.00	302	130	PEAK																																																																																																								
2	2402.00	80.32	-----	-----	71.94	32.30	7.12	37.04	6.00	302	130	AVERAGE																																																																																																								





Mode	7																																																																						
	Band Edge																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																						
ANT	CDD 0+1																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.17</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>40.78</td><td>32.06</td><td>7.00</td><td>37.05</td><td>6.00</td><td>352</td><td>50 PEAK</td></tr><tr><td>2</td><td>2376.17</td><td>24.05</td><td>54.00</td><td>-29.95</td><td>15.96</td><td>32.06</td><td>7.00</td><td>37.05</td><td>6.00</td><td>352</td><td>50 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2376.17	48.87	74.00	-25.13	40.78	32.06	7.00	37.05	6.00	352	50 PEAK	2	2376.17	24.05	54.00	-29.95	15.96	32.06	7.00	37.05	6.00	352	50 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2376.17	48.87	74.00	-25.13	40.78	32.06	7.00	37.05	6.00	352	50 PEAK																																																												
2	2376.17	24.05	54.00	-29.95	15.96	32.06	7.00	37.05	6.00	352	50 AVERAGE																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.11</td><td>-----</td><td>-----</td><td>99.73</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>352</td><td>50 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.29</td><td>-----</td><td>-----</td><td>74.91</td><td>32.30</td><td>7.12</td><td>37.04</td><td>6.00</td><td>352</td><td>50 AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.11	-----	-----	99.73	32.30	7.12	37.04	6.00	352	50 PEAK	2	2402.00	83.29	-----	-----	74.91	32.30	7.12	37.04	6.00	352	50 AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	108.11	-----	-----	99.73	32.30	7.12	37.04	6.00	352	50 PEAK																																																												
2	2402.00	83.29	-----	-----	74.91	32.30	7.12	37.04	6.00	352	50 AVERAGE																																																												





Mode	7																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																	
ANT	CDD 0+1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>61.57</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.37	74.00	-33.63	61.57	34.08	10.20	65.48	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>61.44</td><td>34.08</td><td>10.20</td><td>65.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.24	74.00	-33.76	61.44	34.08	10.20	65.48	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	40.37	74.00	-33.63	61.57	34.08	10.20	65.48	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	40.24	74.00	-33.76	61.44	34.08	10.20	65.48	0.00	--	PEAK																																																																																							





Mode	8																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>61.64</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>60.95</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.56	74.00	-33.44	61.64	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	43.09	74.00	-30.91	60.95	35.75	12.72	66.33	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4882.00	40.56	74.00	-33.44	61.64	34.15	10.30	65.53	0.00	--	--	PEAK																																																																
2	7323.00	43.09	74.00	-30.91	60.95	35.75	12.72	66.33	0.00	--	--	PEAK																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>62.12</td><td>34.15</td><td>10.30</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.43</td><td>35.75</td><td>12.72</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.04	74.00	-32.96	62.12	34.15	10.30	65.53	0.00	--	--	PEAK	2	7323.00	42.57	74.00	-31.43	60.43	35.75	12.72	66.33	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	4882.00	41.04	74.00	-32.96	62.12	34.15	10.30	65.53	0.00	--	--	PEAK																																																																
2	7323.00	42.57	74.00	-31.43	60.43	35.75	12.72	66.33	0.00	--	--	PEAK																																																																





Mode	9																																																																																																																																					
	Band Edge																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>45.85</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>29.91</td><td>54.00</td><td>-24.09</td><td>21.03</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>124</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.54	54.73	74.00	-19.27	45.85	32.47	7.26	36.85	6.00	362	124	PEAK	2	2483.54	29.91	54.00	-24.09	21.03	32.47	7.26	36.85	6.00	362	124	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.27</td><td>-----</td><td>-----</td><td>99.42</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>362</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.45</td><td>-----</td><td>-----</td><td>74.60</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>362</td><td>124</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	108.27	-----	-----	99.42	32.46	7.25	36.86	6.00	362	124	PEAK	2	2480.00	83.45	-----	-----	74.60	32.46	7.25	36.86	6.00	362	124	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	2483.54	54.73	74.00	-19.27	45.85	32.47	7.26	36.85	6.00	362	124	PEAK																																																																																																																										
2	2483.54	29.91	54.00	-24.09	21.03	32.47	7.26	36.85	6.00	362	124	AVERAGE																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	2480.00	108.27	-----	-----	99.42	32.46	7.25	36.86	6.00	362	124	PEAK																																																																																																																										
2	2480.00	83.45	-----	-----	74.60	32.46	7.25	36.86	6.00	362	124	AVERAGE																																																																																																																										



Mode	9																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	CDD 0+1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>44.88</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>367</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>2484.19</td><td>28.94</td><td>54.00</td><td>-25.06</td><td>20.06</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>367</td><td>47</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.19	53.76	74.00	-20.24	44.88	32.47	7.26	36.85	6.00	367	47	PEAK	2	2484.19	28.94	54.00	-25.06	20.06	32.47	7.26	36.85	6.00	367	47	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>109.05</td><td>-----</td><td>-----</td><td>100.20</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>367</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.23</td><td>-----</td><td>-----</td><td>75.38</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>367</td><td>47</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	109.05	-----	-----	100.20	32.46	7.25	36.86	6.00	367	47	PEAK	2	2480.00	84.23	-----	-----	75.38	32.46	7.25	36.86	6.00	367	47	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2484.19	53.76	74.00	-20.24	44.88	32.47	7.26	36.85	6.00	367	47	PEAK																																																																																																																		
2	2484.19	28.94	54.00	-25.06	20.06	32.47	7.26	36.85	6.00	367	47	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	109.05	-----	-----	100.20	32.46	7.25	36.86	6.00	367	47	PEAK																																																																																																																		
2	2480.00	84.23	-----	-----	75.38	32.46	7.25	36.86	6.00	367	47	AVERAGE																																																																																																																		




Mode	9																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																									
ANT	CDD 0+1																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																													
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>62.20</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>60.59</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.23	74.00	-32.77	62.20	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	42.54	74.00	-31.46	60.59	35.00	12.78	66.63	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.80</td><td>74.00</td><td>-33.20</td><td>61.77</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.30</td><td>74.00</td><td>-30.70</td><td>61.35</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.80	74.00	-33.20	61.77	34.22	10.40	65.59	0.00	--	--	PEAK	2	7440.00	43.30	74.00	-30.70	61.35	35.80	12.78	66.63	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4960.00	41.23	74.00	-32.77	62.20	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																																														
2	7440.00	42.54	74.00	-31.46	60.59	35.00	12.78	66.63	0.00	--	--	PEAK																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4960.00	40.80	74.00	-33.20	61.77	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																																														
2	7440.00	43.30	74.00	-30.70	61.35	35.80	12.78	66.63	0.00	--	--	PEAK																																																																																																																																														


Appendix D. Duty Cycle Plots

<Ant0>

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




<Ant1>

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




<Ant0+1>

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.