


RF Mode	802.11be (EHT20)	Channel	CH 1 : 5955 MHz
Frequency Range	150kHz ~ 30MHz	Detector Function & Resolution Bandwidth	Quasi-Peak (QP) / Average (AV), 9 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 68% RH
Tested By	Tom Yang		

Phase Of Power : Neutral (N)										
No	Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)		Emission Level (dBuV)		Limit (dBuV)		Margin (dB)	
			Q.P.	AV.	Q.P.	AV.	Q.P.	AV.	Q.P.	AV.
1	0.15117	10.01	32.37	19.54	42.38	29.55	65.94	55.94	-23.56	-26.39
2	0.22795	10.02	24.18	10.71	34.20	20.73	62.52	52.52	-28.32	-31.79
3	0.58157	10.04	27.82	18.94	37.86	28.98	56.00	46.00	-18.14	-17.02
4	0.91775	10.06	14.67	2.53	24.73	12.59	56.00	46.00	-31.27	-33.41
5	14.23715	10.61	20.47	13.35	31.08	23.96	60.00	50.00	-28.92	-26.04
6	25.81529	10.89	24.71	18.43	35.60	29.32	60.00	50.00	-24.40	-20.68

Remarks:

1. Q.P. and AV. are abbreviations of quasi-peak and average individually.
2. The emission levels of other frequencies were very low against the limit.
3. Margin value = Emission level – Limit value
4. Correction factor = Insertion loss + Cable loss
5. Emission Level = Correction Factor + Reading Value



7.9 Unwanted Emissions below 1 GHz

Radiated versus Conducted Measurement

For Radiated measurement:

The level of unwanted emissions was measured when radiated by the cabinet or structure of the equipment with the antenna connector(s) terminated by a specified load (cabinet radiation)

For Conducted measurement:

The level of unwanted emissions was measured as their power in a specified load (conducted spurious emissions).

Conducted Emission Convert Formula

- a. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
d = measurement distance in 3 meters.
- b. EIRP Level (dBm) = Raw Value(dBm) + Correction Factor(dB)
- c. Correction Factor is directional gain, and the composite gain will be used when signal support the correlated signal
For the out of band spurious the gain for the specific band may have been used rather than the highest gain across all bands.
For the band edge the gain for the specific band may have been used.

Notes:

1. In restricted bands below 1000 MHz, add upper bound on ground plane reflection:
For f = 30 – 1000 MHz, add 4.7 dB.
2. The conducted emission test was considered some factor to compute test result.


Mode F

802.11be (EHT20) - Channel 1

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	31.94	34.38	40	-5.62	-72.3	-71.83	8.17	-60.88
2	204.72	28.49	43.5	-15.01	-76.54	-80.04	8.17	-66.77
3	243.27	28.4	46	-17.6	-76.86	-79.66	8.17	-66.86
4	491.84	28.5	46	-17.5	-77.97	-77.91	8.17	-66.76
5	761.38	28.85	46	-17.15	-80.96	-75.71	8.17	-66.41
6	847.34	29.54	46	-16.46	-79.19	-75.41	8.17	-65.72

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Mode G

RF Mode	802.11be (EHT20)	Channel	CH 1 : 5955 MHz
Frequency Range	30 MHz ~ 1 GHz	Detector Function & Bandwidth	(QP) RB = 120kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 68% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	44.15	33.7 QP	40.0	-6.3	2.00 H	118	47.4	-13.7
2	126.13	38.5 QP	43.5	-5.0	1.00 H	116	53.5	-15.0
3	230.35	35.8 QP	46.0	-10.2	2.00 H	48	51.9	-16.1
4	317.36	41.8 QP	46.0	-4.2	1.00 H	187	53.9	-12.1
5	459.61	29.0 QP	46.0	-17.0	1.50 H	120	37.6	-8.6
6	504.02	37.0 QP	46.0	-9.0	1.50 H	256	44.8	-7.8

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit of frequency range 30 MHz ~ 1 GHz.
5. The emission levels were very low against the limit of frequency range 9 kHz ~ 30 MHz: the amplitude of spurious emissions attenuated more than 20 dB below the permissible value to be report.




RF Mode	802.11be (EHT20)	Channel	CH 1 : 5955 MHz
Frequency Range	30 MHz ~ 1 GHz	Detector Function & Bandwidth	(QP) RB = 120kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 68% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	41.91	33.8 QP	40.0	-6.2	1.00 V	212	47.8	-14.0
2	114.26	39.6 QP	43.5	-3.9	2.00 V	243	55.7	-16.1
3	215.31	38.0 QP	43.5	-5.5	2.00 V	91	54.7	-16.7
4	301.05	38.6 QP	46.0	-7.4	1.00 V	135	51.3	-12.7
5	422.38	30.7 QP	46.0	-15.3	1.00 V	185	40.1	-9.4
6	512.96	38.0 QP	46.0	-8.0	1.50 V	214	45.5	-7.5

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit of frequency range 30 MHz ~ 1 GHz.
5. The emission levels were very low against the limit of frequency range 9 kHz ~ 30 MHz: the amplitude of spurious emissions attenuated more than 20 dB below the permissible value to be report.



7.10 Unwanted Emissions above 1 GHz

Radiated versus Conducted Measurement

For Radiated measurement:

The level of unwanted emissions was measured when radiated by the cabinet or structure of the equipment with the antenna connector(s) terminated by a specified load (cabinet radiation)

For Conducted measurement:

The level of unwanted emissions was measured as their power in a specified load (conducted spurious emissions).

Conducted Emission Convert Formula

- Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
d = measurement distance in 3 meters.
- EIRP Level (dBm) = Raw Value(dBm) + Correction Factor(dB)
- Correction Factor is directional gain, and the composite gain will be used when signal support the correlated signal
For the out of band spurious the gain for the specific band may have been used rather than the highest gain across all bands.
For the band edge the gain for the specific band may have been used.

Notes: The conducted emission test was considered some factor to compute test result.

Mode A

802.11a - Channel 2







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11868.75	58.22 PK	74	-15.78	-48.65	-47.83	8.17	-37.04
2	11873.43	48.74 AV	54	-5.26	-57.47	-57.95	8.17	-46.52
3	17808.18	49.62 PK	74	-24.38	-57.78	-56.03	8.17	-45.64
4	17795.25	39.56 AV	54	-14.44	-66.96	-66.81	8.17	-55.70







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.7	84.66 PK	88.2	-3.54	-20.7	-23.17	8.15	-10.60
2	#5925	67.87 AV	68.2	-0.33	-38.84	-38.27	8.15	-27.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11912.5	58.96 PK	74	-15.04	-46.93	-48.1	8.17	-36.30
2	11918.75	48.59 AV	54	-5.41	-57.99	-57.71	8.17	-46.67
3	17872.87	48.58 PK	74	-25.42	-58.86	-57.05	8.17	-46.68
4	17864.25	39.51 AV	54	-14.49	-66.7	-67.17	8.17	-55.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5881.3	59.84 PK	88.2	-28.36	-48.02	-45.5	8.15	-35.42
2	#5924.25	38.63 AV	68.2	-29.57	-67.76	-67.83	8.15	-56.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12350	58.67 PK	74	-15.33	-47.42	-48.15	8.17	-36.59
2	12354.68	48.78 AV	54	-5.22	-57.73	-57.59	8.17	-46.48
3	18518.31	51.06 PK	74	-22.94	-54.86	-55.98	8.17	-44.20
4	18521.18	40.83 AV	54	-13.17	-65.34	-65.89	8.17	-54.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12834.37	58.67 PK	88.2	-29.53	-48.12	-47.44	8.17	-36.59
2	#12828.12	47.96 AV	68.2	-20.24	-58.47	-58.5	8.17	-47.30
3	19239.93	51.82 PK	74	-22.18	-55.04	-54.23	8.17	-43.44
4	19239.93	41.24 AV	54	-12.76	-65.46	-64.95	8.17	-54.02


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 97







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12865.62	58.86 PK	88.2	-29.34	-47.14	-48.07	8.17	-36.40
2	#12870.31	47.67 AV	68.2	-20.53	-58.78	-58.77	8.17	-47.59
3	19306.06	51.09 PK	74	-22.91	-54.36	-56.63	8.17	-44.17
4	19310.37	41.38 AV	54	-12.62	-65.22	-64.91	8.17	-53.88


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 105







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12940.62	58.13 PK	88.2	-30.07	-48.79	-47.88	8.17	-37.13
2	#12948.43	47.45 AV	68.2	-20.75	-59.08	-58.9	8.17	-47.81
3	19434	50.32 PK	74	-23.68	-55.89	-56.36	8.17	-44.94
4	19431.12	41.3 AV	54	-12.7	-65.18	-65.1	8.17	-53.96


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 113







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13020.31	58.76 PK	88.2	-29.44	-47.25	-48.16	8.17	-36.50
2	#13031.25	47.49 AV	68.2	-20.71	-58.91	-59	8.17	-47.77
3	19544.68	50.84 PK	74	-23.16	-53.79	-58.75	8.17	-44.42
4	19537.5	41.01 AV	54	-12.99	-65.31	-65.56	8.17	-54.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 117







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13062.5	58.1 PK	88.2	-30.1	-49.34	-47.52	8.17	-37.16
2	#13070.31	47.66 AV	68.2	-20.54	-59.01	-58.57	8.17	-47.60
3	19610.81	50.94 PK	74	-23.06	-55.5	-55.51	8.17	-44.32
4	19609.37	40.94 AV	54	-13.06	-65.49	-65.51	8.17	-54.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13393.75	58.48 PK	74	-15.52	-47.76	-48.16	8.17	-36.78
2	13381.25	47.86 AV	54	-6.14	-58.61	-58.55	8.17	-47.40
3	20089.5	50.48 PK	74	-23.52	-55.66	-56.28	8.17	-44.78
4	20079.43	41.26 AV	54	-12.74	-65.05	-65.32	8.17	-54.00


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 181







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13718.5	49.15 PK	88.2	-39.05	-56.99	-57.61	8.17	-46.11
2	#13712.75	39.6 AV	68.2	-28.6	-66.93	-66.75	8.17	-55.66
3	20559.56	50.86 PK	74	-23.14	-56.22	-55.03	8.17	-44.40
4	20568.18	41.13 AV	54	-12.87	-65.3	-65.32	8.17	-54.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 185







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13741.5	49.83 PK	88.2	-38.37	-58.82	-55.15	8.17	-45.43
2	#13747.25	39.58 AV	68.2	-28.62	-66.94	-66.79	8.17	-55.68
3	20615.62	50.83 PK	74	-23.17	-55.49	-55.73	8.17	-44.43
4	20632.87	41.18 AV	54	-12.82	-65	-65.53	8.17	-54.08


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 209







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13980.12	49.06 PK	88.2	-39.14	-57.94	-56.88	8.17	-46.20
2	#13985.87	39.82 AV	68.2	-28.38	-66.69	-66.56	8.17	-55.44
3	20987.93	51.1 PK	74	-22.9	-54.76	-56.02	8.17	-44.16
4	20976.43	41.26 AV	54	-12.74	-65.13	-65.23	8.17	-54.00


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14220.18	49.92 PK	88.2	-38.28	-56.69	-56.36	8.17	-45.34
2	#14227.37	40.07 AV	68.2	-28.13	-66.29	-66.46	8.17	-55.19
3	21341.56	50.89 PK	74	-23.11	-58.01	-53.99	8.17	-44.37
4	21344.43	41.37 AV	54	-12.63	-65.22	-64.92	8.17	-53.89


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.3	80.05 PK	88.2	-8.15	-26.3	-26.4	8.13	-15.21
2	#7125	67.33 AV	68.2	-0.87	-39.63	-38.57	8.13	-27.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11860.93	59.33 PK	74	-14.67	-45.78	-49.05	8.17	-35.93
2	11879.68	48.79 AV	54	-5.21	-57.43	-57.88	8.17	-46.47
3	17806.75	49.17 PK	74	-24.83	-56.95	-57.61	8.17	-46.09
4	17796.68	39.53 AV	54	-14.47	-67.04	-66.79	8.17	-55.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	78.83 PK	88.2	-9.37	-26.09	-29.9	8.15	-16.43
2	#5925	67.8 AV	68.2	-0.4	-38.59	-38.65	8.15	-27.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 1







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11904.68	59.05 PK	74	-14.95	-47.71	-47.09	8.17	-36.21
2	11903.12	48.5 AV	54	-5.5	-57.92	-57.96	8.17	-46.76
3	17872.87	51.41 PK	74	-22.59	-54.79	-55.29	8.17	-43.85
4	17855.62	39.53 AV	54	-14.47	-66.74	-67.09	8.17	-55.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5922.62	59.91 PK	88.2	-28.29	-47.44	-45.74	8.15	-35.35
2	#5923.07	38.85 AV	68.2	-29.35	-67.7	-67.44	8.15	-56.41


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12354.68	60.4 PK	74	-13.6	-44.19	-49.33	8.17	-34.86
2	12342.18	48.81 AV	54	-5.19	-57.39	-57.89	8.17	-46.45
3	18519.75	50.51 PK	74	-23.49	-56.66	-55.31	8.17	-44.75
4	18534.12	40.88 AV	54	-13.12	-65.53	-65.6	8.17	-54.38


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 93







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12823.43	58.09 PK	88.2	-30.11	-48.05	-48.68	8.17	-37.17
2	#12831.25	47.87 AV	68.2	-20.33	-58.65	-58.5	8.17	-47.39
3	19248.56	50.7 PK	74	-23.3	-55.94	-55.54	8.17	-44.56
4	19237.06	41.34 AV	54	-12.66	-64.95	-65.26	8.17	-53.92


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 97







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12873.43	57.96 PK	88.2	-30.24	-48.43	-48.53	8.17	-37.30
2	#12860.93	47.84 AV	68.2	-20.36	-58.7	-58.5	8.17	-47.42
3	19303.18	50.42 PK	74	-23.58	-55.63	-56.44	8.17	-44.84
4	19297.43	41.25 AV	54	-12.75	-65.36	-65.02	8.17	-54.01


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 105







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12953.12	58.12 PK	88.2	-30.08	-48.89	-47.82	8.17	-37.14
2	#12946.87	47.5 AV	68.2	-20.7	-58.69	-59.21	8.17	-47.76
3	19431.12	51.56 PK	74	-22.44	-55.9	-54.05	8.17	-43.70
4	19429.68	41.28 AV	54	-12.72	-65.12	-65.21	8.17	-53.98


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 113







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13025	58.43 PK	88.2	-29.77	-47.48	-48.62	8.17	-36.83
2	#13037.5	47.43 AV	68.2	-20.77	-59.4	-58.66	8.17	-47.83
3	19549	50.73 PK	74	-23.27	-57.21	-54.59	8.17	-44.53
4	19543.25	40.97 AV	54	-13.03	-65.55	-65.39	8.17	-54.29


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 117







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13067.18	58.54 PK	88.2	-29.66	-49.21	-46.89	8.17	-36.72
2	#13079.68	47.58 AV	68.2	-20.62	-58.87	-58.86	8.17	-47.68
3	19607.93	50.77 PK	74	-23.23	-55.36	-56.01	8.17	-44.49
4	19612.25	40.82 AV	54	-13.18	-65.55	-65.69	8.17	-54.44


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13382.81	58.95 PK	74	-15.05	-48.99	-46.37	8.17	-36.31
2	13396.87	47.94 AV	54	-6.06	-58.21	-58.81	8.17	-47.32
3	20083.75	50.98 PK	74	-23.02	-54.54	-56.62	8.17	-44.28
4	20079.43	41.21 AV	54	-12.79	-65.1	-65.37	8.17	-54.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 181







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13705.56	49.48 PK	88.2	-38.72	-55.75	-58.64	8.17	-45.78
2	#13704.12	39.63 AV	68.2	-28.57	-66.85	-66.78	8.17	-55.63
3	20566.75	51.05 PK	74	-22.95	-54.42	-56.63	8.17	-44.21
4	20561	41.1 AV	54	-12.9	-65.14	-65.54	8.17	-54.16


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 185







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13750.12	49.28 PK	88.2	-38.92	-56.85	-57.5	8.17	-45.98
2	#13741.5	39.72 AV	68.2	-28.48	-66.75	-66.69	8.17	-55.54
3	20625.68	50.34 PK	74	-23.66	-54.86	-57.84	8.17	-44.92
4	20631.43	41.1 AV	54	-12.9	-65.42	-65.27	8.17	-54.16


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 209







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13995.93	49.51 PK	88.2	-38.69	-56.63	-57.26	8.17	-45.75
2	#13990.18	39.66 AV	68.2	-28.54	-66.97	-66.6	8.17	-55.60
3	20975	51.64 PK	74	-22.36	-55.9	-53.93	8.17	-43.62
4	20989.37	41.32 AV	54	-12.68	-65.07	-65.17	8.17	-53.94


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) - Channel 233







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14228.81	50.04 PK	88.2	-38.16	-55.52	-57.51	8.17	-45.22
2	#14233.12	40.11 AV	68.2	-28.09	-66.3	-66.37	8.17	-55.15
3	21340.12	50.8 PK	74	-23.2	-56.17	-55.16	8.17	-44.46
4	21344.43	41.36 AV	54	-12.64	-64.97	-65.19	8.17	-53.90


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	77.26 PK	88.2	-10.94	-30.24	-28.27	8.13	-18.00
2	#7125	67.51 AV	68.2	-0.69	-39.33	-38.5	8.13	-27.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11928.12	59.02 PK	74	-14.98	-49.06	-46.23	8.17	-36.24
2	11928.12	48.41 AV	54	-5.59	-57.93	-58.14	8.17	-46.85
3	17895.87	48.72 PK	74	-25.28	-56.26	-59.93	8.17	-46.54
4	17898.75	39.49 AV	54	-14.51	-67.14	-66.77	8.17	-55.77


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5875.12	59.85 PK	88.2	-28.35	-47.18	-46.03	8.15	-35.41
2	#5858.82	40.25 AV	68.2	-27.95	-66.11	-66.23	8.15	-55.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 43







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12325	60.48 PK	74	-13.52	-44.85	-47.45	8.17	-34.78
2	12329.68	48.65 AV	54	-5.35	-57.69	-57.89	8.17	-46.61
3	18493.87	50.74 PK	74	-23.26	-57.6	-54.39	8.17	-44.52
4	18495.31	40.9 AV	54	-13.1	-65.41	-65.68	8.17	-54.36


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 91







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12803.12	58.88 PK	88.2	-29.32	-47.19	-47.97	8.17	-36.38
2	#12800	47.94 AV	68.2	-20.26	-58.42	-58.59	8.17	-47.32
3	19216.93	51.29 PK	74	-22.71	-57.52	-53.63	8.17	-43.97
4	19212.62	41.35 AV	54	-12.65	-65.12	-65.06	8.17	-53.91


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 99


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12882.81	58.32 PK	88.2	-29.88	-49.72	-46.95	8.17	-36.94
2	#12881.25	47.87 AV	68.2	-20.33	-58.47	-58.68	8.17	-47.39
3	19343.43	50.59 PK	74	-23.41	-56.36	-55.39	8.17	-44.67
4	19337.68	41.25 AV	54	-12.75	-65.14	-65.24	8.17	-54.01


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 107







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12978.12	58.19 PK	88.2	-30.01	-48.73	-47.81	8.17	-37.07
2	#12973.43	47.41 AV	68.2	-20.79	-59.01	-59.05	8.17	-47.85
3	19459.87	51.31 PK	74	-22.69	-56.52	-54.08	8.17	-43.95
4	19454.12	41.18 AV	54	-12.82	-65.21	-65.32	8.17	-54.08


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 115


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13046.87	58.31 PK	88.2	-29.89	-48.59	-47.71	8.17	-36.95
2	#13050	47.49 AV	68.2	-20.71	-58.82	-59.08	8.17	-47.77
3	19569.12	49.9 PK	74	-24.1	-56.24	-56.87	8.17	-45.36
4	19566.25	41.05 AV	54	-12.95	-65.47	-65.32	8.17	-54.21


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13128.12	59.26 PK	88.2	-28.94	-47.26	-47.1	8.17	-36.00
2	#13137.5	47.93 AV	68.2	-20.27	-58.35	-58.67	8.17	-47.33
3	19704.25	50.43 PK	74	-23.57	-55.85	-56.17	8.17	-44.83
4	19704.25	40.99 AV	54	-13.01	-65.38	-65.53	8.17	-54.27


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 155







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13453.12	58.86 PK	88.2	-29.34	-47.74	-47.42	8.17	-36.40
2	#13453.12	48.11 AV	68.2	-20.09	-58.25	-58.41	8.17	-47.15
3	20178.62	50.48 PK	74	-23.52	-56.71	-55.32	8.17	-44.78
4	20171.43	41.22 AV	54	-12.78	-65.16	-65.28	8.17	-54.04


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 179







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13681.12	49.82 PK	88.2	-38.38	-55.32	-58.49	8.17	-45.44
2	#13684	39.75 AV	68.2	-28.45	-66.84	-66.54	8.17	-55.51
3	20538	51.81 PK	74	-22.19	-53.1	-57.03	8.17	-43.45
4	20538	41.14 AV	54	-12.86	-65.35	-65.26	8.17	-54.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 187


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13774.56	49.86 PK	88.2	-38.34	-58.16	-55.43	8.17	-45.40
2	#13776	39.66 AV	68.2	-28.54	-66.67	-66.9	8.17	-55.60
3	20653	50.41 PK	74	-23.59	-57.27	-55.07	8.17	-44.85
4	20651.56	41.09 AV	54	-12.91	-65.39	-65.31	8.17	-54.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 211







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14014.62	50.08 PK	88.2	-38.12	-55.21	-57.92	8.17	-45.18
2	#14011.75	39.79 AV	68.2	-28.41	-66.7	-66.6	8.17	-55.47
3	21012.37	51.16 PK	74	-22.84	-56.2	-54.53	8.17	-44.10
4	21021	41.48 AV	54	-12.52	-64.91	-65.02	8.17	-53.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 227


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14174.18	49.36 PK	88.2	-38.84	-56.51	-57.73	8.17	-45.90
2	#14174.18	39.85 AV	68.2	-28.35	-66.56	-66.63	8.17	-55.41
3	21256.75	51.19 PK	74	-22.81	-55.39	-55.11	8.17	-44.07
4	21255.31	41.44 AV	54	-12.56	-65	-65.01	8.17	-53.82


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7209.72	51.68 PK	88.2	-36.52	-55.98	-53.74	8.13	-43.58
2	#7125.27	39.43 AV	68.2	-28.77	-66.96	-66.98	8.13	-55.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 7







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11968.75	59.66 PK	74	-14.34	-47.91	-45.89	8.17	-35.60
2	11975	48.16 AV	54	-5.84	-58.54	-58.03	8.17	-47.10
3	17956.25	49.85 PK	74	-24.15	-57.11	-56.12	8.17	-45.41
4	17950.5	39.54 AV	54	-14.46	-66.75	-67.06	8.17	-55.72


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5867.42	59.64 PK	88.2	-28.56	-47.83	-45.94	8.15	-35.62
2	#5923.42	39.47 AV	68.2	-28.73	-66.85	-67.06	8.15	-55.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 39







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12287.5	59.83 PK	74	-14.17	-47.16	-46.13	8.17	-35.43
2	12296.87	48.55 AV	54	-5.45	-57.96	-57.83	8.17	-46.71
3	18445	50.07 PK	74	-23.93	-57.06	-55.78	8.17	-45.19
4	18442.12	40.67 AV	54	-13.33	-66.04	-65.52	8.17	-54.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 87







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12773.43	58.93 PK	88.2	-29.27	-47.84	-47.21	8.17	-36.33
2	#12771.87	48.01 AV	68.2	-20.19	-58.42	-58.44	8.17	-47.25
3	19147.93	51.72 PK	74	-22.28	-54.42	-55.05	8.17	-43.54
4	19146.5	41.3 AV	54	-12.7	-65.04	-65.24	8.17	-53.96


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 103







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12939.06	57.49 PK	88.2	-30.71	-49.23	-48.69	8.17	-37.77
2	#12934.37	47.38 AV	68.2	-20.82	-59.07	-59.06	8.17	-47.88
3	19388	51.35 PK	74	-22.65	-53.37	-57.97	8.17	-43.91
4	19396.62	41.29 AV	54	-12.71	-65.08	-65.23	8.17	-53.97


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 119







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13082.81	58.74 PK	88.2	-29.46	-48.5	-47.03	8.17	-36.52
2	#13093.75	47.59 AV	68.2	-20.61	-58.79	-58.91	8.17	-47.67
3	19642.43	50.73 PK	74	-23.27	-55.28	-56.19	8.17	-44.53
4	19632.37	40.63 AV	54	-13.37	-65.7	-65.93	8.17	-54.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 151







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13415.62	58.92 PK	88.2	-29.28	-47.99	-47.09	8.17	-36.34
2	#13409.37	47.9 AV	68.2	-20.3	-58.41	-58.67	8.17	-47.36
3	20124	50.86 PK	74	-23.14	-54.88	-56.42	8.17	-44.40
4	20106.75	41.11 AV	54	-12.89	-65.36	-65.3	8.17	-54.15


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 183







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13737.18	50.17 PK	88.2	-38.03	-56.99	-55.65	8.17	-45.09
2	#13730	39.39 AV	68.2	-28.81	-67.08	-67.02	8.17	-55.87
3	20592.62	50 PK	74	-24	-55.22	-58.14	8.17	-45.26
4	20601.25	41.04 AV	54	-12.96	-65.2	-65.6	8.17	-54.22


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 199







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13893.87	49.06 PK	88.2	-39.14	-56.55	-58.42	8.17	-46.20
2	#13895.31	39.61 AV	68.2	-28.59	-66.84	-66.82	8.17	-55.65
3	20825.5	52.81 PK	74	-21.19	-55	-52.59	8.17	-42.45
4	20839.87	41.35 AV	54	-12.65	-64.89	-65.31	8.17	-53.91


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 215







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14056.31	49.48 PK	88.2	-38.72	-56.58	-57.38	8.17	-45.78
2	#14050.56	39.83 AV	68.2	-28.37	-66.8	-66.43	8.17	-55.43
3	21067	52 PK	74	-22	-53.92	-55.03	8.17	-43.26
4	21071.31	41.37 AV	54	-12.63	-65.08	-65.07	8.17	-53.89


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7180.65	51.45 PK	88.2	-36.75	-53.49	-57.17	8.13	-43.81
2	#7125.45	39.22 AV	68.2	-28.98	-67.01	-67.35	8.13	-56.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 15







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12048.43	58.43 PK	74	-15.57	-47.74	-48.3	8.17	-36.83
2	12053.12	47.95 AV	54	-6.05	-58.5	-58.49	8.17	-47.31
3	18079.87	50.02 PK	74	-23.98	-56.75	-56.11	8.17	-45.24
4	18066.93	39.86 AV	54	-14.14	-66.44	-66.72	8.17	-55.40


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5920.92	65.97 PK	88.2	-22.23	-46.74	-37.98	8.15	-29.29
2	#5859.15	42.92 AV	68.2	-25.28	-64	-63.05	8.15	-52.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 47







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12373.43	58.96 PK	74	-15.04	-46.82	-48.25	8.17	-36.30
2	12375	48.63 AV	54	-5.37	-57.87	-57.76	8.17	-46.63
3	18554.25	50.17 PK	74	-23.83	-56.85	-55.76	8.17	-45.09
4	18555.68	40.73 AV	54	-13.27	-65.83	-65.59	8.17	-54.53


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT160) – Channel 79


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12700	58.54 PK	74	-15.46	-48.03	-47.77	8.17	-36.72
2	12698.43	48.37 AV	54	-5.63	-57.96	-58.19	8.17	-46.89
3	19035.81	51.32 PK	74	-22.68	-55.49	-54.78	8.17	-43.94
4	19041.56	41.21 AV	54	-12.79	-65.32	-65.15	8.17	-54.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT160) - Channel 111







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13010.93	57.73 PK	88.2	-30.47	-49.39	-48.13	8.17	-37.53
2	#13004.68	47.4 AV	68.2	-20.8	-59.17	-58.91	8.17	-47.86
3	19520.25	50.67 PK	74	-23.33	-55.61	-55.94	8.17	-44.59
4	19517.37	40.96 AV	54	-13.04	-65.65	-65.32	8.17	-54.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT160) - Channel 143

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13320.31	59.04 PK	74	-14.96	-46.57	-48.44	8.17	-36.22
2	13323.43	47.89 AV	54	-6.11	-58.77	-58.35	8.17	-47.37
3	20001.81	51.83 PK	74	-22.17	-54.71	-54.51	8.17	-43.43
4	19987.43	41.08 AV	54	-12.92	-65.56	-65.17	8.17	-54.18

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.