



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-U7PROO
ISED ID	6545A-U7PROO
Equipment Under Test	U7-Pro-Outdoor
Test Report Serial Number	TR9587_04
Date of Test(s)	11 – 12 February and 4 - 6 March 2025, 11-12 April 2025
Report Issue Date	17 April 2025

Test Personnel

Testing performed by	Evan Hartzell, Clay Allred
-----------------------------	----------------------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2025. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2025. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



NVLAP LAB CODE 600241-0

Table of Contents

1	RF Conducted – UNII-5: OBW, In-Band Emissions and Frequency Stability.....	3
2	RF Conducted - UNII-5: RF Power and PSD	64
3	RF Conducted Spurious – UNII-5 TX Spurious and Restricted Band Emissions	91

1 RF Conducted – UNII-5: OBW, In-Band Emissions and Frequency Stability

NOTE: The first channel contains the equipment setting tables, if subsequent channels do not have an equipment setting tables then the equipment setting table is the same as the first channel.

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5955.000	20.000000	PASS
In-Band Emissions	5955.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5955.000	20.000000	PASS
Frequency Stability	5955.000	20.000000	PASS
Emission Bandwidth 26 dB	6195.000	20.000000	PASS
In-Band Emissions	6195.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6195.000	20.000000	PASS
Emission Bandwidth 26 dB	6415.000	20.000000	PASS
In-Band Emissions	6415.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6415.000	20.000000	PASS
Emission Bandwidth 26 dB	5965.000	40.000000	PASS
In-Band Emissions	5965.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5965.000	40.000000	PASS
Emission Bandwidth 26 dB	6205.000	40.000000	PASS
In-Band Emissions	6205.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6205.000	40.000000	PASS
Emission Bandwidth 26 dB	6405.000	40.000000	PASS
In-Band Emissions	6405.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6405.000	40.000000	PASS
Emission Bandwidth 26 dB	5985.000	80.000000	PASS
In-Band Emissions	5985.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5985.000	80.000000	PASS
Emission Bandwidth 26 dB	6225.000	80.000000	PASS
In-Band Emissions	6225.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6225.000	80.000000	PASS
Emission Bandwidth 26 dB	6385.000	80.000000	PASS
In-Band Emissions	6385.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6385.000	80.000000	PASS
Emission Bandwidth 26 dB	6025.000	160.000000	PASS
In-Band Emissions	6025.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6025.000	160.000000	PASS
Emission Bandwidth 26 dB	6185.000	160.000000	PASS
In-Band Emissions	6185.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6185.000	160.000000	PASS
Emission Bandwidth 26 dB	6325.000	160.000000	PASS
In-Band Emissions	6325.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6325.000	160.000000	PASS
Emission Bandwidth 26 dB	6265.000	320.000000	N/A
In-Band Emissions	6265.000	320.000000	PASS
Occupied Channel Bandwidth 99%	6265.000	320.000000	PASS


Emission Bandwidth 26 dB (5955 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	41.250000	---	320.000000	5937.675000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5955.000000	5978.925000	---	13.3	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	60.000 MHz	60.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	400	~ 400
SweepTime	25.313 μ s	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	0.000 dB
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (5955 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5964.295352	10.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5964.295352	10.0	0.0	10.0	PASS
5963.845577	9.9	0.1	10.0	PASS
5964.145427	9.7	0.3	10.0	PASS
5961.596702	9.6	0.4	10.0	PASS
5963.095952	9.5	0.5	10.0	PASS
5962.346327	9.5	0.5	10.0	PASS
5962.946027	9.5	0.5	10.0	PASS
5963.695652	9.4	0.5	10.0	PASS
5963.995502	9.4	0.6	10.0	PASS
5963.245877	9.4	0.6	10.0	PASS
5963.395802	9.4	0.6	10.0	PASS
5964.445277	9.4	0.6	10.0	PASS
5959.347826	9.3	0.6	10.0	PASS
5959.197901	9.3	0.6	10.0	PASS
5961.446777	9.3	0.7	10.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	667	~ 667
SweepTime	1.100 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (5955 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	21.000000	---	320.000000	5945.125000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5966.125000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Stability (5955 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5955.000000	5954.990515	1.593	-9.485500	---	---	PASS

Frequency stability Pre



Center frequency Max Hold

Frequency stability



Edge points Max Hold Center frequency

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94399 GHz	5.94399 GHz
Stop Frequency	5.96599 GHz	5.96599 GHz
Span	22.000 MHz	22.000 MHz
RBW	20.000 kHz	<= 22.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
SweepTime	473.902 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6195 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6195.000000	22.900000	---	320.000000	6183.150000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6195.000000	6206.050000	---	9.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	60.000 MHz	60.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	600	~ 600
SweepTime	37.969 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6195 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
6195.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6203.750000	12.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6203.750000	12.4	0.0	12.4	PASS
6203.850000	11.8	0.6	12.4	PASS
6203.650000	11.7	0.7	12.4	PASS
6201.950000	11.6	0.7	12.4	PASS
6201.850000	11.5	0.9	12.4	PASS
6201.550000	11.5	0.9	12.4	PASS
6199.950000	11.4	0.9	12.4	PASS
6201.650000	11.4	1.0	12.4	PASS
6201.250000	11.3	1.0	12.4	PASS
6201.350000	11.3	1.1	12.4	PASS
6202.050000	11.3	1.1	12.4	PASS
6199.350000	11.3	1.1	12.4	PASS
6201.750000	11.2	1.1	12.4	PASS
6198.950000	11.2	1.1	12.4	PASS
6198.050000	11.2	1.1	12.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.24500 GHz	6.24500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	~ 800.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.050 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6195 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6195.000000	19.250000	---	320.000000	6185.375000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6195.000000	6204.625000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.17500 GHz	6.17500 GHz
Stop Frequency	6.21500 GHz	6.21500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6415 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	22.900000	---	320.000000	6403.650000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6415.000000	6426.550000	---	11.6	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	60.000 MHz	60.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	600	~ 600
SweepTime	37.969 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6415 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6407.550000	12.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6407.550000	12.5	0.0	12.5	PASS
6408.150000	12.5	0.0	12.5	PASS
6410.050000	12.4	0.1	12.5	PASS
6409.950000	12.3	0.2	12.5	PASS
6406.150000	12.3	0.2	12.5	PASS
6423.250000	12.3	0.2	12.5	PASS
6406.850000	12.2	0.3	12.5	PASS
6410.150000	12.2	0.3	12.5	PASS
6423.150000	12.2	0.3	12.5	PASS
6418.550000	12.2	0.3	12.5	PASS
6406.050000	12.2	0.3	12.5	PASS
6413.950000	12.1	0.4	12.5	PASS
6408.050000	12.1	0.4	12.5	PASS
6422.850000	12.1	0.5	12.5	PASS
6412.550000	12.1	0.5	12.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	~ 800.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.050 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6415 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	19.500000	---	320.000000	6405.125000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.625000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (5965 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	64.000000	---	320.000000	5942.125000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5965.000000	6006.125000	---	13.2	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 600.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	30.250 μ s	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	0.000 dB
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (5965 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5981.875000	9.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5981.875000	9.5	0.0	9.5	PASS
5972.625000	9.3	0.2	9.5	PASS
5977.375000	9.2	0.2	9.5	PASS
5979.875000	9.1	0.3	9.5	PASS
5972.375000	9.1	0.3	9.5	PASS
5978.625000	9.1	0.4	9.5	PASS
5970.875000	9.0	0.4	9.5	PASS
5974.625000	9.0	0.5	9.5	PASS
5972.125000	9.0	0.5	9.5	PASS
5980.375000	9.0	0.5	9.5	PASS
5982.375000	9.0	0.5	9.5	PASS
5983.125000	8.9	0.5	9.5	PASS
5976.125000	8.9	0.6	9.5	PASS
5976.375000	8.9	0.6	9.5	PASS
5968.375000	8.9	0.6	9.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (5965 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	39.000000	---	320.000000	5945.750000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.750000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	>= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
SweepTime	11.438 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6205 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6205.000000	41.100000	---	320.000000	6184.675000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6205.000000	6225.775000	---	9.9	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	120.000 MHz	120.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	800	~ 800
SweepTime	50.625 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6205 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
6205.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6211.001500	10.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6211.001500	10.4	0.0	10.4	PASS
6214.902476	10.4	0.0	10.4	PASS
6211.901725	10.3	0.1	10.4	PASS
6212.651913	10.3	0.1	10.4	PASS
6209.801200	10.3	0.1	10.4	PASS
6209.951238	10.3	0.2	10.4	PASS
6207.850713	10.2	0.2	10.4	PASS
6214.302326	10.2	0.3	10.4	PASS
6212.801950	10.2	0.3	10.4	PASS
6217.753188	10.2	0.3	10.4	PASS
6208.900975	10.2	0.3	10.4	PASS
6207.700675	10.1	0.3	10.4	PASS
6193.747187	10.1	0.3	10.4	PASS
6215.502626	10.1	0.4	10.4	PASS
6198.548387	10.0	0.4	10.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.30500 GHz	6.30500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 1.200 MHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6205 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6205.000000	38.500000	---	320.000000	6185.750000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6205.000000	6224.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.24500 GHz	6.24500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	>= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
SweepTime	11.438 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6405 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	44.850000	---	320.000000	6381.975000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6405.000000	6426.825000	---	9.7	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	120.000 MHz	120.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	800	~ 800
SweepTime	50.625 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6405 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6386.845461	11.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6420.753938	11.7	0.0	11.7	PASS
6402.299325	11.6	0.1	11.7	PASS
6398.248312	11.6	0.1	11.7	PASS
6403.349587	11.6	0.1	11.7	PASS
6398.098275	11.6	0.2	11.7	PASS
6403.199550	11.5	0.2	11.7	PASS
6392.546887	11.5	0.2	11.7	PASS
6420.903976	11.5	0.2	11.7	PASS
6394.347337	11.5	0.2	11.7	PASS
6394.647412	11.5	0.3	11.7	PASS
6387.745686	11.4	0.3	11.7	PASS
6390.446362	11.4	0.3	11.7	PASS
6410.551388	11.4	0.3	11.7	PASS
6411.001500	11.4	0.3	11.7	PASS
6398.398350	11.4	0.3	11.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 1.200 MHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6405 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	39.000000	---	320.000000	6385.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6424.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	160	~ 160
SweepTime	11.438 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (5985 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	90.500000	---	320.000000	5941.250000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5985.000000	6031.750000	---	12.3	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	32.406 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (5985 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5973.750000	9.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5973.750000	9.5	0.0	9.5	PASS
5973.250000	9.2	0.2	9.5	PASS
5974.250000	9.2	0.2	9.5	PASS
5975.250000	9.2	0.3	9.5	PASS
5978.250000	9.2	0.3	9.5	PASS
5980.250000	9.0	0.4	9.5	PASS
5983.250000	9.0	0.5	9.5	PASS
5976.750000	9.0	0.5	9.5	PASS
5982.750000	9.0	0.5	9.5	PASS
5981.250000	9.0	0.5	9.5	PASS
5972.250000	9.0	0.5	9.5	PASS
5977.250000	9.0	0.5	9.5	PASS
5987.750000	8.9	0.6	9.5	PASS
5971.750000	8.9	0.6	9.5	PASS
5979.250000	8.9	0.6	9.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (5985 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5946.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6024.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	160	~ 160
SweepTime	16.875 μs	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6225 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6225.000000	88.500000	---	320.000000	6180.750000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6225.000000	6269.250000	---	12.4	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	32.406 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off

In-Band Emissions (6225 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Result
6225.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6248.250000	13.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6248.250000	13.0	0.0	13.0	PASS
6254.750000	13.0	0.0	13.0	PASS
6262.250000	12.9	0.1	13.0	PASS
6251.750000	12.8	0.2	13.0	PASS
6254.250000	12.7	0.2	13.0	PASS
6209.750000	12.7	0.3	13.0	PASS
6243.750000	12.7	0.3	13.0	PASS
6260.250000	12.7	0.3	13.0	PASS
6262.750000	12.6	0.3	13.0	PASS
6248.750000	12.6	0.3	13.0	PASS
6212.750000	12.6	0.4	13.0	PASS
6250.750000	12.6	0.4	13.0	PASS
6212.250000	12.6	0.4	13.0	PASS
6240.750000	12.6	0.4	13.0	PASS
6211.250000	12.6	0.4	13.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 4.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6225 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6225.000000	79.000000	---	320.000000	6185.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6225.000000	6264.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.30500 GHz	6.30500 GHz
Span	160.000 MHz	160.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	160	~ 160
SweepTime	16.875 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO

Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6385 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	89.500000	---	320.000000	6340.750000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6385.000000	6430.250000	---	12.1	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	32.406 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6385 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6354.750000	13.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6363.750000	13.3	0.0	13.3	PASS
6389.750000	13.3	0.0	13.3	PASS
6369.250000	13.2	0.1	13.3	PASS
6357.750000	13.2	0.1	13.3	PASS
6351.750000	13.2	0.1	13.3	PASS
6353.250000	13.2	0.1	13.3	PASS
6348.250000	13.2	0.1	13.3	PASS
6399.750000	13.2	0.1	13.3	PASS
6347.750000	13.2	0.1	13.3	PASS
6357.250000	13.1	0.2	13.3	PASS
6351.250000	13.1	0.2	13.3	PASS
6365.750000	13.1	0.2	13.3	PASS
6352.750000	13.1	0.2	13.3	PASS
6369.750000	13.1	0.2	13.3	PASS
6354.250000	13.1	0.2	13.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 4.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6385 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	79.000000	---	320.000000	6345.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6424.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	160.000 MHz	160.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	160	~ 160
SweepTime	16.875 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (6025 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	173.000000	---	320.000000	5940.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6025.000000	6113.500000	---	11.2	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

In-Band Emissions (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5977.500000	9.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5977.500000	9.6	0.0	9.6	PASS
5974.500000	9.3	0.3	9.6	PASS
5981.500000	9.1	0.4	9.6	PASS
6101.500000	9.1	0.4	9.6	PASS
5982.500000	9.1	0.5	9.6	PASS
5976.500000	9.1	0.5	9.6	PASS
6099.500000	9.0	0.5	9.6	PASS
5980.500000	9.0	0.6	9.6	PASS
5978.500000	9.0	0.6	9.6	PASS
6097.500000	9.0	0.6	9.6	PASS
5971.500000	9.0	0.6	9.6	PASS
5973.500000	8.9	0.6	9.6	PASS
5966.500000	8.9	0.6	9.6	PASS
5979.500000	8.8	0.7	9.6	PASS
6094.500000	8.8	0.7	9.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6025 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	159.000000	---	320.000000	5946.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6105.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	480.000 MHz	480.000 MHz
RBW	3.000 MHz	>= 2.286 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6185 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	175.000000	---	320.000000	6096.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6185.000000	6271.500000	---	15.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

In-Band Emissions (6185 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6185.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6168.500000	8.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6168.500000	8.2	0.0	8.2	PASS
6170.500000	8.2	0.1	8.2	PASS
6161.500000	8.1	0.1	8.2	PASS
6166.500000	8.1	0.2	8.2	PASS
6140.500000	8.0	0.2	8.2	PASS
6172.500000	8.0	0.2	8.2	PASS
6162.500000	8.0	0.2	8.2	PASS
6152.500000	8.0	0.2	8.2	PASS
6176.500000	8.0	0.2	8.2	PASS
6164.500000	8.0	0.3	8.2	PASS
6157.500000	8.0	0.3	8.2	PASS
6127.500000	8.0	0.3	8.2	PASS
6174.500000	8.0	0.3	8.2	PASS
6139.500000	8.0	0.3	8.2	PASS
6165.500000	7.9	0.3	8.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6185 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	159.248826	---	320.000000	6105.375587	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6264.624413	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	3.000 MHz	>= 2.286 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	213	~ 213
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6325 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6325.000000	170.000000	---	320.000000	6239.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6325.000000	6409.500000	---	14.9	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.08500 GHz	6.08500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

In-Band Emissions (6325 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6325.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6274.500000	13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6274.500000	13.4	0.0	13.4	PASS
6294.500000	13.4	0.1	13.4	PASS
6287.500000	13.3	0.2	13.4	PASS
6301.500000	13.2	0.2	13.4	PASS
6317.500000	13.2	0.2	13.4	PASS
6333.500000	13.2	0.2	13.4	PASS
6330.500000	13.1	0.3	13.4	PASS
6290.500000	13.1	0.3	13.4	PASS
6310.500000	13.1	0.3	13.4	PASS
6315.500000	13.1	0.4	13.4	PASS
6281.500000	13.0	0.4	13.4	PASS
6308.500000	13.0	0.4	13.4	PASS
6311.500000	13.0	0.4	13.4	PASS
6261.500000	13.0	0.4	13.4	PASS
6291.500000	13.0	0.4	13.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.72500 GHz	6.72500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	10.000 MHz	~ 8.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	0.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6325 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6325.000000	157.746479	---	320.000000	6246.877934	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6325.000000	6404.624413	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	320.000 MHz	320.000 MHz
RBW	3.000 MHz	>= 2.286 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	213	~ 213
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO

Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6265 MHz; 24.000 dBm; 320 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6265.000000	336.000000	---	320.000000	6097.750000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6265.000000	6433.750000	---	13.2	N/A

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	960.000 MHz	960.000 MHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	640	~ 640
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	AUTO
Attenuation	10.000 dB	0.000 dB
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

In-Band Emissions (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6166.030928	6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6166.030928	6.5	0.0	6.5	PASS
6169.029991	6.5	0.0	6.5	PASS
6160.032802	6.5	0.0	6.5	PASS
6164.531396	6.4	0.0	6.5	PASS
6142.038425	6.4	0.1	6.5	PASS
6163.031865	6.4	0.1	6.5	PASS
6270.998126	6.3	0.1	6.5	PASS
6287.492971	6.3	0.2	6.5	PASS
6148.036551	6.3	0.2	6.5	PASS
6290.492034	6.3	0.2	6.5	PASS
6299.489222	6.3	0.2	6.5	PASS
6296.490159	6.3	0.2	6.5	PASS
6282.994377	6.3	0.2	6.5	PASS
6291.991565	6.3	0.2	6.5	PASS
6326.480787	6.3	0.2	6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.000 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	1067	~ 1067
Sweeptime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6265 MHz; 24.000 dBm; 320 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 4.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	5.000 dB
Detector	Peak	Peak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

2 RF Conducted - UNII-5: RF Power and PSD

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
RF output power	5955.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	5955.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6195.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6415.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	5965.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6205.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6405.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	5985.000	24.0	80.000000	PASS
Power Spectral Density (SA-2)	6225.000	24.0	80.000000	PASS
Power Spectral Density (SA-2)	6385.000	24.0	80.000000	PASS
Power Spectral Density (SA-2)	6025.000	24.0	160.000000	PASS
Power Spectral Density (SA-2)	6185.000	24.0	160.000000	PASS
Power Spectral Density (SA-2)	6325.000	24.0	160.000000	PASS
Power Spectral Density (SA-2)	6265.000	24.0	320.000000	PASS

RF output power (5955 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated EIRP (dBm)	Limit Max (dBm)	Gated RMS (dBm)	DutyCycle (%)	Result
5955.000000	19.1	36.0	19.1	99.716	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s


Power Spectral Density (SA-2) (5955 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5963.316832	7.276	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (SA-2) (6195 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6195.000000	6203.316832	6.073	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (6415 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6406.683168	6.152	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (5965 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5976.881188	4.146	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (6205 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6205.000000	6199.851485	2.740	24.0	PASS

Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (6405 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6405.000000	6396.287129	2.321	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (5985 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5985.000000	5976.750000	1.425	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2



Power Spectral Density (SA-2) (6225 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6225.000000	6256.250000	-0.053	24.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density (SA-2)



PSD Connector 1



PSD Connector 2




Power Spectral Density (SA-2) (6385 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6385.000000	6396.250000	-0.231	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2




Power Spectral Density (SA-2) (6025 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6025.000000	6099.250000	-1.055	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2




Power Spectral Density (SA-2) (6185 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6185.000000	6154.250000	-2.360	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2




Power Spectral Density (SA-2) (6325 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6325.000000	6316.250000	-3.126	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2




Power Spectral Density (SA-2) (6265 MHz; 24.000 dBm; 320 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6265.000000	6158.750000	-5.878	24.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2



3 RF Conducted Spurious – UNII-5 TX Spurious and Restricted Band Emissions

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Tx Spurious Emission	6535.000	20.000000	PASS
Emissions in restricted frequency bands (Average)	6535.000	20.000000	PASS
Emissions in restricted frequency bands (Peak)	6535.000	20.000000	PASS
Tx Spurious Emission	6695.000	20.000000	PASS
Emissions in restricted frequency bands (Average)	6695.000	20.000000	PASS
Emissions in restricted frequency bands (Peak)	6695.000	20.000000	PASS
Tx Spurious Emission	6875.000	20.000000	PASS
Emissions in restricted frequency bands (Average)	6875.000	20.000000	PASS
Emissions in restricted frequency bands (Peak)	6875.000	20.000000	PASS
Tx Spurious Emission	6525.000	40.000000	PASS
Emissions in restricted frequency bands (Average)	6525.000	40.000000	PASS
Emissions in restricted frequency bands (Peak)	6525.000	40.000000	PASS
Tx Spurious Emission	6685.000	40.000000	PASS
Emissions in restricted frequency bands (Average)	6685.000	40.000000	PASS
Emissions in restricted frequency bands (Peak)	6685.000	40.000000	PASS
Tx Spurious Emission	6885.000	40.000000	PASS
Emissions in restricted frequency bands (Average)	6885.000	40.000000	PASS
Emissions in restricted frequency bands (Peak)	6885.000	40.000000	PASS
Tx Spurious Emission	6545.000	80.000000	PASS
Emissions in restricted frequency bands (Average)	6545.000	80.000000	PASS
Emissions in restricted frequency bands (Peak)	6545.000	80.000000	PASS
Tx Spurious Emission	6705.000	80.000000	PASS
Emissions in restricted frequency bands (Average)	6705.000	80.000000	PASS
Emissions in restricted frequency bands (Peak)	6705.000	80.000000	PASS
Tx Spurious Emission	6865.000	80.000000	PASS
Emissions in restricted frequency bands (Average)	6865.000	80.000000	PASS
Emissions in restricted frequency bands (Peak)	6865.000	80.000000	PASS
Tx Spurious Emission	6025.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6025.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6025.000	160.000000	PASS
Tx Spurious Emission	6185.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6185.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6185.000	160.000000	PASS
Tx Spurious Emission	6325.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6325.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6325.000	160.000000	PASS
Tx Spurious Emission	6265.000	320.000000	PASS
Emissions in restricted frequency bands (Average)	6265.000	320.000000	PASS
Emissions in restricted frequency bands (Peak)	6265.000	320.000000	PASS

Tx Spurious Emission (6535 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39918.250000	-29.3	2.3	-27.0
39952.250000	-29.9	2.9	-27.0
39918.750000	-29.9	2.9	-27.0
39978.250000	-30.0	3.0	-27.0
39992.250000	-30.1	3.1	-27.0
39895.250000	-30.2	3.2	-27.0
39984.750000	-30.3	3.3	-27.0
39981.750000	-30.3	3.3	-27.0
39967.250000	-30.4	3.4	-27.0
39950.750000	-30.4	3.4	-27.0
39985.250000	-30.5	3.5	-27.0
39973.250000	-30.5	3.5	-27.0
39950.250000	-30.6	3.6	-27.0
39778.250000	-30.6	3.6	-27.0
39378.750000	-30.6	3.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6535 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36494.203306	-46.3	5.1	-41.2
36492.828349	-46.3	5.1	-41.2
36493.515828	-46.3	5.1	-41.2
36491.453392	-46.4	5.2	-41.2
36499.015656	-46.4	5.2	-41.2
36481.828693	-46.4	5.2	-41.2
36485.953564	-46.4	5.2	-41.2
36492.140871	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2
36474.266429	-46.5	5.3	-41.2
36483.203650	-46.5	5.3	-41.2
36448.829724	-46.5	5.3	-41.2
36490.765914	-46.5	5.3	-41.2
36488.703478	-46.5	5.3	-41.2
36488.016000	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6535 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36445.392331	-38.3	17.1	-21.2
36494.890785	-39.0	17.8	-21.2
36495.578263	-39.0	17.8	-21.2
15711.250000	-39.2	18.0	-21.2
31393.800194	-39.2	18.0	-21.2
36447.454767	-39.3	18.1	-21.2
36474.953908	-39.3	18.1	-21.2
36457.766945	-39.4	18.2	-21.2
36471.516515	-39.4	18.2	-21.2
36458.454423	-39.4	18.2	-21.2
15748.750000	-39.5	18.3	-21.2
36480.453736	-39.6	18.4	-21.2
36451.579638	-39.6	18.4	-21.2
36468.766601	-39.6	18.4	-21.2
17816.250000	-39.6	18.4	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6695 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39961.250000	-29.5	2.5	-27.0
39964.250000	-29.6	2.6	-27.0
39986.750000	-29.6	2.6	-27.0
39990.750000	-29.6	2.6	-27.0
39988.750000	-29.9	2.9	-27.0
39991.250000	-30.0	3.0	-27.0
39960.750000	-30.0	3.0	-27.0
39984.750000	-30.1	3.1	-27.0
39981.250000	-30.1	3.1	-27.0
39957.750000	-30.2	3.2	-27.0
39947.750000	-30.2	3.2	-27.0
39978.250000	-30.3	3.3	-27.0
39990.250000	-30.4	3.4	-27.0
39845.250000	-30.4	3.4	-27.0
39963.750000	-30.4	3.4	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6695 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36479.078779	-46.4	5.2	-41.2
36487.328521	-46.4	5.2	-41.2
36479.766257	-46.4	5.2	-41.2
36492.140871	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36480.453736	-46.5	5.3	-41.2
36492.828349	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2
36496.953220	-46.5	5.3	-41.2
36485.953564	-46.5	5.3	-41.2
36488.703478	-46.5	5.3	-41.2
36486.641042	-46.5	5.3	-41.2
36478.391300	-46.5	5.3	-41.2
36493.515828	-46.6	5.4	-41.2
36499.703134	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6695 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36437.142589	-38.8	17.6	-21.2
36485.953564	-39.1	17.9	-21.2
36496.953220	-39.2	18.0	-21.2
36472.203994	-39.3	18.1	-21.2
36441.954939	-39.4	18.2	-21.2
36450.892160	-39.4	18.2	-21.2
36477.703822	-39.4	18.2	-21.2
36487.328521	-39.5	18.3	-21.2
36435.080154	-39.5	18.3	-21.2
36479.766257	-39.6	18.4	-21.2
15741.250000	-39.6	18.4	-21.2
36479.078779	-39.7	18.5	-21.2
36474.266429	-39.8	18.6	-21.2
15749.250000	-39.8	18.6	-21.2
36470.829037	-39.8	18.6	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6875 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39970.250000	-29.3	2.3	-27.0
39879.750000	-29.7	2.7	-27.0
39969.250000	-29.9	2.9	-27.0
39952.250000	-30.2	3.2	-27.0
39990.750000	-30.2	3.2	-27.0
39952.750000	-30.2	3.2	-27.0
39994.750000	-30.3	3.3	-27.0
39957.750000	-30.4	3.4	-27.0
39980.750000	-30.4	3.4	-27.0
39975.250000	-30.5	3.5	-27.0
40000.000000	-30.5	3.5	-27.0
39999.750000	-30.5	3.5	-27.0
39950.250000	-30.6	3.6	-27.0
39966.250000	-30.6	3.6	-27.0
39991.750000	-30.7	3.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6875 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36492.140871	-46.3	5.1	-41.2
36485.953564	-46.4	5.2	-41.2
36495.578263	-46.4	5.2	-41.2
36475.641386	-46.4	5.2	-41.2
36467.391644	-46.5	5.3	-41.2
36488.703478	-46.5	5.3	-41.2
36481.141214	-46.5	5.3	-41.2
36481.828693	-46.5	5.3	-41.2
36491.453392	-46.5	5.3	-41.2
36497.640699	-46.5	5.3	-41.2
36476.328865	-46.5	5.3	-41.2
36496.265742	-46.5	5.3	-41.2
36493.515828	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2
36472.203994	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6875 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36492.140871	-38.1	16.9	-21.2
36474.953908	-38.4	17.2	-21.2
36448.142246	-38.9	17.7	-21.2
36495.578263	-39.1	17.9	-21.2
36451.579638	-39.1	17.9	-21.2
36453.642074	-39.2	18.0	-21.2
36475.641386	-39.2	18.0	-21.2
36477.016343	-39.3	18.1	-21.2
36479.766257	-39.4	18.2	-21.2
36488.703478	-39.4	18.2	-21.2
36452.954595	-39.6	18.4	-21.2
36474.266429	-39.8	18.6	-21.2
36461.891816	-39.8	18.6	-21.2
36494.890785	-39.9	18.7	-21.2
36477.703822	-40.0	18.8	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6525 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39944.250000	-29.8	2.8	-27.0
39961.250000	-29.9	2.9	-27.0
39949.250000	-29.9	2.9	-27.0
39980.750000	-30.0	3.0	-27.0
39964.250000	-30.1	3.1	-27.0
39942.750000	-30.1	3.1	-27.0
39929.750000	-30.2	3.2	-27.0
39939.750000	-30.3	3.3	-27.0
39948.750000	-30.4	3.4	-27.0
39999.250000	-30.4	3.4	-27.0
39989.250000	-30.4	3.4	-27.0
39945.250000	-30.5	3.5	-27.0
39978.250000	-30.5	3.5	-27.0
39979.750000	-30.5	3.5	-27.0
39261.750000	-30.5	3.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6525 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36496.265742	-46.3	5.1	-41.2
36496.953220	-46.4	5.2	-41.2
36492.828349	-46.4	5.2	-41.2
36481.828693	-46.4	5.2	-41.2
36487.328521	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36482.516171	-46.5	5.3	-41.2
36497.640699	-46.5	5.3	-41.2
36490.765914	-46.5	5.3	-41.2
36468.079123	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2
36481.141214	-46.5	5.3	-41.2
36479.766257	-46.5	5.3	-41.2
36494.203306	-46.5	5.3	-41.2
36486.641042	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6525 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36485.953564	-37.8	16.6	-21.2
36470.141558	-39.2	18.0	-21.2
15715.750000	-39.3	18.1	-21.2
36437.142589	-39.4	18.2	-21.2
15825.250000	-39.5	18.3	-21.2
36453.642074	-39.6	18.4	-21.2
36455.017031	-39.6	18.4	-21.2
15742.250000	-39.7	18.5	-21.2
36499.703134	-39.8	18.6	-21.2
36469.454080	-39.8	18.6	-21.2
36490.078435	-39.8	18.6	-21.2
36494.890785	-39.9	18.7	-21.2
36472.203994	-39.9	18.7	-21.2
36442.642417	-39.9	18.7	-21.2
36438.517546	-40.0	18.8	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6685 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39936.250000	-28.7	1.7	-27.0
39969.750000	-29.2	2.2	-27.0
39968.750000	-30.1	3.1	-27.0
39961.250000	-30.1	3.1	-27.0
39941.750000	-30.3	3.3	-27.0
39332.250000	-30.3	3.3	-27.0
39974.750000	-30.4	3.4	-27.0
39966.750000	-30.4	3.4	-27.0
39955.750000	-30.4	3.4	-27.0
39960.750000	-30.4	3.4	-27.0
39996.250000	-30.5	3.5	-27.0
39974.250000	-30.5	3.5	-27.0
39961.750000	-30.5	3.5	-27.0
39953.250000	-30.5	3.5	-27.0
39971.750000	-30.5	3.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6685 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36482.516171	-46.3	5.1	-41.2
36499.703134	-46.3	5.1	-41.2
36494.890785	-46.3	5.1	-41.2
36487.328521	-46.4	5.2	-41.2
36494.203306	-46.5	5.3	-41.2
36491.453392	-46.5	5.3	-41.2
36492.140871	-46.5	5.3	-41.2
36472.203994	-46.5	5.3	-41.2
36472.891472	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36485.266085	-46.6	5.4	-41.2
36498.328177	-46.6	5.4	-41.2
36481.828693	-46.6	5.4	-41.2
36464.641730	-46.6	5.4	-41.2
36488.016000	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6685 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36437.142589	-38.5	17.3	-21.2
36496.953220	-38.7	17.5	-21.2
36482.516171	-39.2	18.0	-21.2
36430.267804	-39.3	18.1	-21.2
36487.328521	-39.3	18.1	-21.2
36471.516515	-39.3	18.1	-21.2
36497.640699	-39.4	18.2	-21.2
36457.079466	-39.4	18.2	-21.2
36469.454080	-39.5	18.3	-21.2
36499.703134	-39.5	18.3	-21.2
36437.830068	-39.5	18.3	-21.2
36472.891472	-39.5	18.3	-21.2
36485.266085	-39.5	18.3	-21.2
36448.142246	-39.6	18.4	-21.2
36466.704165	-39.7	18.5	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6885 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39983.250000	-29.7	2.7	-27.0
39949.750000	-29.8	2.8	-27.0
39970.750000	-30.0	3.0	-27.0
39979.250000	-30.1	3.1	-27.0
39978.250000	-30.2	3.2	-27.0
39992.750000	-30.3	3.3	-27.0
39967.750000	-30.3	3.3	-27.0
39988.750000	-30.4	3.4	-27.0
39861.750000	-30.5	3.5	-27.0
39944.250000	-30.6	3.6	-27.0
39966.750000	-30.6	3.6	-27.0
39953.250000	-30.6	3.6	-27.0
39972.750000	-30.6	3.6	-27.0
39987.750000	-30.7	3.7	-27.0
39931.750000	-30.7	3.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6885 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36491.453392	-46.4	5.2	-41.2
36497.640699	-46.4	5.2	-41.2
36499.015656	-46.4	5.2	-41.2
36496.265742	-46.4	5.2	-41.2
36499.703134	-46.5	5.3	-41.2
36474.953908	-46.5	5.3	-41.2
36485.953564	-46.5	5.3	-41.2
36494.203306	-46.5	5.3	-41.2
36458.454423	-46.5	5.3	-41.2
36480.453736	-46.5	5.3	-41.2
36489.390957	-46.5	5.3	-41.2
36451.579638	-46.5	5.3	-41.2
36496.953220	-46.5	5.3	-41.2
36488.703478	-46.5	5.3	-41.2
36490.765914	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6885 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36473.578951	-38.1	16.9	-21.2
36455.704509	-38.3	17.1	-21.2
36472.891472	-38.8	17.6	-21.2
15729.750000	-38.9	17.7	-21.2
15729.250000	-39.0	17.8	-21.2
36433.017718	-39.4	18.2	-21.2
36499.015656	-39.6	18.4	-21.2
36474.266429	-39.6	18.4	-21.2
36479.078779	-39.7	18.5	-21.2
36453.642074	-39.8	18.6	-21.2
36463.266773	-39.9	18.7	-21.2
36464.641730	-39.9	18.7	-21.2
36437.142589	-39.9	18.7	-21.2
36477.016343	-39.9	18.7	-21.2
36454.329552	-40.0	18.8	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6545 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39984.750000	-29.9	2.9	-27.0
39929.750000	-30.2	3.2	-27.0
39965.750000	-30.2	3.2	-27.0
39981.250000	-30.3	3.3	-27.0
39934.750000	-30.3	3.3	-27.0
39982.250000	-30.3	3.3	-27.0
39975.750000	-30.3	3.3	-27.0
39957.750000	-30.4	3.4	-27.0
39870.750000	-30.5	3.5	-27.0
39778.750000	-30.5	3.5	-27.0
39945.750000	-30.5	3.5	-27.0
39958.250000	-30.5	3.5	-27.0
39972.750000	-30.6	3.6	-27.0
39949.250000	-30.6	3.6	-27.0
39955.750000	-30.7	3.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6545 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36491.453392	-46.3	5.1	-41.2
36498.328177	-46.3	5.1	-41.2
36474.953908	-46.3	5.1	-41.2
36488.703478	-46.4	5.2	-41.2
36497.640699	-46.4	5.2	-41.2
36489.390957	-46.4	5.2	-41.2
36490.078435	-46.4	5.2	-41.2
36494.890785	-46.5	5.3	-41.2
36493.515828	-46.5	5.3	-41.2
36485.266085	-46.5	5.3	-41.2
36478.391300	-46.5	5.3	-41.2
36484.578607	-46.5	5.3	-41.2
36488.016000	-46.5	5.3	-41.2
36465.329208	-46.6	5.4	-41.2
36460.516859	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6545 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36497.640699	-38.5	17.3	-21.2
36431.642761	-38.6	17.4	-21.2
36433.017718	-38.8	17.6	-21.2
36461.204337	-38.9	17.7	-21.2
36462.579294	-39.0	17.8	-21.2
36459.141902	-39.3	18.1	-21.2
36495.578263	-39.4	18.2	-21.2
36456.391988	-39.4	18.2	-21.2
36477.016343	-39.4	18.2	-21.2
36477.703822	-39.5	18.3	-21.2
36430.955283	-39.5	18.3	-21.2
36466.016687	-39.6	18.4	-21.2
15851.750000	-39.6	18.4	-21.2
15823.250000	-39.7	18.5	-21.2
36452.954595	-39.7	18.5	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6705 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39947.250000	-29.5	2.5	-27.0
39887.750000	-29.5	2.5	-27.0
39896.250000	-29.7	2.7	-27.0
39964.250000	-29.7	2.7	-27.0
39957.250000	-30.0	3.0	-27.0
39981.250000	-30.0	3.0	-27.0
39960.750000	-30.2	3.2	-27.0
39957.750000	-30.2	3.2	-27.0
39966.250000	-30.2	3.2	-27.0
39984.750000	-30.3	3.3	-27.0
39962.250000	-30.4	3.4	-27.0
39981.750000	-30.5	3.5	-27.0
39888.250000	-30.5	3.5	-27.0
39961.250000	-30.5	3.5	-27.0
39983.750000	-30.6	3.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6705 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36498.328177	-46.4	5.2	-41.2
36484.578607	-46.4	5.2	-41.2
36499.703134	-46.4	5.2	-41.2
36496.265742	-46.4	5.2	-41.2
36488.016000	-46.4	5.2	-41.2
36486.641042	-46.5	5.3	-41.2
36496.953220	-46.5	5.3	-41.2
36490.765914	-46.5	5.3	-41.2
36492.140871	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36494.203306	-46.5	5.3	-41.2
36487.328521	-46.6	5.4	-41.2
36492.828349	-46.6	5.4	-41.2
36446.767289	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6705 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36431.642761	-38.5	17.3	-21.2
36441.954939	-39.1	17.9	-21.2
36453.642074	-39.3	18.1	-21.2
36464.641730	-39.3	18.1	-21.2
36465.329208	-39.4	18.2	-21.2
15721.750000	-39.4	18.2	-21.2
36444.704853	-39.7	18.5	-21.2
36477.016343	-39.7	18.5	-21.2
36496.953220	-39.7	18.5	-21.2
36499.703134	-39.7	18.5	-21.2
36480.453736	-39.8	18.6	-21.2
36478.391300	-39.8	18.6	-21.2
15745.750000	-39.8	18.6	-21.2
15718.750000	-39.9	18.7	-21.2
36469.454080	-39.9	18.7	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6865 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39931.250000	-29.9	2.9	-27.0
39921.250000	-30.1	3.1	-27.0
39928.250000	-30.3	3.3	-27.0
39886.250000	-30.3	3.3	-27.0
39877.250000	-30.4	3.4	-27.0
39985.750000	-30.4	3.4	-27.0
39844.250000	-30.4	3.4	-27.0
39940.250000	-30.4	3.4	-27.0
39962.750000	-30.4	3.4	-27.0
39929.750000	-30.5	3.5	-27.0
39945.750000	-30.5	3.5	-27.0
39978.250000	-30.5	3.5	-27.0
39985.250000	-30.6	3.6	-27.0
39921.750000	-30.6	3.6	-27.0
39989.750000	-30.6	3.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	15.000 dB	15.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Average) (6865 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36481.828693	-46.3	5.1	-41.2
36488.016000	-46.4	5.2	-41.2
36473.578951	-46.5	5.3	-41.2
36469.454080	-46.5	5.3	-41.2
36474.953908	-46.5	5.3	-41.2
36493.515828	-46.5	5.3	-41.2
36487.328521	-46.5	5.3	-41.2
36468.079123	-46.5	5.3	-41.2
36472.203994	-46.5	5.3	-41.2
36497.640699	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36496.265742	-46.5	5.3	-41.2
36494.203306	-46.5	5.3	-41.2
36455.704509	-46.5	5.3	-41.2
36483.891128	-46.6	5.4	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	AUTO
Preamp	off	off

Emissions in restricted frequency bands (Peak) (6865 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36480.453736	-38.7	17.5	-21.2
36479.766257	-38.9	17.7	-21.2
36458.454423	-39.0	17.8	-21.2
36476.328865	-39.0	17.8	-21.2
15800.750000	-39.1	17.9	-21.2
36463.266773	-39.2	18.0	-21.2
36488.703478	-39.2	18.0	-21.2
36481.828693	-39.5	18.3	-21.2
36470.141558	-39.5	18.3	-21.2
15747.250000	-39.6	18.4	-21.2
36485.266085	-39.7	18.5	-21.2
36481.141214	-39.7	18.5	-21.2
36466.016687	-39.7	18.5	-21.2
36494.890785	-39.7	18.5	-21.2
36455.017031	-39.8	18.6	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	9850	~ 9850
SweepTime	9.850 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5916.750000	-21.6	-31.1	-27.0	4.1	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5916.750000	-21.6	-5.4	-27.0
5917.250000	-21.8	-5.2	-27.0
5918.250000	-22.3	-4.7	-27.0
5918.750000	-22.4	-4.6	-27.0
5913.250000	-22.6	-4.4	-27.0
5902.250000	-22.8	-4.2	-27.0
5909.250000	-22.9	-4.1	-27.0
5920.250000	-22.9	-4.1	-27.0
5908.250000	-22.9	-4.1	-27.0
5920.750000	-22.9	-4.1	-27.0
5919.750000	-22.9	-4.1	-27.0
5917.750000	-23.0	-4.0	-27.0
5923.250000	-23.0	-4.0	-27.0
5909.750000	-23.0	-4.0	-27.0
5908.750000	-23.0	-4.0	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36489.390957	-46.3	5.1	-41.2
36493.515828	-46.3	5.1	-41.2
36457.079466	-46.3	5.1	-41.2
36497.640699	-46.4	5.2	-41.2
36484.578607	-46.4	5.2	-41.2
36495.578263	-46.4	5.2	-41.2
36490.765914	-46.5	5.3	-41.2
36485.266085	-46.5	5.3	-41.2
36481.828693	-46.5	5.3	-41.2
36478.391300	-46.5	5.3	-41.2
36436.455111	-46.5	5.3	-41.2
36499.015656	-46.5	5.3	-41.2
36479.766257	-46.5	5.3	-41.2
36474.266429	-46.5	5.3	-41.2
36498.328177	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



— Limit - - - - - Threshold × Critical × Final Critical — Sum Level

Emissions in restricted frequency bands (Peak) (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36437.830068	-38.7	17.5	-21.2
36488.016000	-38.8	17.6	-21.2
36440.579982	-38.9	17.7	-21.2
15826.250000	-38.9	17.7	-21.2
36499.015656	-39.2	18.0	-21.2
36497.640699	-39.2	18.0	-21.2
36492.140871	-39.3	18.1	-21.2
36460.516859	-39.3	18.1	-21.2
15716.250000	-39.5	18.3	-21.2
36484.578607	-39.6	18.4	-21.2
36475.641386	-39.6	18.4	-21.2
36452.267117	-39.6	18.4	-21.2
36439.205025	-39.7	18.5	-21.2

36479.766257	-39.7	18.5	-21.2
36451.579638	-39.7	18.5	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



— Limit — Threshold × Critical × Final Critical — Sum Level

Tx Spurious Emission (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5920.250000	-24.6	-34.0	-27.0	7.0	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5920.250000	-24.6	-2.4	-27.0
5920.750000	-24.8	-2.2	-27.0
5919.750000	-25.0	-2.0	-27.0
5918.750000	-25.3	-1.7	-27.0
5919.250000	-25.6	-1.4	-27.0
5922.750000	-25.8	-1.2	-27.0
5908.250000	-25.8	-1.2	-27.0

5916.750000	-25.9	-1.1	-27.0
5921.750000	-25.9	-1.1	-27.0
5913.750000	-26.2	-0.8	-27.0
5924.750000	-26.4	-0.6	-27.0
5916.250000	-26.4	-0.6	-27.0
5918.250000	-26.4	-0.6	-27.0
5913.250000	-26.5	-0.5	-27.0
5910.750000	-26.5	-0.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious



Emissions in restricted frequency bands (Average) (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
-----------------	-------------	-------------	-------------

36499.015656	-46.1	4.9	-41.2
36499.703134	-46.3	5.1	-41.2
36496.265742	-46.3	5.1	-41.2
36488.703478	-46.4	5.2	-41.2
36498.328177	-46.4	5.2	-41.2
36483.891128	-46.4	5.2	-41.2
36463.266773	-46.4	5.2	-41.2
36489.390957	-46.4	5.2	-41.2
36476.328865	-46.4	5.2	-41.2
36486.641042	-46.4	5.2	-41.2
36481.828693	-46.4	5.2	-41.2
36483.203650	-46.4	5.2	-41.2
36477.016343	-46.5	5.3	-41.2
36493.515828	-46.5	5.3	-41.2
36492.140871	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36474.266429	-37.8	16.6	-21.2
36493.515828	-37.8	16.6	-21.2
36464.641730	-38.3	17.1	-21.2
36459.829380	-38.3	17.1	-21.2
36488.016000	-38.4	17.2	-21.2
36480.453736	-38.4	17.2	-21.2
36494.203306	-38.4	17.2	-21.2
36488.703478	-38.5	17.3	-21.2
36499.703134	-38.7	17.5	-21.2
15733.750000	-39.0	17.8	-21.2
36466.016687	-39.0	17.8	-21.2
36460.516859	-39.1	17.9	-21.2
36461.891816	-39.2	18.0	-21.2
36466.704165	-39.2	18.0	-21.2
15700.750000	-39.2	18.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



Tx Spurious Emission (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39997.750000	-29.5	2.5	-27.0
39984.250000	-30.1	3.1	-27.0
39974.750000	-30.3	3.3	-27.0
39373.750000	-30.3	3.3	-27.0
39203.750000	-30.3	3.3	-27.0
39984.750000	-30.4	3.4	-27.0
39944.250000	-30.4	3.4	-27.0
39962.750000	-30.5	3.5	-27.0
39995.250000	-30.5	3.5	-27.0
39947.250000	-30.5	3.5	-27.0
39916.250000	-30.6	3.6	-27.0
39992.250000	-30.6	3.6	-27.0
39963.750000	-30.6	3.6	-27.0
39857.750000	-30.6	3.6	-27.0
39370.750000	-30.7	3.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36499.703134	-46.1	4.9	-41.2
36496.265742	-46.2	5.0	-41.2
36496.953220	-46.3	5.1	-41.2
36490.765914	-46.4	5.2	-41.2
36476.328865	-46.4	5.2	-41.2
36494.890785	-46.5	5.3	-41.2
36487.328521	-46.5	5.3	-41.2
36493.515828	-46.5	5.3	-41.2
36497.640699	-46.5	5.3	-41.2
36467.391644	-46.5	5.3	-41.2
36488.016000	-46.5	5.3	-41.2
36495.578263	-46.5	5.3	-41.2
36489.390957	-46.5	5.3	-41.2
36484.578607	-46.5	5.3	-41.2
36479.766257	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36496.265742	-38.0	16.8	-21.2
36495.578263	-38.2	17.0	-21.2
36496.953220	-38.5	17.3	-21.2
36483.203650	-38.6	17.4	-21.2
36478.391300	-38.7	17.5	-21.2
36492.828349	-38.9	17.7	-21.2
15737.250000	-39.0	17.8	-21.2
36480.453736	-39.1	17.9	-21.2
36475.641386	-39.3	18.1	-21.2
31720.352489	-39.4	18.2	-21.2
36484.578607	-39.4	18.2	-21.2
36439.205025	-39.4	18.2	-21.2

17784.250000	-39.5	18.3	-21.2
17783.750000	-39.5	18.3	-21.2
36493.515828	-39.5	18.3	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



— Limit — Threshold × Critical × Final Critical — Sum Level

Tx Spurious Emission (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5913.750000	-20.9	-29.9	-27.0	2.9	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5913.750000	-20.9	-6.1	-27.0
5902.750000	-21.4	-5.6	-27.0
5905.750000	-21.4	-5.6	-27.0
5916.750000	-21.6	-5.4	-27.0
5914.750000	-21.7	-5.3	-27.0
5902.250000	-21.8	-5.2	-27.0
5922.750000	-21.9	-5.1	-27.0

5905.250000	-21.9	-5.1	-27.0
5924.750000	-21.9	-5.1	-27.0
5904.750000	-22.0	-5.0	-27.0
5916.250000	-22.0	-5.0	-27.0
5924.250000	-22.1	-4.9	-27.0
5915.250000	-22.2	-4.8	-27.0
5923.750000	-22.3	-4.7	-27.0
5921.250000	-22.4	-4.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36489.390957	-46.3	5.1	-41.2
36494.203306	-46.3	5.1	-41.2
36499.703134	-46.4	5.2	-41.2
36497.640699	-46.4	5.2	-41.2
36468.079123	-46.4	5.2	-41.2
36475.641386	-46.4	5.2	-41.2
36487.328521	-46.4	5.2	-41.2
36493.515828	-46.4	5.2	-41.2
36481.141214	-46.5	5.3	-41.2
36476.328865	-46.5	5.3	-41.2
36486.641042	-46.5	5.3	-41.2
36471.516515	-46.5	5.3	-41.2
36488.016000	-46.5	5.3	-41.2
36472.203994	-46.5	5.3	-41.2
36494.890785	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15727.250000	-37.7	16.5	-21.2
15727.750000	-38.0	16.8	-21.2
36442.642417	-38.5	17.3	-21.2
36499.703134	-39.0	17.8	-21.2
36490.078435	-39.1	17.9	-21.2
36478.391300	-39.3	18.1	-21.2
36453.642074	-39.4	18.2	-21.2
15787.750000	-39.4	18.2	-21.2
36444.704853	-39.5	18.3	-21.2
36468.766601	-39.5	18.3	-21.2
36477.703822	-39.5	18.3	-21.2
36461.204337	-39.5	18.3	-21.2
36459.829380	-39.7	18.5	-21.2
36444.017374	-39.7	18.5	-21.2
36496.953220	-39.7	18.5	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



-- End of Report --