


12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.74	-13	Pass	2985
30	689	0.1	RMS	688.5	-65.21	-13	Pass	6590
689	726	0.1	RMS	699.268	20.27	60	Pass	401
726	1000	0.1	RMS	844.743	-64.39	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.96	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.36	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.5	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.37	-13	Pass	6590
689	726	0.1	RMS	699.268	20.08	60	Pass	401
726	1000	0.1	RMS	836.44	-64.47	-13	Pass	2740
1000	3000	1	RMS	2951.976	-49.99	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.33	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.39	-13	Pass	2985
30	689	0.1	RMS	497.871	-65.35	-13	Pass	6590
689	726	0.1	RMS	707.038	20.26	60	Pass	401
726	1000	0.1	RMS	826.037	-64.44	-13	Pass	2740
1000	3000	1	RMS	1413.207	-49.67	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.31	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.92	-13	Pass	2985
30	689	0.1	RMS	496.271	-65.28	-13	Pass	6590
689	726	0.1	RMS	707.038	20.14	60	Pass	401
726	1000	0.1	RMS	823.135	-64.59	-13	Pass	2740
1000	3000	1	RMS	1413.207	-49.45	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.39	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.67	-13	Pass	2985
30	689	0.1	RMS	494.871	-65.24	-13	Pass	6590
689	726	0.1	RMS	714.808	19.84	60	Pass	401
726	1000	0.1	RMS	833.239	-64.49	-13	Pass	2740
1000	3000	1	RMS	2950.975	-49.99	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.41	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	689	0.1	RMS	500.171	-65.27	-13	Pass	6590
689	726	0.1	RMS	714.808	19.69	60	Pass	401
726	1000	0.1	RMS	830.538	-64.45	-13	Pass	2740
1000	3000	1	RMS	2950.975	-49.99	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.32	-13	Pass	7000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.63	-13	Pass	2985
30	689	0.1	RMS	474.367	-65.35	-13	Pass	6590
689	726	0.1	RMS	699.268	20.21	60	Pass	401
726	1000	0.1	RMS	864.05	-64.47	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.37	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.2	-13	Pass	2985
30	689	0.1	RMS	506.472	-65.24	-13	Pass	6590
689	726	0.1	RMS	699.268	20.19	60	Pass	401
726	1000	0.1	RMS	939.278	-64.41	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.95	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.35	-13	Pass	7000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.66	-13	Pass	2985
30	689	0.1	RMS	484.169	-65.16	-13	Pass	6590
689	726	0.1	RMS	706.205	20.06	60	Pass	401
726	1000	0.1	RMS	830.238	-64.37	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.01	-13	Pass	2000
3000	10000	1	RMS	6946.564	-44.37	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	689	0.1	RMS	583.084	-65.09	-13	Pass	6590
689	726	0.1	RMS	706.205	19.92	60	Pass	401
726	1000	0.1	RMS	842.042	-64.5	-13	Pass	2740
1000	3000	1	RMS	1412.206	-48.82	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.37	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	Pass	2985
30	689	0.1	RMS	495.871	-65.26	-13	Pass	6590
689	726	0.1	RMS	713.235	20.44	60	Pass	401
726	1000	0.1	RMS	847.144	-64.42	-13	Pass	2740
1000	3000	1	RMS	2954.977	-49.95	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.42	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	Pass	2985
30	689	0.1	RMS	502.872	-65.34	-13	Pass	6590
689	726	0.1	RMS	713.235	20.32	60	Pass	401
726	1000	0.1	RMS	849.245	-64.58	-13	Pass	2740
1000	3000	1	RMS	1426.213	-49.85	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.38	-13	Pass	7000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.23	-13	Pass	6590
689	726	0.1	RMS	699.36	20.16	60	Pass	401
726	1000	0.1	RMS	834.74	-64.36	-13	Pass	2740
1000	3000	1	RMS	2942.971	-49.98	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.34	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.01	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.03	-13	Pass	6590
689	726	0.1	RMS	699.36	20.42	60	Pass	401
726	1000	0.1	RMS	841.842	-64.51	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.92	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.4	-13	Pass	7000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-13	Pass	2985
30	689	0.1	RMS	496.071	-65.32	-13	Pass	6590
689	726	0.1	RMS	705.373	20.09	60	Pass	401
726	1000	0.1	RMS	843.443	-64.41	-13	Pass	2740
1000	3000	1	RMS	1410.205	-49	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.41	-13	Pass	7000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-13	Pass	2985
30	689	0.1	RMS	495.971	-65.31	-13	Pass	6590
689	726	0.1	RMS	705.373	20.11	60	Pass	401
726	1000	0.1	RMS	848.445	-64.5	-13	Pass	2740
1000	3000	1	RMS	1410.205	-48.47	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.32	-13	Pass	7000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2985
30	689	0.1	RMS	442.363	-65.29	-13	Pass	6590
689	726	0.1	RMS	711.293	19.75	60	Pass	401
726	1000	0.1	RMS	850.746	-64.57	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.31	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.39	-13	Pass	7000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	689	0.1	RMS	475.468	-65.26	-13	Pass	6590
689	726	0.1	RMS	711.385	19.95	60	Pass	401
726	1000	0.1	RMS	859.349	-64.44	-13	Pass	2740
1000	3000	1	RMS	1422.211	-48.74	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.34	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.04	-13	Pass	2985
30	689	0.1	RMS	688.9	-65.26	-13	Pass	6590
689	726	0.1	RMS	699.545	19.93	60	Pass	401
726	1000	0.1	RMS	824.036	-64.54	-13	Pass	2740
1000	3000	1	RMS	2952.976	-49.98	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.34	-13	Pass	7000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.14	-13	Pass	2985
30	689	0.1	RMS	688.9	-65.14	-13	Pass	6590
689	726	0.1	RMS	699.545	19.79	60	Pass	401
726	1000	0.1	RMS	851.746	-64.46	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.96	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.39	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.94	-13	Pass	2985
30	689	0.1	RMS	487.969	-65.31	-13	Pass	6590
689	726	0.1	RMS	703.06	20.11	60	Pass	401
726	1000	0.1	RMS	873.754	-64.54	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.98	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.34	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	Pass	2985
30	689	0.1	RMS	485.369	-65.31	-13	Pass	6590
689	726	0.1	RMS	703.06	19.98	60	Pass	401
726	1000	0.1	RMS	843.643	-64.44	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.93	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.33	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2985
30	689	0.1	RMS	602.687	-65.33	-13	Pass	6590
689	726	0.1	RMS	706.575	20.33	60	Pass	401
726	1000	0.1	RMS	847.844	-64.4	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.83	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.37	-13	Pass	7000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	689	0.1	RMS	488.87	-65.28	-13	Pass	6590
689	726	0.1	RMS	706.575	20.3	60	Pass	401
726	1000	0.1	RMS	852.346	-64.46	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.81	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.4	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.48	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.29	-13	Pass	6640
694	726	0.1	RMS	704.32	20.14	60	Pass	401
726	1000	0.1	RMS	834.94	-64.41	-13	Pass	2740
1000	3000	1	RMS	1408.204	-49.48	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.37	-13	Pass	7000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.08	-13	Pass	6640
694	726	0.1	RMS	704.32	20.2	60	Pass	401
726	1000	0.1	RMS	843.343	-64.45	-13	Pass	2740
1000	3000	1	RMS	1408.204	-49.15	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.37	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.67	-13	Pass	6640
694	726	0.1	RMS	707.84	20.36	60	Pass	401
726	1000	0.1	RMS	845.844	-64.5	-13	Pass	2740
1000	3000	1	RMS	1415.208	-48.43	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.36	-13	Pass	7000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.33	-13	Pass	6640
694	726	0.1	RMS	707.84	20.42	60	Pass	401
726	1000	0.1	RMS	838.541	-64.57	-13	Pass	2740
1000	3000	1	RMS	1415.208	-48.06	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.39	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.92	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.35	-13	Pass	6640
694	726	0.1	RMS	711.36	20.06	60	Pass	401
726	1000	0.1	RMS	842.743	-64.6	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.54	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.36	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.37	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.11	-13	Pass	6640
694	726	0.1	RMS	711.36	20.36	60	Pass	401
726	1000	0.1	RMS	850.045	-64.33	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.22	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.37	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.74	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.04	-13	Pass	6640
694	726	0.1	RMS	704.56	20.16	60	Pass	401
726	1000	0.1	RMS	846.644	-64.42	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.32	-13	Pass	7000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.33	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.87	-13	Pass	6640
694	726	0.1	RMS	704.56	20.05	60	Pass	401
726	1000	0.1	RMS	829.938	-64.25	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.02	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.37	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.33	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.41	-13	Pass	6640
694	726	0.1	RMS	705.6	20.44	60	Pass	401
726	1000	0.1	RMS	831.939	-64.55	-13	Pass	2740
1000	3000	1	RMS	2944.972	-50	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.3	-13	Pass	7000




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.15	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.33	-13	Pass	6640
694	726	0.1	RMS	705.6	20.36	60	Pass	401
726	1000	0.1	RMS	837.241	-64.42	-13	Pass	2740
1000	3000	1	RMS	1411.206	-49.95	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.43	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.02	-13	Pass	6640
694	726	0.1	RMS	706.56	20.29	60	Pass	401
726	1000	0.1	RMS	835.74	-64.43	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.97	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.38	-13	Pass	7000



13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.85	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.15	-13	Pass	6640
694	726	0.1	RMS	706.56	20.08	60	Pass	401
726	1000	0.1	RMS	854.547	-64.4	-13	Pass	2740
1000	3000	1	RMS	1412.206	-49.83	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.33	-13	Pass	7000



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2985
30	814	0.1	RMS	811.1	-62.54	-13	Pass	7840
814	860	0.1	RMS	824.222	20.28	60	Pass	460
860	1000	0.1	RMS	864.503	-64.61	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.22	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.31	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	814	0.1	RMS	811.1	-63.48	-13	Pass	7840
814	860	0.1	RMS	824.222	20	60	Pass	460
860	1000	0.1	RMS	935.454	-64.78	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.89	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.38	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.65	-13	Pass	7840
814	860	0.1	RMS	836.048	21.3	60	Pass	460
860	1000	0.1	RMS	867.505	-64.8	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.66	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.34	-13	Pass	7000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.54	-13	Pass	7840
814	860	0.1	RMS	836.048	20.27	60	Pass	460
860	1000	0.1	RMS	861.601	-64.8	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.7	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.27	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	Pass	2985
30	814	0.1	RMS	804.599	-64.94	-13	Pass	7840
814	860	0.1	RMS	847.874	20.98	60	Pass	460
860	1000	0.1	RMS	861.601	-64.7	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.24	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.33	-13	Pass	7000




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	814	0.1	RMS	811.5	-64.91	-13	Pass	7840
814	860	0.1	RMS	847.874	20.17	60	Pass	460
860	1000	0.1	RMS	869.307	-64.8	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.19	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.3	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	814	0.1	RMS	811.1	-62.65	-13	Pass	7840
814	860	0.1	RMS	824.222	20.4	60	Pass	460
860	1000	0.1	RMS	861.201	-64.54	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.27	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.32	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	814	0.1	RMS	811.3	-63.36	-13	Pass	7840
814	860	0.1	RMS	824.222	20.42	60	Pass	460
860	1000	0.1	RMS	868.206	-64.72	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.81	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.3	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.58	-13	Pass	7840
814	860	0.1	RMS	835.246	21.34	60	Pass	460
860	1000	0.1	RMS	885.518	-64.76	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.94	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.3	-13	Pass	7000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.43	-13	Pass	7840
814	860	0.1	RMS	835.246	20.47	60	Pass	460
860	1000	0.1	RMS	872.609	-64.8	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.73	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.31	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.77	-13	Pass	7840
814	860	0.1	RMS	846.27	20.96	60	Pass	460
860	1000	0.1	RMS	862.202	-64.57	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.65	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.34	-13	Pass	7000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.92	-13	Pass	7840
814	860	0.1	RMS	846.27	20.14	60	Pass	460
860	1000	0.1	RMS	865.204	-64.69	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.61	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.26	-13	Pass	7000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	Pass	2985
30	814	0.1	RMS	811.4	-62.78	-13	Pass	7840
814	860	0.1	RMS	824.322	20.29	60	Pass	460
860	1000	0.1	RMS	862.802	-64.59	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.59	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.24	-13	Pass	7000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	Pass	2985
30	814	0.1	RMS	811.3	-63.48	-13	Pass	7840
814	860	0.1	RMS	824.322	20.31	60	Pass	460
860	1000	0.1	RMS	989.693	-64.81	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.22	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.31	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2985
30	814	0.1	RMS	813.4	-64.71	-13	Pass	7840
814	860	0.1	RMS	834.344	21.3	60	Pass	460
860	1000	0.1	RMS	913.238	-64.74	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.42	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.23	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-13	Pass	2985
30	814	0.1	RMS	812.2	-64.59	-13	Pass	7840
814	860	0.1	RMS	834.344	20.57	60	Pass	460
860	1000	0.1	RMS	882.116	-64.8	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.06	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.33	-13	Pass	7000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.74	-13	Pass	7840
814	860	0.1	RMS	844.366	20.74	60	Pass	460
860	1000	0.1	RMS	862.902	-64.73	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.16	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.33	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.85	-13	Pass	7840
814	860	0.1	RMS	844.366	20.32	60	Pass	460
860	1000	0.1	RMS	861.101	-64.72	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.92	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.31	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.35	-13	Pass	2985
30	814	0.1	RMS	811.9	-63.37	-13	Pass	7840
814	860	0.1	RMS	824.623	20.34	60	Pass	460
860	1000	0.1	RMS	870.407	-64.72	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.25	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.3	-13	Pass	7000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	814	0.1	RMS	811.6	-63.53	-13	Pass	7840
814	860	0.1	RMS	824.623	20.11	60	Pass	460
860	1000	0.1	RMS	864.904	-64.81	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.93	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.34	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.75	-13	Pass	2985
30	814	0.1	RMS	814	-64.36	-13	Pass	7840
814	860	0.1	RMS	832.139	20.59	60	Pass	460
860	1000	0.1	RMS	939.857	-64.76	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.03	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.35	-13	Pass	7000




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.29	-13	Pass	7840
814	860	0.1	RMS	832.139	19.81	60	Pass	460
860	1000	0.1	RMS	864.203	-64.75	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.73	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.27	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.71	-13	Pass	7840
814	860	0.1	RMS	839.556	20.85	60	Pass	460
860	1000	0.1	RMS	860.1	-64.86	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.81	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.29	-13	Pass	7000




14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.74	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.64	-13	Pass	7840
814	860	0.1	RMS	839.556	20.06	60	Pass	460
860	1000	0.1	RMS	868.006	-64.76	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.38	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.31	-13	Pass	7000




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	814	0.1	RMS	811.9	-62.4	-13	Pass	7840
814	860	0.1	RMS	824.824	20.6	60	Pass	460
860	1000	0.1	RMS	871.808	-64.9	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.44	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.3	-13	Pass	7000




14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	814	0.1	RMS	811	-60.91	-13	Pass	7840
814	860	0.1	RMS	824.824	20.5	60	Pass	460
860	1000	0.1	RMS	872.009	-64.74	-13	Pass	1400
1000	3000	1	RMS	1649.325	-47.95	-13	Pass	2000
3000	10000	1	RMS	6945.564	-44.39	-13	Pass	7000




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2985
30	814	0.1	RMS	813.8	-63.74	-13	Pass	7840
814	860	0.1	RMS	829.834	21.59	60	Pass	460
860	1000	0.1	RMS	868.106	-64.75	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.06	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.33	-13	Pass	7000




14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	814	0.1	RMS	812.7	-64.12	-13	Pass	7840
814	860	0.1	RMS	829.834	20.37	60	Pass	460
860	1000	0.1	RMS	861.901	-64.8	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.75	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.36	-13	Pass	7000




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.29	-13	Pass	7840
814	860	0.1	RMS	834.845	21.37	60	Pass	460
860	1000	0.1	RMS	863.402	-64.73	-13	Pass	1400
1000	3000	1	RMS	1669.335	-46.98	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.3	-13	Pass	7000



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	814	0.1	RMS	812.3	-64.61	-13	Pass	7840
814	860	0.1	RMS	834.845	20.57	60	Pass	460
860	1000	0.1	RMS	888.921	-64.81	-13	Pass	1400
1000	3000	1	RMS	1669.335	-47.99	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.24	-13	Pass	7000



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.03	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.69	-13	Pass	2985
30	809	0.1	Peak	808.4	-52.9	-13	Pass	7790
809	829	0.1	Peak	814.2	25.86	60	Pass	401
829	1000	0.1	Peak	832.902	-51.72	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.07	-13	Pass	2000
3000	10000	1	Peak	6951.565	-33.28	-13	Pass	7000




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.9	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.53	-13	Pass	2985
30	809	0.1	Peak	809	-49.09	-13	Pass	7790
809	829	0.1	Peak	814.2	26.45	60	Pass	401
829	1000	0.1	Peak	829.8	-52.19	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.53	-13	Pass	2000
3000	10000	1	Peak	7802.686	-32.9	-13	Pass	7000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.84	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.86	-13	Pass	2985
30	809	0.1	Peak	807.6	-53.01	-13	Pass	7790
809	829	0.1	Peak	818.5	25.79	60	Pass	401
829	1000	0.1	Peak	831.401	-50.85	-13	Pass	1710
1000	3000	1	Peak	1637.319	-38.04	-13	Pass	2000
3000	10000	1	Peak	7226.604	-31.83	-13	Pass	7000




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.42	-13	Pass	2985
30	809	0.1	Peak	807.6	-52.68	-13	Pass	7790
809	829	0.1	Peak	818.55	26.27	60	Pass	401
829	1000	0.1	Peak	829.2	-47.88	-13	Pass	1710
1000	3000	1	Peak	1637.319	-38.3	-13	Pass	2000
3000	10000	1	Peak	6927.561	-32.93	-13	Pass	7000




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.64	-13	Pass	2985
30	809	0.1	Peak	749.092	-54.06	-13	Pass	7790
809	829	0.1	Peak	822.9	25.69	60	Pass	401
829	1000	0.1	Peak	829.1	-44.72	-13	Pass	1710
1000	3000	1	Peak	2947.974	-38.1	-13	Pass	2000
3000	10000	1	Peak	7191.599	-32.91	-13	Pass	7000




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.45	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.32	-13	Pass	2985
30	809	0.1	Peak	807.8	-47.62	-13	Pass	7790
809	829	0.1	Peak	822.8	26.4	60	Pass	401
829	1000	0.1	Peak	833.603	-45.88	-13	Pass	1710
1000	3000	1	Peak	1645.323	-37.9	-13	Pass	2000
3000	10000	1	Peak	8354.765	-32.67	-13	Pass	7000




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.66	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.01	-13	Pass	2985
30	809	0.1	Peak	809	-51.49	-13	Pass	7790
809	829	0.1	Peak	814.3	25.88	60	Pass	401
829	1000	0.1	Peak	833.303	-52.55	-13	Pass	1710
1000	3000	1	Peak	2952.976	-38.66	-13	Pass	2000
3000	10000	1	Peak	7192.599	-32.09	-13	Pass	7000




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.31	-13	Pass	401
0.15	30	0.01	Peak	0.35	-64.14	-13	Pass	2985
30	809	0.1	Peak	808.3	-50.45	-13	Pass	7790
809	829	0.1	Peak	814.2	26.66	60	Pass	401
829	1000	0.1	Peak	838.406	-53.16	-13	Pass	1710
1000	3000	1	Peak	1628.314	-38.25	-13	Pass	2000
3000	10000	1	Peak	7192.599	-33.32	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.67	-13	Pass	401
0.15	30	0.01	Peak	0.65	-64.23	-13	Pass	2985
30	809	0.1	Peak	298.634	-53.34	-13	Pass	7790
809	829	0.1	Peak	817.75	25.82	60	Pass	401
829	1000	0.1	Peak	829.8	-51.99	-13	Pass	1710
1000	3000	1	Peak	2975.988	-37.84	-13	Pass	2000
3000	10000	1	Peak	6951.565	-32.75	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.17	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.7	-13	Pass	2985
30	809	0.1	Peak	644.779	-53.86	-13	Pass	7790
809	829	0.1	Peak	817.8	26.27	60	Pass	401
829	1000	0.1	Peak	829	-53.62	-13	Pass	1710
1000	3000	1	Peak	1635.318	-38.26	-13	Pass	2000
3000	10000	1	Peak	6918.56	-32.72	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.74	-13	Pass	2985
30	809	0.1	Peak	807.9	-51.99	-13	Pass	7790
809	829	0.1	Peak	821.25	25.97	60	Pass	401
829	1000	0.1	Peak	829.5	-45.6	-13	Pass	1710
1000	3000	1	Peak	2972.986	-38.05	-13	Pass	2000
3000	10000	1	Peak	7215.602	-33.05	-13	Pass	7000




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.17	-13	Pass	401
0.15	30	0.01	Peak	0.32	-63.62	-13	Pass	2985
30	809	0.1	Peak	808.5	-50.99	-13	Pass	7790
809	829	0.1	Peak	821.2	26.51	60	Pass	401
829	1000	0.1	Peak	829.2	-46.94	-13	Pass	1710
1000	3000	1	Peak	1642.321	-37.59	-13	Pass	2000
3000	10000	1	Peak	7233.605	-32.83	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.15	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.53	-13	Pass	2985
30	809	0.1	Peak	807.9	-52.74	-13	Pass	7790
809	829	0.1	Peak	814.3	26.03	60	Pass	401
829	1000	0.1	Peak	830.501	-52.58	-13	Pass	1710
1000	3000	1	Peak	2839.92	-38.64	-13	Pass	2000
3000	10000	1	Peak	7029.576	-32.75	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.74	-13	Pass	2985
30	809	0.1	Peak	808.7	-45.58	-13	Pass	7790
809	829	0.1	Peak	814.3	26.49	60	Pass	401
829	1000	0.1	Peak	831.301	-49.66	-13	Pass	1710
1000	3000	1	Peak	2851.926	-38.43	-13	Pass	2000
3000	10000	1	Peak	6952.565	-32.73	-13	Pass	7000




15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.75	-13	Pass	401
0.15	30	0.01	Peak	0.74	-65.06	-13	Pass	2985
30	809	0.1	Peak	807.8	-48.54	-13	Pass	7790
809	829	0.1	Peak	816.85	26.11	60	Pass	401
829	1000	0.1	Peak	832.302	-52.97	-13	Pass	1710
1000	3000	1	Peak	1633.317	-38.65	-13	Pass	2000
3000	10000	1	Peak	6950.564	-32.55	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.91	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.07	-13	Pass	2985
30	809	0.1	Peak	807.7	-46.95	-13	Pass	7790
809	829	0.1	Peak	816.8	26.55	60	Pass	401
829	1000	0.1	Peak	832.902	-53.74	-13	Pass	1710
1000	3000	1	Peak	2970.985	-38.78	-13	Pass	2000
3000	10000	1	Peak	7440.634	-33.1	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.19	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.64	-13	Pass	2985
30	809	0.1	Peak	808.6	-49.79	-13	Pass	7790
809	829	0.1	Peak	819.3	25.84	60	Pass	401
829	1000	0.1	Peak	829.2	-48.46	-13	Pass	1710
1000	3000	1	Peak	2984.992	-37.78	-13	Pass	2000
3000	10000	1	Peak	6947.564	-33.17	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.4	-13	Pass	401
0.15	30	0.01	Peak	0.46	-63.6	-13	Pass	2985
30	809	0.1	Peak	565.869	-53.45	-13	Pass	7790
809	829	0.1	Peak	819.3	26.56	60	Pass	401
829	1000	0.1	Peak	830.601	-44.82	-13	Pass	1710
1000	3000	1	Peak	1639.32	-37.59	-13	Pass	2000
3000	10000	1	Peak	7828.69	-32.9	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.42	-13	Pass	2985
30	809	0.1	Peak	807.5	-46.89	-13	Pass	7790
809	829	0.1	Peak	814.6	26.16	60	Pass	401
829	1000	0.1	Peak	830.101	-49.18	-13	Pass	1710
1000	3000	1	Peak	2906.953	-38.49	-13	Pass	2000
3000	10000	1	Peak	8314.759	-33.28	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.46	-13	Pass	2985
30	809	0.1	Peak	808.4	-38.07	-13	Pass	7790
809	829	0.1	Peak	814.55	26.64	60	Pass	401
829	1000	0.1	Peak	832.102	-51.96	-13	Pass	1710
1000	3000	1	Peak	2972.986	-38.36	-13	Pass	2000
3000	10000	1	Peak	6961.566	-32.59	-13	Pass	7000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.95	-13	Pass	2985
30	809	0.1	Peak	806.7	-48.27	-13	Pass	7790
809	829	0.1	Peak	814.85	26	60	Pass	401
829	1000	0.1	Peak	829	-38.58	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.73	-13	Pass	2000
3000	10000	1	Peak	7227.604	-33.16	-13	Pass	7000



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.33	-13	Pass	2985
30	809	0.1	Peak	806.5	-48.12	-13	Pass	7790
809	829	0.1	Peak	814.8	26.69	60	Pass	401
829	1000	0.1	Peak	829.1	-31.49	-13	Pass	1710
1000	3000	1	Peak	1629.315	-36.85	-13	Pass	2000
3000	10000	1	Peak	6940.563	-32.55	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.01	-25	Pass	2985
30	1000	0.1	RMS	609.671	-63.78	-25	Pass	9699
1000	2550	1	RMS	2550	-51.42	-25	Pass	1550
2550	2640	1	RMS	2570.025	17.84	60	Pass	401
2640	3000	1	RMS	2951.4	-49.9	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.68	-25	Pass	9000
12000	26500	1	RMS	26009.922	-41.64	-25	Pass	14500




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2985
30	1000	0.1	RMS	609.571	-63.88	-25	Pass	9699
1000	2550	1	RMS	2550	-51.32	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.88	60	Pass	401
2640	3000	1	RMS	2943.3	-49.89	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.66	-25	Pass	9000
12000	26500	1	RMS	25779.886	-41.74	-25	Pass	14500




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	840.599	-64.57	-25	Pass	9699
1000	2550	1	RMS	2491.963	-51.59	-25	Pass	1550
2550	2640	1	RMS	2592.525	17.92	60	Pass	401
2640	3000	1	RMS	2952.3	-49.91	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.72	-25	Pass	9000
12000	26500	1	RMS	25800.889	-41.76	-25	Pass	14500




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.82	-25	Pass	2985
30	1000	0.1	RMS	838.899	-64.51	-25	Pass	9699
1000	2550	1	RMS	2493.964	-51.57	-25	Pass	1550
2550	2640	1	RMS	2592.75	19.07	60	Pass	401
2640	3000	1	RMS	2956.8	-49.89	-25	Pass	401
3000	12000	1	RMS	11602.508	-53.67	-25	Pass	9000
12000	26500	1	RMS	26014.923	-41.7	-25	Pass	14500




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-25	Pass	2985
30	1000	0.1	RMS	840.899	-64.54	-25	Pass	9699
1000	2550	1	RMS	2488.961	-51.61	-25	Pass	1550
2550	2640	1	RMS	2615.025	18.1	60	Pass	401
2640	3000	1	RMS	2956.8	-49.91	-25	Pass	401
3000	12000	1	RMS	11603.509	-53.64	-25	Pass	9000
12000	26500	1	RMS	25725.877	-41.7	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-25	Pass	2985
30	1000	0.1	RMS	852.504	-64.56	-25	Pass	9699
1000	2550	1	RMS	2518.98	-51.63	-25	Pass	1550
2550	2640	1	RMS	2615.025	18.44	60	Pass	401
2640	3000	1	RMS	2956.8	-49.91	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.67	-25	Pass	9000
12000	26500	1	RMS	26001.921	-41.75	-25	Pass	14500




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.99	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.63	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.9	-25	Pass	1550
2550	2640	1	RMS	2570.475	17.93	60	Pass	401
2640	3000	1	RMS	2948.7	-49.95	-25	Pass	401
3000	12000	1	RMS	11605.512	-53.68	-25	Pass	9000
12000	26500	1	RMS	25738.879	-41.73	-25	Pass	14500




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-25	Pass	2985
30	1000	0.1	RMS	609.871	-63.51	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.68	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.45	60	Pass	401
2640	3000	1	RMS	2956.8	-49.94	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.6	-25	Pass	9000
12000	26500	1	RMS	25773.885	-41.76	-25	Pass	14500




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-25	Pass	2985
30	1000	0.1	RMS	984.68	-64.65	-25	Pass	9699
1000	2550	1	RMS	2489.961	-51.54	-25	Pass	1550
2550	2640	1	RMS	2590.275	18.11	60	Pass	401
2640	3000	1	RMS	2947.8	-49.91	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.68	-25	Pass	9000
12000	26500	1	RMS	25766.884	-41.68	-25	Pass	14500




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-25	Pass	2985
30	1000	0.1	RMS	859.814	-64.45	-25	Pass	9699
1000	2550	1	RMS	2518.98	-51.59	-25	Pass	1550
2550	2640	1	RMS	2590.5	18.77	60	Pass	401
2640	3000	1	RMS	2945.1	-49.91	-25	Pass	401
3000	12000	1	RMS	11611.519	-53.68	-25	Pass	9000
12000	26500	1	RMS	25771.885	-41.68	-25	Pass	14500




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-25	Pass	2985
30	1000	0.1	RMS	850.101	-64.53	-25	Pass	9699
1000	2550	1	RMS	2513.977	-51.58	-25	Pass	1550
2550	2640	1	RMS	2610.3	17.95	60	Pass	401
2640	3000	1	RMS	2954.1	-49.92	-25	Pass	401
3000	12000	1	RMS	11606.513	-53.63	-25	Pass	9000
12000	26500	1	RMS	26003.921	-41.71	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-25	Pass	2985
30	1000	0.1	RMS	835.298	-64.62	-25	Pass	9699
1000	2550	1	RMS	2477.954	-51.63	-25	Pass	1550
2550	2640	1	RMS	2610.525	18.86	60	Pass	401
2640	3000	1	RMS	2951.4	-49.91	-25	Pass	401
3000	12000	1	RMS	11598.503	-53.65	-25	Pass	9000
12000	26500	1	RMS	26006.922	-41.72	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2985
30	1000	0.1	RMS	610.071	-64.53	-25	Pass	9699
1000	2550	1	RMS	2544.997	-51.2	-25	Pass	1550
2550	2640	1	RMS	2570.7	18.37	60	Pass	401
2640	3000	1	RMS	2948.7	-49.89	-25	Pass	401
3000	12000	1	RMS	11601.507	-53.7	-25	Pass	9000
12000	26500	1	RMS	25797.889	-41.75	-25	Pass	14500




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2985
30	1000	0.1	RMS	610.071	-64.24	-25	Pass	9699
1000	2550	1	RMS	2548.999	-51.02	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.21	60	Pass	401
2640	3000	1	RMS	2945.1	-49.94	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.71	-25	Pass	9000
12000	26500	1	RMS	25795.888	-41.7	-25	Pass	14500




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-25	Pass	2985
30	1000	0.1	RMS	859.013	-64.58	-25	Pass	9699
1000	2550	1	RMS	2481.956	-51.59	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.38	60	Pass	401
2640	3000	1	RMS	2955	-49.93	-25	Pass	401
3000	12000	1	RMS	11601.507	-53.7	-25	Pass	9000
12000	26500	1	RMS	26005.922	-41.73	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.47	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.73	-25	Pass	2985
30	1000	0.1	RMS	843.599	-64.52	-25	Pass	9699
1000	2550	1	RMS	2488.961	-51.58	-25	Pass	1550
2550	2640	1	RMS	2588.025	18.2	60	Pass	401
2640	3000	1	RMS	2955.9	-49.92	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.72	-25	Pass	9000
12000	26500	1	RMS	26013.923	-41.72	-25	Pass	14500




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	Pass	2985
30	1000	0.1	RMS	849.701	-64.65	-25	Pass	9699
1000	2550	1	RMS	2485.959	-51.61	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.43	60	Pass	401
2640	3000	1	RMS	2956.8	-49.9	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.65	-25	Pass	9000
12000	26500	1	RMS	25777.886	-41.67	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	839.899	-64.61	-25	Pass	9699
1000	2550	1	RMS	2487.96	-51.61	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.2	60	Pass	401
2640	3000	1	RMS	2953.2	-49.89	-25	Pass	401
3000	12000	1	RMS	11606.513	-53.72	-25	Pass	9000
12000	26500	1	RMS	25786.887	-41.67	-25	Pass	14500




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-25	Pass	2985
30	1000	0.1	RMS	610.371	-63.85	-25	Pass	9699
1000	2550	1	RMS	2550	-51.17	-25	Pass	1550
2550	2640	1	RMS	2571.15	18.6	60	Pass	401
2640	3000	1	RMS	2945.1	-49.93	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.67	-25	Pass	9000
12000	26500	1	RMS	26400.984	-41.77	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-25	Pass	2985
30	1000	0.1	RMS	845.3	-64.63	-25	Pass	9699
1000	2550	1	RMS	2547.999	-51.1	-25	Pass	1550
2550	2640	1	RMS	2571.15	18.24	60	Pass	401
2640	3000	1	RMS	2952.3	-49.92	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.75	-25	Pass	9000
12000	26500	1	RMS	25791.888	-41.7	-25	Pass	14500




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.56	-25	Pass	2985
30	1000	0.1	RMS	835.298	-64.42	-25	Pass	9699
1000	2550	1	RMS	2518.98	-51.63	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.58	60	Pass	401
2640	3000	1	RMS	2956.8	-49.91	-25	Pass	401
3000	12000	1	RMS	11602.508	-53.61	-25	Pass	9000
12000	26500	1	RMS	25809.891	-41.68	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-25	Pass	2985
30	1000	0.1	RMS	851.603	-64.45	-25	Pass	9699
1000	2550	1	RMS	2520.981	-51.54	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.54	60	Pass	401
2640	3000	1	RMS	2953.2	-49.91	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.61	-25	Pass	9000
12000	26500	1	RMS	25786.887	-41.68	-25	Pass	14500




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-25	Pass	2985
30	1000	0.1	RMS	860.815	-64.63	-25	Pass	9699
1000	2550	1	RMS	2479.955	-51.26	-25	Pass	1550
2550	2640	1	RMS	2601.075	18.06	60	Pass	401
2640	3000	1	RMS	2946	-49.93	-25	Pass	401
3000	12000	1	RMS	11606.513	-53.67	-25	Pass	9000
12000	26500	1	RMS	25794.888	-41.71	-25	Pass	14500



16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-25	Pass	2985
30	1000	0.1	RMS	852.404	-64.45	-25	Pass	9699
1000	2550	1	RMS	2525.985	-51.59	-25	Pass	1550
2550	2640	1	RMS	2600.85	18.27	60	Pass	401
2640	3000	1	RMS	2949.6	-49.93	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.7	-25	Pass	9000
12000	26500	1	RMS	25803.89	-41.74	-25	Pass	14500



17. LTE_Band41(2545-2655)


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-25	Pass	2985
30	1000	0.1	RMS	584.668	-61.21	-25	Pass	9699
1000	2525	1	RMS	2525	-50.2	-25	Pass	1525
2525	2675	1	RMS	2544.875	21	60	Pass	401
2675	3000	1	RMS	2957.75	-49.87	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.66	-25	Pass	9000
12000	27000	1	RMS	25733.814	-35.26	-25	Pass	15000




17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	584.668	-59.64	-25	Pass	9699
1000	2525	1	RMS	2523.999	-50.18	-25	Pass	1525
2525	2675	1	RMS	2544.875	20.36	60	Pass	401
2675	3000	1	RMS	2948.813	-49.87	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.57	-25	Pass	9000
12000	27000	1	RMS	25794.823	-35.35	-25	Pass	15000




17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40690, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-25	Pass	2985
30	1000	0.1	RMS	637.174	-64.33	-25	Pass	9699
1000	2525	1	RMS	2486.975	-51.5	-25	Pass	1525
2525	2675	1	RMS	2597.75	21.66	60	Pass	401
2675	3000	1	RMS	2956.125	-49.86	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.63	-25	Pass	9000
12000	27000	1	RMS	25760.818	-35.33	-25	Pass	15000




17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40690, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	818.196	-64.41	-25	Pass	9699
1000	2525	1	RMS	2493.98	-51.54	-25	Pass	1525
2525	2675	1	RMS	2597.75	20.41	60	Pass	401
2675	3000	1	RMS	2955.313	-49.83	-25	Pass	401
3000	12000	1	RMS	11602.508	-53.67	-25	Pass	9000
12000	27000	1	RMS	25992.852	-35.25	-25	Pass	15000




17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.26	-25	Pass	2985
30	1000	0.1	RMS	869.427	-64.54	-25	Pass	9699
1000	2525	1	RMS	2480.971	-51.47	-25	Pass	1525
2525	2675	1	RMS	2649.875	20.86	60	Pass	401
2675	3000	1	RMS	2956.938	-49.85	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.65	-25	Pass	9000
12000	27000	1	RMS	25995.853	-35.3	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-25	Pass	2985
30	1000	0.1	RMS	832.298	-64.52	-25	Pass	9699
1000	2525	1	RMS	2495.981	-51.55	-25	Pass	1525
2525	2675	1	RMS	2650.25	20.94	60	Pass	401
2675	3000	1	RMS	2944.75	-49.88	-25	Pass	401
3000	12000	1	RMS	11612.52	-53.66	-25	Pass	9000
12000	27000	1	RMS	26982.998	-35.3	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-25	Pass	2985
30	1000	0.1	RMS	584.968	-61.36	-25	Pass	9699
1000	2525	1	RMS	2522.999	-50.12	-25	Pass	1525
2525	2675	1	RMS	2545.625	21.08	60	Pass	401
2675	3000	1	RMS	2950.438	-49.84	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.58	-25	Pass	9000
12000	27000	1	RMS	25772.82	-35.31	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2985
30	1000	0.1	RMS	584.868	-61.64	-25	Pass	9699
1000	2525	1	RMS	2525	-50.71	-25	Pass	1525
2525	2675	1	RMS	2545.25	20.29	60	Pass	401
2675	3000	1	RMS	2945.563	-49.84	-25	Pass	401
3000	12000	1	RMS	11605.512	-53.66	-25	Pass	9000
12000	27000	1	RMS	25797.823	-35.3	-25	Pass	15000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-25	Pass	2985
30	1000	0.1	RMS	634.874	-63.93	-25	Pass	9699
1000	2525	1	RMS	2491.978	-51.51	-25	Pass	1525
2525	2675	1	RMS	2595.125	21.09	60	Pass	401
2675	3000	1	RMS	2951.25	-49.83	-25	Pass	401
3000	12000	1	RMS	11600.506	-53.6	-25	Pass	9000
12000	27000	1	RMS	25797.823	-35.25	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.98	-25	Pass	2985
30	1000	0.1	RMS	634.874	-64.24	-25	Pass	9699
1000	2525	1	RMS	2490.978	-51.5	-25	Pass	1525
2525	2675	1	RMS	2595.5	20.36	60	Pass	401
2675	3000	1	RMS	2950.438	-49.85	-25	Pass	401
3000	12000	1	RMS	11611.519	-53.65	-25	Pass	9000
12000	27000	1	RMS	26419.915	-35.31	-25	Pass	15000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-25	Pass	2985
30	1000	0.1	RMS	843.499	-64.6	-25	Pass	9699
1000	2525	1	RMS	2486.975	-51.45	-25	Pass	1525
2525	2675	1	RMS	2645.75	20.72	60	Pass	401
2675	3000	1	RMS	2947.188	-49.84	-25	Pass	401
3000	12000	1	RMS	11606.513	-53.54	-25	Pass	9000
12000	27000	1	RMS	25773.82	-35.32	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-25	Pass	2985
30	1000	0.1	RMS	853.706	-64.54	-25	Pass	9699
1000	2525	1	RMS	2490.978	-51.54	-25	Pass	1525
2525	2675	1	RMS	2645.375	20.65	60	Pass	401
2675	3000	1	RMS	2947.188	-49.85	-25	Pass	401
3000	12000	1	RMS	11603.509	-53.61	-25	Pass	9000
12000	27000	1	RMS	25989.852	-35.3	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2985
30	1000	0.1	RMS	585.168	-59.94	-25	Pass	9699
1000	2525	1	RMS	2523.999	-50.05	-25	Pass	1525
2525	2675	1	RMS	2545.625	21.38	60	Pass	401
2675	3000	1	RMS	2945.563	-49.88	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.63	-25	Pass	9000
12000	27000	1	RMS	25796.823	-35.27	-25	Pass	15000




17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-25	Pass	2985
30	1000	0.1	RMS	585.068	-62.71	-25	Pass	9699
1000	2525	1	RMS	2523.999	-50.37	-25	Pass	1525
2525	2675	1	RMS	2545.625	21.47	60	Pass	401
2675	3000	1	RMS	2952.875	-49.86	-25	Pass	401
3000	12000	1	RMS	11609.517	-53.6	-25	Pass	9000
12000	27000	1	RMS	25986.851	-35.31	-25	Pass	15000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40690, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-25	Pass	2985
30	1000	0.1	RMS	632.674	-63.36	-25	Pass	9699
1000	2525	1	RMS	2486.975	-51.46	-25	Pass	1525
2525	2675	1	RMS	2593.25	21.08	60	Pass	401
2675	3000	1	RMS	2954.5	-49.83	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.62	-25	Pass	9000
12000	27000	1	RMS	26949.993	-35.34	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40690, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-25	Pass	2985
30	1000	0.1	RMS	838.999	-64.54	-25	Pass	9699
1000	2525	1	RMS	2507.989	-51.52	-25	Pass	1525
2525	2675	1	RMS	2593.25	20.4	60	Pass	401
2675	3000	1	RMS	2956.938	-49.87	-25	Pass	401
3000	12000	1	RMS	11605.512	-53.64	-25	Pass	9000
12000	27000	1	RMS	25769.819	-35.34	-25	Pass	15000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2985
30	1000	0.1	RMS	836.098	-64.49	-25	Pass	9699
1000	2525	1	RMS	2486.975	-51.47	-25	Pass	1525
2525	2675	1	RMS	2640.5	21.86	60	Pass	401
2675	3000	1	RMS	2957.75	-49.85	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.63	-25	Pass	9000
12000	27000	1	RMS	25702.809	-35.3	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	Pass	2985
30	1000	0.1	RMS	838.599	-64.62	-25	Pass	9699
1000	2525	1	RMS	2518.996	-51.49	-25	Pass	1525
2525	2675	1	RMS	2640.875	20.58	60	Pass	401
2675	3000	1	RMS	2946.375	-49.87	-25	Pass	401
3000	12000	1	RMS	11603.509	-53.54	-25	Pass	9000
12000	27000	1	RMS	25749.816	-35.24	-25	Pass	15000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	585.368	-59.24	-25	Pass	9699
1000	2525	1	RMS	2523.999	-49.98	-25	Pass	1525
2525	2675	1	RMS	2546	21.9	60	Pass	401
2675	3000	1	RMS	2951.25	-49.82	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.59	-25	Pass	9000
12000	27000	1	RMS	25781.821	-35.25	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-25	Pass	2985
30	1000	0.1	RMS	585.468	-63.32	-25	Pass	9699
1000	2525	1	RMS	2519.997	-50.5	-25	Pass	1525
2525	2675	1	RMS	2546	20.57	60	Pass	401
2675	3000	1	RMS	2944.75	-49.84	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.59	-25	Pass	9000
12000	27000	1	RMS	26938.991	-35.27	-25	Pass	15000




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-25	Pass	2985
30	1000	0.1	RMS	630.473	-64.09	-25	Pass	9699
1000	2525	1	RMS	2481.972	-51.53	-25	Pass	1525
2525	2675	1	RMS	2591	21.57	60	Pass	401
2675	3000	1	RMS	2943.938	-49.87	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.62	-25	Pass	9000
12000	27000	1	RMS	26004.854	-35.33	-25	Pass	15000




17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-25	Pass	2985
30	1000	0.1	RMS	630.373	-64.01	-25	Pass	9699
1000	2525	1	RMS	2479.97	-51.49	-25	Pass	1525
2525	2675	1	RMS	2590.625	20.19	60	Pass	401
2675	3000	1	RMS	2955.313	-49.87	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.61	-25	Pass	9000
12000	27000	1	RMS	25806.825	-35.32	-25	Pass	15000




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-25	Pass	2985
30	1000	0.1	RMS	840.599	-64.48	-25	Pass	9699
1000	2525	1	RMS	2488.976	-51.52	-25	Pass	1525
2525	2675	1	RMS	2635.625	21.39	60	Pass	401
2675	3000	1	RMS	2947.188	-49.87	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.68	-25	Pass	9000
12000	27000	1	RMS	25398.765	-35.36	-25	Pass	15000



17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-25	Pass	2985
30	1000	0.1	RMS	838.499	-64.53	-25	Pass	9699
1000	2525	1	RMS	2485.974	-51.53	-25	Pass	1525
2525	2675	1	RMS	2635.625	20.32	60	Pass	401
2675	3000	1	RMS	2952.875	-49.88	-25	Pass	401
3000	12000	1	RMS	11609.517	-53.64	-25	Pass	9000
12000	27000	1	RMS	26953.993	-35.32	-25	Pass	15000



CA

18. CA_7C


18.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-25	Pass	2986
30	1000	0.1	RMS	862.609	-63.76	-25	Pass	9700
1000	2490	1	RMS	2489	-50.69	-25	Pass	1491
2490	2580	1	RMS	2518.8	21.2	60	Pass	401
2580	3000	1	RMS	2945	-49.76	-25	Pass	421
3000	12000	1	RMS	7286.523	-52.97	-25	Pass	9001
12000	26000	1	RMS	25908	-40.24	-25	Pass	14001



**18.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-25	Pass	2986
30	1000	0.1	RMS	995.197	-63.97	-25	Pass	9700
1000	2490	1	RMS	2490	-50.8	-25	Pass	1491
2490	2580	1	RMS	2518.8	20.4	60	Pass	401
2580	3000	1	RMS	2949	-49.79	-25	Pass	421
3000	12000	1	RMS	11518	-53.15	-25	Pass	9001
12000	26000	1	RMS	25901	-40.22	-25	Pass	14001



**18.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-25	Pass	2986
30	1000	0.1	RMS	984.19	-64.02	-25	Pass	9700
1000	2490	1	RMS	2489	-50.96	-25	Pass	1491
2490	2580	1	RMS	2540.175	21.01	60	Pass	401
2580	3000	1	RMS	2951	-49.78	-25	Pass	421
3000	12000	1	RMS	11602	-53.15	-25	Pass	9001
12000	26000	1	RMS	25897	-40.25	-25	Pass	14001



**18.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.65	-25	Pass	2986
30	1000	0.1	RMS	990.794	-63.83	-25	Pass	9700
1000	2490	1	RMS	2489	-50.94	-25	Pass	1491
2490	2580	1	RMS	2538.825	20.19	60	Pass	401
2580	3000	1	RMS	2944	-49.83	-25	Pass	421
3000	12000	1	RMS	11599	-53.17	-25	Pass	9001
12000	26000	1	RMS	25890	-40.3	-25	Pass	14001




**18.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-25	Pass	2986
30	1000	0.1	RMS	998.499	-63.89	-25	Pass	9700
1000	2490	1	RMS	2490	-50.99	-25	Pass	1491
2490	2580	1	RMS	2559.975	20.95	60	Pass	401
2580	3000	1	RMS	2580	-48.83	-25	Pass	421
3000	12000	1	RMS	11524	-53.06	-25	Pass	9001
12000	26000	1	RMS	25901	-40.24	-25	Pass	14001



**18.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-25	Pass	2986
30	1000	0.1	RMS	861.208	-64.02	-25	Pass	9700
1000	2490	1	RMS	2489	-51.01	-25	Pass	1491
2490	2580	1	RMS	2559.975	19.86	60	Pass	401
2580	3000	1	RMS	2580	-49.29	-25	Pass	421
3000	12000	1	RMS	7346.531	-52.96	-25	Pass	9001
12000	26000	1	RMS	25900	-40.21	-25	Pass	14001



**18.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	Pass	2986
30	1000	0.1	RMS	873.516	-63.97	-25	Pass	9700
1000	2490	1	RMS	2490	-50.69	-25	Pass	1491
2490	2580	1	RMS	2518.8	21.11	60	Pass	401
2580	3000	1	RMS	2947	-49.85	-25	Pass	421
3000	12000	1	RMS	11601	-53.12	-25	Pass	9001
12000	26000	1	RMS	25883	-40.23	-25	Pass	14001



**18.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-25	Pass	2986
30	1000	0.1	RMS	849.9	-63.89	-25	Pass	9700
1000	2490	1	RMS	2490	-50.79	-25	Pass	1491
2490	2580	1	RMS	2518.8	20.06	60	Pass	401
2580	3000	1	RMS	2953	-49.8	-25	Pass	421
3000	12000	1	RMS	11520	-53.15	-25	Pass	9001
12000	26000	1	RMS	25894	-40.23	-25	Pass	14001



**18.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-25	Pass	2986
30	1000	0.1	RMS	858.806	-63.97	-25	Pass	9700
1000	2490	1	RMS	2489	-50.96	-25	Pass	1491
2490	2580	1	RMS	2533.875	20.95	60	Pass	401
2580	3000	1	RMS	2949	-49.76	-25	Pass	421
3000	12000	1	RMS	11609	-53.1	-25	Pass	9001
12000	26000	1	RMS	25905	-40.29	-25	Pass	14001



**18.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.44	-25	Pass	2986
30	1000	0.1	RMS	993.296	-63.98	-25	Pass	9700
1000	2490	1	RMS	2481	-51.05	-25	Pass	1491
2490	2580	1	RMS	2533.875	20.22	60	Pass	401
2580	3000	1	RMS	2950	-49.83	-25	Pass	421
3000	12000	1	RMS	11599	-53.18	-25	Pass	9001
12000	26000	1	RMS	25893	-40.24	-25	Pass	14001



**18.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.26	-25	Pass	2986
30	1000	0.1	RMS	873.216	-63.96	-25	Pass	9700
1000	2490	1	RMS	2484	-51.01	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.97	60	Pass	401
2580	3000	1	RMS	2951	-49.79	-25	Pass	421
3000	12000	1	RMS	7352.531	-53	-25	Pass	9001
12000	26000	1	RMS	25903	-40.22	-25	Pass	14001



**18.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	Pass	2986
30	1000	0.1	RMS	897.332	-64	-25	Pass	9700
1000	2490	1	RMS	2490	-50.91	-25	Pass	1491
2490	2580	1	RMS	2548.95	20.18	60	Pass	401
2580	3000	1	RMS	2950	-49.83	-25	Pass	421
3000	12000	1	RMS	11603	-53.1	-25	Pass	9001
12000	26000	1	RMS	25889	-40.23	-25	Pass	14001



END