

Appendix Test Data

Report No.:	18220WC40072104	Test Sample No.:	1-2-2
Start Test Date:	2024.05.06	Finish Test Date:	2024.05.10
Test Engineer:	Joker Huang	Auditor:	Justin Feng
Temperature:	25.3°C	Relative Humidity:	49%
Pressure:	101kPa		
Test module:	MT6631		

Appendix A1: 26dB Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.720	5170.240	5189.960	---	---
11A	Ant1	5200	19.760	5190.120	5209.880	---	---
11A	Ant1	5240	19.520	5230.440	5249.960	---	---
11A	Ant1	5745	19.600	5735.200	5754.800	---	---
11A	Ant1	5785	19.800	5775.160	5794.960	---	---
11A	Ant1	5825	19.680	5815.120	5834.800	---	---
11N20SISO	Ant1	5180	20.000	5170.120	5190.120	---	---
11N20SISO	Ant1	5200	20.360	5189.920	5210.280	---	---
11N20SISO	Ant1	5240	20.000	5230.000	5250.000	---	---
11N20SISO	Ant1	5745	20.120	5734.960	5755.080	---	---
11N20SISO	Ant1	5785	20.160	5774.960	5795.120	---	---
11N20SISO	Ant1	5825	19.800	5815.120	5834.920	---	---
11N40SISO	Ant1	5190	40.320	5169.920	5210.240	---	---
11N40SISO	Ant1	5230	40.080	5209.920	5250.000	---	---
11N40SISO	Ant1	5755	40.240	5735.000	5775.240	---	---
11N40SISO	Ant1	5795	40.000	5775.240	5815.240	---	---
11AC20SISO	Ant1	5180	20.200	5169.920	5190.120	---	---
11AC20SISO	Ant1	5200	20.040	5189.960	5210.000	---	---
11AC20SISO	Ant1	5240	20.040	5230.040	5250.080	---	---
11AC20SISO	Ant1	5745	20.280	5734.880	5755.160	---	---
11AC20SISO	Ant1	5785	20.240	5775.000	5795.240	---	---
11AC20SISO	Ant1	5825	20.120	5815.080	5835.200	---	---
11AC40SISO	Ant1	5190	40.080	5170.000	5210.080	---	---
11AC40SISO	Ant1	5230	40.320	5210.000	5250.320	---	---
11AC40SISO	Ant1	5755	40.560	5734.840	5775.400	---	---
11AC40SISO	Ant1	5795	40.000	5775.000	5815.000	---	---
11AC80SISO	Ant1	5210	80.800	5169.520	5250.320	---	---
11AC80SISO	Ant1	5775	80.640	5735.000	5815.640	---	---

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



Test Graphs



11A-Ant1-5180



11A-Ant1-5200



11A-Ant1-5240

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






11A-Ant1-5745



11A-Ant1-5785




11A-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn





11N20SISO-Ant1-5180



11N20SISO-Ant1-5200



11N20SISO-Ant1-5240

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






11N20SISO-Ant1-5745



11N20SISO-Ant1-5785



11N20SISO-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






11N40SISO-Ant1-5190



11N40SISO-Ant1-5230



11N40SISO-Ant1-5755

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn





11N40SISO-Ant1-5795



11AC20SISO-Ant1-5180



11AC20SISO-Ant1-5200

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn





11AC20SISO-Ant1-5240



11AC20SISO-Ant1-5745



11AC20SISO-Ant1-5785

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn





11AC20SISO-Ant1-5825



11AC40SISO-Ant1-5190



11AC40SISO-Ant1-5230

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn





11AC40SISO-Ant1-5755



11AC40SISO-Ant1-5795



11AC80SISO-Ant1-5210

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
 www.anbotek.com.cn



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix A2: 99% Occupied Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.893	5171.5974	5188.4904	---	---
11A	Ant1	5200	16.869	5191.6274	5208.4964	---	---
11A	Ant1	5240	16.858	5231.5626	5248.4206	---	---
11A	Ant1	5745	16.922	5736.5441	5753.4661	---	---
11A	Ant1	5785	16.908	5776.5775	5793.4855	---	---
11A	Ant1	5825	16.884	5816.6105	5833.4945	---	---
11N20SISO	Ant1	5180	17.812	5171.1205	5188.9325	---	---
11N20SISO	Ant1	5200	17.885	5191.0864	5208.9714	---	---
11N20SISO	Ant1	5240	17.857	5231.0812	5248.9382	---	---
11N20SISO	Ant1	5745	17.920	5736.0582	5753.9782	---	---
11N20SISO	Ant1	5785	17.968	5776.0662	5794.0342	---	---
11N20SISO	Ant1	5825	17.921	5816.1087	5834.0297	---	---
11N40SISO	Ant1	5190	36.248	5172.0060	5208.2540	---	---
11N40SISO	Ant1	5230	36.254	5211.8921	5248.1461	---	---
11N40SISO	Ant1	5755	36.514	5736.8144	5773.3284	---	---
11N40SISO	Ant1	5795	36.459	5776.8550	5813.3140	---	---
11AC20SISO	Ant1	5180	17.835	5171.0941	5188.9291	---	---
11AC20SISO	Ant1	5200	17.862	5191.1022	5208.9642	---	---
11AC20SISO	Ant1	5240	17.793	5231.1258	5248.9188	---	---
11AC20SISO	Ant1	5745	17.853	5736.0907	5753.9437	---	---
11AC20SISO	Ant1	5785	17.838	5776.1513	5793.9893	---	---
11AC20SISO	Ant1	5825	17.883	5816.1120	5833.9950	---	---
11AC40SISO	Ant1	5190	36.212	5171.9819	5208.1939	---	---
11AC40SISO	Ant1	5230	36.223	5211.9097	5248.1327	---	---
11AC40SISO	Ant1	5755	36.220	5736.9462	5773.1662	---	---
11AC40SISO	Ant1	5795	36.365	5776.9566	5813.3216	---	---
11AC80SISO	Ant1	5210	75.186	5172.5221	5247.7081	---	---
11AC80SISO	Ant1	5775	75.435	5737.4253	5812.8603	---	---



Test Graphs



11A-Ant1-5180



11A-Ant1-5200



11A-Ant1-5240

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






11A-Ant1-5745



11A-Ant1-5785



11A-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn






11N20SISO-Ant1-5180



11N20SISO-Ant1-5200



11N20SISO-Ant1-5240

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






11N20SISO-Ant1-5745



11N20SISO-Ant1-5785



11N20SISO-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline


400-003-0500

www.anbotek.com.cn






11N40SISO-Ant1-5190



11N40SISO-Ant1-5230



11N40SISO-Ant1-5755

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn






11N40SISO-Ant1-5795



11AC20SISO-Ant1-5180



11AC20SISO-Ant1-5200

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






11AC20SISO-Ant1-5240



11AC20SISO-Ant1-5745



11AC20SISO-Ant1-5785


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






11AC20SISO-Ant1-5825



11AC40SISO-Ant1-5190



11AC40SISO-Ant1-5230

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






11AC40SISO-Ant1-5755



11AC40SISO-Ant1-5795



11AC80SISO-Ant1-5210

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline

400-003-0500

www.anbotek.com.cn



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn




Appendix A3: Minimum 6dB Bandwidth

Test Result B4


TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.560	5737.240	5752.800	0.5	PASS
11A	Ant1	5785	14.280	5778.280	5792.560	0.5	PASS
11A	Ant1	5825	15.040	5817.480	5832.520	0.5	PASS
11N20SISO	Ant1	5745	16.920	5736.240	5753.160	0.5	PASS
11N20SISO	Ant1	5785	16.280	5777.120	5793.400	0.5	PASS
11N20SISO	Ant1	5825	15.040	5817.520	5832.560	0.5	PASS
11N40SISO	Ant1	5755	35.040	5737.480	5772.520	0.5	PASS
11N40SISO	Ant1	5795	33.920	5778.680	5812.600	0.5	PASS
11AC20SISO	Ant1	5745	15.080	5737.480	5752.560	0.5	PASS
11AC20SISO	Ant1	5785	15.920	5777.480	5793.400	0.5	PASS
11AC20SISO	Ant1	5825	15.440	5817.440	5832.880	0.5	PASS
11AC40SISO	Ant1	5755	35.040	5737.480	5772.520	0.5	PASS
11AC40SISO	Ant1	5795	35.040	5777.480	5812.520	0.5	PASS
11AC80SISO	Ant1	5775	75.200	5737.400	5812.600	0.5	PASS




Test Graphs B4



11A-Ant1-5745-PASS



11A-Ant1-5785-PASS



11A-Ant1-5825-PASS


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






11N20SISO-Ant1-5745-PASS



11N20SISO-Ant1-5785-PASS



11N20SISO-Ant1-5825-PASS


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn





11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn






11AC20SISO-Ant1-5785-PASS



11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
www.anbotek.com.cn





11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix B: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Dc Factor [%]	1/T
11A	Ant1	5180	1.39	1.44	96.53	0.15	0.72
11A	Ant1	5200	1.40	1.44	97.22	0.12	0.71
11A	Ant1	5240	1.39	1.44	96.53	0.15	0.72
11A	Ant1	5745	1.39	1.43	97.20	0.12	0.72
11A	Ant1	5785	1.39	1.44	96.53	0.15	0.72
11A	Ant1	5825	1.39	1.43	97.20	0.12	0.72
11N20SISO	Ant1	5180	1.30	1.34	97.01	0.13	0.77
11N20SISO	Ant1	5200	1.30	1.35	96.30	0.16	0.77
11N20SISO	Ant1	5240	1.30	1.35	96.30	0.16	0.77
11N20SISO	Ant1	5745	1.30	1.34	97.01	0.13	0.77
11N20SISO	Ant1	5785	1.30	1.34	97.01	0.13	0.77
11N20SISO	Ant1	5825	1.30	1.35	96.30	0.16	0.77
11N40SISO	Ant1	5190	0.65	0.69	94.20	0.26	1.54
11N40SISO	Ant1	5230	0.65	0.70	92.86	0.32	1.54
11N40SISO	Ant1	5755	0.64	0.69	92.75	0.33	1.56
11N40SISO	Ant1	5795	0.64	0.69	92.75	0.33	1.56
11AC20SISO	Ant1	5180	1.31	1.35	97.04	0.13	0.76
11AC20SISO	Ant1	5200	1.31	1.36	96.32	0.16	0.76
11AC20SISO	Ant1	5240	1.31	1.36	96.32	0.16	0.76
11AC20SISO	Ant1	5745	1.31	1.35	97.04	0.13	0.76
11AC20SISO	Ant1	5785	1.31	1.35	97.04	0.13	0.76
11AC20SISO	Ant1	5825	1.31	1.36	96.32	0.16	0.76
11AC40SISO	Ant1	5190	0.66	0.70	94.29	0.26	1.52
11AC40SISO	Ant1	5230	0.65	0.70	92.86	0.32	1.54
11AC40SISO	Ant1	5755	0.65	0.70	92.86	0.32	1.54
11AC40SISO	Ant1	5795	0.65	0.70	92.86	0.32	1.54
11AC80SISO	Ant1	5210	0.32	0.36	88.89	0.51	3.13
11AC80SISO	Ant1	5775	0.33	0.37	89.19	0.50	3.03

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline

400-003-0500


www.anbotek.com.cn




Test Graphs



NTNV-11A-Ant1-5180



NTNV-11A-Ant1-5200



NTNV-11A-Ant1-5240


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn






NTNV-11A-Ant1-5745



NTNV-11A-Ant1-5785



NTNV-11A-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






NTNV-11N20SISO-Ant1-5180



NTNV-11N20SISO-Ant1-5200



NTNV-11N20SISO-Ant1-5240


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn






NTNV-11N20SISO-Ant1-5745



NTNV-11N20SISO-Ant1-5785




NTNV-11N20SISO-Ant1-5825

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn






NTNV-11N40SISO-Ant1-5190



NTNV-11N40SISO-Ant1-5230



NTNV-11N40SISO-Ant1-5755


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn






NTNV-11N40SISO-Ant1-5795



NTNV-11AC20SISO-Ant1-5180




NTNV-11AC20SISO-Ant1-5200

Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
www.anbotek.com.cn






NTNV-11AC20SISO-Ant1-5240



NTNV-11AC20SISO-Ant1-5745



NTNV-11AC20SISO-Ant1-5785


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn






NTNV-11AC20SISO-Ant1-5825



NTNV-11AC40SISO-Ant1-5190



NTNV-11AC40SISO-Ant1-5230


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com.cn






NTNV-11AC40SISO-Ant1-5755



NTNV-11AC40SISO-Ant1-5795



NTNV-11AC80SISO-Ant1-5210


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Appendix C: Maximum Conducted Output Power

Test Result Channel Power

Test Mode	Antenna	Frequency[MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	13.97	96.53	0.15	14.12	≤23.98	PASS
11A	Ant1	5200	13.72	97.22	0.12	13.84	≤23.98	PASS
11A	Ant1	5240	13.27	96.53	0.15	13.42	≤23.98	PASS
11A	Ant1	5745	14.18	97.20	0.12	14.30	≤30.00	PASS
11A	Ant1	5785	14.06	96.53	0.15	14.21	≤30.00	PASS
11A	Ant1	5825	14.37	97.20	0.12	14.49	≤30.00	PASS
11N20SISO	Ant1	5180	13.88	97.01	0.13	14.01	≤23.98	PASS
11N20SISO	Ant1	5200	13.57	96.30	0.16	13.73	≤23.98	PASS
11N20SISO	Ant1	5240	13.18	96.30	0.16	13.34	≤23.98	PASS
11N20SISO	Ant1	5745	14.11	97.01	0.13	14.24	≤30.00	PASS
11N20SISO	Ant1	5785	13.92	97.01	0.13	14.05	≤30.00	PASS
11N20SISO	Ant1	5825	14.26	96.30	0.16	14.42	≤30.00	PASS
11N40SISO	Ant1	5190	13.82	94.20	0.26	14.08	≤23.98	PASS
11N40SISO	Ant1	5230	13.28	92.86	0.32	13.60	≤23.98	PASS
11N40SISO	Ant1	5755	13.98	92.75	0.33	14.31	≤30.00	PASS
11N40SISO	Ant1	5795	13.98	92.75	0.33	14.31	≤30.00	PASS
11AC20SISO	Ant1	5180	13.80	97.04	0.13	13.93	≤23.98	PASS
11AC20SISO	Ant1	5200	13.74	96.32	0.16	13.90	≤23.98	PASS
11AC20SISO	Ant1	5240	13.20	96.32	0.16	13.36	≤23.98	PASS
11AC20SISO	Ant1	5745	14.10	97.04	0.13	14.23	≤30.00	PASS
11AC20SISO	Ant1	5785	13.98	97.04	0.13	14.11	≤30.00	PASS
11AC20SISO	Ant1	5825	14.33	96.32	0.16	14.49	≤30.00	PASS
11AC40SISO	Ant1	5190	13.71	94.29	0.26	13.97	≤23.98	PASS
11AC40SISO	Ant1	5230	13.27	92.86	0.32	13.59	≤23.98	PASS
11AC40SISO	Ant1	5755	14.15	92.86	0.32	14.47	≤30.00	PASS
11AC40SISO	Ant1	5795	13.99	92.86	0.32	14.31	≤30.00	PASS
11AC80SISO	Ant1	5210	13.87	88.89	0.51	14.38	≤23.98	PASS
11AC80SISO	Ant1	5775	13.97	89.19	0.50	14.47	≤30.00	PASS

Note: 1.The Duty Cycle Factor and cable loss are compensated in the graph.

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn

