

Report No.: SZEM180500437001 Page: 1 of 47

Appendix B

E-UTRA BAND 26 (814MHz-824MHz)



Report No.: SZEM180500437001 Page: 2 of 47

CONTENT

1.	EFFE	ECTIVE (ISOTROPIC) RADIATED POWER	3
	1.1.	Test Result	3
2.	Ρεακ	к-то-Average Ratio(CCDF)	7
	2.1.	Test Result	7
	2.2.	Test Plots	7
3.	Mor	DULATION CHARACTERISTICS	9
	3.1.	Test BAND = LTE BAND26	9
	3.1.1.	. Test Mode = LTE /TM1 10MHz	9
	3.1.1.	.1. Test Channel = MCH	9
	3.1.2.	. Test Mode = LTE /TM2 10MHz	10
	3.1.2.	2.1. Test Channel = MCH	10
	3.1.3.	8. Test Mode = LTE /TM3 10MHz	11
	3.1.3.	8.1. Test Channel = MCH	11
4.	26 D	B Bandwidth and Occupied Bandwidth	12
	4.1.	Test Result	12
	4.2.	Test Plots	13
5.	BANI	ID EDGE COMPLIANCE	24
	5.1.	Test Plots	24
6.	Spuf	RIOUS EMISSION AT ANTENNA TERMINAL	41
	6.1.	Test Plots	41
7.	Field	d Strength of Spurious Radiation	44
	7.1.	Test BAND = LTE BAND 26	44
	7.1.1.	. Test Mode =LTE/TM1 10MHz RB1#0	44
	7.1.1.	.1. Test Channel = MCH	44
8.	Frec	QUENCY STABILITY	45
	8.1.	Frequency Vs Voltage	45
	8.2.	Frequency Vs Temperature	



Report No.: SZEM180500437001 Page: 3 of 47

1. Effective (Isotropic) Radiated Power

1.1.Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
BAND26	1.4MHz	QPSK	26697	1RB#0	23.56	24.41	50.00	PASS
BAND26	1.4MHz	QPSK	26697	1RB#2	23.51	24.36	50.00	PASS
BAND26	1.4MHz	QPSK	26697	1RB#5	23.59	24.44	50.00	PASS
BAND26	1.4MHz	QPSK	26697	3RB#0	23.52	24.37	50.00	PASS
BAND26	1.4MHz	QPSK	26697	3RB#1	23.50	24.35	50.00	PASS
BAND26	1.4MHz	QPSK	26697	3RB#3	23.58	24.43	50.00	PASS
BAND26	1.4MHz	QPSK	26697	6RB#0	22.56	23.41	50.00	PASS
BAND26	1.4MHz	QPSK	26740	1RB#0	23.65	24.50	50.00	PASS
BAND26	1.4MHz	QPSK	26740	1RB#2	23.65	24.50	50.00	PASS
BAND26	1.4MHz	QPSK	26740	1RB#5	23.60	24.45	50.00	PASS
BAND26	1.4MHz	QPSK	26740	3RB#0	23.63	24.48	50.00	PASS
BAND26	1.4MHz	QPSK	26740	3RB#1	23.62	24.47	50.00	PASS
BAND26	1.4MHz	QPSK	26740	3RB#3	23.56	24.41	50.00	PASS
BAND26	1.4MHz	QPSK	26740	6RB#0	22.55	23.40	50.00	PASS
BAND26	1.4MHz	QPSK	26783	1RB#0	23.59	24.44	50.00	PASS
BAND26	1.4MHz	QPSK	26783	1RB#2	23.56	24.41	50.00	PASS
BAND26	1.4MHz	QPSK	26783	1RB#5	23.57	24.42	50.00	PASS
BAND26	1.4MHz	QPSK	26783	3RB#0	23.55	24.40	50.00	PASS
BAND26	1.4MHz	QPSK	26783	3RB#1	23.53	24.38	50.00	PASS
BAND26	1.4MHz	QPSK	26783	3RB#3	23.53	24.38	50.00	PASS
BAND26	1.4MHz	QPSK	26783	6RB#0	22.53	23.38	50.00	PASS
BAND26	1.4MHz	16QAM	26697	1RB#0	22.65	23.50	50.00	PASS
BAND26	1.4MHz	16QAM	26697	1RB#2	22.58	23.43	50.00	PASS
BAND26	1.4MHz	16QAM	26697	1RB#5	22.73	23.58	50.00	PASS
BAND26	1.4MHz	16QAM	26697	3RB#0	22.54	23.39	50.00	PASS
BAND26	1.4MHz	16QAM	26697	3RB#1	22.58	23.43	50.00	PASS
BAND26	1.4MHz	16QAM	26697	3RB#3	22.64	23.49	50.00	PASS
BAND26	1.4MHz	16QAM	26697	6RB#0	21.55	22.40	50.00	PASS
BAND26	1.4MHz	16QAM	26740	1RB#0	22.79	23.64	50.00	PASS
BAND26	1.4MHz	16QAM	26740	1RB#2	22.81	23.66	50.00	PASS
BAND26	1.4MHz	16QAM	26740	1RB#5	22.75	23.60	50.00	PASS
BAND26	1.4MHz	16QAM	26740	3RB#0	22.68	23.53	50.00	PASS
BAND26	1.4MHz	16QAM	26740	3RB#1	22.68	23.53	50.00	PASS
BAND26	1.4MHz	16QAM	26740	3RB#3	22.62	23.47	50.00	PASS



Report No.: SZEM180500437001 Page: 4 of 47

				-				
BAND26	1.4MHz	16QAM	26740	6RB#0	21.55	22.40	50.00	PASS
BAND26	1.4MHz	16QAM	26783	1RB#0	22.56	23.41	50.00	PASS
BAND26	1.4MHz	16QAM	26783	1RB#2	22.75	23.60	50.00	PASS
BAND26	1.4MHz	16QAM	26783	1RB#5	22.58	23.43	50.00	PASS
BAND26	1.4MHz	16QAM	26783	3RB#0	22.60	23.45	50.00	PASS
BAND26	1.4MHz	16QAM	26783	3RB#1	22.55	23.40	50.00	PASS
BAND26	1.4MHz	16QAM	26783	3RB#3	22.60	23.45	50.00	PASS
BAND26	1.4MHz	16QAM	26783	6RB#0	21.53	22.38	50.00	PASS
BAND26	1.4MHz	64QAM	26697	1RB#0	21.72	22.57	50.00	PASS
BAND26	1.4MHz	64QAM	26697	1RB#2	21.57	22.42	50.00	PASS
BAND26	1.4MHz	64QAM	26697	1RB#5	21.77	22.62	50.00	PASS
BAND26	1.4MHz	64QAM	26697	3RB#0	21.74	22.59	50.00	PASS
BAND26	1.4MHz	64QAM	26697	3RB#1	21.73	22.58	50.00	PASS
BAND26	1.4MHz	64QAM	26697	3RB#3	21.62	22.47	50.00	PASS
BAND26	1.4MHz	64QAM	26697	6RB#0	20.69	21.54	50.00	PASS
BAND26	1.4MHz	64QAM	26740	1RB#0	21.98	22.83	50.00	PASS
BAND26	1.4MHz	64QAM	26740	1RB#2	21.81	22.66	50.00	PASS
BAND26	1.4MHz	64QAM	26740	1RB#5	21.73	22.58	50.00	PASS
BAND26	1.4MHz	64QAM	26740	3RB#0	21.75	22.60	50.00	PASS
BAND26	1.4MHz	64QAM	26740	3RB#1	21.77	22.62	50.00	PASS
BAND26	1.4MHz	64QAM	26740	3RB#3	21.70	22.55	50.00	PASS
BAND26	1.4MHz	64QAM	26740	6RB#0	20.50	21.35	50.00	PASS
BAND26	1.4MHz	64QAM	26783	1RB#0	21.66	22.51	50.00	PASS
BAND26	1.4MHz	64QAM	26783	1RB#2	21.71	22.56	50.00	PASS
BAND26	1.4MHz	64QAM	26783	1RB#5	21.74	22.59	50.00	PASS
BAND26	1.4MHz	64QAM	26783	3RB#0	21.66	22.51	50.00	PASS
BAND26	1.4MHz	64QAM	26783	3RB#1	21.52	22.37	50.00	PASS
BAND26	1.4MHz	64QAM	26783	3RB#3	21.69	22.54	50.00	PASS
BAND26	1.4MHz	64QAM	26783	6RB#0	20.53	21.38	50.00	PASS
BAND26	3MHz	QPSK	26705	1RB#0	23.49	24.34	50.00	PASS
BAND26	3MHz	QPSK	26705	1RB#8	23.58	24.43	50.00	PASS
BAND26	3MHz	QPSK	26705	1RB#14	23.62	24.47	50.00	PASS
BAND26	3MHz	QPSK	26705	8RB#0	22.56	23.41	50.00	PASS
BAND26	3MHz	QPSK	26705	8RB#4	22.55	23.40	50.00	PASS
BAND26	3MHz	QPSK	26705	8RB#7	22.64	23.49	50.00	PASS
BAND26	3MHz	QPSK	26705	15RB#0	22.54	23.39	50.00	PASS
BAND26	3MHz	QPSK	26740	1RB#0	23.58	24.43	50.00	PASS
BAND26	3MHz	QPSK	26740	1RB#8	23.55	24.40	50.00	PASS
BAND26	3MHz	QPSK	26740	1RB#14	23.50	24.35	50.00	PASS
BAND26	3MHz	QPSK	26740	8RB#0	22.62	23.47	50.00	PASS
BAND26	3MHz	QPSK	26740	8RB#4	22.52	23.37	50.00	PASS
This document is iss		I	I of Service printed of	verleafavailable on request or	I		I mo and Canditia	I

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180500437001 Page: 5 of 47

BAND26	3MHz	QPSK	26740	8RB#7	22.54	23.39	50.00	PASS
BAND26	3MHz	QPSK	26740	15RB#0	22.51	23.36	50.00	PASS
BAND26	3MHz	QPSK	26775	1RB#0	23.51	24.36	50.00	PASS
BAND26	3MHz	QPSK	26775	1RB#8	23.56	24.41	50.00	PASS
BAND26	3MHz	QPSK	26775	1RB#14	23.50	24.35	50.00	PASS
BAND26	3MHz	QPSK	26775	8RB#0	22.49	23.34	50.00	PASS
BAND26	3MHz	QPSK	26775	8RB#4	22.53	23.38	50.00	PASS
BAND26	3MHz	QPSK	26775	8RB#7	22.53	23.38	50.00	PASS
BAND26	3MHz	QPSK	26775	15RB#0	22.53	23.38	50.00	PASS
BAND26	3MHz	16QAM	26705	1RB#0	22.64	23.49	50.00	PASS
BAND26	3MHz	16QAM	26705	1RB#8	22.70	23.55	50.00	PASS
BAND26	3MHz	16QAM	26705	1RB#14	22.73	23.58	50.00	PASS
BAND26	3MHz	16QAM	26705	8RB#0	21.56	22.41	50.00	PASS
BAND26	3MHz	16QAM	26705	8RB#4	21.57	22.42	50.00	PASS
BAND26	3MHz	16QAM	26705	8RB#7	21.66	22.51	50.00	PASS
BAND26	3MHz	16QAM	26705	15RB#0	21.53	22.38	50.00	PASS
BAND26	3MHz	16QAM	26740	1RB#0	22.64	23.49	50.00	PASS
BAND26	3MHz	16QAM	26740	1RB#8	22.68	23.53	50.00	PASS
BAND26	3MHz	16QAM	26740	1RB#14	22.51	23.36	50.00	PASS
BAND26	3MHz	16QAM	26740	8RB#0	21.65	22.50	50.00	PASS
BAND26	3MHz	16QAM	26740	8RB#4	21.56	22.41	50.00	PASS
BAND26	3MHz	16QAM	26740	8RB#7	21.55	22.40	50.00	PASS
BAND26	3MHz	16QAM	26740	15RB#0	21.52	22.37	50.00	PASS
BAND26	3MHz	16QAM	26775	1RB#0	22.59	23.44	50.00	PASS
BAND26	3MHz	16QAM	26775	1RB#8	22.70	23.55	50.00	PASS
BAND26	3MHz	16QAM	26775	1RB#14	22.55	23.40	50.00	PASS
BAND26	3MHz	16QAM	26775	8RB#0	21.47	22.32	50.00	PASS
BAND26	3MHz	16QAM	26775	8RB#4	21.53	22.38	50.00	PASS
BAND26	3MHz	16QAM	26775	8RB#7	21.55	22.40	50.00	PASS
BAND26	3MHz	16QAM	26775	15RB#0	21.50	22.35	50.00	PASS
BAND26	3MHz	64QAM	26705	1RB#0	21.77	22.62	50.00	PASS
BAND26	3MHz	64QAM	26705	1RB#8	21.79	22.64	50.00	PASS
BAND26	3MHz	64QAM	26705	1RB#14	21.81	22.66	50.00	PASS
BAND26	3MHz	64QAM	26705	8RB#0	20.54	21.39	50.00	PASS
BAND26	3MHz	64QAM	26705	8RB#4	20.58	21.43	50.00	PASS
BAND26	3MHz	64QAM	26705	8RB#7	20.84	21.69	50.00	PASS
BAND26	3MHz	64QAM	26705	15RB#0	20.69	21.54	50.00	PASS
BAND26	3MHz	64QAM	26740	1RB#0	21.83	22.68	50.00	PASS
BAND26	3MHz	64QAM	26740	1RB#8	21.85	22.70	50.00	PASS
BAND26	3MHz	64QAM	26740	1RB#14	21.52	22.37	50.00	PASS
BAND26	3MHz	64QAM	26740	8RB#0	20.75	21.60	50.00	PASS
				verleaf,-available on request or a				



Report No.: SZEM180500437001 Page: 6 of 47

BAND26 BAND26	3MHz	64QAM	26740	8RB#4	20.74	21.59	50.00	PASS
-	3MHz	64QAM	26740	8RB#7	20.70	21.55	50.00	PASS
BAND26	3MHz	64QAM	26740	15RB#0	20.68	21.53	50.00	PASS
BAND26	3MHz	64QAM	26775	1RB#0	21.76	22.61	50.00	PASS
BAND26	3MHz	64QAM	26775	1RB#8	21.72	22.57	50.00	PASS
BAND26	3MHz	64QAM	26775	1RB#14	21.57	22.42	50.00	PASS
BAND26	3MHz	64QAM	26775	8RB#0	20.65	21.50	50.00	PASS
BAND26	3MHz	64QAM	26775	8RB#4	20.60	21.45	50.00	PASS
BAND26	3MHz	64QAM	26775	8RB#7	20.69	21.54	50.00	PASS
BAND26	3MHz	64QAM	26775	15RB#0	20.48	21.33	50.00	PASS
BAND26	5MHz	QPSK	26715	1RB#0	23.53	24.38	50.00	PASS
BAND26	5MHz	QPSK	26715	1RB#12	23.65	24.50	50.00	PASS
BAND26	5MHz	QPSK	26715	1RB#24	23.63	24.48	50.00	PASS
BAND26	5MHz	QPSK	26715	12RB#0	22.65	23.50	50.00	PASS
BAND26	5MHz	QPSK	26715	12RB#6	22.70	23.55	50.00	PASS
BAND26	5MHz	QPSK	26715	12RB#13	22.68	23.53	50.00	PASS
BAND26	5MHz	QPSK	26715	25RB#0	22.68	23.53	50.00	PASS
BAND26	5MHz	QPSK	26740	1RB#0	23.63	24.48	50.00	PASS
BAND26	5MHz	QPSK	26740	1RB#12	23.56	24.41	50.00	PASS
BAND26	5MHz	QPSK	26740	1RB#24	23.53	24.38	50.00	PASS
BAND26	5MHz	QPSK	26740	12RB#0	22.70	23.55	50.00	PASS
BAND26	5MHz	QPSK	26740	12RB#6	22.68	23.53	50.00	PASS
BAND26	5MHz	QPSK	26740	12RB#13	22.59	23.44	50.00	PASS
BAND26	5MHz	QPSK	26740	25RB#0	22.59	23.44	50.00	PASS
BAND26	5MHz	QPSK	26765	1RB#0	23.54	24.39	50.00	PASS
BAND26	5MHz	QPSK	26765	1RB#12	23.53	24.38	50.00	PASS
BAND26	5MHz	QPSK	26765	1RB#24	23.53	24.38	50.00	PASS
BAND26	5MHz	QPSK	26765	12RB#0	22.60	23.45	50.00	PASS
BAND26	5MHz	QPSK	26765	12RB#6	22.56	23.41	50.00	PASS
BAND26	5MHz	QPSK	26765	12RB#13	22.60	23.45	50.00	PASS
BAND26	5MHz	QPSK	26765	25RB#0	22.52	23.37	50.00	PASS
BAND26	5MHz	16QAM	26715	1RB#0	22.59	23.44	50.00	PASS
BAND26	5MHz	16QAM	26715	1RB#12	22.71	23.56	50.00	PASS
BAND26	5MHz	16QAM	26715	1RB#24	22.77	23.62	50.00	PASS
BAND26	5MHz	16QAM	26715	12RB#0	21.70	22.55	50.00	PASS
BAND26	5MHz	16QAM	26715	12RB#6	21.80	22.65	50.00	PASS
BAND26	5MHz	16QAM	26715	12RB#13	21.78	22.63	50.00	PASS
BAND26	5MHz	16QAM	26715	25RB#0	21.75	22.60	50.00	PASS
BAND26	5MHz	16QAM	26740	1RB#0	22.81	23.66	50.00	PASS
BAND26	5MHz	16QAM	26740	1RB#12	22.64	23.49	50.00	PASS
BAND26	5MHz	16QAM	26740	1RB#24	22.71	23.56	50.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180500437001 Page: 7 of 47

	1			1			1	
BAND26	5MHz	16QAM	26740	12RB#0	21.78	22.63	50.00	PASS
BAND26	5MHz	16QAM	26740	12RB#6	21.76	22.61	50.00	PASS
BAND26	5MHz	16QAM	26740	12RB#13	21.63	22.48	50.00	PASS
BAND26	5MHz	16QAM	26740	25RB#0	21.63	22.48	50.00	PASS
BAND26	5MHz	16QAM	26765	1RB#0	22.68	23.53	50.00	PASS
BAND26	5MHz	16QAM	26765	1RB#12	22.59	23.44	50.00	PASS
BAND26	5MHz	16QAM	26765	1RB#24	22.61	23.46	50.00	PASS
BAND26	5MHz	16QAM	26765	12RB#0	21.66	22.51	50.00	PASS
BAND26	5MHz	16QAM	26765	12RB#6	21.60	22.45	50.00	PASS
BAND26	5MHz	16QAM	26765	12RB#13	21.63	22.48	50.00	PASS
BAND26	5MHz	16QAM	26765	25RB#0	21.58	22.43	50.00	PASS
BAND26	5MHz	64QAM	26715	1RB#0	21.63	22.48	50.00	PASS
BAND26	5MHz	64QAM	26715	1RB#12	21.70	22.55	50.00	PASS
BAND26	5MHz	64QAM	26715	1RB#24	21.77	22.62	50.00	PASS
BAND26	5MHz	64QAM	26715	12RB#0	20.65	21.50	50.00	PASS
BAND26	5MHz	64QAM	26715	12RB#6	20.99	21.84	50.00	PASS
BAND26	5MHz	64QAM	26715	12RB#13	20.92	21.77	50.00	PASS
BAND26	5MHz	64QAM	26715	25RB#0	20.85	21.70	50.00	PASS
BAND26	5MHz	64QAM	26740	1RB#0	21.88	22.73	50.00	PASS
BAND26	5MHz	64QAM	26740	1RB#12	21.76	22.61	50.00	PASS
BAND26	5MHz	64QAM	26740	1RB#24	21.84	22.69	50.00	PASS
BAND26	5MHz	64QAM	26740	12RB#0	20.80	21.65	50.00	PASS
BAND26	5MHz	64QAM	26740	12RB#6	20.90	21.75	50.00	PASS
BAND26	5MHz	64QAM	26740	12RB#13	20.83	21.68	50.00	PASS
BAND26	5MHz	64QAM	26740	25RB#0	20.71	21.56	50.00	PASS
BAND26	5MHz	64QAM	26765	1RB#0	21.85	22.70	50.00	PASS
BAND26	5MHz	64QAM	26765	1RB#12	21.62	22.47	50.00	PASS
BAND26	5MHz	64QAM	26765	1RB#24	21.70	22.55	50.00	PASS
BAND26	5MHz	64QAM	26765	12RB#0	20.62	21.47	50.00	PASS
BAND26	5MHz	64QAM	26765	12RB#6	20.57	21.42	50.00	PASS
BAND26	5MHz	64QAM	26765	12RB#13	20.70	21.55	50.00	PASS
BAND26	5MHz	64QAM	26765	25RB#0	20.75	21.60	50.00	PASS
BAND26	10MHz	QPSK	26740	1RB#0	23.60	24.45	50.00	PASS
BAND26	10MHz	QPSK	26740	1RB#24	23.66	24.51	50.00	PASS
BAND26	10MHz	QPSK	26740	1RB#49	23.63	24.48	50.00	PASS
BAND26	10MHz	QPSK	26740	25RB#0	22.64	23.49	50.00	PASS
BAND26	10MHz	QPSK	26740	25RB#12	22.62	23.47	50.00	PASS
BAND26	10MHz	QPSK	26740	25RB#25	22.53	23.38	50.00	PASS
BAND26	10MHz	QPSK	26740	50RB#0	22.53	23.38	50.00	PASS
BAND26	10MHz	16QAM	26740	1RB#0	22.74	23.59	50.00	PASS
BAND26	10MHz	16QAM	26740	1RB#24	22.70	23.55	50.00	PASS
This document is iss	I word by the Company subj	I Conoral Condition	a of Sorvice printed or	verleaf,-available on request or a	I		ma and Condition	a conv and for

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180500437001 Page: 8 of 47

BAND26	10MHz	16QAM	26740	1RB#49	22.70	23.55	50.00	PASS
BAND26	10MHz	16QAM	26740	25RB#0	21.72	22.57	50.00	PASS
BAND26	10MHz	16QAM	26740	25RB#12	21.69	22.54	50.00	PASS
BAND26	10MHz	16QAM	26740	25RB#25	21.56	22.41	50.00	PASS
BAND26	10MHz	16QAM	26740	50RB#0	21.57	22.42	50.00	PASS
BAND26	10MHz	64QAM	26740	1RB#0	21.92	22.77	50.00	PASS
BAND26	10MHz	64QAM	26740	1RB#24	21.79	22.64	50.00	PASS
BAND26	10MHz	64QAM	26740	1RB#49	21.65	22.50	50.00	PASS
BAND26	10MHz	64QAM	26740	25RB#0	20.85	21.70	50.00	PASS
BAND26	10MHz	64QAM	26740	25RB#12	20.68	21.53	50.00	PASS
BAND26	10MHz	64QAM	26740	25RB#25	20.65	21.50	50.00	PASS
BAND26	10MHz	64QAM	26740	50RB#0	20.75	21.60	50.00	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level




Report No.: SZEM180500437001 Page: 9 of 47

2. Peak-to-Average Ratio(CCDF)

2.1. Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
		QPSK	26740	50RB#0	4.84	13	PASS
BAND 26	10MHz	16QAM	26740	50RB#0	5.25	13	PASS
		64QAM	26740	50RB#0	5.45	13	PASS

2.2. Test Plots





Report No.: SZEM180500437001 Page: 10 of 47






Report No.: SZEM180500437001 Page: 11 of 47

- 3. Modulation Characteristics
- 3.1.Test BAND = LTE BAND26
- 3.1.1. Test Mode = LTE /TM1 10MHz

3.1.1.1. Test Channel = MCH





Report No.: SZEM180500437001 Page: 12 of 47

3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH

Phone2	Phone1 LTE ~ 90.70#098	UL Channel TPC Pate 26740 ch Operation Band Channel	erri Input Le All + JaB Bandwidth Output 1014Hz	300 dBm		ICS Index or UL RMC used for the RMC up	- 64QAM with the slink signal, the setting	MT8821C 2018/07/19 22:59 RF Output : On
PCC SC	C1 SCC2 SCC3 >>	Measurement	Signalin	g		UE	Power : 20.9 dBm	
Соттол		Fundamental 👌 Constellatio	n			-	Main Screen	Home
Physical Channel	> Level	0 Symbol I -0.3090 Q	0,3262		Meas. Count :	1/ 1	Fundamental Sub Screen	< Preset
Call Processing	Signal						Constellation	Measuring
TX Measurement	UL RMC UL Allocation Mode			ă,			Number of RB	Tx
RX Measurement	RB Pos.						50 Starting RB	•
Fundamental Measurement	Starting RB	Q				1	Interpolation (Constellation)	Continuous
402	Max UL Throughput 8760 kbps							Connected
Test Parameter	MCS Index <u>11</u> 16QAM 10 8760 8 64OAM							
	Enabled 256QAM Disabled			ĩ		<u>,</u>		Start Call
Band Definition	DL RMC	EVM	Avg. 2.46	Max. 2.46	Min. 2.46 %(rms)			End Call
External Loss	🔊 TDD	Peak Vector Error Carrier Leakage IQ Imbalance	13.48 -53.30 99.93	13.48 -53.30 99.93	13.48 % -53.30 dBc 99.93 %(I/O)		-	
System Config							4 Views	< Menu



Report No.: SZEM180500437001 Page: 13 of 47

3.1.3. Test Mode = LTE /TM3 10MHz

3.1.3.1. Test Channel = MCH

Phone2 MEROT Porto MBR	Phone1 LTE J0,70#038	UL Channel TPC Patt 26740 ch Operation Band Channel	All + 3dB 3 3andwidth Output Lev	0.0 dBm When set modulatio	Modulation R ULRMC_MOD ting the MCS Index or UL RMC on scheme used for the RMC up hanged at the same time.		MT8821C 2018/07/19 23:00 RF Output : On
PCC SC	C1 SCC2 SCC3 >>	Measurement	Signaling		UEI	Power : 19.9 dBm	
Common	 ● ★ < 	Fundamental Constellatio	1		-	Main Screen	A
Physical Channel	> Level	0 Symbol I -0.4530 Q -	0.1521	Meas.	Count: 1/ 1	Fundamental Sub Screen	< Preset
Call Processing	Signal					Constellation	Measuring
TX Measurement	UL RMC UL Allocation Mode					Number of RB	Tx
RX Measurement	RB Pos. Min(#0)					Starting RB	● → Single
Fundamental Measurement	Starting RB	Q				Interpolation (Constellation)	Continuous
	Max UL Throughput 21384 kbps						(Connected)
Test Parameter	MCS Index 21 64QAM 19 21384 8 64QAM						
	Enabled 256QAM Disabled	_	Ĵ	I			Start Call
Band Definition	DL RMC	EVM Peak Vector Error	Avg. 2.99 16.33	Max. Min. 2.99 2.99% 16.33 16.33%			End Call
External Loss	S TDD	Peak Vector Error Carrier Leakage IQ Imbalance	-55.78 -	16.33 16.33 % -55.78 -55.78 dl 100.04 100.04 %	Bc		< Menu
System Config		Participation and				4 Views	, menu



Report No.: SZEM180500437001 Page: 14 of 47

4. 26dB Bandwidth and Occupied Bandwidth


4.1.Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
			26697	6RB#0	1.103	1.254	PASS
		QPSK	26740	6RB#0	1.1	1.254	PASS
			26783	6RB#0	1.103	1.251	PASS
			26697	6RB#0	1.103	1.254	PASS
	1.4MHz	64QAM	26740	6RB#0	1.103	1.257	PASS
			26783	6RB#0	1.103	1.257	PASS
			26697	6RB#0	1.109	1.254	PASS
		16QAM	26740	6RB#0	1.106	1.257	PASS
			26783	6RB#0	1.1	1.251	PASS
			26705	15RB#0	2.709	3.006	PASS
		QPSK	26740	15RB#0	2.703	2.988	PASS
			26775	15RB#0	2.703	3.000	PASS
			26705	15RB#0	2.709	3.006	PASS
	3MHz	64QAM	26740	15RB#0	2.703	2.988	PASS
BAND26			26775	15RB#0	2.709	2.994	PASS PASS PASS
DANDZO		16QAM	26705	15RB#0	2.709	3.000	PASS
			26740	15RB#0	2.709	2.994	PASS
			26775	15RB#0	2.703	3.000	PASS
			26715	25RB#0	4.486	4.910	PASS
		QPSK	26740	25RB#0	4.476	4.900	PASS
			26765	25RB#0	4.476	4.910	PASS
			26715	25RB#0	4.486	4.900	PASS
	5MHz	64QAM	26740	25RB#0	4.476	4.910	PASS
			26765	25RB#0	4.476	4.890	PASS
			26715	25RB#0	4.476	4.880	PASS
		16QAM	26740	25RB#0	4.476	4.920	PASS
			26765	25RB#0	4.476	4.910	PASS
		QPSK	26740	50RB#0	8.971	10.280	PASS
	10MHz	64QAM	26740	50RB#0	8.971	10.340	PASS
		16QAM	26740	50RB#0	8.971	10.260	PASS




Report No.: SZEM180500437001 Page: 15 of 47

4.2.Test Plots






Report No.: SZEM180500437001 Page: 16 of 47






Report No.: SZEM180500437001 Page: 17 of 47






Report No.: SZEM180500437001 Page: 18 of 47






Report No.: SZEM180500437001 Page: 19 of 47






Report No.: SZEM180500437001 Page: 20 of 47






Report No.: SZEM180500437001 Page: 21 of 47






Report No.: SZEM180500437001 Page: 22 of 47






Report No.: SZEM180500437001 Page: 23 of 47






Report No.: SZEM180500437001 Page: 24 of 47





Report No.: SZEM180500437001 Page: 25 of 47






Report No.: SZEM180500437001 Page: 26 of 47


5. Band Edge Compliance

5.1.Test Plots






Report No.: SZEM180500437001 Page: 27 of 47






Report No.: SZEM180500437001 Page: 28 of 47






Report No.: SZEM180500437001 Page: 29 of 47






Report No.: SZEM180500437001 Page: 30 of 47






Report No.: SZEM180500437001 Page: 31 of 47






Report No.: SZEM180500437001 Page: 32 of 47






Report No.: SZEM180500437001 Page: 33 of 47






Report No.: SZEM180500437001 Page: 34 of 47






Report No.: SZEM180500437001 Page: 35 of 47






Report No.: SZEM180500437001 Page: 36 of 47






Report No.: SZEM180500437001 Page: 37 of 47






Report No.: SZEM180500437001 Page: 38 of 47






Report No.: SZEM180500437001 Page: 39 of 47






Report No.: SZEM180500437001 Page: 40 of 47






Report No.: SZEM180500437001 Page: 41 of 47





Report No.: SZEM180500437001 Page: 42 of 47






Report No.: SZEM180500437001 Page: 43 of 47

6. Spurious Emission at Antenna Terminal


NOTE1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB. NOTE2: only the worst case data displayed in this report.

6.1.Test Plots






Report No.: SZEM180500437001 Page: 44 of 47





Report No.: SZEM180500437001 Page: 45 of 47





Report No.: SZEM180500437001 Page: 46 of 47

7. Field Strength of Spurious Radiation

7.1.Test BAND = LTE BAND 26

7.1.1. Test Mode =LTE/TM1 10MHz RB1#0

7.1.1.1. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.953333	-81.84	-13.00	68.84	Vertical
90.480000	-81.94	-13.00	68.94	Vertical
1629.000000	-65.49	-13.00	52.49	Vertical
2757.500000	-58.11	-13.00	45.11	Vertical
4423.987500	-66.49	-13.00	53.49	Vertical
7922.287500	-63.97	-13.00	50.97	Vertical
63.786667	-78.02	-13.00	65.02	Horizontal
104.293333	-85.87	-13.00	72.87	Horizontal
1629.000000	-65.51	-13.00	52.51	Horizontal
4272.375000	-67.08	-13.00	54.08	Horizontal
6039.562500	-65.54	-13.00	52.54	Horizontal
9453.525000	-64.26	-13.00	51.26	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case.the disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



Report No.: SZEM180500437001 Page: 47 of 47

8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdic t
BAND26	10MHz	QPSK	26740	50RB#0	VL	NT	1.70	0.002076	±2.5	PASS
				50RB#0	VN	NT	3.20	0.003907	±2.5	PASS
				50RB#0	VH	NT	2.50	0.003053	±2.5	PASS
		16QAM	26740	50RB#0	VL	NT	1.80	0.002198	±2.5	PASS
				50RB#0	VN	NT	1.90	0.002320	±2.5	PASS
				50RB#0	VH	NT	3.20	0.003907	±2.5	PASS
		64QAM	26740	50RB#0	VL	NT	2.40	0.002930	±2.5	PASS
				50RB#0	VN	NT	1.70	0.002076	±2.5	PASS
				50RB#0	VH	NT	3.70	0.004518	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdic t
BAND26	10MHz	QPSK	26740	50RB#0	NV	-30	3.00	0.003663	±2.5	PASS
				50RB#0	NV	-20	1.60	0.001954	±2.5	PASS
				50RB#0	NV	0	3.60	0.004396	±2.5	PASS
				50RB#0	NV	10	2.30	0.002808	±2.5	PASS
				50RB#0	NV	20	3.60	0.004396	±2.5	PASS
		16QAM	26740	50RB#0	NV	-30	4.20	0.005128	±2.5	PASS
				50RB#0	NV	-20	1.90	0.002320	±2.5	PASS
				50RB#0	NV	0	2.00	0.002442	±2.5	PASS
				50RB#0	NV	10	3.60	0.004396	±2.5	PASS
				50RB#0	NV	20	1.00	0.001221	±2.5	PASS
		64QAM	26740	50RB#0	NV	-30	1.70	0.002076	±2.5	PASS
				50RB#0	NV	-20	2.30	0.002808	±2.5	PASS
				50RB#0	NV	0	3.10	0.003785	±2.5	PASS
				50RB#0	NV	10	1.80	0.002198	±2.5	PASS
				50RB#0	NV	20	0.60	0.000733	±2.5	PASS

The End