






















Appendix E: Conducted Spurious Emission

Test Result (worst case)

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	Range1:30~1000MHz	-45.52	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:1000~26500MHz	-29.53	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-46.88	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-30.01	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:30~1000MHz	-46.69	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:1000~26500MHz	-29.75	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range1:30~1000MHz	-46.02	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:1000~26500MHz	-28.94	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-46.07	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-29.16	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:30~1000MHz	-46.87	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:1000~26500MHz	-28.8	PASS
Band7	5MHz	64QAM	20775	1RB#0	Range1:30~1000MHz	-46.34	PASS
Band7	5MHz	64QAM	20775	1RB#0	Range2:1000~26500MHz	-29.27	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-46.73	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-29.51	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range1:30~1000MHz	-46.8	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range2:1000~26500MHz	-29.78	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:30~1000MHz	-46.12	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:1000~26500MHz	-29.38	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-28.52	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:30~1000MHz	-46.19	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range2:1000~26500MHz	-28.06	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:30~1000MHz	-45.44	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:1000~26500MHz	-29.35	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-46.43	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-29.88	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:30~1000MHz	-46.49	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:1000~26500MHz	-28.65	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range1:30~1000MHz	-47.2	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range2:1000~26500MHz	-29.47	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-46.55	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-28.47	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range1:30~1000MHz	-47.81	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range2:1000~26500MHz	-29.58	PASS

Band12	1.4MHz	QPSK	23017	1RB#0	Range1:30~1000MHz	-44.96	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	Range2:1000~10000MHz	-41.03	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-44.39	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-39.92	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range1:30~1000MHz	-45.43	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range2:1000~10000MHz	-39.96	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range1:30~1000MHz	-45.31	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range2:1000~10000MHz	-40.91	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-45.35	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-40.93	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range1:30~1000MHz	-45.43	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range2:1000~10000MHz	-40.54	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	Range1:30~1000MHz	-46.78	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	Range2:1000~10000MHz	-40.66	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-45.95	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-41.2	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range1:30~1000MHz	-46.9	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range2:1000~10000MHz	-41.25	PASS
Band12	10MHz	QPSK	23060	1RB#0	Range1:30~1000MHz	-44.01	PASS
Band12	10MHz	QPSK	23060	1RB#0	Range2:1000~10000MHz	-40.58	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-45.52	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-41.41	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range1:30~1000MHz	-44.83	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range2:1000~10000MHz	-40.44	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range1:30~1000MHz	-44.9	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range2:1000~10000MHz	-40.87	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-45.32	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-40.23	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range1:30~1000MHz	-45.67	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range2:1000~10000MHz	-40.92	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range1:30~1000MHz	-46.81	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range2:1000~10000MHz	-40.8	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-45.64	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-41.34	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range1:30~1000MHz	-45.43	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range2:1000~10000MHz	-41.48	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range3:30~1000MHz	-44.85	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range1:30~1000MHz	-46.11	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range4:1000~10000MHz	-40.1	PASS
Band13	5MHz	QPSK	23205	1RB#0	Range2:1000~10000MHz	-40.45	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range3:30~1000MHz	-45.53	PASS

Band13	5MHz	QPSK	23230	1RB#0	Range2:1000~10000MHz	-40.45	PASS
Band13	5MHz	QPSK	23230	1RB#0	Range4:1000~10000MHz	-40.06	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range1:30~1000MHz	-44.44	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range3:30~1000MHz	-45.1	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range2:1000~10000MHz	-40.41	PASS
Band13	5MHz	QPSK	23255	1RB#0	Range4:1000~10000MHz	-41.06	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range1:30~1000MHz	-45.17	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range3:30~1000MHz	-45.44	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range2:1000~10000MHz	-41.07	PASS
Band13	5MHz	16QAM	23205	1RB#0	Range4:1000~10000MHz	-39.86	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range3:30~1000MHz	-44.64	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range1:30~1000MHz	-45.87	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range2:1000~10000MHz	-40.63	PASS
Band13	5MHz	16QAM	23230	1RB#0	Range4:1000~10000MHz	-39.39	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range3:30~1000MHz	-45.1	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range1:30~1000MHz	-45.73	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range4:1000~10000MHz	-40.68	PASS
Band13	5MHz	16QAM	23255	1RB#0	Range2:1000~10000MHz	-40.17	PASS
Band13	5MHz	64QAM	23205	1RB#0	Range3:30~1000MHz	-46.34	PASS
Band13	5MHz	64QAM	23205	1RB#0	Range1:30~1000MHz	-45.67	PASS
Band13	5MHz	64QAM	23205	1RB#0	Range2:1000~10000MHz	-41.5	PASS
Band13	5MHz	64QAM	23205	1RB#0	Range4:1000~10000MHz	-41.22	PASS
Band13	5MHz	64QAM	23230	1RB#0	Range1:30~1000MHz	-46.04	PASS
Band13	5MHz	64QAM	23230	1RB#0	Range3:30~1000MHz	-45.91	PASS
Band13	5MHz	64QAM	23230	1RB#0	Range2:1000~10000MHz	-41.17	PASS
Band13	5MHz	64QAM	23230	1RB#0	Range4:1000~10000MHz	-40.99	PASS
Band13	5MHz	64QAM	23255	1RB#0	Range1:30~1000MHz	-46.33	PASS
Band13	5MHz	64QAM	23255	1RB#0	Range3:30~1000MHz	-46.61	PASS
Band13	5MHz	64QAM	23255	1RB#0	Range2:1000~10000MHz	-41.07	PASS
Band13	5MHz	64QAM	23255	1RB#0	Range4:1000~10000MHz	-41.11	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range1:30~1000MHz	-45.23	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range3:30~1000MHz	-45.3	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range2:1000~10000MHz	-40.63	PASS
Band13	10MHz	QPSK	23230	1RB#0	Range4:1000~10000MHz	-40.5	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range1:30~1000MHz	-45.85	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range3:30~1000MHz	-45.65	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range4:1000~10000MHz	-40.8	PASS
Band13	10MHz	16QAM	23230	1RB#0	Range2:1000~10000MHz	-40.87	PASS
Band13	10MHz	64QAM	23230	1RB#0	Range3:30~1000MHz	-46.52	PASS
Band13	10MHz	64QAM	23230	1RB#0	Range1:30~1000MHz	-46.03	PASS
Band13	10MHz	64QAM	23230	1RB#0	Range4:1000~10000MHz	-41.01	PASS
Band13	10MHz	64QAM	23230	1RB#0	Range2:1000~10000MHz	-40.75	PASS

Band25	1.4MHz	QPSK	26047	1RB#0	Range1:30~1000MHz	-46.78	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	Range2:1000~20000MHz	-35.01	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-46.13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	Range2:1000~20000MHz	-33.17	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	Range1:30~1000MHz	-46.51	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	Range2:1000~20000MHz	-34.74	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	Range1:30~1000MHz	-46.22	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	Range2:1000~20000MHz	-34.27	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-46.07	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	Range2:1000~20000MHz	-34.25	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	Range1:30~1000MHz	-46.62	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	Range2:1000~20000MHz	-34.5	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	Range1:30~1000MHz	-46.28	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	Range2:1000~20000MHz	-34.05	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	Range1:30~1000MHz	-46.21	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	Range2:1000~20000MHz	-33.44	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	Range1:30~1000MHz	-46.66	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	Range2:1000~20000MHz	-34.49	PASS
Band25	20MHz	QPSK	26140	1RB#0	Range1:30~1000MHz	-46.7	PASS
Band25	20MHz	QPSK	26140	1RB#0	Range2:1000~20000MHz	-34.41	PASS
Band25	20MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-45.88	PASS
Band25	20MHz	QPSK	26365	1RB#0	Range2:1000~20000MHz	-34.34	PASS
Band25	20MHz	QPSK	26590	1RB#0	Range1:30~1000MHz	-46.21	PASS
Band25	20MHz	QPSK	26590	1RB#0	Range2:1000~20000MHz	-33.97	PASS
Band25	20MHz	16QAM	26140	1RB#0	Range1:30~1000MHz	-45.9	PASS
Band25	20MHz	16QAM	26140	1RB#0	Range2:1000~20000MHz	-33.44	PASS
Band25	20MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-46.23	PASS
Band25	20MHz	16QAM	26365	1RB#0	Range2:1000~20000MHz	-34.32	PASS
Band25	20MHz	16QAM	26590	1RB#0	Range1:30~1000MHz	-47.15	PASS
Band25	20MHz	16QAM	26590	1RB#0	Range2:1000~20000MHz	-34.84	PASS
Band25	20MHz	64QAM	26140	1RB#0	Range1:30~1000MHz	-46.92	PASS
Band25	20MHz	64QAM	26140	1RB#0	Range2:1000~20000MHz	-34.52	PASS
Band25	20MHz	64QAM	26365	1RB#0	Range1:30~1000MHz	-45.63	PASS
Band25	20MHz	64QAM	26365	1RB#0	Range2:1000~20000MHz	-34.23	PASS
Band25	20MHz	64QAM	26590	1RB#0	Range1:30~1000MHz	-45.82	PASS
Band25	20MHz	64QAM	26590	1RB#0	Range2:1000~20000MHz	-34.96	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	Range1:30~1000MHz	-44.89	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	Range2:1000~10000MHz	-40.64	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.11	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-40.32	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range1:30~1000MHz	-45.77	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range2:1000~10000MHz	-40.83	PASS

Band26	1.4MHz	QPSK	26797	1RB#0	Range1:30~1000MHz	-45.97	PASS
Band26	1.4MHz	QPSK	26797	1RB#0	Range2:1000~10000MHz	-40.56	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-46.14	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-40.28	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range1:30~1000MHz	-46.14	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	Range2:1000~10000MHz	-39.52	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range1:30~1000MHz	-45.84	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range2:1000~10000MHz	-40.89	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.9	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.03	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range1:30~1000MHz	-46.01	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range2:1000~10000MHz	-40.5	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range1:30~1000MHz	-44.31	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	Range2:1000~10000MHz	-40.65	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-45.34	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-40.43	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range1:30~1000MHz	-46.09	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	Range2:1000~10000MHz	-40.8	PASS
Band26	1.4MHz	64QAM	26697	1RB#0	Range1:30~1000MHz	-45.19	PASS
Band26	1.4MHz	64QAM	26697	1RB#0	Range2:1000~10000MHz	-41.18	PASS
Band26	1.4MHz	64QAM	26740	1RB#0	Range1:30~1000MHz	-45.49	PASS
Band26	1.4MHz	64QAM	26740	1RB#0	Range2:1000~10000MHz	-40.95	PASS
Band26	1.4MHz	64QAM	26783	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band26	1.4MHz	64QAM	26783	1RB#0	Range2:1000~10000MHz	-39.94	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	Range1:30~1000MHz	-45.7	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	Range2:1000~10000MHz	-40.75	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	Range1:30~1000MHz	-45.6	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	Range2:1000~10000MHz	-41.68	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	Range1:30~1000MHz	-45.89	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	Range2:1000~10000MHz	-40.85	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.86	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-40.42	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-45.64	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.77	PASS
Band26	10MHz	64QAM	26740	1RB#0	Range1:30~1000MHz	-45.15	PASS
Band26	10MHz	64QAM	26740	1RB#0	Range2:1000~10000MHz	-40.66	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range1:30~1000MHz	-45.92	PASS
Band26	15MHz	QPSK	26865	1RB#0	Range2:1000~10000MHz	-40.03	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range1:30~1000MHz	-46.31	PASS
Band26	15MHz	QPSK	26915	1RB#0	Range2:1000~10000MHz	-39.98	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range1:30~1000MHz	-45.19	PASS
Band26	15MHz	QPSK	26965	1RB#0	Range2:1000~10000MHz	-40.93	PASS

Band26	15MHz	16QAM	26865	1RB#0	Range1:30~1000MHz	-46.23	PASS
Band26	15MHz	16QAM	26865	1RB#0	Range2:1000~10000MHz	-41.18	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range1:30~1000MHz	-45.68	PASS
Band26	15MHz	16QAM	26915	1RB#0	Range2:1000~10000MHz	-39.74	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range1:30~1000MHz	-46.04	PASS
Band26	15MHz	16QAM	26965	1RB#0	Range2:1000~10000MHz	-40.39	PASS
Band26	15MHz	64QAM	26865	1RB#0	Range1:30~1000MHz	-46.22	PASS
Band26	15MHz	64QAM	26865	1RB#0	Range2:1000~10000MHz	-39.83	PASS
Band26	15MHz	64QAM	26915	1RB#0	Range1:30~1000MHz	-45.39	PASS
Band26	15MHz	64QAM	26915	1RB#0	Range2:1000~10000MHz	-40.75	PASS
Band26	15MHz	64QAM	26965	1RB#0	Range1:30~1000MHz	-45.88	PASS
Band26	15MHz	64QAM	26965	1RB#0	Range2:1000~10000MHz	-40.19	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range1:30~1000MHz	-46.8	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range2:1000~26500MHz	-29.19	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-45.86	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-29.11	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range1:30~1000MHz	-46.79	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range2:1000~26500MHz	-29.41	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range1:30~1000MHz	-46.14	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range2:1000~26500MHz	-29.35	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-46.22	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-29.08	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range1:30~1000MHz	-46.55	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range2:1000~26500MHz	-29.52	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range1:30~1000MHz	-46.54	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range2:1000~26500MHz	-29.09	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-46.62	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-29.55	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range1:30~1000MHz	-46.69	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range2:1000~26500MHz	-28.77	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range1:30~1000MHz	-46.69	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range2:1000~26500MHz	-28.83	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-29.33	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range1:30~1000MHz	-46.44	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range2:1000~26500MHz	-28.98	PASS
Band41	20MHz	16QAM	39750	1RB#0	Range1:30~1000MHz	-46.69	PASS
Band41	20MHz	16QAM	39750	1RB#0	Range2:1000~26500MHz	-29.34	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-47.07	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-28.99	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range1:30~1000MHz	-46.48	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range2:1000~26500MHz	-29.46	PASS

Band41	20MHz	64QAM	39750	1RB#0	Range1:30~1000MHz	-45.78	PASS
Band41	20MHz	64QAM	39750	1RB#0	Range2:1000~26500MHz	-29.15	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-46.76	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-29.58	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range1:30~1000MHz	-46.36	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range2:1000~26500MHz	-29.6	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range1:30~1000MHz	-46.18	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range2:1000~20000MHz	-34.27	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-46.54	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.22	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range1:30~1000MHz	-46.57	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range2:1000~20000MHz	-34.74	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range1:30~1000MHz	-46.64	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range2:1000~20000MHz	-34.23	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-46.39	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-34.42	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range1:30~1000MHz	-46.09	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range2:1000~20000MHz	-33.91	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range1:30~1000MHz	-46.37	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range2:1000~20000MHz	-34.96	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-46.15	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-34.33	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range1:30~1000MHz	-44.53	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range2:1000~20000MHz	-34.26	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range1:30~1000MHz	-45.32	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range2:1000~20000MHz	-34.45	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-46.6	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.06	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range1:30~1000MHz	-46.45	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range2:1000~20000MHz	-33.35	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range1:30~1000MHz	-45.15	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range2:1000~20000MHz	-34.39	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-34.28	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range1:30~1000MHz	-45.65	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range2:1000~20000MHz	-33.67	PASS
Band66	20MHz	64QAM	132072	1RB#0	Range1:30~1000MHz	-46.62	PASS
Band66	20MHz	64QAM	132072	1RB#0	Range2:1000~20000MHz	-34.49	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-46.23	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-34.43	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range1:30~1000MHz	-46.42	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range2:1000~20000MHz	-34.39	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs

