



遥控器项目天线测试报告


目录

- 测试环境
- 天线无源测试数据

测试环境（加外壳）







无源数据（加外壳-驻波比）





无源数据（加外壳-效率/增益）

Frequency	Efficiency		Peak Gain
Mhz	%	dB	dB
2400	39.30	-4.06	1.05
2410	37.37	-4.27	0.63
2420	36.11	-4.42	0.57
2430	36.25	-4.41	0.79
2440	35.69	-4.47	0.77
2450	35.11	-4.55	0.73
2460	33.11	-4.80	0.46
2470	30.97	-5.09	0.29
2480	29.87	-5.25	0.00
2490	27.99	-5.53	-0.57
2500	27.51	-5.60	-0.69


无源数据（加外壳-2.4G方向图）



测试环境（不加外壳）







无源数据（不加外壳-驻波比）



无源数据（不加外壳-效率/增益）

Frequency	Efficiency		Peak Gain
Mhz	%	dB	dB
2400	42.39	-3.73	1.08
2410	41.01	-3.87	0.71
2420	42.43	-3.72	0.83
2430	43.05	-3.66	1.19
2440	44.47	-3.52	1.44
2450	44.99	-3.47	1.56
2460	44.99	-3.47	1.58
2470	43.83	-3.58	1.60
2480	42.73	-3.69	1.35
2490	41.67	-3.80	1.08
2500	41.34	-3.84	1.21

无源数据（不加外壳-2.4G方向图）



Thank You

