





N26a(824-849MHz)-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N26a(824-849MHz)-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N26a(824-849MHz)-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)	ERP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	826.5MHz	Edge_Full_Left	23.22	22.39	38.45	Pass	1.32
			Edge_Full_Right	23.48	22.65	38.45	Pass	1.32
			Edge_1RB_Left	23.07	22.24	38.45	Pass	1.32
			Edge_1RB_Right	23.31	22.48	38.45	Pass	1.32
			Outer_Full	23.2	22.37	38.45	Pass	1.32
			Inner_Full	23.21	22.38	38.45	Pass	1.32
			Inner_1RB_Left	23.18	22.35	38.45	Pass	1.32
			Inner_1RB_Right	23.42	22.59	38.45	Pass	1.32
	DFT-s-OFDM QPSK		Edge_Full_Left	22.57	21.74	38.45	Pass	1.32
			Edge_Full_Right	22.91	22.08	38.45	Pass	1.32
			Edge_1RB_Left	22.53	21.7	38.45	Pass	1.32
			Edge_1RB_Right	22.29	21.46	38.45	Pass	1.32
			Outer_Full	22.58	21.75	38.45	Pass	1.32
			Inner_Full	23.18	22.35	38.45	Pass	1.32
			Inner_1RB_Left	22.91	22.08	38.45	Pass	1.32
			Inner_1RB_Right	22.89	22.06	38.45	Pass	1.32
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.41	20.58	38.45	Pass	1.32
			Edge_Full_Right	21.18	20.35	38.45	Pass	1.32
			Edge_1RB_Left	21.46	20.63	38.45	Pass	1.32
			Edge_1RB_Right	21.27	20.44	38.45	Pass	1.32
			Outer_Full	21.71	20.88	38.45	Pass	1.32
			Inner_Full	22.75	21.92	38.45	Pass	1.32
			Inner_1RB_Left	22.43	21.6	38.45	Pass	1.32
			Inner_1RB_Right	22.59	21.76	38.45	Pass	1.32
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.45	20.62	38.45	Pass	1.32
			Edge_Full_Right	21.49	20.66	38.45	Pass	1.32
			Edge_1RB_Left	20.88	20.05	38.45	Pass	1.32
			Edge_1RB_Right	21.3	20.47	38.45	Pass	1.32
			Outer_Full	21.27	20.44	38.45	Pass	1.32
			Inner_Full	21.27	20.44	38.45	Pass	1.32
			Inner_1RB_Left	21.03	20.2	38.45	Pass	1.32
			Inner_1RB_Right	20.98	20.15	38.45	Pass	1.32
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.22	18.39	38.45	Pass	1.32
			Edge_Full_Right	19.32	18.49	38.45	Pass	1.32
			Edge_1RB_Left	19.18	18.35	38.45	Pass	1.32
			Edge_1RB_Right	19.12	18.29	38.45	Pass	1.32
			Outer_Full	18.99	18.16	38.45	Pass	1.32
			Inner_Full	19.19	18.36	38.45	Pass	1.32
			Inner_1RB_Left	19	18.17	38.45	Pass	1.32
			Inner_1RB_Right	18.99	18.16	38.45	Pass	1.32
	CP-OFDM QPSK		Edge_Full_Left	20.38	19.55	38.45	Pass	1.32

		836.5MHz	Edge_Full_Right	20.48	19.65	38.45	Pass	1.32
			Edge_1RB_Left	20.7	19.87	38.45	Pass	1.32
			Edge_1RB_Right	20.59	19.76	38.45	Pass	1.32
			Outer_Full	20.94	20.11	38.45	Pass	1.32
			Inner_Full	22.47	21.64	38.45	Pass	1.32
			Inner_1RB_Left	22.24	21.41	38.45	Pass	1.32
			Inner_1RB_Right	21.87	21.04	38.45	Pass	1.32
	CP-OFDM 16QAM		Edge_Full_Left	20.6	19.77	38.45	Pass	1.32
			Edge_Full_Right	20.89	20.06	38.45	Pass	1.32
			Edge_1RB_Left	20.97	20.14	38.45	Pass	1.32
			Edge_1RB_Right	20.75	19.92	38.45	Pass	1.32
			Outer_Full	20.72	19.89	38.45	Pass	1.32
			Inner_Full	21.58	20.75	38.45	Pass	1.32
			Inner_1RB_Left	21.73	20.9	38.45	Pass	1.32
	CP-OFDM 64QAM		Inner_1RB_Right	21.91	21.08	38.45	Pass	1.32
			Edge_Full_Left	19.76	18.93	38.45	Pass	1.32
			Edge_Full_Right	20.06	19.23	38.45	Pass	1.32
			Edge_1RB_Left	19.81	18.98	38.45	Pass	1.32
			Edge_1RB_Right	20.26	19.43	38.45	Pass	1.32
			Outer_Full	20.36	19.53	38.45	Pass	1.32
			Inner_Full	20.36	19.53	38.45	Pass	1.32
	CP-OFDM 256QAM		Inner_1RB_Left	20.34	19.51	38.45	Pass	1.32
			Inner_1RB_Right	20.43	19.6	38.45	Pass	1.32
			Edge_Full_Left	17.15	16.32	38.45	Pass	1.32
			Edge_Full_Right	17.49	16.66	38.45	Pass	1.32
			Edge_1RB_Left	17.91	17.08	38.45	Pass	1.32
			Edge_1RB_Right	17.54	16.71	38.45	Pass	1.32
			Outer_Full	17.18	16.35	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK		Inner_Full	17.31	16.48	38.45	Pass	1.32
			Inner_1RB_Left	17.87	17.04	38.45	Pass	1.32
			Inner_1RB_Right	17.67	16.84	38.45	Pass	1.32
			Edge_Full_Left	22.78	21.95	38.45	Pass	1.32
			Edge_Full_Right	22.99	22.16	38.45	Pass	1.32
			Edge_1RB_Left	23.27	22.44	38.45	Pass	1.32
			Edge_1RB_Right	22.94	22.11	38.45	Pass	1.32
DFT-s-OFDM QPSK	Outer_Full	23.15	22.32	38.45	Pass	1.32		
	Inner_Full	23.4	22.57	38.45	Pass	1.32		
	Inner_1RB_Left	23.12	22.29	38.45	Pass	1.32		
	Inner_1RB_Right	23.16	22.33	38.45	Pass	1.32		
	Edge_Full_Left	22.69	21.86	38.45	Pass	1.32		
	Edge_Full_Right	22.93	22.1	38.45	Pass	1.32		
	Edge_1RB_Left	22.24	21.41	38.45	Pass	1.32		
	Edge_1RB_Right	22.51	21.68	38.45	Pass	1.32		
	Outer_Full	22.85	22.02	38.45	Pass	1.32		
	Inner_Full	23.61	22.78	38.45	Pass	1.32		

	DFT-s-OFDM 16QAM	Inner_1RB_Left	23.03	22.2	38.45	Pass	1.32
		Inner_1RB_Right	23.04	22.21	38.45	Pass	1.32
		Edge_Full_Left	21.45	20.62	38.45	Pass	1.32
		Edge_Full_Right	21.16	20.33	38.45	Pass	1.32
		Edge_1RB_Left	21.29	20.46	38.45	Pass	1.32
		Edge_1RB_Right	21.22	20.39	38.45	Pass	1.32
		Outer_Full	22.08	21.25	38.45	Pass	1.32
		Inner_Full	22.77	21.94	38.45	Pass	1.32
		Inner_1RB_Left	22.21	21.38	38.45	Pass	1.32
		Inner_1RB_Right	22.48	21.65	38.45	Pass	1.32
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.42	20.59	38.45	Pass	1.32
		Edge_Full_Right	21.38	20.55	38.45	Pass	1.32
		Edge_1RB_Left	20.97	20.14	38.45	Pass	1.32
		Edge_1RB_Right	20.9	20.07	38.45	Pass	1.32
		Outer_Full	21.28	20.45	38.45	Pass	1.32
		Inner_Full	21.23	20.4	38.45	Pass	1.32
		Inner_1RB_Left	20.76	19.93	38.45	Pass	1.32
		Inner_1RB_Right	21.19	20.36	38.45	Pass	1.32
		Edge_Full_Left	19.63	18.8	38.45	Pass	1.32
		Edge_Full_Right	19.46	18.63	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Edge_1RB_Left	19.28	18.45	38.45	Pass	1.32
		Edge_1RB_Right	19.18	18.35	38.45	Pass	1.32
		Outer_Full	19.22	18.39	38.45	Pass	1.32
		Inner_Full	19.24	18.41	38.45	Pass	1.32
		Inner_1RB_Left	19.22	18.39	38.45	Pass	1.32
		Inner_1RB_Right	19.39	18.56	38.45	Pass	1.32
		Edge_Full_Left	20.48	19.65	38.45	Pass	1.32
		Edge_Full_Right	20.32	19.49	38.45	Pass	1.32
		Edge_1RB_Left	20.54	19.71	38.45	Pass	1.32
		Edge_1RB_Right	20.65	19.82	38.45	Pass	1.32
	CP-OFDM QPSK	Outer_Full	20.77	19.94	38.45	Pass	1.32
		Inner_Full	22.06	21.23	38.45	Pass	1.32
		Inner_1RB_Left	22.02	21.19	38.45	Pass	1.32
		Inner_1RB_Right	21.86	21.03	38.45	Pass	1.32
		Edge_Full_Left	20.82	19.99	38.45	Pass	1.32
		Edge_Full_Right	21.09	20.26	38.45	Pass	1.32
		Edge_1RB_Left	20.44	19.61	38.45	Pass	1.32
		Edge_1RB_Right	20.51	19.68	38.45	Pass	1.32
		Outer_Full	20.91	20.08	38.45	Pass	1.32
		Inner_Full	22.06	21.23	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_1RB_Left	21.48	20.65	38.45	Pass	1.32
		Inner_1RB_Right	21.93	21.1	38.45	Pass	1.32
		Edge_Full_Left	20.07	19.24	38.45	Pass	1.32
		Edge_Full_Right	19.98	19.15	38.45	Pass	1.32
		Edge_1RB_Left	20.2	19.37	38.45	Pass	1.32
	CP-OFDM 64QAM						

		846.5MHz	Edge_1RB_Right	19.94	19.11	38.45	Pass	1.32
			Outer_Full	20.46	19.63	38.45	Pass	1.32
			Inner_Full	20.21	19.38	38.45	Pass	1.32
			Inner_1RB_Left	20.1	19.27	38.45	Pass	1.32
			Inner_1RB_Right	20.24	19.41	38.45	Pass	1.32
	CP-OFDM 256QAM		Edge_Full_Left	17.43	16.6	38.45	Pass	1.32
			Edge_Full_Right	17.15	16.32	38.45	Pass	1.32
			Edge_1RB_Left	17.74	16.91	38.45	Pass	1.32
			Edge_1RB_Right	17.64	16.81	38.45	Pass	1.32
			Outer_Full	17.3	16.47	38.45	Pass	1.32
			Inner_Full	16.87	16.04	38.45	Pass	1.32
			Inner_1RB_Left	17.59	16.76	38.45	Pass	1.32
			Inner_1RB_Right	17.79	16.96	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	22.72	21.89	38.45	Pass	1.32
			Edge_Full_Right	22.87	22.04	38.45	Pass	1.32
			Edge_1RB_Left	22.95	22.12	38.45	Pass	1.32
			Edge_1RB_Right	22.5	21.67	38.45	Pass	1.32
			Outer_Full	23.29	22.46	38.45	Pass	1.32
			Inner_Full	23.19	22.36	38.45	Pass	1.32
			Inner_1RB_Left	23.1	22.27	38.45	Pass	1.32
			Inner_1RB_Right	22.95	22.12	38.45	Pass	1.32
	DFT-s-OFDM QPSK		Edge_Full_Left	22.77	21.94	38.45	Pass	1.32
			Edge_Full_Right	22.28	21.45	38.45	Pass	1.32
			Edge_1RB_Left	22.19	21.36	38.45	Pass	1.32
			Edge_1RB_Right	22.49	21.66	38.45	Pass	1.32
Outer_Full		22.76	21.93	38.45	Pass	1.32		
Inner_Full		23.33	22.5	38.45	Pass	1.32		
Inner_1RB_Left		23.01	22.18	38.45	Pass	1.32		
Inner_1RB_Right		23.32	22.49	38.45	Pass	1.32		
DFT-s-OFDM 16QAM	Edge_Full_Left	21.15	20.32	38.45	Pass	1.32		
	Edge_Full_Right	21.07	20.24	38.45	Pass	1.32		
	Edge_1RB_Left	21.23	20.4	38.45	Pass	1.32		
	Edge_1RB_Right	21.2	20.37	38.45	Pass	1.32		
	Outer_Full	21.35	20.52	38.45	Pass	1.32		
	Inner_Full	22.7	21.87	38.45	Pass	1.32		
	Inner_1RB_Left	22.18	21.35	38.45	Pass	1.32		
	Inner_1RB_Right	22.35	21.52	38.45	Pass	1.32		
DFT-s-OFDM 64QAM	Edge_Full_Left	20.97	20.14	38.45	Pass	1.32		
	Edge_Full_Right	21.32	20.49	38.45	Pass	1.32		
	Edge_1RB_Left	20.8	19.97	38.45	Pass	1.32		
	Edge_1RB_Right	20.75	19.92	38.45	Pass	1.32		
	Outer_Full	21.02	20.19	38.45	Pass	1.32		
	Inner_Full	20.99	20.16	38.45	Pass	1.32		
	Inner_1RB_Left	20.97	20.14	38.45	Pass	1.32		
	Inner_1RB_Right	20.77	19.94	38.45	Pass	1.32		

	DFT-s-OFDM 256QAM		Edge_Full_Left	18.75	17.92	38.45	Pass	1.32
			Edge_Full_Right	18.84	18.01	38.45	Pass	1.32
			Edge_1RB_Left	18.67	17.84	38.45	Pass	1.32
			Edge_1RB_Right	19	18.17	38.45	Pass	1.32
			Outer_Full	19.27	18.44	38.45	Pass	1.32
			Inner_Full	18.92	18.09	38.45	Pass	1.32
			Inner_1RB_Left	19.1	18.27	38.45	Pass	1.32
			Inner_1RB_Right	18.97	18.14	38.45	Pass	1.32
	CP-OFDM QPSK		Edge_Full_Left	20.71	19.88	38.45	Pass	1.32
			Edge_Full_Right	20.75	19.92	38.45	Pass	1.32
			Edge_1RB_Left	20.42	19.59	38.45	Pass	1.32
			Edge_1RB_Right	20.35	19.52	38.45	Pass	1.32
			Outer_Full	20.55	19.72	38.45	Pass	1.32
			Inner_Full	21.75	20.92	38.45	Pass	1.32
			Inner_1RB_Left	21.88	21.05	38.45	Pass	1.32
			Inner_1RB_Right	21.58	20.75	38.45	Pass	1.32
	CP-OFDM 16QAM		Edge_Full_Left	20.3	19.47	38.45	Pass	1.32
			Edge_Full_Right	20.27	19.44	38.45	Pass	1.32
			Edge_1RB_Left	20.98	20.15	38.45	Pass	1.32
			Edge_1RB_Right	20.86	20.03	38.45	Pass	1.32
			Outer_Full	20.41	19.58	38.45	Pass	1.32
			Inner_Full	21.83	21	38.45	Pass	1.32
			Inner_1RB_Left	21.13	20.3	38.45	Pass	1.32
			Inner_1RB_Right	21.33	20.5	38.45	Pass	1.32
	CP-OFDM 64QAM		Edge_Full_Left	20.06	19.23	38.45	Pass	1.32
			Edge_Full_Right	20.17	19.34	38.45	Pass	1.32
			Edge_1RB_Left	20.18	19.35	38.45	Pass	1.32
			Edge_1RB_Right	20.18	19.35	38.45	Pass	1.32
			Outer_Full	20.43	19.6	38.45	Pass	1.32
			Inner_Full	20.17	19.34	38.45	Pass	1.32
			Inner_1RB_Left	19.81	18.98	38.45	Pass	1.32
			Inner_1RB_Right	20.08	19.25	38.45	Pass	1.32
	CP-OFDM 256QAM		Edge_Full_Left	17.35	16.52	38.45	Pass	1.32
			Edge_Full_Right	17.52	16.69	38.45	Pass	1.32
			Edge_1RB_Left	17.27	16.44	38.45	Pass	1.32
			Edge_1RB_Right	17.25	16.42	38.45	Pass	1.32
			Outer_Full	17.37	16.54	38.45	Pass	1.32
			Inner_Full	17.17	16.34	38.45	Pass	1.32
			Inner_1RB_Left	17.49	16.66	38.45	Pass	1.32
			Inner_1RB_Right	17.73	16.9	38.45	Pass	1.32
10MHz	DFT-s-OFDM PI/2 BPSK	829MHz	Edge_Full_Left	23.06	22.23	38.45	Pass	1.32
			Edge_Full_Right	22.97	22.14	38.45	Pass	1.32
			Edge_1RB_Left	22.74	21.91	38.45	Pass	1.32
			Edge_1RB_Right	22.81	21.98	38.45	Pass	1.32
			Outer_Full	23.06	22.23	38.45	Pass	1.32

	DFT-s-OFDM QPSK	Inner_Full	23.35	22.52	38.45	Pass	1.32
		Inner_1RB_Left	22.99	22.16	38.45	Pass	1.32
		Inner_1RB_Right	23.21	22.38	38.45	Pass	1.32
		Edge_Full_Left	22.42	21.59	38.45	Pass	1.32
		Edge_Full_Right	22.19	21.36	38.45	Pass	1.32
		Edge_1RB_Left	22.07	21.24	38.45	Pass	1.32
		Edge_1RB_Right	22.24	21.41	38.45	Pass	1.32
		Outer_Full	22.43	21.6	38.45	Pass	1.32
	DFT-s-OFDM 16QAM	Inner_Full	22.88	22.05	38.45	Pass	1.32
		Inner_1RB_Left	22.92	22.09	38.45	Pass	1.32
		Inner_1RB_Right	22.6	21.77	38.45	Pass	1.32
		Edge_Full_Left	21.17	20.34	38.45	Pass	1.32
		Edge_Full_Right	21.12	20.29	38.45	Pass	1.32
		Edge_1RB_Left	21.11	20.28	38.45	Pass	1.32
		Edge_1RB_Right	21.22	20.39	38.45	Pass	1.32
		Outer_Full	21.3	20.47	38.45	Pass	1.32
	DFT-s-OFDM 64QAM	Inner_Full	22.72	21.89	38.45	Pass	1.32
		Inner_1RB_Left	22.19	21.36	38.45	Pass	1.32
		Inner_1RB_Right	22.23	21.4	38.45	Pass	1.32
		Edge_Full_Left	21.05	20.22	38.45	Pass	1.32
		Edge_Full_Right	21.32	20.49	38.45	Pass	1.32
		Edge_1RB_Left	21.12	20.29	38.45	Pass	1.32
		Edge_1RB_Right	20.9	20.07	38.45	Pass	1.32
		Outer_Full	20.98	20.15	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Inner_Full	21.17	20.34	38.45	Pass	1.32
		Inner_1RB_Left	20.79	19.96	38.45	Pass	1.32
		Inner_1RB_Right	20.96	20.13	38.45	Pass	1.32
		Edge_Full_Left	18.87	18.04	38.45	Pass	1.32
		Edge_Full_Right	18.98	18.15	38.45	Pass	1.32
		Edge_1RB_Left	18.73	17.9	38.45	Pass	1.32
		Edge_1RB_Right	18.92	18.09	38.45	Pass	1.32
		Outer_Full	19.02	18.19	38.45	Pass	1.32
	CP-OFDM QPSK	Inner_Full	18.94	18.11	38.45	Pass	1.32
		Inner_1RB_Left	18.71	17.88	38.45	Pass	1.32
		Inner_1RB_Right	18.95	18.12	38.45	Pass	1.32
		Edge_Full_Left	20.41	19.58	38.45	Pass	1.32
		Edge_Full_Right	20.37	19.54	38.45	Pass	1.32
		Edge_1RB_Left	20.47	19.64	38.45	Pass	1.32
		Edge_1RB_Right	20.46	19.63	38.45	Pass	1.32
		Outer_Full	20.49	19.66	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_Full	22.22	21.39	38.45	Pass	1.32
		Inner_1RB_Left	22.05	21.22	38.45	Pass	1.32
		Inner_1RB_Right	22.03	21.2	38.45	Pass	1.32
		Edge_Full_Left	20.42	19.59	38.45	Pass	1.32
		Edge_Full_Right	20.61	19.78	38.45	Pass	1.32

		836.5MHz	Edge_1RB_Left	20.23	19.4	38.45	Pass	1.32
			Edge_1RB_Right	20.59	19.76	38.45	Pass	1.32
			Outer_Full	20.54	19.71	38.45	Pass	1.32
			Inner_Full	21.47	20.64	38.45	Pass	1.32
			Inner_1RB_Left	21.48	20.65	38.45	Pass	1.32
			Inner_1RB_Right	21.87	21.04	38.45	Pass	1.32
	CP-OFDM 64QAM		Edge_Full_Left	19.78	18.95	38.45	Pass	1.32
			Edge_Full_Right	19.72	18.89	38.45	Pass	1.32
			Edge_1RB_Left	19.79	18.96	38.45	Pass	1.32
			Edge_1RB_Right	19.64	18.81	38.45	Pass	1.32
			Outer_Full	20.34	19.51	38.45	Pass	1.32
			Inner_Full	19.95	19.12	38.45	Pass	1.32
	CP-OFDM 256QAM		Inner_1RB_Left	19.92	19.09	38.45	Pass	1.32
			Inner_1RB_Right	19.94	19.11	38.45	Pass	1.32
			Edge_Full_Left	17.18	16.35	38.45	Pass	1.32
			Edge_Full_Right	17.35	16.52	38.45	Pass	1.32
			Edge_1RB_Left	17.67	16.84	38.45	Pass	1.32
			Edge_1RB_Right	17.66	16.83	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK		Outer_Full	17.19	16.36	38.45	Pass	1.32
			Inner_Full	16.68	15.85	38.45	Pass	1.32
			Inner_1RB_Left	17.25	16.42	38.45	Pass	1.32
			Inner_1RB_Right	17.37	16.54	38.45	Pass	1.32
			Edge_Full_Left	22.9	22.07	38.45	Pass	1.32
			Edge_Full_Right	22.92	22.09	38.45	Pass	1.32
	DFT-s-OFDM QPSK		Edge_1RB_Left	22.93	22.1	38.45	Pass	1.32
			Edge_1RB_Right	22.6	21.77	38.45	Pass	1.32
			Outer_Full	23.18	22.35	38.45	Pass	1.32
			Inner_Full	23.28	22.45	38.45	Pass	1.32
			Inner_1RB_Left	23.16	22.33	38.45	Pass	1.32
			Inner_1RB_Right	22.78	21.95	38.45	Pass	1.32
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.32	21.49	38.45	Pass	1.32
			Edge_Full_Right	22.35	21.52	38.45	Pass	1.32
			Edge_1RB_Left	21.95	21.12	38.45	Pass	1.32
			Edge_1RB_Right	22.17	21.34	38.45	Pass	1.32
			Outer_Full	22.59	21.76	38.45	Pass	1.32
			Inner_Full	23.26	22.43	38.45	Pass	1.32
	Inner_1RB_Left	22.83	22	38.45	Pass	1.32		
	Inner_1RB_Right	23	22.17	38.45	Pass	1.32		
	Edge_Full_Left	21.45	20.62	38.45	Pass	1.32		
	Edge_Full_Right	21.25	20.42	38.45	Pass	1.32		
	Edge_1RB_Left	21.22	20.39	38.45	Pass	1.32		
	Edge_1RB_Right	21.04	20.21	38.45	Pass	1.32		
	Outer_Full	21.65	20.82	38.45	Pass	1.32		
	Inner_Full	22.81	21.98	38.45	Pass	1.32		
	Inner_1RB_Left	22.22	21.39	38.45	Pass	1.32		

	DFT-s-OFDM 64QAM	Inner_1RB_Right	22.09	21.26	38.45	Pass	1.32
		Edge_Full_Left	20.98	20.15	38.45	Pass	1.32
		Edge_Full_Right	21.36	20.53	38.45	Pass	1.32
		Edge_1RB_Left	20.85	20.02	38.45	Pass	1.32
		Edge_1RB_Right	20.96	20.13	38.45	Pass	1.32
		Outer_Full	20.81	19.98	38.45	Pass	1.32
		Inner_Full	20.93	20.1	38.45	Pass	1.32
		Inner_1RB_Left	20.94	20.11	38.45	Pass	1.32
		Inner_1RB_Right	21.05	20.22	38.45	Pass	1.32
		Edge_Full_Left	19.22	18.39	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Edge_Full_Right	18.94	18.11	38.45	Pass	1.32
		Edge_1RB_Left	18.94	18.11	38.45	Pass	1.32
		Edge_1RB_Right	18.67	17.84	38.45	Pass	1.32
		Outer_Full	19.09	18.26	38.45	Pass	1.32
		Inner_Full	18.92	18.09	38.45	Pass	1.32
		Inner_1RB_Left	19.14	18.31	38.45	Pass	1.32
		Inner_1RB_Right	19.04	18.21	38.45	Pass	1.32
		Edge_Full_Left	20.69	19.86	38.45	Pass	1.32
		Edge_Full_Right	20.23	19.4	38.45	Pass	1.32
		Edge_1RB_Left	20.31	19.48	38.45	Pass	1.32
	CP-OFDM QPSK	Edge_1RB_Right	20.34	19.51	38.45	Pass	1.32
		Outer_Full	20.72	19.89	38.45	Pass	1.32
		Inner_Full	22.03	21.2	38.45	Pass	1.32
		Inner_1RB_Left	22.09	21.26	38.45	Pass	1.32
		Inner_1RB_Right	21.93	21.1	38.45	Pass	1.32
		Edge_Full_Left	20.5	19.67	38.45	Pass	1.32
		Edge_Full_Right	20.81	19.98	38.45	Pass	1.32
		Edge_1RB_Left	20.34	19.51	38.45	Pass	1.32
		Edge_1RB_Right	20.08	19.25	38.45	Pass	1.32
		Outer_Full	20.68	19.85	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_Full	21.71	20.88	38.45	Pass	1.32
		Inner_1RB_Left	21.62	20.79	38.45	Pass	1.32
		Inner_1RB_Right	21.56	20.73	38.45	Pass	1.32
		Edge_Full_Left	19.88	19.05	38.45	Pass	1.32
		Edge_Full_Right	19.63	18.8	38.45	Pass	1.32
		Edge_1RB_Left	20.04	19.21	38.45	Pass	1.32
		Edge_1RB_Right	19.9	19.07	38.45	Pass	1.32
		Outer_Full	19.99	19.16	38.45	Pass	1.32
		Inner_Full	19.87	19.04	38.45	Pass	1.32
		Inner_1RB_Left	19.92	19.09	38.45	Pass	1.32
	CP-OFDM 64QAM	Inner_1RB_Right	19.87	19.04	38.45	Pass	1.32
		Edge_Full_Left	16.83	16	38.45	Pass	1.32
		Edge_Full_Right	16.79	15.96	38.45	Pass	1.32
		Edge_1RB_Left	17.61	16.78	38.45	Pass	1.32
		Edge_1RB_Right	17.4	16.57	38.45	Pass	1.32
	CP-OFDM 256QAM						

			Outer_Full	16.7	15.87	38.45	Pass	1.32
			Inner_Full	16.95	16.12	38.45	Pass	1.32
			Inner_1RB_Left	17.65	16.82	38.45	Pass	1.32
			Inner_1RB_Right	17.67	16.84	38.45	Pass	1.32
DFT-s-OFDM PI/2 BPSK	844MHz	Edge_Full_Left	22.92	22.09	38.45	Pass	1.32	
		Edge_Full_Right	22.46	21.63	38.45	Pass	1.32	
		Edge_1RB_Left	22.67	21.84	38.45	Pass	1.32	
		Edge_1RB_Right	22.3	21.47	38.45	Pass	1.32	
		Outer_Full	22.89	22.06	38.45	Pass	1.32	
		Inner_Full	22.93	22.1	38.45	Pass	1.32	
		Inner_1RB_Left	22.65	21.82	38.45	Pass	1.32	
		Inner_1RB_Right	22.79	21.96	38.45	Pass	1.32	
DFT-s-OFDM QPSK		Edge_Full_Left	22.63	21.8	38.45	Pass	1.32	
		Edge_Full_Right	22.51	21.68	38.45	Pass	1.32	
		Edge_1RB_Left	22.01	21.18	38.45	Pass	1.32	
		Edge_1RB_Right	22.15	21.32	38.45	Pass	1.32	
		Outer_Full	22.61	21.78	38.45	Pass	1.32	
		Inner_Full	22.84	22.01	38.45	Pass	1.32	
		Inner_1RB_Left	22.69	21.86	38.45	Pass	1.32	
		Inner_1RB_Right	22.59	21.76	38.45	Pass	1.32	
DFT-s-OFDM 16QAM		Edge_Full_Left	21.1	20.27	38.45	Pass	1.32	
		Edge_Full_Right	20.99	20.16	38.45	Pass	1.32	
		Edge_1RB_Left	20.95	20.12	38.45	Pass	1.32	
		Edge_1RB_Right	20.62	19.79	38.45	Pass	1.32	
		Outer_Full	21.11	20.28	38.45	Pass	1.32	
		Inner_Full	22.58	21.75	38.45	Pass	1.32	
		Inner_1RB_Left	22.2	21.37	38.45	Pass	1.32	
		Inner_1RB_Right	22.12	21.29	38.45	Pass	1.32	
DFT-s-OFDM 64QAM		Edge_Full_Left	20.99	20.16	38.45	Pass	1.32	
		Edge_Full_Right	20.75	19.92	38.45	Pass	1.32	
		Edge_1RB_Left	20.92	20.09	38.45	Pass	1.32	
		Edge_1RB_Right	20.59	19.76	38.45	Pass	1.32	
		Outer_Full	20.8	19.97	38.45	Pass	1.32	
		Inner_Full	20.8	19.97	38.45	Pass	1.32	
		Inner_1RB_Left	20.96	20.13	38.45	Pass	1.32	
		Inner_1RB_Right	20.9	20.07	38.45	Pass	1.32	
DFT-s-OFDM 256QAM		Edge_Full_Left	18.87	18.04	38.45	Pass	1.32	
		Edge_Full_Right	18.69	17.86	38.45	Pass	1.32	
		Edge_1RB_Left	18.61	17.78	38.45	Pass	1.32	
		Edge_1RB_Right	18.53	17.7	38.45	Pass	1.32	
		Outer_Full	19.01	18.18	38.45	Pass	1.32	
		Inner_Full	18.62	17.79	38.45	Pass	1.32	
		Inner_1RB_Left	18.73	17.9	38.45	Pass	1.32	
		Inner_1RB_Right	18.53	17.7	38.45	Pass	1.32	
CP-OFDM QPSK		Edge_Full_Left	20.66	19.83	38.45	Pass	1.32	

			Edge_Full_Right	20.51	19.68	38.45	Pass	1.32
			Edge_1RB_Left	20.41	19.58	38.45	Pass	1.32
			Edge_1RB_Right	20.18	19.35	38.45	Pass	1.32
			Outer_Full	20.37	19.54	38.45	Pass	1.32
			Inner_Full	22.09	21.26	38.45	Pass	1.32
			Inner_1RB_Left	21.94	21.11	38.45	Pass	1.32
			Inner_1RB_Right	21.48	20.65	38.45	Pass	1.32
	CP-OFDM 16QAM		Edge_Full_Left	20.35	19.52	38.45	Pass	1.32
			Edge_Full_Right	20.05	19.22	38.45	Pass	1.32
			Edge_1RB_Left	20.5	19.67	38.45	Pass	1.32
			Edge_1RB_Right	20.6	19.77	38.45	Pass	1.32
			Outer_Full	20.34	19.51	38.45	Pass	1.32
			Inner_Full	21.32	20.49	38.45	Pass	1.32
			Inner_1RB_Left	21.05	20.22	38.45	Pass	1.32
	CP-OFDM 64QAM		Inner_1RB_Right	20.91	20.08	38.45	Pass	1.32
			Edge_Full_Left	19.75	18.92	38.45	Pass	1.32
			Edge_Full_Right	19.81	18.98	38.45	Pass	1.32
			Edge_1RB_Left	20.05	19.22	38.45	Pass	1.32
			Edge_1RB_Right	19.75	18.92	38.45	Pass	1.32
			Outer_Full	20.04	19.21	38.45	Pass	1.32
			Inner_Full	20.01	19.18	38.45	Pass	1.32
	CP-OFDM 256QAM		Inner_1RB_Left	19.74	18.91	38.45	Pass	1.32
			Inner_1RB_Right	19.58	18.75	38.45	Pass	1.32
			Edge_Full_Left	17.44	16.61	38.45	Pass	1.32
			Edge_Full_Right	17.05	16.22	38.45	Pass	1.32
			Edge_1RB_Left	17.11	16.28	38.45	Pass	1.32
			Edge_1RB_Right	17.06	16.23	38.45	Pass	1.32
			Outer_Full	17.19	16.36	38.45	Pass	1.32
15MHz	DFT-s-OFDM PI/2 BPSK	831.5MHz	Inner_Full	17.07	16.24	38.45	Pass	1.32
			Inner_1RB_Left	16.92	16.09	38.45	Pass	1.32
			Inner_1RB_Right	17.13	16.3	38.45	Pass	1.32
			Edge_Full_Left	23.06	22.23	38.45	Pass	1.32
			Edge_Full_Right	23.09	22.26	38.45	Pass	1.32
			Edge_1RB_Left	22.71	21.88	38.45	Pass	1.32
			Edge_1RB_Right	23.06	22.23	38.45	Pass	1.32
			Outer_Full	23.37	22.54	38.45	Pass	1.32
	DFT-s-OFDM QPSK		Inner_Full	23.32	22.49	38.45	Pass	1.32
			Inner_1RB_Left	23.42	22.59	38.45	Pass	1.32
Inner_1RB_Right		23.29	22.46	38.45	Pass	1.32		
Edge_Full_Left		22.74	21.91	38.45	Pass	1.32		
Edge_Full_Right		22.68	21.85	38.45	Pass	1.32		
Edge_1RB_Left		22.54	21.71	38.45	Pass	1.32		
	Edge_1RB_Right	22.75	21.92	38.45	Pass	1.32		
	Outer_Full	22.55	21.72	38.45	Pass	1.32		
	Inner_Full	23.22	22.39	38.45	Pass	1.32		

	DFT-s-OFDM 16QAM	Inner_1RB_Left	23.12	22.29	38.45	Pass	1.32
		Inner_1RB_Right	23.32	22.49	38.45	Pass	1.32
		Edge_Full_Left	21.16	20.33	38.45	Pass	1.32
		Edge_Full_Right	21.34	20.51	38.45	Pass	1.32
		Edge_1RB_Left	21.19	20.36	38.45	Pass	1.32
		Edge_1RB_Right	20.98	20.15	38.45	Pass	1.32
		Outer_Full	21.33	20.5	38.45	Pass	1.32
		Inner_Full	22.59	21.76	38.45	Pass	1.32
		Inner_1RB_Left	22.04	21.21	38.45	Pass	1.32
		Inner_1RB_Right	22.09	21.26	38.45	Pass	1.32
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.21	20.38	38.45	Pass	1.32
		Edge_Full_Right	20.92	20.09	38.45	Pass	1.32
		Edge_1RB_Left	21.01	20.18	38.45	Pass	1.32
		Edge_1RB_Right	20.99	20.16	38.45	Pass	1.32
		Outer_Full	21.24	20.41	38.45	Pass	1.32
		Inner_Full	20.84	20.01	38.45	Pass	1.32
		Inner_1RB_Left	21.08	20.25	38.45	Pass	1.32
		Inner_1RB_Right	21.21	20.38	38.45	Pass	1.32
		Edge_Full_Left	18.87	18.04	38.45	Pass	1.32
		Edge_Full_Right	19.12	18.29	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Edge_1RB_Left	18.44	17.61	38.45	Pass	1.32
		Edge_1RB_Right	18.51	17.68	38.45	Pass	1.32
		Outer_Full	19.31	18.48	38.45	Pass	1.32
		Inner_Full	19.17	18.34	38.45	Pass	1.32
		Inner_1RB_Left	18.21	17.38	38.45	Pass	1.32
		Inner_1RB_Right	18.47	17.64	38.45	Pass	1.32
		Edge_Full_Left	20.38	19.55	38.45	Pass	1.32
		Edge_Full_Right	20.24	19.41	38.45	Pass	1.32
		Edge_1RB_Left	20.62	19.79	38.45	Pass	1.32
		Edge_1RB_Right	20.48	19.65	38.45	Pass	1.32
	CP-OFDM QPSK	Outer_Full	20.76	19.93	38.45	Pass	1.32
		Inner_Full	22.07	21.24	38.45	Pass	1.32
		Inner_1RB_Left	22.01	21.18	38.45	Pass	1.32
		Inner_1RB_Right	22.18	21.35	38.45	Pass	1.32
		Edge_Full_Left	20.03	19.2	38.45	Pass	1.32
		Edge_Full_Right	20.49	19.66	38.45	Pass	1.32
		Edge_1RB_Left	20.12	19.29	38.45	Pass	1.32
		Edge_1RB_Right	20.24	19.41	38.45	Pass	1.32
		Outer_Full	20.74	19.91	38.45	Pass	1.32
		Inner_Full	21.53	20.7	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_1RB_Left	21.25	20.42	38.45	Pass	1.32
		Inner_1RB_Right	21.28	20.45	38.45	Pass	1.32
		Edge_Full_Left	19.7	18.87	38.45	Pass	1.32
		Edge_Full_Right	19.71	18.88	38.45	Pass	1.32
		Edge_1RB_Left	19.49	18.66	38.45	Pass	1.32
	CP-OFDM 64QAM						

		836.5MHz	Edge_1RB_Right	19.19	18.36	38.45	Pass	1.32	
			Outer_Full	20.04	19.21	38.45	Pass	1.32	
			Inner_Full	19.67	18.84	38.45	Pass	1.32	
			Inner_1RB_Left	19.34	18.51	38.45	Pass	1.32	
			Inner_1RB_Right	19.29	18.46	38.45	Pass	1.32	
			CP-OFDM 256QAM	Edge_Full_Left	17.29	16.46	38.45	Pass	1.32
				Edge_Full_Right	17.14	16.31	38.45	Pass	1.32
				Edge_1RB_Left	17.25	16.42	38.45	Pass	1.32
				Edge_1RB_Right	17.05	16.22	38.45	Pass	1.32
				Outer_Full	17.27	16.44	38.45	Pass	1.32
	Inner_Full			17.17	16.34	38.45	Pass	1.32	
	Inner_1RB_Left			17.09	16.26	38.45	Pass	1.32	
	Inner_1RB_Right			17.25	16.42	38.45	Pass	1.32	
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.12	22.29	38.45	Pass	1.32	
			Edge_Full_Right	23.08	22.25	38.45	Pass	1.32	
			Edge_1RB_Left	22.88	22.05	38.45	Pass	1.32	
			Edge_1RB_Right	22.96	22.13	38.45	Pass	1.32	
			Outer_Full	23.39	22.56	38.45	Pass	1.32	
			Inner_Full	23.23	22.4	38.45	Pass	1.32	
			Inner_1RB_Left	23.36	22.53	38.45	Pass	1.32	
			Inner_1RB_Right	23.58	22.75	38.45	Pass	1.32	
	DFT-s-OFDM QPSK		Edge_Full_Left	22.54	21.71	38.45	Pass	1.32	
			Edge_Full_Right	22.73	21.9	38.45	Pass	1.32	
			Edge_1RB_Left	22.68	21.85	38.45	Pass	1.32	
			Edge_1RB_Right	22.65	21.82	38.45	Pass	1.32	
Outer_Full		22.66	21.83	38.45	Pass	1.32			
Inner_Full		23.36	22.53	38.45	Pass	1.32			
Inner_1RB_Left		23.32	22.49	38.45	Pass	1.32			
Inner_1RB_Right		23.35	22.52	38.45	Pass	1.32			
DFT-s-OFDM 16QAM	Edge_Full_Left	21.15	20.32	38.45	Pass	1.32			
	Edge_Full_Right	21.15	20.32	38.45	Pass	1.32			
	Edge_1RB_Left	21.17	20.34	38.45	Pass	1.32			
	Edge_1RB_Right	21.08	20.25	38.45	Pass	1.32			
	Outer_Full	21.91	21.08	38.45	Pass	1.32			
	Inner_Full	22.35	21.52	38.45	Pass	1.32			
	Inner_1RB_Left	21.86	21.03	38.45	Pass	1.32			
	Inner_1RB_Right	22.19	21.36	38.45	Pass	1.32			
DFT-s-OFDM 64QAM	Edge_Full_Left	20.83	20	38.45	Pass	1.32			
	Edge_Full_Right	21.1	20.27	38.45	Pass	1.32			
	Edge_1RB_Left	21.27	20.44	38.45	Pass	1.32			
	Edge_1RB_Right	21.24	20.41	38.45	Pass	1.32			
	Outer_Full	21.19	20.36	38.45	Pass	1.32			
	Inner_Full	21.05	20.22	38.45	Pass	1.32			
	Inner_1RB_Left	20.9	20.07	38.45	Pass	1.32			
	Inner_1RB_Right	21.33	20.5	38.45	Pass	1.32			

	DFT-s-OFDM 256QAM		Edge_Full_Left	18.92	18.09	38.45	Pass	1.32
			Edge_Full_Right	18.85	18.02	38.45	Pass	1.32
			Edge_1RB_Left	18.46	17.63	38.45	Pass	1.32
			Edge_1RB_Right	18.05	17.22	38.45	Pass	1.32
			Outer_Full	19.16	18.33	38.45	Pass	1.32
			Inner_Full	19	18.17	38.45	Pass	1.32
			Inner_1RB_Left	18.05	17.22	38.45	Pass	1.32
			Inner_1RB_Right	18.45	17.62	38.45	Pass	1.32
	CP-OFDM QPSK		Edge_Full_Left	20.51	19.68	38.45	Pass	1.32
			Edge_Full_Right	20.49	19.66	38.45	Pass	1.32
			Edge_1RB_Left	20.63	19.8	38.45	Pass	1.32
			Edge_1RB_Right	20.49	19.66	38.45	Pass	1.32
			Outer_Full	20.8	19.97	38.45	Pass	1.32
			Inner_Full	22.03	21.2	38.45	Pass	1.32
			Inner_1RB_Left	21.95	21.12	38.45	Pass	1.32
			Inner_1RB_Right	21.87	21.04	38.45	Pass	1.32
	CP-OFDM 16QAM		Edge_Full_Left	20.58	19.75	38.45	Pass	1.32
			Edge_Full_Right	20.55	19.72	38.45	Pass	1.32
			Edge_1RB_Left	20.37	19.54	38.45	Pass	1.32
			Edge_1RB_Right	20.45	19.62	38.45	Pass	1.32
			Outer_Full	20.82	19.99	38.45	Pass	1.32
			Inner_Full	21.55	20.72	38.45	Pass	1.32
			Inner_1RB_Left	21.45	20.62	38.45	Pass	1.32
			Inner_1RB_Right	21.34	20.51	38.45	Pass	1.32
	CP-OFDM 64QAM		Edge_Full_Left	19.6	18.77	38.45	Pass	1.32
			Edge_Full_Right	19.98	19.15	38.45	Pass	1.32
			Edge_1RB_Left	19.24	18.41	38.45	Pass	1.32
			Edge_1RB_Right	19.45	18.62	38.45	Pass	1.32
			Outer_Full	20.11	19.28	38.45	Pass	1.32
			Inner_Full	20	19.17	38.45	Pass	1.32
			Inner_1RB_Left	19.47	18.64	38.45	Pass	1.32
			Inner_1RB_Right	19.78	18.95	38.45	Pass	1.32
	CP-OFDM 256QAM		Edge_Full_Left	17.39	16.56	38.45	Pass	1.32
			Edge_Full_Right	17.43	16.6	38.45	Pass	1.32
			Edge_1RB_Left	17.08	16.25	38.45	Pass	1.32
			Edge_1RB_Right	17.26	16.43	38.45	Pass	1.32
			Outer_Full	17.36	16.53	38.45	Pass	1.32
			Inner_Full	17.02	16.19	38.45	Pass	1.32
			Inner_1RB_Left	16.94	16.11	38.45	Pass	1.32
			Inner_1RB_Right	17.46	16.63	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK	841.5MHz	Edge_Full_Left	22.93	22.1	38.45	Pass	1.32
			Edge_Full_Right	22.97	22.14	38.45	Pass	1.32
			Edge_1RB_Left	23.37	22.54	38.45	Pass	1.32
			Edge_1RB_Right	22.95	22.12	38.45	Pass	1.32
			Outer_Full	22.96	22.13	38.45	Pass	1.32

	DFT-s-OFDM QPSK	Inner_Full	23.05	22.22	38.45	Pass	1.32
		Inner_1RB_Left	23.19	22.36	38.45	Pass	1.32
		Inner_1RB_Right	22.96	22.13	38.45	Pass	1.32
		Edge_Full_Left	22	21.17	38.45	Pass	1.32
		Edge_Full_Right	21.36	20.53	38.45	Pass	1.32
		Edge_1RB_Left	21.67	20.84	38.45	Pass	1.32
		Edge_1RB_Right	21.2	20.37	38.45	Pass	1.32
		Outer_Full	22.15	21.32	38.45	Pass	1.32
	DFT-s-OFDM 16QAM	Inner_Full	23.24	22.41	38.45	Pass	1.32
		Inner_1RB_Left	22.76	21.93	38.45	Pass	1.32
		Inner_1RB_Right	22.13	21.3	38.45	Pass	1.32
		Edge_Full_Left	20.43	19.6	38.45	Pass	1.32
		Edge_Full_Right	19.77	18.94	38.45	Pass	1.32
		Edge_1RB_Left	20.3	19.47	38.45	Pass	1.32
		Edge_1RB_Right	19.64	18.81	38.45	Pass	1.32
		Outer_Full	21.35	20.52	38.45	Pass	1.32
	DFT-s-OFDM 64QAM	Inner_Full	22.2	21.37	38.45	Pass	1.32
		Inner_1RB_Left	21.07	20.24	38.45	Pass	1.32
		Inner_1RB_Right	20.69	19.86	38.45	Pass	1.32
		Edge_Full_Left	19.9	19.07	38.45	Pass	1.32
		Edge_Full_Right	19.56	18.73	38.45	Pass	1.32
		Edge_1RB_Left	20.15	19.32	38.45	Pass	1.32
		Edge_1RB_Right	19.95	19.12	38.45	Pass	1.32
		Outer_Full	20.63	19.8	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Inner_Full	20.96	20.13	38.45	Pass	1.32
		Inner_1RB_Left	19.89	19.06	38.45	Pass	1.32
		Inner_1RB_Right	19.58	18.75	38.45	Pass	1.32
		Edge_Full_Left	18.65	17.82	38.45	Pass	1.32
		Edge_Full_Right	17.67	16.84	38.45	Pass	1.32
		Edge_1RB_Left	18.01	17.18	38.45	Pass	1.32
		Edge_1RB_Right	16.87	16.04	38.45	Pass	1.32
		Outer_Full	19.07	18.24	38.45	Pass	1.32
	CP-OFDM QPSK	Inner_Full	18.6	17.77	38.45	Pass	1.32
		Inner_1RB_Left	18.13	17.3	38.45	Pass	1.32
		Inner_1RB_Right	17.45	16.62	38.45	Pass	1.32
		Edge_Full_Left	20.07	19.24	38.45	Pass	1.32
		Edge_Full_Right	19.51	18.68	38.45	Pass	1.32
		Edge_1RB_Left	19.9	19.07	38.45	Pass	1.32
		Edge_1RB_Right	20.03	19.2	38.45	Pass	1.32
		Outer_Full	20.73	19.9	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_Full	21.58	20.75	38.45	Pass	1.32
		Inner_1RB_Left	21.14	20.31	38.45	Pass	1.32
		Inner_1RB_Right	20.32	19.49	38.45	Pass	1.32
		Edge_Full_Left	20.21	19.38	38.45	Pass	1.32
		Edge_Full_Right	19.76	18.93	38.45	Pass	1.32

	CP-OFDM 64QAM		Edge_1RB_Left	19.75	18.92	38.45	Pass	1.32		
			Edge_1RB_Right	19.26	18.43	38.45	Pass	1.32		
			Outer_Full	20.29	19.46	38.45	Pass	1.32		
			Inner_Full	20.96	20.13	38.45	Pass	1.32		
			Inner_1RB_Left	20.2	19.37	38.45	Pass	1.32		
			Inner_1RB_Right	19.74	18.91	38.45	Pass	1.32		
			Edge_Full_Left	19.97	19.14	38.45	Pass	1.32		
			Edge_Full_Right	19.52	18.69	38.45	Pass	1.32		
			Edge_1RB_Left	19.22	18.39	38.45	Pass	1.32		
			Edge_1RB_Right	19.16	18.33	38.45	Pass	1.32		
			Outer_Full	19.96	19.13	38.45	Pass	1.32		
			Inner_Full	19.9	19.07	38.45	Pass	1.32		
			Inner_1RB_Left	19.51	18.68	38.45	Pass	1.32		
			Inner_1RB_Right	18.98	18.15	38.45	Pass	1.32		
	CP-OFDM 256QAM		Edge_Full_Left	17.35	16.52	38.45	Pass	1.32		
			Edge_Full_Right	17.39	16.56	38.45	Pass	1.32		
			Edge_1RB_Left	16.87	16.04	38.45	Pass	1.32		
			Edge_1RB_Right	17.27	16.44	38.45	Pass	1.32		
			Outer_Full	17.01	16.18	38.45	Pass	1.32		
			Inner_Full	16.72	15.89	38.45	Pass	1.32		
			Inner_1RB_Left	16.94	16.11	38.45	Pass	1.32		
			Inner_1RB_Right	17.16	16.33	38.45	Pass	1.32		
	20MHz		DFT-s-OFDM PI/2 BPSK	834MHz	Edge_Full_Left	23.37	22.54	38.45	Pass	1.32
					Edge_Full_Right	23.08	22.25	38.45	Pass	1.32
					Edge_1RB_Left	23.07	22.24	38.45	Pass	1.32
					Edge_1RB_Right	23.05	22.22	38.45	Pass	1.32
					Outer_Full	23.29	22.46	38.45	Pass	1.32
					Inner_Full	23.2	22.37	38.45	Pass	1.32
Inner_1RB_Left		23.03			22.2	38.45	Pass	1.32		
Inner_1RB_Right		23.22			22.39	38.45	Pass	1.32		
DFT-s-OFDM QPSK		Edge_Full_Left	22.33		21.5	38.45	Pass	1.32		
		Edge_Full_Right	22.42		21.59	38.45	Pass	1.32		
		Edge_1RB_Left	22.82		21.99	38.45	Pass	1.32		
		Edge_1RB_Right	22.59		21.76	38.45	Pass	1.32		
		Outer_Full	22.91		22.08	38.45	Pass	1.32		
		Inner_Full	23.46		22.63	38.45	Pass	1.32		
		Inner_1RB_Left	23.01		22.18	38.45	Pass	1.32		
		Inner_1RB_Right	23.14		22.31	38.45	Pass	1.32		
DFT-s-OFDM 16QAM		Edge_Full_Left	21.25		20.42	38.45	Pass	1.32		
		Edge_Full_Right	21.25		20.42	38.45	Pass	1.32		
		Edge_1RB_Left	21.49		20.66	38.45	Pass	1.32		
		Edge_1RB_Right	21.4		20.57	38.45	Pass	1.32		
		Outer_Full	21.97		21.14	38.45	Pass	1.32		
		Inner_Full	22.8		21.97	38.45	Pass	1.32		
		Inner_1RB_Left	22.47		21.64	38.45	Pass	1.32		

	DFT-s-OFDM 64QAM	Inner_1RB_Right	22.51	21.68	38.45	Pass	1.32
		Edge_Full_Left	21.22	20.39	38.45	Pass	1.32
		Edge_Full_Right	20.99	20.16	38.45	Pass	1.32
		Edge_1RB_Left	20.85	20.02	38.45	Pass	1.32
		Edge_1RB_Right	21.23	20.4	38.45	Pass	1.32
		Outer_Full	21.32	20.49	38.45	Pass	1.32
		Inner_Full	21.38	20.55	38.45	Pass	1.32
		Inner_1RB_Left	21.21	20.38	38.45	Pass	1.32
		Inner_1RB_Right	21.08	20.25	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.19	18.36	38.45	Pass	1.32
		Edge_Full_Right	19.19	18.36	38.45	Pass	1.32
		Edge_1RB_Left	19.25	18.42	38.45	Pass	1.32
		Edge_1RB_Right	19.07	18.24	38.45	Pass	1.32
		Outer_Full	19.18	18.35	38.45	Pass	1.32
		Inner_Full	19.16	18.33	38.45	Pass	1.32
		Inner_1RB_Left	19.42	18.59	38.45	Pass	1.32
		Inner_1RB_Right	19.24	18.41	38.45	Pass	1.32
		Edge_Full_Left	20.64	19.81	38.45	Pass	1.32
	CP-OFDM QPSK	Edge_Full_Right	20.71	19.88	38.45	Pass	1.32
		Edge_1RB_Left	20.39	19.56	38.45	Pass	1.32
		Edge_1RB_Right	20.24	19.41	38.45	Pass	1.32
		Outer_Full	21.24	20.41	38.45	Pass	1.32
		Inner_Full	22.01	21.18	38.45	Pass	1.32
		Inner_1RB_Left	21.49	20.66	38.45	Pass	1.32
		Inner_1RB_Right	21.75	20.92	38.45	Pass	1.32
		Edge_Full_Left	21.15	20.32	38.45	Pass	1.32
		Edge_Full_Right	20.93	20.1	38.45	Pass	1.32
	CP-OFDM 16QAM	Edge_1RB_Left	20.31	19.48	38.45	Pass	1.32
		Edge_1RB_Right	20.6	19.77	38.45	Pass	1.32
		Outer_Full	20.77	19.94	38.45	Pass	1.32
		Inner_Full	21.67	20.84	38.45	Pass	1.32
		Inner_1RB_Left	21.84	21.01	38.45	Pass	1.32
		Inner_1RB_Right	21.35	20.52	38.45	Pass	1.32
		Edge_Full_Left	20.62	19.79	38.45	Pass	1.32
		Edge_Full_Right	20.31	19.48	38.45	Pass	1.32
		Edge_1RB_Left	19.93	19.1	38.45	Pass	1.32
	CP-OFDM 64QAM	Edge_1RB_Right	20	19.17	38.45	Pass	1.32
		Outer_Full	20.25	19.42	38.45	Pass	1.32
		Inner_Full	20.11	19.28	38.45	Pass	1.32
		Inner_1RB_Left	19.83	19	38.45	Pass	1.32
		Inner_1RB_Right	19.96	19.13	38.45	Pass	1.32
		Edge_Full_Left	17.46	16.63	38.45	Pass	1.32
		Edge_Full_Right	17.87	17.04	38.45	Pass	1.32
		Edge_1RB_Left	17.37	16.54	38.45	Pass	1.32
		Edge_1RB_Right	17.48	16.65	38.45	Pass	1.32
	CP-OFDM 256QAM						

			Outer_Full	17.33	16.5	38.45	Pass	1.32
			Inner_Full	17.08	16.25	38.45	Pass	1.32
			Inner_1RB_Left	17.45	16.62	38.45	Pass	1.32
			Inner_1RB_Right	17.32	16.49	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK	836.5MHz	Edge_Full_Left	23.08	22.25	38.45	Pass	1.32
			Edge_Full_Right	23.19	22.36	38.45	Pass	1.32
			Edge_1RB_Left	23.09	22.26	38.45	Pass	1.32
			Edge_1RB_Right	22.9	22.07	38.45	Pass	1.32
			Outer_Full	23.36	22.53	38.45	Pass	1.32
			Inner_Full	23.08	22.25	38.45	Pass	1.32
			Inner_1RB_Left	23.13	22.3	38.45	Pass	1.32
			Inner_1RB_Right	23.14	22.31	38.45	Pass	1.32
	DFT-s-OFDM QPSK		Edge_Full_Left	22.48	21.65	38.45	Pass	1.32
			Edge_Full_Right	22.27	21.44	38.45	Pass	1.32
			Edge_1RB_Left	22.02	21.19	38.45	Pass	1.32
			Edge_1RB_Right	21.98	21.15	38.45	Pass	1.32
			Outer_Full	22.72	21.89	38.45	Pass	1.32
			Inner_Full	23.27	22.44	38.45	Pass	1.32
			Inner_1RB_Left	23.16	22.33	38.45	Pass	1.32
			Inner_1RB_Right	23.1	22.27	38.45	Pass	1.32
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.59	20.76	38.45	Pass	1.32
			Edge_Full_Right	21.63	20.8	38.45	Pass	1.32
			Edge_1RB_Left	21.18	20.35	38.45	Pass	1.32
			Edge_1RB_Right	21.47	20.64	38.45	Pass	1.32
			Outer_Full	21.61	20.78	38.45	Pass	1.32
			Inner_Full	22.63	21.8	38.45	Pass	1.32
			Inner_1RB_Left	22.5	21.67	38.45	Pass	1.32
			Inner_1RB_Right	22.78	21.95	38.45	Pass	1.32
	DFT-s-OFDM 64QAM		Edge_Full_Left	20.96	20.13	38.45	Pass	1.32
			Edge_Full_Right	21.06	20.23	38.45	Pass	1.32
			Edge_1RB_Left	21.18	20.35	38.45	Pass	1.32
			Edge_1RB_Right	21.14	20.31	38.45	Pass	1.32
			Outer_Full	21.36	20.53	38.45	Pass	1.32
			Inner_Full	21.27	20.44	38.45	Pass	1.32
			Inner_1RB_Left	21.12	20.29	38.45	Pass	1.32
			Inner_1RB_Right	20.96	20.13	38.45	Pass	1.32
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.64	18.81	38.45	Pass	1.32
			Edge_Full_Right	19.04	18.21	38.45	Pass	1.32
			Edge_1RB_Left	19.23	18.4	38.45	Pass	1.32
			Edge_1RB_Right	19.33	18.5	38.45	Pass	1.32
			Outer_Full	19.14	18.31	38.45	Pass	1.32
			Inner_Full	19.23	18.4	38.45	Pass	1.32
			Inner_1RB_Left	19.1	18.27	38.45	Pass	1.32
			Inner_1RB_Right	19.22	18.39	38.45	Pass	1.32
	CP-OFDM QPSK		Edge_Full_Left	20.31	19.48	38.45	Pass	1.32

		839MHz	Edge_Full_Right	20.54	19.71	38.45	Pass	1.32
			Edge_1RB_Left	20.23	19.4	38.45	Pass	1.32
			Edge_1RB_Right	20.58	19.75	38.45	Pass	1.32
			Outer_Full	20.59	19.76	38.45	Pass	1.32
			Inner_Full	22.04	21.21	38.45	Pass	1.32
			Inner_1RB_Left	21.8	20.97	38.45	Pass	1.32
			Inner_1RB_Right	21.58	20.75	38.45	Pass	1.32
	CP-OFDM 16QAM		Edge_Full_Left	21.05	20.22	38.45	Pass	1.32
			Edge_Full_Right	20.76	19.93	38.45	Pass	1.32
			Edge_1RB_Left	20.35	19.52	38.45	Pass	1.32
			Edge_1RB_Right	20.52	19.69	38.45	Pass	1.32
			Outer_Full	20.83	20	38.45	Pass	1.32
			Inner_Full	21.54	20.71	38.45	Pass	1.32
			Inner_1RB_Left	21.49	20.66	38.45	Pass	1.32
	CP-OFDM 64QAM		Inner_1RB_Right	21.38	20.55	38.45	Pass	1.32
			Edge_Full_Left	20.45	19.62	38.45	Pass	1.32
			Edge_Full_Right	20.11	19.28	38.45	Pass	1.32
			Edge_1RB_Left	20.2	19.37	38.45	Pass	1.32
			Edge_1RB_Right	19.84	19.01	38.45	Pass	1.32
			Outer_Full	20.26	19.43	38.45	Pass	1.32
			Inner_Full	20.35	19.52	38.45	Pass	1.32
	CP-OFDM 256QAM		Inner_1RB_Left	20.04	19.21	38.45	Pass	1.32
			Inner_1RB_Right	19.92	19.09	38.45	Pass	1.32
			Edge_Full_Left	17.72	16.89	38.45	Pass	1.32
			Edge_Full_Right	17.83	17	38.45	Pass	1.32
			Edge_1RB_Left	17.52	16.69	38.45	Pass	1.32
			Edge_1RB_Right	17.56	16.73	38.45	Pass	1.32
			Outer_Full	17.46	16.63	38.45	Pass	1.32
	DFT-s-OFDM PI/2 BPSK		Inner_Full	17.26	16.43	38.45	Pass	1.32
			Inner_1RB_Left	17.49	16.66	38.45	Pass	1.32
			Inner_1RB_Right	17.49	16.66	38.45	Pass	1.32
			Edge_Full_Left	23.45	22.62	38.45	Pass	1.32
			Edge_Full_Right	22.63	21.8	38.45	Pass	1.32
Edge_1RB_Left		22.99	22.16	38.45	Pass	1.32		
Edge_1RB_Right		22.42	21.59	38.45	Pass	1.32		
DFT-s-OFDM QPSK	Outer_Full	23.36	22.53	38.45	Pass	1.32		
	Inner_Full	23.09	22.26	38.45	Pass	1.32		
	Inner_1RB_Left	23.05	22.22	38.45	Pass	1.32		
	Inner_1RB_Right	23.02	22.19	38.45	Pass	1.32		
	Edge_Full_Left	22.4	21.57	38.45	Pass	1.32		
	Edge_Full_Right	21.13	20.3	38.45	Pass	1.32		
	Edge_1RB_Left	21.84	21.01	38.45	Pass	1.32		
	Edge_1RB_Right	20.51	19.68	38.45	Pass	1.32		
	Outer_Full	21.96	21.13	38.45	Pass	1.32		
	Inner_Full	22.47	21.64	38.45	Pass	1.32		

	DFT-s-OFDM 16QAM	Inner_1RB_Left	23.08	22.25	38.45	Pass	1.32
		Inner_1RB_Right	21.77	20.94	38.45	Pass	1.32
		Edge_Full_Left	21.07	20.24	38.45	Pass	1.32
		Edge_Full_Right	19.78	18.95	38.45	Pass	1.32
		Edge_1RB_Left	20.91	20.08	38.45	Pass	1.32
		Edge_1RB_Right	19.89	19.06	38.45	Pass	1.32
		Outer_Full	21.26	20.43	38.45	Pass	1.32
		Inner_Full	21.79	20.96	38.45	Pass	1.32
		Inner_1RB_Left	22.03	21.2	38.45	Pass	1.32
		Inner_1RB_Right	20.86	20.03	38.45	Pass	1.32
	DFT-s-OFDM 64QAM	Edge_Full_Left	20.81	19.98	38.45	Pass	1.32
		Edge_Full_Right	19.22	18.39	38.45	Pass	1.32
		Edge_1RB_Left	20.71	19.88	38.45	Pass	1.32
		Edge_1RB_Right	19.31	18.48	38.45	Pass	1.32
		Outer_Full	20.46	19.63	38.45	Pass	1.32
		Inner_Full	20.09	19.26	38.45	Pass	1.32
		Inner_1RB_Left	20.45	19.62	38.45	Pass	1.32
		Inner_1RB_Right	19.35	18.52	38.45	Pass	1.32
		Edge_Full_Left	18.93	18.1	38.45	Pass	1.32
		Edge_Full_Right	17.44	16.61	38.45	Pass	1.32
	DFT-s-OFDM 256QAM	Edge_1RB_Left	18.73	17.9	38.45	Pass	1.32
		Edge_1RB_Right	17.35	16.52	38.45	Pass	1.32
		Outer_Full	18.91	18.08	38.45	Pass	1.32
		Inner_Full	18.96	18.13	38.45	Pass	1.32
		Inner_1RB_Left	18.71	17.88	38.45	Pass	1.32
		Inner_1RB_Right	17.61	16.78	38.45	Pass	1.32
		Edge_Full_Left	20.65	19.82	38.45	Pass	1.32
		Edge_Full_Right	19.36	18.53	38.45	Pass	1.32
		Edge_1RB_Left	19.97	19.14	38.45	Pass	1.32
		Edge_1RB_Right	19.99	19.16	38.45	Pass	1.32
	CP-OFDM QPSK	Outer_Full	20.31	19.48	38.45	Pass	1.32
		Inner_Full	21.01	20.18	38.45	Pass	1.32
		Inner_1RB_Left	21.36	20.53	38.45	Pass	1.32
		Inner_1RB_Right	20.4	19.57	38.45	Pass	1.32
		Edge_Full_Left	21.06	20.23	38.45	Pass	1.32
		Edge_Full_Right	20.01	19.18	38.45	Pass	1.32
		Edge_1RB_Left	20.47	19.64	38.45	Pass	1.32
		Edge_1RB_Right	19.18	18.35	38.45	Pass	1.32
		Outer_Full	20.52	19.69	38.45	Pass	1.32
		Inner_Full	20.94	20.11	38.45	Pass	1.32
	CP-OFDM 16QAM	Inner_1RB_Left	20.92	20.09	38.45	Pass	1.32
		Inner_1RB_Right	19.72	18.89	38.45	Pass	1.32
		Edge_Full_Left	20.3	19.47	38.45	Pass	1.32
		Edge_Full_Right	19.73	18.9	38.45	Pass	1.32
		Edge_1RB_Left	19.9	19.07	38.45	Pass	1.32
	CP-OFDM 64QAM						

		Edge_1RB_Right	19.32	18.49	38.45	Pass	1.32
		Outer_Full	20.3	19.47	38.45	Pass	1.32
		Inner_Full	20.25	19.42	38.45	Pass	1.32
		Inner_1RB_Left	19.87	19.04	38.45	Pass	1.32
		Inner_1RB_Right	19.14	18.31	38.45	Pass	1.32
	CP-OFDM 256QAM	Edge_Full_Left	17.63	16.8	38.45	Pass	1.32
		Edge_Full_Right	17.15	16.32	38.45	Pass	1.32
		Edge_1RB_Left	17.35	16.52	38.45	Pass	1.32
		Edge_1RB_Right	16.92	16.09	38.45	Pass	1.32
		Outer_Full	17.41	16.58	38.45	Pass	1.32
		Inner_Full	17.05	16.22	38.45	Pass	1.32
		Inner_1RB_Left	17.3	16.47	38.45	Pass	1.32
		Inner_1RB_Right	16.91	16.08	38.45	Pass	1.32

Frequency Stability

Band width	Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	3.28	0.0017	2.5	Pass
					HV	6.96	0.0037	2.5	Pass
				-30	NV	-6.56	-0.0035	2.5	Pass
				-20	NV	-4.6	-0.0024	2.5	Pass
				-10	NV	4.16	0.0022	2.5	Pass
				0	NV	-7.94	-0.0042	2.5	Pass
				10	NV	5.24	0.0028	2.5	Pass
				20	NV	2.88	0.0015	2.5	Pass
				30	NV	4.37	0.0023	2.5	Pass
				40	NV	2.52	0.0013	2.5	Pass
	50			NV	7.93	0.0042	2.5	Pass	
	CP-OFDM QPSK			20	LV	-6.91	-0.0037	2.5	Pass
					HV	9.45	0.0050	2.5	Pass
				-30	NV	7.77	0.0041	2.5	Pass
				-20	NV	7.31	0.0039	2.5	Pass
				-10	NV	2.88	0.0015	2.5	Pass
				0	NV	6.41	0.0034	2.5	Pass
				10	NV	6.76	0.0036	2.5	Pass
				20	NV	-8.49	-0.0045	2.5	Pass
				30	NV	-6.55	-0.0035	2.5	Pass
40		NV	6.94	0.0037	2.5	Pass			
50	NV	5.86	0.0031	2.5	Pass				
10MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	7.82	0.0042	2.5	Pass
					HV	-2.72	-0.0014	2.5	Pass
				-30	NV	-7.04	-0.0037	2.5	Pass
				-20	NV	-4.82	-0.0026	2.5	Pass
				-10	NV	-3.61	-0.0019	2.5	Pass
				0	NV	5.39	0.0029	2.5	Pass
				10	NV	1.97	0.0010	2.5	Pass
				20	NV	4.2	0.0022	2.5	Pass
				30	NV	8.51	0.0045	2.5	Pass
				40	NV	-5.85	-0.0031	2.5	Pass
	50			NV	3.82	0.0020	2.5	Pass	
	CP-OFDM QPSK			20	LV	6.13	0.0033	2.5	Pass
					HV	6.24	0.0033	2.5	Pass
				-30	NV	4.78	0.0025	2.5	Pass
				-20	NV	-6.96	-0.0037	2.5	Pass
				-10	NV	-2.36	-0.0013	2.5	Pass

				0	NV	2.39	0.0013	2.5	Pass
				10	NV	-3.24	-0.0017	2.5	Pass
				20	NV	7.68	0.0041	2.5	Pass
				30	NV	-3.25	-0.0017	2.5	Pass
				40	NV	-2.45	-0.0013	2.5	Pass
				50	NV	-3.34	-0.0018	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	4.36	0.0023	2.5	Pass
					HV	-4.05	-0.0022	2.5	Pass
				-30	NV	6.96	0.0037	2.5	Pass
				-20	NV	-8.6	-0.0046	2.5	Pass
				-10	NV	4.93	0.0026	2.5	Pass
				0	NV	5.45	0.0029	2.5	Pass
				10	NV	3.94	0.0021	2.5	Pass
				20	NV	5.33	0.0028	2.5	Pass
				30	NV	4.08	0.0022	2.5	Pass
				40	NV	-8.35	-0.0044	2.5	Pass
	50			NV	3.9	0.0021	2.5	Pass	
	CP-OFDM QPSK			20	LV	-4.02	-0.0021	2.5	Pass
					HV	2.28	0.0012	2.5	Pass
				-30	NV	-7.23	-0.0038	2.5	Pass
				-20	NV	8.63	0.0046	2.5	Pass
				-10	NV	5.23	0.0028	2.5	Pass
				0	NV	9.47	0.0050	2.5	Pass
				10	NV	7.1	0.0038	2.5	Pass
				20	NV	4.68	0.0025	2.5	Pass
				30	NV	5.12	0.0027	2.5	Pass
40		NV	2.92	0.0016	2.5	Pass			
50	NV	6.31	0.0034	2.5	Pass				
20MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	-8.86	-0.0047	2.5	Pass
					HV	-4.85	-0.0026	2.5	Pass
				-30	NV	-2.69	-0.0014	2.5	Pass
				-20	NV	-6.9	-0.0037	2.5	Pass
				-10	NV	9.42	0.0050	2.5	Pass
				0	NV	8.85	0.0047	2.5	Pass
				10	NV	-4.21	-0.0022	2.5	Pass
				20	NV	9.67	0.0051	2.5	Pass
				30	NV	-6.14	-0.0033	2.5	Pass
				40	NV	-4.75	-0.0025	2.5	Pass
	50			NV	-9.51	-0.0051	2.5	Pass	
	CP-OFDM QPSK			20	LV	4.74	0.0025	2.5	Pass
					HV	2.9	0.0015	2.5	Pass
				-30	NV	2.14	0.0011	2.5	Pass
				-20	NV	4.24	0.0023	2.5	Pass
				-10	NV	-6.24	-0.0033	2.5	Pass
				0	NV	-4.77	-0.0025	2.5	Pass

				10	NV	-5.11	-0.0027	2.5	Pass
				20	NV	2.91	0.0015	2.5	Pass
				30	NV	-8.61	-0.0046	2.5	Pass
				40	NV	3.36	0.0018	2.5	Pass
				50	NV	1.74	0.0009	2.5	Pass

Field Strength of Spurious Radiation

NR Band n26(824-849)-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1630.0	-69.35	-13	-56.35	-72.81	2.09	5.55	Horizontal	Pass
2445.0	-67.36	-13	-54.36	-70.42	2.63	5.69	Horizontal	Pass
3260.0	-65.86	-13	-52.86	-70.3	3.13	7.57	Horizontal	Pass
1630.0	-70.21	-13	-57.21	-73.67	2.09	5.55	Vertical	Pass
2445.0	-68.29	-13	-55.29	-71.35	2.63	5.69	Vertical	Pass
3260.0	-65.62	-13	-52.62	-70.06	3.13	7.57	Vertical	Pass

NR Band n26(824-849)-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1645.0	-70.0	-13	-57.0	-73.41	2.1	5.51	Horizontal	Pass
2467.5	-67.63	-13	-54.63	-70.73	2.64	5.74	Horizontal	Pass
3290.0	-65.18	-13	-52.18	-69.67	3.15	7.64	Horizontal	Pass
1645.0	-70.14	-13	-57.14	-73.55	2.1	5.51	Vertical	Pass
2467.5	-68.2	-13	-55.2	-71.3	2.64	5.74	Vertical	Pass
3290.0	-65.83	-13	-52.83	-70.32	3.15	7.64	Vertical	Pass

NR Band n26(824-849)-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-69.81	-13	-56.81	-73.18	2.11	5.48	Horizontal	Pass
2490.0	-67.03	-13	-54.03	-70.18	2.65	5.8	Horizontal	Pass
3320.0	-65.24	-13	-52.24	-69.79	3.17	7.72	Horizontal	Pass
1660.0	-69.65	-13	-56.65	-73.02	2.11	5.48	Vertical	Pass
2490.0	-68.07	-13	-55.07	-71.22	2.65	5.8	Vertical	Pass
3320.0	-65.08	-13	-52.08	-69.63	3.17	7.72	Vertical	Pass

---End of Attachment---