

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	23.41	21.76	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	23.42	21.77	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	23.31	21.66	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.36	20.71	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.35	20.70	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#2	22.37	20.72	34.8	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	22.29	20.64	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	23.33	21.68	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	23.41	21.76	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	23.22	21.57	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.31	20.66	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.30	20.65	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#2	22.33	20.68	34.8	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	22.30	20.65	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	23.16	21.51	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	23.28	21.63	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	23.18	21.53	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.23	20.58	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.24	20.59	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#2	22.25	20.60	34.8	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	22.23	20.58	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	22.19	20.54	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	22.34	20.69	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	22.19	20.54	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	21.19	19.54	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	21.24	19.59	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#2	21.16	19.51	34.8	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	21.12	19.47	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	22.17	20.52	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	22.28	20.63	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	22.11	20.46	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	21.16	19.51	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	21.15	19.50	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#2	21.18	19.53	34.8	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	21.16	19.51	34.8	PASS

Band12	1.4MHz	16QAM	23173	1RB#0	22.06	20.41	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	22.22	20.57	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	22.05	20.40	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	21.10	19.45	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	21.04	19.39	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#2	21.03	19.38	34.8	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	21.05	19.40	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#0	23.41	21.76	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#7	23.36	21.71	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#14	23.30	21.65	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#0	22.25	20.60	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#4	22.29	20.64	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#7	22.35	20.70	34.8	PASS
Band12	3MHz	QPSK	23025	15RB#0	22.33	20.68	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#0	23.36	21.71	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#7	23.36	21.71	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#14	23.31	21.66	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#0	22.31	20.66	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#4	22.29	20.64	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#7	22.28	20.63	34.8	PASS
Band12	3MHz	QPSK	23095	15RB#0	22.29	20.64	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#0	23.35	21.70	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#7	23.26	21.61	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#14	23.29	21.64	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#0	22.31	20.66	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#4	22.34	20.69	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#7	22.28	20.63	34.8	PASS
Band12	3MHz	QPSK	23165	15RB#0	22.28	20.63	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#0	22.46	20.81	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#7	22.30	20.65	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#14	22.35	20.70	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#0	21.32	19.67	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#4	21.32	19.67	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#7	21.36	19.71	34.8	PASS
Band12	3MHz	16QAM	23025	15RB#0	21.35	19.70	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#0	22.25	20.60	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#7	22.23	20.58	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#14	22.16	20.51	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#0	21.29	19.64	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#4	21.29	19.64	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#7	21.24	19.59	34.8	PASS
Band12	3MHz	16QAM	23095	15RB#0	21.17	19.52	34.8	PASS

Band12	3MHz	16QAM	23165	1RB#0	22.12	20.47	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#7	22.24	20.59	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#14	22.17	20.52	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#0	21.31	19.66	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#4	21.33	19.68	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#7	21.27	19.62	34.8	PASS
Band12	3MHz	16QAM	23165	15RB#0	21.16	19.51	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#0	23.14	21.49	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#12	23.23	21.58	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#24	23.17	21.52	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#0	22.34	20.69	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#6	22.32	20.67	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#11	22.26	20.61	34.8	PASS
Band12	5MHz	QPSK	23035	25RB#0	22.30	20.65	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#0	23.27	21.62	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#12	23.31	21.66	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#24	23.27	21.62	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#0	22.41	20.76	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#6	22.42	20.77	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#11	22.42	20.77	34.8	PASS
Band12	5MHz	QPSK	23095	25RB#0	22.35	20.70	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#0	23.22	21.57	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#12	23.37	21.72	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#24	23.22	21.57	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#0	22.24	20.59	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#6	22.22	20.57	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#11	22.21	20.56	34.8	PASS
Band12	5MHz	QPSK	23155	25RB#0	22.28	20.63	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#0	22.24	20.59	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#12	22.40	20.75	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#24	22.32	20.67	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#0	21.38	19.73	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#6	21.40	19.75	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#11	21.41	19.76	34.8	PASS
Band12	5MHz	16QAM	23035	25RB#0	21.26	19.61	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#0	22.37	20.72	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#12	22.47	20.82	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#24	22.35	20.70	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#0	21.41	19.76	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#6	21.44	19.79	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#11	21.43	19.78	34.8	PASS
Band12	5MHz	16QAM	23095	25RB#0	21.32	19.67	34.8	PASS

Band12	5MHz	16QAM	23155	1RB#0	22.13	20.48	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#12	22.29	20.64	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#24	22.12	20.47	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#0	21.24	19.59	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#6	21.22	19.57	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#11	21.21	19.56	34.8	PASS
Band12	5MHz	16QAM	23155	25RB#0	21.29	19.64	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#0	23.43	21.78	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#24	23.65	22.00	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#49	23.39	21.74	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#0	22.34	20.69	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#12	22.38	20.73	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#24	22.39	20.74	34.8	PASS
Band12	10MHz	QPSK	23060	50RB#0	22.27	20.62	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#0	23.34	21.69	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#24	23.61	21.96	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#49	23.41	21.76	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#0	22.60	20.95	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#12	22.58	20.93	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#24	22.55	20.90	34.8	PASS
Band12	10MHz	QPSK	23095	50RB#0	22.51	20.86	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#0	23.42	21.77	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#24	23.52	21.87	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#49	23.39	21.74	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#0	22.50	20.85	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#12	22.45	20.80	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#24	22.53	20.88	34.8	PASS
Band12	10MHz	QPSK	23130	50RB#0	22.47	20.82	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#0	22.32	20.67	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#24	22.38	20.73	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#49	22.31	20.66	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#0	21.40	19.75	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#12	21.37	19.72	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#24	21.40	19.75	34.8	PASS
Band12	10MHz	16QAM	23060	50RB#0	21.37	19.72	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#0	22.36	20.71	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#24	22.67	21.02	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#49	22.43	20.78	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#0	21.57	19.92	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#12	21.56	19.91	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#24	21.55	19.90	34.8	PASS
Band12	10MHz	16QAM	23095	50RB#0	21.52	19.87	34.8	PASS

Band12	10MHz	16QAM	23130	1RB#0	22.33	20.68	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#24	22.50	20.85	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#49	22.21	20.56	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#0	21.50	19.85	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#12	21.48	19.83	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#24	21.41	19.76	34.8	PASS
Band12	10MHz	16QAM	23130	50RB#0	21.45	19.80	34.8	PASS
Band13	5MHz	QPSK	23205	1RB#0	23.27	21.62	34.8	PASS
Band13	5MHz	QPSK	23205	1RB#12	23.33	21.68	34.8	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.28	21.63	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#0	22.35	20.70	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#6	22.35	20.70	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#11	22.26	20.61	34.8	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.28	20.63	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.29	21.64	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#12	23.35	21.70	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#24	23.25	21.60	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.35	20.70	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#6	22.29	20.64	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#11	22.30	20.65	34.8	PASS
Band13	5MHz	QPSK	23230	25RB#0	22.34	20.69	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#0	23.18	21.53	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#12	23.32	21.67	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#24	23.18	21.53	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#0	22.18	20.53	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#6	22.26	20.61	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#11	22.22	20.57	34.8	PASS
Band13	5MHz	QPSK	23255	25RB#0	22.25	20.60	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#0	22.21	20.56	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#12	22.28	20.63	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#24	22.20	20.55	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#0	21.27	19.62	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#6	21.30	19.65	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#11	21.27	19.62	34.8	PASS
Band13	5MHz	16QAM	23205	25RB#0	21.34	19.69	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#0	22.22	20.57	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#12	22.28	20.63	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#24	22.19	20.54	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#0	21.24	19.59	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#6	21.26	19.61	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#11	21.29	19.64	34.8	PASS
Band13	5MHz	16QAM	23230	25RB#0	21.32	19.67	34.8	PASS

Band13	5MHz	16QAM	23255	1RB#0	22.27	20.62	34.8	PASS
Band13	5MHz	16QAM	23255	1RB#12	22.42	20.77	34.8	PASS
Band13	5MHz	16QAM	23255	1RB#24	22.25	20.60	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#0	21.28	19.63	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.24	19.59	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#11	21.27	19.62	34.8	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.26	19.61	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#0	23.24	21.59	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#24	23.52	21.87	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#49	23.24	21.59	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#0	22.47	20.82	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#12	22.48	20.83	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#24	22.44	20.79	34.8	PASS
Band13	10MHz	QPSK	23230	50RB#0	22.42	20.77	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#0	22.24	20.59	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#24	22.40	20.75	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#49	22.27	20.62	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.44	19.79	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.47	19.82	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#24	21.43	19.78	34.8	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.41	19.76	34.8	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	23.11	23.61	38.5	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.16	23.66	38.5	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.14	23.64	38.5	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	22.18	22.68	38.5	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	22.16	22.66	38.5	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.24	22.74	38.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.20	22.70	38.5	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.16	23.66	38.5	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.28	23.78	38.5	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.20	23.70	38.5	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	22.15	22.65	38.5	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	22.19	22.69	38.5	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	22.25	22.75	38.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.23	22.73	38.5	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.15	23.65	38.5	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.36	23.86	38.5	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.19	23.69	38.5	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.22	22.72	38.5	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.20	22.70	38.5	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.28	22.78	38.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.19	22.69	38.5	PASS

Band25	1.4MHz	16QAM	26047	1RB#0	22.09	22.59	38.5	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.25	22.75	38.5	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.10	22.60	38.5	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	21.10	21.60	38.5	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	21.17	21.67	38.5	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	21.12	21.62	38.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.16	21.66	38.5	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	22.02	22.52	38.5	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	22.00	22.50	38.5	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.95	22.45	38.5	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	21.05	21.55	38.5	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	21.08	21.58	38.5	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	21.02	21.52	38.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.06	21.56	38.5	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	22.03	22.53	38.5	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.07	22.57	38.5	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.93	22.43	38.5	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.10	21.60	38.5	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	21.06	21.56	38.5	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	21.12	21.62	38.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.03	21.53	38.5	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.16	23.66	38.5	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.14	23.64	38.5	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.19	23.69	38.5	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.20	22.70	38.5	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.23	22.73	38.5	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.22	22.72	38.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.19	22.69	38.5	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.18	23.68	38.5	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.17	23.67	38.5	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.19	23.69	38.5	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.18	22.68	38.5	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.17	22.67	38.5	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.15	22.65	38.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.14	22.64	38.5	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.07	23.57	38.5	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.13	23.63	38.5	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.19	23.69	38.5	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.21	22.71	38.5	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.22	22.72	38.5	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.16	22.66	38.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.16	22.66	38.5	PASS

Band25	3MHz	16QAM	26055	1RB#0	22.18	22.68	38.5	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.17	22.67	38.5	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.15	22.65	38.5	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.19	21.69	38.5	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.17	21.67	38.5	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.19	21.69	38.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.17	21.67	38.5	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.12	22.62	38.5	PASS
Band25	3MHz	16QAM	26365	1RB#8	22.10	22.60	38.5	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.04	22.54	38.5	PASS
Band25	3MHz	16QAM	26365	8RB#0	21.13	21.63	38.5	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.15	21.65	38.5	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.11	21.61	38.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	21.01	21.51	38.5	PASS
Band25	3MHz	16QAM	26675	1RB#0	21.95	22.45	38.5	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.08	22.58	38.5	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.10	22.60	38.5	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.15	21.65	38.5	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.14	21.64	38.5	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.15	21.65	38.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.04	21.54	38.5	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.11	23.61	38.5	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.21	23.71	38.5	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.10	23.60	38.5	PASS
Band25	5MHz	QPSK	26065	12RB#0	22.23	22.73	38.5	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.18	22.68	38.5	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.17	22.67	38.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	22.12	22.62	38.5	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.08	23.58	38.5	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.21	23.71	38.5	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.03	23.53	38.5	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.15	22.65	38.5	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.13	22.63	38.5	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.12	22.62	38.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.13	22.63	38.5	PASS
Band25	5MHz	QPSK	26665	1RB#0	22.99	23.49	38.5	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.18	23.68	38.5	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.11	23.61	38.5	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.18	22.68	38.5	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.22	22.72	38.5	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.07	22.57	38.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.11	22.61	38.5	PASS

Band25	5MHz	16QAM	26065	1RB#0	22.05	22.55	38.5	PASS
Band25	5MHz	16QAM	26065	1RB#12	22.14	22.64	38.5	PASS
Band25	5MHz	16QAM	26065	1RB#24	22.00	22.50	38.5	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.10	21.60	38.5	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.11	21.61	38.5	PASS
Band25	5MHz	16QAM	26065	12RB#13	21.15	21.65	38.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	21.15	21.65	38.5	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.12	22.62	38.5	PASS
Band25	5MHz	16QAM	26365	1RB#12	22.25	22.75	38.5	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.16	22.66	38.5	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.13	21.63	38.5	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.08	21.58	38.5	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.18	21.68	38.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.12	21.62	38.5	PASS
Band25	5MHz	16QAM	26665	1RB#0	21.98	22.48	38.5	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.06	22.56	38.5	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.01	22.51	38.5	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.21	21.71	38.5	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.14	21.64	38.5	PASS
Band25	5MHz	16QAM	26665	12RB#13	20.97	21.47	38.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.11	21.61	38.5	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.12	23.62	38.5	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.23	23.73	38.5	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.04	23.54	38.5	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.26	22.76	38.5	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.24	22.74	38.5	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.21	22.71	38.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.21	22.71	38.5	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.18	23.68	38.5	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.34	23.84	38.5	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.09	23.59	38.5	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.21	22.71	38.5	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.19	22.69	38.5	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.26	22.76	38.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.22	22.72	38.5	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.04	23.54	38.5	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.22	23.72	38.5	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.15	23.65	38.5	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.07	22.57	38.5	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.07	22.57	38.5	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.02	22.52	38.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.03	22.53	38.5	PASS

Band25	10MHz	16QAM	26090	1RB#0	22.16	22.66	38.5	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.17	22.67	38.5	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.07	22.57	38.5	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.20	21.70	38.5	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.19	21.69	38.5	PASS
Band25	10MHz	16QAM	26090	25RB#25	21.15	21.65	38.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.21	21.71	38.5	PASS
Band25	10MHz	16QAM	26365	1RB#0	22.01	22.51	38.5	PASS
Band25	10MHz	16QAM	26365	1RB#24	22.21	22.71	38.5	PASS
Band25	10MHz	16QAM	26365	1RB#49	21.92	22.42	38.5	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.19	21.69	38.5	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.20	21.70	38.5	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.26	21.76	38.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.27	21.77	38.5	PASS
Band25	10MHz	16QAM	26640	1RB#0	21.82	22.32	38.5	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.01	22.51	38.5	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.00	22.50	38.5	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.08	21.58	38.5	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.07	21.57	38.5	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.03	21.53	38.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.04	21.54	38.5	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.08	23.58	38.5	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.11	23.61	38.5	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.90	23.40	38.5	PASS
Band25	15MHz	QPSK	26115	38RB#0	22.04	22.54	38.5	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.17	22.67	38.5	PASS
Band25	15MHz	QPSK	26115	38RB#37	21.96	22.46	38.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.17	22.67	38.5	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.01	23.51	38.5	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.13	23.63	38.5	PASS
Band25	15MHz	QPSK	26365	1RB#74	22.92	23.42	38.5	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.21	22.71	38.5	PASS
Band25	15MHz	QPSK	26365	38RB#18	22.30	22.80	38.5	PASS
Band25	15MHz	QPSK	26365	38RB#37	22.10	22.60	38.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.24	22.74	38.5	PASS
Band25	15MHz	QPSK	26615	1RB#0	22.93	23.43	38.5	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.08	23.58	38.5	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.13	23.63	38.5	PASS
Band25	15MHz	QPSK	26615	38RB#0	21.71	22.21	38.5	PASS
Band25	15MHz	QPSK	26615	38RB#18	21.90	22.40	38.5	PASS
Band25	15MHz	QPSK	26615	38RB#37	21.96	22.46	38.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.08	22.58	38.5	PASS

Band25	15MHz	16QAM	26115	1RB#0	22.12	22.62	38.5	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.13	22.63	38.5	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.93	22.43	38.5	PASS
Band25	15MHz	16QAM	26115	38RB#0	22.13	22.63	38.5	PASS
Band25	15MHz	16QAM	26115	38RB#18	22.13	22.63	38.5	PASS
Band25	15MHz	16QAM	26115	38RB#37	21.94	22.44	38.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.15	21.65	38.5	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.17	22.67	38.5	PASS
Band25	15MHz	16QAM	26365	1RB#38	22.32	22.82	38.5	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.12	22.62	38.5	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.19	22.69	38.5	PASS
Band25	15MHz	16QAM	26365	38RB#18	22.30	22.80	38.5	PASS
Band25	15MHz	16QAM	26365	38RB#37	22.12	22.62	38.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.19	21.69	38.5	PASS
Band25	15MHz	16QAM	26615	1RB#0	21.73	22.23	38.5	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.82	22.32	38.5	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.93	22.43	38.5	PASS
Band25	15MHz	16QAM	26615	38RB#0	21.72	22.22	38.5	PASS
Band25	15MHz	16QAM	26615	38RB#18	21.92	22.42	38.5	PASS
Band25	15MHz	16QAM	26615	38RB#37	21.95	22.45	38.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.07	21.57	38.5	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.01	23.51	38.5	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.16	23.66	38.5	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.00	23.50	38.5	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.13	22.63	38.5	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.15	22.65	38.5	PASS
Band25	20MHz	QPSK	26140	50RB#50	22.00	22.50	38.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	22.07	22.57	38.5	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.02	23.52	38.5	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.31	23.81	38.5	PASS
Band25	20MHz	QPSK	26365	1RB#99	22.89	23.39	38.5	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.06	22.56	38.5	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.10	22.60	38.5	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.14	22.64	38.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.13	22.63	38.5	PASS
Band25	20MHz	QPSK	26590	1RB#0	22.89	23.39	38.5	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.23	23.73	38.5	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.11	23.61	38.5	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.08	22.58	38.5	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.07	22.57	38.5	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.00	22.50	38.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.04	22.54	38.5	PASS

Band25	20MHz	16QAM	26140	1RB#0	21.91	22.41	38.5	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.09	22.59	38.5	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.91	22.41	38.5	PASS
Band25	20MHz	16QAM	26140	50RB#0	21.15	21.65	38.5	PASS
Band25	20MHz	16QAM	26140	50RB#25	21.10	21.60	38.5	PASS
Band25	20MHz	16QAM	26140	50RB#50	21.01	21.51	38.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	21.07	21.57	38.5	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.17	22.67	38.5	PASS
Band25	20MHz	16QAM	26365	1RB#49	22.31	22.81	38.5	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.15	22.65	38.5	PASS
Band25	20MHz	16QAM	26365	50RB#0	21.09	21.59	38.5	PASS
Band25	20MHz	16QAM	26365	50RB#25	21.09	21.59	38.5	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.16	21.66	38.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	21.15	21.65	38.5	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.92	22.42	38.5	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.17	22.67	38.5	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.04	22.54	38.5	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.11	21.61	38.5	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.08	21.58	38.5	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.06	21.56	38.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.04	21.54	38.5	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	23.49	21.84	38.5	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	23.61	21.96	38.5	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.52	21.87	38.5	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	22.54	20.89	38.5	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	22.43	20.78	38.5	PASS
Band26	1.4MHz	QPSK	26697	3RB#2	22.52	20.87	38.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	22.50	20.85	38.5	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	23.55	21.90	38.5	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	23.72	22.07	38.5	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	23.49	21.84	38.5	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	23.59	21.94	38.5	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	23.61	21.96	38.5	PASS
Band26	1.4MHz	QPSK	26740	3RB#2	23.58	21.93	38.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	22.49	20.84	38.5	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	23.44	21.79	38.5	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	23.60	21.95	38.5	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	23.50	21.85	38.5	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	23.60	21.95	38.5	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.57	21.92	38.5	PASS
Band26	1.4MHz	QPSK	26783	3RB#2	23.61	21.96	38.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	22.52	20.87	38.5	PASS

Band26	1.4MHz	QPSK	26797	1RB#0	23.39	21.74	38.5	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.48	21.83	38.5	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.48	21.83	38.5	PASS
Band26	1.4MHz	QPSK	26797	3RB#0	23.55	21.90	38.5	PASS
Band26	1.4MHz	QPSK	26797	3RB#1	23.54	21.89	38.5	PASS
Band26	1.4MHz	QPSK	26797	3RB#3	23.53	21.88	38.5	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.51	20.86	38.5	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.50	21.85	38.5	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.65	22.00	38.5	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.44	21.79	38.5	PASS
Band26	1.4MHz	QPSK	26915	3RB#0	22.52	20.87	38.5	PASS
Band26	1.4MHz	QPSK	26915	3RB#1	22.55	20.90	38.5	PASS
Band26	1.4MHz	QPSK	26915	3RB#3	22.56	20.91	38.5	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.54	20.89	38.5	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.56	21.91	38.5	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.62	21.97	38.5	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.55	21.90	38.5	PASS
Band26	1.4MHz	QPSK	27033	3RB#0	22.57	20.92	38.5	PASS
Band26	1.4MHz	QPSK	27033	3RB#1	22.56	20.91	38.5	PASS
Band26	1.4MHz	QPSK	27033	3RB#3	22.60	20.95	38.5	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.61	20.96	38.5	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	22.29	20.64	38.5	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	22.52	20.87	38.5	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	22.26	20.61	38.5	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	21.38	19.73	38.5	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	21.37	19.72	38.5	PASS
Band26	1.4MHz	16QAM	26697	3RB#2	21.34	19.69	38.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	21.33	19.68	38.5	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	22.26	20.61	38.5	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	22.44	20.79	38.5	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	22.28	20.63	38.5	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	22.35	20.70	38.5	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	22.35	20.70	38.5	PASS
Band26	1.4MHz	16QAM	26740	3RB#2	22.32	20.67	38.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	21.50	19.85	38.5	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	22.39	20.74	38.5	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	22.45	20.8	38.5	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.43	20.78	38.5	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.34	20.69	38.5	PASS
Band26	1.4MHz	16QAM	26783	3RB#1	22.36	20.71	38.5	PASS
Band26	1.4MHz	16QAM	26783	3RB#2	22.35	20.70	38.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	21.51	19.86	38.5	PASS

Band26	1.4MHz	16QAM	26797	1RB#0	22.35	20.70	38.5	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.52	20.87	38.5	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.36	20.71	38.5	PASS
Band26	1.4MHz	16QAM	26797	3RB#0	22.33	20.68	38.5	PASS
Band26	1.4MHz	16QAM	26797	3RB#1	22.32	20.67	38.5	PASS
Band26	1.4MHz	16QAM	26797	3RB#3	22.32	20.67	38.5	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.49	19.84	38.5	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.38	20.73	38.5	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.52	20.87	38.5	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.38	20.73	38.5	PASS
Band26	1.4MHz	16QAM	26915	3RB#0	21.40	19.75	38.5	PASS
Band26	1.4MHz	16QAM	26915	3RB#1	21.37	19.72	38.5	PASS
Band26	1.4MHz	16QAM	26915	3RB#3	21.44	19.79	38.5	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.37	19.72	38.5	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.40	20.75	38.5	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.51	20.86	38.5	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.37	20.72	38.5	PASS
Band26	1.4MHz	16QAM	27033	3RB#0	21.41	19.76	38.5	PASS
Band26	1.4MHz	16QAM	27033	3RB#1	21.39	19.74	38.5	PASS
Band26	1.4MHz	16QAM	27033	3RB#3	21.43	19.78	38.5	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.41	19.76	38.5	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.55	21.90	38.5	PASS
Band26	3MHz	QPSK	26705	1RB#7	23.53	21.88	38.5	PASS
Band26	3MHz	QPSK	26705	1RB#14	23.52	21.87	38.5	PASS
Band26	3MHz	QPSK	26705	8RB#0	22.43	20.78	38.5	PASS
Band26	3MHz	QPSK	26705	8RB#4	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	26705	8RB#7	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	22.38	20.73	38.5	PASS
Band26	3MHz	QPSK	26740	1RB#0	23.45	21.80	38.5	PASS
Band26	3MHz	QPSK	26740	1RB#7	23.51	21.86	38.5	PASS
Band26	3MHz	QPSK	26740	1RB#14	23.58	21.93	38.5	PASS
Band26	3MHz	QPSK	26740	8RB#0	22.49	20.84	38.5	PASS
Band26	3MHz	QPSK	26740	8RB#4	22.50	20.85	38.5	PASS
Band26	3MHz	QPSK	26740	8RB#7	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	22.46	20.81	38.5	PASS
Band26	3MHz	QPSK	26775	1RB#0	23.49	21.84	38.5	PASS
Band26	3MHz	QPSK	26775	1RB#7	23.49	21.84	38.5	PASS
Band26	3MHz	QPSK	26775	1RB#14	23.54	21.89	38.5	PASS
Band26	3MHz	QPSK	26775	8RB#0	22.45	20.80	38.5	PASS
Band26	3MHz	QPSK	26775	8RB#4	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	26775	8RB#7	22.49	20.84	38.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	22.42	20.77	38.5	PASS

Band26	3MHz	QPSK	26805	1RB#0	23.50	21.85	38.5	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.55	21.9	38.5	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.54	21.89	38.5	PASS
Band26	3MHz	QPSK	26805	8RB#0	22.49	20.84	38.5	PASS
Band26	3MHz	QPSK	26805	8RB#4	22.50	20.85	38.5	PASS
Band26	3MHz	QPSK	26805	8RB#7	22.52	20.87	38.5	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.52	21.87	38.5	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.55	21.90	38.5	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.51	21.86	38.5	PASS
Band26	3MHz	QPSK	26915	8RB#0	22.49	20.84	38.5	PASS
Band26	3MHz	QPSK	26915	8RB#4	22.50	20.85	38.5	PASS
Band26	3MHz	QPSK	26915	8RB#7	22.47	20.82	38.5	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.48	20.83	38.5	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.51	21.86	38.5	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.48	21.83	38.5	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.51	21.86	38.5	PASS
Band26	3MHz	QPSK	27025	8RB#0	22.59	20.94	38.5	PASS
Band26	3MHz	QPSK	27025	8RB#4	22.59	20.94	38.5	PASS
Band26	3MHz	QPSK	27025	8RB#7	22.53	20.88	38.5	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.52	20.87	38.5	PASS
Band26	3MHz	16QAM	26705	1RB#0	22.33	20.68	38.5	PASS
Band26	3MHz	16QAM	26705	1RB#7	22.35	20.70	38.5	PASS
Band26	3MHz	16QAM	26705	1RB#14	22.30	20.65	38.5	PASS
Band26	3MHz	16QAM	26705	8RB#0	21.44	19.79	38.5	PASS
Band26	3MHz	16QAM	26705	8RB#4	21.48	19.83	38.5	PASS
Band26	3MHz	16QAM	26705	8RB#7	21.50	19.85	38.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	21.36	19.71	38.5	PASS
Band26	3MHz	16QAM	26740	1RB#0	22.24	20.59	38.5	PASS
Band26	3MHz	16QAM	26740	1RB#7	22.29	20.64	38.5	PASS
Band26	3MHz	16QAM	26740	1RB#14	22.35	20.70	38.5	PASS
Band26	3MHz	16QAM	26740	8RB#0	21.48	19.83	38.5	PASS
Band26	3MHz	16QAM	26740	8RB#4	21.46	19.81	38.5	PASS
Band26	3MHz	16QAM	26740	8RB#7	21.46	19.81	38.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	21.35	19.70	38.5	PASS
Band26	3MHz	16QAM	26775	1RB#0	22.53	20.88	38.5	PASS
Band26	3MHz	16QAM	26775	1RB#7	22.47	20.82	38.5	PASS
Band26	3MHz	16QAM	26775	1RB#14	22.49	20.84	38.5	PASS
Band26	3MHz	16QAM	26775	8RB#0	21.47	19.82	38.5	PASS
Band26	3MHz	16QAM	26775	8RB#4	21.51	19.86	38.5	PASS
Band26	3MHz	16QAM	26775	8RB#7	21.48	19.83	38.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	21.44	19.79	38.5	PASS

Band26	3MHz	16QAM	26805	1RB#0	22.53	20.88	38.5	PASS
Band26	3MHz	16QAM	26805	1RB#8	22.51	20.86	38.5	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.50	20.85	38.5	PASS
Band26	3MHz	16QAM	26805	8RB#0	21.49	19.84	38.5	PASS
Band26	3MHz	16QAM	26805	8RB#4	21.50	19.85	38.5	PASS
Band26	3MHz	16QAM	26805	8RB#7	21.49	19.84	38.5	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.50	19.85	38.5	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.42	20.77	38.5	PASS
Band26	3MHz	16QAM	26915	1RB#8	22.33	20.68	38.5	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.35	20.70	38.5	PASS
Band26	3MHz	16QAM	26915	8RB#0	21.42	19.77	38.5	PASS
Band26	3MHz	16QAM	26915	8RB#4	21.49	19.84	38.5	PASS
Band26	3MHz	16QAM	26915	8RB#7	21.47	19.82	38.5	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.43	19.78	38.5	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.29	20.64	38.5	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.34	20.69	38.5	PASS
Band26	3MHz	16QAM	27025	1RB#14	22.33	20.68	38.5	PASS
Band26	3MHz	16QAM	27025	8RB#0	21.54	19.89	38.5	PASS
Band26	3MHz	16QAM	27025	8RB#4	21.55	19.90	38.5	PASS
Band26	3MHz	16QAM	27025	8RB#7	21.53	19.88	38.5	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.43	19.78	38.5	PASS
Band26	5MHz	QPSK	26715	1RB#0	23.39	21.74	38.5	PASS
Band26	5MHz	QPSK	26715	1RB#12	23.57	21.92	38.5	PASS
Band26	5MHz	QPSK	26715	1RB#24	23.39	21.74	38.5	PASS
Band26	5MHz	QPSK	26715	12RB#0	22.45	20.8	38.5	PASS
Band26	5MHz	QPSK	26715	12RB#6	22.40	20.75	38.5	PASS
Band26	5MHz	QPSK	26715	12RB#11	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	22.49	20.84	38.5	PASS
Band26	5MHz	QPSK	26740	1RB#0	23.41	21.76	38.5	PASS
Band26	5MHz	QPSK	26740	1RB#12	23.57	21.92	38.5	PASS
Band26	5MHz	QPSK	26740	1RB#24	23.48	21.83	38.5	PASS
Band26	5MHz	QPSK	26740	12RB#0	22.49	20.84	38.5	PASS
Band26	5MHz	QPSK	26740	12RB#6	22.48	20.83	38.5	PASS
Band26	5MHz	QPSK	26740	12RB#11	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26765	1RB#0	23.47	21.82	38.5	PASS
Band26	5MHz	QPSK	26765	1RB#12	23.59	21.94	38.5	PASS
Band26	5MHz	QPSK	26765	1RB#24	23.51	21.86	38.5	PASS
Band26	5MHz	QPSK	26765	12RB#0	22.45	20.80	38.5	PASS
Band26	5MHz	QPSK	26765	12RB#6	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26765	12RB#11	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	22.46	20.81	38.5	PASS

Band26	5MHz	QPSK	26815	1RB#0	23.48	21.83	38.5	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.67	22.02	38.5	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.51	21.86	38.5	PASS
Band26	5MHz	QPSK	26815	12RB#0	22.48	20.83	38.5	PASS
Band26	5MHz	QPSK	26815	12RB#6	22.55	20.90	38.5	PASS
Band26	5MHz	QPSK	26815	12RB#13	22.51	20.86	38.5	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.49	20.84	38.5	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.42	21.77	38.5	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.48	21.83	38.5	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.36	21.71	38.5	PASS
Band26	5MHz	QPSK	26915	12RB#0	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	26915	12RB#6	22.48	20.83	38.5	PASS
Band26	5MHz	QPSK	26915	12RB#13	22.44	20.79	38.5	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.50	20.85	38.5	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.45	21.80	38.5	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.61	21.96	38.5	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.49	21.84	38.5	PASS
Band26	5MHz	QPSK	27015	12RB#0	22.59	20.94	38.5	PASS
Band26	5MHz	QPSK	27015	12RB#6	22.61	20.96	38.5	PASS
Band26	5MHz	QPSK	27015	12RB#13	22.46	20.81	38.5	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.56	20.91	38.5	PASS
Band26	5MHz	16QAM	26715	1RB#0	22.43	20.78	38.5	PASS
Band26	5MHz	16QAM	26715	1RB#12	22.57	20.92	38.5	PASS
Band26	5MHz	16QAM	26715	1RB#24	22.48	20.83	38.5	PASS
Band26	5MHz	16QAM	26715	12RB#0	21.46	19.81	38.5	PASS
Band26	5MHz	16QAM	26715	12RB#6	21.48	19.83	38.5	PASS
Band26	5MHz	16QAM	26715	12RB#11	21.45	19.80	38.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	21.44	19.79	38.5	PASS
Band26	5MHz	16QAM	26740	1RB#0	22.34	20.69	38.5	PASS
Band26	5MHz	16QAM	26740	1RB#12	22.41	20.76	38.5	PASS
Band26	5MHz	16QAM	26740	1RB#24	22.34	20.69	38.5	PASS
Band26	5MHz	16QAM	26740	12RB#0	21.49	19.84	38.5	PASS
Band26	5MHz	16QAM	26740	12RB#6	21.46	19.81	38.5	PASS
Band26	5MHz	16QAM	26740	12RB#11	21.48	19.83	38.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	21.56	19.91	38.5	PASS
Band26	5MHz	16QAM	26765	1RB#0	22.35	20.70	38.5	PASS
Band26	5MHz	16QAM	26765	1RB#12	22.52	20.87	38.5	PASS
Band26	5MHz	16QAM	26765	1RB#24	22.40	20.75	38.5	PASS
Band26	5MHz	16QAM	26765	12RB#0	21.43	19.78	38.5	PASS
Band26	5MHz	16QAM	26765	12RB#6	21.48	19.83	38.5	PASS
Band26	5MHz	16QAM	26765	12RB#11	21.45	19.80	38.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	21.48	19.83	38.5	PASS

Band26	5MHz	16QAM	26815	1RB#0	22.33	20.68	38.5	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.55	20.90	38.5	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.45	20.80	38.5	PASS
Band26	5MHz	16QAM	26815	12RB#0	21.48	19.83	38.5	PASS
Band26	5MHz	16QAM	26815	12RB#6	21.47	19.82	38.5	PASS
Band26	5MHz	16QAM	26815	12RB#13	21.46	19.81	38.5	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.53	19.88	38.5	PASS
Band26	5MHz	16QAM	26915	1RB#0	22.43	20.78	38.5	PASS
Band26	5MHz	16QAM	26915	1RB#12	22.59	20.94	38.5	PASS
Band26	5MHz	16QAM	26915	1RB#24	22.48	20.83	38.5	PASS
Band26	5MHz	16QAM	26915	12RB#0	21.53	19.88	38.5	PASS
Band26	5MHz	16QAM	26915	12RB#6	21.49	19.84	38.5	PASS
Band26	5MHz	16QAM	26915	12RB#13	21.47	19.82	38.5	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.45	19.80	38.5	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.38	20.73	38.5	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.54	20.89	38.5	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.41	20.76	38.5	PASS
Band26	5MHz	16QAM	27015	12RB#0	21.62	19.97	38.5	PASS
Band26	5MHz	16QAM	27015	12RB#6	21.58	19.93	38.5	PASS
Band26	5MHz	16QAM	27015	12RB#13	21.47	19.82	38.5	PASS
Band26	5MHz	16QAM	27015	25RB#0	21.60	19.95	38.5	PASS
Band26	10MHz	QPSK	26740	1RB#0	23.48	21.83	38.5	PASS
Band26	10MHz	QPSK	26740	1RB#24	23.67	22.02	38.5	PASS
Band26	10MHz	QPSK	26740	1RB#49	23.47	21.82	38.5	PASS
Band26	10MHz	QPSK	26740	25RB#0	22.54	20.89	38.5	PASS
Band26	10MHz	QPSK	26740	25RB#12	22.50	20.85	38.5	PASS
Band26	10MHz	QPSK	26740	25RB#24	22.52	20.87	38.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	22.50	20.85	38.5	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.43	21.78	38.5	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.73	22.08	38.5	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.42	21.77	38.5	PASS
Band26	10MHz	QPSK	26840	25RB#0	22.61	20.96	38.5	PASS
Band26	10MHz	QPSK	26840	25RB#12	22.59	20.94	38.5	PASS
Band26	10MHz	QPSK	26840	25RB#25	22.62	20.97	38.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.60	20.95	38.5	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.53	21.88	38.5	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.50	21.85	38.5	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.52	21.87	38.5	PASS
Band26	10MHz	QPSK	26915	25RB#0	22.55	20.90	38.5	PASS
Band26	10MHz	QPSK	26915	25RB#12	22.57	20.92	38.5	PASS
Band26	10MHz	QPSK	26915	25RB#25	22.45	20.8	38.5	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.51	20.86	38.5	PASS

Band26	10MHz	QPSK	26990	1RB#0	23.39	21.74	38.5	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.67	22.02	38.5	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.48	21.83	38.5	PASS
Band26	10MHz	QPSK	26990	25RB#0	22.57	20.92	38.5	PASS
Band26	10MHz	QPSK	26990	25RB#12	22.58	20.93	38.5	PASS
Band26	10MHz	QPSK	26990	25RB#25	22.47	20.82	38.5	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.50	20.85	38.5	PASS
Band26	10MHz	16QAM	26740	1RB#0	22.36	20.71	38.5	PASS
Band26	10MHz	16QAM	26740	1RB#24	22.50	20.85	38.5	PASS
Band26	10MHz	16QAM	26740	1RB#49	22.39	20.74	38.5	PASS
Band26	10MHz	16QAM	26740	25RB#0	21.54	19.89	38.5	PASS
Band26	10MHz	16QAM	26740	25RB#12	21.54	19.89	38.5	PASS
Band26	10MHz	16QAM	26740	25RB#24	21.55	19.90	38.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	21.54	19.89	38.5	PASS
Band26	10MHz	16QAM	26840	1RB#0	22.45	20.80	38.5	PASS
Band26	10MHz	16QAM	26840	1RB#24	22.70	21.05	38.5	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.42	20.77	38.5	PASS
Band26	10MHz	16QAM	26840	25RB#0	21.57	19.92	38.5	PASS
Band26	10MHz	16QAM	26840	25RB#12	21.56	19.91	38.5	PASS
Band26	10MHz	16QAM	26840	25RB#25	21.59	19.94	38.5	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.58	19.93	38.5	PASS
Band26	10MHz	16QAM	26915	1RB#0	22.31	20.66	38.5	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.38	20.73	38.5	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.39	20.74	38.5	PASS
Band26	10MHz	16QAM	26915	25RB#0	21.57	19.92	38.5	PASS
Band26	10MHz	16QAM	26915	25RB#12	21.54	19.89	38.5	PASS
Band26	10MHz	16QAM	26915	25RB#25	21.48	19.83	38.5	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.52	19.87	38.5	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.22	20.57	38.5	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.43	20.78	38.5	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.31	20.66	38.5	PASS
Band26	10MHz	16QAM	26990	25RB#0	21.58	19.93	38.5	PASS
Band26	10MHz	16QAM	26990	25RB#12	21.61	19.96	38.5	PASS
Band26	10MHz	16QAM	26990	25RB#25	21.48	19.83	38.5	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.56	19.91	38.5	PASS
Band26	15MHz	QPSK	26765	1RB#0	23.35	21.70	38.5	PASS
Band26	15MHz	QPSK	26765	1RB#37	23.48	21.83	38.5	PASS
Band26	15MHz	QPSK	26765	1RB#74	23.50	21.85	38.5	PASS
Band26	15MHz	QPSK	26765	36RB#0	22.43	20.78	38.5	PASS
Band26	15MHz	QPSK	26765	36RB#16	22.48	20.83	38.5	PASS
Band26	15MHz	QPSK	26765	36RB#35	22.49	20.84	38.5	PASS
Band26	15MHz	QPSK	26765	75RB#0	22.32	20.67	38.5	PASS

Band26	15MHz	QPSK	26865	1RB#0	23.43	21.78	38.5	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.47	21.82	38.5	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.31	21.66	38.5	PASS
Band26	15MHz	QPSK	26865	38RB#0	22.51	20.86	38.5	PASS
Band26	15MHz	QPSK	26865	38RB#18	22.61	20.96	38.5	PASS
Band26	15MHz	QPSK	26865	38RB#37	22.45	20.80	38.5	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.49	20.84	38.5	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.47	21.82	38.5	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.48	21.83	38.5	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.51	21.86	38.5	PASS
Band26	15MHz	QPSK	26915	38RB#0	22.24	20.59	38.5	PASS
Band26	15MHz	QPSK	26915	38RB#18	22.30	20.65	38.5	PASS
Band26	15MHz	QPSK	26915	38RB#37	22.28	20.63	38.5	PASS
Band26	15MHz	QPSK	26915	75RB#0	22.21	20.56	38.5	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.35	21.70	38.5	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.54	21.89	38.5	PASS
Band26	15MHz	QPSK	26965	1RB#74	23.41	21.76	38.5	PASS
Band26	15MHz	QPSK	26965	38RB#0	22.36	20.71	38.5	PASS
Band26	15MHz	QPSK	26965	38RB#18	22.57	20.92	38.5	PASS
Band26	15MHz	QPSK	26965	38RB#37	22.43	20.78	38.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.42	20.77	38.5	PASS
Band26	15MHz	16QAM	26765	1RB#0	22.36	20.71	38.5	PASS
Band26	15MHz	16QAM	26765	1RB#37	22.52	20.87	38.5	PASS
Band26	15MHz	16QAM	26765	1RB#74	22.51	20.86	38.5	PASS
Band26	15MHz	16QAM	26765	36RB#0	21.43	19.78	38.5	PASS
Band26	15MHz	16QAM	26765	36RB#16	21.46	19.81	38.5	PASS
Band26	15MHz	16QAM	26765	36RB#35	21.39	19.74	38.5	PASS
Band26	15MHz	16QAM	26765	75RB#0	21.45	19.80	38.5	PASS
Band26	15MHz	16QAM	26865	1RB#0	22.54	20.89	38.5	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.60	20.95	38.5	PASS
Band26	15MHz	16QAM	26865	1RB#74	22.52	20.87	38.5	PASS
Band26	15MHz	16QAM	26865	38RB#0	22.54	20.89	38.5	PASS
Band26	15MHz	16QAM	26865	38RB#18	22.60	20.95	38.5	PASS
Band26	15MHz	16QAM	26865	38RB#37	22.44	20.79	38.5	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.49	19.84	38.5	PASS
Band26	15MHz	16QAM	26915	1RB#0	22.22	20.57	38.5	PASS
Band26	15MHz	16QAM	26915	1RB#38	22.28	20.63	38.5	PASS
Band26	15MHz	16QAM	26915	1RB#74	22.28	20.63	38.5	PASS
Band26	15MHz	16QAM	26915	38RB#0	21.36	19.71	38.5	PASS
Band26	15MHz	16QAM	26915	38RB#18	21.45	19.80	38.5	PASS
Band26	15MHz	16QAM	26915	38RB#37	21.40	19.75	38.5	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.44	19.79	38.5	PASS

Band26	15MHz	16QAM	26965	1RB#0	22.39	20.74	38.5	PASS
Band26	15MHz	16QAM	26965	1RB#38	22.56	20.91	38.5	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.51	20.86	38.5	PASS
Band26	15MHz	16QAM	26965	38RB#0	21.39	19.74	38.5	PASS
Band26	15MHz	16QAM	26965	38RB#18	21.57	19.92	38.5	PASS
Band26	15MHz	16QAM	26965	38RB#37	21.46	19.81	38.5	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.49	19.84	38.5	PASS
Band41	5MHz	QPSK	40065	1RB#0	22.19	22.69	33	PASS
Band41	5MHz	QPSK	40065	1RB#12	22.31	22.81	33	PASS
Band41	5MHz	QPSK	40065	1RB#24	22.17	22.67	33	PASS
Band41	5MHz	QPSK	40065	12RB#0	21.21	21.71	33	PASS
Band41	5MHz	QPSK	40065	12RB#6	21.21	21.71	33	PASS
Band41	5MHz	QPSK	40065	12RB#11	21.24	21.74	33	PASS
Band41	5MHz	QPSK	40065	25RB#0	21.26	21.76	33	PASS
Band41	5MHz	QPSK	40640	1RB#0	22.13	22.63	33	PASS
Band41	5MHz	QPSK	40640	1RB#12	22.24	22.74	33	PASS
Band41	5MHz	QPSK	40640	1RB#24	22.08	22.58	33	PASS
Band41	5MHz	QPSK	40640	12RB#0	21.07	21.57	33	PASS
Band41	5MHz	QPSK	40640	12RB#6	21.05	21.55	33	PASS
Band41	5MHz	QPSK	40640	12RB#11	21.06	21.56	33	PASS
Band41	5MHz	QPSK	40640	25RB#0	21.07	21.57	33	PASS
Band41	5MHz	QPSK	41215	1RB#0	22.27	22.77	33	PASS
Band41	5MHz	QPSK	41215	1RB#12	22.43	22.93	33	PASS
Band41	5MHz	QPSK	41215	1RB#24	22.28	22.78	33	PASS
Band41	5MHz	QPSK	41215	12RB#0	21.32	21.82	33	PASS
Band41	5MHz	QPSK	41215	12RB#6	21.29	21.79	33	PASS
Band41	5MHz	QPSK	41215	12RB#11	21.29	21.79	33	PASS
Band41	5MHz	QPSK	41215	25RB#0	21.32	21.82	33	PASS
Band41	5MHz	16QAM	40065	1RB#0	21.24	21.74	33	PASS
Band41	5MHz	16QAM	40065	1RB#12	21.35	21.85	33	PASS
Band41	5MHz	16QAM	40065	1RB#24	21.22	21.72	33	PASS
Band41	5MHz	16QAM	40065	12RB#0	20.32	20.82	33	PASS
Band41	5MHz	16QAM	40065	12RB#6	20.31	20.81	33	PASS
Band41	5MHz	16QAM	40065	12RB#11	20.28	20.78	33	PASS
Band41	5MHz	16QAM	40065	25RB#0	20.22	20.72	33	PASS
Band41	5MHz	16QAM	40640	1RB#0	21.01	21.51	33	PASS
Band41	5MHz	16QAM	40640	1RB#12	21.12	21.62	33	PASS
Band41	5MHz	16QAM	40640	1RB#24	20.96	21.46	33	PASS
Band41	5MHz	16QAM	40640	12RB#0	20.12	20.62	33	PASS
Band41	5MHz	16QAM	40640	12RB#6	20.06	20.56	33	PASS
Band41	5MHz	16QAM	40640	12RB#11	20.08	20.58	33	PASS
Band41	5MHz	16QAM	40640	25RB#0	20.14	20.64	33	PASS

Band41	5MHz	16QAM	41215	1RB#0	21.33	21.83	33	PASS
Band41	5MHz	16QAM	41215	1RB#12	21.41	21.91	33	PASS
Band41	5MHz	16QAM	41215	1RB#24	21.29	21.79	33	PASS
Band41	5MHz	16QAM	41215	12RB#0	20.32	20.82	33	PASS
Band41	5MHz	16QAM	41215	12RB#6	20.29	20.79	33	PASS
Band41	5MHz	16QAM	41215	12RB#11	20.35	20.85	33	PASS
Band41	5MHz	16QAM	41215	25RB#0	20.27	20.77	33	PASS
Band41	10MHz	QPSK	40090	1RB#0	22.22	22.72	33	PASS
Band41	10MHz	QPSK	40090	1RB#24	22.46	22.96	33	PASS
Band41	10MHz	QPSK	40090	1RB#49	22.13	22.63	33	PASS
Band41	10MHz	QPSK	40090	25RB#0	21.17	21.67	33	PASS
Band41	10MHz	QPSK	40090	25RB#12	21.20	21.70	33	PASS
Band41	10MHz	QPSK	40090	25RB#24	21.19	21.69	33	PASS
Band41	10MHz	QPSK	40090	50RB#0	21.16	21.66	33	PASS
Band41	10MHz	QPSK	40640	1RB#0	22.09	22.59	33	PASS
Band41	10MHz	QPSK	40640	1RB#24	22.33	22.83	33	PASS
Band41	10MHz	QPSK	40640	1RB#49	22.02	22.52	33	PASS
Band41	10MHz	QPSK	40640	25RB#0	21.13	21.63	33	PASS
Band41	10MHz	QPSK	40640	25RB#12	21.06	21.56	33	PASS
Band41	10MHz	QPSK	40640	25RB#24	21.09	21.59	33	PASS
Band41	10MHz	QPSK	40640	50RB#0	21.04	21.54	33	PASS
Band41	10MHz	QPSK	41190	1RB#0	22.19	22.69	33	PASS
Band41	10MHz	QPSK	41190	1RB#24	22.51	23.01	33	PASS
Band41	10MHz	QPSK	41190	1RB#49	22.27	22.77	33	PASS
Band41	10MHz	QPSK	41190	25RB#0	21.24	21.74	33	PASS
Band41	10MHz	QPSK	41190	25RB#12	21.21	21.71	33	PASS
Band41	10MHz	QPSK	41190	25RB#24	21.25	21.75	33	PASS
Band41	10MHz	QPSK	41190	50RB#0	21.18	21.68	33	PASS
Band41	10MHz	16QAM	40090	1RB#0	21.04	21.54	33	PASS
Band41	10MHz	16QAM	40090	1RB#24	21.28	21.78	33	PASS
Band41	10MHz	16QAM	40090	1RB#49	20.99	21.49	33	PASS
Band41	10MHz	16QAM	40090	25RB#0	20.31	20.81	33	PASS
Band41	10MHz	16QAM	40090	25RB#12	20.22	20.72	33	PASS
Band41	10MHz	16QAM	40090	25RB#24	20.36	20.86	33	PASS
Band41	10MHz	16QAM	40090	50RB#0	20.23	20.73	33	PASS
Band41	10MHz	16QAM	40640	1RB#0	21.08	21.58	33	PASS
Band41	10MHz	16QAM	40640	1RB#24	21.34	21.84	33	PASS
Band41	10MHz	16QAM	40640	1RB#49	21.04	21.54	33	PASS
Band41	10MHz	16QAM	40640	25RB#0	20.19	20.69	33	PASS
Band41	10MHz	16QAM	40640	25RB#12	20.08	20.58	33	PASS
Band41	10MHz	16QAM	40640	25RB#24	20.16	20.66	33	PASS
Band41	10MHz	16QAM	40640	50RB#0	20.15	20.65	33	PASS

Band41	10MHz	16QAM	41190	1RB#0	21.01	21.51	33	PASS
Band41	10MHz	16QAM	41190	1RB#24	21.32	21.82	33	PASS
Band41	10MHz	16QAM	41190	1RB#49	21.06	21.56	33	PASS
Band41	10MHz	16QAM	41190	25RB#0	20.25	20.75	33	PASS
Band41	10MHz	16QAM	41190	25RB#12	20.26	20.76	33	PASS
Band41	10MHz	16QAM	41190	25RB#24	20.19	20.69	33	PASS
Band41	10MHz	16QAM	41190	50RB#0	20.22	20.72	33	PASS
Band41	15MHz	QPSK	40115	1RB#0	22.07	22.57	33	PASS
Band41	15MHz	QPSK	40115	1RB#37	22.09	22.59	33	PASS
Band41	15MHz	QPSK	40115	1RB#74	21.96	22.46	33	PASS
Band41	15MHz	QPSK	40115	36RB#0	21.19	21.69	33	PASS
Band41	15MHz	QPSK	40115	36RB#16	21.18	21.68	33	PASS
Band41	15MHz	QPSK	40115	36RB#35	21.21	21.71	33	PASS
Band41	15MHz	QPSK	40115	75RB#0	21.18	21.68	33	PASS
Band41	15MHz	QPSK	40640	1RB#0	22.04	22.54	33	PASS
Band41	15MHz	QPSK	40640	1RB#37	22.07	22.57	33	PASS
Band41	15MHz	QPSK	40640	1RB#74	21.91	22.41	33	PASS
Band41	15MHz	QPSK	40640	36RB#0	21.04	21.54	33	PASS
Band41	15MHz	QPSK	40640	36RB#16	21.00	21.50	33	PASS
Band41	15MHz	QPSK	40640	36RB#35	20.99	21.49	33	PASS
Band41	15MHz	QPSK	40640	75RB#0	21.06	21.56	33	PASS
Band41	15MHz	QPSK	41165	1RB#0	21.99	22.49	33	PASS
Band41	15MHz	QPSK	41165	1RB#37	22.24	22.74	33	PASS
Band41	15MHz	QPSK	41165	1RB#74	22.11	22.61	33	PASS
Band41	15MHz	QPSK	41165	36RB#0	21.23	21.73	33	PASS
Band41	15MHz	QPSK	41165	36RB#16	21.20	21.70	33	PASS
Band41	15MHz	QPSK	41165	36RB#35	21.21	21.71	33	PASS
Band41	15MHz	QPSK	41165	75RB#0	21.25	21.75	33	PASS
Band41	15MHz	16QAM	40115	1RB#0	21.19	21.69	33	PASS
Band41	15MHz	16QAM	40115	1RB#37	21.23	21.73	33	PASS
Band41	15MHz	16QAM	40115	1RB#74	21.12	21.62	33	PASS
Band41	15MHz	16QAM	40115	36RB#0	20.26	20.76	33	PASS
Band41	15MHz	16QAM	40115	36RB#16	20.25	20.75	33	PASS
Band41	15MHz	16QAM	40115	36RB#35	20.24	20.74	33	PASS
Band41	15MHz	16QAM	40115	75RB#0	20.18	20.68	33	PASS
Band41	15MHz	16QAM	40640	1RB#0	21.01	21.51	33	PASS
Band41	15MHz	16QAM	40640	1RB#37	21.07	21.57	33	PASS
Band41	15MHz	16QAM	40640	1RB#74	20.91	21.41	33	PASS
Band41	15MHz	16QAM	40640	36RB#0	20.06	20.56	33	PASS
Band41	15MHz	16QAM	40640	36RB#16	20.14	20.64	33	PASS
Band41	15MHz	16QAM	40640	36RB#35	20.11	20.61	33	PASS
Band41	15MHz	16QAM	40640	75RB#0	20.11	20.61	33	PASS

Band41	15MHz	16QAM	41165	1RB#0	21.17	21.67	33	PASS
Band41	15MHz	16QAM	41165	1RB#37	21.28	21.78	33	PASS
Band41	15MHz	16QAM	41165	1RB#74	21.23	21.73	33	PASS
Band41	15MHz	16QAM	41165	36RB#0	20.20	20.70	33	PASS
Band41	15MHz	16QAM	41165	36RB#16	20.17	20.67	33	PASS
Band41	15MHz	16QAM	41165	36RB#35	20.18	20.68	33	PASS
Band41	15MHz	16QAM	41165	75RB#0	20.19	20.69	33	PASS
Band41	20MHz	QPSK	40140	1RB#0	22.14	22.64	33	PASS
Band41	20MHz	QPSK	40140	1RB#49	22.40	22.90	33	PASS
Band41	20MHz	QPSK	40140	1RB#99	22.08	22.58	33	PASS
Band41	20MHz	QPSK	40140	50RB#0	21.08	21.58	33	PASS
Band41	20MHz	QPSK	40140	50RB#24	21.09	21.59	33	PASS
Band41	20MHz	QPSK	40140	50RB#49	21.14	21.64	33	PASS
Band41	20MHz	QPSK	40140	100RB#0	21.11	21.61	33	PASS
Band41	20MHz	QPSK	40640	1RB#0	22.02	22.52	33	PASS
Band41	20MHz	QPSK	40640	1RB#49	22.31	22.81	33	PASS
Band41	20MHz	QPSK	40640	1RB#99	21.91	22.41	33	PASS
Band41	20MHz	QPSK	40640	50RB#0	21.05	21.55	33	PASS
Band41	20MHz	QPSK	40640	50RB#24	21.03	21.53	33	PASS
Band41	20MHz	QPSK	40640	50RB#49	21.01	21.51	33	PASS
Band41	20MHz	QPSK	40640	100RB#0	21.01	21.51	33	PASS
Band41	20MHz	QPSK	41140	1RB#0	22.07	22.57	33	PASS
Band41	20MHz	QPSK	41140	1RB#49	22.41	22.91	33	PASS
Band41	20MHz	QPSK	41140	1RB#99	22.23	22.73	33	PASS
Band41	20MHz	QPSK	41140	50RB#0	21.13	21.63	33	PASS
Band41	20MHz	QPSK	41140	50RB#24	21.10	21.60	33	PASS
Band41	20MHz	QPSK	41140	50RB#49	21.13	21.63	33	PASS
Band41	20MHz	QPSK	41140	100RB#0	21.16	21.66	33	PASS
Band41	20MHz	16QAM	40140	1RB#0	21.01	21.51	33	PASS
Band41	20MHz	16QAM	40140	1RB#49	21.26	21.76	33	PASS
Band41	20MHz	16QAM	40140	1RB#99	20.98	21.48	33	PASS
Band41	20MHz	16QAM	40140	50RB#0	20.11	20.61	33	PASS
Band41	20MHz	16QAM	40140	50RB#24	20.16	20.66	33	PASS
Band41	20MHz	16QAM	40140	50RB#49	20.11	20.61	33	PASS
Band41	20MHz	16QAM	40140	100RB#0	20.16	20.66	33	PASS
Band41	20MHz	16QAM	40640	1RB#0	21.04	21.54	33	PASS
Band41	20MHz	16QAM	40640	1RB#49	21.20	21.70	33	PASS
Band41	20MHz	16QAM	40640	1RB#99	21.13	21.63	33	PASS
Band41	20MHz	16QAM	40640	50RB#0	20.05	20.55	33	PASS
Band41	20MHz	16QAM	40640	50RB#24	20.07	20.57	33	PASS
Band41	20MHz	16QAM	40640	50RB#49	20.04	20.54	33	PASS
Band41	20MHz	16QAM	40640	100RB#0	20.04	20.54	33	PASS

Band41	20MHz	16QAM	41140	1RB#0	21.06	21.56	33	PASS
Band41	20MHz	16QAM	41140	1RB#49	21.22	21.72	33	PASS
Band41	20MHz	16QAM	41140	1RB#99	21.19	21.69	33	PASS
Band41	20MHz	16QAM	41140	50RB#0	20.09	20.59	33	PASS
Band41	20MHz	16QAM	41140	50RB#24	20.13	20.63	33	PASS
Band41	20MHz	16QAM	41140	50RB#49	20.12	20.62	33	PASS
Band41	20MHz	16QAM	41140	100RB#0	20.11	21.11	33	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.64	23.14	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.86	23.36	38.5	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.65	23.15	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	21.78	22.28	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	21.77	22.27	38.5	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	21.81	22.31	38.5	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	21.69	22.19	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.70	23.20	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.85	23.35	38.5	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.72	23.22	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	21.75	22.25	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	21.73	22.23	38.5	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	21.77	22.27	38.5	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	21.71	22.21	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.12	23.62	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.21	23.71	38.5	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.08	23.58	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	22.13	22.63	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	22.12	22.62	38.5	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	22.14	22.64	38.5	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.10	22.60	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.52	22.02	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	21.63	22.13	38.5	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.45	21.95	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	20.62	21.12	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	20.51	21.01	38.5	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	20.55	21.05	38.5	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	20.49	20.99	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	21.59	22.09	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	21.67	22.17	38.5	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	21.54	22.04	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	20.54	21.04	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	20.56	21.06	38.5	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	20.50	21.00	38.5	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	20.52	21.02	38.5	PASS

Band66	1.4MHz	16QAM	132665	1RB#0	21.92	22.42	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.02	22.52	38.5	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	21.84	22.34	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	20.95	21.45	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	20.91	21.41	38.5	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	20.94	21.44	38.5	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	20.92	21.42	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.75	23.25	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#7	22.76	23.26	38.5	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.73	23.23	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.70	22.20	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.66	22.16	38.5	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.70	22.20	38.5	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.63	22.13	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.70	23.20	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#7	22.66	23.16	38.5	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.67	23.17	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#0	21.69	22.19	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#4	21.76	22.26	38.5	PASS
Band66	3MHz	QPSK	132322	8RB#7	21.70	22.20	38.5	PASS
Band66	3MHz	QPSK	132322	15RB#0	21.67	22.17	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.21	23.71	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#7	23.19	23.69	38.5	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.21	23.71	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.13	22.63	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.13	22.63	38.5	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.08	22.58	38.5	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.07	22.57	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.57	22.07	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#7	21.46	21.96	38.5	PASS
Band66	3MHz	16QAM	131987	1RB#14	21.48	21.98	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#0	20.66	21.16	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#4	20.66	21.16	38.5	PASS
Band66	3MHz	16QAM	131987	8RB#7	20.61	21.11	38.5	PASS
Band66	3MHz	16QAM	131987	15RB#0	20.61	21.11	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#0	21.73	22.23	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#7	21.67	22.17	38.5	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.70	22.20	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#0	20.72	21.22	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#4	20.70	21.20	38.5	PASS
Band66	3MHz	16QAM	132322	8RB#7	20.70	21.20	38.5	PASS
Band66	3MHz	16QAM	132322	15RB#0	20.71	21.21	38.5	PASS

Band66	3MHz	16QAM	132657	1RB#0	22.03	22.53	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#7	21.94	22.44	38.5	PASS
Band66	3MHz	16QAM	132657	1RB#14	21.95	22.45	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.16	21.66	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.09	21.59	38.5	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.07	21.57	38.5	PASS
Band66	3MHz	16QAM	132657	15RB#0	20.99	21.49	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.68	23.18	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.80	23.30	38.5	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.73	23.23	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.63	22.13	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.60	22.10	38.5	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.69	22.19	38.5	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.66	22.16	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#0	22.64	23.14	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.71	23.21	38.5	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.64	23.14	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#0	21.72	22.22	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#6	21.73	22.23	38.5	PASS
Band66	5MHz	QPSK	132322	12RB#11	21.76	22.26	38.5	PASS
Band66	5MHz	QPSK	132322	25RB#0	21.71	22.21	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.17	23.67	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.19	23.69	38.5	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.11	23.61	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.17	22.67	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.14	22.64	38.5	PASS
Band66	5MHz	QPSK	132647	12RB#11	22.12	22.62	38.5	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.12	22.62	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#0	21.66	22.16	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#12	21.72	22.22	38.5	PASS
Band66	5MHz	16QAM	131997	1RB#24	21.64	22.14	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.67	21.17	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#6	20.60	21.10	38.5	PASS
Band66	5MHz	16QAM	131997	12RB#11	20.64	21.14	38.5	PASS
Band66	5MHz	16QAM	131997	25RB#0	20.67	21.17	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#0	21.68	22.18	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#12	21.78	22.28	38.5	PASS
Band66	5MHz	16QAM	132322	1RB#24	21.70	22.20	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#0	20.80	21.30	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#6	20.76	21.26	38.5	PASS
Band66	5MHz	16QAM	132322	12RB#11	20.76	21.26	38.5	PASS
Band66	5MHz	16QAM	132322	25RB#0	20.69	21.19	38.5	PASS

Band66	5MHz	16QAM	132647	1RB#0	22.08	22.58	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.09	22.59	38.5	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.01	22.51	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.14	21.64	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.14	21.64	38.5	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.12	21.62	38.5	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.13	21.63	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.66	23.16	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.72	23.22	38.5	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.67	23.17	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.70	22.20	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.70	22.20	38.5	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.70	22.20	38.5	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.67	22.17	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#0	22.78	23.28	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.90	23.40	38.5	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.72	23.22	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#0	21.79	22.29	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#12	21.84	22.34	38.5	PASS
Band66	10MHz	QPSK	132322	25RB#24	21.84	22.34	38.5	PASS
Band66	10MHz	QPSK	132322	50RB#0	21.78	22.28	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.16	23.66	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.26	23.76	38.5	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.10	23.60	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.30	22.80	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.30	22.80	38.5	PASS
Band66	10MHz	QPSK	132622	25RB#24	22.29	22.79	38.5	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.22	22.72	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#0	21.64	22.14	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#24	21.79	22.29	38.5	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.67	22.17	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#0	20.69	21.19	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#12	20.67	21.17	38.5	PASS
Band66	10MHz	16QAM	132022	25RB#24	20.68	21.18	38.5	PASS
Band66	10MHz	16QAM	132022	50RB#0	20.69	21.19	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#0	21.59	22.09	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#24	21.69	22.19	38.5	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.51	22.01	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#0	20.84	21.34	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#12	20.85	21.35	38.5	PASS
Band66	10MHz	16QAM	132322	25RB#24	20.82	21.32	38.5	PASS
Band66	10MHz	16QAM	132322	50RB#0	20.82	21.32	38.5	PASS

Band66	10MHz	16QAM	132622	1RB#0	21.89	22.39	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.03	22.53	38.5	PASS
Band66	10MHz	16QAM	132622	1RB#49	21.85	22.35	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.28	21.78	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.32	21.82	38.5	PASS
Band66	10MHz	16QAM	132622	25RB#24	21.33	21.83	38.5	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.23	21.73	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.63	23.13	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.72	23.22	38.5	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.67	23.17	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.73	22.23	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.74	22.24	38.5	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.70	22.20	38.5	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.79	22.29	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#0	22.68	23.18	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#37	22.65	23.15	38.5	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.57	23.07	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#0	21.89	22.39	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#16	21.90	22.40	38.5	PASS
Band66	15MHz	QPSK	132322	36RB#35	21.92	22.42	38.5	PASS
Band66	15MHz	QPSK	132322	75RB#0	21.91	22.41	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.00	23.50	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#37	23.26	23.76	38.5	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.14	23.64	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.33	22.83	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#16	22.30	22.80	38.5	PASS
Band66	15MHz	QPSK	132597	36RB#35	22.35	22.85	38.5	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.30	22.80	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.66	22.16	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#37	21.69	22.19	38.5	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.71	22.21	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.69	21.19	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.62	21.12	38.5	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.73	21.23	38.5	PASS
Band66	15MHz	16QAM	132047	75RB#0	20.69	21.19	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.83	22.33	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#37	21.85	22.35	38.5	PASS
Band66	15MHz	16QAM	132322	1RB#74	21.71	22.21	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#0	20.87	21.37	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#16	20.83	21.33	38.5	PASS
Band66	15MHz	16QAM	132322	36RB#35	20.88	21.38	38.5	PASS
Band66	15MHz	16QAM	132322	75RB#0	20.85	21.35	38.5	PASS

Band66	15MHz	16QAM	132597	1RB#0	21.72	22.22	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#37	22.00	22.50	38.5	PASS
Band66	15MHz	16QAM	132597	1RB#74	21.89	22.39	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.18	21.68	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#16	21.19	21.69	38.5	PASS
Band66	15MHz	16QAM	132597	36RB#35	21.23	21.73	38.5	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.27	21.77	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.60	23.10	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.97	23.47	38.5	PASS
Band66	20MHz	QPSK	132072	1RB#99	22.85	23.35	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#0	21.60	22.10	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#24	21.56	22.06	38.5	PASS
Band66	20MHz	QPSK	132072	50RB#49	21.59	22.09	38.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	21.63	22.13	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#0	22.77	23.27	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.89	23.39	38.5	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.70	23.20	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#0	21.79	22.29	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#24	21.82	22.32	38.5	PASS
Band66	20MHz	QPSK	132322	50RB#49	21.81	22.31	38.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.75	22.25	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.79	23.29	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.28	23.78	38.5	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.06	23.56	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.25	22.75	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#24	22.20	22.70	38.5	PASS
Band66	20MHz	QPSK	132572	50RB#49	22.22	22.72	38.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.17	22.67	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#0	21.46	21.96	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#49	21.78	22.28	38.5	PASS
Band66	20MHz	16QAM	132072	1RB#99	21.65	22.15	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#0	20.64	21.14	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.58	21.08	38.5	PASS
Band66	20MHz	16QAM	132072	50RB#49	20.60	21.10	38.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	20.70	21.20	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.90	22.40	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#49	21.98	22.48	38.5	PASS
Band66	20MHz	16QAM	132322	1RB#99	21.80	22.30	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#0	20.83	21.33	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#24	20.80	21.30	38.5	PASS
Band66	20MHz	16QAM	132322	50RB#49	20.87	21.37	38.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	20.82	21.32	38.5	PASS

Band66	20MHz	16QAM	132572	1RB#0	21.60	22.10	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.07	22.57	38.5	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.91	22.41	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.28	21.78	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#24	21.25	21.75	38.5	PASS
Band66	20MHz	16QAM	132572	50RB#49	21.24	21.74	38.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.10	21.60	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 25 & 41 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 12 & 13 & 26)


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band12	10MHz	QPSK	23095	50RB#0	6.13	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.79	13	PASS
Band13	10MHz	QPSK	23230	50RB#0	5.80	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.54	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.27	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.09	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.67	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	6.43	13	PASS
Band26	15MHz	QPSK	26765	75RB#0	6.00	13	PASS
Band26	15MHz	16QAM	26765	75RB#0	6.51	13	PASS
Band41	20MHz	QPSK	40640	100RB#0	5.60	13	PASS
Band41	20MHz	16QAM	40640	100RB#0	6.32	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.17	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.99	13	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs




Band13-10MHz-QPSK-23230-50RB#0




Band13-10MHz-16QAM-23230-50RB#0




Band25-20MHz-QPSK-26365-100RB#0




Band25-20MHz-16QAM-26365-100RB#0



Band26-10MHz-QPSK-26740-50RB#0



Band26-10MHz-16QAM-26740-50RB#0



Band26-15MHz-QPSK-26765-75RB#0




Band26-15MHz-16QAM-26765-75RB#0




Band41-20MHz-QPSK-40640-100RB#0



Band41-20MHz-16QAM-40640-100RB#0



Band66-20MHz-QPSK-132322-100RB#0



Band66-20MHz-16QAM-132322-100RB#0



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	1.0985	1.309	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0913	1.285	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0924	1.287	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0880	1.277	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0986	1.293	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0971	1.287	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6915	2.899	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.6870	2.897	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.6876	2.895	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6824	2.899	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6765	2.900	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6863	2.897	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5073	5.143	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5278	5.214	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5074	5.154	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5278	5.198	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5210	5.127	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5213	5.186	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9926	10.03	PASS
Band12	10MHz	QPSK	23095	50RB#0	9.0316	10.16	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9890	10.20	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9851	10.01	PASS
Band12	10MHz	16QAM	23095	50RB#0	9.0336	10.18	PASS
Band12	10MHz	16QAM	23130	50RB#0	9.0190	10.13	PASS
Band13	5MHz	QPSK	23205	25RB#0	4.5237	5.206	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.5299	5.223	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.5103	5.165	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.5248	5.115	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.5255	5.139	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.5264	5.200	PASS
Band13	10MHz	QPSK	23230	50RB#0	9.0416	10.23	PASS
Band13	10MHz	16QAM	23230	50RB#0	9.0262	10.12	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	1.0934	1.305	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0927	1.291	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0948	1.288	PASS

Band25	1.4MHz	16QAM	26047	6RB#0	1.0982	1.300	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.0973	1.295	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.0958	1.294	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.6855	2.895	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6914	2.902	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.6909	2.900	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6821	2.901	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6802	2.899	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.6859	2.902	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5262	5.410	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5224	5.198	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5109	5.170	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5199	5.184	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5213	5.132	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5335	5.197	PASS
Band25	10MHz	QPSK	26090	50RB#0	9.0215	11.65	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9990	10.13	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9770	10.14	PASS
Band25	10MHz	16QAM	26090	50RB#0	9.0105	10.06	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.9995	10.05	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9728	10.00	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.534	15.22	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.507	15.17	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.452	15.01	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.507	15.02	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.481	15.04	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.463	14.94	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.982	19.65	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.957	19.63	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.971	19.81	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.987	21.36	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.999	19.72	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.927	19.70	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	1.0956	1.285	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.0986	1.289	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.0918	1.279	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	1.0906	1.286	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	1.0932	1.293	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	1.0933	1.280	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.0920	1.281	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.0882	1.274	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.0962	1.295	PASS

Band26	1.4MHz	16QAM	26797	6RB#0	1.0963	1.309	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	1.0967	1.291	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	1.0946	1.290	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.6867	2.901	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.6842	2.892	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.6872	2.889	PASS
Band26	3MHz	QPSK	26805	15RB#0	2.6884	2.883	PASS
Band26	3MHz	QPSK	26915	15RB#0	2.6857	2.892	PASS
Band26	3MHz	QPSK	27025	15RB#0	2.6888	2.897	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.6831	2.895	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.6862	2.899	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.6786	2.901	PASS
Band26	3MHz	16QAM	26805	15RB#0	2.6773	2.889	PASS
Band26	3MHz	16QAM	26915	15RB#0	2.6772	2.889	PASS
Band26	3MHz	16QAM	27025	15RB#0	2.6836	2.902	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.4871	4.910	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.5000	4.925	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.4977	4.954	PASS
Band26	5MHz	QPSK	26815	25RB#0	4.4975	4.948	PASS
Band26	5MHz	QPSK	26915	25RB#0	4.4940	4.941	PASS
Band26	5MHz	QPSK	27015	25RB#0	4.4867	4.902	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.4916	4.954	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.5050	4.933	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.4876	4.905	PASS
Band26	5MHz	16QAM	26815	25RB#0	4.4884	4.916	PASS
Band26	5MHz	16QAM	26915	25RB#0	4.4836	4.899	PASS
Band26	5MHz	16QAM	27015	25RB#0	4.4865	4.939	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.9758	9.778	PASS
Band26	10MHz	QPSK	26840	50RB#0	8.9918	9.814	PASS
Band26	10MHz	QPSK	26915	50RB#0	8.9743	9.812	PASS
Band26	10MHz	QPSK	26990	50RB#0	8.9985	9.786	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.9711	9.757	PASS
Band26	10MHz	16QAM	26840	50RB#0	8.9943	9.750	PASS
Band26	10MHz	16QAM	26915	50RB#0	8.9615	9.748	PASS
Band26	10MHz	16QAM	26990	50RB#0	8.9759	9.796	PASS
Band26	15MHz	QPSK	26765	75RB#0	13.459	14.75	PASS
Band26	15MHz	QPSK	26865	75RB#0	13.482	14.68	PASS
Band26	15MHz	QPSK	26915	75RB#0	13.446	14.69	PASS
Band26	15MHz	QPSK	26965	75RB#0	13.432	14.56	PASS
Band26	15MHz	16QAM	26765	75RB#0	13.479	14.56	PASS
Band26	15MHz	16QAM	26865	75RB#0	13.471	14.61	PASS
Band26	15MHz	16QAM	26915	75RB#0	13.459	14.59	PASS

Band26	15MHz	16QAM	26965	75RB#0	13.478	14.61	PASS
Band41	5MHz	QPSK	40065	25RB#0	4.4947	5.116	PASS
Band41	5MHz	QPSK	40640	25RB#0	4.4920	4.942	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.4914	4.909	PASS
Band41	5MHz	16QAM	40065	25RB#0	4.4931	5.192	PASS
Band41	5MHz	16QAM	40640	25RB#0	4.4924	5.212	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.4915	5.213	PASS
Band41	10MHz	QPSK	40090	50RB#0	8.9872	10.15	PASS
Band41	10MHz	QPSK	40640	50RB#0	8.9854	10.34	PASS
Band41	10MHz	QPSK	41190	50RB#0	8.9860	9.763	PASS
Band41	10MHz	16QAM	40090	50RB#0	9.0120	9.841	PASS
Band41	10MHz	16QAM	40640	50RB#0	8.9991	9.800	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9640	9.762	PASS
Band41	15MHz	QPSK	40115	75RB#0	13.481	14.97	PASS
Band41	15MHz	QPSK	40640	75RB#0	13.500	15.57	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.473	14.90	PASS
Band41	15MHz	16QAM	40115	75RB#0	13.481	15.91	PASS
Band41	15MHz	16QAM	40640	75RB#0	13.497	15.59	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.480	15.13	PASS
Band41	20MHz	QPSK	40140	100RB#0	17.975	19.52	PASS
Band41	20MHz	QPSK	40640	100RB#0	17.997	20.21	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.952	19.44	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.958	19.87	PASS
Band41	20MHz	16QAM	40640	100RB#0	17.934	19.70	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.910	20.05	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0918	1.281	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0923	1.285	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0923	1.279	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0934	1.286	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0965	1.292	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0962	1.287	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6881	2.888	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6879	2.885	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6891	2.895	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6776	2.898	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6794	2.902	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6840	2.911	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5204	5.179	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5230	5.203	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5106	5.165	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5238	5.135	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5266	5.144	PASS


Band66	5MHz	16QAM	132647	25RB#0	4.5368	5.211	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0136	10.13	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0213	10.14	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0347	10.20	PASS
Band66	10MHz	16QAM	132022	50RB#0	9.0020	10.02	PASS
Band66	10MHz	16QAM	132322	50RB#0	9.0076	10.06	PASS
Band66	10MHz	16QAM	132622	50RB#0	9.0172	10.10	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.492	15.16	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.548	15.10	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.533	15.24	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.500	15.03	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.519	15.07	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.539	15.08	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.969	19.78	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.988	19.77	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.992	19.85	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.985	19.76	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.996	19.79	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.956	19.65	PASS

Test Graphs

Band12-1.4MHz-QPSK-23017-6RB#0



Band12-1.4MHz-QPSK-23095-6RB#0




Band12-1.4MHz-QPSK-23173-6RB#0




Band12-1.4MHz-16QAM-23017-6RB#0




Band12-1.4MHz-16QAM-23095-6RB#0




Band12-1.4MHz-16QAM-23173-6RB#0




Band12-3MHz-QPSK-23025-15RB#0




Band12-3MHz-QPSK-23095-15RB#0




Band12-3MHz-QPSK-23165-15RB#0




Band12-3MHz-16QAM-23025-15RB#0




Band12-3MHz-16QAM-23095-15RB#0




Band12-3MHz-16QAM-23165-15RB#0



Band12-5MHz-QPSK-23035-25RB#0




Band12-5MHz-QPSK-23095-25RB#0




Band12-5MHz-QPSK-23155-25RB#0




Band12-5MHz-16QAM-23035-25RB#0




Band12-5MHz-16QAM-23095-25RB#0




Band12-5MHz-16QAM-23155-25RB#0




Band12-10MHz-QPSK-23060-50RB#0




Band12-10MHz-QPSK-23095-50RB#0




Band12-10MHz-QPSK-23130-50RB#0




Band12-10MHz-16QAM-23060-50RB#0




Band12-10MHz-16QAM-23095-50RB#0




Band12-10MHz-16QAM-23130-50RB#0




Band13-5MHz-QPSK-23205-25RB#0




Band13-5MHz-QPSK-23230-25RB#0




Band13-5MHz-QPSK-23255-25RB#0




Band13-5MHz-16QAM-23205-25RB#0




Band13-5MHz-16QAM-23230-25RB#0




Band13-5MHz-16QAM-23255-25RB#0




Band13-10MHz-QPSK-23230-50RB#0



Band13-10MHz-16QAM-23230-50RB#0



Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26365-6RB#0




Band25-1.4MHz-QPSK-26683-6RB#0




Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26365-6RB#0



Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-15RB#0




Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26365-15RB#0




Band25-3MHz-16QAM-26675-15RB#0




Band25-5MHz-QPSK-26065-25RB#0




Band25-5MHz-QPSK-26365-25RB#0




Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-25RB#0




Band25-5MHz-16QAM-26365-25RB#0




Band25-5MHz-16QAM-26665-25RB#0




Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26365-50RB#0



Band25-10MHz-QPSK-26640-50RB#0




Band25-10MHz-16QAM-26090-50RB#0



Band25-10MHz-16QAM-26365-50RB#0




Band25-10MHz-16QAM-26640-50RB#0




Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26365-75RB#0




Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-75RB#0




Band25-15MHz-16QAM-26365-75RB#0




Band25-15MHz-16QAM-26615-75RB#0




Band25-20MHz-QPSK-26140-100RB#0



Band25-20MHz-QPSK-26365-100RB#0



Band25-20MHz-QPSK-26590-100RB#0



Band25-20MHz-16QAM-26140-100RB#0

