

8 CONDUCTED RF OUPUT POWER

8.1	GSM Output Power
8.2	WCDMA Output Power
8.3	LTE Output Power
8.3.1	LTE Band2 Output Power
8.3.2	LTE Band4 Output Power
8.3.3	LTE Band5 Output Power
8.3.4	LTE Band7 Output Power
8.3.5	LTE Band8 Output Power
8.3.6	LTE Band12 Output Power
8.3.7	LTE Band13 Output Power
8.3.8	LTE Band17 Output Power
8.3.9	LTE Band18 Output Power
8.3.10	LTE Band19 Output Power
8.3.11	LTE Band26 Output Power
8.3.12	LTE Band28 Output Power
8.3.13	LTE Band66 Output Power
8.3.14	LTE Band38 Output Power
8.3.15	LTE Band41 Output Power

8.1 GSM Output Power

GSM-Full Power-Ant.1								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	32.06	32.41	32.45	34.00	22.87	23.22	23.26	24.81
GPRS (GMSK, 1-Slot)	32.09	32.47	32.50	34.00	22.90	23.28	23.31	24.81
GPRS (GMSK, 2-Slots)	29.72	29.89	30.01	31.00	23.59	23.76	23.88	24.87
GPRS (GMSK, 3-Slots)	28.45	28.61	28.78	29.50	24.03	24.19	24.36	25.08
GPRS (GMSK, 4-Slots)	26.86	26.95	27.15	28.00	23.68	23.77	23.97	24.82
EGPRS (8PSK, 1-Slot)	26.48	26.51	26.65	28.00	17.29	17.32	17.46	18.81
EGPRS (8PSK, 2-Slots)	24.04	24.10	24.70	25.00	17.91	17.97	18.57	18.87
EGPRS (8PSK, 3-Slots)	21.75	21.98	22.29	23.50	17.33	17.56	17.87	19.08
EGPRS (8PSK, 4-Slots)	21.19	21.19	21.60	22.00	18.01	18.01	18.42	18.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	32.25	32.85	32.59	34.00	23.06	23.66	23.40	24.81
GPRS (GMSK, 1-Slot)	32.27	32.91	32.61	34.00	23.08	23.72	23.42	24.81
GPRS (GMSK, 2-Slots)	29.66	30.47	30.03	31.00	23.53	24.34	23.90	24.87
GPRS (GMSK, 3-Slots)	28.97	28.96	28.81	29.50	24.55	24.54	24.39	25.08
GPRS (GMSK, 4-Slots)	27.13	27.95	27.41	28.00	23.95	24.77	24.23	24.82
EGPRS (8PSK, 1-Slot)	26.56	27.34	26.85	28.00	17.37	18.15	17.66	18.81
EGPRS (8PSK, 2-Slots)	24.07	24.97	24.51	25.00	17.94	18.84	18.38	18.87
EGPRS (8PSK, 3-Slots)	22.08	22.54	22.17	23.50	17.66	18.12	17.75	19.08
EGPRS (8PSK, 4-Slots)	20.58	21.20	20.77	22.00	17.40	18.02	17.59	18.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	29.72	29.71	29.95	31.00	20.53	20.52	20.76	21.81
GPRS (GMSK, 1-Slot)	29.74	29.73	30.15	31.00	20.55	20.54	20.96	21.81
GPRS (GMSK, 2-Slots)	26.82	26.87	27.32	28.00	20.69	20.74	21.19	21.87
GPRS (GMSK, 3-Slots)	25.72	25.70	25.71	26.50	21.30	21.28	21.29	22.08
GPRS (GMSK, 4-Slots)	24.26	24.29	24.56	25.00	21.08	21.11	21.38	21.82
EGPRS (8PSK, 1-Slot)	25.82	25.67	26.25	27.00	16.63	16.48	17.06	17.81
EGPRS (8PSK, 2-Slots)	23.52	23.59	23.91	24.00	17.39	17.46	17.78	17.87
EGPRS (8PSK, 3-Slots)	20.54	20.56	20.62	22.50	16.12	16.14	16.20	18.08
EGPRS (8PSK, 4-Slots)	20.00	20.06	20.26	21.00	16.82	16.88	17.08	17.82

GSM-State1-Ant.1								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	32.06	32.41	32.45	34.00	22.87	23.22	23.26	24.81
GPRS (GMSK, 1-Slot)	32.09	32.47	32.50	34.00	22.90	23.28	23.31	24.81
GPRS (GMSK, 2-Slots)	29.72	29.89	30.01	31.00	23.59	23.76	23.88	24.87
GPRS (GMSK, 3-Slots)	28.45	28.61	28.78	29.50	24.03	24.19	24.36	25.08
GPRS (GMSK, 4-Slots)	26.86	26.95	27.15	28.00	23.68	23.77	23.97	24.82
EGPRS (8PSK, 1-Slot)	26.48	26.51	26.65	28.00	17.29	17.32	17.46	18.81
EGPRS (8PSK, 2-Slots)	24.04	24.10	24.70	25.00	17.91	17.97	18.57	18.87
EGPRS (8PSK, 3-Slots)	21.75	21.98	22.29	23.50	17.33	17.56	17.87	19.08
EGPRS (8PSK, 4-Slots)	21.19	21.19	21.60	22.00	18.01	18.01	18.42	18.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	32.25	32.85	32.59	34.00	23.06	23.66	23.40	24.81
GPRS (GMSK, 1-Slot)	32.27	32.91	32.61	34.00	23.08	23.72	23.42	24.81
GPRS (GMSK, 2-Slots)	29.66	30.47	30.03	31.00	23.53	24.34	23.90	24.87
GPRS (GMSK, 3-Slots)	28.97	28.96	28.81	29.50	24.55	24.54	24.39	25.08
GPRS (GMSK, 4-Slots)	27.13	27.95	27.41	28.00	23.95	24.77	24.23	24.82
EGPRS (8PSK, 1-Slot)	26.56	27.34	26.85	28.00	17.37	18.15	17.66	18.81
EGPRS (8PSK, 2-Slots)	24.07	24.97	24.51	25.00	17.94	18.84	18.38	18.87
EGPRS (8PSK, 3-Slots)	22.08	22.54	22.17	23.50	17.66	18.12	17.75	19.08
EGPRS (8PSK, 4-Slots)	20.58	21.20	20.77	22.00	17.40	18.02	17.59	18.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	29.72	29.71	29.95	31.00	20.53	20.52	20.76	21.81
GPRS (GMSK, 1-Slot)	29.74	29.73	30.15	31.00	20.55	20.54	20.96	21.81
GPRS (GMSK, 2-Slots)	26.82	26.87	27.32	28.00	20.69	20.74	21.19	21.87
GPRS (GMSK, 3-Slots)	25.72	25.70	25.71	26.50	21.30	21.28	21.29	22.08
GPRS (GMSK, 4-Slots)	24.26	24.29	24.56	25.00	21.08	21.11	21.38	21.82
EGPRS (8PSK, 1-Slot)	25.82	25.67	26.25	27.00	16.63	16.48	17.06	17.81
EGPRS (8PSK, 2-Slots)	23.52	23.59	23.91	24.00	17.39	17.46	17.78	17.87
EGPRS (8PSK, 3-Slots)	20.54	20.56	20.62	22.50	16.12	16.14	16.20	18.08
EGPRS (8PSK, 4-Slots)	20.00	20.06	20.26	21.00	16.82	16.88	17.08	17.82

GSM-State2-Ant.1								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	30.56	30.70	30.75	31.50	21.37	21.51	21.56	22.31
GPRS (GMSK, 1-Slot)	30.59	30.73	30.85	31.50	21.40	21.54	21.66	22.31
GPRS (GMSK, 2-Slots)	27.81	27.94	28.43	28.50	21.68	21.81	22.30	22.37
GPRS (GMSK, 3-Slots)	25.92	26.25	26.18	27.00	21.50	21.83	21.76	22.58
GPRS (GMSK, 4-Slots)	24.79	24.93	25.18	25.50	21.61	21.75	22.00	22.32
EGPRS (8PSK, 1-Slot)	24.80	24.88	25.36	25.50	15.61	15.69	16.17	16.31
EGPRS (8PSK, 2-Slots)	21.44	21.67	21.82	22.50	15.31	15.54	15.69	16.37
EGPRS (8PSK, 3-Slots)	19.35	19.32	19.39	21.00	14.93	14.90	14.97	16.58
EGPRS (8PSK, 4-Slots)	19.28	19.47	19.42	19.50	16.10	16.29	16.24	16.32
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	31.59	31.75	31.75	32.00	22.40	22.56	22.56	22.81
GPRS (GMSK, 1-Slot)	31.69	31.85	31.83	32.00	22.50	22.66	22.64	22.81
GPRS (GMSK, 2-Slots)	28.23	28.99	28.56	29.00	22.10	22.86	22.43	22.87
GPRS (GMSK, 3-Slots)	26.15	26.57	26.52	27.50	21.73	22.15	22.10	23.08
GPRS (GMSK, 4-Slots)	25.22	25.99	25.53	26.00	22.04	22.81	22.35	22.82
EGPRS (8PSK, 1-Slot)	25.39	25.69	25.80	26.00	16.20	16.50	16.61	16.81
EGPRS (8PSK, 2-Slots)	21.53	22.15	21.86	23.00	15.40	16.02	15.73	16.87
EGPRS (8PSK, 3-Slots)	20.50	20.20	19.76	21.50	16.08	15.78	15.34	17.08
EGPRS (8PSK, 4-Slots)	18.98	19.52	19.56	20.00	15.80	16.34	16.38	16.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	25.56	25.56	25.85	26.50	16.37	16.37	16.66	17.31
GPRS (GMSK, 1-Slot)	25.61	25.61	26.01	26.50	16.42	16.42	16.82	17.31
GPRS (GMSK, 2-Slots)	23.35	23.42	23.39	23.50	17.22	17.29	17.26	17.37
GPRS (GMSK, 3-Slots)	21.62	21.51	21.73	22.00	17.20	17.09	17.31	17.58
GPRS (GMSK, 4-Slots)	19.53	19.56	19.97	20.50	16.35	16.38	16.79	17.32
EGPRS (8PSK, 1-Slot)	20.59	20.50	20.60	22.50	11.40	11.31	11.41	13.31
EGPRS (8PSK, 2-Slots)	19.10	19.13	19.47	19.50	12.97	13.00	13.34	13.37
EGPRS (8PSK, 3-Slots)	17.67	17.71	17.92	18.00	13.25	13.29	13.50	13.58
EGPRS (8PSK, 4-Slots)	16.45	16.42	16.45	16.50	13.27	13.24	13.27	13.32

GSM-State3-Ant.1								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	31.16	31.42	31.45	33.00	21.97	22.23	22.26	23.81
GPRS (GMSK, 1-Slot)	31.19	31.47	31.48	33.00	22.00	22.28	22.29	23.81
GPRS (GMSK, 2-Slots)	29.46	29.95	29.94	30.00	23.33	23.82	23.81	23.87
GPRS (GMSK, 3-Slots)	27.30	27.54	27.63	28.50	22.88	23.12	23.21	24.08
GPRS (GMSK, 4-Slots)	26.19	26.55	26.71	27.00	23.01	23.37	23.53	23.82
EGPRS (8PSK, 1-Slot)	25.27	25.53	25.73	27.00	16.08	16.34	16.54	17.81
EGPRS (8PSK, 2-Slots)	23.81	23.90	23.98	24.00	17.68	17.77	17.85	17.87
EGPRS (8PSK, 3-Slots)	20.77	21.05	21.12	22.50	16.35	16.63	16.70	18.08
EGPRS (8PSK, 4-Slots)	19.47	19.61	19.67	21.00	16.29	16.43	16.49	17.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	31.52	32.01	31.68	33.00	22.33	22.82	22.49	23.81
GPRS (GMSK, 1-Slot)	31.55	32.23	31.73	33.00	22.36	23.04	22.54	23.81
GPRS (GMSK, 2-Slots)	29.24	29.96	29.51	30.00	23.11	23.83	23.38	23.87
GPRS (GMSK, 3-Slots)	27.75	27.74	27.54	28.50	23.33	23.32	23.12	24.08
GPRS (GMSK, 4-Slots)	26.14	26.86	26.45	27.00	22.96	23.68	23.27	23.82
EGPRS (8PSK, 1-Slot)	25.49	26.45	26.02	27.00	16.30	17.26	16.83	17.81
EGPRS (8PSK, 2-Slots)	23.71	23.86	23.77	24.00	17.58	17.73	17.64	17.87
EGPRS (8PSK, 3-Slots)	21.05	21.96	20.97	22.50	16.63	17.54	16.55	18.08
EGPRS (8PSK, 4-Slots)	19.96	20.79	20.31	21.00	16.78	17.61	17.13	17.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	27.49	27.54	27.81	28.00	18.30	18.35	18.62	18.81
GPRS (GMSK, 1-Slot)	27.50	27.61	27.86	28.00	18.31	18.42	18.67	18.81
GPRS (GMSK, 2-Slots)	24.75	24.90	24.86	25.00	18.62	18.77	18.73	18.87
GPRS (GMSK, 3-Slots)	22.80	22.87	23.04	23.50	18.38	18.45	18.62	19.08
GPRS (GMSK, 4-Slots)	21.02	21.21	21.43	22.00	17.84	18.03	18.25	18.82
EGPRS (8PSK, 1-Slot)	23.90	23.20	23.43	24.00	14.71	14.01	14.24	14.81
EGPRS (8PSK, 2-Slots)	19.30	19.29	19.26	21.00	13.17	13.16	13.13	14.87
EGPRS (8PSK, 3-Slots)	19.41	19.46	19.42	19.50	14.99	15.04	15.00	15.08
EGPRS (8PSK, 4-Slots)	17.42	17.45	17.71	18.00	14.24	14.27	14.53	14.82

GSM-State4-Ant.1								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	29.32	29.50	29.48	30.50	20.13	20.31	20.29	21.31
GPRS (GMSK, 1-Slot)	29.36	29.61	29.95	30.50	20.17	20.42	20.76	21.31
GPRS (GMSK, 2-Slots)	27.11	27.30	27.40	27.50	20.98	21.17	21.27	21.37
GPRS (GMSK, 3-Slots)	24.92	25.31	25.25	26.00	20.50	20.89	20.83	21.58
GPRS (GMSK, 4-Slots)	23.76	24.08	24.28	24.50	20.58	20.90	21.10	21.32
EGPRS (8PSK, 1-Slot)	23.77	23.95	24.14	24.50	14.58	14.76	14.95	15.31
EGPRS (8PSK, 2-Slots)	21.39	19.98	19.96	21.50	15.26	13.85	13.83	15.37
EGPRS (8PSK, 3-Slots)	18.76	19.09	19.33	20.00	14.34	14.67	14.91	15.58
EGPRS (8PSK, 4-Slots)	18.04	18.40	18.33	18.50	14.86	15.22	15.15	15.32
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	30.42	30.50	30.48	31.00	21.23	21.31	21.29	21.81
GPRS (GMSK, 1-Slot)	30.52	30.63	30.70	31.00	21.33	21.44	21.51	21.81
GPRS (GMSK, 2-Slots)	27.17	27.86	27.30	28.00	21.04	21.73	21.17	21.87
GPRS (GMSK, 3-Slots)	25.11	25.95	25.38	26.50	20.69	21.53	20.96	22.08
GPRS (GMSK, 4-Slots)	24.07	24.85	24.35	25.00	20.89	21.67	21.17	21.82
EGPRS (8PSK, 1-Slot)	24.22	24.80	24.57	25.00	15.03	15.61	15.38	15.81
EGPRS (8PSK, 2-Slots)	21.18	21.96	21.95	22.00	15.05	15.83	15.82	15.87
EGPRS (8PSK, 3-Slots)	19.41	19.11	18.68	20.50	14.99	14.69	14.26	16.08
EGPRS (8PSK, 4-Slots)	17.82	18.47	18.09	19.00	14.64	15.29	14.91	15.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	25.01	25.18	24.30	25.50	15.82	15.99	15.11	16.31
GPRS (GMSK, 1-Slot)	25.02	25.29	25.48	25.50	15.83	16.10	16.29	16.31
GPRS (GMSK, 2-Slots)	22.20	22.45	22.41	22.50	16.07	16.32	16.28	16.37
GPRS (GMSK, 3-Slots)	20.45	20.31	20.50	21.00	16.03	15.89	16.08	16.58
GPRS (GMSK, 4-Slots)	18.41	18.60	18.82	19.50	15.23	15.42	15.64	16.32
EGPRS (8PSK, 1-Slot)	20.54	20.98	21.08	21.50	11.35	11.79	11.89	12.31
EGPRS (8PSK, 2-Slots)	18.42	18.40	18.39	18.50	12.29	12.27	12.26	12.37
EGPRS (8PSK, 3-Slots)	16.68	16.65	16.90	17.00	12.26	12.23	12.48	12.58
EGPRS (8PSK, 4-Slots)	15.42	15.46	15.36	15.50	12.24	12.28	12.18	12.32

8.1 GSM Output Power

GSM-Full Power-Ant.0								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	32.15	32.51	32.50	34.00	22.96	23.32	23.31	24.81
GPRS (GMSK, 1-Slot)	32.22	32.56	32.57	34.00	23.03	23.37	23.38	24.81
GPRS (GMSK, 2-Slots)	29.89	30.00	30.06	31.00	23.76	23.87	23.93	24.87
GPRS (GMSK, 3-Slots)	28.59	28.61	28.75	29.50	24.17	24.19	24.33	25.08
GPRS (GMSK, 4-Slots)	27.03	27.06	27.19	28.00	23.85	23.88	24.01	24.82
EGPRS (8PSK, 1-Slot)	26.50	26.60	26.82	28.00	17.31	17.41	17.63	18.81
EGPRS (8PSK, 2-Slots)	24.77	24.22	24.68	25.00	18.64	18.09	18.55	18.87
EGPRS (8PSK, 3-Slots)	21.97	22.20	22.33	23.50	17.55	17.78	17.91	19.08
EGPRS (8PSK, 4-Slots)	21.35	21.44	21.67	22.00	18.17	18.26	18.49	18.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	32.50	32.96	32.75	34.00	23.31	23.77	23.56	24.81
GPRS (GMSK, 1-Slot)	32.66	33.26	32.93	34.00	23.47	24.07	23.74	24.81
GPRS (GMSK, 2-Slots)	29.30	30.43	29.66	31.00	23.17	24.30	23.53	24.87
GPRS (GMSK, 3-Slots)	28.41	29.31	28.79	29.50	23.99	24.89	24.37	25.08
GPRS (GMSK, 4-Slots)	27.02	27.86	27.23	28.00	23.84	24.68	24.05	24.82
EGPRS (8PSK, 1-Slot)	26.66	27.56	26.95	28.00	17.47	18.37	17.76	18.81
EGPRS (8PSK, 2-Slots)	24.17	24.82	24.46	25.00	18.04	18.69	18.33	18.87
EGPRS (8PSK, 3-Slots)	21.73	22.43	22.11	23.50	17.31	18.01	17.69	19.08
EGPRS (8PSK, 4-Slots)	20.53	21.32	20.89	22.00	17.35	18.14	17.71	18.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	30.15	30.12	30.42	31.00	20.96	20.93	21.23	21.81
GPRS (GMSK, 1-Slot)	30.19	30.17	30.57	31.00	21.00	20.98	21.38	21.81
GPRS (GMSK, 2-Slots)	26.81	27.00	27.24	28.00	20.68	20.87	21.11	21.87
GPRS (GMSK, 3-Slots)	25.91	25.82	25.90	26.50	21.49	21.40	21.48	22.08
GPRS (GMSK, 4-Slots)	24.80	24.70	24.98	25.00	21.62	21.52	21.80	21.82
EGPRS (8PSK, 1-Slot)	26.26	26.23	26.84	27.00	17.07	17.04	17.65	17.81
EGPRS (8PSK, 2-Slots)	23.83	23.82	23.87	24.00	17.70	17.69	17.74	17.87
EGPRS (8PSK, 3-Slots)	20.77	20.75	20.98	22.50	16.35	16.33	16.56	18.08
EGPRS (8PSK, 4-Slots)	20.41	20.70	20.83	21.00	17.23	17.52	17.65	17.82

GSM-State1&2&4-Ant.0								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	32.15	32.51	32.50	34.00	22.96	23.32	23.31	24.81
GPRS (GMSK, 1-Slot)	32.22	32.56	32.57	34.00	23.03	23.37	23.38	24.81
GPRS (GMSK, 2-Slots)	29.89	30.00	30.06	31.00	23.76	23.87	23.93	24.87
GPRS (GMSK, 3-Slots)	28.59	28.61	28.75	29.50	24.17	24.19	24.33	25.08
GPRS (GMSK, 4-Slots)	27.03	27.06	27.19	28.00	23.85	23.88	24.01	24.82
EGPRS (8PSK, 1-Slot)	26.50	26.60	26.82	28.00	17.31	17.41	17.63	18.81
EGPRS (8PSK, 2-Slots)	24.77	24.22	24.68	25.00	18.64	18.09	18.55	18.87
EGPRS (8PSK, 3-Slots)	21.97	22.20	22.33	23.50	17.55	17.78	17.91	19.08
EGPRS (8PSK, 4-Slots)	21.35	21.44	21.67	22.00	18.17	18.26	18.49	18.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	32.50	32.96	32.75	34.00	23.31	23.77	23.56	24.81
GPRS (GMSK, 1-Slot)	32.66	33.26	32.93	34.00	23.47	24.07	23.74	24.81
GPRS (GMSK, 2-Slots)	29.30	30.43	29.66	31.00	23.17	24.30	23.53	24.87
GPRS (GMSK, 3-Slots)	28.41	29.31	28.79	29.50	23.99	24.89	24.37	25.08
GPRS (GMSK, 4-Slots)	27.02	27.86	27.23	28.00	23.84	24.68	24.05	24.82
EGPRS (8PSK, 1-Slot)	26.66	27.56	26.95	28.00	17.47	18.37	17.76	18.81
EGPRS (8PSK, 2-Slots)	24.17	24.82	24.46	25.00	18.04	18.69	18.33	18.87
EGPRS (8PSK, 3-Slots)	21.73	22.43	22.11	23.50	17.31	18.01	17.69	19.08
EGPRS (8PSK, 4-Slots)	20.53	21.32	20.89	22.00	17.35	18.14	17.71	18.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	30.15	30.12	30.42	31.00	20.96	20.93	21.23	21.81
GPRS (GMSK, 1-Slot)	30.19	30.17	30.57	31.00	21.00	20.98	21.38	21.81
GPRS (GMSK, 2-Slots)	26.81	27.00	27.24	28.00	20.68	20.87	21.11	21.87
GPRS (GMSK, 3-Slots)	25.91	25.82	25.90	26.50	21.49	21.40	21.48	22.08
GPRS (GMSK, 4-Slots)	24.80	24.70	24.98	25.00	21.62	21.52	21.80	21.82
EGPRS (8PSK, 1-Slot)	26.26	26.23	26.84	27.00	17.07	17.04	17.65	17.81
EGPRS (8PSK, 2-Slots)	23.83	23.82	23.87	24.00	17.70	17.69	17.74	17.87
EGPRS (8PSK, 3-Slots)	20.77	20.75	20.98	22.50	16.35	16.33	16.56	18.08
EGPRS (8PSK, 4-Slots)	20.41	20.70	20.83	21.00	17.23	17.52	17.65	17.82

GSM-State3-Ant.0								
GSM850 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	128	190	251		128	190	251	
GSM (GMSK, 1-Slot)	32.15	32.51	32.50	34.00	22.96	23.32	23.31	24.81
GPRS (GMSK, 1-Slot)	32.22	32.56	32.57	34.00	23.03	23.37	23.38	24.81
GPRS (GMSK, 2-Slots)	29.89	30.00	30.06	31.00	23.76	23.87	23.93	24.87
GPRS (GMSK, 3-Slots)	28.59	28.61	28.75	29.50	24.17	24.19	24.33	25.08
GPRS (GMSK, 4-Slots)	27.03	27.06	27.19	28.00	23.85	23.88	24.01	24.82
EGPRS (8PSK, 1-Slot)	26.50	26.60	26.82	28.00	17.31	17.41	17.63	18.81
EGPRS (8PSK, 2-Slots)	24.77	24.22	24.68	25.00	18.64	18.09	18.55	18.87
EGPRS (8PSK, 3-Slots)	21.97	22.20	22.33	23.50	17.55	17.78	17.91	19.08
EGPRS (8PSK, 4-Slots)	21.35	21.44	21.67	22.00	18.17	18.26	18.49	18.82
GSM900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged power			Tune-up Power(dBm)
Channel	975	38	124		975	38	124	
GSM (GMSK, 1-Slot)	32.50	32.96	32.75	34.00	23.31	23.77	23.56	24.81
GPRS (GMSK, 1-Slot)	32.66	33.26	32.93	34.00	23.47	24.07	23.74	24.81
GPRS (GMSK, 2-Slots)	29.30	30.43	29.66	31.00	23.17	24.30	23.53	24.87
GPRS (GMSK, 3-Slots)	28.41	29.31	28.79	29.50	23.99	24.89	24.37	25.08
GPRS (GMSK, 4-Slots)	27.02	27.86	27.23	28.00	23.84	24.68	24.05	24.82
EGPRS (8PSK, 1-Slot)	26.66	27.56	26.95	28.00	17.47	18.37	17.76	18.81
EGPRS (8PSK, 2-Slots)	24.17	24.82	24.46	25.00	18.04	18.69	18.33	18.87
EGPRS (8PSK, 3-Slots)	21.73	22.43	22.11	23.50	17.31	18.01	17.69	19.08
EGPRS (8PSK, 4-Slots)	20.53	21.32	20.89	22.00	17.35	18.14	17.71	18.82
GSM1900 Band	Burst Average Power(dBm)			Tune-up Power(dBm)	Frame-Averaged			Tune-up Power(dBm)
Channel	512	661	810		512	661	810	
GSM (GMSK, 1-Slot)	29.23	29.25	29.45	30.00	20.04	20.06	20.26	20.81
GPRS (GMSK, 1-Slot)	29.25	29.28	29.55	30.00	20.06	20.09	20.36	20.81
GPRS (GMSK, 2-Slots)	26.94	26.91	26.85	27.00	20.81	20.78	20.72	20.87
GPRS (GMSK, 3-Slots)	24.95	24.90	24.93	25.50	20.53	20.48	20.51	21.08
GPRS (GMSK, 4-Slots)	23.54	23.69	23.96	24.00	20.36	20.51	20.78	20.82
EGPRS (8PSK, 1-Slot)	25.35	25.21	25.74	26.00	16.16	16.02	16.55	16.81
EGPRS (8PSK, 2-Slots)	22.73	22.80	22.73	23.00	16.60	16.67	16.60	16.87
EGPRS (8PSK, 3-Slots)	20.02	20.05	20.31	21.50	15.60	15.63	15.89	17.08
EGPRS (8PSK, 4-Slots)	19.07	19.13	19.28	20.00	15.89	15.95	16.10	16.82

8.2 WCDMA Output Power

WCDMA-Full Power-Ant.1				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	24.30	24.35	24.40	25.00
RMC 12.2Kbps	24.39	24.38	24.41	25.00
HSDPA Subtest-1	23.20	23.32	23.38	23.80
HSDPA Subtest-2	23.13	23.26	23.45	23.80
HSDPA Subtest-3	22.74	22.90	22.93	23.30
HSDPA Subtest-4	23.05	22.88	22.97	23.30
DC-HSDPA Subtest-1	23.36	23.12	23.33	23.80
DC-HSDPA Subtest-2	23.23	23.36	23.39	23.80
DC-HSDPA Subtest-3	22.90	23.04	22.95	23.30
DC-HSDPA Subtest-4	22.92	23.03	22.88	23.30
HSUPA Subtest-1	23.31	23.30	23.11	23.80
HSUPA Subtest-2	21.39	21.36	21.56	21.80
HSUPA Subtest-3	22.46	22.37	22.48	22.80
HSUPA Subtest-4	21.23	21.37	21.45	21.80
HSUPA Subtest-5	23.21	23.29	23.46	23.80
HSPA+	21.35	21.55	21.70	22.80
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	23.89	24.15	24.02	25.00
RMC 12.2Kbps	23.97	24.17	24.08	25.00
HSDPA Subtest-1	23.31	23.15	22.97	23.80
HSDPA Subtest-2	23.40	23.24	23.23	23.80
HSDPA Subtest-3	22.87	22.72	22.70	23.30
HSDPA Subtest-4	22.81	22.71	22.65	23.30
DC-HSDPA Subtest-1	23.22	23.03	22.89	23.80
DC-HSDPA Subtest-2	23.30	23.24	23.19	23.80
DC-HSDPA Subtest-3	22.73	22.55	22.71	23.30
DC-HSDPA Subtest-4	22.80	22.64	22.70	23.30
HSUPA Subtest-1	23.03	23.14	23.17	23.80
HSUPA Subtest-2	21.06	21.13	21.20	21.80
HSUPA Subtest-3	22.34	22.16	22.31	22.80
HSUPA Subtest-4	21.30	21.15	21.16	21.80
HSUPA Subtest-5	23.00	23.18	23.27	23.80
HSPA+	21.24	21.42	21.44	22.80
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	23.97	23.94	23.74	25.00
RMC 12.2Kbps	24.05	23.96	23.83	25.00
HSDPA Subtest-1	22.76	22.86	22.70	23.80
HSDPA Subtest-2	23.01	22.93	22.75	23.80
HSDPA Subtest-3	22.49	22.42	22.32	23.30
HSDPA Subtest-4	22.45	22.37	22.49	23.30
DC-HSDPA Subtest-1	22.74	23.05	22.87	23.80
DC-HSDPA Subtest-2	23.20	23.01	22.94	23.80
DC-HSDPA Subtest-3	22.40	22.43	22.51	23.30
DC-HSDPA Subtest-4	22.53	22.32	22.36	23.30
HSUPA Subtest-1	23.11	22.93	23.08	23.80
HSUPA Subtest-2	21.00	20.97	20.95	21.80
HSUPA Subtest-3	21.92	21.96	22.15	22.80
HSUPA Subtest-4	21.10	20.95	20.97	21.80
HSUPA Subtest-5	22.97	22.94	23.07	23.80
HSPA+	21.83	22.03	21.79	22.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	24.27	24.09	24.36	25.00
RMC 12.2Kbps	24.40	24.15	24.32	25.00
HSDPA Subtest-1	23.36	23.16	23.25	23.80
HSDPA Subtest-2	23.04	23.11	22.93	23.80
HSDPA Subtest-3	22.57	22.69	22.82	23.30
HSDPA Subtest-4	22.56	22.64	22.49	23.30
DC-HSDPA Subtest-1	23.16	23.33	23.11	23.80
DC-HSDPA Subtest-2	22.96	23.09	23.02	23.80
DC-HSDPA Subtest-3	22.45	22.87	22.79	23.30
DC-HSDPA Subtest-4	22.74	22.82	22.50	23.30
HSUPA Subtest-1	23.16	23.15	22.95	23.80
HSUPA Subtest-2	21.00	21.00	21.13	21.80
HSUPA Subtest-3	22.21	22.18	22.06	22.80
HSUPA Subtest-4	20.91	21.01	21.02	21.80
HSUPA Subtest-5	23.14	23.06	23.20	23.80
HSPA+	21.23	21.35	21.24	22.80

WCDMA-Power State1-Ant.1				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	21.01	21.01	21.01	21.50
RMC 12.2Kbps	21.06	21.06	21.01	21.50
HSDPA Subtest-1	19.91	19.99	19.96	20.30
HSDPA Subtest-2	19.88	19.96	20.09	20.30
HSDPA Subtest-3	19.51	19.54	19.41	19.80
HSDPA Subtest-4	19.64	19.53	19.65	19.80
DC-HSDPA Subtest-1	19.91	19.91	19.96	20.30
DC-HSDPA Subtest-2	20.18	20.29	20.15	20.30
DC-HSDPA Subtest-3	19.57	19.56	19.59	19.80
DC-HSDPA Subtest-4	19.75	19.53	19.78	19.80
HSUPA Subtest-1	20.08	19.97	20.16	20.30
HSUPA Subtest-2	17.88	18.07	18.02	18.30
HSUPA Subtest-3	18.94	19.08	19.03	19.30
HSUPA Subtest-4	18.14	17.97	17.92	18.30
HSUPA Subtest-5	20.14	20.00	19.92	20.30
HSPA+	18.39	18.55	18.47	19.30
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	21.89	22.16	21.89	22.50
RMC 12.2Kbps	21.94	22.00	22.23	22.50
HSDPA Subtest-1	21.01	21.17	21.01	21.30
HSDPA Subtest-2	21.10	21.18	21.09	21.30
HSDPA Subtest-3	20.61	20.65	20.63	20.80
HSDPA Subtest-4	20.58	20.76	20.78	20.80
DC-HSDPA Subtest-1	20.82	21.23	21.10	21.30
DC-HSDPA Subtest-2	21.11	21.14	21.03	21.30
DC-HSDPA Subtest-3	20.48	20.61	20.62	20.80
DC-HSDPA Subtest-4	20.70	20.73	20.64	20.80
HSUPA Subtest-1	21.03	21.19	21.06	21.30
HSUPA Subtest-2	18.98	19.16	19.19	19.30
HSUPA Subtest-3	20.03	20.19	20.28	20.30
HSUPA Subtest-4	19.13	19.27	19.12	19.30
HSUPA Subtest-5	21.08	21.19	21.29	21.30
HSPA+	18.84	19.15	19.05	20.30
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	23.97	23.94	23.74	25.00
RMC 12.2Kbps	24.05	23.96	23.83	25.00
HSDPA Subtest-1	22.76	22.86	22.70	23.80
HSDPA Subtest-2	23.01	22.93	22.75	23.80
HSDPA Subtest-3	22.49	22.42	22.32	23.30
HSDPA Subtest-4	22.45	22.37	22.49	23.30
DC-HSDPA Subtest-1	22.74	23.05	22.87	23.80
DC-HSDPA Subtest-2	23.20	23.01	22.94	23.80
DC-HSDPA Subtest-3	22.40	22.43	22.51	23.30
DC-HSDPA Subtest-4	22.53	22.32	22.36	23.30
HSUPA Subtest-1	23.11	22.93	23.08	23.80
HSUPA Subtest-2	21.00	20.97	20.95	21.80
HSUPA Subtest-3	21.92	21.96	22.15	22.80
HSUPA Subtest-4	21.10	20.95	20.97	21.80
HSUPA Subtest-5	22.97	22.94	23.07	23.80
HSPA+	21.83	22.03	21.79	22.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	24.27	24.09	24.36	25.00
RMC 12.2Kbps	24.40	24.15	24.32	25.00
HSDPA Subtest-1	23.36	23.16	23.25	23.80
HSDPA Subtest-2	23.04	23.11	22.93	23.80
HSDPA Subtest-3	22.57	22.69	22.82	23.30
HSDPA Subtest-4	22.56	22.64	22.49	23.30
DC-HSDPA Subtest-1	23.16	23.33	23.11	23.80
DC-HSDPA Subtest-2	22.96	23.09	23.02	23.80
DC-HSDPA Subtest-3	22.45	22.87	22.79	23.30
DC-HSDPA Subtest-4	22.74	22.82	22.50	23.30
HSUPA Subtest-1	23.16	23.15	22.95	23.80
HSUPA Subtest-2	21.00	21.00	21.13	21.80
HSUPA Subtest-3	22.21	22.18	22.06	22.80
HSUPA Subtest-4	20.91	21.01	21.02	21.80
HSUPA Subtest-5	23.14	23.06	23.20	23.80
HSPA+	21.23	21.35	21.24	22.80

WCDMA-Power State2-Ant.1				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	16.07	16.06	16.11	16.50
RMC 12.2Kbps	16.13	16.08	16.12	16.50
HSDPA Subtest-1	14.82	15.02	15.08	15.30
HSDPA Subtest-2	15.10	15.01	14.82	15.30
HSDPA Subtest-3	14.48	14.51	14.36	14.80
HSDPA Subtest-4	14.35	14.50	14.31	14.80
DC-HSDPA Subtest-1	14.84	14.93	15.05	15.30
DC-HSDPA Subtest-2	15.27	14.87	14.78	15.30
DC-HSDPA Subtest-3	14.29	14.58	14.42	14.80
DC-HSDPA Subtest-4	14.36	14.48	14.42	14.80
HSUPA Subtest-1	15.14	15.11	15.13	15.30
HSUPA Subtest-2	13.08	13.06	13.09	13.30
HSUPA Subtest-3	14.25	14.14	13.96	14.30
HSUPA Subtest-4	13.14	13.05	13.17	13.30
HSUPA Subtest-5	15.26	15.13	15.14	15.30
HSPA+	13.40	13.61	13.70	14.30
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	16.97	17.26	17.02	17.50
RMC 12.2Kbps	16.98	17.04	17.26	17.50
HSDPA Subtest-1	16.04	16.29	16.13	16.30
HSDPA Subtest-2	16.20	16.01	16.12	16.30
HSDPA Subtest-3	15.68	15.78	15.63	15.80
HSDPA Subtest-4	15.61	15.78	15.75	15.80
DC-HSDPA Subtest-1	16.15	16.20	16.16	16.30
DC-HSDPA Subtest-2	16.26	16.04	16.18	16.30
DC-HSDPA Subtest-3	15.50	15.79	15.75	15.80
DC-HSDPA Subtest-4	15.80	15.60	15.53	15.80
HSUPA Subtest-1	16.06	16.01	16.16	16.30
HSUPA Subtest-2	14.16	14.29	14.02	14.30
HSUPA Subtest-3	15.30	15.18	15.18	15.30
HSUPA Subtest-4	14.03	14.29	14.20	14.30
HSUPA Subtest-5	16.02	16.28	16.20	16.30
HSPA+	14.43	14.24	14.32	15.30
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	21.45	21.16	21.06	22.00
RMC 12.2Kbps	21.45	21.31	21.14	22.00
HSDPA Subtest-1	20.14	20.27	20.08	20.80
HSDPA Subtest-2	20.20	20.27	20.40	20.80
HSDPA Subtest-3	19.86	19.86	20.03	20.30
HSDPA Subtest-4	19.80	19.82	19.73	20.30
DC-HSDPA Subtest-1	20.24	20.36	20.01	20.80
DC-HSDPA Subtest-2	20.36	20.11	20.34	20.80
DC-HSDPA Subtest-3	20.03	19.74	20.11	20.30
DC-HSDPA Subtest-4	19.74	19.67	19.91	20.30
HSUPA Subtest-1	20.09	20.29	20.32	20.80
HSUPA Subtest-2	18.06	18.19	18.25	18.80
HSUPA Subtest-3	19.29	19.21	19.37	19.80
HSUPA Subtest-4	18.18	18.18	18.37	18.80
HSUPA Subtest-5	20.34	20.37	20.34	20.80
HSPA+	18.35	18.41	18.42	19.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	20.78	20.35	20.73	21.00
RMC 12.2Kbps	20.82	20.49	20.79	21.00
HSDPA Subtest-1	19.50	19.37	19.21	19.80
HSDPA Subtest-2	19.47	19.41	19.31	19.80
HSDPA Subtest-3	18.90	18.91	19.05	19.30
HSDPA Subtest-4	18.71	18.87	18.79	19.30
DC-HSDPA Subtest-1	19.31	19.43	19.35	19.80
DC-HSDPA Subtest-2	19.61	19.33	19.47	19.80
DC-HSDPA Subtest-3	19.04	18.73	18.86	19.30
DC-HSDPA Subtest-4	18.89	18.83	18.74	19.30
HSUPA Subtest-1	19.57	19.44	19.55	19.80
HSUPA Subtest-2	17.43	17.40	17.49	17.80
HSUPA Subtest-3	18.40	18.44	18.39	18.80
HSUPA Subtest-4	17.48	17.40	17.55	17.80
HSUPA Subtest-5	19.27	19.36	19.26	19.80
HSPA+	17.51	17.24	17.43	18.80

WCDMA-Power State3-Ant.1				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	17.58	17.66	17.55	18.00
RMC 12.2Kbps	17.73	17.70	17.66	18.00
HSDPA Subtest-1	16.61	16.73	16.64	16.80
HSDPA Subtest-2	16.72	16.61	16.65	16.80
HSDPA Subtest-3	16.12	16.10	16.12	16.30
HSDPA Subtest-4	16.28	16.29	16.28	16.30
DC-HSDPA Subtest-1	16.49	16.55	16.76	16.80
DC-HSDPA Subtest-2	16.63	16.75	16.66	16.80
DC-HSDPA Subtest-3	16.16	16.18	16.28	16.30
DC-HSDPA Subtest-4	16.26	16.11	16.16	16.30
HSUPA Subtest-1	16.58	16.62	16.69	16.80
HSUPA Subtest-2	14.63	14.75	14.57	14.80
HSUPA Subtest-3	15.80	15.63	15.72	15.80
HSUPA Subtest-4	14.73	14.73	14.58	14.80
HSUPA Subtest-5	16.75	16.63	16.72	16.80
HSPA+	15.35	15.35	15.13	15.80
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	18.48	18.72	18.28	19.00
RMC 12.2Kbps	18.63	18.40	18.86	19.00
HSDPA Subtest-1	17.76	17.62	17.57	17.80
HSDPA Subtest-2	17.69	17.64	17.70	17.80
HSDPA Subtest-3	17.15	17.11	17.20	17.30
HSDPA Subtest-4	17.05	17.10	17.18	17.30
DC-HSDPA Subtest-1	17.59	17.52	17.60	17.80
DC-HSDPA Subtest-2	17.75	17.61	17.55	17.80
DC-HSDPA Subtest-3	17.04	17.21	17.09	17.30
DC-HSDPA Subtest-4	17.25	17.07	17.17	17.30
HSUPA Subtest-1	17.76	17.65	17.72	17.80
HSUPA Subtest-2	15.63	15.62	15.58	15.80
HSUPA Subtest-3	16.52	16.63	16.62	16.80
HSUPA Subtest-4	15.70	15.62	15.80	15.80
HSUPA Subtest-5	17.65	17.63	17.70	17.80
HSPA+	15.80	15.92	15.74	16.80
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	23.49	23.34	22.90	24.00
RMC 12.2Kbps	23.36	23.54	23.01	24.00
HSDPA Subtest-1	22.35	22.25	22.17	22.80
HSDPA Subtest-2	22.39	22.34	22.39	22.80
HSDPA Subtest-3	21.90	21.82	21.83	22.30
HSDPA Subtest-4	21.98	21.78	21.69	22.30
DC-HSDPA Subtest-1	22.17	22.05	22.08	22.80
DC-HSDPA Subtest-2	22.46	22.52	22.22	22.80
DC-HSDPA Subtest-3	21.78	21.74	21.68	22.30
DC-HSDPA Subtest-4	21.82	21.91	21.73	22.30
HSUPA Subtest-1	22.16	22.24	22.25	22.80
HSUPA Subtest-2	20.12	20.27	20.11	20.80
HSUPA Subtest-3	21.12	21.27	21.45	21.80
HSUPA Subtest-4	20.41	20.37	20.55	20.80
HSUPA Subtest-5	22.40	22.25	22.39	22.80
HSPA+	21.73	21.73	21.53	21.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	22.73	22.41	22.74	23.00
RMC 12.2Kbps	22.76	22.56	22.72	23.00
HSDPA Subtest-1	21.35	21.25	21.22	21.80
HSDPA Subtest-2	21.15	21.24	21.16	21.80
HSDPA Subtest-3	20.82	20.83	20.89	21.30
HSDPA Subtest-4	20.85	20.79	20.61	21.30
DC-HSDPA Subtest-1	21.40	21.23	21.21	21.80
DC-HSDPA Subtest-2	21.22	21.20	21.31	21.80
DC-HSDPA Subtest-3	21.02	20.84	20.96	21.30
DC-HSDPA Subtest-4	20.96	20.62	20.56	21.30
HSUPA Subtest-1	21.31	21.28	21.30	21.80
HSUPA Subtest-2	19.50	19.31	19.24	19.80
HSUPA Subtest-3	20.24	20.31	20.41	20.80
HSUPA Subtest-4	19.17	19.32	19.14	19.80
HSUPA Subtest-5	21.65	21.46	21.35	21.80
HSPA+	19.52	19.35	19.28	20.80

WCDMA-Power State4-Ant.1				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	16.07	16.06	16.11	16.50
RMC 12.2Kbps	16.13	16.08	16.12	16.50
HSDPA Subtest-1	14.82	15.02	15.08	15.30
HSDPA Subtest-2	15.10	15.01	14.82	15.30
HSDPA Subtest-3	14.48	14.51	14.36	14.80
HSDPA Subtest-4	14.35	14.50	14.31	14.80
DC-HSDPA Subtest-1	14.84	14.93	15.05	15.30
DC-HSDPA Subtest-2	15.27	14.87	14.78	15.30
DC-HSDPA Subtest-3	14.29	14.58	14.42	14.80
DC-HSDPA Subtest-4	14.36	14.48	14.42	14.80
HSUPA Subtest-1	15.14	15.11	15.13	15.30
HSUPA Subtest-2	13.08	13.06	13.09	13.30
HSUPA Subtest-3	14.25	14.14	13.96	14.30
HSUPA Subtest-4	13.14	13.05	13.17	13.30
HSUPA Subtest-5	15.26	15.13	15.14	15.30
HSPA+	13.40	13.61	13.70	14.30
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	16.08	16.39	16.01	16.50
RMC 12.2Kbps	16.21	16.15	16.16	16.50
HSDPA Subtest-1	15.20	15.25	15.06	15.30
HSDPA Subtest-2	15.08	15.26	15.16	15.30
HSDPA Subtest-3	14.53	14.74	14.65	14.80
HSDPA Subtest-4	14.73	14.74	14.67	14.80
DC-HSDPA Subtest-1	15.25	15.20	15.25	15.30
DC-HSDPA Subtest-2	15.22	15.23	15.20	15.30
DC-HSDPA Subtest-3	14.57	14.56	14.65	14.80
DC-HSDPA Subtest-4	14.63	14.71	14.80	14.80
HSUPA Subtest-1	15.06	15.07	15.18	15.30
HSUPA Subtest-2	13.23	13.05	13.23	13.30
HSUPA Subtest-3	14.21	14.06	14.20	14.30
HSUPA Subtest-4	13.10	13.24	13.04	13.30
HSUPA Subtest-5	15.27	15.14	15.04	15.30
HSPA+	13.48	13.56	13.64	14.30
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	20.48	20.35	20.02	21.00
RMC 12.2Kbps	20.62	20.40	20.14	21.00
HSDPA Subtest-1	19.07	19.20	19.14	19.80
HSDPA Subtest-2	19.25	19.25	19.43	19.80
HSDPA Subtest-3	18.53	18.73	18.61	19.30
HSDPA Subtest-4	18.72	18.80	18.92	19.30
DC-HSDPA Subtest-1	19.11	19.25	19.15	19.80
DC-HSDPA Subtest-2	19.24	19.29	19.30	19.80
DC-HSDPA Subtest-3	18.63	18.82	18.67	19.30
DC-HSDPA Subtest-4	18.78	18.68	18.87	19.30
HSUPA Subtest-1	19.46	19.27	19.20	19.80
HSUPA Subtest-2	17.25	17.30	17.35	17.80
HSUPA Subtest-3	18.25	18.28	18.32	18.80
HSUPA Subtest-4	17.21	17.27	17.46	17.80
HSUPA Subtest-5	19.29	19.31	19.46	19.80
HSPA+	17.32	17.41	17.27	18.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	19.73	19.35	19.56	20.00
RMC 12.2Kbps	19.75	19.37	19.61	20.00
HSDPA Subtest-1	18.38	18.39	18.50	18.80
HSDPA Subtest-2	18.46	18.36	18.26	18.80
HSDPA Subtest-3	18.05	17.94	18.02	18.30
HSDPA Subtest-4	18.08	17.92	17.82	18.30
DC-HSDPA Subtest-1	18.33	18.47	18.40	18.80
DC-HSDPA Subtest-2	18.38	18.45	18.46	18.80
DC-HSDPA Subtest-3	18.07	17.94	17.86	18.30
DC-HSDPA Subtest-4	17.95	17.85	17.86	18.30
HSUPA Subtest-1	18.24	18.36	18.36	18.80
HSUPA Subtest-2	16.47	16.40	16.33	16.80
HSUPA Subtest-3	17.60	17.45	17.49	17.80
HSUPA Subtest-4	16.27	16.41	16.21	16.80
HSUPA Subtest-5	18.40	18.51	18.41	18.80
HSPA+	16.62	16.50	16.48	17.80

8.2 WCDMA Output Power

WCDMA-Full Power-Ant.0				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	23.41	23.49	23.62	25.00
RMC 12.2Kbps	23.43	23.45	23.70	25.00
HSDPA Subtest-1	22.47	22.32	22.23	23.80
HSDPA Subtest-2	22.57	22.37	22.31	23.80
HSDPA Subtest-3	21.70	21.85	21.98	23.30
HSDPA Subtest-4	21.80	21.94	21.92	23.30
DC-HSDPA Subtest-1	22.27	22.42	22.57	23.80
DC-HSDPA Subtest-2	22.68	22.26	22.44	23.80
DC-HSDPA Subtest-3	21.79	22.01	21.93	23.30
DC-HSDPA Subtest-4	21.72	21.96	21.77	23.30
HSUPA Subtest-1	22.86	22.90	22.88	23.80
HSUPA Subtest-2	20.87	20.99	21.08	21.80
HSUPA Subtest-3	21.81	22.00	22.02	22.80
HSUPA Subtest-4	21.10	20.98	20.99	21.80
HSUPA Subtest-5	22.91	23.04	23.02	23.80
HSPA+	21.23	21.26	21.23	22.80
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	24.35	24.19	23.92	25.00
RMC 12.2Kbps	24.36	24.28	24.04	25.00
HSDPA Subtest-1	23.15	23.28	23.47	23.80
HSDPA Subtest-2	23.53	23.37	23.43	23.80
HSDPA Subtest-3	22.65	22.85	22.68	23.30
HSDPA Subtest-4	22.82	22.64	22.49	23.30
DC-HSDPA Subtest-1	23.14	23.23	23.28	23.80
DC-HSDPA Subtest-2	23.65	23.57	23.23	23.80
DC-HSDPA Subtest-3	22.77	22.89	22.58	23.30
DC-HSDPA Subtest-4	22.88	22.49	22.43	23.30
HSUPA Subtest-1	23.37	23.25	23.32	23.80
HSUPA Subtest-2	21.35	21.25	21.07	21.80
HSUPA Subtest-3	22.33	22.26	22.29	22.80
HSUPA Subtest-4	21.07	21.24	21.16	21.80
HSUPA Subtest-5	23.45	23.28	23.46	23.80
HSPA+	21.36	21.36	21.31	22.80
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	24.70	24.57	24.44	25.00
RMC 12.2Kbps	24.82	24.71	24.45	25.00
HSDPA Subtest-1	23.50	23.63	23.76	23.80
HSDPA Subtest-2	23.54	23.68	23.76	23.80
HSDPA Subtest-3	23.13	23.17	23.19	23.30
HSDPA Subtest-4	23.21	23.12	23.24	23.30
DC-HSDPA Subtest-1	23.30	23.52	23.66	23.80
DC-HSDPA Subtest-2	23.70	23.50	23.57	23.80
DC-HSDPA Subtest-3	23.02	23.06	23.06	23.30
DC-HSDPA Subtest-4	23.04	23.06	23.11	23.30
HSUPA Subtest-1	23.67	23.67	23.66	23.80
HSUPA Subtest-2	21.63	21.72	21.66	21.80
HSUPA Subtest-3	22.57	22.69	22.67	22.80
HSUPA Subtest-4	21.60	21.70	21.66	21.80
HSUPA Subtest-5	23.52	23.66	23.55	23.80
HSPA+	21.45	21.79	21.70	22.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	24.71	24.36	24.48	25.00
RMC 12.2Kbps	24.82	24.40	24.49	25.00
HSDPA Subtest-1	23.36	23.39	23.24	23.80
HSDPA Subtest-2	23.61	23.47	23.55	23.80
HSDPA Subtest-3	22.82	22.96	22.89	23.30
HSDPA Subtest-4	22.87	22.92	22.75	23.30
DC-HSDPA Subtest-1	23.31	23.53	23.06	23.80
DC-HSDPA Subtest-2	23.46	23.30	23.67	23.80
DC-HSDPA Subtest-3	22.65	22.94	23.04	23.30
DC-HSDPA Subtest-4	22.90	22.87	22.57	23.30
HSUPA Subtest-1	23.40	23.42	23.50	23.80
HSUPA Subtest-2	21.23	21.27	21.47	21.80
HSUPA Subtest-3	22.65	22.46	22.63	22.80
HSUPA Subtest-4	21.18	21.29	21.34	21.80
HSUPA Subtest-5	23.24	23.42	23.55	23.80
HSPA+	21.39	21.38	21.64	22.80

WCDMA-Power State1-Ant.0				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	21.75	22.08	22.19	22.50
RMC 12.2Kbps	22.29	22.09	21.89	22.50
HSDPA Subtest-1	21.11	21.02	21.06	21.30
HSDPA Subtest-2	20.95	21.02	20.99	21.30
HSDPA Subtest-3	20.68	20.50	20.60	20.80
HSDPA Subtest-4	20.67	20.49	20.51	20.80
DC-HSDPA Subtest-1	20.96	21.20	20.93	21.30
DC-HSDPA Subtest-2	20.95	20.95	20.96	21.30
DC-HSDPA Subtest-3	20.80	20.41	20.60	20.80
DC-HSDPA Subtest-4	20.54	20.51	20.69	20.80
HSUPA Subtest-1	20.84	20.95	20.96	21.30
HSUPA Subtest-2	19.16	19.06	18.97	19.30
HSUPA Subtest-3	20.03	20.07	19.93	20.30
HSUPA Subtest-4	19.16	19.05	18.91	19.30
HSUPA Subtest-5	21.10	21.02	21.11	21.30
HSPA+	19.28	19.07	18.91	20.30
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	20.33	20.22	19.82	21.00
RMC 12.2Kbps	19.94	20.23	20.44	21.00
HSDPA Subtest-1	19.40	19.23	19.21	19.80
HSDPA Subtest-2	19.19	19.26	19.38	19.80
HSDPA Subtest-3	18.96	18.84	18.89	19.30
HSDPA Subtest-4	18.96	18.83	18.85	19.30
DC-HSDPA Subtest-1	19.55	19.09	19.12	19.80
DC-HSDPA Subtest-2	19.14	19.15	19.24	19.80
DC-HSDPA Subtest-3	18.91	18.71	19.00	19.30
DC-HSDPA Subtest-4	18.99	19.02	18.99	19.30
HSUPA Subtest-1	19.40	19.27	19.25	19.80
HSUPA Subtest-2	17.13	17.33	17.46	17.80
HSUPA Subtest-3	18.14	18.26	18.41	18.80
HSUPA Subtest-4	17.50	17.34	17.32	17.80
HSUPA Subtest-5	19.23	19.29	19.28	19.80
HSPA+	17.24	17.25	17.64	18.80
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	24.40	24.25	23.97	24.50
RMC 12.2Kbps	24.45	24.32	24.10	24.50
HSDPA Subtest-1	23.28	23.24	23.11	23.30
HSDPA Subtest-2	23.22	23.30	23.13	23.30
HSDPA Subtest-3	22.67	22.58	22.64	22.80
HSDPA Subtest-4	22.69	22.53	22.69	22.80
DC-HSDPA Subtest-1	23.06	23.23	22.95	23.30
DC-HSDPA Subtest-2	23.19	23.07	23.23	23.30
DC-HSDPA Subtest-3	22.68	22.75	22.78	22.80
DC-HSDPA Subtest-4	22.79	22.69	22.77	22.80
HSUPA Subtest-1	23.02	23.30	23.12	23.30
HSUPA Subtest-2	21.20	21.05	21.04	21.30
HSUPA Subtest-3	22.20	22.03	22.20	22.30
HSUPA Subtest-4	21.27	21.13	21.30	21.30
HSUPA Subtest-5	23.11	23.21	23.08	23.30
HSPA+	21.62	21.25	21.50	22.30
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	24.71	24.36	24.48	25.00
RMC 12.2Kbps	24.82	24.40	24.49	25.00
HSDPA Subtest-1	23.36	23.39	23.24	23.80
HSDPA Subtest-2	23.61	23.47	23.55	23.80
HSDPA Subtest-3	22.82	22.96	22.89	23.30
HSDPA Subtest-4	22.87	22.92	22.75	23.30
DC-HSDPA Subtest-1	23.31	23.53	23.06	23.80
DC-HSDPA Subtest-2	23.46	23.30	23.67	23.80
DC-HSDPA Subtest-3	22.65	22.94	23.04	23.30
DC-HSDPA Subtest-4	22.90	22.87	22.57	23.30
HSUPA Subtest-1	23.40	23.42	23.50	23.80
HSUPA Subtest-2	21.23	21.27	21.47	21.80
HSUPA Subtest-3	22.65	22.46	22.63	22.80
HSUPA Subtest-4	21.18	21.29	21.34	21.80
HSUPA Subtest-5	23.24	23.42	23.55	23.80
HSPA+	21.39	21.38	21.64	22.80

WCDMA-Power State2&4-Ant.0				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	23.41	23.49	23.62	25.00
RMC 12.2Kbps	23.43	23.45	23.70	25.00
HSDPA Subtest-1	22.47	22.32	22.23	23.80
HSDPA Subtest-2	22.57	22.37	22.31	23.80
HSDPA Subtest-3	21.70	21.85	21.98	23.30
HSDPA Subtest-4	21.80	21.94	21.92	23.30
DC-HSDPA Subtest-1	22.27	22.42	22.57	23.80
DC-HSDPA Subtest-2	22.68	22.26	22.44	23.80
DC-HSDPA Subtest-3	21.79	22.01	21.93	23.30
DC-HSDPA Subtest-4	21.72	21.96	21.77	23.30
HSUPA Subtest-1	22.86	22.90	22.88	23.80
HSUPA Subtest-2	20.87	20.99	21.08	21.80
HSUPA Subtest-3	21.81	22.00	22.02	22.80
HSUPA Subtest-4	21.10	20.98	20.99	21.80
HSUPA Subtest-5	22.91	23.04	23.02	23.80
HSPA+	21.23	21.26	21.23	22.80
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	24.35	24.19	23.92	25.00
RMC 12.2Kbps	24.36	24.28	24.04	25.00
HSDPA Subtest-1	23.15	23.28	23.47	23.80
HSDPA Subtest-2	23.53	23.37	23.43	23.80
HSDPA Subtest-3	22.65	22.85	22.68	23.30
HSDPA Subtest-4	22.82	22.64	22.49	23.30
DC-HSDPA Subtest-1	23.14	23.23	23.28	23.80
DC-HSDPA Subtest-2	23.65	23.57	23.23	23.80
DC-HSDPA Subtest-3	22.77	22.89	22.58	23.30
DC-HSDPA Subtest-4	22.88	22.49	22.43	23.30
HSUPA Subtest-1	23.37	23.25	23.32	23.80
HSUPA Subtest-2	21.35	21.25	21.07	21.80
HSUPA Subtest-3	22.33	22.26	22.29	22.80
HSUPA Subtest-4	21.07	21.24	21.16	21.80
HSUPA Subtest-5	23.45	23.28	23.46	23.80
HSPA+	21.36	21.36	21.31	22.80
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	24.70	24.57	24.44	25.00
RMC 12.2Kbps	24.82	24.71	24.45	25.00
HSDPA Subtest-1	23.50	23.63	23.76	23.80
HSDPA Subtest-2	23.54	23.68	23.76	23.80
HSDPA Subtest-3	23.13	23.17	23.19	23.30
HSDPA Subtest-4	23.21	23.12	23.24	23.30
DC-HSDPA Subtest-1	23.30	23.52	23.66	23.80
DC-HSDPA Subtest-2	23.70	23.50	23.57	23.80
DC-HSDPA Subtest-3	23.02	23.06	23.06	23.30
DC-HSDPA Subtest-4	23.04	23.06	23.11	23.30
HSUPA Subtest-1	23.67	23.67	23.66	23.80
HSUPA Subtest-2	21.63	21.72	21.66	21.80
HSUPA Subtest-3	22.57	22.69	22.67	22.80
HSUPA Subtest-4	21.60	21.70	21.66	21.80
HSUPA Subtest-5	23.52	23.66	23.55	23.80
HSPA+	21.45	21.79	21.70	22.80
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	24.71	24.36	24.48	25.00
RMC 12.2Kbps	24.82	24.40	24.49	25.00
HSDPA Subtest-1	23.36	23.39	23.24	23.80
HSDPA Subtest-2	23.61	23.47	23.55	23.80
HSDPA Subtest-3	22.82	22.96	22.89	23.30
HSDPA Subtest-4	22.87	22.92	22.75	23.30
DC-HSDPA Subtest-1	23.31	23.53	23.06	23.80
DC-HSDPA Subtest-2	23.46	23.30	23.67	23.80
DC-HSDPA Subtest-3	22.65	22.94	23.04	23.30
DC-HSDPA Subtest-4	22.90	22.87	22.57	23.30
HSUPA Subtest-1	23.40	23.42	23.50	23.80
HSUPA Subtest-2	21.23	21.27	21.47	21.80
HSUPA Subtest-3	22.65	22.46	22.63	22.80
HSUPA Subtest-4	21.18	21.29	21.34	21.80
HSUPA Subtest-5	23.24	23.42	23.55	23.80
HSPA+	21.39	21.38	21.64	22.80

WCDMA-Power State3-Ant.0				
Band	Band 2			Tune-up Limit Power(dBm)
Channel	9262	9400	9538	
Frequency	1852.40	1880.00	1907.60	
AMR 12.2Kbps	20.17	20.39	20.43	20.50
RMC 12.2Kbps	20.46	20.20	20.24	20.50
HSDPA Subtest-1	19.30	19.08	19.04	19.30
HSDPA Subtest-2	19.25	19.05	19.16	19.30
HSDPA Subtest-3	18.66	18.54	18.79	18.80
HSDPA Subtest-4	18.67	18.52	18.70	18.80
DC-HSDPA Subtest-1	19.14	19.27	19.15	19.30
DC-HSDPA Subtest-2	19.25	19.08	19.06	19.30
DC-HSDPA Subtest-3	18.70	18.56	18.75	18.80
DC-HSDPA Subtest-4	18.66	18.72	18.62	18.80
HSUPA Subtest-1	19.19	19.05	19.26	19.30
HSUPA Subtest-2	17.28	17.17	17.08	17.30
HSUPA Subtest-3	18.06	18.06	18.19	18.30
HSUPA Subtest-4	17.11	17.16	17.15	17.30
HSUPA Subtest-5	19.24	19.10	19.02	19.30
HSPA+	17.40	17.49	17.28	18.30
Band	Band 4			Tune-up Limit Power(dBm)
Channel	1312	1412	1513	
Frequency	1712.40	1732.40	1752.60	
AMR 12.2Kbps	17.05	17.23	16.64	17.50
RMC 12.2Kbps	17.16	17.02	17.27	17.50
HSDPA Subtest-1	16.12	16.30	16.16	16.30
HSDPA Subtest-2	16.19	16.30	16.04	16.30
HSDPA Subtest-3	15.77	15.78	15.51	15.80
HSDPA Subtest-4	15.59	15.78	15.67	15.80
DC-HSDPA Subtest-1	16.08	16.11	16.03	16.30
DC-HSDPA Subtest-2	16.09	16.11	16.16	16.30
DC-HSDPA Subtest-3	15.61	15.64	15.54	15.80
DC-HSDPA Subtest-4	15.79	15.71	15.73	15.80
HSUPA Subtest-1	16.12	16.01	16.12	16.30
HSUPA Subtest-2	14.29	14.19	14.03	14.30
HSUPA Subtest-3	15.27	15.29	15.25	15.30
HSUPA Subtest-4	14.00	14.18	13.98	14.30
HSUPA Subtest-5	16.03	16.21	16.23	16.30
HSPA+	14.15	14.16	14.19	15.30
Band	Band 5			Tune-up Limit Power(dBm)
Channel	4132	4182	4233	
Frequency	826.40	836.40	846.60	
AMR 12.2Kbps	22.08	21.92	21.60	22.50
RMC 12.2Kbps	22.02	22.21	21.67	22.50
HSDPA Subtest-1	20.89	21.00	20.85	21.30
HSDPA Subtest-2	21.17	21.08	21.19	21.30
HSDPA Subtest-3	20.49	20.54	20.57	20.80
HSDPA Subtest-4	20.67	20.51	20.58	20.80
DC-HSDPA Subtest-1	20.69	21.01	20.80	21.30
DC-HSDPA Subtest-2	21.21	21.28	21.20	21.30
DC-HSDPA Subtest-3	20.62	20.69	20.60	20.80
DC-HSDPA Subtest-4	20.50	20.49	20.70	20.80
HSUPA Subtest-1	20.91	21.08	21.08	21.30
HSUPA Subtest-2	18.95	18.99	19.19	19.30
HSUPA Subtest-3	19.96	19.89	19.70	20.30
HSUPA Subtest-4	19.15	18.97	18.98	19.30
HSUPA Subtest-5	21.22	21.05	20.91	21.30
HSPA+	18.83	19.10	19.27	20.30
Band	Band 8			Tune-up Limit Power(dBm)
Channel	2712	2787	2863	
Frequency	882.40	897.40	912.60	
AMR 12.2Kbps	22.81	22.61	22.69	23.00
RMC 12.2Kbps	22.86	22.69	22.81	23.00
HSDPA Subtest-1	21.35	21.47	21.50	21.80
HSDPA Subtest-2	21.62	21.45	21.45	21.80
HSDPA Subtest-3	21.05	21.03	20.83	21.30
HSDPA Subtest-4	20.96	20.98	20.97	21.30
DC-HSDPA Subtest-1	21.52	21.65	21.31	21.80
DC-HSDPA Subtest-2	21.73	21.29	21.30	21.80
DC-HSDPA Subtest-3	20.90	21.09	20.87	21.30
DC-HSDPA Subtest-4	20.87	21.10	20.93	21.30
HSUPA Subtest-1	21.40	21.49	21.32	21.80
HSUPA Subtest-2	19.51	19.51	19.44	19.80
HSUPA Subtest-3	20.32	20.51	20.46	20.80
HSUPA Subtest-4	19.62	19.53	19.40	19.80
HSUPA Subtest-5	21.68	21.56	21.58	21.80
HSPA+	19.49	19.56	19.33	20.80

8.3.1 LTE Band2 Output Power

LTE B2-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.19	24.46	24.01	25.00
		MID	QPSK	24.12	24.59	24.30	25.00
		HIGH	QPSK	23.98	24.24	24.05	25.00
	3	LOW	QPSK	24.02	24.27	24.21	25.00
		MID	QPSK	24.11	24.60	24.46	25.00
		HIGH	QPSK	24.01	24.29	24.03	25.00
	6	LOW	QPSK	23.32	23.08	23.52	24.00
1.4	1	LOW	Q16	23.40	23.33	22.86	24.00
		MID	Q16	23.47	23.15	23.28	24.00
		HIGH	Q16	22.83	23.02	23.09	24.00
	3	LOW	Q16	23.37	23.31	23.03	24.00
		MID	Q16	23.53	23.09	23.15	24.00
		HIGH	Q16	22.99	23.37	23.04	24.00
	6	LOW	Q16	22.41	22.12	22.32	23.00
1.4	1	LOW	64QAM	22.36	22.48	21.97	23.00
		MID	64QAM	22.53	22.06	22.36	23.00
		HIGH	64QAM	21.96	22.15	22.22	23.00
	3	LOW	64QAM	22.40	22.27	22.02	23.00
		MID	64QAM	22.58	22.08	22.04	23.00
		HIGH	64QAM	21.92	22.49	22.18	23.00
	6	LOW	64QAM	21.38	21.25	21.36	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	24.22	24.34	24.21	25.00
		MID	QPSK	24.15	24.54	24.30	25.00
		HIGH	QPSK	24.00	24.07	24.10	25.00
	8	LOW	QPSK	23.40	23.29	23.40	24.00
		MID	QPSK	23.31	23.23	23.18	24.00
		HIGH	QPSK	23.29	23.23	23.45	24.00
	15	LOW	QPSK	23.24	23.16	23.41	24.00
3	1	LOW	Q16	23.33	23.21	23.06	24.00
		MID	Q16	23.36	23.26	23.26	24.00
		HIGH	Q16	22.90	23.05	22.90	24.00
	8	LOW	Q16	22.33	22.40	22.54	23.00
		MID	Q16	22.61	22.18	22.33	23.00
		HIGH	Q16	22.47	22.37	22.32	23.00
	15	LOW	Q16	22.36	22.26	22.36	23.00
3	1	LOW	64QAM	22.67	22.03	22.02	23.00
		MID	64QAM	22.31	22.36	22.14	23.00
		HIGH	64QAM	22.04	21.85	22.13	23.00
	8	LOW	64QAM	21.38	21.25	21.30	22.00
		MID	64QAM	21.36	21.34	21.42	22.00
		HIGH	64QAM	21.61	21.55	21.45	22.00
	15	LOW	64QAM	21.43	21.45	21.51	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	24.18	24.35	23.99	25.00
		MID	QPSK	23.88	24.57	24.38	25.00
		HIGH	QPSK	24.00	24.12	23.97	25.00
	12	LOW	QPSK	23.31	23.28	23.43	24.00
		MID	QPSK	23.25	23.34	23.36	24.00
		HIGH	QPSK	23.26	23.08	23.49	24.00
	25	LOW	QPSK	23.30	23.11	23.29	24.00
5	1	LOW	Q16	23.41	23.07	22.87	24.00
		MID	Q16	23.34	23.19	23.07	24.00
		HIGH	Q16	22.83	22.89	22.98	24.00
	12	LOW	Q16	22.30	22.42	22.52	23.00
		MID	Q16	22.41	22.28	22.43	23.00
		HIGH	Q16	22.56	22.48	22.33	23.00
	25	LOW	Q16	22.34	22.11	22.58	23.00
5	1	LOW	64QAM	22.63	22.12	21.78	23.00
		MID	64QAM	22.31	22.29	22.24	23.00
		HIGH	64QAM	22.00	21.92	22.11	23.00
	12	LOW	64QAM	21.41	21.47	21.28	22.00
		MID	64QAM	21.50	21.30	21.38	22.00
		HIGH	64QAM	21.48	21.41	21.29	22.00
	25	LOW	64QAM	21.20	21.28	21.35	22.00

LTE B2-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	24.22	24.40	24.11	25.00
		MID	QPSK	23.97	24.44	24.41	25.00
		HIGH	QPSK	24.19	24.28	24.01	25.00
	25	LOW	QPSK	23.27	23.29	23.38	24.00
		MID	QPSK	23.33	23.29	23.16	24.00
		HIGH	QPSK	23.12	23.16	23.41	24.00
10	1	LOW	QPSK	23.41	23.06	23.32	24.00
		MID	Q16	23.53	23.07	23.06	24.00
		HIGH	Q16	23.38	23.23	23.07	24.00
	25	LOW	Q16	22.32	22.34	22.48	23.00
		MID	Q16	22.54	22.31	22.52	23.00
		HIGH	Q16	22.58	22.45	22.22	23.00
10	1	LOW	Q16	22.25	22.31	22.36	23.00
		MID	Q16	22.25	22.31	22.36	23.00
		HIGH	Q16	22.25	22.31	22.36	23.00
	25	LOW	Q16	22.25	22.31	22.36	23.00
		MID	Q16	22.25	22.31	22.36	23.00
		HIGH	Q16	22.25	22.31	22.36	23.00
10	1	LOW	64QAM	22.64	22.17	22.07	23.00
		MID	64QAM	22.35	22.15	22.02	23.00
		HIGH	64QAM	22.01	21.99	22.17	23.00
	25	LOW	64QAM	21.37	21.29	21.52	22.00
		MID	64QAM	21.37	21.46	21.32	22.00
		HIGH	64QAM	21.65	21.57	21.55	22.00
10	1	LOW	64QAM	21.20	21.32	21.35	22.00
		MID	64QAM	21.20	21.32	21.35	22.00
		HIGH	64QAM	21.20	21.32	21.35	22.00
	25	LOW	64QAM	21.20	21.32	21.35	22.00
		MID	64QAM	21.20	21.32	21.35	22.00
		HIGH	64QAM	21.20	21.32	21.35	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	23.94	24.37	24.18	25.00
		MID	QPSK	24.04	24.59	24.35	25.00
		HIGH	QPSK	24.14	24.10	23.88	25.00
	36	LOW	QPSK	23.43	23.14	23.30	24.00
		MID	QPSK	23.36	23.40	23.31	24.00
		HIGH	QPSK	23.18	23.12	23.52	24.00
15	1	LOW	QPSK	23.29	23.03	23.34	24.00
		MID	QPSK	23.29	23.03	23.34	24.00
		HIGH	QPSK	23.29	23.03	23.34	24.00
	36	LOW	Q16	23.58	23.10	22.93	24.00
		MID	Q16	23.38	23.32	23.32	24.00
		HIGH	Q16	23.04	22.93	22.85	24.00
15	1	LOW	Q16	22.25	22.42	22.43	23.00
		MID	Q16	22.45	22.16	22.34	23.00
		HIGH	Q16	22.46	22.44	22.23	23.00
	36	LOW	Q16	22.19	22.09	22.45	23.00
		MID	Q16	22.19	22.09	22.45	23.00
		HIGH	Q16	22.19	22.09	22.45	23.00
15	1	LOW	64QAM	22.68	22.25	22.01	23.00
		MID	64QAM	22.10	22.40	22.24	23.00
		HIGH	64QAM	22.09	22.03	21.92	23.00
	36	LOW	64QAM	21.28	21.46	21.55	22.00
		MID	64QAM	21.66	21.23	21.34	22.00
		HIGH	64QAM	21.49	21.53	21.29	22.00
15	1	LOW	64QAM	21.45	21.19	21.41	22.00
		MID	64QAM	21.45	21.19	21.41	22.00
		HIGH	64QAM	21.45	21.19	21.41	22.00
	36	LOW	64QAM	21.45	21.19	21.41	22.00
		MID	64QAM	21.45	21.19	21.41	22.00
		HIGH	64QAM	21.45	21.19	21.41	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	24.08	24.33	24.12	25.00
		MID	QPSK	24.00	24.47	24.43	25.00
		HIGH	QPSK	24.07	24.21	24.03	25.00
	50	LOW	QPSK	23.28	23.27	23.37	24.00
		MID	QPSK	23.30	23.26	23.31	24.00
		HIGH	QPSK	23.27	23.21	23.40	24.00
20	1	LOW	QPSK	23.26	23.18	23.38	24.00
		MID	QPSK	23.26	23.18	23.38	24.00
		HIGH	QPSK	23.26	23.18	23.38	24.00
	50	LOW	Q16	23.46	23.21	23.01	24.00
		MID	Q16	23.38	23.23	23.21	24.00
		HIGH	Q16	22.95	23.00	23.00	24.00
20	1	LOW	Q16	22.37	22.47	22.44	23.00
		MID	Q16	22.46	22.26	22.39	23.00
		HIGH	Q16	22.51	22.36	22.37	23.00
	50	LOW	Q16	22.32	22.21	22.44	23.00
		MID	Q16	22.32	22.21	22.44	23.00
		HIGH	Q16	22.32	22.21	22.44	23.00
20	1	LOW	64QAM	22.59	22.11	21.92	23.00
		MID	64QAM	22.23	22.26	22.17	23.00
		HIGH	64QAM	22.05	22.00	22.02	23.00
	50	LOW	64QAM	21.43	21.33	21.42	22.00
		MID	64QAM	21.51	21.33	21.45	22.00
		HIGH	64QAM	21.58	21.44	21.44	22.00
20	1	LOW	64QAM	21.34	21.30	21.43	22.00
		MID	64QAM	21.34	21.30	21.43	22.00
		HIGH	64QAM	21.34	21.30	21.43	22.00
	50	LOW	64QAM	21.34	21.30	21.43	22.00
		MID	64QAM	21.34	21.30	21.43	22.00
		HIGH	64QAM	21.34	21.30	21.43	22.00

LTE B2-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.18	20.35	19.93	20.50
		MID	QPSK	20.10	20.28	20.03	20.50
		HIGH	QPSK	19.84	20.11	19.94	20.50
	3	LOW	QPSK	20.06	20.18	19.99	20.50
		MID	QPSK	19.96	20.27	20.10	20.50
		HIGH	QPSK	19.81	20.25	19.98	20.50
	6	LOW	QPSK	20.11	20.15	20.11	20.50
1.4	1	LOW	Q16	20.36	19.89	20.21	20.50
		MID	Q16	20.47	20.36	19.93	20.50
		HIGH	Q16	19.54	19.46	19.66	20.50
	3	LOW	Q16	20.36	20.14	20.03	20.50
		MID	Q16	20.32	19.82	19.96	20.50
		HIGH	Q16	19.54	20.27	19.73	20.50
	6	LOW	Q16	20.19	20.24	20.14	20.50
1.4	1	LOW	64QAM	20.39	19.96	20.08	20.50
		MID	64QAM	20.45	20.44	19.88	20.50
		HIGH	64QAM	19.68	19.49	19.68	20.50
	3	LOW	64QAM	20.49	20.09	20.13	20.50
		MID	64QAM	20.21	19.80	20.04	20.50
		HIGH	64QAM	19.47	20.25	19.63	20.50
	6	LOW	64QAM	20.30	20.16	20.00	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	20.26	20.35	20.00	20.50
		MID	QPSK	20.08	20.22	20.05	20.50
		HIGH	QPSK	19.86	20.29	19.98	20.50
	8	LOW	QPSK	20.26	20.05	20.27	20.50
		MID	QPSK	20.19	19.98	20.15	20.50
		HIGH	QPSK	20.27	19.99	20.27	20.50
	15	LOW	QPSK	20.12	19.98	20.06	20.50
3	1	LOW	Q16	20.09	20.03	19.99	20.50
		MID	Q16	20.41	20.21	19.95	20.50
		HIGH	Q16	19.69	19.43	19.81	20.50
	8	LOW	Q16	20.24	19.87	20.16	20.50
		MID	Q16	20.17	19.95	19.89	20.50
		HIGH	Q16	19.96	20.38	20.21	20.50
	15	LOW	Q16	20.07	20.05	20.00	20.50
3	1	LOW	64QAM	20.27	19.94	19.97	20.50
		MID	64QAM	20.41	20.37	20.08	20.50
		HIGH	64QAM	19.67	19.58	19.82	20.50
	8	LOW	64QAM	20.22	20.09	20.41	20.50
		MID	64QAM	20.15	19.79	19.94	20.50
		HIGH	64QAM	20.08	20.06	20.31	20.50
	15	LOW	64QAM	20.25	20.08	19.97	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	20.19	20.14	20.21	20.50
		MID	QPSK	20.00	20.21	19.93	20.50
		HIGH	QPSK	19.77	20.26	19.90	20.50
	12	LOW	QPSK	20.11	20.17	20.08	20.50
		MID	QPSK	20.21	20.03	20.12	20.50
		HIGH	QPSK	20.24	20.11	20.10	20.50
	25	LOW	QPSK	20.04	19.97	20.04	20.50
5	1	LOW	Q16	20.14	19.89	20.02	20.50
		MID	Q16	20.50	20.11	20.16	20.50
		HIGH	Q16	19.70	19.50	19.84	20.50
	12	LOW	Q16	20.32	19.94	20.33	20.50
		MID	Q16	20.19	19.81	20.08	20.50
		HIGH	Q16	20.06	20.15	19.92	20.50
	25	LOW	Q16	20.11	19.97	20.03	20.50
5	1	LOW	64QAM	20.24	19.88	20.02	20.50
		MID	64QAM	20.25	20.39	19.96	20.50
		HIGH	64QAM	19.71	19.55	19.96	20.50
	12	LOW	64QAM	20.50	19.95	20.14	20.50
		MID	64QAM	20.08	19.90	19.96	20.50
		HIGH	64QAM	20.03	20.12	20.05	20.50
	25	LOW	64QAM	20.01	20.23	20.13	20.50

LTE B2-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	20.15	20.25	20.20	20.50
		MID	QPSK	20.06	20.25	20.18	20.50
		HIGH	QPSK	20.02	20.40	19.84	20.50
	25	LOW	QPSK	20.21	20.05	20.30	20.50
		MID	QPSK	20.26	20.15	20.16	20.50
		HIGH	QPSK	20.19	20.12	20.26	20.50
10	1	LOW	QPSK	20.30	19.97	20.02	20.50
		MID	Q16	20.12	19.90	19.94	20.50
		HIGH	Q16	20.48	20.22	19.97	20.50
	25	LOW	Q16	19.79	19.50	19.91	20.50
		MID	Q16	20.14	19.98	20.13	20.50
		HIGH	Q16	20.06	19.76	20.13	20.50
10	1	LOW	Q16	20.02	20.34	20.05	20.50
		MID	Q16	20.04	20.01	19.97	20.50
		HIGH	Q16	20.04	20.01	19.97	20.50
	25	LOW	64QAM	20.12	19.86	19.99	20.50
		MID	64QAM	20.42	20.23	20.15	20.50
		HIGH	64QAM	19.74	19.57	20.00	20.50
10	1	LOW	64QAM	20.42	20.01	20.32	20.50
		MID	64QAM	19.90	19.90	20.11	20.50
		HIGH	64QAM	20.03	20.24	20.20	20.50
	25	LOW	64QAM	20.02	20.12	20.10	20.50
		MID	64QAM	20.02	20.12	20.10	20.50
		HIGH	64QAM	20.02	20.12	20.10	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	20.22	20.30	20.05	20.50
		MID	QPSK	20.05	20.46	19.95	20.50
		HIGH	QPSK	19.79	20.16	19.90	20.50
	36	LOW	QPSK	20.12	19.97	20.10	20.50
		MID	QPSK	20.01	19.95	20.19	20.50
		HIGH	QPSK	20.22	20.09	20.19	20.50
15	1	LOW	QPSK	20.20	20.23	19.99	20.50
		MID	Q16	20.20	20.23	19.99	20.50
		HIGH	Q16	20.20	20.23	19.99	20.50
	36	LOW	Q16	20.34	19.84	20.14	20.50
		MID	Q16	20.23	20.07	20.21	20.50
		HIGH	Q16	19.78	19.60	19.90	20.50
15	1	LOW	Q16	20.13	20.13	20.31	20.50
		MID	Q16	20.22	19.81	19.94	20.50
		HIGH	Q16	20.10	20.20	20.14	20.50
	36	LOW	Q16	20.10	20.20	20.14	20.50
		MID	Q16	20.10	20.20	20.14	20.50
		HIGH	Q16	20.10	20.20	20.14	20.50
15	1	LOW	64QAM	20.06	20.08	20.03	20.50
		MID	64QAM	20.27	19.86	20.13	20.50
		HIGH	64QAM	20.35	20.33	19.94	20.50
	36	LOW	64QAM	19.80	19.47	19.95	20.50
		MID	64QAM	20.28	20.11	20.30	20.50
		HIGH	64QAM	19.96	19.66	20.16	20.50
15	1	LOW	64QAM	19.99	20.27	20.06	20.50
		MID	64QAM	20.03	20.22	20.16	20.50
		HIGH	64QAM	20.03	20.22	20.16	20.50
	36	LOW	64QAM	20.03	20.22	20.16	20.50
		MID	64QAM	20.03	20.22	20.16	20.50
		HIGH	64QAM	20.03	20.22	20.16	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	20.15	20.24	20.08	20.50
		MID	QPSK	20.08	20.45	20.05	20.50
		HIGH	QPSK	19.88	20.25	19.92	20.50
	50	LOW	QPSK	20.21	20.08	20.12	20.50
		MID	QPSK	20.15	20.23	20.10	20.50
		HIGH	QPSK	20.18	20.12	20.20	20.50
20	1	LOW	QPSK	20.19	20.11	20.12	20.50
		MID	QPSK	20.19	20.11	20.12	20.50
		HIGH	QPSK	20.19	20.11	20.12	20.50
	50	LOW	Q16	20.24	19.91	20.08	20.50
		MID	Q16	20.43	20.22	20.06	20.50
		HIGH	Q16	19.66	19.48	19.79	20.50
20	1	LOW	Q16	20.27	19.98	20.19	20.50
		MID	Q16	20.13	19.90	20.03	20.50
		HIGH	Q16	20.11	20.23	20.07	20.50
	50	LOW	Q16	20.11	20.23	20.07	20.50
		MID	Q16	20.11	20.23	20.07	20.50
		HIGH	Q16	20.11	20.23	20.07	20.50
20	1	LOW	64QAM	20.19	20.09	20.08	20.50
		MID	64QAM	20.19	20.09	20.08	20.50
		HIGH	64QAM	20.19	20.09	20.08	20.50
	50	LOW	64QAM	20.22	19.83	20.11	20.50
		MID	64QAM	20.32	20.34	20.09	20.50
		HIGH	64QAM	19.66	19.55	19.88	20.50
20	1	LOW	64QAM	20.36	19.99	20.27	20.50
		MID	64QAM	20.02	19.78	20.05	20.50
		HIGH	64QAM	20.12	20.14	20.17	20.50
	50	LOW	64QAM	20.12	20.14	20.17	20.50
		MID	64QAM	20.12	20.14	20.17	20.50
		HIGH	64QAM	20.12	20.14	20.17	20.50
20	1	LOW	64QAM	20.13	20.17	20.07	20.50
		MID	64QAM	20.13	20.17	20.07	20.50
		HIGH	64QAM	20.13	20.17	20.07	20.50
	50	LOW	64QAM	20.13	20.17	20.07	20.50
		MID	64QAM	20.13	20.17	20.07	20.50
		HIGH	64QAM	20.13	20.17	20.07	20.50

LTE B2-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	16.12	16.04	16.10	16.50
		MID	QPSK	16.35	16.44	16.31	16.50
		HIGH	QPSK	16.08	16.14	15.93	16.50
	3	LOW	QPSK	15.84	16.08	16.03	16.50
		MID	QPSK	16.34	16.35	16.22	16.50
		HIGH	QPSK	15.97	16.30	15.91	16.50
	6	LOW	QPSK	16.23	15.84	15.98	16.50
1.4	1	LOW	Q16	16.45	16.05	15.68	16.50
		MID	Q16	16.30	16.28	16.04	16.50
		HIGH	Q16	15.51	15.46	15.72	16.50
	3	LOW	Q16	16.32	15.96	15.81	16.50
		MID	Q16	16.46	16.01	16.16	16.50
		HIGH	Q16	15.44	16.27	15.60	16.50
	6	LOW	Q16	16.06	16.18	16.26	16.50
1.4	1	LOW	64QAM	16.46	16.13	15.73	16.50
		MID	64QAM	16.43	16.42	16.02	16.50
		HIGH	64QAM	15.38	15.50	15.65	16.50
	3	LOW	64QAM	16.34	16.06	15.92	16.50
		MID	64QAM	16.37	16.12	16.06	16.50
		HIGH	64QAM	15.45	16.16	15.50	16.50
	6	LOW	64QAM	15.93	16.31	16.19	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	16.13	16.07	15.97	16.50
		MID	QPSK	16.43	16.33	16.21	16.50
		HIGH	QPSK	16.03	16.17	15.84	16.50
	8	LOW	QPSK	16.25	16.06	16.27	16.50
		MID	QPSK	16.10	15.92	16.11	16.50
		HIGH	QPSK	16.03	15.97	16.26	16.50
	15	LOW	QPSK	16.05	15.95	16.04	16.50
3	1	LOW	Q16	16.29	16.24	15.90	16.50
		MID	Q16	16.43	16.17	15.97	16.50
		HIGH	Q16	15.46	15.40	15.79	16.50
	8	LOW	Q16	16.30	16.05	16.00	16.50
		MID	Q16	16.09	16.02	15.96	16.50
		HIGH	Q16	16.07	16.17	15.75	16.50
	15	LOW	Q16	16.13	16.01	16.41	16.50
3	1	LOW	64QAM	16.44	16.02	16.13	16.50
		MID	64QAM	16.11	16.18	16.03	16.50
		HIGH	64QAM	15.52	15.58	15.85	16.50
	8	LOW	64QAM	16.05	16.07	16.16	16.50
		MID	64QAM	16.13	16.08	15.97	16.50
		HIGH	64QAM	16.20	15.94	16.15	16.50
	15	LOW	64QAM	16.10	16.06	16.34	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	16.06	16.12	16.06	16.50
		MID	QPSK	16.24	16.33	16.28	16.50
		HIGH	QPSK	16.00	16.10	15.89	16.50
	12	LOW	QPSK	16.05	16.00	16.20	16.50
		MID	QPSK	16.19	16.09	16.27	16.50
		HIGH	QPSK	16.05	16.09	16.23	16.50
	25	LOW	QPSK	16.20	15.83	16.11	16.50
5	1	LOW	Q16	16.24	16.21	15.78	16.50
		MID	Q16	16.27	16.08	16.19	16.50
		HIGH	Q16	15.39	15.55	15.52	16.50
	12	LOW	Q16	16.08	16.12	16.19	16.50
		MID	Q16	16.26	15.93	16.13	16.50
		HIGH	Q16	16.10	16.13	15.96	16.50
	25	LOW	Q16	16.16	16.12	16.39	16.50
5	1	LOW	64QAM	16.38	16.03	16.00	16.50
		MID	64QAM	16.01	16.43	16.11	16.50
		HIGH	64QAM	15.58	15.61	15.87	16.50
	12	LOW	64QAM	16.03	16.00	16.04	16.50
		MID	64QAM	15.95	16.02	16.19	16.50
		HIGH	64QAM	15.99	15.84	15.91	16.50
	25	LOW	64QAM	16.10	16.02	16.30	16.50

LTE B2-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	15.99	16.25	16.12	16.50
		MID	QPSK	16.24	16.45	16.39	16.50
		HIGH	QPSK	15.93	16.22	15.79	16.50
	25	LOW	QPSK	16.09	15.91	16.34	16.50
		MID	QPSK	16.12	16.14	16.22	16.50
		HIGH	QPSK	15.98	16.05	16.16	16.50
	50	LOW	QPSK	16.02	16.04	16.04	16.50
10	1	LOW	Q16	16.49	15.95	15.68	16.50
		MID	Q16	16.39	16.34	16.18	16.50
		HIGH	Q16	15.41	15.32	15.64	16.50
	25	LOW	Q16	16.23	16.03	16.04	16.50
		MID	Q16	16.12	15.94	15.99	16.50
		HIGH	Q16	16.15	16.04	15.97	16.50
	50	LOW	Q16	15.95	15.96	16.42	16.50
10	1	LOW	64QAM	16.33	15.91	16.07	16.50
		MID	64QAM	16.22	16.40	15.84	16.50
		HIGH	64QAM	15.68	15.54	15.88	16.50
	25	LOW	64QAM	15.92	15.84	16.02	16.50
		MID	64QAM	15.93	16.07	16.14	16.50
		HIGH	64QAM	16.20	15.92	15.92	16.50
	50	LOW	64QAM	16.26	15.86	16.38	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	15.92	16.05	16.05	16.50
		MID	QPSK	16.40	16.35	16.36	16.50
		HIGH	QPSK	15.92	16.17	16.01	16.50
	36	LOW	QPSK	16.18	15.92	16.26	16.50
		MID	QPSK	16.27	16.11	16.25	16.50
		HIGH	QPSK	16.23	16.17	16.09	16.50
	75	LOW	QPSK	16.04	15.97	16.10	16.50
15	1	LOW	Q16	16.41	16.20	15.91	16.50
		MID	Q16	16.35	16.17	16.16	16.50
		HIGH	Q16	15.38	15.41	15.61	16.50
	36	LOW	Q16	16.32	16.05	16.06	16.50
		MID	Q16	16.03	16.18	15.90	16.50
		HIGH	Q16	16.18	16.06	15.81	16.50
	75	LOW	Q16	16.19	16.06	16.40	16.50
15	1	LOW	64QAM	16.50	15.95	16.00	16.50
		MID	64QAM	16.05	16.38	15.93	16.50
		HIGH	64QAM	15.75	15.50	15.68	16.50
	36	LOW	64QAM	16.20	15.93	16.17	16.50
		MID	64QAM	16.14	16.27	16.09	16.50
		HIGH	64QAM	16.02	15.94	16.01	16.50
	75	LOW	64QAM	16.01	15.92	16.28	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	15.99	16.17	16.02	16.50
		MID	QPSK	16.12	16.32	16.25	16.50
		HIGH	QPSK	15.96	16.21	15.93	16.50
	50	LOW	QPSK	16.10	16.03	16.12	16.50
		MID	QPSK	16.14	16.22	16.13	16.50
		HIGH	QPSK	16.10	16.08	16.18	16.50
	100	LOW	QPSK	16.10	15.98	16.12	16.50
20	1	LOW	Q16	16.26	16.09	15.83	16.50
		MID	Q16	16.31	16.23	16.05	16.50
		HIGH	Q16	15.46	15.41	15.66	16.50
	50	LOW	Q16	16.22	15.97	16.13	16.50
		MID	Q16	16.11	16.03	16.03	16.50
		HIGH	Q16	16.04	16.05	15.89	16.50
	100	LOW	Q16	16.05	16.03	16.33	16.50
20	1	LOW	64QAM	16.40	16.01	15.98	16.50
		MID	64QAM	16.16	16.28	15.96	16.50
		HIGH	64QAM	15.61	15.55	15.80	16.50
	50	LOW	64QAM	16.07	15.96	16.14	16.50
		MID	64QAM	16.02	16.12	16.06	16.50
		HIGH	64QAM	16.10	15.99	16.00	16.50
	100	LOW	64QAM	16.13	15.98	16.33	16.50

LTE B2-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	16.89	16.86	16.71	17.00
		MID	QPSK	16.82	16.62	16.58	17.00
		HIGH	QPSK	16.69	16.69	16.61	17.00
	3	LOW	QPSK	16.78	16.82	16.77	17.00
		MID	QPSK	16.82	16.68	16.53	17.00
		HIGH	QPSK	16.46	16.91	16.73	17.00
	6	LOW	QPSK	16.85	16.90	16.64	17.00
1.4	1	LOW	Q16	16.97	16.98	16.34	17.00
		MID	Q16	16.83	16.96	16.45	17.00
		HIGH	Q16	16.27	16.21	16.53	17.00
	3	LOW	Q16	16.85	16.73	16.64	17.00
		MID	Q16	16.97	16.95	16.74	17.00
		HIGH	Q16	16.28	16.88	16.26	17.00
	6	LOW	Q16	16.69	16.93	16.73	17.00
1.4	1	LOW	64QAM	16.96	16.94	16.47	17.00
		MID	64QAM	16.89	16.89	16.40	17.00
		HIGH	64QAM	16.12	16.34	16.39	17.00
	3	LOW	64QAM	16.86	16.82	16.57	17.00
		MID	64QAM	16.91	16.99	16.61	17.00
		HIGH	64QAM	16.34	16.99	16.18	17.00
	6	LOW	64QAM	16.68	16.96	16.66	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	16.59	16.90	16.64	17.00
		MID	QPSK	16.75	16.81	16.77	17.00
		HIGH	QPSK	16.52	16.75	16.59	17.00
	8	LOW	QPSK	16.87	16.67	16.95	17.00
		MID	QPSK	16.71	16.86	16.81	17.00
		HIGH	QPSK	16.51	16.74	16.56	17.00
	15	LOW	QPSK	16.74	16.92	16.89	17.00
3	1	LOW	Q16	16.83	16.82	16.39	17.00
		MID	Q16	16.99	16.87	16.67	17.00
		HIGH	Q16	16.23	16.06	16.45	17.00
	8	LOW	Q16	16.71	16.64	16.99	17.00
		MID	Q16	16.76	16.69	16.66	17.00
		HIGH	Q16	16.74	16.56	16.43	17.00
	15	LOW	Q16	16.77	16.87	16.67	17.00
3	1	LOW	64QAM	16.81	16.72	16.67	17.00
		MID	64QAM	16.81	16.80	16.66	17.00
		HIGH	64QAM	16.48	15.96	16.41	17.00
	8	LOW	64QAM	16.81	16.48	16.77	17.00
		MID	64QAM	16.67	16.49	16.70	17.00
		HIGH	64QAM	16.84	16.69	16.62	17.00
	15	LOW	64QAM	16.75	16.81	16.66	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	16.62	16.87	16.54	17.00
		MID	QPSK	16.70	16.63	16.59	17.00
		HIGH	QPSK	16.63	16.69	16.45	17.00
	12	LOW	QPSK	16.71	16.82	16.93	17.00
		MID	QPSK	16.81	16.66	16.62	17.00
		HIGH	QPSK	16.65	16.58	16.81	17.00
	25	LOW	QPSK	16.79	16.88	16.93	17.00
5	1	LOW	Q16	16.91	16.82	16.52	17.00
		MID	Q16	16.92	16.83	16.51	17.00
		HIGH	Q16	16.34	16.02	16.55	17.00
	12	LOW	Q16	16.93	16.51	16.73	17.00
		MID	Q16	16.62	16.79	16.56	17.00
		HIGH	Q16	16.84	16.55	16.42	17.00
	25	LOW	Q16	16.76	16.85	16.79	17.00
5	1	LOW	64QAM	16.88	16.72	16.75	17.00
		MID	64QAM	16.93	16.82	16.64	17.00
		HIGH	64QAM	16.54	16.15	16.61	17.00
	12	LOW	64QAM	16.97	16.51	16.95	17.00
		MID	64QAM	16.77	16.62	16.64	17.00
		HIGH	64QAM	16.85	16.76	16.63	17.00
	25	LOW	64QAM	16.59	16.83	16.71	17.00

LTE B2-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	16.67	16.82	16.57	17.00
		MID	QPSK	16.89	16.64	16.60	17.00
		HIGH	QPSK	16.53	16.70	16.62	17.00
	25	LOW	QPSK	16.84	16.67	16.96	17.00
		MID	QPSK	17.00	16.80	16.78	17.00
		HIGH	QPSK	16.77	16.74	16.83	17.00
10	1	LOW	QPSK	16.66	16.84	16.83	17.00
		MID	Q16	16.82	16.90	16.55	17.00
		HIGH	Q16	16.91	16.81	16.67	17.00
	25	LOW	Q16	16.51	16.23	16.43	17.00
		MID	Q16	16.91	16.52	16.90	17.00
		HIGH	Q16	16.71	16.57	16.58	17.00
10	1	LOW	Q16	16.81	16.78	16.34	17.00
		MID	Q16	16.80	16.90	16.77	17.00
		HIGH	Q16	16.80	16.90	16.77	17.00
	25	LOW	64QAM	16.83	16.79	16.65	17.00
		MID	64QAM	16.99	16.86	16.55	17.00
		HIGH	64QAM	16.42	16.20	16.33	17.00
10	1	LOW	64QAM	16.82	16.58	16.87	17.00
		MID	64QAM	16.79	16.54	16.73	17.00
		HIGH	64QAM	16.82	16.67	16.60	17.00
	25	LOW	64QAM	16.73	16.91	16.81	17.00
		MID	64QAM	16.83	16.79	16.65	17.00
		HIGH	64QAM	16.99	16.86	16.55	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	16.83	16.89	16.51	17.00
		MID	QPSK	16.64	16.74	16.54	17.00
		HIGH	QPSK	16.52	16.75	16.49	17.00
	36	LOW	QPSK	16.75	16.72	16.89	17.00
		MID	QPSK	16.98	16.87	16.80	17.00
		HIGH	QPSK	16.62	16.62	16.62	17.00
15	1	LOW	QPSK	16.89	16.75	16.86	17.00
		MID	QPSK	16.89	16.75	16.86	17.00
		HIGH	QPSK	16.89	16.75	16.86	17.00
	36	LOW	Q16	16.82	16.90	16.42	17.00
		MID	Q16	16.86	16.81	16.59	17.00
		HIGH	Q16	16.24	16.23	16.54	17.00
15	1	LOW	Q16	16.74	16.50	16.84	17.00
		MID	Q16	16.61	16.81	16.76	17.00
		HIGH	Q16	16.64	16.77	16.43	17.00
	36	LOW	Q16	16.64	16.77	16.43	17.00
		MID	Q16	16.61	16.81	16.76	17.00
		HIGH	Q16	16.64	16.77	16.43	17.00
15	1	LOW	64QAM	16.85	16.83	16.68	17.00
		MID	64QAM	16.92	16.70	16.57	17.00
		HIGH	64QAM	16.91	16.94	16.59	17.00
	36	LOW	64QAM	16.41	16.02	16.47	17.00
		MID	64QAM	16.95	16.65	16.91	17.00
		HIGH	64QAM	16.83	16.56	16.51	17.00
15	1	LOW	64QAM	16.78	16.76	16.39	17.00
		MID	64QAM	16.78	16.76	16.39	17.00
		HIGH	64QAM	16.73	16.72	16.84	17.00
	36	LOW	64QAM	16.73	16.72	16.84	17.00
		MID	64QAM	16.83	16.79	16.65	17.00
		HIGH	64QAM	16.91	16.94	16.59	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	16.74	16.97	16.65	17.00
		MID	QPSK	16.76	16.72	16.67	17.00
		HIGH	QPSK	16.58	16.82	16.59	17.00
	50	LOW	QPSK	16.84	16.70	16.82	17.00
		MID	QPSK	16.74	16.85	16.69	17.00
		HIGH	QPSK	16.64	16.73	16.71	17.00
20	1	LOW	QPSK	16.79	16.77	16.78	17.00
		MID	QPSK	16.79	16.77	16.78	17.00
		HIGH	QPSK	16.79	16.77	16.78	17.00
	50	LOW	Q16	16.91	16.87	16.49	17.00
		MID	Q16	16.98	16.91	16.60	17.00
		HIGH	Q16	16.38	16.11	16.41	17.00
20	1	LOW	Q16	16.79	16.56	16.85	17.00
		MID	Q16	16.68	16.70	16.71	17.00
		HIGH	Q16	16.78	16.68	16.40	17.00
	50	LOW	Q16	16.84	16.81	16.66	17.00
		MID	Q16	16.84	16.81	16.66	17.00
		HIGH	Q16	16.84	16.81	16.66	17.00
20	1	LOW	64QAM	16.96	16.72	16.64	17.00
		MID	64QAM	16.87	16.94	16.55	17.00
		HIGH	64QAM	16.45	16.10	16.46	17.00
	50	LOW	64QAM	16.91	16.59	16.84	17.00
		MID	64QAM	16.80	16.59	16.64	17.00
		HIGH	64QAM	16.75	16.74	16.48	17.00
20	1	LOW	64QAM	16.73	16.78	16.72	17.00
		MID	64QAM	16.73	16.78	16.72	17.00
		HIGH	64QAM	16.73	16.78	16.72	17.00
	50	LOW	64QAM	16.73	16.78	16.72	17.00
		MID	64QAM	16.73	16.78	16.72	17.00
		HIGH	64QAM	16.73	16.78	16.72	17.00

LTE B2-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	15.14	15.46	15.39	15.50
		MID	QPSK	15.26	15.38	15.31	15.50
		HIGH	QPSK	15.15	15.31	15.26	15.50
	3	LOW	QPSK	15.18	15.45	15.14	15.50
		MID	QPSK	15.06	15.22	15.21	15.50
		HIGH	QPSK	14.93	15.33	15.07	15.50
	6	LOW	QPSK	15.43	15.38	15.48	15.50
1.4	1	LOW	Q16	15.33	15.03	15.20	15.50
		MID	Q16	15.41	15.35	15.38	15.50
		HIGH	Q16	14.83	15.03	15.23	15.50
	3	LOW	Q16	15.36	15.39	15.12	15.50
		MID	Q16	15.39	15.05	15.39	15.50
		HIGH	Q16	14.96	15.48	15.03	15.50
	6	LOW	Q16	15.43	15.17	15.15	15.50
1.4	1	LOW	64QAM	15.20	15.06	15.33	15.50
		MID	64QAM	15.44	15.49	15.41	15.50
		HIGH	64QAM	14.70	15.08	15.10	15.50
	3	LOW	64QAM	15.25	15.50	15.17	15.50
		MID	64QAM	15.32	14.96	15.50	15.50
		HIGH	64QAM	14.82	15.36	15.08	15.50
	6	LOW	64QAM	15.37	15.16	15.14	15.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	15.17	15.25	15.40	15.50
		MID	QPSK	15.15	15.15	15.37	15.50
		HIGH	QPSK	15.17	15.50	15.10	15.50
	8	LOW	QPSK	15.45	15.33	15.49	15.50
		MID	QPSK	15.49	15.44	15.28	15.50
		HIGH	QPSK	15.05	15.44	15.21	15.50
	15	LOW	QPSK	15.29	15.35	15.24	15.50
3	1	LOW	Q16	15.33	15.02	15.07	15.50
		MID	Q16	15.50	15.42	15.48	15.50
		HIGH	Q16	14.75	14.92	15.08	15.50
	8	LOW	Q16	15.25	15.30	15.47	15.50
		MID	Q16	15.34	15.17	15.18	15.50
		HIGH	Q16	15.23	15.26	15.24	15.50
	15	LOW	Q16	15.39	15.23	15.35	15.50
3	1	LOW	64QAM	15.44	15.20	15.26	15.50
		MID	64QAM	15.31	15.19	15.43	15.50
		HIGH	64QAM	15.00	14.92	15.23	15.50
	8	LOW	64QAM	15.39	15.43	15.50	15.50
		MID	64QAM	15.44	15.23	15.21	15.50
		HIGH	64QAM	15.48	15.04	15.25	15.50
	15	LOW	64QAM	15.43	15.04	15.37	15.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	15.29	15.36	15.15	15.50
		MID	QPSK	15.17	15.40	15.18	15.50
		HIGH	QPSK	15.13	15.49	15.14	15.50
	12	LOW	QPSK	15.17	15.31	15.50	15.50
		MID	QPSK	15.41	15.45	15.10	15.50
		HIGH	QPSK	15.06	15.24	15.26	15.50
	25	LOW	QPSK	15.38	15.20	15.33	15.50
5	1	LOW	Q16	15.31	15.25	15.09	15.50
		MID	Q16	15.34	15.39	15.40	15.50
		HIGH	Q16	15.01	15.20	15.05	15.50
	12	LOW	Q16	15.32	15.36	15.25	15.50
		MID	Q16	15.39	15.38	15.06	15.50
		HIGH	Q16	15.35	15.36	15.26	15.50
	25	LOW	Q16	15.30	15.20	15.32	15.50
5	1	LOW	64QAM	15.41	15.27	15.10	15.50
		MID	64QAM	15.46	15.33	15.38	15.50
		HIGH	64QAM	15.03	15.03	15.21	15.50
	12	LOW	64QAM	15.25	15.47	15.41	15.50
		MID	64QAM	15.35	15.14	15.23	15.50
		HIGH	64QAM	15.31	15.31	15.19	15.50
	25	LOW	64QAM	15.20	15.27	15.31	15.50

LTE B2-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	15.30	15.41	15.15	15.50
		MID	QPSK	15.32	15.15	15.36	15.50
		HIGH	QPSK	15.06	15.33	15.05	15.50
	25	LOW	QPSK	15.34	15.14	15.27	15.50
		MID	QPSK	15.29	15.43	15.35	15.50
		HIGH	QPSK	15.05	15.38	15.34	15.50
10	1	LOW	QPSK	15.26	15.29	15.40	15.50
		MID	Q16	15.39	15.21	15.03	15.50
		HIGH	Q16	15.48	15.29	15.29	15.50
	25	LOW	Q16	14.73	14.97	15.10	15.50
		MID	Q16	15.32	15.33	15.27	15.50
		HIGH	Q16	15.32	15.24	15.07	15.50
10	1	LOW	Q16	15.42	15.43	15.19	15.50
		MID	Q16	15.46	15.07	15.41	15.50
		HIGH	Q16	15.46	15.07	15.41	15.50
	25	LOW	Q16	15.46	15.07	15.41	15.50
		MID	Q16	15.46	15.07	15.41	15.50
		HIGH	Q16	15.46	15.07	15.41	15.50
10	1	LOW	64QAM	15.37	15.00	15.12	15.50
		MID	64QAM	15.34	15.36	15.13	15.50
		HIGH	64QAM	14.98	14.96	15.01	15.50
	25	LOW	64QAM	15.16	15.48	15.40	15.50
		MID	64QAM	15.47	15.31	15.13	15.50
		HIGH	64QAM	15.37	15.34	15.44	15.50
10	1	LOW	64QAM	15.42	15.25	15.28	15.50
		MID	64QAM	15.42	15.25	15.28	15.50
		HIGH	64QAM	15.42	15.25	15.28	15.50
	25	LOW	64QAM	15.42	15.25	15.28	15.50
		MID	64QAM	15.42	15.25	15.28	15.50
		HIGH	64QAM	15.42	15.25	15.28	15.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	15.16	15.31	15.33	15.50
		MID	QPSK	15.26	15.14	15.32	15.50
		HIGH	QPSK	15.03	15.43	15.07	15.50
	36	LOW	QPSK	15.27	15.22	15.24	15.50
		MID	QPSK	15.35	15.25	15.22	15.50
		HIGH	QPSK	15.22	15.35	15.19	15.50
15	1	LOW	QPSK	15.25	15.37	15.29	15.50
		MID	Q16	15.25	15.23	15.18	15.50
		HIGH	Q16	15.35	15.23	15.18	15.50
	36	LOW	Q16	15.35	15.23	15.18	15.50
		MID	Q16	15.40	15.20	15.23	15.50
		HIGH	Q16	15.22	15.27	15.44	15.50
15	1	LOW	Q16	15.31	15.13	15.34	15.50
		MID	Q16	15.31	15.13	15.34	15.50
		HIGH	Q16	15.31	15.13	15.34	15.50
	36	LOW	Q16	15.31	15.13	15.34	15.50
		MID	Q16	15.31	15.13	15.34	15.50
		HIGH	Q16	15.31	15.13	15.34	15.50
15	1	LOW	64QAM	15.35	15.06	15.20	15.50
		MID	64QAM	15.33	15.29	15.18	15.50
		HIGH	64QAM	14.75	15.00	15.04	15.50
	36	LOW	64QAM	15.21	15.37	15.39	15.50
		MID	64QAM	15.47	15.29	15.06	15.50
		HIGH	64QAM	15.50	15.26	15.41	15.50
15	1	LOW	64QAM	15.32	15.25	15.20	15.50
		MID	64QAM	15.32	15.25	15.20	15.50
		HIGH	64QAM	15.32	15.25	15.20	15.50
	36	LOW	64QAM	15.32	15.25	15.20	15.50
		MID	64QAM	15.32	15.25	15.20	15.50
		HIGH	64QAM	15.32	15.25	15.20	15.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	15.22	15.41	15.27	15.50
		MID	QPSK	15.20	15.25	15.31	15.50
		HIGH	QPSK	15.08	15.38	15.17	15.50
	50	LOW	QPSK	15.30	15.21	15.37	15.50
		MID	QPSK	15.36	15.36	15.23	15.50
		HIGH	QPSK	15.18	15.32	15.31	15.50
20	1	LOW	QPSK	15.34	15.30	15.35	15.50
		MID	QPSK	15.34	15.30	15.35	15.50
		HIGH	QPSK	15.34	15.30	15.35	15.50
	50	LOW	QPSK	15.34	15.30	15.35	15.50
		MID	QPSK	15.34	15.30	15.35	15.50
		HIGH	QPSK	15.34	15.30	15.35	15.50
20	1	LOW	Q16	15.48	15.10	15.07	15.50
		MID	Q16	15.34	15.44	15.37	15.50
		HIGH	Q16	14.87	15.06	15.15	15.50
	50	LOW	Q16	15.38	15.24	15.32	15.50
		MID	Q16	15.46	15.27	15.18	15.50
		HIGH	Q16	15.36	15.33	15.34	15.50
20	1	LOW	Q16	15.33	15.18	15.27	15.50
		MID	Q16	15.33	15.18	15.27	15.50
		HIGH	Q16	15.33	15.18	15.27	15.50
	50	LOW	Q16	15.33	15.18	15.27	15.50
		MID	Q16	15.33	15.18	15.27	15.50
		HIGH	Q16	15.33	15.18	15.27	15.50
20	1	LOW	64QAM	15.46	15.15	15.15	15.50
		MID	64QAM	15.36	15.33	15.28	15.50
		HIGH	64QAM	14.89	15.01	15.12	15.50
	50	LOW	64QAM	15.29	15.39	15.46	15.50
		MID	64QAM	15.46	15.19	15.08	15.50
		HIGH	64QAM	15.46	15.19	15.31	15.50
20	1	LOW	64QAM	15.46	15.15	15.15	15.50
		MID	64QAM	15.36	15.33	15.28	15.50
		HIGH	64QAM	14.89	15.01	15.12	15.50
	50	LOW	64QAM	15.29	15.39	15.46	15.50
		MID	64QAM	15.46	15.19	15.08	15.50
		HIGH	64QAM	15.46	15.19	15.31	15.50
20	1	LOW	64QAM	15.46	15.15	15.15	15.50
		MID	64QAM	15.36	15.33	15.28	15.50
		HIGH	64QAM	14.89	15.01	15.12	15.50
	50	LOW	64QAM	15.29	15.39	15.46	15.50
		MID	64QAM	15.46	15.19	15.08	15.50
		HIGH	64QAM	15.46	15.19	15.31	15.50
20	1	LOW	64QAM	15.46	15.15	15.15	15.50
		MID	64QAM	15.36	15.33	15.28	15.50
		HIGH	64QAM	14.89	15.01	15.12	15.50
	50	LOW	64QAM	15.29	15.39	15.46	15.50
		MID	64QAM	15.46	15.19	15.08	15.50
		HIGH	64QAM	15.46	15.19	15.31	15.50

8.3.1 LTE Band2 Output Power

LTE B2-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.27	23.54	23.19	25.00
		MID	QPSK	23.45	23.55	23.78	25.00
		HIGH	QPSK	23.07	23.65	23.58	25.00
	3	LOW	QPSK	23.15	23.48	23.46	25.00
		MID	QPSK	23.27	23.55	23.79	25.00
		HIGH	QPSK	23.02	23.78	23.52	25.00
	6	LOW	QPSK	22.17	22.40	22.86	24.00
1.4	1	LOW	Q16	22.65	22.51	22.18	24.00
		MID	Q16	22.23	22.65	23.32	24.00
		HIGH	Q16	22.24	22.53	22.33	24.00
	3	LOW	Q16	22.84	22.34	22.28	24.00
		MID	Q16	22.17	22.49	23.44	24.00
		HIGH	Q16	22.07	22.64	22.53	24.00
	6	LOW	Q16	21.50	21.66	21.88	23.00
1.4	1	LOW	64QAM	21.57	21.37	21.05	23.00
		MID	64QAM	21.17	21.72	22.32	23.00
		HIGH	64QAM	21.18	21.55	21.27	23.00
	3	LOW	64QAM	21.83	21.27	21.17	23.00
		MID	64QAM	21.25	21.34	22.29	23.00
		HIGH	64QAM	21.21	21.59	21.39	23.00
	6	LOW	64QAM	20.41	20.52	20.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	23.42	23.36	23.21	25.00
		MID	QPSK	23.23	23.52	23.97	25.00
		HIGH	QPSK	23.09	23.65	23.56	25.00
	8	LOW	QPSK	22.27	22.46	22.73	24.00
		MID	QPSK	22.39	22.35	22.63	24.00
		HIGH	QPSK	22.48	22.47	22.74	24.00
	15	LOW	QPSK	22.17	22.47	22.87	24.00
3	1	LOW	Q16	22.81	22.52	22.16	24.00
		MID	Q16	22.18	22.55	23.34	24.00
		HIGH	Q16	22.09	22.54	22.34	24.00
	8	LOW	Q16	21.49	21.33	21.66	23.00
		MID	Q16	21.58	21.75	21.92	23.00
		HIGH	Q16	21.60	21.50	21.89	23.00
	15	LOW	Q16	21.43	21.69	21.89	23.00
3	1	LOW	64QAM	21.52	21.38	21.33	23.00
		MID	64QAM	21.01	21.78	22.39	23.00
		HIGH	64QAM	21.07	21.29	21.32	23.00
	8	LOW	64QAM	20.20	20.51	20.76	22.00
		MID	64QAM	20.52	20.81	20.81	22.00
		HIGH	64QAM	20.43	20.62	20.91	22.00
	15	LOW	64QAM	20.40	20.63	20.53	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	23.27	23.31	23.21	25.00
		MID	QPSK	23.40	23.68	24.02	25.00
		HIGH	QPSK	23.08	23.78	23.41	25.00
	12	LOW	QPSK	22.26	22.45	22.79	24.00
		MID	QPSK	22.48	22.44	22.69	24.00
		HIGH	QPSK	22.36	22.70	22.99	24.00
	25	LOW	QPSK	22.27	22.30	22.79	24.00
5	1	LOW	Q16	22.68	22.48	22.23	24.00
		MID	Q16	22.17	22.62	23.38	24.00
		HIGH	Q16	22.11	22.46	22.56	24.00
	12	LOW	Q16	21.36	21.47	21.85	23.00
		MID	Q16	21.63	21.62	21.95	23.00
		HIGH	Q16	21.61	21.44	21.93	23.00
	25	LOW	Q16	21.36	21.61	21.77	23.00
5	1	LOW	64QAM	21.71	21.46	21.29	23.00
		MID	64QAM	21.24	21.65	22.25	23.00
		HIGH	64QAM	21.16	21.50	21.47	23.00
	12	LOW	64QAM	20.34	20.58	20.78	22.00
		MID	64QAM	20.45	20.65	20.99	22.00
		HIGH	64QAM	20.49	20.46	20.83	22.00
	25	LOW	64QAM	20.57	20.71	20.78	22.00

LTE B2-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	23.43	23.30	23.20	25.00
		MID	QPSK	23.32	23.69	23.97	25.00
		HIGH	QPSK	23.00	23.66	23.42	25.00
	25	LOW	QPSK	22.24	22.27	22.86	24.00
		MID	QPSK	22.28	22.30	22.66	24.00
		HIGH	QPSK	22.26	22.59	22.72	24.00
	50	LOW	QPSK	22.42	22.44	22.61	24.00
10	1	LOW	Q16	22.76	22.57	22.18	24.00
		MID	Q16	22.05	22.53	23.29	24.00
		HIGH	Q16	22.10	22.35	22.48	24.00
	25	LOW	Q16	21.58	21.41	21.81	23.00
		MID	Q16	21.45	21.55	21.76	23.00
		HIGH	Q16	21.62	21.41	21.94	23.00
	50	LOW	Q16	21.41	21.49	21.63	23.00
10	1	LOW	64QAM	21.70	21.30	21.42	23.00
		MID	64QAM	21.19	21.72	22.15	23.00
		HIGH	64QAM	21.19	21.44	21.30	23.00
	25	LOW	64QAM	20.42	20.33	20.81	22.00
		MID	64QAM	20.38	20.65	20.91	22.00
		HIGH	64QAM	20.62	20.44	20.96	22.00
	50	LOW	64QAM	20.49	20.59	20.60	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	23.39	23.27	23.18	25.00
		MID	QPSK	23.39	23.43	23.93	25.00
		HIGH	QPSK	23.30	23.65	23.40	25.00
	36	LOW	QPSK	22.16	22.57	22.88	24.00
		MID	QPSK	22.28	22.53	22.80	24.00
		HIGH	QPSK	22.28	22.53	22.76	24.00
	75	LOW	QPSK	22.17	22.45	22.87	24.00
15	1	LOW	Q16	22.80	22.54	22.40	24.00
		MID	Q16	22.05	22.65	23.24	24.00
		HIGH	Q16	22.31	22.47	22.40	24.00
	36	LOW	Q16	21.45	21.48	21.67	23.00
		MID	Q16	21.40	21.76	21.96	23.00
		HIGH	Q16	21.70	21.41	21.79	23.00
	75	LOW	Q16	21.28	21.67	21.63	23.00
15	1	LOW	64QAM	21.66	21.49	21.37	23.00
		MID	64QAM	21.24	21.81	22.39	23.00
		HIGH	64QAM	21.08	21.24	21.41	23.00
	36	LOW	64QAM	20.38	20.50	20.81	22.00
		MID	64QAM	20.41	20.64	20.84	22.00
		HIGH	64QAM	20.53	20.40	20.96	22.00
	75	LOW	64QAM	20.57	20.58	20.60	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	23.28	23.42	23.33	25.00
		MID	QPSK	23.34	23.56	23.87	25.00
		HIGH	QPSK	23.15	23.71	23.54	25.00
	50	LOW	QPSK	22.31	22.42	22.75	24.00
		MID	QPSK	22.33	22.40	22.75	24.00
		HIGH	QPSK	22.37	22.56	22.84	24.00
	100	LOW	QPSK	22.30	22.44	22.76	24.00
20	1	LOW	Q16	22.75	22.43	22.30	24.00
		MID	Q16	22.11	22.54	23.33	24.00
		HIGH	Q16	22.18	22.44	22.45	24.00
	50	LOW	Q16	21.47	21.44	21.79	23.00
		MID	Q16	21.55	21.62	21.88	23.00
		HIGH	Q16	21.55	21.42	21.88	23.00
	100	LOW	Q16	21.37	21.55	21.74	23.00
20	1	LOW	64QAM	21.65	21.39	21.42	23.00
		MID	64QAM	21.13	21.68	22.25	23.00
		HIGH	64QAM	21.11	21.36	21.36	23.00
	50	LOW	64QAM	20.32	20.46	20.76	22.00
		MID	64QAM	20.45	20.72	20.92	22.00
		HIGH	64QAM	20.57	20.54	20.86	22.00
	100	LOW	64QAM	20.52	20.66	20.66	22.00

LTE B2-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.78	21.30	21.20	22.00
		MID	QPSK	20.74	21.39	21.25	22.00
		HIGH	QPSK	20.84	21.35	21.37	22.00
	3	LOW	QPSK	21.06	21.18	21.17	22.00
		MID	QPSK	20.88	21.48	21.39	22.00
		HIGH	QPSK	20.71	21.52	21.30	22.00
1.4	1	LOW	QPSK	20.93	21.21	21.44	22.00
		MID	Q16	21.17	21.03	21.19	22.00
		HIGH	Q16	21.43	21.02	21.89	22.00
	3	LOW	Q16	20.68	20.91	21.09	22.00
		MID	Q16	21.29	21.25	21.12	22.00
		HIGH	Q16	21.24	21.09	21.87	22.00
1.4	1	LOW	Q16	20.86	21.24	21.26	22.00
		MID	Q16	20.93	20.82	21.49	22.00
		HIGH	Q16	20.93	20.82	21.49	22.00
	3	LOW	64QAM	21.32	21.06	21.20	22.00
		MID	64QAM	21.35	21.08	21.82	22.00
		HIGH	64QAM	20.76	20.83	21.10	22.00
1.4	1	LOW	64QAM	21.22	21.34	21.19	22.00
		MID	64QAM	21.36	21.12	21.82	22.00
		HIGH	64QAM	20.83	21.20	21.18	22.00
	3	LOW	64QAM	20.44	20.42	20.92	22.00
		MID	64QAM	20.44	20.42	20.92	22.00
		HIGH	64QAM	20.44	20.42	20.92	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	21.07	21.34	21.07	22.00
		MID	QPSK	20.76	21.40	21.22	22.00
		HIGH	QPSK	20.68	21.44	21.22	22.00
	8	LOW	QPSK	21.02	20.96	21.51	22.00
		MID	QPSK	21.06	21.00	21.33	22.00
		HIGH	QPSK	21.11	21.29	21.57	22.00
3	15	LOW	QPSK	21.03	21.22	21.45	22.00
		MID	Q16	21.06	21.07	21.04	22.00
		HIGH	Q16	21.48	21.20	22.00	22.00
	8	LOW	Q16	20.86	21.05	21.26	22.00
		MID	Q16	21.11	21.18	21.30	22.00
		HIGH	Q16	21.13	21.08	21.26	22.00
3	15	LOW	Q16	21.01	21.17	21.30	22.00
		MID	Q16	21.00	20.95	21.38	22.00
		HIGH	Q16	21.00	20.95	21.38	22.00
	1	LOW	64QAM	21.29	21.17	21.27	22.00
		MID	64QAM	21.40	21.14	21.83	22.00
		HIGH	64QAM	20.70	20.94	21.23	22.00
3	8	LOW	64QAM	20.78	20.86	20.71	22.00
		MID	64QAM	20.73	20.75	20.78	22.00
		HIGH	64QAM	20.42	20.61	20.78	22.00
	15	LOW	64QAM	20.42	20.49	20.65	22.00
		MID	64QAM	20.42	20.49	20.65	22.00
		HIGH	64QAM	20.42	20.49	20.65	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	20.91	21.21	21.29	22.00
		MID	QPSK	20.87	21.24	21.14	22.00
		HIGH	QPSK	20.92	21.40	21.19	22.00
	12	LOW	QPSK	21.00	21.24	21.25	22.00
		MID	QPSK	21.14	21.25	21.23	22.00
		HIGH	QPSK	20.94	21.28	21.32	22.00
5	25	LOW	QPSK	21.02	21.09	21.31	22.00
		MID	Q16	21.02	21.09	21.31	22.00
		HIGH	Q16	21.02	21.09	21.31	22.00
	1	LOW	Q16	21.08	20.99	21.08	22.00
		MID	Q16	21.47	21.14	21.89	22.00
		HIGH	Q16	20.82	21.15	21.28	22.00
5	12	LOW	Q16	21.02	21.12	21.22	22.00
		MID	Q16	21.33	21.26	21.38	22.00
		HIGH	Q16	20.90	21.20	21.38	22.00
	25	LOW	Q16	20.93	20.97	21.45	22.00
		MID	Q16	20.93	20.97	21.45	22.00
		HIGH	Q16	20.93	20.97	21.45	22.00
5	1	LOW	64QAM	21.22	21.27	21.12	22.00
		MID	64QAM	21.23	21.07	21.83	22.00
		HIGH	64QAM	20.84	20.92	21.28	22.00
	12	LOW	64QAM	20.64	20.73	20.66	22.00
		MID	64QAM	20.71	20.87	20.60	22.00
		HIGH	64QAM	20.46	20.74	20.85	22.00
5	25	LOW	64QAM	20.40	20.69	20.67	22.00
		MID	64QAM	20.40	20.69	20.67	22.00
		HIGH	64QAM	20.40	20.69	20.67	22.00
	1	LOW	64QAM	20.40	20.69	20.67	22.00
		MID	64QAM	20.40	20.69	20.67	22.00
		HIGH	64QAM	20.40	20.69	20.67	22.00

LTE B2-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	20.80	21.35	21.05	22.00
		MID	QPSK	20.75	21.45	21.26	22.00
		HIGH	QPSK	20.85	21.46	21.36	22.00
	25	LOW	QPSK	20.95	21.22	21.50	22.00
		MID	QPSK	21.07	20.95	21.29	22.00
		HIGH	QPSK	20.89	21.25	21.58	22.00
	50	LOW	QPSK	20.98	21.03	21.49	22.00
	10	LOW	Q16	21.28	21.08	21.19	22.00
		MID	Q16	21.30	21.27	21.85	22.00
		HIGH	Q16	20.73	21.01	21.23	22.00
		LOW	Q16	21.28	21.03	21.24	22.00
		MID	Q16	21.31	21.05	21.18	22.00
		HIGH	Q16	20.73	21.34	21.37	22.00
10	1	LOW	Q16	21.14	20.83	21.52	22.00
		MID	Q16	21.31	21.13	21.20	22.00
		HIGH	Q16	21.42	20.86	21.85	22.00
	25	LOW	Q16	20.64	21.10	21.10	22.00
		MID	Q16	20.70	20.81	20.61	22.00
		HIGH	Q16	20.51	20.67	20.68	22.00
	50	LOW	Q16	20.49	20.77	20.88	22.00
		MID	Q16	20.54	20.68	20.83	22.00
		HIGH	Q16	20.54	20.68	20.83	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	20.79	21.22	21.13	22.00
		MID	QPSK	20.93	21.30	21.21	22.00
		HIGH	QPSK	20.77	21.50	21.39	22.00
	36	LOW	QPSK	20.91	20.98	21.46	22.00
		MID	QPSK	21.01	20.96	21.48	22.00
		HIGH	QPSK	20.83	21.30	21.45	22.00
	75	LOW	QPSK	21.02	20.98	21.38	22.00
	15	LOW	Q16	21.25	20.96	21.20	22.00
		MID	Q16	21.28	21.00	21.95	22.00
		HIGH	Q16	20.94	21.09	21.28	22.00
		LOW	Q16	21.23	21.22	21.32	22.00
		MID	Q16	21.06	21.07	21.36	22.00
		HIGH	Q16	21.02	21.18	21.51	22.00
15	1	LOW	Q16	21.01	21.00	21.49	22.00
		MID	Q16	21.01	21.00	21.49	22.00
		HIGH	Q16	21.01	21.00	21.49	22.00
	36	LOW	Q16	21.01	21.00	21.49	22.00
		MID	Q16	21.01	21.00	21.49	22.00
		HIGH	Q16	21.01	21.00	21.49	22.00
	75	LOW	Q16	21.01	21.00	21.49	22.00
		MID	Q16	21.01	21.00	21.49	22.00
		HIGH	Q16	21.01	21.00	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	20.93	21.29	21.14	22.00
		MID	QPSK	20.87	21.39	21.28	22.00
		HIGH	QPSK	20.81	21.40	21.24	22.00
	50	LOW	QPSK	20.99	21.09	21.38	22.00
		MID	QPSK	21.02	21.10	21.36	22.00
		HIGH	QPSK	20.98	21.16	21.43	22.00
	100	LOW	QPSK	21.05	21.11	21.39	22.00
	20	LOW	Q16	21.16	21.10	21.11	22.00
		MID	Q16	21.36	21.15	21.99	22.00
		HIGH	Q16	20.80	21.03	21.18	22.00
		LOW	Q16	21.14	21.15	21.28	22.00
		MID	Q16	21.18	21.19	21.25	22.00
		HIGH	Q16	20.87	21.23	21.39	22.00
20	1	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00
	50	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00
	100	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18725	18900	19125	Tune-up power(dBm)
20	1	LOW	QPSK	20.93	21.29	21.14	22.00
		MID	QPSK	20.87	21.39	21.28	22.00
		HIGH	QPSK	20.81	21.40	21.24	22.00
	50	LOW	QPSK	20.99	21.09	21.38	22.00
		MID	QPSK	21.02	21.10	21.36	22.00
		HIGH	QPSK	20.98	21.16	21.43	22.00
	100	LOW	QPSK	21.05	21.11	21.39	22.00
	20	LOW	Q16	21.16	21.10	21.11	22.00
		MID	Q16	21.36	21.15	21.99	22.00
		HIGH	Q16	20.80	21.03	21.18	22.00
		LOW	Q16	21.14	21.15	21.28	22.00
		MID	Q16	21.18	21.19	21.25	22.00
		HIGH	Q16	20.87	21.23	21.39	22.00
20	1	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00
	50	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00
	100	LOW	Q16	21.03	20.97	21.41	22.00
		MID	Q16	21.03	20.97	21.41	22.00
		HIGH	Q16	21.03	20.97	21.41	22.00

LTE B2-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.66	23.91	23.60	25.00
		MID	QPSK	23.83	23.95	24.15	25.00
		HIGH	QPSK	23.45	24.05	23.97	25.00
	3	LOW	QPSK	23.51	23.88	23.85	25.00
		MID	QPSK	23.66	23.93	24.15	25.00
		HIGH	QPSK	23.47	24.11	23.91	25.00
1.4	6	LOW	QPSK	22.56	22.81	23.20	24.00
		LOW	Q16	23.00	22.88	22.59	24.00
		MID	Q16	22.56	23.00	23.71	24.00
	3	HIGH	Q16	22.61	22.86	22.71	24.00
		LOW	Q16	23.19	22.75	22.66	24.00
		MID	Q16	22.54	22.85	23.80	24.00
1.4	6	HIGH	Q16	22.42	22.97	22.89	24.00
		LOW	Q16	21.90	22.06	22.28	23.00
	1	LOW	64QAM	21.91	21.72	21.43	23.00
		MID	64QAM	21.58	22.06	22.72	23.00
		HIGH	64QAM	21.56	21.93	21.64	23.00
	3	LOW	64QAM	22.23	21.60	21.54	23.00
3	15	MID	64QAM	21.63	21.69	22.66	23.00
		HIGH	64QAM	21.54	21.93	21.77	23.00
		LOW	64QAM	20.75	20.87	21.32	22.00
	8	LOW	QPSK	23.79	23.73	23.58	25.00
		MID	QPSK	23.64	23.88	24.31	25.00
		HIGH	QPSK	23.49	24.06	23.91	25.00
	1	LOW	QPSK	22.60	22.86	23.10	24.00
		MID	QPSK	22.77	22.68	22.99	24.00
		HIGH	QPSK	22.85	22.81	23.07	24.00
	3	LOW	Q16	23.14	22.90	22.55	24.00
		MID	Q16	22.52	22.93	23.72	24.00
		HIGH	Q16	22.45	22.93	22.74	24.00
3	8	LOW	Q16	21.87	21.66	22.07	23.00
		MID	Q16	21.92	22.13	22.27	23.00
		HIGH	Q16	21.94	21.84	22.30	23.00
	15	LOW	Q16	21.83	22.04	22.22	23.00
		LOW	64QAM	21.90	21.77	21.70	23.00
		MID	64QAM	21.42	22.11	22.78	23.00
	1	HIGH	64QAM	21.44	21.67	21.72	23.00
		LOW	64QAM	20.54	20.84	21.13	22.00
		MID	64QAM	20.92	21.20	21.22	22.00
	8	HIGH	64QAM	20.81	20.98	21.26	22.00
		LOW	64QAM	20.81	20.99	20.92	22.00
		LOW	64QAM	20.81	20.99	20.92	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	23.63	23.72	23.62	25.00
		MID	QPSK	23.75	24.09	24.41	25.00
		HIGH	QPSK	23.46	24.12	23.79	25.00
	12	LOW	QPSK	22.66	22.85	23.16	24.00
		MID	QPSK	22.85	22.79	23.08	24.00
		HIGH	QPSK	22.69	23.09	23.34	24.00
5	25	LOW	QPSK	22.64	22.63	23.14	24.00
		LOW	Q16	23.02	22.88	22.60	24.00
		MID	Q16	22.52	22.98	23.76	24.00
	1	HIGH	Q16	22.50	22.82	22.91	24.00
		LOW	Q16	21.77	21.86	22.19	23.00
		MID	Q16	21.97	22.01	22.29	23.00
5	12	HIGH	Q16	22.02	21.80	22.31	23.00
		LOW	Q16	21.71	22.00	22.16	23.00
		LOW	64QAM	22.05	21.85	21.67	23.00
	1	MID	64QAM	21.63	22.00	22.63	23.00
		HIGH	64QAM	21.51	21.87	21.80	23.00
		LOW	64QAM	20.73	20.93	21.13	22.00
5	12	MID	64QAM	20.85	20.99	21.34	22.00
		HIGH	64QAM	20.88	20.81	21.23	22.00
		LOW	64QAM	20.91	21.08	21.17	22.00
	25	LOW	64QAM	20.91	21.08	21.17	22.00
		LOW	64QAM	20.91	21.08	21.17	22.00
		LOW	64QAM	20.91	21.08	21.17	22.00

LTE B2-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	23.80	23.66	23.55	25.00
		MID	QPSK	23.69	24.06	24.34	25.00
		HIGH	QPSK	23.42	24.03	23.75	25.00
	25	LOW	QPSK	22.57	22.65	23.27	24.00
		MID	QPSK	22.62	22.65	22.99	24.00
		HIGH	QPSK	22.67	23.00	23.08	24.00
	50	LOW	QPSK	22.82	22.84	22.94	24.00
10	1	LOW	Q16	23.14	22.90	22.51	24.00
		MID	Q16	22.48	22.93	23.66	24.00
		HIGH	Q16	22.48	22.68	22.89	24.00
	25	LOW	Q16	21.95	21.81	22.17	23.00
		MID	Q16	21.78	21.92	22.16	23.00
		HIGH	Q16	21.96	21.76	22.34	23.00
	50	LOW	Q16	21.82	21.82	22.03	23.00
10	1	LOW	64QAM	22.08	21.69	21.82	23.00
		MID	64QAM	21.54	22.13	22.48	23.00
		HIGH	64QAM	21.56	21.83	21.67	23.00
	25	LOW	64QAM	20.75	20.69	21.16	22.00
		MID	64QAM	20.78	21.06	21.28	22.00
		HIGH	64QAM	21.03	20.82	21.29	22.00
	50	LOW	64QAM	20.82	20.95	20.94	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	23.77	23.66	23.52	25.00
		MID	QPSK	23.76	23.83	24.34	25.00
		HIGH	QPSK	23.66	24.00	23.75	25.00
	36	LOW	QPSK	22.57	22.94	23.28	24.00
		MID	QPSK	22.61	22.91	23.21	24.00
		HIGH	QPSK	22.62	22.86	23.15	24.00
	75	LOW	QPSK	22.55	22.82	23.22	24.00
15	1	LOW	Q16	23.17	22.95	22.74	24.00
		MID	Q16	22.41	23.02	23.62	24.00
		HIGH	Q16	22.71	22.85	22.76	24.00
	36	LOW	Q16	21.79	21.87	22.02	23.00
		MID	Q16	21.75	22.14	22.33	23.00
		HIGH	Q16	22.07	21.74	22.14	23.00
	75	LOW	Q16	21.67	22.04	21.97	23.00
15	1	LOW	64QAM	22.05	21.82	21.75	23.00
		MID	64QAM	21.58	22.19	22.78	23.00
		HIGH	64QAM	21.46	21.62	21.81	23.00
	36	LOW	64QAM	20.74	20.89	21.16	22.00
		MID	64QAM	20.81	21.02	21.25	22.00
		HIGH	64QAM	20.93	20.78	21.33	22.00
	75	LOW	64QAM	20.95	20.94	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	23.65	23.82	23.74	25.00
		MID	QPSK	23.68	23.91	24.24	25.00
		HIGH	QPSK	23.54	24.12	23.93	25.00
	50	LOW	QPSK	22.65	22.83	23.11	24.00
		MID	QPSK	22.70	22.76	23.11	24.00
		HIGH	QPSK	22.71	22.93	23.23	24.00
	100	LOW	QPSK	22.70	22.83	23.16	24.00
20	1	LOW	Q16	23.15	22.78	22.65	24.00
		MID	Q16	22.45	22.88	23.68	24.00
		HIGH	Q16	22.54	22.84	22.84	24.00
	50	LOW	Q16	21.88	21.83	22.13	23.00
		MID	Q16	21.88	21.97	22.27	23.00
		HIGH	Q16	21.96	21.75	22.27	23.00
	100	LOW	Q16	21.70	21.92	22.08	23.00
20	1	LOW	64QAM	22.02	21.78	21.76	23.00
		MID	64QAM	21.47	22.02	22.60	23.00
		HIGH	64QAM	21.49	21.74	21.74	23.00
	50	LOW	64QAM	20.69	20.86	21.12	22.00
		MID	64QAM	20.80	21.05	21.28	22.00
		HIGH	64QAM	20.95	20.92	21.19	22.00
	100	LOW	64QAM	20.86	21.03	20.99	22.00

LTE B2-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18607	18900	19193	Tune-up power(dBm)
1.4	1	LOW	QPSK	19.14	19.49	19.50	20.00
		MID	QPSK	19.56	19.60	19.51	20.00
		HIGH	QPSK	19.02	19.66	19.40	20.00
	3	LOW	QPSK	19.10	19.40	19.25	20.00
		MID	QPSK	19.42	19.49	19.31	20.00
		HIGH	QPSK	18.96	19.84	19.34	20.00
	6	LOW	QPSK	19.38	19.54	19.57	20.00
1.4	1	LOW	Q16	19.41	19.24	19.46	20.00
		MID	Q16	19.73	19.36	19.41	20.00
		HIGH	Q16	18.89	19.45	19.15	20.00
	3	LOW	Q16	19.37	19.48	19.57	20.00
		MID	Q16	19.62	19.12	19.51	20.00
		HIGH	Q16	19.01	19.24	19.17	20.00
	6	LOW	Q16	19.19	19.64	19.54	20.00
1.4	1	LOW	64QAM	19.50	19.22	19.51	20.00
		MID	64QAM	19.79	19.51	19.56	20.00
		HIGH	64QAM	18.93	19.60	19.23	20.00
	3	LOW	64QAM	19.34	19.51	19.69	20.00
		MID	64QAM	19.57	19.17	19.58	20.00
		HIGH	64QAM	18.99	19.27	19.14	20.00
	6	LOW	64QAM	19.26	19.54	19.43	20.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18615	18900	19185	Tune-up power(dBm)
3	1	LOW	QPSK	19.07	19.48	19.46	20.00
		MID	QPSK	19.58	19.53	19.24	20.00
		HIGH	QPSK	19.14	19.73	19.40	20.00
	8	LOW	QPSK	19.36	19.42	19.60	20.00
		MID	QPSK	19.49	19.37	19.57	20.00
		HIGH	QPSK	19.18	19.48	19.60	20.00
	15	LOW	QPSK	19.39	19.34	19.43	20.00
3	1	LOW	Q16	19.39	19.03	19.38	20.00
		MID	Q16	19.74	19.24	19.29	20.00
		HIGH	Q16	18.81	19.27	19.42	20.00
	8	LOW	Q16	19.10	19.40	19.32	20.00
		MID	Q16	19.23	19.27	19.58	20.00
		HIGH	Q16	19.27	19.44	19.51	20.00
	15	LOW	Q16	19.35	19.47	19.54	20.00
3	1	LOW	64QAM	19.47	19.23	19.64	20.00
		MID	64QAM	19.85	19.41	19.45	20.00
		HIGH	64QAM	18.88	19.25	19.38	20.00
	8	LOW	64QAM	19.15	19.43	19.29	20.00
		MID	64QAM	19.14	19.49	19.53	20.00
		HIGH	64QAM	19.15	19.39	19.56	20.00
	15	LOW	64QAM	19.42	19.30	19.65	20.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18625	18900	19175	Tune-up power(dBm)
5	1	LOW	QPSK	19.21	19.44	19.45	20.00
		MID	QPSK	19.55	19.56	19.41	20.00
		HIGH	QPSK	19.14	19.71	19.33	20.00
	12	LOW	QPSK	19.37	19.19	19.62	20.00
		MID	QPSK	19.39	19.24	19.64	20.00
		HIGH	QPSK	19.28	19.50	19.66	20.00
	25	LOW	QPSK	19.45	19.58	19.73	20.00
5	1	LOW	Q16	19.38	19.09	19.47	20.00
		MID	Q16	19.73	19.42	19.49	20.00
		HIGH	Q16	19.03	19.35	19.37	20.00
	12	LOW	Q16	19.06	19.33	19.48	20.00
		MID	Q16	19.36	19.37	19.30	20.00
		HIGH	Q16	19.21	19.41	19.62	20.00
	25	LOW	Q16	19.13	19.54	19.50	20.00
5	1	LOW	64QAM	19.49	19.18	19.71	20.00
		MID	64QAM	19.68	19.19	19.31	20.00
		HIGH	64QAM	18.81	19.25	19.34	20.00
	12	LOW	64QAM	19.11	19.29	19.50	20.00
		MID	64QAM	19.15	19.25	19.31	20.00
		HIGH	64QAM	18.99	19.51	19.58	20.00
	25	LOW	64QAM	19.18	19.29	19.78	20.00

LTE B2-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	18650	18900	19150	Tune-up power(dBm)
10	1	LOW	QPSK	19.16	19.35	19.44	20.00
		MID	QPSK	19.34	19.69	19.43	20.00
		HIGH	QPSK	19.03	19.79	19.34	20.00
	25	LOW	QPSK	19.34	19.42	19.71	20.00
		MID	QPSK	19.31	19.24	19.40	20.00
		HIGH	QPSK	19.14	19.57	19.70	20.00
	50	LOW	QPSK	19.23	19.41	19.69	20.00
10	1	LOW	Q16	19.29	19.24	19.44	20.00
		MID	Q16	19.80	19.31	19.49	20.00
		HIGH	Q16	18.85	19.36	19.41	20.00
	25	LOW	Q16	19.24	19.36	19.31	20.00
		MID	Q16	19.28	19.19	19.34	20.00
		HIGH	Q16	19.37	19.45	19.45	20.00
	50	LOW	Q16	19.43	19.43	19.42	20.00
10	1	LOW	64QAM	19.29	19.05	19.57	20.00
		MID	64QAM	19.92	19.29	19.47	20.00
		HIGH	64QAM	18.94	19.28	19.38	20.00
	25	LOW	64QAM	19.29	19.36	19.35	20.00
		MID	64QAM	19.33	19.43	19.44	20.00
		HIGH	64QAM	19.21	19.61	19.59	20.00
	50	LOW	64QAM	19.28	19.53	19.55	20.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18675	18900	19125	Tune-up power(dBm)
15	1	LOW	QPSK	19.13	19.38	19.25	20.00
		MID	QPSK	19.37	19.57	19.41	20.00
		HIGH	QPSK	19.13	19.75	19.38	20.00
	36	LOW	QPSK	19.40	19.19	19.54	20.00
		MID	QPSK	19.36	19.47	19.46	20.00
		HIGH	QPSK	19.19	19.55	19.47	20.00
	75	LOW	QPSK	19.31	19.40	19.58	20.00
15	1	LOW	Q16	19.37	19.00	19.45	20.00
		MID	Q16	19.85	19.34	19.44	20.00
		HIGH	Q16	18.92	19.41	19.22	20.00
	36	LOW	Q16	19.13	19.20	19.28	20.00
		MID	Q16	19.38	19.40	19.43	20.00
		HIGH	Q16	19.32	19.36	19.39	20.00
	75	LOW	Q16	19.32	19.44	19.47	20.00
15	1	LOW	64QAM	19.40	19.08	19.57	20.00
		MID	64QAM	19.82	19.47	19.49	20.00
		HIGH	64QAM	18.93	19.45	19.47	20.00
	36	LOW	64QAM	19.18	19.15	19.35	20.00
		MID	64QAM	19.33	19.51	19.37	20.00
		HIGH	64QAM	19.20	19.41	19.71	20.00
	75	LOW	64QAM	19.42	19.40	19.50	20.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	18700	18900	19100	Tune-up power(dBm)
20	1	LOW	QPSK	19.18	19.47	19.40	20.00
		MID	QPSK	19.45	19.63	19.36	20.00
		HIGH	QPSK	19.08	19.70	19.46	20.00
	50	LOW	QPSK	19.37	19.29	19.66	20.00
		MID	QPSK	19.38	19.35	19.54	20.00
		HIGH	QPSK	19.22	19.52	19.55	20.00
	100	LOW	QPSK	19.35	19.47	19.58	20.00
20	1	LOW	Q16	19.33	19.15	19.45	20.00
		MID	Q16	19.70	19.39	19.42	20.00
		HIGH	Q16	18.93	19.30	19.28	20.00
	50	LOW	Q16	19.20	19.34	19.40	20.00
		MID	Q16	19.30	19.31	19.44	20.00
		HIGH	Q16	19.24	19.37	19.49	20.00
	100	LOW	Q16	19.28	19.49	19.51	20.00
20	1	LOW	64QAM	19.42	19.13	19.58	20.00
		MID	64QAM	19.81	19.34	19.35	20.00
		HIGH	64QAM	18.91	19.32	19.36	20.00
	50	LOW	64QAM	19.18	19.29	19.44	20.00
		MID	64QAM	19.18	19.37	19.41	20.00
		HIGH	64QAM	19.11	19.52	19.60	20.00
	100	LOW	64QAM	19.32	19.44	19.65	20.00

8.3.2 LTE Band4 Output Power

LTE B4-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.68	23.58	23.88	25.00
		MID	QPSK	23.86	24.20	24.24	25.00
		HIGH	QPSK	23.85	23.47	24.04	25.00
	3	LOW	QPSK	23.77	23.49	23.86	25.00
		MID	QPSK	23.77	24.05	24.11	25.00
		HIGH	QPSK	23.91	23.73	24.06	25.00
1.4	1	LOW	QPSK	23.42	23.22	22.92	24.00
		MID	Q16	23.20	23.03	23.29	24.00
		HIGH	Q16	23.05	23.41	23.04	24.00
	3	LOW	Q16	22.97	22.69	22.53	24.00
		MID	Q16	22.91	23.12	23.25	24.00
		HIGH	Q16	23.06	23.05	23.04	24.00
1.4	1	LOW	Q16	23.10	23.41	22.82	24.00
		MID	Q16	22.07	22.37	21.90	23.00
		HIGH	Q16	22.07	22.37	21.90	23.00
	3	LOW	Q16	22.07	22.37	21.90	23.00
		MID	Q16	22.07	22.37	21.90	23.00
		HIGH	Q16	22.07	22.37	21.90	23.00
1.4	1	LOW	64QAM	22.14	22.18	22.44	23.00
		MID	64QAM	22.04	22.47	21.94	23.00
		HIGH	64QAM	21.91	21.75	21.43	23.00
	3	LOW	64QAM	21.76	21.99	22.38	23.00
		MID	64QAM	22.03	22.01	21.99	23.00
		HIGH	64QAM	22.11	22.46	21.88	23.00
1.4	1	LOW	64QAM	21.16	21.41	20.95	22.00
		MID	64QAM	21.16	21.41	20.95	22.00
		HIGH	64QAM	21.16	21.41	20.95	22.00
	3	LOW	64QAM	21.16	21.41	20.95	22.00
		MID	64QAM	21.16	21.41	20.95	22.00
		HIGH	64QAM	21.16	21.41	20.95	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	23.71	23.46	23.87	25.00
		MID	QPSK	24.01	24.04	23.98	25.00
		HIGH	QPSK	23.78	23.55	23.96	25.00
	8	LOW	QPSK	23.28	23.39	22.81	24.00
		MID	QPSK	23.21	23.19	22.89	24.00
		HIGH	QPSK	23.14	22.84	22.73	24.00
3	1	LOW	QPSK	23.36	23.14	23.03	24.00
		MID	Q16	23.07	22.91	23.45	24.00
		HIGH	Q16	23.10	23.21	23.20	24.00
	8	LOW	Q16	23.07	22.67	22.65	24.00
		MID	Q16	22.38	22.38	22.19	23.00
		HIGH	Q16	22.07	22.28	21.81	23.00
3	1	LOW	Q16	22.15	22.16	21.68	23.00
		MID	Q16	22.04	22.09	22.00	23.00
		HIGH	Q16	22.04	22.09	22.00	23.00
	8	LOW	64QAM	22.07	22.13	22.11	23.00
		MID	64QAM	22.07	22.45	21.96	23.00
		HIGH	64QAM	21.86	21.66	21.62	23.00
3	1	LOW	64QAM	21.44	21.20	21.25	22.00
		MID	64QAM	21.18	21.15	20.78	22.00
		HIGH	64QAM	21.30	21.34	20.70	22.00
	8	LOW	64QAM	21.09	20.93	20.80	22.00
		MID	64QAM	21.09	20.93	20.80	22.00
		HIGH	64QAM	21.09	20.93	20.80	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	23.79	23.43	23.97	25.00
		MID	QPSK	23.87	24.02	24.08	25.00
		HIGH	QPSK	23.73	23.46	23.86	25.00
	12	LOW	QPSK	23.18	23.17	22.82	24.00
		MID	QPSK	23.19	23.20	22.93	24.00
		HIGH	QPSK	23.13	22.91	22.71	24.00
5	1	LOW	QPSK	23.20	23.19	23.00	24.00
		MID	Q16	23.03	22.78	23.38	24.00
		HIGH	Q16	23.09	23.38	22.97	24.00
	12	LOW	Q16	23.04	22.67	22.59	24.00
		MID	Q16	22.31	22.13	22.10	23.00
		HIGH	Q16	22.01	22.48	21.98	23.00
5	1	LOW	Q16	22.11	22.20	21.72	23.00
		MID	Q16	22.22	22.28	21.98	23.00
		HIGH	Q16	22.22	22.28	21.98	23.00
	12	LOW	64QAM	22.33	22.01	22.25	23.00
		MID	64QAM	22.06	22.23	22.04	23.00
		HIGH	64QAM	21.74	21.52	21.69	23.00
5	1	LOW	64QAM	21.60	21.29	21.13	22.00
		MID	64QAM	21.30	21.13	20.69	22.00
		HIGH	64QAM	21.20	21.21	20.62	22.00
	12	LOW	64QAM	21.19	21.11	20.80	22.00
		MID	64QAM	21.19	21.11	20.80	22.00
		HIGH	64QAM	21.19	21.11	20.80	22.00

LTE B4-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	23.76	23.41	24.15	25.00
		MID	QPSK	23.96	23.93	24.19	25.00
		HIGH	QPSK	23.87	23.60	23.91	25.00
	25	LOW	QPSK	23.30	23.25	23.02	24.00
		MID	QPSK	23.09	23.16	22.99	24.00
		HIGH	QPSK	23.40	22.80	22.65	24.00
10	1	LOW	QPSK	23.45	23.02	22.80	24.00
		MID	Q16	22.95	22.87	23.30	24.00
		HIGH	Q16	22.96	23.33	23.02	24.00
	25	LOW	Q16	22.94	22.47	22.83	24.00
		MID	Q16	22.48	22.38	22.32	23.00
		HIGH	Q16	22.10	22.21	21.89	23.00
10	1	LOW	Q16	22.21	22.05	21.92	23.00
		MID	Q16	22.27	22.26	21.90	23.00
		HIGH	Q16	22.27	22.26	21.90	23.00
	25	LOW	64QAM	22.33	22.04	22.17	23.00
		MID	64QAM	22.14	22.20	21.95	23.00
		HIGH	64QAM	21.97	21.77	21.54	23.00
10	1	LOW	64QAM	21.62	21.23	21.25	22.00
		MID	64QAM	21.30	21.34	20.80	22.00
		HIGH	64QAM	21.12	21.30	20.82	22.00
	25	LOW	64QAM	21.22	21.12	20.87	22.00
		MID	64QAM	21.22	21.12	20.87	22.00
		HIGH	64QAM	21.22	21.12	20.87	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	23.61	23.49	24.09	25.00
		MID	QPSK	23.88	24.05	24.14	25.00
		HIGH	QPSK	23.75	23.67	24.05	25.00
	36	LOW	QPSK	23.22	23.17	22.81	24.00
		MID	QPSK	23.36	23.22	22.98	24.00
		HIGH	QPSK	23.26	22.98	22.66	24.00
15	1	LOW	QPSK	23.20	23.28	22.87	24.00
		MID	Q16	23.18	22.77	23.36	24.00
		HIGH	Q16	23.07	23.32	23.17	24.00
	36	LOW	Q16	22.94	22.67	22.78	24.00
		MID	Q16	22.43	22.39	22.18	23.00
		HIGH	Q16	22.05	22.33	21.86	23.00
15	1	LOW	Q16	22.23	22.28	21.84	23.00
		MID	Q16	22.26	22.14	21.73	23.00
		HIGH	Q16	22.26	22.14	21.73	23.00
	36	LOW	64QAM	22.29	22.19	22.10	23.00
		MID	64QAM	22.00	22.42	22.03	23.00
		HIGH	64QAM	21.84	21.65	21.66	23.00
15	1	LOW	64QAM	21.44	21.45	21.22	22.00
		MID	64QAM	21.28	21.14	20.74	22.00
		HIGH	64QAM	21.16	21.16	20.75	22.00
	36	LOW	64QAM	21.18	21.16	20.77	22.00
		MID	64QAM	21.18	21.16	20.77	22.00
		HIGH	64QAM	21.18	21.16	20.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	23.67	23.44	24.00	25.00
		MID	QPSK	23.91	24.08	24.10	25.00
		HIGH	QPSK	23.81	23.60	23.98	25.00
	50	LOW	QPSK	23.33	23.31	22.95	24.00
		MID	QPSK	23.24	23.11	22.85	24.00
		HIGH	QPSK	23.26	22.94	22.79	24.00
20	1	LOW	QPSK	23.30	23.17	22.89	24.00
		MID	Q16	23.06	22.90	23.36	24.00
		HIGH	Q16	23.07	23.33	23.11	24.00
	50	LOW	Q16	22.95	22.60	22.68	24.00
		MID	Q16	22.34	22.25	22.21	23.00
		HIGH	Q16	22.16	22.35	21.90	23.00
20	1	LOW	Q16	22.20	22.13	21.77	23.00
		MID	Q16	22.20	22.13	21.77	23.00
		HIGH	Q16	22.17	22.22	21.86	23.00
	50	LOW	64QAM	22.17	22.22	21.86	23.00
		MID	64QAM	22.20	22.05	22.25	23.00
		HIGH	64QAM	22.06	22.31	22.02	23.00
20	1	LOW	64QAM	21.83	21.62	21.61	23.00
		MID	64QAM	21.47	21.33	21.27	22.00
		HIGH	64QAM	21.21	21.22	20.75	22.00
	50	LOW	64QAM	21.27	21.19	20.70	22.00
		MID	64QAM	21.27	21.19	20.70	22.00
		HIGH	64QAM	21.27	21.19	20.70	22.00
20	1	LOW	64QAM	21.15	21.08	20.73	22.00
		MID	64QAM	21.15	21.08	20.73	22.00
		HIGH	64QAM	21.15	21.08	20.73	22.00
	50	LOW	64QAM	21.15	21.08	20.73	22.00
		MID	64QAM	21.15	21.08	20.73	22.00
		HIGH	64QAM	21.15	21.08	20.73	22.00

LTE B4-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	21.96	21.98	22.15	22.50
		MID	QPSK	22.00	22.11	22.24	22.50
		HIGH	QPSK	22.10	21.49	21.93	22.50
	3	LOW	QPSK	21.88	21.83	22.37	22.50
		MID	QPSK	22.14	22.27	22.06	22.50
		HIGH	QPSK	22.16	21.41	21.84	22.50
1.4	1	LOW	QPSK	22.16	22.07	21.83	22.50
		MID	Q16	21.66	22.11	22.15	22.50
		HIGH	Q16	22.03	22.46	22.36	22.50
	3	LOW	Q16	22.07	21.70	21.40	22.50
		MID	Q16	21.68	21.99	22.26	22.50
		HIGH	Q16	21.85	22.22	22.14	22.50
1.4	1	LOW	Q16	21.80	22.46	21.19	22.50
		MID	Q16	21.99	22.06	21.73	22.50
		HIGH	Q16	21.99	22.06	21.73	22.50
	3	LOW	64QAM	21.51	22.10	22.01	22.50
		MID	64QAM	22.04	22.34	22.37	22.50
		HIGH	64QAM	22.02	21.62	21.42	22.50
1.4	1	LOW	64QAM	21.69	21.98	22.26	22.50
		MID	64QAM	21.80	22.17	22.26	22.50
		HIGH	64QAM	21.89	21.69	21.13	22.50
	3	LOW	64QAM	21.61	21.51	21.25	22.00
		MID	64QAM	21.61	21.51	21.25	22.00
		HIGH	64QAM	21.61	21.51	21.25	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	21.75	22.06	22.24	22.50
		MID	QPSK	21.93	22.14	22.22	22.50
		HIGH	QPSK	21.99	21.48	21.76	22.50
	8	LOW	QPSK	22.08	22.29	21.91	22.50
		MID	QPSK	22.20	21.94	21.67	22.50
		HIGH	QPSK	22.32	21.67	21.54	22.50
3	15	LOW	QPSK	22.32	22.15	21.83	22.50
		MID	Q16	21.65	22.40	22.25	22.50
		HIGH	Q16	21.89	22.35	22.30	22.50
	8	LOW	Q16	21.97	21.59	21.41	22.50
		MID	Q16	22.10	22.19	21.82	22.50
		HIGH	Q16	22.04	22.21	21.80	22.50
3	15	LOW	Q16	22.13	21.93	21.72	22.50
		MID	Q16	22.25	22.06	21.75	22.50
		HIGH	Q16	22.25	22.06	21.75	22.50
	1	LOW	64QAM	21.54	22.06	22.38	22.50
		MID	64QAM	21.77	22.34	22.40	22.50
		HIGH	64QAM	21.96	21.81	21.16	22.50
3	8	LOW	64QAM	21.45	21.93	21.34	22.00
		MID	64QAM	21.63	21.69	21.45	22.00
		HIGH	64QAM	21.64	21.43	21.12	22.00
	15	LOW	64QAM	21.64	21.43	21.12	22.00
		MID	64QAM	21.52	21.34	20.94	22.00
		HIGH	64QAM	21.52	21.34	20.94	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	21.97	21.98	22.30	22.50
		MID	QPSK	22.00	22.06	22.05	22.50
		HIGH	QPSK	22.24	21.51	21.96	22.50
	12	LOW	QPSK	22.30	22.19	21.90	22.50
		MID	QPSK	22.24	21.94	21.74	22.50
		HIGH	QPSK	22.11	21.84	21.50	22.50
5	25	LOW	QPSK	22.29	21.89	21.78	22.50
		MID	Q16	22.29	21.89	21.78	22.50
		HIGH	Q16	22.07	21.58	21.17	22.50
	12	LOW	Q16	22.08	22.21	21.88	22.50
		MID	Q16	22.30	22.17	21.69	22.50
		HIGH	Q16	22.12	21.96	21.67	22.50
5	25	LOW	Q16	22.28	22.07	21.51	22.50
		MID	Q16	22.28	22.07	21.51	22.50
		HIGH	Q16	22.28	22.07	21.51	22.50
	1	LOW	64QAM	21.32	22.13	22.39	22.50
		MID	64QAM	21.73	22.37	22.28	22.50
		HIGH	64QAM	21.97	21.62	21.21	22.50
5	12	LOW	64QAM	21.47	21.89	21.25	22.00
		MID	64QAM	21.75	21.78	21.44	22.00
		HIGH	64QAM	21.72	21.47	21.21	22.00
	25	LOW	64QAM	21.58	21.33	21.05	22.00
		MID	64QAM	21.58	21.33	21.05	22.00
		HIGH	64QAM	21.58	21.33	21.05	22.00

LTE B4-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	21.81	22.03	22.35	22.50
		MID	QPSK	21.97	22.13	22.06	22.50
		HIGH	QPSK	22.20	21.44	21.73	22.50
	25	LOW	QPSK	22.22	22.11	21.97	22.50
		MID	QPSK	22.12	22.14	21.89	22.50
		HIGH	QPSK	22.25	21.79	21.57	22.50
	50	LOW	QPSK	22.09	22.15	21.85	22.50
10	1	LOW	Q16	21.52	22.14	22.32	22.50
		MID	Q16	22.09	22.48	22.24	22.50
		HIGH	Q16	21.99	21.76	21.38	22.50
	25	LOW	Q16	22.06	22.10	21.74	22.50
		MID	Q16	22.19	22.30	21.68	22.50
		HIGH	Q16	22.03	21.89	21.73	22.50
	50	LOW	Q16	22.00	22.01	21.68	22.50
10	1	LOW	64QAM	21.27	22.10	22.27	22.50
		MID	64QAM	21.97	22.41	22.25	22.50
		HIGH	64QAM	22.06	21.81	21.15	22.50
	25	LOW	64QAM	21.71	21.75	21.37	22.00
		MID	64QAM	21.89	21.51	21.41	22.00
		HIGH	64QAM	21.74	21.55	20.97	22.00
	50	LOW	64QAM	21.58	21.28	21.03	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	21.92	21.98	22.27	22.50
		MID	QPSK	21.96	22.00	22.16	22.50
		HIGH	QPSK	22.27	21.71	21.72	22.50
	36	LOW	QPSK	22.10	22.29	21.88	22.50
		MID	QPSK	22.22	22.06	21.64	22.50
		HIGH	QPSK	22.16	21.69	21.50	22.50
	75	LOW	QPSK	22.35	22.11	21.73	22.50
15	1	LOW	Q16	21.57	22.16	22.10	22.50
		MID	Q16	22.06	22.46	22.14	22.50
		HIGH	Q16	21.80	21.65	21.13	22.50
	36	LOW	Q16	22.13	22.11	21.77	22.50
		MID	Q16	22.05	22.36	21.71	22.50
		HIGH	Q16	22.29	21.86	21.62	22.50
	75	LOW	Q16	22.15	22.12	21.51	22.50
15	1	LOW	64QAM	21.30	22.01	22.23	22.50
		MID	64QAM	21.99	22.37	22.23	22.50
		HIGH	64QAM	21.91	21.87	21.08	22.50
	36	LOW	64QAM	21.46	21.79	21.22	22.00
		MID	64QAM	21.79	21.56	21.32	22.00
		HIGH	64QAM	21.69	21.45	21.09	22.00
	75	LOW	64QAM	21.55	21.40	21.13	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	21.90	21.91	22.12	22.50
		MID	QPSK	21.99	22.25	22.09	22.50
		HIGH	QPSK	22.14	21.56	21.84	22.50
	50	LOW	QPSK	22.19	22.23	21.82	22.50
		MID	QPSK	22.17	22.03	21.77	22.50
		HIGH	QPSK	22.18	21.79	21.65	22.50
	100	LOW	QPSK	22.23	22.01	21.71	22.50
20	1	LOW	Q16	21.54	22.25	22.23	22.50
		MID	Q16	22.00	22.38	22.22	22.50
		HIGH	Q16	21.92	21.68	21.26	22.50
	50	LOW	Q16	22.17	22.25	21.88	22.50
		MID	Q16	22.15	22.24	21.77	22.50
		HIGH	Q16	22.15	21.82	21.68	22.50
	100	LOW	Q16	22.14	22.02	21.66	22.50
20	1	LOW	64QAM	21.40	22.15	22.26	22.50
		MID	64QAM	21.85	22.48	22.27	22.50
		HIGH	64QAM	21.92	21.72	21.14	22.50
	50	LOW	64QAM	21.57	21.81	21.24	22.00
		MID	64QAM	21.76	21.64	21.39	22.00
		HIGH	64QAM	21.59	21.45	21.06	22.00
	100	LOW	64QAM	21.59	21.42	21.03	22.00

LTE B4-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	16.79	16.71	16.96	17.50
		MID	QPSK	16.90	17.18	17.06	17.50
		HIGH	QPSK	16.79	16.67	16.85	17.50
	3	LOW	QPSK	16.58	16.88	17.19	17.50
		MID	QPSK	17.15	17.28	16.92	17.50
		HIGH	QPSK	16.99	16.53	16.85	17.50
	6	LOW	QPSK	17.23	17.09	16.73	17.50
1.4	1	LOW	Q16	16.30	17.02	16.55	17.50
		MID	Q16	17.15	17.25	17.06	17.50
		HIGH	Q16	16.85	16.20	16.35	17.50
	3	LOW	Q16	16.39	16.97	16.60	17.50
		MID	Q16	16.98	16.93	17.09	17.50
		HIGH	Q16	16.92	17.26	16.30	17.50
	6	LOW	Q16	17.15	16.88	16.50	17.50
1.4	1	LOW	64QAM	16.18	16.97	16.43	17.50
		MID	64QAM	17.13	17.35	17.03	17.50
		HIGH	64QAM	16.81	16.26	16.24	17.50
	3	LOW	64QAM	16.35	16.98	16.63	17.50
		MID	64QAM	16.93	16.85	17.07	17.50
		HIGH	64QAM	17.07	17.16	16.34	17.50
	6	LOW	64QAM	17.30	16.76	16.39	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	16.65	16.78	17.23	17.50
		MID	QPSK	17.03	17.21	17.02	17.50
		HIGH	QPSK	17.06	16.68	16.57	17.50
	8	LOW	QPSK	17.04	17.04	16.79	17.50
		MID	QPSK	17.21	17.03	16.75	17.50
		HIGH	QPSK	17.13	16.68	16.64	17.50
	15	LOW	QPSK	17.25	16.91	16.67	17.50
3	1	LOW	Q16	16.48	17.00	16.68	17.50
		MID	Q16	16.92	17.28	17.00	17.50
		HIGH	Q16	17.03	16.42	16.33	17.50
	8	LOW	Q16	16.91	17.14	16.83	17.50
		MID	Q16	16.97	17.22	16.74	17.50
		HIGH	Q16	17.02	16.89	16.71	17.50
	15	LOW	Q16	17.03	17.06	16.62	17.50
3	1	LOW	64QAM	16.22	16.86	16.85	17.50
		MID	64QAM	17.06	17.38	17.07	17.50
		HIGH	64QAM	17.06	16.40	16.30	17.50
	8	LOW	64QAM	16.93	17.12	16.86	17.50
		MID	64QAM	17.01	17.17	16.67	17.50
		HIGH	64QAM	16.79	16.63	16.87	17.50
	15	LOW	64QAM	16.95	16.96	16.57	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	16.53	16.81	17.13	17.50
		MID	QPSK	16.90	17.17	17.03	17.50
		HIGH	QPSK	17.00	16.66	16.58	17.50
	12	LOW	QPSK	16.99	16.95	16.61	17.50
		MID	QPSK	17.03	17.02	16.78	17.50
		HIGH	QPSK	17.04	16.85	16.57	17.50
	25	LOW	QPSK	17.22	16.86	16.65	17.50
5	1	LOW	Q16	16.33	17.01	16.67	17.50
		MID	Q16	16.87	17.29	17.27	17.50
		HIGH	Q16	16.93	16.35	16.31	17.50
	12	LOW	Q16	17.07	16.99	16.68	17.50
		MID	Q16	17.13	17.07	16.66	17.50
		HIGH	Q16	17.22	16.92	16.73	17.50
	25	LOW	Q16	17.04	16.91	16.45	17.50
5	1	LOW	64QAM	16.26	16.73	16.67	17.50
		MID	64QAM	17.00	16.87	17.22	17.50
		HIGH	64QAM	17.01	16.41	16.26	17.50
	12	LOW	64QAM	17.12	16.82	16.82	17.50
		MID	64QAM	17.08	17.28	16.76	17.50
		HIGH	64QAM	16.97	16.62	16.82	17.50
	25	LOW	64QAM	16.91	17.03	16.52	17.50

LTE B4-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	16.77	16.91	17.08	17.50
		MID	QPSK	17.18	17.14	17.09	17.50
		HIGH	QPSK	17.05	16.39	16.80	17.50
	25	LOW	QPSK	16.99	17.22	16.76	17.50
		MID	QPSK	17.05	16.87	16.58	17.50
		HIGH	QPSK	17.19	16.70	16.70	17.50
10	1	LOW	QPSK	17.25	16.98	16.68	17.50
		MID	Q16	16.34	16.91	16.83	17.50
		HIGH	Q16	17.09	17.43	17.22	17.50
	25	LOW	Q16	16.87	16.21	16.37	17.50
		MID	Q16	17.17	17.14	16.79	17.50
		HIGH	Q16	17.15	16.95	16.64	17.50
10	1	LOW	Q16	17.08	16.81	16.46	17.50
		MID	Q16	17.08	16.81	16.46	17.50
		HIGH	Q16	17.08	16.81	16.46	17.50
	25	LOW	Q16	16.91	16.99	16.44	17.50
		MID	Q16	16.91	16.99	16.44	17.50
		HIGH	Q16	16.91	16.99	16.44	17.50
10	1	LOW	64QAM	16.47	16.71	16.71	17.50
		MID	64QAM	17.14	17.39	17.05	17.50
		HIGH	64QAM	16.91	16.26	16.26	17.50
	25	LOW	64QAM	16.90	16.87	16.77	17.50
		MID	64QAM	17.21	17.32	16.85	17.50
		HIGH	64QAM	16.94	16.82	16.74	17.50
10	1	LOW	64QAM	17.03	16.97	16.61	17.50
		MID	64QAM	17.03	16.97	16.61	17.50
		HIGH	64QAM	17.03	16.97	16.61	17.50
	25	LOW	64QAM	17.03	16.97	16.61	17.50
		MID	64QAM	17.03	16.97	16.61	17.50
		HIGH	64QAM	17.03	16.97	16.61	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	16.53	16.81	17.19	17.50
		MID	QPSK	17.19	17.20	17.11	17.50
		HIGH	QPSK	17.02	16.54	16.66	17.50
	36	LOW	QPSK	17.07	17.21	16.91	17.50
		MID	QPSK	17.17	16.96	16.74	17.50
		HIGH	QPSK	16.99	16.74	16.54	17.50
15	1	LOW	QPSK	17.27	16.97	16.87	17.50
		MID	QPSK	17.27	16.97	16.87	17.50
		HIGH	QPSK	17.27	16.97	16.87	17.50
	36	LOW	Q16	16.55	17.08	16.66	17.50
		MID	Q16	17.03	17.22	17.08	17.50
		HIGH	Q16	17.04	16.39	16.11	17.50
15	1	LOW	Q16	16.90	17.02	16.71	17.50
		MID	Q16	16.90	17.19	16.74	17.50
		HIGH	Q16	17.03	16.70	16.52	17.50
	36	LOW	Q16	17.05	16.85	16.52	17.50
		MID	Q16	17.05	16.85	16.52	17.50
		HIGH	Q16	17.05	16.85	16.52	17.50
15	1	LOW	64QAM	16.47	16.81	16.62	17.50
		MID	64QAM	17.14	17.30	17.28	17.50
		HIGH	64QAM	17.08	16.19	16.35	17.50
	36	LOW	64QAM	17.12	17.04	16.63	17.50
		MID	64QAM	16.94	17.26	16.60	17.50
		HIGH	64QAM	16.89	16.68	16.81	17.50
15	1	LOW	64QAM	16.97	16.85	16.80	17.50
		MID	64QAM	16.97	16.85	16.80	17.50
		HIGH	64QAM	16.97	16.85	16.80	17.50
	36	LOW	64QAM	16.97	16.85	16.80	17.50
		MID	64QAM	16.97	16.85	16.80	17.50
		HIGH	64QAM	16.97	16.85	16.80	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	16.68	16.84	17.10	17.50
		MID	QPSK	17.04	17.16	17.01	17.50
		HIGH	QPSK	16.94	16.53	16.70	17.50
	50	LOW	QPSK	17.08	17.10	16.76	17.50
		MID	QPSK	17.07	16.97	16.64	17.50
		HIGH	QPSK	17.10	16.76	16.66	17.50
20	1	LOW	QPSK	17.15	16.95	16.73	17.50
		MID	QPSK	17.15	16.95	16.73	17.50
		HIGH	QPSK	17.15	16.95	16.73	17.50
	50	LOW	Q16	16.45	16.97	16.68	17.50
		MID	Q16	17.01	17.35	17.13	17.50
		HIGH	Q16	16.98	16.34	16.23	17.50
20	1	LOW	Q16	17.05	17.12	16.75	17.50
		MID	Q16	17.05	17.12	16.75	17.50
		HIGH	Q16	17.05	17.12	16.75	17.50
	50	LOW	Q16	17.03	17.09	16.68	17.50
		MID	Q16	17.03	17.09	16.68	17.50
		HIGH	Q16	17.03	17.09	16.68	17.50
20	1	LOW	Q16	17.07	16.78	16.61	17.50
		MID	Q16	17.07	16.78	16.61	17.50
		HIGH	Q16	17.07	16.78	16.61	17.50
	50	LOW	Q16	17.03	17.00	16.57	17.50
		MID	Q16	17.03	17.00	16.57	17.50
		HIGH	Q16	17.03	17.00	16.57	17.50
20	1	LOW	64QAM	16.34	16.85	16.75	17.50
		MID	64QAM	17.07	17.45	17.14	17.50
		HIGH	64QAM	17.01	16.26	16.29	17.50
	50	LOW	64QAM	17.03	16.97	16.76	17.50
		MID	64QAM	17.08	17.22	16.73	17.50
		HIGH	64QAM	16.92	16.73	16.73	17.50
20	1	LOW	64QAM	17.04	16.90	16.65	17.50
		MID	64QAM	17.04	16.90	16.65	17.50
		HIGH	64QAM	17.04	16.90	16.65	17.50
	50	LOW	64QAM	17.04	16.90	16.65	17.50
		MID	64QAM	17.04	16.90	16.65	17.50
		HIGH	64QAM	17.04	16.90	16.65	17.50

LTE B4-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	18.30	18.56	18.43	19.00
		MID	QPSK	18.74	18.80	18.36	19.00
		HIGH	QPSK	18.47	18.14	18.42	19.00
	3	LOW	QPSK	18.16	18.31	18.41	19.00
		MID	QPSK	18.57	18.90	18.61	19.00
		HIGH	QPSK	18.72	18.03	18.34	19.00
1.4	1	LOW	QPSK	18.66	18.66	18.15	19.00
		MID	Q16	18.43	18.69	18.85	19.00
		HIGH	Q16	18.62	18.11	18.11	19.00
	3	LOW	Q16	18.40	18.78	18.81	19.00
		MID	Q16	18.39	18.99	18.58	19.00
		HIGH	Q16	18.40	18.90	18.19	19.00
1.4	1	LOW	Q16	18.54	18.58	18.20	19.00
		MID	Q16	18.54	18.58	18.20	19.00
		HIGH	Q16	18.54	18.58	18.20	19.00
	3	LOW	Q16	18.54	18.58	18.20	19.00
		MID	Q16	18.54	18.58	18.20	19.00
		HIGH	Q16	18.54	18.58	18.20	19.00
1.4	1	LOW	64QAM	18.37	18.67	18.90	19.00
		MID	64QAM	18.66	18.87	18.66	19.00
		HIGH	64QAM	18.74	18.26	18.04	19.00
	3	LOW	64QAM	18.39	18.91	18.72	19.00
		MID	64QAM	18.52	18.94	18.49	19.00
		HIGH	64QAM	18.31	18.87	18.17	19.00
1.4	1	LOW	64QAM	18.51	18.47	18.06	19.00
		MID	64QAM	18.51	18.47	18.06	19.00
		HIGH	64QAM	18.51	18.47	18.06	19.00
	3	LOW	64QAM	18.51	18.47	18.06	19.00
		MID	64QAM	18.51	18.47	18.06	19.00
		HIGH	64QAM	18.51	18.47	18.06	19.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	18.12	18.43	18.67	19.00
		MID	QPSK	18.74	18.82	18.34	19.00
		HIGH	QPSK	18.70	18.11	18.28	19.00
	8	LOW	QPSK	18.35	18.86	18.28	19.00
		MID	QPSK	18.63	18.55	18.10	19.00
		HIGH	QPSK	18.87	18.50	18.22	19.00
3	1	LOW	QPSK	18.77	18.57	18.17	19.00
		MID	Q16	18.26	18.76	18.94	19.00
		HIGH	Q16	18.56	18.94	18.53	19.00
	8	LOW	Q16	18.43	17.88	17.89	19.00
		MID	Q16	18.68	18.67	18.42	19.00
		HIGH	Q16	18.67	18.71	18.26	19.00
3	1	LOW	Q16	18.78	18.39	18.21	19.00
		MID	Q16	18.78	18.39	18.21	19.00
		HIGH	Q16	18.78	18.39	18.21	19.00
	8	LOW	Q16	18.57	18.57	18.21	19.00
		MID	Q16	18.57	18.57	18.21	19.00
		HIGH	Q16	18.57	18.57	18.21	19.00
3	1	LOW	64QAM	18.48	18.89	18.88	19.00
		MID	64QAM	18.40	18.71	18.59	19.00
		HIGH	64QAM	18.43	17.82	18.24	19.00
	8	LOW	64QAM	18.58	18.74	18.68	19.00
		MID	64QAM	18.53	18.69	18.32	19.00
		HIGH	64QAM	18.69	18.50	18.33	19.00
3	1	LOW	64QAM	18.67	18.63	18.44	19.00
		MID	64QAM	18.67	18.63	18.44	19.00
		HIGH	64QAM	18.67	18.63	18.44	19.00
	8	LOW	64QAM	18.67	18.63	18.44	19.00
		MID	64QAM	18.67	18.63	18.44	19.00
		HIGH	64QAM	18.67	18.63	18.44	19.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	18.06	18.32	18.44	19.00
		MID	QPSK	18.57	18.98	18.36	19.00
		HIGH	QPSK	18.68	18.26	18.46	19.00
	12	LOW	QPSK	18.57	18.90	18.21	19.00
		MID	QPSK	18.58	18.61	18.28	19.00
		HIGH	QPSK	18.81	18.31	18.27	19.00
5	1	LOW	QPSK	18.77	18.83	18.20	19.00
		MID	Q16	18.48	18.93	18.90	19.00
		HIGH	Q16	18.64	18.98	18.73	19.00
	12	LOW	Q16	18.43	17.99	18.05	19.00
		MID	Q16	18.39	18.56	18.35	19.00
		HIGH	Q16	18.70	18.64	18.35	19.00
5	1	LOW	Q16	18.67	18.49	18.42	19.00
		MID	Q16	18.67	18.49	18.42	19.00
		HIGH	Q16	18.67	18.49	18.42	19.00
	12	LOW	Q16	18.60	18.59	18.28	19.00
		MID	Q16	18.60	18.59	18.28	19.00
		HIGH	Q16	18.60	18.59	18.28	19.00
5	1	LOW	64QAM	18.59	18.71	18.84	19.00
		MID	64QAM	18.35	18.93	18.48	19.00
		HIGH	64QAM	18.42	17.81	18.03	19.00
	12	LOW	64QAM	18.76	18.64	18.71	19.00
		MID	64QAM	18.52	18.48	18.43	19.00
		HIGH	64QAM	18.80	18.28	18.06	19.00
5	1	LOW	64QAM	18.91	18.65	18.49	19.00
		MID	64QAM	18.91	18.65	18.49	19.00
		HIGH	64QAM	18.91	18.65	18.49	19.00
	12	LOW	64QAM	18.91	18.65	18.49	19.00
		MID	64QAM	18.91	18.65	18.49	19.00
		HIGH	64QAM	18.91	18.65	18.49	19.00

LTE B4-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	18.28	18.37	18.56	19.00
		MID	QPSK	18.54	18.88	18.35	19.00
		HIGH	QPSK	18.55	18.04	18.43	19.00
	25	LOW	QPSK	18.52	18.65	18.36	19.00
		MID	QPSK	18.56	18.69	18.30	19.00
		HIGH	QPSK	18.59	18.47	18.04	19.00
	50	LOW	QPSK	18.51	18.67	18.30	19.00
	10	LOW	Q16	18.37	18.72	18.84	19.00
		MID	Q16	18.41	18.96	18.49	19.00
		HIGH	Q16	18.42	17.95	18.04	19.00
		LOW	Q16	18.45	18.65	18.37	19.00
		MID	Q16	18.73	18.56	18.22	19.00
		HIGH	Q16	18.74	18.26	18.39	19.00
10	50	LOW	Q16	18.65	18.70	18.47	19.00
	1	LOW	64QAM	18.57	18.90	18.81	19.00
		MID	64QAM	18.37	18.72	18.76	19.00
		HIGH	64QAM	18.60	17.76	18.04	19.00
	25	LOW	64QAM	18.65	18.60	18.52	19.00
		MID	64QAM	18.66	18.71	18.34	19.00
		HIGH	64QAM	18.72	18.42	18.06	19.00
	50	LOW	64QAM	18.77	18.52	18.34	19.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	18.29	18.42	18.52	19.00
		MID	QPSK	18.78	18.92	18.50	19.00
		HIGH	QPSK	18.57	18.04	18.43	19.00
	36	LOW	QPSK	18.46	18.87	18.20	19.00
		MID	QPSK	18.62	18.72	18.16	19.00
		HIGH	QPSK	18.83	18.51	18.16	19.00
	75	LOW	QPSK	18.77	18.73	18.15	19.00
	15	LOW	Q16	18.27	18.99	18.87	19.00
		MID	Q16	18.44	18.92	18.45	19.00
		HIGH	Q16	18.65	18.03	17.89	19.00
		LOW	Q16	18.61	18.61	18.47	19.00
		MID	Q16	18.59	18.66	18.29	19.00
		HIGH	Q16	18.62	18.43	18.16	19.00
15	75	LOW	Q16	18.52	18.71	18.42	19.00
	1	LOW	64QAM	18.39	18.97	18.99	19.00
		MID	64QAM	18.47	18.90	18.62	19.00
		HIGH	64QAM	18.53	17.78	18.04	19.00
	36	LOW	64QAM	18.49	18.57	18.49	19.00
		MID	64QAM	18.54	18.54	18.29	19.00
		HIGH	64QAM	18.62	18.46	18.11	19.00
	75	LOW	64QAM	18.72	18.41	18.38	19.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	18.21	18.41	18.56	19.00
		MID	QPSK	18.68	18.90	18.47	19.00
		HIGH	QPSK	18.61	18.12	18.41	19.00
	50	LOW	QPSK	18.49	18.76	18.35	19.00
		MID	QPSK	18.60	18.61	18.18	19.00
		HIGH	QPSK	18.73	18.39	18.12	19.00
	100	LOW	QPSK	18.64	18.69	18.26	19.00
	20	LOW	Q16	18.41	18.84	18.79	19.00
		MID	Q16	18.52	18.98	18.59	19.00
		HIGH	Q16	18.51	17.99	18.04	19.00
		LOW	Q16	18.53	18.60	18.44	19.00
		MID	Q16	18.65	18.61	18.37	19.00
		HIGH	Q16	18.75	18.35	18.28	19.00
20	100	LOW	Q16	18.66	18.58	18.32	19.00
	1	LOW	64QAM	18.49	18.84	18.88	19.00
		MID	64QAM	18.46	18.86	18.63	19.00
		HIGH	64QAM	18.52	17.84	18.17	19.00
	50	LOW	64QAM	18.61	18.64	18.56	19.00
		MID	64QAM	18.61	18.59	18.29	19.00
		HIGH	64QAM	18.72	18.37	18.21	19.00
	100	LOW	64QAM	18.81	18.55	18.44	19.00

LTE B4-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	15.90	16.02	16.15	16.50
		MID	QPSK	15.89	16.09	15.82	16.50
		HIGH	QPSK	16.25	15.72	15.72	16.50
	3	LOW	QPSK	15.91	15.98	16.28	16.50
		MID	QPSK	16.11	16.33	15.64	16.50
		HIGH	QPSK	16.20	15.73	15.51	16.50
	6	LOW	QPSK	16.15	16.12	15.74	16.50
1.4	1	LOW	Q16	15.76	16.22	16.00	16.50
		MID	Q16	16.34	16.41	16.04	16.50
		HIGH	Q16	16.03	15.29	15.13	16.50
	3	LOW	Q16	15.67	16.25	15.77	16.50
		MID	Q16	16.50	16.36	16.08	16.50
		HIGH	Q16	16.13	16.46	15.21	16.50
	6	LOW	Q16	16.08	16.29	15.73	16.50
1.4	1	LOW	64QAM	15.83	16.11	15.95	16.50
		MID	64QAM	16.25	16.49	16.06	16.50
		HIGH	64QAM	16.11	15.22	14.99	16.50
	3	LOW	64QAM	15.79	16.29	15.91	16.50
		MID	64QAM	16.40	16.45	16.21	16.50
		HIGH	64QAM	16.06	16.45	15.35	16.50
	6	LOW	64QAM	16.07	16.17	15.71	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	15.81	16.01	16.22	16.50
		MID	QPSK	16.03	16.08	15.67	16.50
		HIGH	QPSK	16.15	15.69	15.66	16.50
	8	LOW	QPSK	16.03	16.40	15.97	16.50
		MID	QPSK	16.14	16.30	15.58	16.50
		HIGH	QPSK	16.36	15.91	15.56	16.50
	15	LOW	QPSK	16.17	16.30	15.70	16.50
3	1	LOW	Q16	15.85	16.25	15.84	16.50
		MID	Q16	16.37	16.41	16.12	16.50
		HIGH	Q16	16.21	15.43	15.11	16.50
	8	LOW	Q16	16.00	16.24	15.80	16.50
		MID	Q16	16.25	16.20	15.59	16.50
		HIGH	Q16	16.28	15.92	15.65	16.50
	15	LOW	Q16	16.13	16.23	15.83	16.50
3	1	LOW	64QAM	15.84	16.46	15.84	16.50
		MID	64QAM	16.40	16.23	15.97	16.50
		HIGH	64QAM	16.06	15.32	15.23	16.50
	8	LOW	64QAM	16.24	16.30	15.85	16.50
		MID	64QAM	16.01	16.50	15.73	16.50
		HIGH	64QAM	16.11	16.10	15.68	16.50
	15	LOW	64QAM	16.05	16.26	15.83	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	15.93	16.14	16.35	16.50
		MID	QPSK	16.12	16.28	15.81	16.50
		HIGH	QPSK	16.18	15.54	15.61	16.50
	12	LOW	QPSK	16.09	16.21	15.79	16.50
		MID	QPSK	16.33	16.11	15.64	16.50
		HIGH	QPSK	16.20	15.88	15.71	16.50
	25	LOW	QPSK	16.21	16.14	15.73	16.50
5	1	LOW	Q16	15.89	16.21	15.88	16.50
		MID	Q16	16.25	16.49	16.11	16.50
		HIGH	Q16	16.01	15.37	15.11	16.50
	12	LOW	Q16	15.97	16.19	16.03	16.50
		MID	Q16	16.09	16.40	15.83	16.50
		HIGH	Q16	16.07	16.22	15.68	16.50
	25	LOW	Q16	16.15	16.33	15.73	16.50
5	1	LOW	64QAM	15.95	16.21	15.86	16.50
		MID	64QAM	16.38	16.34	15.90	16.50
		HIGH	64QAM	16.09	15.46	15.22	16.50
	12	LOW	64QAM	16.24	16.27	16.12	16.50
		MID	64QAM	16.17	16.20	15.73	16.50
		HIGH	64QAM	16.07	16.11	15.71	16.50
	25	LOW	64QAM	16.10	16.37	15.90	16.50

LTE B4-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	15.88	16.07	16.31	16.50
		MID	QPSK	16.09	16.27	15.67	16.50
		HIGH	QPSK	16.29	15.62	15.59	16.50
	25	LOW	QPSK	16.01	16.18	16.02	16.50
		MID	QPSK	16.09	16.06	15.68	16.50
		HIGH	QPSK	16.19	16.07	15.51	16.50
	50	LOW	QPSK	16.35	16.17	15.75	16.50
	10	LOW	Q16	15.89	16.21	15.75	16.50
		MID	Q16	16.40	16.37	16.03	16.50
		HIGH	Q16	16.25	15.39	14.95	16.50
		LOW	Q16	16.21	16.36	15.82	16.50
		MID	Q16	15.95	16.36	15.69	16.50
		HIGH	Q16	16.21	15.93	15.66	16.50
	50	LOW	Q16	16.07	16.28	15.73	16.50
10	1	LOW	64QAM	15.94	16.35	15.75	16.50
		MID	64QAM	16.37	16.39	16.03	16.50
		HIGH	64QAM	16.04	15.27	15.05	16.50
	25	LOW	64QAM	16.09	16.36	16.09	16.50
		MID	64QAM	16.00	16.36	15.76	16.50
		HIGH	64QAM	16.26	16.25	15.87	16.50
	50	LOW	64QAM	15.91	16.24	16.04	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	15.92	16.05	16.33	16.50
		MID	QPSK	16.03	16.29	15.57	16.50
		HIGH	QPSK	16.10	15.57	15.69	16.50
	36	LOW	QPSK	16.04	16.26	15.84	16.50
		MID	QPSK	16.06	16.09	15.65	16.50
		HIGH	QPSK	16.17	16.06	15.78	16.50
	75	LOW	QPSK	16.10	16.33	15.89	16.50
	15	LOW	Q16	15.70	16.32	15.80	16.50
		MID	Q16	16.40	16.49	16.01	16.50
		HIGH	Q16	16.07	15.25	15.15	16.50
		LOW	Q16	16.09	16.21	15.79	16.50
		MID	Q16	16.09	16.22	15.66	16.50
		HIGH	Q16	16.19	15.93	15.70	16.50
	75	LOW	Q16	16.09	16.34	15.64	16.50
15	1	LOW	64QAM	15.90	16.21	15.84	16.50
		MID	64QAM	16.27	16.29	16.01	16.50
		HIGH	64QAM	16.16	15.22	15.16	16.50
	36	LOW	64QAM	16.05	16.25	16.07	16.50
		MID	64QAM	16.22	16.42	15.97	16.50
		HIGH	64QAM	16.09	16.07	15.88	16.50
	75	LOW	64QAM	15.99	16.17	15.77	16.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	15.80	16.05	16.12	16.50
		MID	QPSK	15.98	16.24	15.71	16.50
		HIGH	QPSK	16.23	15.67	15.66	16.50
	50	LOW	QPSK	16.07	16.30	15.87	16.50
		MID	QPSK	16.20	16.15	15.58	16.50
		HIGH	QPSK	16.27	16.00	15.66	16.50
	100	LOW	QPSK	16.23	16.21	15.78	16.50
	20	LOW	Q16	15.79	16.35	15.86	16.50
		MID	Q16	16.46	16.33	16.06	16.50
		HIGH	Q16	16.12	15.38	15.10	16.50
		LOW	Q16	16.11	16.34	15.88	16.50
		MID	Q16	16.10	16.27	15.69	16.50
		HIGH	Q16	16.16	16.07	15.62	16.50
	100	LOW	Q16	16.15	16.20	15.76	16.50
20	1	LOW	64QAM	15.83	16.43	15.79	16.50
		MID	64QAM	16.42	16.35	15.94	16.50
		HIGH	64QAM	16.07	15.34	15.09	16.50
	50	LOW	64QAM	16.12	16.29	16.00	16.50
		MID	64QAM	16.11	16.35	15.84	16.50
		HIGH	64QAM	16.18	16.14	15.76	16.50
	100	LOW	64QAM	16.06	16.23	15.90	16.50

8.3.2 LTE Band4 Output Power

LTE B4-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.53	23.53	23.51	25.00
		MID	QPSK	24.05	23.80	23.62	25.00
		HIGH	QPSK	23.48	23.66	23.49	25.00
	3	LOW	QPSK	23.56	23.46	23.75	25.00
		MID	QPSK	24.08	23.98	23.84	25.00
		HIGH	QPSK	23.49	23.44	23.55	25.00
	6	LOW	QPSK	23.21	23.10	22.53	24.00
1.4	1	LOW	Q16	23.18	22.45	23.19	24.00
		MID	Q16	23.04	23.12	22.93	24.00
		HIGH	Q16	22.61	22.58	22.44	24.00
	3	LOW	Q16	22.94	22.88	23.15	24.00
		MID	Q16	23.13	22.56	22.93	24.00
		HIGH	Q16	22.67	23.18	22.41	24.00
	6	LOW	Q16	22.09	22.02	21.56	23.00
1.4	1	LOW	64QAM	22.14	21.42	22.12	23.00
		MID	64QAM	21.95	22.20	21.95	23.00
		HIGH	64QAM	21.68	21.44	21.45	23.00
	3	LOW	64QAM	21.85	21.77	22.20	23.00
		MID	64QAM	22.04	21.47	21.77	23.00
		HIGH	64QAM	21.57	22.13	21.46	23.00
	6	LOW	64QAM	20.98	21.02	20.50	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	23.56	23.45	23.67	25.00
		MID	QPSK	23.95	24.00	23.77	25.00
		HIGH	QPSK	23.49	23.48	23.57	25.00
	8	LOW	QPSK	23.13	23.25	22.56	24.00
		MID	QPSK	23.15	23.00	22.45	24.00
		HIGH	QPSK	23.12	22.68	22.42	24.00
	15	LOW	QPSK	23.09	22.79	22.44	24.00
3	1	LOW	Q16	23.14	22.57	23.15	24.00
		MID	Q16	23.21	23.14	23.05	24.00
		HIGH	Q16	22.63	22.69	22.49	24.00
	8	LOW	Q16	22.19	21.83	21.70	23.00
		MID	Q16	22.26	22.03	21.77	23.00
		HIGH	Q16	22.25	21.82	21.44	23.00
	15	LOW	Q16	22.11	21.81	21.45	23.00
3	1	LOW	64QAM	21.93	21.46	22.05	23.00
		MID	64QAM	22.38	21.97	21.86	23.00
		HIGH	64QAM	21.78	21.61	21.86	23.00
	8	LOW	64QAM	21.30	21.04	20.70	22.00
		MID	64QAM	21.25	21.06	20.50	22.00
		HIGH	64QAM	21.06	20.67	20.58	22.00
	15	LOW	64QAM	21.07	20.75	20.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	23.63	23.44	23.51	25.00
		MID	QPSK	24.12	23.77	23.54	25.00
		HIGH	QPSK	23.41	23.61	23.52	25.00
	12	LOW	QPSK	23.25	23.06	22.57	24.00
		MID	QPSK	23.15	22.84	22.52	24.00
		HIGH	QPSK	23.18	22.61	22.43	24.00
	25	LOW	QPSK	23.21	23.00	22.47	24.00
5	1	LOW	Q16	22.95	22.52	23.22	24.00
		MID	Q16	23.07	23.31	23.09	24.00
		HIGH	Q16	22.77	22.71	22.48	24.00
	12	LOW	Q16	22.18	21.81	21.59	23.00
		MID	Q16	22.35	22.20	21.48	23.00
		HIGH	Q16	21.97	21.74	21.59	23.00
	25	LOW	Q16	22.16	21.87	21.51	23.00
5	1	LOW	64QAM	22.14	21.48	22.11	23.00
		MID	64QAM	22.20	22.18	22.06	23.00
		HIGH	64QAM	21.78	21.48	21.77	23.00
	12	LOW	64QAM	21.19	20.99	20.45	22.00
		MID	64QAM	21.19	20.82	20.66	22.00
		HIGH	64QAM	21.13	20.76	20.51	22.00
	25	LOW	64QAM	20.84	20.77	20.45	22.00

LTE B4-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	23.55	23.52	23.63	25.00
		MID	QPSK	24.00	23.87	23.72	25.00
		HIGH	QPSK	23.51	23.45	23.45	25.00
	25	LOW	QPSK	23.26	23.23	22.71	24.00
		MID	QPSK	23.24	22.94	22.46	24.00
		HIGH	QPSK	23.31	22.81	22.49	24.00
	50	LOW	QPSK	23.22	22.87	22.61	24.00
10	1	LOW	Q16	23.01	22.60	23.10	24.00
		MID	Q16	23.14	23.19	22.99	24.00
		HIGH	Q16	22.59	22.58	22.46	24.00
	25	LOW	Q16	22.15	21.95	21.67	23.00
		MID	Q16	22.35	22.06	21.50	23.00
		HIGH	Q16	21.94	21.68	21.65	23.00
	50	LOW	Q16	22.10	21.75	21.55	23.00
10	1	LOW	64QAM	22.11	21.53	21.93	23.00
		MID	64QAM	22.16	22.01	21.96	23.00
		HIGH	64QAM	21.94	21.71	21.75	23.00
	25	LOW	64QAM	21.26	20.95	20.47	22.00
		MID	64QAM	21.20	20.87	20.52	22.00
		HIGH	64QAM	21.08	20.74	20.69	22.00
	50	LOW	64QAM	21.01	20.94	20.53	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	23.47	23.60	23.58	25.00
		MID	QPSK	23.91	23.85	23.62	25.00
		HIGH	QPSK	23.52	23.47	23.49	25.00
	36	LOW	QPSK	23.26	22.99	22.72	24.00
		MID	QPSK	23.03	22.98	22.53	24.00
		HIGH	QPSK	23.25	22.58	22.49	24.00
	75	LOW	QPSK	23.15	22.79	22.54	24.00
15	1	LOW	Q16	23.09	22.67	23.12	24.00
		MID	Q16	23.01	23.22	23.13	24.00
		HIGH	Q16	22.82	22.60	22.46	24.00
	36	LOW	Q16	22.06	21.75	21.69	23.00
		MID	Q16	22.07	21.93	21.80	23.00
		HIGH	Q16	21.90	21.91	21.41	23.00
	75	LOW	Q16	22.02	22.06	21.50	23.00
15	1	LOW	64QAM	21.95	21.42	22.08	23.00
		MID	64QAM	22.17	22.15	22.07	23.00
		HIGH	64QAM	21.94	21.56	21.63	23.00
	36	LOW	64QAM	21.25	21.00	20.42	22.00
		MID	64QAM	21.01	21.02	20.73	22.00
		HIGH	64QAM	20.84	20.71	20.52	22.00
	75	LOW	64QAM	20.89	20.85	20.57	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	23.54	23.48	23.63	25.00
		MID	QPSK	24.08	23.95	23.65	25.00
		HIGH	QPSK	23.47	23.51	23.43	25.00
	50	LOW	QPSK	23.25	23.09	22.65	24.00
		MID	QPSK	23.20	22.87	22.49	24.00
		HIGH	QPSK	23.16	22.71	22.44	24.00
	100	LOW	QPSK	23.23	22.93	22.52	24.00
20	1	LOW	Q16	23.02	22.51	23.17	24.00
		MID	Q16	23.12	23.15	23.01	24.00
		HIGH	Q16	22.65	22.69	22.43	24.00
	50	LOW	Q16	22.12	21.94	21.56	23.00
		MID	Q16	22.15	22.05	21.62	23.00
		HIGH	Q16	22.08	21.84	21.53	23.00
	100	LOW	Q16	22.14	21.95	21.53	23.00
20	1	LOW	64QAM	22.11	21.59	22.00	23.00
		MID	64QAM	22.24	22.16	21.97	23.00
		HIGH	64QAM	21.84	21.60	21.76	23.00
	50	LOW	64QAM	21.24	21.03	20.54	22.00
		MID	64QAM	21.12	20.96	20.63	22.00
		HIGH	64QAM	20.95	20.82	20.55	22.00
	100	LOW	64QAM	21.01	20.89	20.47	22.00

LTE B4-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.04	20.00	20.12	21.00
		MID	QPSK	20.33	20.12	19.95	21.00
		HIGH	QPSK	20.06	19.64	19.68	21.00
	3	LOW	QPSK	20.08	19.91	20.21	21.00
		MID	QPSK	20.19	20.06	19.87	21.00
		HIGH	QPSK	20.07	19.66	19.72	21.00
	6	LOW	QPSK	20.43	20.10	19.58	21.00
1.4	1	LOW	Q16	19.91	20.68	19.99	21.00
		MID	Q16	20.14	20.29	20.10	21.00
		HIGH	Q16	19.93	19.59	19.83	21.00
	3	LOW	Q16	19.81	20.13	19.95	21.00
		MID	Q16	20.19	20.72	19.87	21.00
		HIGH	Q16	20.17	20.50	19.60	21.00
	6	LOW	Q16	20.16	20.14	19.76	21.00
1.4	1	LOW	64QAM	19.88	20.58	20.07	21.00
		MID	64QAM	20.17	20.26	20.00	21.00
		HIGH	64QAM	19.80	19.51	19.79	21.00
	3	LOW	64QAM	19.84	20.26	20.07	21.00
		MID	64QAM	20.29	20.75	19.80	21.00
		HIGH	64QAM	20.04	20.45	19.56	21.00
	6	LOW	64QAM	20.06	20.09	19.70	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	20.07	20.07	20.11	21.00
		MID	QPSK	20.30	20.05	20.01	21.00
		HIGH	QPSK	20.31	19.85	19.78	21.00
	8	LOW	QPSK	20.31	20.22	19.97	21.00
		MID	QPSK	20.52	20.08	19.86	21.00
		HIGH	QPSK	20.32	20.08	19.68	21.00
	15	LOW	QPSK	20.24	20.25	19.87	21.00
3	1	LOW	Q16	19.94	20.74	20.05	21.00
		MID	Q16	20.34	20.31	20.07	21.00
		HIGH	Q16	20.03	19.66	19.79	21.00
	8	LOW	Q16	20.27	19.94	19.84	21.00
		MID	Q16	20.45	19.91	19.85	21.00
		HIGH	Q16	19.94	19.85	19.52	21.00
	15	LOW	Q16	20.18	20.11	19.61	21.00
3	1	LOW	64QAM	19.52	20.67	20.10	21.00
		MID	64QAM	20.35	20.59	19.82	21.00
		HIGH	64QAM	19.90	19.61	19.44	21.00
	8	LOW	64QAM	20.46	20.09	19.80	21.00
		MID	64QAM	20.20	19.73	19.62	21.00
		HIGH	64QAM	19.95	19.56	19.82	21.00
	15	LOW	64QAM	20.31	20.11	19.61	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	20.03	20.10	20.36	21.00
		MID	QPSK	20.24	20.02	20.03	21.00
		HIGH	QPSK	20.26	19.78	19.76	21.00
	12	LOW	QPSK	20.31	20.40	20.03	21.00
		MID	QPSK	20.53	20.25	19.78	21.00
		HIGH	QPSK	20.17	19.96	19.72	21.00
	25	LOW	QPSK	20.45	20.31	19.84	21.00
5	1	LOW	Q16	19.66	20.68	20.02	21.00
		MID	Q16	20.31	20.28	20.02	21.00
		HIGH	Q16	19.98	19.41	19.48	21.00
	12	LOW	Q16	20.41	20.21	19.90	21.00
		MID	Q16	20.46	19.87	19.58	21.00
		HIGH	Q16	20.01	19.83	19.53	21.00
	25	LOW	Q16	20.10	20.29	19.78	21.00
5	1	LOW	64QAM	19.59	20.76	19.93	21.00
		MID	64QAM	20.43	20.37	20.01	21.00
		HIGH	64QAM	19.92	19.62	19.43	21.00
	12	LOW	64QAM	20.34	19.83	19.92	21.00
		MID	64QAM	20.22	20.01	19.74	21.00
		HIGH	64QAM	20.01	19.54	19.76	21.00
	25	LOW	64QAM	20.24	20.36	19.57	21.00

LTE B4-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	19.88	20.05	20.09	21.00
		MID	QPSK	20.14	20.25	19.92	21.00
		HIGH	QPSK	20.13	19.84	19.74	21.00
	25	LOW	QPSK	20.55	20.19	20.00	21.00
		MID	QPSK	20.29	20.04	19.66	21.00
		HIGH	QPSK	20.37	19.82	19.58	21.00
	50	LOW	QPSK	20.43	20.11	19.69	21.00
	10	LOW	Q16	19.93	20.53	20.08	21.00
		MID	Q16	20.24	20.46	19.93	21.00
		HIGH	Q16	20.09	19.56	19.44	21.00
		LOW	Q16	20.47	19.94	19.70	21.00
		MID	Q16	20.32	19.81	19.82	21.00
		HIGH	Q16	20.18	19.77	19.59	21.00
10	1	LOW	Q16	20.26	20.18	19.69	21.00
		MID	Q16	20.29	20.48	19.92	21.00
		HIGH	Q16	19.93	19.62	19.48	21.00
	25	LOW	64QAM	20.63	19.86	19.99	21.00
		MID	64QAM	20.37	19.77	19.66	21.00
		HIGH	64QAM	19.91	19.82	19.55	21.00
	50	LOW	64QAM	20.41	20.13	19.78	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	19.91	20.07	20.19	21.00
		MID	QPSK	20.27	20.07	19.77	21.00
		HIGH	QPSK	20.29	19.84	19.66	21.00
	36	LOW	QPSK	20.29	20.29	19.94	21.00
		MID	QPSK	20.50	20.28	19.78	21.00
		HIGH	QPSK	20.18	19.99	19.79	21.00
	75	LOW	QPSK	20.45	20.12	19.83	21.00
	15	LOW	Q16	19.77	20.78	20.06	21.00
		MID	Q16	20.07	20.46	20.11	21.00
		HIGH	Q16	19.95	19.63	19.41	21.00
		LOW	Q16	20.31	19.93	19.72	21.00
		MID	Q16	20.26	19.84	19.73	21.00
		HIGH	Q16	20.07	19.83	19.68	21.00
15	75	LOW	Q16	20.22	20.18	19.88	21.00
		MID	Q16	20.33	20.46	19.96	21.00
		HIGH	Q16	19.84	19.42	19.45	21.00
	36	LOW	64QAM	20.58	20.07	19.86	21.00
		MID	64QAM	20.16	19.76	19.72	21.00
		HIGH	64QAM	19.92	19.70	19.79	21.00
	75	LOW	64QAM	20.37	20.22	19.57	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	19.99	20.02	20.23	21.00
		MID	QPSK	20.18	20.17	19.91	21.00
		HIGH	QPSK	20.16	19.70	19.79	21.00
	50	LOW	QPSK	20.41	20.26	19.89	21.00
		MID	QPSK	20.39	20.13	19.79	21.00
		HIGH	QPSK	20.29	19.94	19.70	21.00
	100	LOW	QPSK	20.36	20.17	19.73	21.00
	20	LOW	Q16	20.36	20.17	19.73	21.00
		MID	Q16	20.36	20.17	19.73	21.00
		HIGH	Q16	20.36	20.17	19.73	21.00
		LOW	Q16	20.39	20.08	19.77	21.00
		MID	Q16	20.36	19.91	19.71	21.00
		HIGH	Q16	20.06	19.72	19.58	21.00
20	100	LOW	Q16	20.25	20.15	19.76	21.00
		MID	Q16	20.25	20.15	19.76	21.00
		HIGH	Q16	20.25	20.15	19.76	21.00
	1	LOW	64QAM	19.65	20.76	20.07	21.00
		MID	64QAM	20.28	20.46	19.91	21.00
		HIGH	64QAM	19.89	19.55	19.45	21.00
	50	LOW	64QAM	20.48	19.95	19.86	21.00
		MID	64QAM	20.27	19.86	19.62	21.00
		HIGH	64QAM	19.93	19.67	19.67	21.00
20	100	LOW	64QAM	20.26	20.21	19.66	21.00

LTE B4-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.53	23.53	23.51	25.00
		MID	QPSK	24.05	23.80	23.62	25.00
		HIGH	QPSK	23.48	23.66	23.49	25.00
	3	LOW	QPSK	23.56	23.46	23.75	25.00
		MID	QPSK	24.08	23.98	23.84	25.00
		HIGH	QPSK	23.49	23.44	23.55	25.00
	6	LOW	QPSK	23.21	23.10	22.53	24.00
1.4	1	LOW	Q16	23.18	22.45	23.19	24.00
		MID	Q16	23.04	23.12	22.93	24.00
		HIGH	Q16	22.61	22.58	22.44	24.00
	3	LOW	Q16	22.94	22.88	23.15	24.00
		MID	Q16	23.13	22.56	22.93	24.00
		HIGH	Q16	22.67	23.18	22.41	24.00
	6	LOW	Q16	22.09	22.02	21.56	23.00
1.4	1	LOW	64QAM	22.14	21.42	22.12	23.00
		MID	64QAM	21.95	22.20	21.95	23.00
		HIGH	64QAM	21.68	21.44	21.45	23.00
	3	LOW	64QAM	21.85	21.77	22.20	23.00
		MID	64QAM	22.04	21.47	21.77	23.00
		HIGH	64QAM	21.57	22.13	21.46	23.00
	6	LOW	64QAM	20.98	21.02	20.50	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	23.56	23.45	23.67	25.00
		MID	QPSK	23.95	24.00	23.77	25.00
		HIGH	QPSK	23.49	23.48	23.57	25.00
	8	LOW	QPSK	23.13	23.25	22.56	24.00
		MID	QPSK	23.15	23.00	22.45	24.00
		HIGH	QPSK	23.12	22.68	22.42	24.00
	15	LOW	QPSK	23.09	22.79	22.44	24.00
3	1	LOW	Q16	23.14	22.57	23.15	24.00
		MID	Q16	23.21	23.14	23.05	24.00
		HIGH	Q16	22.63	22.69	22.49	24.00
	8	LOW	Q16	22.19	21.83	21.70	23.00
		MID	Q16	22.26	22.03	21.77	23.00
		HIGH	Q16	22.25	21.82	21.44	23.00
	15	LOW	Q16	22.11	21.81	21.45	23.00
3	1	LOW	64QAM	21.93	21.46	22.05	23.00
		MID	64QAM	22.38	21.97	21.86	23.00
		HIGH	64QAM	21.78	21.61	21.86	23.00
	8	LOW	64QAM	21.30	21.04	20.70	22.00
		MID	64QAM	21.25	21.06	20.50	22.00
		HIGH	64QAM	21.06	20.67	20.58	22.00
	15	LOW	64QAM	21.07	20.75	20.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	23.63	23.44	23.51	25.00
		MID	QPSK	24.12	23.77	23.54	25.00
		HIGH	QPSK	23.41	23.61	23.52	25.00
	12	LOW	QPSK	23.25	23.06	22.57	24.00
		MID	QPSK	23.15	22.84	22.52	24.00
		HIGH	QPSK	23.18	22.61	22.43	24.00
	25	LOW	QPSK	23.21	23.00	22.47	24.00
5	1	LOW	Q16	22.95	22.52	23.22	24.00
		MID	Q16	23.07	23.31	23.09	24.00
		HIGH	Q16	22.77	22.71	22.48	24.00
	12	LOW	Q16	22.18	21.81	21.59	23.00
		MID	Q16	22.35	22.20	21.48	23.00
		HIGH	Q16	21.97	21.74	21.59	23.00
	25	LOW	Q16	22.16	21.87	21.51	23.00
5	1	LOW	64QAM	22.14	21.48	22.11	23.00
		MID	64QAM	22.20	22.18	22.06	23.00
		HIGH	64QAM	21.78	21.48	21.77	23.00
	12	LOW	64QAM	21.19	20.99	20.45	22.00
		MID	64QAM	21.19	20.82	20.66	22.00
		HIGH	64QAM	21.13	20.76	20.51	22.00
	25	LOW	64QAM	20.84	20.77	20.45	22.00

LTE B4-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	23.55	23.52	23.63	25.00
		MID	QPSK	24.00	23.87	23.72	25.00
		HIGH	QPSK	23.51	23.45	23.45	25.00
	25	LOW	QPSK	23.26	23.23	22.71	24.00
		MID	QPSK	23.24	22.94	22.46	24.00
		HIGH	QPSK	23.31	22.81	22.49	24.00
	50	LOW	QPSK	23.22	22.87	22.61	24.00
10	1	LOW	Q16	23.01	22.60	23.10	24.00
		MID	Q16	23.14	23.19	22.99	24.00
		HIGH	Q16	22.59	22.58	22.46	24.00
	25	LOW	Q16	22.15	21.95	21.67	23.00
		MID	Q16	22.35	22.06	21.50	23.00
		HIGH	Q16	21.94	21.68	21.65	23.00
	50	LOW	Q16	22.10	21.75	21.55	23.00
10	1	LOW	64QAM	22.11	21.53	21.93	23.00
		MID	64QAM	22.16	22.01	21.96	23.00
		HIGH	64QAM	21.94	21.71	21.75	23.00
	25	LOW	64QAM	21.26	20.95	20.47	22.00
		MID	64QAM	21.20	20.87	20.52	22.00
		HIGH	64QAM	21.08	20.74	20.69	22.00
	50	LOW	64QAM	21.01	20.94	20.53	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	23.47	23.60	23.58	25.00
		MID	QPSK	23.91	23.85	23.62	25.00
		HIGH	QPSK	23.52	23.47	23.49	25.00
	36	LOW	QPSK	23.26	22.99	22.72	24.00
		MID	QPSK	23.03	22.98	22.53	24.00
		HIGH	QPSK	23.25	22.58	22.49	24.00
	75	LOW	QPSK	23.15	22.79	22.54	24.00
15	1	LOW	Q16	23.09	22.67	23.12	24.00
		MID	Q16	23.01	23.22	23.13	24.00
		HIGH	Q16	22.82	22.60	22.46	24.00
	36	LOW	Q16	22.06	21.75	21.69	23.00
		MID	Q16	22.07	21.93	21.80	23.00
		HIGH	Q16	21.90	21.91	21.41	23.00
	75	LOW	Q16	22.02	22.06	21.50	23.00
15	1	LOW	64QAM	21.95	21.42	22.08	23.00
		MID	64QAM	22.17	22.15	22.07	23.00
		HIGH	64QAM	21.94	21.56	21.63	23.00
	36	LOW	64QAM	21.25	21.00	20.42	22.00
		MID	64QAM	21.01	21.02	20.73	22.00
		HIGH	64QAM	20.84	20.71	20.52	22.00
	75	LOW	64QAM	20.89	20.85	20.57	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	23.54	23.48	23.63	25.00
		MID	QPSK	24.08	23.95	23.65	25.00
		HIGH	QPSK	23.47	23.51	23.43	25.00
	50	LOW	QPSK	23.25	23.09	22.65	24.00
		MID	QPSK	23.20	22.87	22.49	24.00
		HIGH	QPSK	23.16	22.71	22.44	24.00
	100	LOW	QPSK	23.23	22.93	22.52	24.00
20	1	LOW	Q16	23.02	22.51	23.17	24.00
		MID	Q16	23.12	23.15	23.01	24.00
		HIGH	Q16	22.65	22.69	22.43	24.00
	50	LOW	Q16	22.12	21.94	21.56	23.00
		MID	Q16	22.15	22.05	21.62	23.00
		HIGH	Q16	22.08	21.84	21.53	23.00
	100	LOW	Q16	22.14	21.95	21.53	23.00
20	1	LOW	64QAM	22.11	21.59	22.00	23.00
		MID	64QAM	22.24	22.16	21.97	23.00
		HIGH	64QAM	21.84	21.60	21.76	23.00
	50	LOW	64QAM	21.24	21.03	20.54	22.00
		MID	64QAM	21.12	20.96	20.63	22.00
		HIGH	64QAM	20.95	20.82	20.55	22.00
	100	LOW	64QAM	21.01	20.89	20.47	22.00

LTE B4-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	19957	20175	20393	Tune-up power(dBm)
1.4	1	LOW	QPSK	16.85	16.69	16.85	17.50
		MID	QPSK	16.93	16.68	16.72	17.50
		HIGH	QPSK	17.12	16.32	16.72	17.50
	3	LOW	QPSK	16.89	16.68	17.03	17.50
		MID	QPSK	16.96	16.84	16.67	17.50
		HIGH	QPSK	17.06	16.45	16.70	17.50
	6	LOW	QPSK	17.16	16.94	16.66	17.50
1.4	1	LOW	Q16	16.62	17.10	16.57	17.50
		MID	Q16	16.79	17.34	16.46	17.50
		HIGH	Q16	16.64	15.95	15.91	17.50
	3	LOW	Q16	16.70	16.90	16.61	17.50
		MID	Q16	16.82	17.02	16.57	17.50
		HIGH	Q16	16.61	17.48	15.91	17.50
	6	LOW	Q16	16.87	16.84	16.59	17.50
1.4	1	LOW	64QAM	16.48	17.21	16.68	17.50
		MID	64QAM	16.82	17.43	16.46	17.50
		HIGH	64QAM	16.62	15.98	15.92	17.50
	3	LOW	64QAM	16.55	16.80	16.54	17.50
		MID	64QAM	16.97	16.91	16.68	17.50
		HIGH	64QAM	16.51	17.40	15.97	17.50
	6	LOW	64QAM	16.80	16.97	16.45	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19965	20175	20385	Tune-up power(dBm)
3	1	LOW	QPSK	16.77	16.85	16.92	17.50
		MID	QPSK	16.94	16.80	16.75	17.50
		HIGH	QPSK	16.93	16.21	16.71	17.50
	8	LOW	QPSK	16.92	17.04	16.64	17.50
		MID	QPSK	16.90	16.95	16.47	17.50
		HIGH	QPSK	16.96	16.69	16.18	17.50
	15	LOW	QPSK	16.89	17.02	16.64	17.50
3	1	LOW	Q16	16.56	17.17	16.69	17.50
		MID	Q16	16.76	17.47	16.56	17.50
		HIGH	Q16	16.75	16.08	15.96	17.50
	8	LOW	Q16	16.77	16.74	16.54	17.50
		MID	Q16	16.98	16.70	16.41	17.50
		HIGH	Q16	17.05	16.52	16.30	17.50
	15	LOW	Q16	16.90	16.90	16.41	17.50
3	1	LOW	64QAM	16.62	17.30	16.46	17.50
		MID	64QAM	16.88	17.36	16.75	17.50
		HIGH	64QAM	16.68	15.96	15.92	17.50
	8	LOW	64QAM	16.83	16.85	16.61	17.50
		MID	64QAM	16.75	16.88	16.27	17.50
		HIGH	64QAM	17.21	16.38	16.38	17.50
	15	LOW	64QAM	17.00	16.95	16.47	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	19975	20175	20375	Tune-up power(dBm)
5	1	LOW	QPSK	16.63	16.68	16.89	17.50
		MID	QPSK	17.10	16.73	16.68	17.50
		HIGH	QPSK	17.05	16.41	16.49	17.50
	12	LOW	QPSK	16.75	16.81	16.58	17.50
		MID	QPSK	16.86	16.98	16.37	17.50
		HIGH	QPSK	16.94	16.74	16.23	17.50
	25	LOW	QPSK	16.88	16.80	16.48	17.50
5	1	LOW	Q16	16.66	17.15	16.72	17.50
		MID	Q16	16.62	17.32	16.57	17.50
		HIGH	Q16	16.85	16.01	15.95	17.50
	12	LOW	Q16	16.99	16.92	16.44	17.50
		MID	Q16	16.79	16.89	16.41	17.50
		HIGH	Q16	16.94	16.62	16.10	17.50
	25	LOW	Q16	16.87	16.99	16.65	17.50
5	1	LOW	64QAM	16.44	17.24	16.34	17.50
		MID	64QAM	16.84	17.47	16.64	17.50
		HIGH	64QAM	16.56	15.97	15.99	17.50
	12	LOW	64QAM	16.93	16.93	16.76	17.50
		MID	64QAM	16.77	16.90	16.25	17.50
		HIGH	64QAM	17.15	16.32	16.32	17.50
	25	LOW	64QAM	17.05	16.82	16.48	17.50

LTE B4-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20000	20175	20350	Tune-up power(dBm)
10	1	LOW	QPSK	16.87	16.89	16.88	17.50
		MID	QPSK	17.04	16.87	16.58	17.50
		HIGH	QPSK	16.96	16.28	16.76	17.50
	25	LOW	QPSK	17.00	17.04	16.59	17.50
		MID	QPSK	17.03	17.07	16.29	17.50
		HIGH	QPSK	17.11	16.69	16.31	17.50
	50	LOW	QPSK	17.13	16.89	16.41	17.50
10	1	LOW	Q16	16.75	17.23	16.71	17.50
		MID	Q16	16.65	17.36	16.50	17.50
		HIGH	Q16	16.68	16.03	15.96	17.50
	25	LOW	Q16	16.83	16.80	16.57	17.50
		MID	Q16	16.86	16.84	16.18	17.50
		HIGH	Q16	16.99	16.44	16.11	17.50
	50	LOW	Q16	16.95	16.86	16.48	17.50
10	1	LOW	64QAM	16.45	17.32	16.49	17.50
		MID	64QAM	16.84	17.38	16.50	17.50
		HIGH	64QAM	16.62	16.05	15.97	17.50
	25	LOW	64QAM	16.92	16.86	16.64	17.50
		MID	64QAM	16.64	16.90	16.24	17.50
		HIGH	64QAM	17.12	16.31	16.23	17.50
	50	LOW	64QAM	17.17	16.83	16.41	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20025	20175	20325	Tune-up power(dBm)
15	1	LOW	QPSK	16.79	16.86	16.96	17.50
		MID	QPSK	16.84	16.89	16.56	17.50
		HIGH	QPSK	16.92	16.30	16.55	17.50
	36	LOW	QPSK	16.83	16.93	16.47	17.50
		MID	QPSK	16.94	16.93	16.24	17.50
		HIGH	QPSK	16.95	16.78	16.44	17.50
	75	LOW	QPSK	17.03	16.79	16.69	17.50
15	1	LOW	Q16	16.54	17.05	16.44	17.50
		MID	Q16	16.58	17.39	16.64	17.50
		HIGH	Q16	16.86	15.91	15.98	17.50
	36	LOW	Q16	16.93	16.85	16.64	17.50
		MID	Q16	16.81	16.99	16.32	17.50
		HIGH	Q16	17.03	16.63	16.21	17.50
	75	LOW	Q16	16.98	16.72	16.63	17.50
15	1	LOW	64QAM	16.45	17.11	16.41	17.50
		MID	64QAM	16.70	17.39	16.65	17.50
		HIGH	64QAM	16.83	15.95	15.93	17.50
	36	LOW	64QAM	16.88	16.88	16.50	17.50
		MID	64QAM	16.87	16.77	16.18	17.50
		HIGH	64QAM	16.96	16.25	16.37	17.50
	75	LOW	64QAM	17.25	16.93	16.40	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20050	20175	20300	Tune-up power(dBm)
20	1	LOW	QPSK	16.95	16.75	16.89	17.50
		MID	QPSK	16.89	16.79	16.97	17.50
		HIGH	QPSK	16.78	16.30	16.62	17.50
	50	LOW	QPSK	16.87	16.96	16.89	17.50
		MID	QPSK	17.00	16.93	16.67	17.50
		HIGH	QPSK	17.06	16.66	16.63	17.50
	100	LOW	QPSK	17.03	16.92	16.55	17.50
20	1	LOW	Q16	16.67	17.10	16.59	17.50
		MID	Q16	16.72	17.46	16.59	17.50
		HIGH	Q16	16.75	16.00	15.91	17.50
	50	LOW	Q16	16.84	16.89	16.58	17.50
		MID	Q16	16.89	16.84	16.31	17.50
		HIGH	Q16	17.05	16.48	16.24	17.50
	100	LOW	Q16	17.02	16.85	16.53	17.50
20	1	LOW	64QAM	16.54	17.20	16.45	17.50
		MID	64QAM	16.81	17.33	16.63	17.50
		HIGH	64QAM	16.68	15.91	15.94	17.50
	50	LOW	64QAM	16.88	16.83	16.65	17.50
		MID	64QAM	16.77	16.89	16.28	17.50
		HIGH	64QAM	17.06	16.40	16.38	17.50
	100	LOW	64QAM	17.10	16.89	16.54	17.50

8.3.3 LTE Band5 Output Power

LTE B5-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.24	23.80	23.69	25.00
		MID	QPSK	24.41	24.25	24.21	25.00
		HIGH	QPSK	23.90	23.96	23.93	25.00
	3	LOW	QPSK	24.30	23.81	23.89	25.00
		MID	QPSK	24.14	24.47	24.19	25.00
		HIGH	QPSK	23.87	24.01	24.01	25.00
	6	LOW	QPSK	23.24	23.14	23.10	24.00
1.4	1	LOW	Q16	23.41	22.55	23.03	24.00
		MID	Q16	23.58	22.96	23.24	24.00
		HIGH	Q16	23.08	22.65	22.97	24.00
	3	LOW	Q16	23.33	22.58	23.13	24.00
		MID	Q16	23.59	23.08	23.16	24.00
		HIGH	Q16	23.01	22.79	23.02	24.00
	6	LOW	Q16	22.16	21.86	21.75	23.00
1.4	1	LOW	64QAM	22.40	21.54	22.02	23.00
		MID	64QAM	22.63	21.89	22.21	23.00
		HIGH	64QAM	22.23	21.66	22.02	23.00
	3	LOW	64QAM	22.26	21.46	22.22	23.00
		MID	64QAM	22.65	22.06	22.21	23.00
		HIGH	64QAM	22.05	21.68	21.87	23.00
	6	LOW	64QAM	21.01	20.98	20.76	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	24.17	23.78	23.75	25.00
		MID	QPSK	24.36	24.24	24.22	25.00
		HIGH	QPSK	23.96	23.98	23.97	25.00
	8	LOW	QPSK	23.36	22.98	23.10	24.00
		MID	QPSK	23.30	23.18	23.25	24.00
		HIGH	QPSK	23.22	23.15	23.01	24.00
	15	LOW	QPSK	23.37	23.09	23.11	24.00
3	1	LOW	Q16	23.25	22.70	23.02	24.00
		MID	Q16	23.56	22.97	23.18	24.00
		HIGH	Q16	23.25	22.68	23.12	24.00
	8	LOW	Q16	22.33	22.08	21.86	23.00
		MID	Q16	22.33	22.29	22.05	23.00
		HIGH	Q16	22.24	22.09	22.03	23.00
	15	LOW	Q16	22.21	21.79	22.05	23.00
3	1	LOW	64QAM	22.32	21.66	22.22	23.00
		MID	64QAM	22.73	22.03	22.35	23.00
		HIGH	64QAM	22.10	21.70	21.79	23.00
	8	LOW	64QAM	21.31	21.08	21.11	22.00
		MID	64QAM	21.09	21.25	20.98	22.00
		HIGH	64QAM	20.99	21.26	21.00	22.00
	15	LOW	64QAM	21.18	20.81	20.94	22.00

LTE B5-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	24.38	23.67	23.83	25.00
		MID	QPSK	24.18	24.19	24.18	25.00
		HIGH	QPSK	23.82	23.87	24.14	25.00
	12	LOW	QPSK	23.39	23.15	23.09	24.00
		MID	QPSK	23.43	23.20	23.00	24.00
		HIGH	QPSK	23.23	23.04	23.03	24.00
	25	LOW	QPSK	23.18	23.08	23.15	24.00
5	1	LOW	Q16	23.40	22.82	23.12	24.00
		MID	Q16	23.44	23.19	23.29	24.00
		HIGH	Q16	23.11	22.60	22.91	24.00
	12	LOW	Q16	22.29	22.19	22.09	23.00
		MID	Q16	22.22	22.06	22.04	23.00
		HIGH	Q16	22.12	22.38	21.96	23.00
	25	LOW	Q16	22.37	21.92	21.89	23.00
5	1	LOW	64QAM	22.26	21.59	22.12	23.00
		MID	64QAM	22.76	21.95	22.35	23.00
		HIGH	64QAM	22.37	21.71	21.82	23.00
	12	LOW	64QAM	21.44	21.13	21.06	22.00
		MID	64QAM	21.02	21.16	21.10	22.00
		HIGH	64QAM	21.00	21.09	21.06	22.00
	25	LOW	64QAM	21.18	20.73	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	24.27	23.72	23.82	25.00
		MID	QPSK	24.26	24.18	24.34	25.00
		HIGH	QPSK	23.92	23.87	24.06	25.00
	25	LOW	QPSK	23.01	23.05	23.43	24.00
		MID	QPSK	23.12	23.12	23.29	24.00
		HIGH	QPSK	23.11	23.11	23.22	24.00
10	50	LOW	QPSK	23.28	23.09	23.00	24.00
	1	LOW	Q16	23.37	22.70	22.99	24.00
		MID	Q16	23.57	23.10	23.15	24.00
		HIGH	Q16	23.15	22.65	23.00	24.00
	25	LOW	Q16	22.24	22.18	22.01	23.00
		MID	Q16	22.20	22.14	22.13	23.00
		HIGH	Q16	22.11	22.24	22.07	23.00
	50	LOW	Q16	22.28	21.91	21.90	23.00
10	1	LOW	64QAM	22.39	21.59	22.08	23.00
		MID	64QAM	22.65	22.00	22.25	23.00
		HIGH	64QAM	22.24	21.77	21.90	23.00
	25	LOW	64QAM	21.36	21.19	20.98	22.00
		MID	64QAM	21.14	21.26	21.12	22.00
		HIGH	64QAM	21.14	21.17	20.96	22.00
	50	LOW	64QAM	21.22	20.88	20.86	22.00

LTE B5-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.24	23.80	23.69	25.00
		MID	QPSK	24.41	24.25	24.21	25.00
		HIGH	QPSK	23.90	23.96	23.93	25.00
	3	LOW	QPSK	24.30	23.81	23.89	25.00
		MID	QPSK	24.14	24.47	24.19	25.00
		HIGH	QPSK	23.87	24.01	24.01	25.00
	6	LOW	QPSK	23.24	23.14	23.10	24.00
1.4	1	LOW	Q16	23.41	22.55	23.03	24.00
		MID	Q16	23.58	22.96	23.24	24.00
		HIGH	Q16	23.08	22.65	22.97	24.00
	3	LOW	Q16	23.33	22.58	23.13	24.00
		MID	Q16	23.59	23.08	23.16	24.00
		HIGH	Q16	23.01	22.79	23.02	24.00
	6	LOW	Q16	22.16	21.86	21.75	23.00
1.4	1	LOW	64QAM	22.40	21.54	22.02	23.00
		MID	64QAM	22.63	21.89	22.21	23.00
		HIGH	64QAM	22.23	21.66	22.02	23.00
	3	LOW	64QAM	22.26	21.46	22.22	23.00
		MID	64QAM	22.65	22.06	22.21	23.00
		HIGH	64QAM	22.05	21.68	21.87	23.00
	6	LOW	64QAM	21.01	20.98	20.76	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	24.17	23.78	23.75	25.00
		MID	QPSK	24.36	24.24	24.22	25.00
		HIGH	QPSK	23.96	23.98	23.97	25.00
	8	LOW	QPSK	23.36	22.98	23.10	24.00
		MID	QPSK	23.30	23.18	23.25	24.00
		HIGH	QPSK	23.22	23.15	23.01	24.00
	15	LOW	QPSK	23.37	23.09	23.11	24.00
3	1	LOW	Q16	23.25	22.70	23.02	24.00
		MID	Q16	23.56	22.97	23.18	24.00
		HIGH	Q16	23.25	22.68	23.12	24.00
	8	LOW	Q16	22.33	22.08	21.86	23.00
		MID	Q16	22.33	22.29	22.05	23.00
		HIGH	Q16	22.24	22.09	22.03	23.00
	15	LOW	Q16	22.21	21.79	22.05	23.00
3	1	LOW	64QAM	22.32	21.66	22.22	23.00
		MID	64QAM	22.73	22.03	22.35	23.00
		HIGH	64QAM	22.10	21.70	21.79	23.00
	8	LOW	64QAM	21.31	21.08	21.11	22.00
		MID	64QAM	21.09	21.25	20.98	22.00
		HIGH	64QAM	20.99	21.26	21.00	22.00
	15	LOW	64QAM	21.18	20.81	20.94	22.00

LTE B5-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	24.38	23.67	23.83	25.00
		MID	QPSK	24.18	24.19	24.18	25.00
		HIGH	QPSK	23.82	23.87	24.14	25.00
	12	LOW	QPSK	23.39	23.15	23.09	24.00
		MID	QPSK	23.43	23.20	23.00	24.00
		HIGH	QPSK	23.23	23.04	23.03	24.00
	25	LOW	QPSK	23.18	23.08	23.15	24.00
5	1	LOW	Q16	23.40	22.82	23.12	24.00
		MID	Q16	23.44	23.19	23.29	24.00
		HIGH	Q16	23.11	22.60	22.91	24.00
	12	LOW	Q16	22.29	22.19	22.09	23.00
		MID	Q16	22.22	22.06	22.04	23.00
		HIGH	Q16	22.12	22.38	21.96	23.00
	25	LOW	Q16	22.37	21.92	21.89	23.00
5	1	LOW	64QAM	22.26	21.59	22.12	23.00
		MID	64QAM	22.76	21.95	22.35	23.00
		HIGH	64QAM	22.37	21.71	21.82	23.00
	12	LOW	64QAM	21.44	21.13	21.06	22.00
		MID	64QAM	21.02	21.16	21.10	22.00
		HIGH	64QAM	21.00	21.09	21.06	22.00
	25	LOW	64QAM	21.18	20.73	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	24.27	23.72	23.82	25.00
		MID	QPSK	24.26	24.18	24.34	25.00
		HIGH	QPSK	23.92	23.87	24.06	25.00
	25	LOW	QPSK	23.01	23.05	23.43	24.00
		MID	QPSK	23.12	23.12	23.29	24.00
		HIGH	QPSK	23.11	23.11	23.22	24.00
10	1	LOW	QPSK	23.28	23.09	23.00	24.00
		LOW	Q16	23.37	22.70	22.99	24.00
		MID	Q16	23.57	23.10	23.15	24.00
	25	HIGH	Q16	23.15	22.65	23.00	24.00
		LOW	Q16	22.24	22.18	22.01	23.00
		MID	Q16	22.20	22.14	22.13	23.00
	50	HIGH	Q16	22.11	22.24	22.07	23.00
		LOW	Q16	22.28	21.91	21.90	23.00
		LOW	Q16	22.28	21.91	21.90	23.00
10	1	LOW	64QAM	22.39	21.59	22.08	23.00
		MID	64QAM	22.65	22.00	22.25	23.00
		HIGH	64QAM	22.24	21.77	21.90	23.00
	25	LOW	64QAM	21.36	21.19	20.98	22.00
		MID	64QAM	21.14	21.26	21.12	22.00
		HIGH	64QAM	21.14	21.17	20.96	22.00
	50	LOW	64QAM	21.22	20.88	20.86	22.00

LTE B5-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	21.60	21.21	21.27	22.00
		MID	QPSK	21.62	21.73	21.76	22.00
		HIGH	QPSK	21.13	21.34	21.36	22.00
	3	LOW	QPSK	21.59	21.41	21.38	22.00
		MID	QPSK	21.60	21.48	21.58	22.00
		HIGH	QPSK	21.39	21.37	21.21	22.00
	6	LOW	QPSK	21.46	21.32	21.29	22.00
1.4	1	LOW	Q16	21.39	21.29	21.32	22.00
		MID	Q16	21.45	21.23	21.50	22.00
		HIGH	Q16	21.28	21.34	20.79	22.00
	3	LOW	Q16	21.55	21.13	21.49	22.00
		MID	Q16	21.40	21.27	21.36	22.00
		HIGH	Q16	21.31	21.28	20.95	22.00
	6	LOW	Q16	21.43	21.11	21.03	22.00
1.4	1	LOW	64QAM	21.46	21.42	21.26	22.00
		MID	64QAM	21.48	21.29	21.58	22.00
		HIGH	64QAM	21.18	21.41	20.75	22.00
	3	LOW	64QAM	21.42	21.15	21.63	22.00
		MID	64QAM	21.49	21.12	21.31	22.00
		HIGH	64QAM	21.37	21.15	20.94	22.00
	6	LOW	64QAM	21.38	20.97	20.99	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	21.63	21.24	21.20	22.00
		MID	QPSK	21.56	21.71	21.46	22.00
		HIGH	QPSK	21.38	21.18	21.29	22.00
	8	LOW	QPSK	21.67	21.17	21.07	22.00
		MID	QPSK	21.38	21.28	21.35	22.00
		HIGH	QPSK	21.48	21.37	21.37	22.00
	15	LOW	QPSK	21.60	21.28	21.18	22.00
3	1	LOW	Q16	21.29	21.18	21.44	22.00
		MID	Q16	21.33	21.24	21.38	22.00
		HIGH	Q16	21.24	21.30	20.94	22.00
	8	LOW	Q16	21.55	21.42	21.18	22.00
		MID	Q16	21.54	21.40	21.31	22.00
		HIGH	Q16	21.47	21.52	21.15	22.00
	15	LOW	Q16	21.54	21.10	21.01	22.00
3	1	LOW	64QAM	21.48	21.30	21.34	22.00
		MID	64QAM	21.34	21.35	21.41	22.00
		HIGH	64QAM	21.47	21.18	20.89	22.00
	8	LOW	64QAM	21.39	21.40	21.26	22.00
		MID	64QAM	21.49	21.35	21.49	22.00
		HIGH	64QAM	21.54	21.46	21.09	22.00
	15	LOW	64QAM	21.64	21.24	21.40	22.00

LTE B5-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	21.58	21.39	21.25	22.00
		MID	QPSK	21.70	21.55	21.72	22.00
		HIGH	QPSK	21.12	21.08	21.17	22.00
	12	LOW	QPSK	21.68	21.29	21.34	22.00
		MID	QPSK	21.62	21.39	21.12	22.00
		HIGH	QPSK	21.38	21.33	21.15	22.00
	25	LOW	QPSK	21.52	21.21	21.03	22.00
5	1	LOW	Q16	21.31	21.37	21.40	22.00
		MID	Q16	21.29	21.24	21.33	22.00
		HIGH	Q16	21.31	21.23	20.98	22.00
	12	LOW	Q16	21.51	21.41	21.05	22.00
		MID	Q16	21.57	21.41	21.27	22.00
		HIGH	Q16	21.38	21.24	21.20	22.00
	25	LOW	Q16	21.61	21.16	21.15	22.00
5	1	LOW	64QAM	21.58	21.23	21.32	22.00
		MID	64QAM	21.36	21.35	21.44	22.00
		HIGH	64QAM	21.39	21.00	20.87	22.00
	12	LOW	64QAM	21.60	21.56	21.34	22.00
		MID	64QAM	21.27	21.37	21.29	22.00
		HIGH	64QAM	21.57	21.43	21.32	22.00
	25	LOW	64QAM	21.55	21.37	21.36	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	21.58	21.29	21.26	22.00
		MID	QPSK	21.61	21.58	21.50	22.00
		HIGH	QPSK	21.27	21.23	21.27	22.00
	25	LOW	QPSK	21.63	21.27	21.21	22.00
		MID	QPSK	21.49	21.32	21.26	22.00
		HIGH	QPSK	21.43	21.28	21.28	22.00
50	LOW	QPSK	21.50	21.36	21.17	22.00	
10	1	LOW	Q16	21.43	21.26	21.37	22.00
		MID	Q16	21.42	21.36	21.41	22.00
		HIGH	Q16	21.36	21.19	20.85	22.00
	25	LOW	Q16	21.59	21.52	21.17	22.00
		MID	Q16	21.53	21.39	21.34	22.00
		HIGH	Q16	21.39	21.39	21.25	22.00
	50	LOW	Q16	21.55	21.22	21.16	22.00
10	1	LOW	64QAM	21.58	21.27	21.46	22.00
		MID	64QAM	21.49	21.27	21.46	22.00
		HIGH	64QAM	21.34	21.08	20.95	22.00
	25	LOW	64QAM	21.52	21.42	21.25	22.00
		MID	64QAM	21.41	21.30	21.42	22.00
		HIGH	64QAM	21.50	21.39	21.21	22.00
	50	LOW	64QAM	21.52	21.28	21.31	22.00

LTE B5-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	22.88	22.78	22.54	23.50
		MID	QPSK	23.05	23.34	22.90	23.50
		HIGH	QPSK	22.79	22.75	22.46	23.50
	3	LOW	QPSK	22.73	22.88	22.77	23.50
		MID	QPSK	23.01	23.23	22.90	23.50
		HIGH	QPSK	22.85	22.79	22.58	23.50
	6	LOW	QPSK	23.07	22.65	22.52	23.50
1.4	1	LOW	Q16	22.92	22.99	22.15	23.50
		MID	Q16	23.18	22.99	22.74	23.50
		HIGH	Q16	22.26	22.66	22.73	23.50
	3	LOW	Q16	22.91	23.14	22.27	23.50
		MID	Q16	23.28	22.77	22.77	23.50
		HIGH	Q16	22.49	22.68	22.66	23.50
	6	LOW	Q16	22.58	22.30	22.23	23.00
1.4	1	LOW	64QAM	22.29	22.45	21.66	23.00
		MID	64QAM	22.59	22.64	22.15	23.00
		HIGH	64QAM	21.90	22.20	22.34	23.00
	3	LOW	64QAM	22.45	22.79	21.91	23.00
		MID	64QAM	22.83	22.17	22.37	23.00
		HIGH	64QAM	22.08	22.23	22.23	23.00
	6	LOW	64QAM	21.68	21.32	21.22	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	22.80	22.91	22.64	23.50
		MID	QPSK	23.10	23.19	22.96	23.50
		HIGH	QPSK	22.92	22.76	22.65	23.50
	8	LOW	QPSK	22.89	22.73	22.74	23.50
		MID	QPSK	23.21	22.95	22.65	23.50
		HIGH	QPSK	22.98	22.68	22.48	23.50
	15	LOW	QPSK	23.10	22.67	22.78	23.50
3	1	LOW	Q16	22.95	23.05	22.31	23.50
		MID	Q16	23.27	22.74	22.73	23.50
		HIGH	Q16	22.51	22.58	22.62	23.50
	8	LOW	Q16	22.55	22.32	22.39	23.00
		MID	Q16	22.43	22.53	22.37	23.00
		HIGH	Q16	22.35	22.48	22.30	23.00
	15	LOW	Q16	22.58	22.14	22.17	23.00
3	1	LOW	64QAM	22.69	22.71	21.45	23.00
		MID	64QAM	22.56	22.33	22.18	23.00
		HIGH	64QAM	21.67	22.09	22.00	23.00
	8	LOW	64QAM	21.46	21.40	21.25	22.00
		MID	64QAM	21.63	21.42	21.66	22.00
		HIGH	64QAM	21.38	21.40	21.28	22.00
	15	LOW	64QAM	21.66	21.17	21.19	22.00

LTE B5-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	22.91	23.01	22.69	23.50
		MID	QPSK	22.94	23.25	22.97	23.50
		HIGH	QPSK	22.68	22.55	22.59	23.50
	12	LOW	QPSK	23.08	22.87	22.59	23.50
		MID	QPSK	23.16	22.80	22.61	23.50
		HIGH	QPSK	23.16	22.90	22.56	23.50
	25	LOW	QPSK	23.02	22.66	22.60	23.50
5	1	LOW	Q16	22.87	23.04	22.22	23.50
		MID	Q16	23.24	22.83	22.93	23.50
		HIGH	Q16	22.26	22.53	22.72	23.50
	12	LOW	Q16	22.49	22.43	22.45	23.00
		MID	Q16	22.49	22.63	22.38	23.00
		HIGH	Q16	22.47	22.40	22.37	23.00
	25	LOW	Q16	22.53	22.34	22.17	23.00
5	1	LOW	64QAM	22.46	22.67	21.71	23.00
		MID	64QAM	22.59	22.44	22.10	23.00
		HIGH	64QAM	21.88	22.10	21.96	23.00
	12	LOW	64QAM	21.62	21.42	21.14	22.00
		MID	64QAM	21.41	21.68	21.52	22.00
		HIGH	64QAM	21.30	21.53	21.22	22.00
	25	LOW	64QAM	21.51	21.18	21.10	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	22.81	22.91	22.63	23.50
		MID	QPSK	23.00	23.34	22.96	23.50
		HIGH	QPSK	22.81	22.66	22.51	23.50
	25	LOW	QPSK	22.81	23.02	22.59	23.50
		MID	QPSK	22.81	23.11	22.71	23.50
		HIGH	QPSK	22.76	23.01	22.62	23.50
	50	LOW	QPSK	23.06	22.75	22.67	23.50
10	1	LOW	Q16	22.95	22.99	22.20	23.50
		MID	Q16	23.13	22.89	22.79	23.50
		HIGH	Q16	22.39	22.61	22.59	23.50
	25	LOW	Q16	22.47	22.39	22.34	23.00
		MID	Q16	22.54	22.61	22.47	23.00
		HIGH	Q16	22.49	22.55	22.29	23.00
	50	LOW	Q16	22.64	22.20	22.17	23.00
10	1	LOW	64QAM	22.58	22.60	21.58	23.00
		MID	64QAM	22.69	22.39	22.21	23.00
		HIGH	64QAM	21.74	22.13	22.03	23.00
	25	LOW	64QAM	21.60	21.51	21.25	22.00
		MID	64QAM	21.51	21.56	21.56	22.00
		HIGH	64QAM	21.40	21.51	21.24	22.00
	50	LOW	64QAM	21.54	21.21	21.14	22.00

LTE B5-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.39	20.47	20.03	21.00
		MID	QPSK	20.66	20.50	20.59	21.00
		HIGH	QPSK	20.40	20.12	20.23	21.00
	3	LOW	QPSK	20.52	20.29	20.14	21.00
		MID	QPSK	20.75	20.55	20.39	21.00
		HIGH	QPSK	20.35	20.08	20.34	21.00
	6	LOW	QPSK	20.58	20.32	20.17	21.00
	1.4	LOW	Q16	20.76	20.40	20.23	21.00
		MID	Q16	20.76	20.47	19.94	21.00
		HIGH	Q16	20.43	20.07	19.88	21.00
		LOW	Q16	20.48	20.53	20.05	21.00
		MID	Q16	20.88	20.37	20.22	21.00
		HIGH	Q16	20.51	19.96	19.77	21.00
	6	LOW	Q16	20.53	20.20	19.94	21.00
1.4	1	LOW	64QAM	20.70	20.25	20.17	21.00
		MID	64QAM	20.85	20.43	20.06	21.00
		HIGH	64QAM	20.34	20.14	19.92	21.00
	3	LOW	64QAM	20.38	20.40	19.97	21.00
		MID	64QAM	20.87	20.41	20.31	21.00
		HIGH	64QAM	20.58	19.89	19.75	21.00
	6	LOW	64QAM	20.42	20.19	19.99	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	20.48	20.25	20.01	21.00
		MID	QPSK	20.82	20.35	20.48	21.00
		HIGH	QPSK	20.15	20.17	20.25	21.00
	8	LOW	QPSK	20.49	20.47	20.18	21.00
		MID	QPSK	20.52	20.10	20.35	21.00
		HIGH	QPSK	20.58	20.43	20.26	21.00
	15	LOW	QPSK	20.67	20.16	20.12	21.00
	3	LOW	Q16	20.72	20.49	20.24	21.00
		MID	Q16	20.70	20.33	19.93	21.00
		HIGH	Q16	20.61	19.97	19.79	21.00
		LOW	Q16	20.64	20.61	20.28	21.00
		MID	Q16	20.66	20.15	20.33	21.00
		HIGH	Q16	20.33	20.25	20.45	21.00
	15	LOW	Q16	20.54	20.26	20.12	21.00
3	1	LOW	64QAM	20.55	20.47	19.90	21.00
		MID	64QAM	20.78	20.35	20.23	21.00
		HIGH	64QAM	20.45	19.95	19.79	21.00
	8	LOW	64QAM	20.67	20.46	20.02	21.00
		MID	64QAM	20.71	20.15	20.22	21.00
		HIGH	64QAM	20.68	20.37	20.31	21.00
	15	LOW	64QAM	20.52	19.89	20.18	21.00

LTE B5-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	20.47	20.38	19.95	21.00
		MID	QPSK	20.63	20.41	20.55	21.00
		HIGH	QPSK	20.41	19.95	20.44	21.00
	12	LOW	QPSK	20.59	20.33	20.09	21.00
		MID	QPSK	20.66	20.36	20.30	21.00
		HIGH	QPSK	20.55	20.44	20.17	21.00
	25	LOW	QPSK	20.45	20.45	20.31	21.00
5	1	LOW	Q16	20.63	20.43	20.19	21.00
		MID	Q16	20.90	20.29	19.94	21.00
		HIGH	Q16	20.51	19.99	19.78	21.00
	12	LOW	Q16	20.65	20.36	20.03	21.00
		MID	Q16	20.82	20.44	20.32	21.00
		HIGH	Q16	20.59	20.29	20.28	21.00
	25	LOW	Q16	20.62	20.27	20.10	21.00
5	1	LOW	64QAM	20.72	20.47	19.93	21.00
		MID	64QAM	20.91	20.37	20.02	21.00
		HIGH	64QAM	20.40	19.93	19.86	21.00
	12	LOW	64QAM	20.80	20.60	20.21	21.00
		MID	64QAM	20.94	20.38	20.20	21.00
		HIGH	64QAM	20.56	20.35	20.20	21.00
	25	LOW	64QAM	20.40	20.01	20.24	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	20.44	20.33	20.06	21.00
		MID	QPSK	20.71	20.45	20.50	21.00
		HIGH	QPSK	20.27	20.05	20.37	21.00
	25	LOW	QPSK	20.51	20.35	20.04	21.00
		MID	QPSK	20.52	20.25	20.23	21.00
		HIGH	QPSK	20.44	20.35	20.18	21.00
	50	LOW	QPSK	20.53	20.30	20.16	21.00
10	1	LOW	Q16	20.62	20.43	20.15	21.00
		MID	Q16	20.77	20.42	20.07	21.00
		HIGH	Q16	20.47	20.11	19.78	21.00
	25	LOW	Q16	20.66	20.49	20.17	21.00
		MID	Q16	20.72	20.30	20.24	21.00
		HIGH	Q16	20.48	20.23	20.30	21.00
	50	LOW	Q16	20.54	20.13	20.06	21.00
10	1	LOW	64QAM	20.70	20.38	20.03	21.00
		MID	64QAM	20.79	20.42	20.11	21.00
		HIGH	64QAM	20.51	20.02	19.92	21.00
	25	LOW	64QAM	20.74	20.61	20.12	21.00
		MID	64QAM	20.86	20.28	20.19	21.00
		HIGH	64QAM	20.58	20.34	20.26	21.00
	50	LOW	64QAM	20.41	19.98	20.13	21.00

8.3.3 LTE Band5 Output Power

LTE B5-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.25	23.89	24.41	25.00
		MID	QPSK	24.47	24.29	24.68	25.00
		HIGH	QPSK	24.19	24.12	23.66	25.00
	3	LOW	QPSK	24.40	24.14	24.34	25.00
		MID	QPSK	24.66	24.46	24.66	25.00
		HIGH	QPSK	24.31	24.17	23.64	25.00
	6	LOW	QPSK	23.67	23.55	23.48	24.00
1.4	1	LOW	Q16	23.03	23.37	23.60	24.00
		MID	Q16	23.43	23.71	23.64	24.00
		HIGH	Q16	23.05	23.38	22.50	24.00
	3	LOW	Q16	22.91	23.12	23.63	24.00
		MID	Q16	23.42	23.90	23.43	24.00
		HIGH	Q16	23.19	23.19	22.51	24.00
	6	LOW	Q16	22.89	22.50	22.52	23.00
1.4	1	LOW	64QAM	21.91	22.51	22.48	23.00
		MID	64QAM	22.50	22.69	22.52	23.00
		HIGH	64QAM	22.00	22.39	21.59	23.00
	3	LOW	64QAM	22.01	22.16	22.65	23.00
		MID	64QAM	22.50	22.78	22.30	23.00
		HIGH	64QAM	22.23	22.33	21.49	23.00
	6	LOW	64QAM	21.58	21.44	21.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	24.27	23.96	24.28	25.00
		MID	QPSK	24.57	24.42	24.56	25.00
		HIGH	QPSK	24.39	24.21	23.52	25.00
	8	LOW	QPSK	23.93	23.53	23.59	24.00
		MID	QPSK	23.79	23.68	23.69	24.00
		HIGH	QPSK	23.65	23.54	23.58	24.00
	15	LOW	QPSK	23.68	23.51	23.39	24.00
3	1	LOW	Q16	23.06	23.32	23.37	24.00
		MID	Q16	23.38	23.68	23.65	24.00
		HIGH	Q16	23.26	23.43	22.41	24.00
	8	LOW	Q16	22.64	22.51	22.61	23.00
		MID	Q16	22.70	22.52	22.81	23.00
		HIGH	Q16	22.75	22.69	22.72	23.00
	15	LOW	Q16	22.82	22.54	22.42	23.00
3	1	LOW	64QAM	22.25	22.32	22.65	23.00
		MID	64QAM	22.46	22.54	22.61	23.00
		HIGH	64QAM	22.27	22.15	21.59	23.00
	8	LOW	64QAM	21.52	21.79	21.41	22.00
		MID	64QAM	21.79	21.64	21.76	22.00
		HIGH	64QAM	21.61	21.55	21.65	22.00
	15	LOW	64QAM	21.71	21.75	21.56	22.00

LTE B5-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	24.21	24.03	24.37	25.00
		MID	QPSK	24.64	24.52	24.52	25.00
		HIGH	QPSK	24.25	24.16	23.50	25.00
	12	LOW	QPSK	23.79	23.61	23.60	24.00
		MID	QPSK	23.63	23.59	23.48	24.00
		HIGH	QPSK	23.54	23.68	23.44	24.00
	25	LOW	QPSK	23.86	23.70	23.43	24.00
5	1	LOW	Q16	23.05	23.16	23.41	24.00
		MID	Q16	23.36	23.73	23.48	24.00
		HIGH	Q16	23.26	23.24	22.42	24.00
	12	LOW	Q16	22.75	22.45	22.63	23.00
		MID	Q16	22.59	22.62	22.62	23.00
		HIGH	Q16	22.66	22.50	22.71	23.00
	25	LOW	Q16	22.84	22.65	22.31	23.00
5	1	LOW	64QAM	22.14	22.20	22.59	23.00
		MID	64QAM	22.52	22.99	22.40	23.00
		HIGH	64QAM	22.23	22.24	21.65	23.00
	12	LOW	64QAM	21.54	21.66	21.67	22.00
		MID	64QAM	21.87	21.75	21.80	22.00
		HIGH	64QAM	21.84	21.58	21.53	22.00
	25	LOW	64QAM	21.54	21.86	21.35	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	24.27	24.02	24.35	25.00
		MID	QPSK	24.58	24.42	24.66	25.00
		HIGH	QPSK	24.24	24.06	23.48	25.00
	25	LOW	QPSK	23.86	23.56	23.50	24.00
		MID	QPSK	23.77	23.67	23.61	24.00
		HIGH	QPSK	23.67	23.64	23.54	24.00
	50	LOW	QPSK	23.81	23.60	23.49	24.00
10	1	LOW	Q16	23.01	23.25	23.51	24.00
		MID	Q16	23.45	23.81	23.58	24.00
		HIGH	Q16	23.15	23.30	22.43	24.00
	25	LOW	Q16	22.70	22.60	22.65	23.00
		MID	Q16	22.72	22.58	22.75	23.00
		HIGH	Q16	22.65	22.55	22.70	23.00
	50	LOW	Q16	22.78	22.61	22.41	23.00
10	1	LOW	64QAM	22.11	22.27	22.52	23.00
		MID	64QAM	22.45	22.93	22.52	23.00
		HIGH	64QAM	22.28	22.20	21.52	23.00
	25	LOW	64QAM	21.60	21.69	21.55	22.00
		MID	64QAM	21.84	21.67	21.84	22.00
		HIGH	64QAM	21.74	21.65	21.62	22.00
	50	LOW	64QAM	21.63	21.72	21.42	22.00

LTE B5-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.25	23.89	24.41	25.00
		MID	QPSK	24.47	24.29	24.68	25.00
		HIGH	QPSK	24.19	24.12	23.66	25.00
	3	LOW	QPSK	24.40	24.14	24.34	25.00
		MID	QPSK	24.66	24.46	24.66	25.00
		HIGH	QPSK	24.31	24.17	23.64	25.00
	6	LOW	QPSK	23.67	23.55	23.48	24.00
	1.4	LOW	Q16	23.03	23.37	23.60	24.00
		MID	Q16	23.43	23.71	23.64	24.00
		HIGH	Q16	23.05	23.38	22.50	24.00
	3	LOW	Q16	22.91	23.12	23.63	24.00
		MID	Q16	23.42	23.90	23.43	24.00
		HIGH	Q16	23.19	23.19	22.51	24.00
	6	LOW	Q16	22.89	22.50	22.52	23.00
1.4	1	LOW	64QAM	21.91	22.51	22.48	23.00
		MID	64QAM	22.50	22.69	22.52	23.00
		HIGH	64QAM	22.00	22.39	21.59	23.00
	3	LOW	64QAM	22.01	22.16	22.65	23.00
		MID	64QAM	22.50	22.78	22.30	23.00
		HIGH	64QAM	22.23	22.33	21.49	23.00
	6	LOW	64QAM	21.58	21.44	21.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	24.27	23.96	24.28	25.00
		MID	QPSK	24.57	24.42	24.56	25.00
		HIGH	QPSK	24.39	24.21	23.52	25.00
	8	LOW	QPSK	23.93	23.53	23.59	24.00
		MID	QPSK	23.79	23.68	23.69	24.00
		HIGH	QPSK	23.65	23.54	23.58	24.00
	15	LOW	QPSK	23.68	23.51	23.39	24.00
	3	LOW	Q16	23.06	23.32	23.37	24.00
		MID	Q16	23.38	23.68	23.65	24.00
		HIGH	Q16	23.26	23.43	22.41	24.00
	8	LOW	Q16	22.64	22.51	22.61	23.00
		MID	Q16	22.70	22.52	22.81	23.00
		HIGH	Q16	22.75	22.69	22.72	23.00
	15	LOW	Q16	22.82	22.54	22.42	23.00
3	1	LOW	64QAM	22.25	22.32	22.65	23.00
		MID	64QAM	22.46	22.54	22.61	23.00
		HIGH	64QAM	22.27	22.15	21.59	23.00
	8	LOW	64QAM	21.52	21.79	21.41	22.00
		MID	64QAM	21.79	21.64	21.76	22.00
		HIGH	64QAM	21.61	21.55	21.65	22.00
	15	LOW	64QAM	21.71	21.75	21.56	22.00

LTE B5-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	24.21	24.03	24.37	25.00
		MID	QPSK	24.64	24.52	24.52	25.00
		HIGH	QPSK	24.25	24.16	23.50	25.00
	12	LOW	QPSK	23.79	23.61	23.60	24.00
		MID	QPSK	23.63	23.59	23.48	24.00
		HIGH	QPSK	23.54	23.68	23.44	24.00
	25	LOW	QPSK	23.86	23.70	23.43	24.00
5	1	LOW	Q16	23.05	23.16	23.41	24.00
		MID	Q16	23.36	23.73	23.48	24.00
		HIGH	Q16	23.26	23.24	22.42	24.00
	12	LOW	Q16	22.75	22.45	22.63	23.00
		MID	Q16	22.59	22.62	22.62	23.00
		HIGH	Q16	22.66	22.50	22.71	23.00
	25	LOW	Q16	22.84	22.65	22.31	23.00
5	1	LOW	64QAM	22.14	22.20	22.59	23.00
		MID	64QAM	22.52	22.99	22.40	23.00
		HIGH	64QAM	22.23	22.24	21.65	23.00
	12	LOW	64QAM	21.54	21.66	21.67	22.00
		MID	64QAM	21.87	21.75	21.80	22.00
		HIGH	64QAM	21.84	21.58	21.53	22.00
	25	LOW	64QAM	21.54	21.86	21.35	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	24.27	24.02	24.35	25.00
		MID	QPSK	24.58	24.42	24.66	25.00
		HIGH	QPSK	24.24	24.06	23.48	25.00
	25	LOW	QPSK	23.86	23.56	23.50	24.00
		MID	QPSK	23.77	23.67	23.61	24.00
		HIGH	QPSK	23.67	23.64	23.54	24.00
10	1	LOW	QPSK	23.81	23.60	23.49	24.00
	1	LOW	Q16	23.01	23.25	23.51	24.00
		MID	Q16	23.45	23.81	23.58	24.00
		HIGH	Q16	23.15	23.30	22.43	24.00
	25	LOW	Q16	22.70	22.60	22.65	23.00
		MID	Q16	22.72	22.58	22.75	23.00
		HIGH	Q16	22.65	22.55	22.70	23.00
	50	LOW	Q16	22.78	22.61	22.41	23.00
10	1	LOW	64QAM	22.11	22.27	22.52	23.00
		MID	64QAM	22.45	22.93	22.52	23.00
		HIGH	64QAM	22.28	22.20	21.52	23.00
	25	LOW	64QAM	21.60	21.69	21.55	22.00
		MID	64QAM	21.84	21.67	21.84	22.00
		HIGH	64QAM	21.74	21.65	21.62	22.00
	50	LOW	64QAM	21.63	21.72	21.42	22.00

LTE B5-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20407	20525	20643	Tune-up power(dBm)
1.4	1	LOW	QPSK	22.59	22.70	22.39	23.50
		MID	QPSK	22.73	23.12	22.61	23.50
		HIGH	QPSK	22.75	22.38	22.25	23.50
	3	LOW	QPSK	22.54	22.64	22.27	23.50
		MID	QPSK	22.69	22.93	22.70	23.50
		HIGH	QPSK	22.63	22.46	22.40	23.50
	6	LOW	QPSK	22.96	22.64	22.30	23.50
	1.4	LOW	Q16	22.56	22.73	22.48	23.50
		MID	Q16	22.98	22.82	22.38	23.50
		HIGH	Q16	22.49	21.93	22.35	23.50
	3	LOW	Q16	22.71	22.83	22.66	23.00
		MID	Q16	22.76	22.96	22.29	23.00
		HIGH	Q16	22.66	21.60	22.27	23.00
	6	LOW	Q16	22.91	22.48	22.48	23.00
1.4	1	LOW	64QAM	22.62	22.61	22.61	23.00
		MID	64QAM	22.80	22.90	22.33	23.00
		HIGH	64QAM	22.58	21.66	22.22	23.00
	3	LOW	64QAM	21.73	21.93	21.53	22.00
		MID	64QAM	21.86	21.87	21.28	22.00
		HIGH	64QAM	21.62	20.51	21.12	22.00
	6	LOW	64QAM	21.55	21.13	20.90	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20415	20525	20635	Tune-up power(dBm)
3	1	LOW	QPSK	22.77	22.59	22.34	23.50
		MID	QPSK	22.74	23.21	22.60	23.50
		HIGH	QPSK	22.69	22.38	22.45	23.50
	8	LOW	QPSK	22.72	22.46	22.22	23.50
		MID	QPSK	22.80	22.66	22.38	23.50
		HIGH	QPSK	22.84	22.69	22.25	23.50
	15	LOW	QPSK	22.75	22.40	22.42	23.50
	3	LOW	Q16	22.53	22.64	22.46	23.50
		MID	Q16	23.20	22.82	22.48	23.50
		HIGH	Q16	22.51	21.96	22.23	23.50
	8	LOW	Q16	22.77	22.73	22.15	23.00
		MID	Q16	22.94	22.52	22.43	23.00
		HIGH	Q16	22.88	22.65	22.36	23.00
	15	LOW	Q16	22.89	22.52	22.33	23.00
3	1	LOW	64QAM	22.66	22.84	22.52	23.00
		MID	64QAM	22.75	22.77	22.52	23.00
		HIGH	64QAM	22.72	21.69	22.22	23.00
	8	LOW	64QAM	21.40	21.30	21.00	22.00
		MID	64QAM	21.14	21.23	20.67	22.00
		HIGH	64QAM	21.02	21.09	20.91	22.00
	15	LOW	64QAM	21.26	21.00	21.15	22.00

LTE B5-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20425	20525	20625	Tune-up power(dBm)
5	1	LOW	QPSK	22.77	22.66	22.39	23.50
		MID	QPSK	22.69	23.02	22.66	23.50
		HIGH	QPSK	22.48	22.22	22.29	23.50
	12	LOW	QPSK	22.87	22.68	22.28	23.50
		MID	QPSK	22.75	22.65	22.59	23.50
		HIGH	QPSK	22.80	22.50	22.39	23.50
	25	LOW	QPSK	22.94	22.47	22.46	23.50
5	1	LOW	Q16	22.57	22.70	22.49	23.50
		MID	Q16	23.25	22.90	22.29	23.50
		HIGH	Q16	22.47	21.94	22.17	23.50
	12	LOW	Q16	22.68	22.69	22.16	23.00
		MID	Q16	22.76	22.75	22.51	23.00
		HIGH	Q16	22.84	22.66	22.50	23.00
	25	LOW	Q16	22.78	22.59	22.34	23.00
5	1	LOW	64QAM	22.40	22.91	22.50	23.00
		MID	64QAM	22.87	22.96	22.63	23.00
		HIGH	64QAM	22.72	21.72	22.15	23.00
	12	LOW	64QAM	21.30	21.07	20.84	22.00
		MID	64QAM	21.07	21.21	20.64	22.00
		HIGH	64QAM	20.98	21.11	20.92	22.00
	25	LOW	64QAM	21.18	20.90	20.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20450	20525	20600	Tune-up power(dBm)
10	1	LOW	QPSK	22.62	22.61	22.37	23.50
		MID	QPSK	22.74	23.08	22.68	23.50
		HIGH	QPSK	22.61	22.33	22.33	23.50
	25	LOW	QPSK	22.79	22.58	22.26	23.50
		MID	QPSK	22.80	22.54	22.48	23.50
		HIGH	QPSK	22.76	22.55	22.38	23.50
	50	LOW	QPSK	22.83	22.54	22.40	23.50
10	1	LOW	Q16	22.66	22.73	22.54	23.50
		MID	Q16	23.11	22.82	22.43	23.50
		HIGH	Q16	22.59	21.91	22.24	23.50
	25	LOW	Q16	22.78	22.75	22.29	23.00
		MID	Q16	22.83	22.62	22.41	23.00
		HIGH	Q16	22.73	22.51	22.42	23.00
	50	LOW	Q16	22.78	22.46	22.36	23.00
10	1	LOW	64QAM	22.53	22.80	22.43	23.00
		MID	64QAM	22.21	22.91	22.53	23.00
		HIGH	64QAM	22.74	21.76	22.09	23.00
	25	LOW	64QAM	21.24	21.19	20.92	22.00
		MID	64QAM	21.16	21.05	20.80	22.00
		HIGH	64QAM	21.04	21.04	20.81	22.00
	50	LOW	64QAM	21.29	20.92	20.97	22.00

8.3.4 LTE Band7 Output Power

LTE B7-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	23.47	23.47	23.44	25.00
		MID	QPSK	24.24	24.75	24.28	25.00
		HIGH	QPSK	23.72	24.16	23.49	25.00
	12	LOW	QPSK	23.62	23.83	23.94	24.00
		MID	QPSK	23.72	23.62	23.81	24.00
		HIGH	QPSK	23.62	23.76	23.83	24.00
	25	LOW	QPSK	23.44	23.76	23.67	24.00
5	1	LOW	Q16	22.46	22.96	22.65	24.00
		MID	Q16	23.40	23.71	23.12	24.00
		HIGH	Q16	22.61	22.92	22.41	24.00
	12	LOW	Q16	22.22	22.71	22.52	23.00
		MID	Q16	22.40	22.66	22.21	23.00
		HIGH	Q16	22.16	22.73	21.98	23.00
	25	LOW	Q16	22.24	22.67	22.35	23.00
5	1	LOW	64QAM	21.43	21.90	21.59	23.00
		MID	64QAM	22.12	22.81	21.96	23.00
		HIGH	64QAM	21.79	21.78	21.44	23.00
	12	LOW	64QAM	21.25	21.63	21.30	22.00
		MID	64QAM	21.36	21.73	21.35	22.00
		HIGH	64QAM	21.35	21.91	21.16	22.00
	25	LOW	64QAM	21.05	21.79	21.19	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	23.45	23.64	23.52	25.00
		MID	QPSK	24.44	24.98	24.10	25.00
		HIGH	QPSK	23.71	24.10	23.55	25.00
	25	LOW	QPSK	23.62	23.68	23.74	24.00
		MID	QPSK	23.48	23.76	23.71	24.00
		HIGH	QPSK	23.70	23.80	23.65	24.00
10	50	LOW	QPSK	23.67	23.47	23.81	24.00
	1	LOW	Q16	22.41	22.89	22.55	24.00
		MID	Q16	23.14	23.59	23.15	24.00
		HIGH	Q16	22.46	23.10	22.52	24.00
	25	LOW	Q16	22.31	22.75	22.31	23.00
		MID	Q16	22.36	22.68	22.19	23.00
		HIGH	Q16	22.18	22.75	22.14	23.00
	50	LOW	Q16	22.08	22.74	22.17	23.00
10	1	LOW	64QAM	21.49	21.91	21.60	23.00
		MID	64QAM	22.05	22.68	22.13	23.00
		HIGH	64QAM	21.84	22.04	21.51	23.00
	25	LOW	64QAM	21.29	21.57	21.65	22.00
		MID	64QAM	21.38	21.49	21.48	22.00
		HIGH	64QAM	21.20	21.64	20.93	22.00
	50	LOW	64QAM	21.02	21.83	21.09	22.00

LTE B7-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	23.53	23.48	23.54	25.00
		MID	QPSK	24.40	24.74	24.04	25.00
		HIGH	QPSK	23.78	24.18	23.44	25.00
	36	LOW	QPSK	23.63	23.71	23.86	24.00
		MID	QPSK	23.60	23.67	23.71	24.00
		HIGH	QPSK	23.61	23.91	23.59	24.00
	75	LOW	QPSK	23.80	23.66	23.69	24.00
15	1	LOW	Q16	22.42	22.89	22.49	24.00
		MID	Q16	23.30	23.54	23.32	24.00
		HIGH	Q16	22.62	22.86	22.57	24.00
	36	LOW	Q16	22.22	22.50	22.43	23.00
		MID	Q16	22.38	22.79	22.26	23.00
		HIGH	Q16	22.19	22.84	22.04	23.00
	75	LOW	Q16	21.94	22.67	22.27	23.00
15	1	LOW	64QAM	21.57	21.66	21.62	23.00
		MID	64QAM	22.34	22.66	22.19	23.00
		HIGH	64QAM	21.82	21.84	21.49	23.00
	36	LOW	64QAM	21.29	21.74	21.33	22.00
		MID	64QAM	21.45	21.77	21.27	22.00
		HIGH	64QAM	21.22	21.79	21.14	22.00
	75	LOW	64QAM	21.04	21.76	21.13	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	23.53	23.52	23.48	25.00
		MID	QPSK	24.33	24.79	24.21	25.00
		HIGH	QPSK	23.73	24.01	23.42	25.00
	50	LOW	QPSK	23.56	23.63	23.94	24.00
		MID	QPSK	23.58	23.61	23.75	24.00
		HIGH	QPSK	23.63	23.73	23.71	24.00
	100	LOW	QPSK	23.57	23.65	23.77	24.00
20	1	LOW	Q16	22.53	22.98	22.69	24.00
		MID	Q16	23.26	23.59	23.18	24.00
		HIGH	Q16	22.66	23.03	22.48	24.00
	50	LOW	Q16	22.29	22.65	22.42	23.00
		MID	Q16	22.32	22.73	22.28	23.00
		HIGH	Q16	22.22	22.75	21.97	23.00
	100	LOW	Q16	22.07	22.70	22.27	23.00
20	1	LOW	64QAM	21.56	21.86	21.64	23.00
		MID	64QAM	22.16	22.67	22.07	23.00
		HIGH	64QAM	21.72	22.00	21.46	23.00
	50	LOW	64QAM	21.29	21.62	21.43	22.00
		MID	64QAM	21.40	21.58	21.29	22.00
		HIGH	64QAM	21.33	21.78	21.05	22.00
	100	LOW	64QAM	20.94	21.83	21.17	22.00

LTE B7-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	20.52	20.71	20.37	21.00
		MID	QPSK	20.73	20.86	20.64	21.00
		HIGH	QPSK	20.19	20.91	20.20	21.00
	12	LOW	QPSK	20.71	20.79	20.63	21.00
		MID	QPSK	20.74	20.88	20.53	21.00
		HIGH	QPSK	20.46	20.89	20.41	21.00
	25	LOW	QPSK	20.56	20.93	20.48	21.00
5	1	LOW	Q16	20.97	20.37	20.98	21.00
		MID	Q16	20.60	20.87	20.85	21.00
		HIGH	Q16	20.21	20.69	19.75	21.00
	12	LOW	Q16	20.32	20.77	20.95	21.00
		MID	Q16	20.46	20.82	20.59	21.00
		HIGH	Q16	20.54	20.78	20.52	21.00
	25	LOW	Q16	20.53	20.77	20.75	21.00
5	1	LOW	64QAM	20.93	20.47	20.67	21.00
		MID	64QAM	20.62	20.72	20.94	21.00
		HIGH	64QAM	20.00	20.65	19.72	21.00
	12	LOW	64QAM	20.44	20.65	20.50	21.00
		MID	64QAM	20.38	20.89	20.67	21.00
		HIGH	64QAM	20.33	20.68	20.47	21.00
	25	LOW	64QAM	20.69	20.77	20.71	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	20.57	20.67	20.46	21.00
		MID	QPSK	20.74	20.90	20.58	21.00
		HIGH	QPSK	20.26	20.70	20.25	21.00
	25	LOW	QPSK	20.38	20.92	20.60	21.00
		MID	QPSK	20.62	20.78	20.62	21.00
		HIGH	QPSK	20.37	20.94	20.60	21.00
	50	LOW	QPSK	20.37	20.96	20.60	21.00
10	1	LOW	Q16	20.91	20.27	20.74	21.00
		MID	Q16	20.51	20.88	20.94	21.00
		HIGH	Q16	20.06	20.44	20.09	21.00
	25	LOW	Q16	20.49	20.84	20.67	21.00
		MID	Q16	20.42	20.91	20.74	21.00
		HIGH	Q16	20.38	20.80	20.51	21.00
	50	LOW	Q16	20.39	20.87	20.70	21.00
10	1	LOW	64QAM	20.97	20.27	20.76	21.00
		MID	64QAM	20.75	20.77	20.93	21.00
		HIGH	64QAM	20.03	20.49	19.70	21.00
	25	LOW	64QAM	20.38	20.75	20.65	21.00
		MID	64QAM	20.57	20.96	20.61	21.00
		HIGH	64QAM	20.44	20.54	20.56	21.00
	50	LOW	64QAM	20.82	20.84	20.56	21.00

LTE B7-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	20.74	20.73	20.50	21.00
		MID	QPSK	20.97	20.94	20.59	21.00
		HIGH	QPSK	20.26	20.95	20.17	21.00
	36	LOW	QPSK	20.46	20.84	20.56	21.00
		MID	QPSK	20.58	20.79	20.65	21.00
		HIGH	QPSK	20.59	20.93	20.53	21.00
	75	LOW	QPSK	20.31	20.87	20.65	21.00
15	1	LOW	Q16	20.90	20.43	20.90	21.00
		MID	Q16	20.56	20.88	20.75	21.00
		HIGH	Q16	20.18	20.43	19.92	21.00
	36	LOW	Q16	20.40	20.88	20.66	21.00
		MID	Q16	20.53	20.94	20.66	21.00
		HIGH	Q16	20.45	20.59	20.47	21.00
	75	LOW	Q16	20.70	20.84	20.63	21.00
15	1	LOW	64QAM	20.86	20.27	20.96	21.00
		MID	64QAM	20.55	20.69	20.89	21.00
		HIGH	64QAM	20.12	20.53	19.82	21.00
	36	LOW	64QAM	20.54	20.81	20.84	21.00
		MID	64QAM	20.44	20.91	20.60	21.00
		HIGH	64QAM	20.26	20.53	20.41	21.00
	75	LOW	64QAM	20.51	20.85	20.50	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	20.65	20.64	20.51	21.00
		MID	QPSK	20.86	20.91	20.65	21.00
		HIGH	QPSK	20.27	20.86	20.24	21.00
	50	LOW	QPSK	20.53	20.93	20.70	21.00
		MID	QPSK	20.60	20.93	20.55	21.00
		HIGH	QPSK	20.49	20.93	20.47	21.00
	100	LOW	QPSK	20.52	20.83	20.47	21.00
20	1	LOW	Q16	20.86	20.42	20.93	21.00
		MID	Q16	20.58	20.72	20.85	21.00
		HIGH	Q16	20.03	20.58	19.97	21.00
	50	LOW	Q16	20.53	20.86	20.77	21.00
		MID	Q16	20.47	20.96	20.58	21.00
		HIGH	Q16	20.53	20.71	20.51	21.00
	100	LOW	Q16	20.55	20.92	20.59	21.00
20	1	LOW	64QAM	20.85	20.38	20.81	21.00
		MID	64QAM	20.63	20.64	20.95	21.00
		HIGH	64QAM	20.11	20.57	19.73	21.00
	50	LOW	64QAM	20.59	20.73	20.62	21.00
		MID	64QAM	20.51	20.96	20.65	21.00
		HIGH	64QAM	20.45	20.60	20.50	21.00
	100	LOW	64QAM	20.61	20.71	20.62	21.00

LTE B7-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	17.39	17.74	17.71	18.00
		MID	QPSK	17.75	17.86	17.49	18.00
		HIGH	QPSK	17.15	17.82	17.56	18.00
	12	LOW	QPSK	17.60	17.97	17.52	18.00
		MID	QPSK	17.61	17.85	17.39	18.00
		HIGH	QPSK	17.47	17.83	17.69	18.00
	25	LOW	QPSK	17.34	17.75	17.54	18.00
5	1	LOW	Q16	17.98	17.85	17.41	18.00
		MID	Q16	17.75	17.87	17.33	18.00
		HIGH	Q16	17.00	17.74	17.11	18.00
	12	LOW	Q16	17.66	17.88	17.56	18.00
		MID	Q16	17.50	17.78	17.38	18.00
		HIGH	Q16	17.64	17.85	17.38	18.00
	25	LOW	Q16	17.39	17.74	17.69	18.00
5	1	LOW	64QAM	17.85	17.89	17.69	18.00
		MID	64QAM	17.67	17.69	17.43	18.00
		HIGH	64QAM	17.07	17.40	17.04	18.00
	12	LOW	64QAM	17.55	17.88	17.52	18.00
		MID	64QAM	17.52	17.93	17.61	18.00
		HIGH	64QAM	17.67	17.72	17.33	18.00
	25	LOW	64QAM	17.32	17.94	17.68	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	17.35	17.81	17.42	18.00
		MID	QPSK	17.82	17.98	17.48	18.00
		HIGH	QPSK	17.24	17.86	17.52	18.00
	25	LOW	QPSK	17.67	17.76	17.57	18.00
		MID	QPSK	17.68	17.80	17.42	18.00
		HIGH	QPSK	17.36	17.85	17.50	18.00
10	1	LOW	QPSK	17.49	17.94	17.45	18.00
		MID	QPSK	17.91	17.91	17.37	18.00
		HIGH	QPSK	17.65	17.80	17.39	18.00
	25	LOW	QPSK	16.78	17.40	17.30	18.00
		MID	QPSK	17.73	17.91	17.71	18.00
		HIGH	QPSK	17.58	17.80	17.47	18.00
10	1	LOW	Q16	17.52	17.80	17.05	18.00
		MID	Q16	17.48	17.91	17.36	18.00
		HIGH	Q16	17.48	17.91	17.36	18.00
	25	LOW	Q16	17.32	17.87	17.52	18.00
		MID	Q16	17.98	17.78	17.66	18.00
		HIGH	Q16	17.57	17.80	17.43	18.00
10	1	LOW	64QAM	17.05	17.54	17.03	18.00
		MID	64QAM	17.56	17.82	17.56	18.00
		HIGH	64QAM	17.54	17.95	17.55	18.00
	25	LOW	64QAM	17.72	17.97	17.36	18.00
		MID	64QAM	17.54	17.95	17.55	18.00
		HIGH	64QAM	17.72	17.97	17.36	18.00
10	1	LOW	64QAM	17.32	17.87	17.52	18.00
		MID	64QAM	17.98	17.78	17.66	18.00
		HIGH	64QAM	17.57	17.80	17.43	18.00
	25	LOW	64QAM	17.05	17.54	17.03	18.00
		MID	64QAM	17.56	17.82	17.56	18.00
		HIGH	64QAM	17.54	17.95	17.55	18.00
10	1	LOW	64QAM	17.72	17.97	17.36	18.00
		MID	64QAM	17.54	17.95	17.55	18.00
		HIGH	64QAM	17.72	17.97	17.36	18.00
	25	LOW	64QAM	17.32	17.87	17.52	18.00
		MID	64QAM	17.98	17.78	17.66	18.00
		HIGH	64QAM	17.57	17.80	17.43	18.00

LTE B7-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	17.14	17.73	17.52	18.00
		MID	QPSK	17.75	17.93	17.47	18.00
		HIGH	QPSK	17.28	17.91	17.36	18.00
	36	LOW	QPSK	17.73	17.75	17.61	18.00
		MID	QPSK	17.48	17.82	17.55	18.00
		HIGH	QPSK	17.57	17.78	17.66	18.00
	75	LOW	QPSK	17.35	17.80	17.61	18.00
15	1	LOW	Q16	17.75	17.85	17.51	18.00
		MID	Q16	17.81	17.87	17.57	18.00
		HIGH	Q16	16.86	17.41	17.03	18.00
	36	LOW	Q16	17.55	17.88	17.58	18.00
		MID	Q16	17.49	17.83	17.52	18.00
		HIGH	Q16	17.52	17.81	17.19	18.00
	75	LOW	Q16	17.51	17.66	17.54	18.00
15	1	LOW	64QAM	17.96	17.83	17.46	18.00
		MID	64QAM	17.85	17.70	17.22	18.00
		HIGH	64QAM	16.91	17.38	17.15	18.00
	36	LOW	64QAM	17.72	17.85	17.49	18.00
		MID	64QAM	17.56	17.92	17.64	18.00
		HIGH	64QAM	17.60	17.85	17.31	18.00
	75	LOW	64QAM	17.14	17.85	17.73	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	17.20	17.81	17.60	18.00
		MID	QPSK	17.91	17.90	17.59	18.00
		HIGH	QPSK	17.12	17.90	17.34	18.00
	50	LOW	QPSK	17.58	17.93	17.64	18.00
		MID	QPSK	17.63	17.96	17.56	18.00
		HIGH	QPSK	17.42	17.99	17.53	18.00
	100	LOW	QPSK	17.45	17.90	17.60	18.00
20	1	LOW	Q16	17.80	17.86	17.44	18.00
		MID	Q16	17.70	17.77	17.43	18.00
		HIGH	Q16	16.91	17.61	17.11	18.00
	50	LOW	Q16	17.69	17.95	17.65	18.00
		MID	Q16	17.39	17.92	17.52	18.00
		HIGH	Q16	17.52	17.80	17.21	18.00
	100	LOW	Q16	17.33	17.82	17.58	18.00
20	1	LOW	64QAM	17.90	17.85	17.60	18.00
		MID	64QAM	17.67	17.73	17.33	18.00
		HIGH	64QAM	16.97	17.40	17.08	18.00
	50	LOW	64QAM	17.62	17.83	17.57	18.00
		MID	64QAM	17.49	17.92	17.47	18.00
		HIGH	64QAM	17.69	17.89	17.27	18.00
	100	LOW	64QAM	17.25	17.86	17.60	18.00

LTE B7-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	16.71	16.90	17.27	17.50
		MID	QPSK	17.03	17.45	17.22	17.50
		HIGH	QPSK	16.61	17.18	16.88	17.50
	12	LOW	QPSK	16.93	17.14	17.13	17.50
		MID	QPSK	17.06	17.36	17.35	17.50
		HIGH	QPSK	16.94	17.48	17.07	17.50
	25	LOW	QPSK	17.12	17.39	17.20	17.50
5	1	LOW	Q16	17.46	17.45	17.15	17.50
		MID	Q16	17.25	17.36	17.10	17.50
		HIGH	Q16	16.73	16.51	16.70	17.50
	12	LOW	Q16	17.09	17.23	17.18	17.50
		MID	Q16	17.01	17.41	17.21	17.50
		HIGH	Q16	17.15	17.22	17.16	17.50
	25	LOW	Q16	16.96	17.15	17.17	17.50
5	1	LOW	64QAM	17.15	17.45	17.01	17.50
		MID	64QAM	17.23	17.32	17.22	17.50
		HIGH	64QAM	16.40	16.63	16.80	17.50
	12	LOW	64QAM	17.21	17.34	16.85	17.50
		MID	64QAM	17.03	17.28	17.06	17.50
		HIGH	64QAM	17.05	17.23	17.25	17.50
	25	LOW	64QAM	17.15	17.30	17.09	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	16.71	17.03	17.23	17.50
		MID	QPSK	17.21	17.46	17.05	17.50
		HIGH	QPSK	16.64	17.34	17.20	17.50
	25	LOW	QPSK	17.18	16.97	17.21	17.50
		MID	QPSK	16.91	17.17	17.10	17.50
		HIGH	QPSK	17.01	17.41	17.22	17.50
	50	LOW	QPSK	16.93	17.13	17.22	17.50
10	1	LOW	Q16	17.37	17.39	16.96	17.50
		MID	Q16	17.24	17.15	17.20	17.50
		HIGH	Q16	16.42	16.52	16.93	17.50
	25	LOW	Q16	17.17	17.30	17.11	17.50
		MID	Q16	16.95	17.33	17.23	17.50
		HIGH	Q16	17.20	17.14	17.13	17.50
	50	LOW	Q16	17.21	17.36	17.33	17.50
10	1	LOW	64QAM	17.16	17.45	17.24	17.50
		MID	64QAM	17.27	17.28	17.29	17.50
		HIGH	64QAM	16.45	16.42	16.81	17.50
	25	LOW	64QAM	17.18	17.38	17.13	17.50
		MID	64QAM	16.91	17.48	17.24	17.50
		HIGH	64QAM	17.21	17.20	17.04	17.50
	50	LOW	64QAM	17.15	17.23	16.98	17.50

LTE B7-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	16.84	17.02	17.05	17.50
		MID	QPSK	17.08	17.36	17.07	17.50
		HIGH	QPSK	16.64	17.15	17.07	17.50
	36	LOW	QPSK	17.19	17.14	17.09	17.50
		MID	QPSK	16.97	17.42	17.33	17.50
		HIGH	QPSK	16.97	17.45	17.01	17.50
	75	LOW	QPSK	17.01	17.17	17.08	17.50
15	1	LOW	Q16	17.45	17.40	17.15	17.50
		MID	Q16	17.29	17.36	17.26	17.50
		HIGH	Q16	16.49	16.52	16.77	17.50
	36	LOW	Q16	16.93	17.13	17.04	17.50
		MID	Q16	16.79	17.41	17.25	17.50
		HIGH	Q16	17.10	17.40	17.04	17.50
	75	LOW	Q16	17.12	17.31	17.23	17.50
15	1	LOW	64QAM	17.27	17.41	17.22	17.50
		MID	64QAM	17.22	17.30	17.16	17.50
		HIGH	64QAM	16.29	16.49	16.68	17.50
	36	LOW	64QAM	17.19	17.28	17.15	17.50
		MID	64QAM	16.95	17.33	17.18	17.50
		HIGH	64QAM	17.20	16.99	17.11	17.50
	75	LOW	64QAM	17.23	17.27	17.17	17.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	16.78	16.96	17.20	17.50
		MID	QPSK	17.16	17.49	17.12	17.50
		HIGH	QPSK	16.61	17.14	17.00	17.50
	50	LOW	QPSK	17.07	17.12	17.13	17.50
		MID	QPSK	16.95	17.23	17.20	17.50
		HIGH	QPSK	16.91	17.36	17.06	17.50
	100	LOW	QPSK	17.06	17.20	17.24	17.50
20	1	LOW	Q16	17.47	17.45	17.11	17.50
		MID	Q16	17.19	17.24	17.14	17.50
		HIGH	Q16	16.53	16.47	16.78	17.50
	50	LOW	Q16	17.02	17.22	17.16	17.50
		MID	Q16	17.00	17.32	17.18	17.50
		HIGH	Q16	17.02	17.25	17.12	17.50
	100	LOW	Q16	17.07	17.21	17.10	17.50
20	1	LOW	64QAM	17.35	17.48	17.21	17.50
		MID	64QAM	17.27	17.31	17.27	17.50
		HIGH	64QAM	16.49	16.48	16.75	17.50
	50	LOW	64QAM	17.15	17.28	17.09	17.50
		MID	64QAM	17.07	17.37	17.19	17.50
		HIGH	64QAM	17.21	17.11	17.17	17.50
	100	LOW	64QAM	17.17	17.23	17.07	17.50

LTE B7-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	16.21	16.56	16.56	17.00
		MID	QPSK	16.72	16.67	16.79	17.00
		HIGH	QPSK	16.04	16.86	16.34	17.00
	12	LOW	QPSK	16.38	16.47	16.76	17.00
		MID	QPSK	16.32	16.82	16.59	17.00
		HIGH	QPSK	16.33	16.86	16.38	17.00
	25	LOW	QPSK	16.68	16.60	16.73	17.00
5	1	LOW	Q16	16.64	16.41	16.43	17.00
		MID	Q16	16.95	16.77	16.34	17.00
		HIGH	Q16	16.13	15.68	16.19	17.00
	12	LOW	Q16	16.39	16.67	16.42	17.00
		MID	Q16	16.58	16.80	16.50	17.00
		HIGH	Q16	16.61	16.80	16.53	17.00
	25	LOW	Q16	16.50	16.53	16.54	17.00
5	1	LOW	64QAM	16.60	16.74	16.35	17.00
		MID	64QAM	16.85	16.55	16.38	17.00
		HIGH	64QAM	15.91	15.94	16.23	17.00
	12	LOW	64QAM	16.54	16.63	16.53	17.00
		MID	64QAM	16.51	16.89	16.67	17.00
		HIGH	64QAM	16.30	16.80	16.43	17.00
	25	LOW	64QAM	16.41	16.88	16.67	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	16.44	16.54	16.50	17.00
		MID	QPSK	16.52	16.85	16.73	17.00
		HIGH	QPSK	16.17	16.86	16.44	17.00
	25	LOW	QPSK	16.49	16.61	16.63	17.00
		MID	QPSK	16.39	16.81	16.57	17.00
		HIGH	QPSK	16.37	16.77	16.54	17.00
	50	LOW	QPSK	16.56	16.81	16.61	17.00
10	1	LOW	Q16	16.79	16.60	16.28	17.00
		MID	Q16	16.79	16.60	16.55	17.00
		HIGH	Q16	15.81	15.68	16.28	17.00
	25	LOW	Q16	16.64	16.55	16.39	17.00
		MID	Q16	16.45	16.71	16.43	17.00
		HIGH	Q16	16.39	16.82	16.58	17.00
	50	LOW	Q16	16.47	16.58	16.62	17.00
10	1	LOW	64QAM	16.91	16.50	16.22	17.00
		MID	64QAM	16.85	16.78	16.52	17.00
		HIGH	64QAM	15.92	15.84	16.08	17.00
	25	LOW	64QAM	16.53	16.64	16.52	17.00
		MID	64QAM	16.46	16.94	16.80	17.00
		HIGH	64QAM	16.37	16.75	16.36	17.00
	50	LOW	64QAM	16.38	16.67	16.74	17.00

LTE B7-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	16.28	16.77	16.69	17.00
		MID	QPSK	16.79	16.89	16.74	17.00
		HIGH	QPSK	16.21	16.85	16.51	17.00
	36	LOW	QPSK	16.51	16.55	16.70	17.00
		MID	QPSK	16.52	16.55	16.73	17.00
		HIGH	QPSK	16.42	16.77	16.46	17.00
	75	LOW	QPSK	16.61	16.71	16.48	17.00
15	1	LOW	Q16	16.58	16.62	16.44	17.00
		MID	Q16	16.82	16.82	16.36	17.00
		HIGH	Q16	15.95	15.70	16.31	17.00
	36	LOW	Q16	16.53	16.53	16.56	17.00
		MID	Q16	16.54	16.84	16.69	17.00
		HIGH	Q16	16.35	16.82	16.41	17.00
	75	LOW	Q16	16.71	16.65	16.68	17.00
15	1	LOW	64QAM	16.65	16.69	16.26	17.00
		MID	64QAM	16.98	16.69	16.39	17.00
		HIGH	64QAM	15.90	15.83	16.34	17.00
	36	LOW	64QAM	16.51	16.71	16.54	17.00
		MID	64QAM	16.38	16.94	16.86	17.00
		HIGH	64QAM	16.47	16.78	16.38	17.00
	75	LOW	64QAM	16.43	16.89	16.66	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	16.25	16.71	16.63	17.00
		MID	QPSK	16.61	16.83	16.78	17.00
		HIGH	QPSK	16.20	16.88	16.41	17.00
	50	LOW	QPSK	16.52	16.56	16.61	17.00
		MID	QPSK	16.45	16.70	16.70	17.00
		HIGH	QPSK	16.47	16.82	16.47	17.00
	100	LOW	QPSK	16.61	16.68	16.67	17.00
20	1	LOW	Q16	16.72	16.54	16.47	17.00
		MID	Q16	16.87	16.74	16.43	17.00
		HIGH	Q16	15.94	15.76	16.31	17.00
	50	LOW	Q16	16.53	16.57	16.52	17.00
		MID	Q16	16.49	16.85	16.61	17.00
		HIGH	Q16	16.47	16.81	16.46	17.00
	100	LOW	Q16	16.56	16.68	16.64	17.00
20	1	LOW	64QAM	16.83	16.55	16.28	17.00
		MID	64QAM	16.83	16.70	16.51	17.00
		HIGH	64QAM	16.03	15.85	16.19	17.00
	50	LOW	64QAM	16.60	16.68	16.63	17.00
		MID	64QAM	16.38	16.88	16.70	17.00
		HIGH	64QAM	16.33	16.64	16.34	17.00
	100	LOW	64QAM	16.45	16.81	16.73	17.00

8.3.4 LTE Band7 Output Power

LTE B7-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	23.58	23.51	23.45	25.00
		MID	QPSK	23.50	24.10	23.91	25.00
		HIGH	QPSK	23.46	23.76	23.63	25.00
	12	LOW	QPSK	22.70	22.98	23.19	24.00
		MID	QPSK	22.46	22.81	22.88	24.00
		HIGH	QPSK	22.53	22.94	22.99	24.00
25	LOW	QPSK	22.51	23.73	23.15	24.00	
5	1	LOW	Q16	22.50	22.62	22.84	24.00
		MID	Q16	22.47	23.02	22.60	24.00
		HIGH	Q16	22.58	23.04	22.56	24.00
	12	LOW	Q16	21.56	22.17	21.76	23.00
		MID	Q16	21.51	22.28	21.55	23.00
		HIGH	Q16	21.49	22.05	21.58	23.00
25	LOW	Q16	21.53	21.84	21.64	23.00	
5	1	LOW	64QAM	21.56	21.79	21.83	23.00
		MID	64QAM	21.61	21.96	21.55	23.00
		HIGH	64QAM	21.52	22.17	21.63	23.00
	12	LOW	64QAM	20.55	21.49	20.61	22.00
		MID	64QAM	20.52	21.36	20.58	22.00
		HIGH	64QAM	20.64	21.14	20.56	22.00
25	LOW	64QAM	20.57	21.14	20.80	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	23.43	23.64	23.63	25.00
		MID	QPSK	23.42	23.87	23.79	25.00
		HIGH	QPSK	23.61	23.65	23.59	25.00
	25	LOW	QPSK	22.48	22.82	23.02	24.00
		MID	QPSK	22.62	22.98	22.82	24.00
		HIGH	QPSK	22.62	23.12	22.84	24.00
50	LOW	QPSK	22.55	23.67	23.25	24.00	
10	1	LOW	Q16	22.60	22.68	22.98	24.00
		MID	Q16	22.51	22.81	22.69	24.00
		HIGH	Q16	22.60	22.93	22.49	24.00
	25	LOW	Q16	21.42	22.47	21.60	23.00
		MID	Q16	21.43	22.26	21.60	23.00
		HIGH	Q16	21.57	22.04	21.51	23.00
50	LOW	Q16	21.49	21.88	21.80	23.00	
10	1	LOW	64QAM	21.42	22.03	21.90	23.00
		MID	64QAM	21.45	21.86	21.64	23.00
		HIGH	64QAM	21.53	22.03	21.51	23.00
	25	LOW	64QAM	20.52	21.38	20.69	22.00
		MID	64QAM	20.64	21.45	20.42	22.00
		HIGH	64QAM	20.56	21.14	20.45	22.00
50	LOW	64QAM	20.52	21.03	20.90	22.00	

LTE B7-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	23.41	23.66	23.58	25.00
		MID	QPSK	23.50	23.94	23.95	25.00
		HIGH	QPSK	23.46	23.70	23.79	25.00
	36	LOW	QPSK	22.46	22.98	23.08	24.00
		MID	QPSK	22.48	23.02	22.86	24.00
		HIGH	QPSK	22.49	23.20	22.79	24.00
	75	LOW	QPSK	22.59	23.77	23.20	24.00
15	1	LOW	Q16	22.47	22.68	22.71	24.00
		MID	Q16	22.55	22.95	22.70	24.00
		HIGH	Q16	22.44	22.91	22.47	24.00
	36	LOW	Q16	21.43	22.09	21.72	23.00
		MID	Q16	21.48	22.29	21.62	23.00
		HIGH	Q16	21.44	22.19	21.61	23.00
	75	LOW	Q16	21.60	22.10	21.78	23.00
15	1	LOW	64QAM	21.60	22.00	21.99	23.00
		MID	64QAM	21.60	22.03	21.72	23.00
		HIGH	64QAM	21.55	22.05	21.56	23.00
	36	LOW	64QAM	21.53	21.45	20.61	22.00
		MID	64QAM	20.73	21.53	20.52	22.00
		HIGH	64QAM	20.58	21.28	20.43	22.00
	75	LOW	64QAM	20.69	21.00	20.75	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	23.43	23.51	23.49	25.00
		MID	QPSK	23.46	23.95	23.88	25.00
		HIGH	QPSK	23.48	23.66	23.68	25.00
	50	LOW	QPSK	22.56	22.96	23.08	24.00
		MID	QPSK	22.59	22.95	22.96	24.00
		HIGH	QPSK	22.50	23.06	22.90	24.00
	100	LOW	QPSK	22.43	23.46	23.12	24.00
20	1	LOW	Q16	22.45	22.77	22.85	24.00
		MID	Q16	22.58	22.95	22.59	24.00
		HIGH	Q16	22.46	22.91	22.53	24.00
	50	LOW	Q16	21.44	22.15	21.65	23.00
		MID	Q16	21.45	22.20	21.47	23.00
		HIGH	Q16	21.49	22.08	21.46	23.00
	100	LOW	Q16	21.47	21.96	21.73	23.00
20	1	LOW	64QAM	21.55	21.89	21.87	23.00
		MID	64QAM	21.54	21.89	21.57	23.00
		HIGH	64QAM	21.42	21.82	21.51	23.00
	50	LOW	64QAM	20.49	21.15	20.57	22.00
		MID	64QAM	20.42	21.21	20.52	22.00
		HIGH	64QAM	20.44	21.08	20.41	22.00
	100	LOW	64QAM	20.44	20.94	20.79	22.00

LTE B7-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	22.11	22.14	22.00	22.50
		MID	QPSK	22.35	22.18	22.00	22.50
		HIGH	QPSK	22.05	22.32	21.83	22.50
	12	LOW	QPSK	22.24	22.41	22.30	22.50
		MID	QPSK	22.35	22.35	22.08	22.50
		HIGH	QPSK	22.13	22.39	22.16	22.50
	25	LOW	QPSK	22.19	22.30	22.17	22.50
	5	LOW	Q16	22.23	22.07	22.28	22.50
		MID	Q16	22.26	22.42	22.36	22.50
		HIGH	Q16	21.34	21.98	21.69	22.50
5	1	LOW	Q16	22.13	22.29	22.22	22.50
		MID	Q16	22.33	22.21	22.09	22.50
		HIGH	Q16	22.03	22.20	21.91	22.50
	25	LOW	Q16	22.06	22.16	22.16	22.50
	5	LOW	64QAM	22.08	21.94	22.23	22.50
		MID	64QAM	22.39	22.16	22.40	22.50
		HIGH	64QAM	21.36	22.04	21.87	22.50
		LOW	64QAM	21.77	21.92	21.89	22.00
		MID	64QAM	21.95	21.86	21.67	22.00
		HIGH	64QAM	21.70	21.61	21.40	22.00
	25	LOW	64QAM	21.36	21.73	21.59	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	22.10	22.18	22.14	22.50
		MID	QPSK	22.15	22.11	22.04	22.50
		HIGH	QPSK	22.27	22.28	21.95	22.50
	25	LOW	QPSK	22.23	22.48	22.29	22.50
		MID	QPSK	22.29	22.48	22.13	22.50
		HIGH	QPSK	22.10	22.41	22.12	22.50
10	50	LOW	QPSK	22.23	22.17	22.02	22.50
	1	LOW	Q16	21.96	21.97	22.27	22.50
		MID	Q16	22.17	22.24	22.34	22.50
		HIGH	Q16	21.58	22.12	21.72	22.50
	25	LOW	Q16	22.23	22.26	22.39	22.50
		MID	Q16	22.45	22.43	22.31	22.50
		HIGH	Q16	22.05	22.06	22.00	22.50
	50	LOW	Q16	21.98	22.43	22.05	22.50
10	1	LOW	64QAM	21.97	22.11	22.25	22.50
		MID	64QAM	22.26	22.11	22.48	22.50
		HIGH	64QAM	21.63	22.19	21.85	22.50
	25	LOW	64QAM	21.63	21.95	21.97	22.00
		MID	64QAM	21.91	21.89	21.69	22.00
		HIGH	64QAM	21.60	21.58	21.27	22.00
	50	LOW	64QAM	21.34	21.67	21.34	22.00

LTE B7-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	22.18	22.23	21.96	22.50
		MID	QPSK	22.10	22.35	22.06	22.50
		HIGH	QPSK	22.06	22.16	21.77	22.50
	36	LOW	QPSK	22.16	22.28	22.29	22.50
		MID	QPSK	22.26	22.39	22.11	22.50
		HIGH	QPSK	22.08	22.42	22.12	22.50
	75	LOW	QPSK	22.29	22.15	22.06	22.50
15	1	LOW	Q16	22.24	21.94	22.23	22.50
		MID	Q16	22.10	22.37	22.47	22.50
		HIGH	Q16	21.58	22.01	21.99	22.50
	36	LOW	Q16	22.22	22.39	22.49	22.50
		MID	Q16	22.36	22.32	22.18	22.50
		HIGH	Q16	22.26	22.18	22.06	22.50
	75	LOW	Q16	22.18	22.49	22.18	22.50
15	1	LOW	64QAM	22.04	22.19	22.29	22.50
		MID	64QAM	22.31	22.33	22.28	22.50
		HIGH	64QAM	21.42	22.15	21.80	22.50
	36	LOW	64QAM	21.70	21.88	21.97	22.00
		MID	64QAM	21.85	21.93	21.93	22.00
		HIGH	64QAM	21.71	21.64	21.22	22.00
	75	LOW	64QAM	21.56	21.92	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	22.23	22.21	22.08	22.50
		MID	QPSK	22.23	22.26	22.15	22.50
		HIGH	QPSK	22.16	22.22	21.85	22.50
	50	LOW	QPSK	22.25	22.45	22.18	22.50
		MID	QPSK	22.23	22.48	22.03	22.50
		HIGH	QPSK	22.15	22.47	22.03	22.50
	100	LOW	QPSK	22.14	22.22	22.15	22.50
20	1	LOW	Q16	22.11	21.96	22.36	22.50
		MID	Q16	22.18	22.30	22.49	22.50
		HIGH	Q16	21.48	22.09	21.84	22.50
	50	LOW	Q16	22.25	22.41	22.37	22.50
		MID	Q16	22.39	22.46	22.16	22.50
		HIGH	Q16	22.17	22.21	21.94	22.50
	100	LOW	Q16	22.08	22.46	22.11	22.50
20	1	LOW	64QAM	21.98	22.05	22.40	22.50
		MID	64QAM	22.28	22.18	22.23	22.50
		HIGH	64QAM	21.51	22.06	21.85	22.50
	50	LOW	64QAM	21.71	21.85	21.99	22.00
		MID	64QAM	21.90	21.94	21.80	22.00
		HIGH	64QAM	21.62	21.66	21.29	22.00
	100	LOW	64QAM	21.46	21.82	21.48	22.00

LTE B7-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	23.58	23.51	23.45	25.00
		MID	QPSK	23.50	24.10	23.91	25.00
		HIGH	QPSK	23.46	23.76	23.63	25.00
	12	LOW	QPSK	22.70	22.98	23.19	24.00
		MID	QPSK	22.46	22.81	22.88	24.00
		HIGH	QPSK	22.53	22.94	22.99	24.00
25	LOW	QPSK	22.51	23.73	23.15	24.00	
5	1	LOW	Q16	22.50	22.62	22.84	24.00
		MID	Q16	22.47	23.02	22.60	24.00
		HIGH	Q16	22.58	23.04	22.56	24.00
	12	LOW	Q16	21.56	22.17	21.76	23.00
		MID	Q16	21.51	22.28	21.55	23.00
		HIGH	Q16	21.49	22.05	21.58	23.00
25	LOW	Q16	21.53	21.84	21.64	23.00	
5	1	LOW	64QAM	21.56	21.79	21.83	23.00
		MID	64QAM	21.61	21.96	21.55	23.00
		HIGH	64QAM	21.52	22.17	21.63	23.00
	12	LOW	64QAM	20.55	21.49	20.61	22.00
		MID	64QAM	20.52	21.36	20.58	22.00
		HIGH	64QAM	20.64	21.14	20.56	22.00
25	LOW	64QAM	20.57	21.14	20.80	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	23.43	23.64	23.63	25.00
		MID	QPSK	23.42	23.87	23.79	25.00
		HIGH	QPSK	23.61	23.65	23.59	25.00
	25	LOW	QPSK	22.48	22.82	23.02	24.00
		MID	QPSK	22.62	22.98	22.82	24.00
		HIGH	QPSK	22.62	23.12	22.84	24.00
50	LOW	QPSK	22.55	23.67	23.25	24.00	
10	1	LOW	Q16	22.60	22.68	22.98	24.00
		MID	Q16	22.51	22.81	22.69	24.00
		HIGH	Q16	22.60	22.93	22.49	24.00
	25	LOW	Q16	21.42	22.47	21.60	23.00
		MID	Q16	21.43	22.26	21.60	23.00
		HIGH	Q16	21.57	22.04	21.51	23.00
50	LOW	Q16	21.49	21.88	21.80	23.00	
10	1	LOW	64QAM	21.42	22.03	21.90	23.00
		MID	64QAM	21.45	21.86	21.64	23.00
		HIGH	64QAM	21.53	22.03	21.51	23.00
	25	LOW	64QAM	20.52	21.38	20.69	22.00
		MID	64QAM	20.64	21.45	20.42	22.00
		HIGH	64QAM	20.56	21.14	20.45	22.00
50	LOW	64QAM	20.52	21.03	20.90	22.00	

LTE B7-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	23.41	23.66	23.58	25.00
		MID	QPSK	23.50	23.94	23.95	25.00
		HIGH	QPSK	23.46	23.70	23.79	25.00
	36	LOW	QPSK	22.46	22.98	23.08	24.00
		MID	QPSK	22.48	23.02	22.86	24.00
		HIGH	QPSK	22.49	23.20	22.79	24.00
	75	LOW	QPSK	22.59	23.77	23.20	24.00
	15	LOW	Q16	22.47	22.68	22.71	24.00
		MID	Q16	22.55	22.95	22.70	24.00
		HIGH	Q16	22.44	22.91	22.47	24.00
		LOW	Q16	21.43	22.09	21.72	23.00
		MID	Q16	21.48	22.29	21.62	23.00
		HIGH	Q16	21.44	22.19	21.61	23.00
15	1	LOW	Q16	21.60	22.10	21.78	23.00
		MID	Q16	21.60	22.00	21.99	23.00
		HIGH	Q16	21.60	22.03	21.72	23.00
	36	LOW	64QAM	21.55	22.05	21.56	23.00
		MID	64QAM	21.53	21.45	20.61	22.00
		HIGH	64QAM	20.73	21.53	20.52	22.00
	75	LOW	64QAM	20.58	21.28	20.43	22.00
		MID	64QAM	20.69	21.00	20.75	22.00
		HIGH	64QAM	20.69	21.00	20.75	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	23.43	23.51	23.49	25.00
		MID	QPSK	23.46	23.95	23.88	25.00
		HIGH	QPSK	23.48	23.66	23.68	25.00
	50	LOW	QPSK	22.56	22.96	23.08	24.00
		MID	QPSK	22.59	22.95	22.96	24.00
		HIGH	QPSK	22.50	23.06	22.90	24.00
	100	LOW	QPSK	22.43	23.46	23.12	24.00
	20	LOW	Q16	22.45	22.77	22.85	24.00
		MID	Q16	22.58	22.95	22.59	24.00
		HIGH	Q16	22.46	22.91	22.53	24.00
		LOW	Q16	21.44	22.15	21.65	23.00
		MID	Q16	21.45	22.20	21.47	23.00
		HIGH	Q16	21.49	22.08	21.46	23.00
20	1	LOW	Q16	21.47	21.96	21.73	23.00
		MID	Q16	21.47	21.96	21.73	23.00
		HIGH	Q16	21.47	21.96	21.73	23.00
	50	LOW	64QAM	21.55	21.89	21.87	23.00
		MID	64QAM	21.54	21.89	21.57	23.00
		HIGH	64QAM	21.42	21.82	21.51	23.00
	100	LOW	64QAM	20.49	21.15	20.57	22.00
		MID	64QAM	20.42	21.21	20.52	22.00
		HIGH	64QAM	20.44	21.08	20.41	22.00
20	1	LOW	64QAM	20.44	20.94	20.79	22.00
		MID	64QAM	20.44	20.94	20.79	22.00
		HIGH	64QAM	20.44	20.94	20.79	22.00
	50	LOW	64QAM	20.44	20.94	20.79	22.00
		MID	64QAM	20.44	20.94	20.79	22.00
		HIGH	64QAM	20.44	20.94	20.79	22.00
	100	LOW	64QAM	20.44	20.94	20.79	22.00
		MID	64QAM	20.44	20.94	20.79	22.00
		HIGH	64QAM	20.44	20.94	20.79	22.00

LTE B7-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20775	21100	21425	Tune-up power(dBm)
5	1	LOW	QPSK	19.99	20.50	20.05	20.50
		MID	QPSK	20.23	20.15	20.16	20.50
		HIGH	QPSK	20.48	20.39	20.24	20.50
	12	LOW	QPSK	20.10	20.17	20.36	20.50
		MID	QPSK	20.08	20.34	20.36	20.50
		HIGH	QPSK	20.09	20.11	20.40	20.50
	25	LOW	QPSK	20.23	20.30	20.38	20.50
5	1	LOW	Q16	20.09	20.07	20.18	20.50
		MID	Q16	19.93	20.04	20.44	20.50
		HIGH	Q16	19.93	20.05	19.92	20.50
	12	LOW	Q16	20.27	20.40	20.26	20.50
		MID	Q16	19.98	19.99	20.25	20.50
		HIGH	Q16	20.22	20.14	20.24	20.50
	25	LOW	Q16	20.15	20.37	20.45	20.50
5	1	LOW	64QAM	20.01	20.46	20.19	20.50
		MID	64QAM	20.32	20.03	20.24	20.50
		HIGH	64QAM	19.97	20.11	19.98	20.50
	12	LOW	64QAM	20.44	20.38	20.15	20.50
		MID	64QAM	20.02	20.37	20.42	20.50
		HIGH	64QAM	20.27	20.32	20.21	20.50
	25	LOW	64QAM	20.15	20.36	20.39	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20800	21100	21400	Tune-up power(dBm)
10	1	LOW	QPSK	20.06	20.46	20.07	20.50
		MID	QPSK	20.32	20.28	20.09	20.50
		HIGH	QPSK	20.47	20.46	20.12	20.50
	25	LOW	QPSK	20.11	20.32	20.12	20.50
		MID	QPSK	20.19	20.33	20.38	20.50
		HIGH	QPSK	20.13	20.00	20.20	20.50
	50	LOW	QPSK	20.20	20.26	20.45	20.50
10	1	LOW	Q16	20.13	20.01	20.18	20.50
		MID	Q16	20.01	19.97	20.40	20.50
		HIGH	Q16	19.91	19.90	19.90	20.50
	25	LOW	Q16	20.31	20.41	20.34	20.50
		MID	Q16	20.11	20.04	20.17	20.50
		HIGH	Q16	20.13	20.17	20.31	20.50
	50	LOW	Q16	20.14	20.30	20.42	20.50
10	1	LOW	64QAM	19.96	20.39	20.18	20.50
		MID	64QAM	20.44	20.14	20.23	20.50
		HIGH	64QAM	19.94	20.18	19.91	20.50
	25	LOW	64QAM	20.34	20.30	20.15	20.50
		MID	64QAM	20.14	20.36	20.43	20.50
		HIGH	64QAM	20.24	20.28	20.17	20.50
	50	LOW	64QAM	20.07	20.22	20.41	20.50

LTE B7-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	20825	21100	21375	Tune-up power(dBm)
15	1	LOW	QPSK	20.02	20.43	20.13	20.50
		MID	QPSK	20.22	20.28	20.14	20.50
		HIGH	QPSK	20.46	20.48	20.06	20.50
	36	LOW	QPSK	20.18	20.27	20.31	20.50
		MID	QPSK	20.18	20.49	20.40	20.50
		HIGH	QPSK	20.21	20.06	20.26	20.50
	75	LOW	QPSK	20.23	20.42	20.30	20.50
15	1	LOW	Q16	20.09	20.00	20.10	20.50
		MID	Q16	20.05	19.94	20.30	20.50
		HIGH	Q16	20.08	20.03	19.89	20.50
	36	LOW	Q16	20.38	20.44	20.37	20.50
		MID	Q16	20.10	20.08	20.21	20.50
		HIGH	Q16	20.12	20.15	20.12	20.50
	75	LOW	Q16	20.28	20.44	20.25	20.50
15	1	LOW	64QAM	20.07	20.34	20.11	20.50
		MID	64QAM	20.38	19.96	20.25	20.50
		HIGH	64QAM	19.87	20.10	19.97	20.50
	36	LOW	64QAM	20.38	20.34	20.23	20.50
		MID	64QAM	19.95	20.36	20.46	20.50
		HIGH	64QAM	20.32	20.30	20.22	20.50
	75	LOW	64QAM	20.19	20.29	20.37	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	20850	21100	21350	Tune-up power(dBm)
20	1	LOW	QPSK	20.13	20.43	20.16	20.50
		MID	QPSK	20.28	20.27	20.18	20.50
		HIGH	QPSK	20.41	20.45	20.20	20.50
	50	LOW	QPSK	20.23	20.32	20.46	20.50
		MID	QPSK	20.16	20.47	20.44	20.50
		HIGH	QPSK	20.17	20.06	20.35	20.50
	100	LOW	QPSK	20.24	20.39	20.44	20.50
20	1	LOW	Q16	20.24	20.05	20.18	20.50
		MID	Q16	20.04	20.02	20.45	20.50
		HIGH	Q16	20.06	20.05	19.99	20.50
	50	LOW	Q16	20.35	20.47	20.32	20.50
		MID	Q16	20.09	20.09	20.32	20.50
		HIGH	Q16	20.17	20.17	20.26	20.50
	100	LOW	Q16	20.27	20.41	20.40	20.50
20	1	LOW	64QAM	20.09	20.42	20.15	20.50
		MID	64QAM	20.44	20.11	20.30	20.50
		HIGH	64QAM	20.01	20.15	19.95	20.50
	50	LOW	64QAM	20.49	20.39	20.26	20.50
		MID	64QAM	20.09	20.48	20.45	20.50
		HIGH	64QAM	20.31	20.32	20.27	20.50
	100	LOW	64QAM	20.15	20.35	20.37	20.50

8.3.5 LTE Band8 Output Power

LTE B8-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.38	23.79	24.15	25.00
		MID	QPSK	24.44	24.25	24.49	25.00
		HIGH	QPSK	24.06	23.93	23.92	25.00
	3	LOW	QPSK	24.32	23.83	24.21	25.00
		MID	QPSK	24.38	24.02	24.55	25.00
		HIGH	QPSK	23.90	23.78	23.80	25.00
1.4	1	LOW	QPSK	23.41	23.16	23.40	24.00
		MID	Q16	23.36	23.22	23.34	24.00
		HIGH	Q16	24.00	23.32	23.67	24.00
	3	LOW	Q16	23.11	22.56	22.87	24.00
		MID	Q16	23.40	23.30	23.38	24.00
		HIGH	Q16	23.85	23.22	23.64	24.00
1.4	1	LOW	Q16	23.04	22.42	22.86	24.00
		MID	Q16	22.45	22.07	22.30	23.00
		HIGH	Q16	22.45	22.07	22.30	23.00
	3	LOW	64QAM	22.41	22.13	22.22	23.00
		MID	64QAM	22.95	22.17	22.80	23.00
		HIGH	64QAM	22.18	21.41	21.96	23.00
1.4	1	LOW	64QAM	22.34	22.37	22.42	23.00
		MID	64QAM	22.86	22.27	22.72	23.00
		HIGH	64QAM	22.09	21.50	21.76	23.00
	3	LOW	64QAM	21.58	21.19	21.45	22.00
		MID	64QAM	21.58	21.19	21.45	22.00
		HIGH	64QAM	21.58	21.19	21.45	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	24.32	23.76	24.02	25.00
		MID	QPSK	24.32	24.07	24.52	25.00
		HIGH	QPSK	23.94	23.93	24.04	25.00
	8	LOW	QPSK	23.53	23.00	23.25	24.00
		MID	QPSK	23.54	23.20	23.54	24.00
		HIGH	QPSK	23.44	23.20	23.67	24.00
3	15	LOW	QPSK	23.65	23.15	23.66	24.00
		MID	Q16	23.26	23.23	23.26	24.00
		HIGH	Q16	23.88	23.24	23.51	24.00
	8	LOW	Q16	23.24	22.59	23.04	24.00
		MID	Q16	22.56	22.03	22.38	23.00
		HIGH	Q16	22.69	22.03	22.51	23.00
3	15	LOW	Q16	22.31	22.42	22.61	23.00
		MID	Q16	22.42	22.06	22.45	23.00
		HIGH	Q16	22.42	22.06	22.45	23.00
	8	LOW	64QAM	22.27	22.46	22.06	23.00
		MID	64QAM	22.82	22.23	22.70	23.00
		HIGH	64QAM	22.25	21.67	21.68	23.00
3	15	LOW	64QAM	21.91	20.89	21.20	22.00
		MID	64QAM	21.84	20.81	21.76	22.00
		HIGH	64QAM	21.00	20.99	21.87	22.00
	8	LOW	64QAM	21.50	21.16	21.43	22.00
		MID	64QAM	21.50	21.16	21.43	22.00
		HIGH	64QAM	21.50	21.16	21.43	22.00

LTE B8-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	24.22	23.93	24.17	25.00
		MID	QPSK	24.41	24.29	24.57	25.00
		HIGH	QPSK	23.99	23.86	23.78	25.00
	12	LOW	QPSK	23.46	23.18	23.23	24.00
		MID	QPSK	23.58	22.98	23.51	24.00
		HIGH	QPSK	23.41	22.96	23.70	24.00
5	1	LOW	Q16	23.51	23.10	23.22	24.00
		MID	Q16	23.80	23.24	23.43	24.00
		HIGH	Q16	23.26	22.45	22.97	24.00
	12	LOW	Q16	22.66	21.96	22.26	23.00
		MID	Q16	22.67	21.95	22.57	23.00
		HIGH	Q16	22.27	22.32	22.53	23.00
5	1	LOW	Q16	22.52	22.14	22.58	23.00
	12	LOW	64QAM	22.44	22.47	22.31	23.00
		MID	64QAM	22.82	22.13	22.64	23.00
		HIGH	64QAM	22.26	21.60	21.93	23.00
	25	LOW	64QAM	21.87	20.98	21.17	22.00
		MID	64QAM	21.63	21.02	21.77	22.00
5	1	LOW	64QAM	21.28	21.16	21.90	22.00
		MID	64QAM	21.34	21.10	21.63	22.00
		HIGH	64QAM	21.34	21.10	21.63	22.00
	25	LOW	64QAM	21.34	21.10	21.63	22.00
		MID	64QAM	21.34	21.10	21.63	22.00
		HIGH	64QAM	21.34	21.10	21.63	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	24.32	23.90	24.08	25.00
		MID	QPSK	24.34	24.25	24.23	25.00
		HIGH	QPSK	23.95	23.84	23.92	25.00
	25	LOW	QPSK	23.54	23.11	23.27	24.00
		MID	QPSK	23.49	23.08	23.48	24.00
		HIGH	QPSK	23.40	23.08	23.70	24.00
10	1	LOW	QPSK	23.51	23.06	23.53	24.00
		MID	QPSK	23.37	23.25	23.33	24.00
		HIGH	QPSK	23.37	23.25	23.33	24.00
	25	LOW	Q16	23.37	23.25	23.33	24.00
		MID	Q16	23.95	23.17	23.57	24.00
		HIGH	Q16	23.12	22.52	22.93	24.00
10	1	LOW	Q16	22.71	21.93	22.40	23.00
		MID	Q16	22.57	22.00	22.60	23.00
		HIGH	Q16	22.26	22.27	22.67	23.00
	25	LOW	Q16	22.40	22.15	22.45	23.00
		MID	Q16	22.40	22.15	22.45	23.00
		HIGH	Q16	22.40	22.15	22.45	23.00
10	1	LOW	64QAM	22.42	22.37	22.19	23.00
		MID	64QAM	22.95	22.08	22.58	23.00
		HIGH	64QAM	22.21	21.60	21.83	23.00
	25	LOW	64QAM	21.85	20.86	21.31	22.00
		MID	64QAM	21.70	20.90	21.70	22.00
		HIGH	64QAM	21.13	21.14	21.77	22.00
10	50	LOW	64QAM	21.47	21.22	21.55	22.00
		MID	64QAM	21.47	21.22	21.55	22.00

LTE B8-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.38	23.79	24.15	25.00
		MID	QPSK	24.44	24.25	24.49	25.00
		HIGH	QPSK	24.06	23.93	23.92	25.00
	3	LOW	QPSK	24.32	23.83	24.21	25.00
		MID	QPSK	24.38	24.02	24.55	25.00
		HIGH	QPSK	23.90	23.78	23.80	25.00
1.4	1	LOW	QPSK	23.41	23.16	23.40	24.00
		MID	Q16	23.36	23.22	23.34	24.00
		HIGH	Q16	24.00	23.32	23.67	24.00
	3	LOW	Q16	23.11	22.56	22.87	24.00
		MID	Q16	23.40	23.30	23.38	24.00
		HIGH	Q16	23.85	23.22	23.64	24.00
1.4	1	LOW	Q16	23.04	22.42	22.86	24.00
		MID	Q16	22.45	22.07	22.30	23.00
		HIGH	Q16	22.45	22.07	22.30	23.00
	3	LOW	64QAM	22.41	22.13	22.22	23.00
		MID	64QAM	22.95	22.17	22.80	23.00
		HIGH	64QAM	22.18	21.41	21.96	23.00
1.4	1	LOW	64QAM	22.34	22.37	22.42	23.00
		MID	64QAM	22.86	22.27	22.72	23.00
		HIGH	64QAM	22.09	21.50	21.76	23.00
	3	LOW	64QAM	21.58	21.19	21.45	22.00
		MID	64QAM	21.58	21.19	21.45	22.00
		HIGH	64QAM	21.58	21.19	21.45	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	24.32	23.76	24.02	25.00
		MID	QPSK	24.32	24.07	24.52	25.00
		HIGH	QPSK	23.94	23.93	24.04	25.00
	8	LOW	QPSK	23.53	23.00	23.25	24.00
		MID	QPSK	23.54	23.20	23.54	24.00
		HIGH	QPSK	23.44	23.20	23.67	24.00
3	15	LOW	QPSK	23.65	23.15	23.66	24.00
		MID	Q16	23.26	23.23	23.26	24.00
		HIGH	Q16	23.88	23.24	23.51	24.00
	8	LOW	Q16	23.24	22.59	23.04	24.00
		MID	Q16	22.56	22.03	22.38	23.00
		HIGH	Q16	22.69	22.03	22.51	23.00
3	15	LOW	Q16	22.31	22.42	22.61	23.00
		MID	Q16	22.42	22.06	22.45	23.00
		HIGH	Q16	22.42	22.06	22.45	23.00
	8	LOW	64QAM	22.27	22.46	22.06	23.00
		MID	64QAM	22.82	22.23	22.70	23.00
		HIGH	64QAM	22.25	21.67	21.68	23.00
3	15	LOW	64QAM	21.91	20.89	21.20	22.00
		MID	64QAM	21.84	20.81	21.76	22.00
		HIGH	64QAM	21.00	20.99	21.87	22.00
	8	LOW	64QAM	21.50	21.16	21.43	22.00
		MID	64QAM	21.50	21.16	21.43	22.00
		HIGH	64QAM	21.50	21.16	21.43	22.00

LTE B8-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	24.22	23.93	24.17	25.00
		MID	QPSK	24.41	24.29	24.57	25.00
		HIGH	QPSK	23.99	23.86	23.78	25.00
	12	LOW	QPSK	23.46	23.18	23.23	24.00
		MID	QPSK	23.58	22.98	23.51	24.00
		HIGH	QPSK	23.41	22.96	23.70	24.00
	25	LOW	QPSK	23.54	23.17	23.64	24.00
5	1	LOW	Q16	23.51	23.10	23.22	24.00
		MID	Q16	23.80	23.24	23.43	24.00
		HIGH	Q16	23.26	22.45	22.97	24.00
	12	LOW	Q16	22.66	21.96	22.26	23.00
		MID	Q16	22.67	21.95	22.57	23.00
		HIGH	Q16	22.27	22.32	22.53	23.00
	25	LOW	Q16	22.52	22.14	22.58	23.00
5	1	LOW	64QAM	22.44	22.47	22.31	23.00
		MID	64QAM	22.82	22.13	22.64	23.00
		HIGH	64QAM	22.26	21.60	21.93	23.00
	12	LOW	64QAM	21.87	20.98	21.17	22.00
		MID	64QAM	21.63	21.02	21.77	22.00
		HIGH	64QAM	21.28	21.16	21.90	22.00
	25	LOW	64QAM	21.34	21.10	21.63	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	24.32	23.90	24.08	25.00
		MID	QPSK	24.34	24.25	24.23	25.00
		HIGH	QPSK	23.95	23.84	23.92	25.00
	25	LOW	QPSK	23.54	23.11	23.27	24.00
		MID	QPSK	23.49	23.08	23.48	24.00
		HIGH	QPSK	23.40	23.08	23.70	24.00
	50	LOW	QPSK	23.51	23.06	23.53	24.00
10	1	LOW	Q16	23.37	23.25	23.33	24.00
		MID	Q16	23.95	23.17	23.57	24.00
		HIGH	Q16	23.12	22.52	22.93	24.00
	25	LOW	Q16	22.71	21.93	22.40	23.00
		MID	Q16	22.57	22.00	22.60	23.00
		HIGH	Q16	22.26	22.27	22.67	23.00
	50	LOW	Q16	22.40	22.15	22.45	23.00
10	1	LOW	64QAM	22.42	22.37	22.19	23.00
		MID	64QAM	22.95	22.08	22.58	23.00
		HIGH	64QAM	22.21	21.60	21.83	23.00
	25	LOW	64QAM	21.85	20.86	21.31	22.00
		MID	64QAM	21.70	20.90	21.70	22.00
		HIGH	64QAM	21.13	21.14	21.77	22.00
	50	LOW	64QAM	21.47	21.22	21.55	22.00

LTE B8-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	21.46	21.09	20.81	21.50
		MID	QPSK	21.20	21.34	21.50	21.50
		HIGH	QPSK	20.89	20.86	21.35	21.50
	3	LOW	QPSK	21.28	20.95	20.90	21.50
		MID	QPSK	21.21	21.39	21.41	21.50
		HIGH	QPSK	21.09	20.60	21.50	21.50
1.4	1	LOW	Q16	21.32	20.84	21.33	21.50
		MID	Q16	21.19	20.81	21.24	21.50
		HIGH	Q16	21.36	20.83	21.24	21.50
	3	LOW	Q16	20.86	20.01	20.97	21.50
		MID	Q16	21.10	20.98	21.10	21.50
		HIGH	Q16	21.25	20.71	21.36	21.50
1.4	1	LOW	Q16	20.89	20.13	21.14	21.50
		MID	Q16	21.37	21.02	21.39	21.50
		HIGH	Q16	21.37	21.02	21.39	21.50
	3	LOW	64QAM	21.29	20.90	21.39	21.50
		MID	64QAM	21.44	20.91	21.27	21.50
		HIGH	64QAM	20.82	19.90	21.07	21.50
1.4	1	LOW	64QAM	21.01	20.84	21.02	21.50
		MID	64QAM	21.22	20.82	21.21	21.50
		HIGH	64QAM	21.00	20.24	21.28	21.50
	3	LOW	64QAM	21.33	20.97	21.43	21.50
		MID	64QAM	21.33	20.97	21.43	21.50
		HIGH	64QAM	21.33	20.97	21.43	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	21.44	20.83	20.99	21.50
		MID	QPSK	21.43	21.28	21.40	21.50
		HIGH	QPSK	21.07	20.67	21.43	21.50
	8	LOW	QPSK	21.34	20.86	21.25	21.50
		MID	QPSK	21.26	21.00	21.43	21.50
		HIGH	QPSK	21.34	20.92	21.36	21.50
3	15	LOW	QPSK	21.39	20.88	21.29	21.50
		MID	QPSK	21.17	20.97	21.26	21.50
		HIGH	QPSK	21.17	20.97	21.26	21.50
	8	LOW	Q16	21.30	20.77	21.37	21.50
		MID	Q16	21.30	20.77	21.37	21.50
		HIGH	Q16	20.95	20.09	21.07	21.50
3	15	LOW	Q16	21.19	20.80	21.07	21.50
		MID	Q16	21.19	20.80	21.07	21.50
		HIGH	Q16	21.28	20.91	21.23	21.50
	8	LOW	Q16	21.20	21.04	21.40	21.50
		MID	Q16	21.20	21.04	21.40	21.50
		HIGH	Q16	21.20	21.04	21.40	21.50
3	1	LOW	64QAM	21.06	21.14	21.28	21.50
		MID	64QAM	21.35	20.63	21.21	21.50
		HIGH	64QAM	20.91	20.24	21.07	21.50
	8	LOW	64QAM	21.11	20.75	21.01	21.50
		MID	64QAM	21.24	20.79	21.31	21.50
		HIGH	64QAM	20.97	20.86	21.43	21.50
3	15	LOW	64QAM	21.36	20.78	21.34	21.50
		MID	64QAM	21.36	20.78	21.34	21.50
		HIGH	64QAM	21.36	20.78	21.34	21.50
	8	LOW	64QAM	21.36	20.78	21.34	21.50
		MID	64QAM	21.36	20.78	21.34	21.50
		HIGH	64QAM	21.36	20.78	21.34	21.50

LTE B8-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	21.35	20.91	21.01	21.50
		MID	QPSK	21.34	21.18	21.44	21.50
		HIGH	QPSK	21.17	20.72	21.24	21.50
	12	LOW	QPSK	21.42	20.81	21.02	21.50
		MID	QPSK	21.21	20.71	21.21	21.50
		HIGH	QPSK	21.22	20.87	21.21	21.50
	25	LOW	QPSK	21.25	20.98	21.28	21.50
5	1	LOW	Q16	21.09	20.88	21.06	21.50
		MID	Q16	21.48	20.83	21.25	21.50
		HIGH	Q16	20.80	20.31	21.09	21.50
	12	LOW	Q16	21.42	20.68	20.93	21.50
		MID	Q16	21.28	20.91	21.19	21.50
		HIGH	Q16	21.24	20.97	21.42	21.50
	25	LOW	Q16	21.25	20.74	21.25	21.50
5	1	LOW	64QAM	21.27	21.00	21.11	21.50
		MID	64QAM	21.38	20.53	21.46	21.50
		HIGH	64QAM	21.09	20.27	21.15	21.50
	12	LOW	64QAM	21.30	20.89	20.99	21.50
		MID	64QAM	21.16	20.83	21.18	21.50
		HIGH	64QAM	21.11	20.60	21.45	21.50
	25	LOW	64QAM	21.16	20.79	21.33	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	21.33	20.97	20.94	21.50
		MID	QPSK	21.29	21.12	21.28	21.50
		HIGH	QPSK	21.02	20.75	21.24	21.50
	25	LOW	QPSK	21.31	20.82	21.12	21.50
		MID	QPSK	21.22	20.85	21.25	21.50
		HIGH	QPSK	21.20	20.86	21.21	21.50
	50	LOW	QPSK	21.28	20.84	21.29	21.50
10	1	LOW	Q16	21.17	20.94	21.20	21.50
		MID	Q16	21.24	20.80	21.36	21.50
		HIGH	Q16	20.86	20.16	21.09	21.50
	25	LOW	Q16	21.34	20.83	21.04	21.50
		MID	Q16	21.28	20.86	21.24	21.50
		HIGH	Q16	21.19	20.85	21.27	21.50
	50	LOW	Q16	21.28	20.89	21.26	21.50
10	1	LOW	64QAM	21.20	20.99	21.14	21.50
		MID	64QAM	21.28	20.68	21.36	21.50
		HIGH	64QAM	20.95	20.18	21.14	21.50
	25	LOW	64QAM	21.19	20.79	21.05	21.50
		MID	64QAM	21.28	20.80	21.18	21.50
		HIGH	64QAM	21.06	20.75	21.32	21.50
	50	LOW	64QAM	21.25	20.78	21.31	21.50

LTE B8-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	21.99	21.75	21.95	22.50
		MID	QPSK	22.27	22.31	22.12	22.50
		HIGH	QPSK	21.95	21.47	22.22	22.50
	3	LOW	QPSK	22.07	21.92	21.83	22.50
		MID	QPSK	22.13	22.34	22.30	22.50
		HIGH	QPSK	22.07	21.64	22.43	22.50
1.4	1	LOW	QPSK	22.08	21.73	22.39	22.50
	3	LOW	Q16	22.10	21.89	22.24	22.50
		MID	Q16	22.48	21.94	22.42	22.50
		HIGH	Q16	21.64	21.56	22.41	22.50
	3	LOW	Q16	22.12	21.77	21.97	22.50
		MID	Q16	22.40	21.73	22.41	22.50
1.4	1	HIGH	Q16	21.71	21.30	22.43	22.50
	3	LOW	Q16	21.96	22.09	22.31	22.50
	6	LOW	64QAM	22.06	22.00	22.30	22.50
		MID	64QAM	22.50	22.08	22.41	22.50
		HIGH	64QAM	21.69	21.53	22.48	22.50
	3	LOW	64QAM	22.15	21.72	21.96	22.50
1.4	1	MID	64QAM	22.36	21.85	22.34	22.50
		HIGH	64QAM	21.62	21.27	22.43	22.50
	3	LOW	64QAM	21.41	21.45	21.70	22.00
	6	LOW	64QAM	22.26	21.79	21.85	22.50
	8	MID	QPSK	22.14	22.29	22.19	22.50
		HIGH	QPSK	21.93	21.55	22.32	22.50
3	1	LOW	QPSK	22.28	21.95	22.19	22.50
		MID	QPSK	22.32	21.74	22.42	22.50
		HIGH	QPSK	21.86	21.91	22.39	22.50
	8	LOW	QPSK	22.09	21.70	22.49	22.50
		MID	Q16	22.31	21.88	22.14	22.50
		HIGH	Q16	22.31	21.79	22.35	22.50
3	1	LOW	Q16	21.66	21.30	22.35	22.50
	8	LOW	Q16	22.36	21.74	22.28	22.50
		MID	Q16	22.29	21.99	22.34	22.50
	15	HIGH	Q16	22.26	21.92	22.49	22.50
		LOW	Q16	22.13	21.81	22.33	22.50
	15	LOW	64QAM	22.12	21.85	22.33	22.50
3	1	MID	64QAM	22.33	21.96	22.31	22.50
		HIGH	64QAM	21.78	21.53	22.42	22.50
	8	LOW	64QAM	21.66	21.36	21.57	22.00
		MID	64QAM	21.85	21.31	21.80	22.00
	15	HIGH	64QAM	21.61	21.48	21.75	22.00
		LOW	64QAM	21.59	21.38	21.70	22.00

LTE B8-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	22.17	21.77	21.77	22.50
		MID	QPSK	22.31	22.39	22.19	22.50
		HIGH	QPSK	21.86	21.62	22.29	22.50
	12	LOW	QPSK	22.16	21.85	22.21	22.50
		MID	QPSK	22.15	21.67	22.19	22.50
		HIGH	QPSK	22.02	21.64	22.31	22.50
	25	LOW	QPSK	22.05	21.88	22.31	22.50
5	1	LOW	Q16	22.11	21.98	22.04	22.50
		MID	Q16	22.46	21.90	22.42	22.50
		HIGH	Q16	21.66	21.39	22.46	22.50
	12	LOW	Q16	22.34	21.96	22.21	22.50
		MID	Q16	22.34	22.04	22.42	22.50
		HIGH	Q16	22.00	21.87	22.43	22.50
	25	LOW	Q16	21.94	21.84	22.31	22.50
5	1	LOW	64QAM	22.33	21.80	22.31	22.50
		MID	64QAM	22.38	21.84	22.38	22.50
		HIGH	64QAM	22.04	21.56	22.38	22.50
	12	LOW	64QAM	21.76	21.40	21.74	22.00
		MID	64QAM	21.96	21.51	21.93	22.00
		HIGH	64QAM	21.73	21.56	21.76	22.00
	25	LOW	64QAM	21.83	21.27	21.69	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	21.84	22.14	21.91	22.50
		MID	QPSK	22.27	22.24	22.26	22.50
		HIGH	QPSK	21.57	21.92	22.14	22.50
	25	LOW	QPSK	22.26	21.80	22.18	22.50
		MID	QPSK	22.17	21.71	22.02	22.50
		HIGH	QPSK	21.92	21.76	22.12	22.50
	50	LOW	QPSK	22.18	21.77	22.40	22.50
10	1	LOW	Q16	22.17	21.83	22.10	22.50
		MID	Q16	22.31	21.82	22.43	22.50
		HIGH	Q16	21.76	21.44	22.36	22.50
	25	LOW	Q16	22.37	21.82	22.25	22.50
		MID	Q16	22.38	22.03	22.42	22.50
		HIGH	Q16	22.13	21.93	22.43	22.50
	50	LOW	Q16	22.08	21.95	22.36	22.50
10	1	LOW	64QAM	22.26	21.76	22.23	22.50
		MID	64QAM	22.47	21.91	22.38	22.50
		HIGH	64QAM	21.90	21.42	22.33	22.50
	25	LOW	64QAM	21.74	21.30	21.69	22.00
		MID	64QAM	21.90	21.44	21.79	22.00
		HIGH	64QAM	21.59	21.44	21.84	22.00
	50	LOW	64QAM	21.72	21.30	21.84	22.00

LTE B8-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.24	19.84	19.79	20.50
		MID	QPSK	20.08	19.55	20.22	20.50
		HIGH	QPSK	19.83	19.42	20.24	20.50
	3	LOW	QPSK	20.06	19.62	19.65	20.50
		MID	QPSK	20.04	19.61	20.32	20.50
		HIGH	QPSK	19.78	19.43	20.38	20.50
1.4	1	LOW	Q16	20.12	19.68	19.88	20.50
		MID	Q16	20.44	19.83	20.26	20.50
		HIGH	Q16	19.87	19.09	20.21	20.50
	3	LOW	Q16	20.08	19.68	20.00	20.50
		MID	Q16	20.42	19.73	20.17	20.50
		HIGH	Q16	19.59	19.19	20.20	20.50
1.4	1	LOW	64QAM	20.25	19.73	19.77	20.50
		MID	64QAM	20.32	19.83	20.28	20.50
		HIGH	64QAM	19.99	19.23	20.12	20.50
	3	LOW	64QAM	19.96	19.63	19.92	20.50
		MID	64QAM	20.43	19.73	20.04	20.50
		HIGH	64QAM	19.51	19.12	20.18	20.50
1.4	1	LOW	64QAM	20.07	19.31	20.27	20.50
		MID	64QAM	20.07	19.31	20.27	20.50
		HIGH	64QAM	20.07	19.31	20.27	20.50
	3	LOW	64QAM	20.07	19.31	20.27	20.50
		MID	64QAM	20.07	19.31	20.27	20.50
		HIGH	64QAM	20.07	19.31	20.27	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	20.05	19.64	19.70	20.50
		MID	QPSK	19.99	19.62	20.17	20.50
		HIGH	QPSK	19.68	19.55	20.35	20.50
	8	LOW	QPSK	20.10	19.52	20.11	20.50
		MID	QPSK	19.99	19.75	20.32	20.50
		HIGH	QPSK	19.86	19.68	20.39	20.50
3	15	LOW	QPSK	20.00	19.55	20.26	20.50
		MID	QPSK	20.00	19.55	20.26	20.50
		HIGH	QPSK	20.00	19.55	20.26	20.50
	8	LOW	Q16	20.27	19.85	19.73	20.50
		MID	Q16	20.38	19.68	20.17	20.50
		HIGH	Q16	19.61	19.00	20.08	20.50
3	15	LOW	Q16	20.18	19.39	19.96	20.50
		MID	Q16	20.09	19.51	20.38	20.50
		HIGH	Q16	19.88	19.45	20.32	20.50
	8	LOW	Q16	20.15	19.54	20.37	20.50
		MID	Q16	20.15	19.54	20.37	20.50
		HIGH	Q16	20.15	19.54	20.37	20.50
3	1	LOW	64QAM	19.89	19.86	19.88	20.50
		MID	64QAM	20.35	19.89	20.34	20.50
		HIGH	64QAM	19.78	19.38	20.22	20.50
	8	LOW	64QAM	20.38	19.29	20.16	20.50
		MID	64QAM	19.98	19.48	20.40	20.50
		HIGH	64QAM	20.04	19.43	20.48	20.50
3	15	LOW	64QAM	20.02	19.69	20.20	20.50
		MID	64QAM	20.02	19.69	20.20	20.50
		HIGH	64QAM	20.02	19.69	20.20	20.50
	8	LOW	64QAM	20.02	19.69	20.20	20.50
		MID	64QAM	20.02	19.69	20.20	20.50
		HIGH	64QAM	20.02	19.69	20.20	20.50

LTE B8-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	20.07	19.84	19.60	20.50
		MID	QPSK	20.23	19.78	20.25	20.50
		HIGH	QPSK	19.82	19.53	20.31	20.50
	12	LOW	QPSK	20.12	19.50	20.07	20.50
		MID	QPSK	20.02	19.64	20.31	20.50
		HIGH	QPSK	19.87	19.75	20.30	20.50
	25	LOW	QPSK	20.04	19.83	20.12	20.50
5	1	LOW	Q16	20.10	19.89	19.84	20.50
		MID	Q16	20.32	19.74	20.23	20.50
		HIGH	Q16	19.86	18.96	20.27	20.50
	12	LOW	Q16	20.22	19.56	20.24	20.50
		MID	Q16	20.07	19.60	20.23	20.50
		HIGH	Q16	19.75	19.52	20.50	20.50
	25	LOW	Q16	20.16	19.42	20.20	20.50
5	1	LOW	64QAM	20.11	19.67	19.77	20.50
		MID	64QAM	20.47	19.76	20.46	20.50
		HIGH	64QAM	19.61	19.13	20.11	20.50
	12	LOW	64QAM	20.44	19.43	20.34	20.50
		MID	64QAM	20.00	19.56	20.47	20.50
		HIGH	64QAM	20.04	19.55	20.20	20.50
	25	LOW	64QAM	20.03	19.44	20.06	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	19.66	19.73	20.14	20.50
		MID	QPSK	20.20	19.64	20.14	20.50
		HIGH	QPSK	20.27	19.47	19.74	20.50
	25	LOW	QPSK	20.05	19.61	20.17	20.50
		MID	QPSK	20.21	19.66	20.10	20.50
		HIGH	QPSK	20.37	19.67	19.84	20.50
	50	LOW	QPSK	20.11	19.69	20.20	20.50
10	1	LOW	Q16	20.15	19.74	19.85	20.50
		MID	Q16	20.40	19.69	20.30	20.50
		HIGH	Q16	19.74	19.10	20.23	20.50
	25	LOW	Q16	20.23	19.53	20.11	20.50
		MID	Q16	20.14	19.52	20.38	20.50
		HIGH	Q16	19.87	19.55	20.42	20.50
	50	LOW	Q16	20.03	19.56	20.23	20.50
10	1	LOW	64QAM	20.04	19.78	19.76	20.50
		MID	64QAM	20.46	19.81	20.40	20.50
		HIGH	64QAM	19.67	19.25	20.12	20.50
	25	LOW	64QAM	20.37	19.41	20.20	20.50
		MID	64QAM	20.12	19.52	20.46	20.50
		HIGH	64QAM	19.95	19.54	20.35	20.50
	50	LOW	64QAM	20.08	19.55	20.11	20.50

8.3.5 LTE Band8 Output Power

LTE B8-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.09	24.13	24.13	25.00
		MID	QPSK	24.64	24.16	24.25	25.00
		HIGH	QPSK	24.15	24.01	23.64	25.00
	3	LOW	QPSK	24.28	24.10	23.97	25.00
		MID	QPSK	24.59	24.35	24.28	25.00
		HIGH	QPSK	24.18	24.08	23.53	25.00
	6	LOW	QPSK	23.75	23.14	23.59	24.00
1.4	1	LOW	Q16	23.06	23.23	23.42	24.00
		MID	Q16	23.54	23.10	23.40	24.00
		HIGH	Q16	23.09	22.95	22.65	24.00
	3	LOW	Q16	22.98	23.24	23.48	24.00
		MID	Q16	23.89	23.20	23.57	24.00
		HIGH	Q16	23.06	22.93	22.58	24.00
	6	LOW	Q16	22.73	22.28	22.40	23.00
1.4	1	LOW	64QAM	22.01	22.19	22.56	23.00
		MID	64QAM	22.90	22.12	22.45	23.00
		HIGH	64QAM	21.98	22.02	21.70	23.00
	3	LOW	64QAM	22.07	22.09	22.63	23.00
		MID	64QAM	22.75	22.21	22.45	23.00
		HIGH	64QAM	22.11	21.93	21.55	23.00
	6	LOW	64QAM	21.65	21.29	21.51	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	24.04	24.20	24.05	25.00
		MID	QPSK	24.67	24.11	24.13	25.00
		HIGH	QPSK	24.16	23.89	23.67	25.00
	8	LOW	QPSK	23.92	23.27	23.22	24.00
		MID	QPSK	23.59	23.25	23.69	24.00
		HIGH	QPSK	23.64	23.14	23.62	24.00
	15	LOW	QPSK	23.68	23.34	23.50	24.00
3	1	LOW	Q16	23.10	23.17	23.39	24.00
		MID	Q16	23.86	23.29	23.40	24.00
		HIGH	Q16	23.33	23.01	22.65	24.00
	8	LOW	Q16	22.98	22.46	22.45	23.00
		MID	Q16	22.63	22.51	22.72	23.00
		HIGH	Q16	22.69	22.26	22.76	23.00
	15	LOW	Q16	22.87	22.41	22.66	23.00
3	1	LOW	64QAM	21.90	22.57	22.61	23.00
		MID	64QAM	22.80	22.13	22.24	23.00
		HIGH	64QAM	22.10	22.27	21.64	23.00
	8	LOW	64QAM	21.84	21.14	21.17	22.00
		MID	64QAM	21.65	21.47	21.70	22.00
		HIGH	64QAM	21.73	21.26	21.75	22.00
	15	LOW	64QAM	21.76	21.23	21.72	22.00

LTE B8-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	24.12	23.93	24.06	25.00
		MID	QPSK	24.53	24.33	24.23	25.00
		HIGH	QPSK	24.26	23.84	23.52	25.00
	12	LOW	QPSK	23.67	23.32	23.30	24.00
		MID	QPSK	23.84	23.21	23.60	24.00
		HIGH	QPSK	23.53	23.17	23.73	24.00
	25	LOW	QPSK	23.84	23.06	23.53	24.00
	5	LOW	Q16	22.97	23.44	23.35	24.00
		MID	Q16	24.00	23.11	23.47	24.00
		HIGH	Q16	23.33	23.00	22.70	24.00
		LOW	Q16	22.64	22.45	22.53	23.00
		MID	Q16	22.66	22.41	22.69	23.00
		HIGH	Q16	22.76	22.31	22.59	23.00
	25	LOW	Q16	22.62	22.28	22.57	23.00
5	1	LOW	64QAM	21.90	22.42	22.45	23.00
		MID	64QAM	22.87	22.03	22.18	23.00
		HIGH	64QAM	22.17	21.99	21.52	23.00
	12	LOW	64QAM	21.95	21.43	21.37	22.00
		MID	64QAM	21.56	21.53	21.82	22.00
		HIGH	64QAM	21.74	21.39	21.79	22.00
	25	LOW	64QAM	21.73	21.25	21.54	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	24.18	24.06	24.12	25.00
		MID	QPSK	24.60	24.25	24.26	25.00
		HIGH	QPSK	24.14	23.94	23.60	25.00
	25	LOW	QPSK	23.79	23.23	23.34	24.00
		MID	QPSK	23.69	23.21	23.60	24.00
		HIGH	QPSK	23.54	23.25	23.73	24.00
	50	LOW	QPSK	23.74	23.19	23.53	24.00
	10	LOW	Q16	23.06	23.32	23.38	24.00
		MID	Q16	24.00	23.25	23.42	24.00
		HIGH	Q16	23.19	22.99	22.62	24.00
		LOW	Q16	22.93	22.35	22.41	23.00
		MID	Q16	22.78	22.47	22.59	23.00
		HIGH	Q16	22.71	22.25	22.72	23.00
	50	LOW	Q16	22.72	22.29	22.51	23.00
10	1	LOW	64QAM	21.93	22.42	22.53	23.00
		MID	64QAM	22.88	22.11	22.33	23.00
		HIGH	64QAM	22.13	22.13	21.60	23.00
	25	LOW	64QAM	21.91	21.29	21.26	22.00
		MID	64QAM	21.69	21.56	21.71	22.00
		HIGH	64QAM	21.71	21.36	21.74	22.00
	50	LOW	64QAM	21.87	21.19	21.66	22.00

LTE B8-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.09	24.13	24.13	25.00
		MID	QPSK	24.64	24.16	24.25	25.00
		HIGH	QPSK	24.15	24.01	23.64	25.00
	3	LOW	QPSK	24.28	24.10	23.97	25.00
		MID	QPSK	24.59	24.35	24.28	25.00
		HIGH	QPSK	24.18	24.08	23.53	25.00
1.4	1	LOW	QPSK	23.75	23.14	23.59	24.00
		MID	QPSK	23.06	23.23	23.42	24.00
		HIGH	QPSK	23.54	23.10	23.40	24.00
	3	LOW	QPSK	23.09	22.95	22.65	24.00
		MID	QPSK	22.98	23.24	23.48	24.00
		HIGH	QPSK	23.89	23.20	23.57	24.00
1.4	1	LOW	QPSK	23.06	22.93	22.58	24.00
		MID	QPSK	22.73	22.28	22.40	23.00
		HIGH	QPSK	22.01	22.19	22.56	23.00
	3	LOW	QPSK	22.90	22.12	22.45	23.00
		MID	QPSK	21.98	22.02	21.70	23.00
		HIGH	QPSK	22.07	22.09	22.63	23.00
1.4	1	LOW	QPSK	22.75	22.21	22.45	23.00
		MID	QPSK	22.11	21.93	21.55	23.00
		HIGH	QPSK	22.65	21.29	21.51	22.00
	3	LOW	QPSK	21.65	21.29	21.51	22.00
		MID	QPSK	21.65	21.29	21.51	22.00
		HIGH	QPSK	21.65	21.29	21.51	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	24.04	24.20	24.05	25.00
		MID	QPSK	24.67	24.11	24.13	25.00
		HIGH	QPSK	24.16	23.89	23.67	25.00
	8	LOW	QPSK	23.92	23.27	23.22	24.00
		MID	QPSK	23.59	23.25	23.69	24.00
		HIGH	QPSK	23.64	23.14	23.62	24.00
3	1	LOW	QPSK	23.68	23.34	23.50	24.00
		MID	QPSK	23.10	23.17	23.39	24.00
		HIGH	QPSK	23.86	23.29	23.40	24.00
	8	LOW	QPSK	23.33	23.01	22.65	24.00
		MID	QPSK	22.98	22.46	22.45	23.00
		HIGH	QPSK	22.63	22.51	22.72	23.00
3	1	LOW	QPSK	22.69	22.26	22.76	23.00
		MID	QPSK	22.87	22.41	22.66	23.00
		HIGH	QPSK	22.87	22.41	22.66	23.00
	8	LOW	QPSK	21.90	22.57	22.61	23.00
		MID	QPSK	22.80	22.13	22.24	23.00
		HIGH	QPSK	22.10	22.27	21.64	23.00
3	1	LOW	QPSK	21.84	21.14	21.17	22.00
		MID	QPSK	21.65	21.47	21.70	22.00
		HIGH	QPSK	21.73	21.26	21.75	22.00
	8	LOW	QPSK	21.76	21.23	21.72	22.00
		MID	QPSK	21.76	21.23	21.72	22.00
		HIGH	QPSK	21.76	21.23	21.72	22.00

LTE B8-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	24.12	23.93	24.06	25.00
		MID	QPSK	24.53	24.33	24.23	25.00
		HIGH	QPSK	24.26	23.84	23.52	25.00
	12	LOW	QPSK	23.67	23.32	23.30	24.00
		MID	QPSK	23.84	23.21	23.60	24.00
		HIGH	QPSK	23.53	23.17	23.73	24.00
5	1	LOW	Q16	22.97	23.44	23.35	24.00
		MID	Q16	24.00	23.11	23.47	24.00
		HIGH	Q16	23.33	23.00	22.70	24.00
	12	LOW	Q16	22.64	22.45	22.53	23.00
		MID	Q16	22.66	22.41	22.69	23.00
		HIGH	Q16	22.76	22.31	22.59	23.00
5	1	LOW	Q16	22.62	22.28	22.57	23.00
	12	LOW	64QAM	21.90	22.42	22.45	23.00
		MID	64QAM	22.87	22.03	22.18	23.00
		HIGH	64QAM	22.17	21.99	21.52	23.00
	25	LOW	64QAM	21.95	21.43	21.37	22.00
		MID	64QAM	21.56	21.53	21.82	22.00
5	1	LOW	64QAM	21.74	21.39	21.79	22.00
		MID	64QAM	21.73	21.25	21.54	22.00
		HIGH	64QAM	21.73	21.25	21.54	22.00
	25	LOW	64QAM	21.73	21.25	21.54	22.00
		MID	64QAM	21.73	21.25	21.54	22.00
		HIGH	64QAM	21.73	21.25	21.54	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	24.18	24.06	24.12	25.00
		MID	QPSK	24.60	24.25	24.26	25.00
		HIGH	QPSK	24.14	23.94	23.60	25.00
	25	LOW	QPSK	23.79	23.23	23.34	24.00
		MID	QPSK	23.69	23.21	23.60	24.00
		HIGH	QPSK	23.54	23.25	23.73	24.00
10	50	LOW	QPSK	23.74	23.19	23.53	24.00
		MID	Q16	23.06	23.32	23.38	24.00
		HIGH	Q16	24.00	23.25	23.42	24.00
	25	LOW	Q16	23.19	22.99	22.62	24.00
		MID	Q16	22.93	22.35	22.41	23.00
		HIGH	Q16	22.78	22.47	22.59	23.00
10	50	LOW	Q16	22.71	22.25	22.72	23.00
		MID	Q16	22.72	22.29	22.51	23.00
		HIGH	Q16	22.72	22.29	22.51	23.00
	25	LOW	64QAM	21.93	22.42	22.53	23.00
		MID	64QAM	22.88	22.11	22.33	23.00
		HIGH	64QAM	22.13	22.13	21.60	23.00
10	50	LOW	64QAM	21.91	21.29	21.26	22.00
		MID	64QAM	21.69	21.56	21.71	22.00
		HIGH	64QAM	21.71	21.36	21.74	22.00
	25	LOW	64QAM	21.87	21.19	21.66	22.00
		MID	64QAM	21.87	21.19	21.66	22.00
		HIGH	64QAM	21.87	21.19	21.66	22.00

LTE B8-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21457	21625	21793	Tune-up power(dBm)
1.4	1	LOW	QPSK	22.01	21.35	21.75	22.50
		MID	QPSK	22.31	21.62	22.18	22.50
		HIGH	QPSK	21.91	21.45	21.91	22.50
	3	LOW	QPSK	22.11	21.51	21.77	22.50
		MID	QPSK	22.12	21.52	22.07	22.50
		HIGH	QPSK	21.82	21.41	21.85	22.50
1.4	1	LOW	Q16	22.05	21.42	21.62	22.50
		MID	Q16	22.14	21.14	21.79	22.50
		HIGH	Q16	21.78	21.03	21.52	22.50
	3	LOW	Q16	22.07	21.64	21.66	22.50
		MID	Q16	22.20	21.27	22.01	22.50
		HIGH	Q16	21.82	21.03	21.57	22.50
1.4	1	LOW	Q16	21.94	21.60	21.97	22.50
	3	LOW	64QAM	22.09	21.33	21.50	22.50
		MID	64QAM	22.09	21.09	21.67	22.50
		HIGH	64QAM	21.79	20.93	21.58	22.50
	3	LOW	64QAM	22.11	21.59	21.64	22.50
		MID	64QAM	22.17	21.38	22.00	22.50
1.4	1	LOW	64QAM	21.79	20.96	21.58	22.50
		MID	64QAM	21.32	21.11	21.51	22.00
		HIGH	64QAM	21.32	21.11	21.51	22.00
	3	LOW	64QAM	21.32	21.11	21.51	22.00
		MID	64QAM	21.32	21.11	21.51	22.00
		HIGH	64QAM	21.32	21.11	21.51	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21465	21625	21785	Tune-up power(dBm)
3	1	LOW	QPSK	22.24	21.28	21.67	22.50
		MID	QPSK	22.16	21.55	22.19	22.50
		HIGH	QPSK	21.80	21.53	21.90	22.50
	8	LOW	QPSK	22.01	21.53	21.77	22.50
		MID	QPSK	21.96	21.58	21.77	22.50
		HIGH	QPSK	21.79	21.61	22.14	22.50
3	15	LOW	QPSK	22.11	21.53	22.00	22.50
		MID	QPSK	22.11	21.53	22.00	22.50
		HIGH	QPSK	22.11	21.53	22.00	22.50
	8	LOW	Q16	22.10	21.58	21.80	22.50
		MID	Q16	22.14	21.25	22.04	22.50
		HIGH	Q16	21.75	20.98	21.49	22.50
3	15	LOW	Q16	22.13	21.62	21.92	22.50
		MID	Q16	21.94	21.84	21.94	22.50
		HIGH	Q16	21.82	21.82	22.14	22.50
	8	LOW	Q16	22.12	21.64	21.97	22.50
		MID	Q16	22.12	21.64	21.97	22.50
		HIGH	Q16	22.12	21.64	21.97	22.50
3	15	LOW	64QAM	22.09	21.52	21.43	22.50
		MID	64QAM	22.25	21.26	21.98	22.50
		HIGH	64QAM	21.92	20.91	21.41	22.50
	8	LOW	64QAM	21.50	21.30	21.39	22.00
		MID	64QAM	21.36	21.14	21.45	22.00
		HIGH	64QAM	21.29	21.12	21.70	22.00
3	15	LOW	64QAM	21.39	21.22	21.35	22.00
		MID	64QAM	21.39	21.22	21.35	22.00
		HIGH	64QAM	21.39	21.22	21.35	22.00
	8	LOW	64QAM	21.39	21.22	21.35	22.00
		MID	64QAM	21.39	21.22	21.35	22.00
		HIGH	64QAM	21.39	21.22	21.35	22.00

LTE B8-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	21475	21625	21775	Tune-up power(dBm)
5	1	LOW	QPSK	22.24	21.52	21.64	22.50
		MID	QPSK	22.17	21.49	22.03	22.50
		HIGH	QPSK	21.83	21.46	21.82	22.50
	12	LOW	QPSK	22.23	21.51	21.70	22.50
		MID	QPSK	22.14	21.38	21.89	22.50
		HIGH	QPSK	21.77	21.52	22.12	22.50
	25	LOW	QPSK	22.17	21.55	22.07	22.50
5	1	LOW	Q16	22.19	21.47	21.55	22.50
		MID	Q16	22.39	21.08	22.00	22.50
		HIGH	Q16	21.62	20.93	21.59	22.50
	12	LOW	Q16	22.32	21.57	21.79	22.50
		MID	Q16	21.97	21.59	22.13	22.50
		HIGH	Q16	21.76	21.67	21.99	22.50
	25	LOW	Q16	22.15	21.79	21.72	22.50
5	1	LOW	64QAM	22.09	21.41	21.58	22.50
		MID	64QAM	22.11	21.34	22.02	22.50
		HIGH	64QAM	21.73	21.03	21.57	22.50
	12	LOW	64QAM	21.47	21.17	21.46	22.00
		MID	64QAM	21.47	21.18	21.38	22.00
		HIGH	64QAM	21.21	20.94	21.68	22.00
	25	LOW	64QAM	21.42	21.20	21.48	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	21500	21625	21750	Tune-up power(dBm)
10	1	LOW	QPSK	22.10	21.43	21.78	22.50
		MID	QPSK	22.26	21.51	22.18	22.50
		HIGH	QPSK	21.80	21.39	21.86	22.50
	25	LOW	QPSK	22.13	21.43	21.70	22.50
		MID	QPSK	22.06	21.49	21.92	22.50
		HIGH	QPSK	21.78	21.49	22.01	22.50
	50	LOW	QPSK	22.05	21.47	21.92	22.50
10	1	LOW	Q16	22.10	21.57	21.66	22.50
		MID	Q16	22.29	21.20	21.92	22.50
		HIGH	Q16	21.75	21.05	21.55	22.50
	25	LOW	Q16	22.21	21.54	21.89	22.50
		MID	Q16	22.02	21.69	22.03	22.50
		HIGH	Q16	21.83	21.68	22.10	22.50
	50	LOW	Q16	22.02	21.64	21.83	22.50
10	1	LOW	64QAM	22.12	21.48	21.57	22.50
		MID	64QAM	22.14	21.25	21.94	22.50
		HIGH	64QAM	21.88	21.03	21.44	22.50
	25	LOW	64QAM	21.62	21.15	21.51	22.00
		MID	64QAM	21.44	21.25	21.45	22.00
		HIGH	64QAM	21.29	21.07	21.73	22.00
	50	LOW	64QAM	21.39	21.21	21.42	22.00

8.3.6 LTE Band12 Output Power

LTE B12-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23017	23095	23173	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.33	24.54	24.46	25.00
		MID	QPSK	24.74	24.44	24.45	25.00
		HIGH	QPSK	24.26	24.22	24.32	25.00
	3	LOW	QPSK	24.34	24.33	24.26	25.00
		MID	QPSK	24.59	24.45	24.51	25.00
		HIGH	QPSK	24.20	24.09	24.25	25.00
1.4	1	LOW	QPSK	23.69	23.65	23.64	24.00
		MID	Q16	23.36	23.49	23.73	24.00
		HIGH	Q16	23.76	23.68	23.94	24.00
	3	LOW	Q16	23.20	23.45	22.97	24.00
		MID	Q16	23.47	23.52	23.50	24.00
		HIGH	Q16	23.65	23.75	23.72	24.00
1.4	1	LOW	Q16	23.03	23.69	23.05	24.00
		MID	Q16	22.43	22.48	22.71	23.00
		HIGH	Q16	22.06	22.44	21.90	23.00
	3	LOW	64QAM	22.23	22.51	22.87	23.00
		MID	64QAM	22.79	22.55	22.82	23.00
		HIGH	64QAM	22.06	22.44	21.90	23.00
1.4	1	LOW	64QAM	22.33	22.45	22.55	23.00
		MID	64QAM	22.69	22.79	22.74	23.00
		HIGH	64QAM	22.13	22.55	21.97	23.00
	3	LOW	64QAM	21.42	21.61	21.80	22.00
		MID	64QAM	22.06	22.44	21.90	23.00
		HIGH	64QAM	22.13	22.55	21.97	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23025	23095	23165	Tune-up power(dBm)
3	1	LOW	QPSK	24.39	24.54	24.18	25.00
		MID	QPSK	24.71	24.31	24.40	25.00
		HIGH	QPSK	24.35	24.07	24.47	25.00
	8	LOW	QPSK	23.68	23.72	23.72	24.00
		MID	QPSK	23.78	23.70	23.57	24.00
		HIGH	QPSK	23.48	23.44	23.70	24.00
3	15	LOW	QPSK	23.65	23.67	23.52	24.00
		MID	Q16	23.30	23.50	23.58	24.00
		HIGH	Q16	23.64	23.86	23.94	24.00
	8	LOW	Q16	23.03	23.68	22.80	24.00
		MID	Q16	22.68	22.65	22.47	23.00
		HIGH	Q16	22.78	22.59	22.57	23.00
3	15	LOW	Q16	22.81	22.65	22.52	23.00
		MID	Q16	22.40	22.75	22.72	23.00
		HIGH	Q16	22.16	22.63	22.48	23.00
	8	LOW	64QAM	22.84	22.80	22.83	23.00
		MID	64QAM	22.01	22.56	21.89	23.00
		HIGH	64QAM	21.57	21.65	21.49	22.00
3	15	LOW	64QAM	21.61	21.65	21.57	22.00
		MID	64QAM	21.64	21.61	21.42	22.00
		HIGH	64QAM	21.57	21.61	21.69	22.00
	8	LOW	64QAM	21.57	21.61	21.69	22.00
		MID	64QAM	21.57	21.61	21.69	22.00
		HIGH	64QAM	21.57	21.61	21.69	22.00

LTE B12-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23035	23095	23155	Tune-up power(dBm)
5	1	LOW	QPSK	24.31	24.53	24.31	25.00
		MID	QPSK	24.76	24.38	24.49	25.00
		HIGH	QPSK	24.17	24.27	24.32	25.00
	12	LOW	QPSK	23.66	23.62	23.53	24.00
		MID	QPSK	23.71	23.78	23.58	24.00
		HIGH	QPSK	23.56	23.57	23.75	24.00
	25	LOW	QPSK	23.70	23.65	23.45	24.00
5	1	LOW	Q16	23.20	23.41	23.53	24.00
		MID	Q16	23.61	23.72	23.70	24.00
		HIGH	Q16	23.05	23.45	22.89	24.00
	12	LOW	Q16	22.63	22.63	22.63	23.00
		MID	Q16	22.61	22.31	22.46	23.00
		HIGH	Q16	22.67	22.39	22.54	23.00
	25	LOW	Q16	22.64	22.60	22.74	23.00
5	1	LOW	64QAM	22.07	22.60	22.49	23.00
		MID	64QAM	22.71	22.78	22.68	23.00
		HIGH	64QAM	22.08	22.65	21.88	23.00
	12	LOW	64QAM	21.44	21.65	21.58	22.00
		MID	64QAM	21.56	21.40	21.68	22.00
		HIGH	64QAM	21.65	21.70	21.40	22.00
	25	LOW	64QAM	21.34	21.61	21.53	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23060	23095	23130	Tune-up power(dBm)
10	1	LOW	QPSK	24.44	24.33	24.32	25.00
		MID	QPSK	24.43	24.73	24.38	25.00
		HIGH	QPSK	24.17	24.23	24.35	25.00
	25	LOW	QPSK	23.57	23.61	23.64	24.00
		MID	QPSK	23.66	23.68	23.63	24.00
		HIGH	QPSK	23.58	23.61	23.56	24.00
	50	LOW	QPSK	23.58	23.60	23.59	24.00
10	1	LOW	Q16	23.35	23.55	23.58	24.00
		MID	Q16	23.66	23.75	23.80	24.00
		HIGH	Q16	23.18	23.59	22.93	24.00
	25	LOW	Q16	22.55	22.55	22.59	23.00
		MID	Q16	22.66	22.44	22.58	23.00
		HIGH	Q16	22.67	22.51	22.56	23.00
	50	LOW	Q16	22.52	22.61	22.61	23.00
10	1	LOW	64QAM	22.20	22.51	22.61	23.00
		MID	64QAM	22.81	22.90	22.73	23.00
		HIGH	64QAM	22.14	22.58	21.87	23.00
	25	LOW	64QAM	21.57	21.64	21.51	22.00
		MID	64QAM	21.69	21.55	21.61	22.00
		HIGH	64QAM	21.57	21.65	21.47	22.00
	50	LOW	64QAM	21.45	21.55	21.68	22.00

LTE B12-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23017	23095	23173	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.33	24.54	24.46	25.00
		MID	QPSK	24.74	24.44	24.45	25.00
		HIGH	QPSK	24.26	24.22	24.32	25.00
	3	LOW	QPSK	24.34	24.33	24.26	25.00
		MID	QPSK	24.59	24.45	24.51	25.00
		HIGH	QPSK	24.20	24.09	24.25	25.00
1.4	1	LOW	QPSK	23.69	23.65	23.64	24.00
		MID	Q16	23.36	23.49	23.73	24.00
		HIGH	Q16	23.76	23.68	23.94	24.00
	3	LOW	Q16	23.20	23.45	22.97	24.00
		MID	Q16	23.47	23.52	23.50	24.00
		HIGH	Q16	23.65	23.75	23.72	24.00
1.4	1	LOW	Q16	23.03	23.69	23.05	24.00
		MID	Q16	22.43	22.48	22.71	23.00
		HIGH	Q16	22.06	22.44	21.90	23.00
	3	LOW	64QAM	22.23	22.51	22.87	23.00
		MID	64QAM	22.79	22.55	22.82	23.00
		HIGH	64QAM	22.06	22.44	21.90	23.00
1.4	1	LOW	64QAM	22.33	22.45	22.55	23.00
		MID	64QAM	22.69	22.79	22.74	23.00
		HIGH	64QAM	22.13	22.55	21.97	23.00
	3	LOW	64QAM	21.42	21.61	21.80	22.00
		MID	64QAM	22.06	22.44	21.90	23.00
		HIGH	64QAM	22.13	22.55	21.97	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23025	23095	23165	Tune-up power(dBm)
3	1	LOW	QPSK	24.39	24.54	24.18	25.00
		MID	QPSK	24.71	24.31	24.40	25.00
		HIGH	QPSK	24.35	24.07	24.47	25.00
	8	LOW	QPSK	23.68	23.72	23.72	24.00
		MID	QPSK	23.78	23.70	23.57	24.00
		HIGH	QPSK	23.48	23.44	23.70	24.00
3	15	LOW	QPSK	23.65	23.67	23.52	24.00
		MID	Q16	23.30	23.50	23.58	24.00
		HIGH	Q16	23.64	23.86	23.94	24.00
	8	LOW	Q16	23.03	23.68	22.80	24.00
		MID	Q16	22.68	22.65	22.47	23.00
		HIGH	Q16	22.78	22.59	22.57	23.00
3	15	LOW	Q16	22.81	22.65	22.52	23.00
		MID	Q16	22.40	22.75	22.72	23.00
		HIGH	Q16	22.16	22.63	22.48	23.00
	8	LOW	64QAM	22.84	22.80	22.83	23.00
		MID	64QAM	22.01	22.56	21.89	23.00
		HIGH	64QAM	21.57	21.65	21.49	22.00
3	15	LOW	64QAM	21.61	21.65	21.57	22.00
		MID	64QAM	21.64	21.61	21.42	22.00
		HIGH	64QAM	21.57	21.61	21.69	22.00
	8	LOW	64QAM	21.57	21.61	21.69	22.00
		MID	64QAM	21.64	21.61	21.42	22.00
		HIGH	64QAM	21.57	21.61	21.69	22.00

LTE B12-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23035	23095	23155	Tune-up power(dBm)
5	1	LOW	QPSK	24.31	24.53	24.31	25.00
		MID	QPSK	24.76	24.38	24.49	25.00
		HIGH	QPSK	24.17	24.27	24.32	25.00
	12	LOW	QPSK	23.66	23.62	23.53	24.00
		MID	QPSK	23.71	23.78	23.58	24.00
		HIGH	QPSK	23.56	23.57	23.75	24.00
5	1	LOW	QPSK	23.70	23.65	23.45	24.00
		MID	Q16	23.20	23.41	23.53	24.00
		HIGH	Q16	23.61	23.72	23.70	24.00
	12	LOW	Q16	23.05	23.45	22.89	24.00
		MID	Q16	22.63	22.63	22.63	23.00
		HIGH	Q16	22.61	22.31	22.46	23.00
5	1	LOW	Q16	22.67	22.39	22.54	23.00
		MID	Q16	22.64	22.60	22.74	23.00
		HIGH	Q16	22.64	22.60	22.74	23.00
	12	LOW	64QAM	22.07	22.60	22.49	23.00
		MID	64QAM	22.71	22.78	22.68	23.00
		HIGH	64QAM	22.08	22.65	21.88	23.00
5	1	LOW	64QAM	21.44	21.65	21.58	22.00
		MID	64QAM	21.56	21.40	21.68	22.00
		HIGH	64QAM	21.65	21.70	21.40	22.00
	12	LOW	64QAM	21.34	21.61	21.53	22.00
		MID	64QAM	21.34	21.61	21.53	22.00
		HIGH	64QAM	21.34	21.61	21.53	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23060	23095	23130	Tune-up power(dBm)
10	1	LOW	QPSK	24.44	24.33	24.32	25.00
		MID	QPSK	24.43	24.73	24.38	25.00
		HIGH	QPSK	24.17	24.23	24.35	25.00
	25	LOW	QPSK	23.57	23.61	23.64	24.00
		MID	QPSK	23.66	23.68	23.63	24.00
		HIGH	QPSK	23.58	23.61	23.56	24.00
10	1	LOW	QPSK	23.58	23.60	23.59	24.00
		MID	Q16	23.35	23.55	23.58	24.00
		HIGH	Q16	23.66	23.75	23.80	24.00
	25	LOW	Q16	23.18	23.59	22.93	24.00
		MID	Q16	22.55	22.55	22.59	23.00
		HIGH	Q16	22.66	22.44	22.58	23.00
10	1	LOW	Q16	22.67	22.51	22.56	23.00
		MID	Q16	22.52	22.61	22.61	23.00
		HIGH	Q16	22.52	22.61	22.61	23.00
	25	LOW	64QAM	22.20	22.51	22.61	23.00
		MID	64QAM	22.81	22.90	22.73	23.00
		HIGH	64QAM	22.14	22.58	21.87	23.00
10	1	LOW	64QAM	21.57	21.64	21.51	22.00
		MID	64QAM	21.69	21.55	21.61	22.00
		HIGH	64QAM	21.57	21.65	21.47	22.00
	25	LOW	64QAM	21.45	21.55	21.68	22.00
		MID	64QAM	21.45	21.55	21.68	22.00
		HIGH	64QAM	21.45	21.55	21.68	22.00

LTE B12-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23017	23095	23173	Tune-up power(dBm)
1.4	1	LOW	QPSK	19.69	20.12	20.04	21.00
		MID	QPSK	20.63	20.69	20.74	21.00
		HIGH	QPSK	20.73	20.23	20.22	21.00
	3	LOW	QPSK	19.94	20.13	20.20	21.00
		MID	QPSK	20.87	20.71	20.66	21.00
		HIGH	QPSK	20.77	20.17	20.15	21.00
1.4	1	LOW	QPSK	20.17	20.48	20.48	21.00
		MID	QPSK	20.17	20.48	20.48	21.00
		HIGH	QPSK	20.17	20.48	20.48	21.00
	3	LOW	QPSK	20.17	20.48	20.48	21.00
		MID	QPSK	20.17	20.48	20.48	21.00
		HIGH	QPSK	20.17	20.48	20.48	21.00
1.4	1	LOW	Q16	19.95	20.30	20.48	21.00
		MID	Q16	20.50	20.81	20.25	21.00
		HIGH	Q16	20.46	20.22	19.76	21.00
	3	LOW	Q16	20.03	20.40	20.39	21.00
		MID	Q16	20.35	20.58	20.34	21.00
		HIGH	Q16	20.28	20.23	19.79	21.00
1.4	1	LOW	Q16	20.32	20.28	20.37	21.00
		MID	Q16	20.32	20.28	20.37	21.00
		HIGH	Q16	20.32	20.28	20.37	21.00
	3	LOW	Q16	20.32	20.28	20.37	21.00
		MID	Q16	20.32	20.28	20.37	21.00
		HIGH	Q16	20.32	20.28	20.37	21.00
1.4	1	LOW	64QAM	19.90	20.17	20.47	21.00
		MID	64QAM	20.36	20.69	20.24	21.00
		HIGH	64QAM	20.31	20.20	19.72	21.00
	3	LOW	64QAM	20.08	20.38	20.36	21.00
		MID	64QAM	20.45	20.71	20.25	21.00
		HIGH	64QAM	20.24	20.11	19.67	21.00
1.4	1	LOW	64QAM	20.40	20.36	20.49	21.00
		MID	64QAM	20.40	20.36	20.49	21.00
		HIGH	64QAM	20.40	20.36	20.49	21.00
	3	LOW	64QAM	20.40	20.36	20.49	21.00
		MID	64QAM	20.40	20.36	20.49	21.00
		HIGH	64QAM	20.40	20.36	20.49	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23025	23095	23165	Tune-up power(dBm)
3	1	LOW	QPSK	19.96	20.11	20.28	21.00
		MID	QPSK	20.83	20.61	20.56	21.00
		HIGH	QPSK	20.77	20.18	20.25	21.00
	8	LOW	QPSK	20.31	20.44	20.49	21.00
		MID	QPSK	20.28	20.48	20.55	21.00
		HIGH	QPSK	20.29	20.30	20.39	21.00
3	15	LOW	QPSK	20.24	20.46	20.38	21.00
		MID	QPSK	20.24	20.46	20.38	21.00
		HIGH	QPSK	20.24	20.46	20.38	21.00
	8	LOW	Q16	19.82	20.36	20.46	21.00
		MID	Q16	20.42	20.79	20.27	21.00
		HIGH	Q16	20.34	20.48	19.85	21.00
3	15	LOW	Q16	20.34	20.48	19.85	21.00
		MID	Q16	20.34	20.48	19.85	21.00
		HIGH	Q16	20.34	20.48	19.85	21.00
	8	LOW	Q16	20.28	20.54	20.52	21.00
		MID	Q16	20.42	20.24	20.52	21.00
		HIGH	Q16	20.35	20.22	20.31	21.00
3	15	LOW	Q16	20.34	20.40	20.39	21.00
		MID	Q16	20.34	20.40	20.39	21.00
		HIGH	Q16	20.34	20.40	20.39	21.00
	8	LOW	64QAM	20.04	20.37	20.38	21.00
		MID	64QAM	20.38	20.59	20.46	21.00
		HIGH	64QAM	20.18	20.49	19.62	21.00
3	15	LOW	64QAM	20.30	20.58	20.52	21.00
		MID	64QAM	20.45	20.54	20.39	21.00
		HIGH	64QAM	20.58	20.31	20.60	21.00
	8	LOW	64QAM	20.17	20.25	20.56	21.00
		MID	64QAM	20.17	20.25	20.56	21.00
		HIGH	64QAM	20.17	20.25	20.56	21.00

LTE B12-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23035	23095	23155	Tune-up power(dBm)
5	1	LOW	QPSK	19.72	20.22	20.13	21.00
		MID	QPSK	20.75	20.74	20.54	21.00
		HIGH	QPSK	20.60	20.41	20.11	21.00
	12	LOW	QPSK	20.27	20.27	20.56	21.00
		MID	QPSK	20.39	20.56	20.37	21.00
		HIGH	QPSK	20.36	20.43	20.32	21.00
5	1	LOW	QPSK	20.22	20.57	20.46	21.00
		MID	Q16	19.89	20.27	20.41	21.00
		HIGH	Q16	20.49	20.69	20.50	21.00
	12	LOW	Q16	20.51	20.21	19.85	21.00
		MID	Q16	20.16	20.60	20.34	21.00
		HIGH	Q16	20.54	20.31	20.63	21.00
5	1	LOW	Q16	20.48	20.27	20.30	21.00
		MID	Q16	20.31	20.39	20.32	21.00
		HIGH	Q16	20.31	20.39	20.32	21.00
	12	LOW	64QAM	20.02	20.12	20.33	21.00
		MID	64QAM	20.14	20.45	20.29	21.00
		HIGH	64QAM	20.24	20.34	19.68	21.00
5	1	LOW	64QAM	20.22	20.53	20.47	21.00
		MID	64QAM	20.56	20.51	20.45	21.00
		HIGH	64QAM	20.39	20.43	20.55	21.00
	12	LOW	64QAM	20.28	20.34	20.55	21.00
		MID	64QAM	20.28	20.34	20.55	21.00
		HIGH	64QAM	20.28	20.34	20.55	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23060	23095	23130	Tune-up power(dBm)
10	1	LOW	QPSK	19.83	20.23	20.18	21.00
		MID	QPSK	20.77	20.69	20.61	21.00
		HIGH	QPSK	20.64	20.27	20.20	21.00
	25	LOW	QPSK	20.23	20.42	20.41	21.00
		MID	QPSK	20.40	20.42	20.42	21.00
		HIGH	QPSK	20.46	20.42	20.43	21.00
10	1	LOW	QPSK	20.31	20.42	20.44	21.00
		MID	Q16	19.94	20.30	20.44	21.00
		HIGH	Q16	20.35	20.69	20.40	21.00
	25	LOW	Q16	20.39	20.35	19.82	21.00
		MID	Q16	20.28	20.52	20.49	21.00
		HIGH	Q16	20.42	20.36	20.50	21.00
10	1	LOW	Q16	20.45	20.35	20.39	21.00
		MID	Q16	20.26	20.41	20.37	21.00
		HIGH	Q16	20.26	20.41	20.37	21.00
	25	LOW	64QAM	20.02	20.27	20.42	21.00
		MID	64QAM	20.24	20.54	20.36	21.00
		HIGH	64QAM	20.26	20.35	19.76	21.00
10	1	LOW	64QAM	20.17	20.45	20.41	21.00
		MID	64QAM	20.52	20.46	20.35	21.00
		HIGH	64QAM	20.43	20.34	20.45	21.00
	25	LOW	64QAM	20.21	20.29	20.45	21.00
		MID	64QAM	20.21	20.29	20.45	21.00
		HIGH	64QAM	20.21	20.29	20.45	21.00

8.3.6 LTE Band12 Output Power

LTE B12-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23017	23095	23173	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.78	23.89	24.15	25.00
		MID	QPSK	24.27	24.05	24.47	25.00
		HIGH	QPSK	23.94	23.71	23.99	25.00
	3	LOW	QPSK	23.77	23.96	23.98	25.00
		MID	QPSK	24.22	24.16	24.32	25.00
		HIGH	QPSK	24.04	23.72	23.90	25.00
1.4	1	LOW	QPSK	23.33	23.21	23.14	24.00
		MID	Q16	23.12	23.36	23.38	24.00
		HIGH	Q16	23.77	23.47	23.33	24.00
	3	LOW	Q16	22.89	22.74	22.94	24.00
		MID	Q16	23.07	23.19	23.39	24.00
		HIGH	Q16	23.58	23.45	23.46	24.00
1.4	1	LOW	Q16	23.03	22.84	22.94	24.00
		MID	Q16	22.13	22.21	22.09	23.00
		HIGH	Q16	22.23	22.22	22.37	23.00
	3	LOW	64QAM	22.90	22.44	22.46	23.00
		MID	64QAM	21.90	21.84	21.80	23.00
		HIGH	64QAM	22.07	22.05	22.41	23.00
1.4	1	LOW	64QAM	22.48	22.49	22.55	23.00
		MID	64QAM	22.15	21.84	22.02	23.00
		HIGH	64QAM	21.27	21.14	21.06	22.00
	3	LOW	64QAM	23.62	23.90	24.15	25.00
		MID	64QAM	24.21	23.89	24.36	25.00
		HIGH	64QAM	24.13	23.88	23.96	25.00
3	1	LOW	QPSK	23.20	23.37	23.38	24.00
		MID	QPSK	23.41	23.35	23.15	24.00
		HIGH	QPSK	23.19	23.26	23.27	24.00
	8	LOW	QPSK	23.41	23.31	23.25	24.00
		MID	Q16	22.99	23.32	23.19	24.00
		HIGH	Q16	24.00	23.27	23.28	24.00
3	1	LOW	Q16	23.03	22.75	22.81	24.00
		MID	Q16	22.25	22.45	22.33	23.00
		HIGH	Q16	22.50	22.48	22.26	23.00
	8	LOW	Q16	22.28	22.22	22.20	23.00
		MID	Q16	22.15	22.12	22.08	23.00
		HIGH	Q16	22.29	22.25	22.47	23.00
3	1	LOW	64QAM	22.93	22.33	22.37	23.00
		MID	64QAM	21.93	21.58	21.70	23.00
		HIGH	64QAM	21.55	21.56	21.34	22.00
	8	LOW	64QAM	21.13	21.41	21.40	22.00
		MID	64QAM	21.36	20.98	21.42	22.00
		HIGH	64QAM	21.18	21.28	21.25	22.00

LTE B12-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23035	23095	23155	Tune-up power(dBm)
5	1	LOW	QPSK	23.83	23.98	24.00	25.00
		MID	QPSK	24.27	24.17	24.35	25.00
		HIGH	QPSK	24.03	23.99	23.85	25.00
	12	LOW	QPSK	23.11	23.46	23.36	24.00
		MID	QPSK	23.42	23.38	23.22	24.00
		HIGH	QPSK	23.46	23.28	23.16	24.00
5	1	LOW	QPSK	23.38	23.19	23.35	24.00
		MID	Q16	22.98	23.35	23.44	24.00
		HIGH	Q16	23.58	23.42	23.32	24.00
	12	LOW	Q16	23.01	22.60	23.00	24.00
		MID	Q16	22.37	22.40	22.29	23.00
		HIGH	Q16	22.46	22.30	22.48	23.00
5	1	LOW	Q16	22.24	22.12	22.22	23.00
		MID	Q16	22.09	22.29	22.27	23.00
		HIGH	Q16	22.09	22.29	22.27	23.00
	12	LOW	64QAM	22.25	22.24	22.51	23.00
		MID	64QAM	22.90	22.57	22.39	23.00
		HIGH	64QAM	22.00	21.45	21.96	23.00
5	1	LOW	64QAM	21.39	21.58	21.19	22.00
		MID	64QAM	21.18	21.30	21.17	22.00
		HIGH	64QAM	21.18	21.19	21.20	22.00
	12	LOW	64QAM	21.28	21.19	21.12	22.00
		MID	64QAM	21.28	21.19	21.12	22.00
		HIGH	64QAM	21.28	21.19	21.12	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23060	23095	23130	Tune-up power(dBm)
10	1	LOW	QPSK	23.74	23.92	24.03	25.00
		MID	QPSK	24.25	24.02	24.44	25.00
		HIGH	QPSK	23.98	23.85	23.96	25.00
	25	LOW	QPSK	23.21	23.31	23.31	24.00
		MID	QPSK	23.31	23.27	23.27	24.00
		HIGH	QPSK	23.28	23.30	23.34	24.00
10	1	LOW	QPSK	23.26	23.34	23.24	24.00
		MID	Q16	23.10	23.24	23.34	24.00
		HIGH	Q16	23.90	23.42	23.31	24.00
	25	LOW	Q16	23.00	22.73	22.89	24.00
		MID	Q16	22.35	22.37	22.39	23.00
		HIGH	Q16	22.37	22.38	22.36	23.00
10	1	LOW	Q16	22.30	22.24	22.31	23.00
		MID	Q16	22.30	22.24	22.31	23.00
		HIGH	Q16	22.30	22.24	22.31	23.00
	25	LOW	Q16	22.15	22.17	22.22	23.00
		MID	Q16	22.15	22.17	22.22	23.00
		HIGH	Q16	22.15	22.17	22.22	23.00
10	1	LOW	64QAM	22.14	22.35	22.46	23.00
		MID	64QAM	22.58	22.46	22.34	23.00
		HIGH	64QAM	22.05	21.58	21.82	23.00
	25	LOW	64QAM	21.48	21.45	21.34	22.00
		MID	64QAM	21.22	21.38	21.28	22.00
		HIGH	64QAM	21.33	21.13	21.35	22.00
10	50	LOW	64QAM	21.23	21.20	21.25	22.00
		MID	64QAM	21.23	21.20	21.25	22.00

LTE B12-State1&2&3&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23017	23095	23173	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.78	23.89	24.15	25.00
		MID	QPSK	24.27	24.05	24.47	25.00
		HIGH	QPSK	23.94	23.71	23.99	25.00
	3	LOW	QPSK	23.77	23.96	23.98	25.00
		MID	QPSK	24.22	24.16	24.32	25.00
		HIGH	QPSK	24.04	23.72	23.90	25.00
1.4	1	LOW	QPSK	23.33	23.21	23.14	24.00
		MID	Q16	23.12	23.36	23.38	24.00
		HIGH	Q16	23.77	23.47	23.33	24.00
	3	LOW	Q16	22.89	22.74	22.94	24.00
		MID	Q16	23.07	23.19	23.39	24.00
		HIGH	Q16	23.58	23.45	23.46	24.00
1.4	1	LOW	Q16	23.03	22.84	22.94	24.00
		MID	Q16	22.13	22.21	22.09	23.00
		HIGH	Q16	22.23	22.22	22.37	23.00
	3	LOW	64QAM	22.90	22.44	22.46	23.00
		MID	64QAM	21.90	21.84	21.80	23.00
		HIGH	64QAM	22.07	22.05	22.41	23.00
1.4	1	LOW	64QAM	22.48	22.49	22.55	23.00
		MID	64QAM	22.15	21.84	22.02	23.00
		HIGH	64QAM	21.27	21.14	21.06	22.00
	3	LOW	64QAM	22.23	22.22	22.37	23.00
		MID	64QAM	22.90	22.44	22.46	23.00
		HIGH	64QAM	21.90	21.84	21.80	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23025	23095	23165	Tune-up power(dBm)
3	1	LOW	QPSK	23.62	23.90	24.15	25.00
		MID	QPSK	24.21	23.89	24.36	25.00
		HIGH	QPSK	24.13	23.88	23.96	25.00
	8	LOW	QPSK	23.20	23.37	23.38	24.00
		MID	QPSK	23.41	23.35	23.15	24.00
		HIGH	QPSK	23.19	23.26	23.27	24.00
3	15	LOW	QPSK	23.41	23.31	23.25	24.00
		MID	Q16	22.99	23.32	23.19	24.00
		HIGH	Q16	24.00	23.27	23.28	24.00
	8	LOW	Q16	23.03	22.75	22.81	24.00
		MID	Q16	22.25	22.45	22.33	23.00
		HIGH	Q16	22.50	22.48	22.26	23.00
3	15	LOW	Q16	22.28	22.22	22.20	23.00
		MID	Q16	22.15	22.12	22.08	23.00
		HIGH	Q16	22.29	22.25	22.47	23.00
	1	LOW	64QAM	22.93	22.33	22.37	23.00
		MID	64QAM	21.93	21.58	21.70	23.00
		HIGH	64QAM	21.55	21.56	21.34	22.00
3	8	LOW	64QAM	21.13	21.41	21.40	22.00
		MID	64QAM	21.36	20.98	21.42	22.00
		HIGH	64QAM	21.18	21.28	21.25	22.00
	15	LOW	64QAM	21.18	21.28	21.25	22.00
		MID	64QAM	21.18	21.28	21.25	22.00
		HIGH	64QAM	21.18	21.28	21.25	22.00

LTE B12-State1&2&3&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23035	23095	23155	Tune-up power(dBm)
5	1	LOW	QPSK	23.83	23.98	24.00	25.00
		MID	QPSK	24.27	24.17	24.35	25.00
		HIGH	QPSK	24.03	23.99	23.85	25.00
	12	LOW	QPSK	23.11	23.46	23.36	24.00
		MID	QPSK	23.42	23.38	23.22	24.00
		HIGH	QPSK	23.46	23.28	23.16	24.00
	25	LOW	QPSK	23.38	23.19	23.35	24.00
5	1	LOW	Q16	22.98	23.35	23.44	24.00
		MID	Q16	23.58	23.42	23.32	24.00
		HIGH	Q16	23.01	22.60	23.00	24.00
	12	LOW	Q16	22.37	22.40	22.29	23.00
		MID	Q16	22.46	22.30	22.48	23.00
		HIGH	Q16	22.24	22.12	22.22	23.00
	25	LOW	Q16	22.09	22.29	22.27	23.00
5	1	LOW	64QAM	22.25	22.24	22.51	23.00
		MID	64QAM	22.90	22.57	22.39	23.00
		HIGH	64QAM	22.00	21.45	21.96	23.00
	12	LOW	64QAM	21.39	21.58	21.19	22.00
		MID	64QAM	21.18	21.30	21.17	22.00
		HIGH	64QAM	21.18	21.19	21.20	22.00
	25	LOW	64QAM	21.28	21.19	21.12	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23060	23095	23130	Tune-up power(dBm)
10	1	LOW	QPSK	23.74	23.92	24.03	25.00
		MID	QPSK	24.25	24.02	24.44	25.00
		HIGH	QPSK	23.98	23.85	23.96	25.00
	25	LOW	QPSK	23.21	23.31	23.31	24.00
		MID	QPSK	23.31	23.27	23.27	24.00
		HIGH	QPSK	23.28	23.30	23.34	24.00
	50	LOW	QPSK	23.26	23.34	23.24	24.00
10	1	LOW	Q16	23.10	23.24	23.34	24.00
		MID	Q16	23.90	23.42	23.31	24.00
		HIGH	Q16	23.00	22.73	22.89	24.00
	25	LOW	Q16	22.35	22.37	22.39	23.00
		MID	Q16	22.37	22.38	22.36	23.00
		HIGH	Q16	22.30	22.24	22.31	23.00
	50	LOW	Q16	22.15	22.17	22.22	23.00
10	1	LOW	64QAM	22.14	22.35	22.46	23.00
		MID	64QAM	22.58	22.46	22.34	23.00
		HIGH	64QAM	22.05	21.58	21.82	23.00
	25	LOW	64QAM	21.48	21.45	21.34	22.00
		MID	64QAM	21.22	21.38	21.28	22.00
		HIGH	64QAM	21.33	21.13	21.35	22.00
	50	LOW	64QAM	21.23	21.20	21.25	22.00

8.3.7 LTE Band13 Output Power

LTE B13-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23205	23230	23255	Tune-up power(dBm)
5	1	LOW	QPSK	23.59	23.82	23.60	25.00
		MID	QPSK	23.88	24.04	23.80	25.00
		HIGH	QPSK	23.58	23.44	23.49	25.00
	12	LOW	QPSK	22.84	22.82	22.77	24.00
		MID	QPSK	22.99	22.80	22.79	24.00
		HIGH	QPSK	22.71	22.76	22.60	24.00
	25	LOW	QPSK	22.95	22.88	22.84	24.00
5	1	LOW	Q16	22.96	22.96	23.07	24.00
		MID	Q16	23.07	23.06	23.12	24.00
		HIGH	Q16	22.86	22.79	22.86	24.00
	12	LOW	Q16	22.30	22.07	22.13	23.00
		MID	Q16	22.14	21.98	22.02	23.00
		HIGH	Q16	21.88	21.59	21.80	23.00
	25	LOW	Q16	21.93	21.82	21.91	23.00
5	1	LOW	64QAM	21.97	21.90	22.13	23.00
		MID	64QAM	22.20	22.15	22.23	23.00
		HIGH	64QAM	21.85	21.93	21.86	23.00
	12	LOW	64QAM	21.26	21.03	21.08	22.00
		MID	64QAM	21.15	21.05	21.15	22.00
		HIGH	64QAM	20.73	20.73	20.78	22.00
	25	LOW	64QAM	20.88	20.70	20.80	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23230			Tune-up power(dBm)
10	1	LOW	QPSK	/	23.67	/	25.00
		MID	QPSK	/	23.92	/	25.00
		HIGH	QPSK	/	23.57	/	25.00
	25	LOW	QPSK	/	22.87	/	24.00
		MID	QPSK	/	22.90	/	24.00
		HIGH	QPSK	/	22.72	/	24.00
	50	LOW	QPSK	/	22.88	/	24.00
10	1	LOW	Q16	/	22.98	/	24.00
		MID	Q16	/	22.98	/	24.00
		HIGH	Q16	/	22.45	/	24.00
	25	LOW	Q16	/	22.17	/	23.00
		MID	Q16	/	22.11	/	23.00
		HIGH	Q16	/	21.73	/	23.00
	50	LOW	Q16	/	21.91	/	23.00
10	1	LOW	64QAM	/	21.97	/	23.00
		MID	64QAM	/	21.95	/	23.00
		HIGH	64QAM	/	21.45	/	23.00
	25	LOW	64QAM	/	21.05	/	22.00
		MID	64QAM	/	21.07	/	22.00
		HIGH	64QAM	/	20.59	/	22.00
	50	LOW	64QAM	/	21.05	/	22.00

LTE B13-State1&2&3&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23205	23230	23255	Tune-up power(dBm)
5	1	LOW	QPSK	23.59	23.82	23.60	25.00
		MID	QPSK	23.88	24.04	23.80	25.00
		HIGH	QPSK	23.58	23.44	23.49	25.00
	12	LOW	QPSK	22.84	22.82	22.77	24.00
		MID	QPSK	22.99	22.80	22.79	24.00
		HIGH	QPSK	22.71	22.76	22.60	24.00
5	1	LOW	Q16	22.95	22.88	22.84	24.00
		MID	Q16	22.96	22.96	23.07	24.00
		HIGH	Q16	23.07	23.06	23.12	24.00
	12	LOW	Q16	22.86	22.79	22.86	24.00
		MID	Q16	22.30	22.07	22.13	23.00
		HIGH	Q16	22.14	21.98	22.02	23.00
5	1	LOW	Q16	21.88	21.59	21.80	23.00
		MID	Q16	21.93	21.82	21.91	23.00
		HIGH	Q16	21.97	21.90	22.13	23.00
	12	LOW	Q16	22.20	22.15	22.23	23.00
		MID	Q16	21.85	21.93	21.86	23.00
		HIGH	Q16	21.26	21.03	21.08	22.00
5	1	LOW	Q16	21.15	21.05	21.15	22.00
		MID	Q16	20.73	20.73	20.78	22.00
		HIGH	Q16	20.88	20.70	20.80	22.00
	12	LOW	Q16	20.88	20.70	20.80	22.00
		MID	Q16	20.88	20.70	20.80	22.00
		HIGH	Q16	20.88	20.70	20.80	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23230			Tune-up power(dBm)
10	1	LOW	QPSK	/	23.67	/	25.00
		MID	QPSK	/	23.92	/	25.00
		HIGH	QPSK	/	23.57	/	25.00
	25	LOW	QPSK	/	22.87	/	24.00
		MID	QPSK	/	22.90	/	24.00
		HIGH	QPSK	/	22.72	/	24.00
10	1	LOW	QPSK	/	22.88	/	24.00
		MID	QPSK	/	22.98	/	24.00
		HIGH	QPSK	/	22.98	/	24.00
	25	LOW	Q16	/	22.98	/	24.00
		MID	Q16	/	22.98	/	24.00
		HIGH	Q16	/	22.45	/	24.00
10	1	LOW	Q16	/	22.17	/	23.00
		MID	Q16	/	22.11	/	23.00
		HIGH	Q16	/	21.73	/	23.00
	25	LOW	Q16	/	21.91	/	23.00
		MID	Q16	/	21.91	/	23.00
		HIGH	Q16	/	21.91	/	23.00
10	1	LOW	Q16	/	21.97	/	23.00
		MID	Q16	/	21.95	/	23.00
		HIGH	Q16	/	21.45	/	23.00
	25	LOW	Q16	/	21.05	/	22.00
		MID	Q16	/	21.07	/	22.00
		HIGH	Q16	/	20.59	/	22.00
10	1	LOW	Q16	/	21.05	/	22.00
		MID	Q16	/	21.05	/	22.00
		HIGH	Q16	/	21.05	/	22.00
	25	LOW	Q16	/	21.05	/	22.00
		MID	Q16	/	21.05	/	22.00
		HIGH	Q16	/	21.05	/	22.00

8.3.7 LTE Band13 Output Power

LTE B13-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23205	23230	23255	Tune-up power(dBm)
5	1	LOW	QPSK	23.54	23.58	23.62	25.00
		MID	QPSK	24.35	24.25	24.21	25.00
		HIGH	QPSK	23.57	23.57	23.74	25.00
	12	LOW	QPSK	22.96	23.03	22.90	24.00
		MID	QPSK	23.10	22.90	23.03	24.00
		HIGH	QPSK	22.92	22.91	22.87	24.00
5	1	LOW	QPSK	23.17	23.11	23.18	24.00
	12	LOW	Q16	22.54	22.68	22.64	24.00
		MID	Q16	23.73	23.70	23.80	24.00
		HIGH	Q16	22.97	22.78	22.89	24.00
	25	LOW	Q16	22.24	22.16	22.17	23.00
		MID	Q16	22.04	22.20	22.01	23.00
5	1	LOW	Q16	22.02	21.93	21.88	23.00
	12	LOW	Q16	21.80	21.93	21.94	23.00
		MID	Q16	21.53	21.74	21.63	23.00
		HIGH	Q16	22.77	22.64	22.87	23.00
	25	LOW	Q16	22.09	21.89	21.85	23.00
		MID	Q16	21.21	21.02	21.32	22.00
5	1	LOW	Q16	20.91	21.30	20.99	22.00
	12	LOW	Q16	21.06	20.87	20.79	22.00
		MID	Q16	20.95	20.92	20.93	22.00
	25	LOW	Q16	20.95	20.92	20.93	22.00
		MID	Q16	20.95	20.92	20.93	22.00
		HIGH	Q16	20.95	20.92	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23230			Tune-up power(dBm)
10	1	LOW	QPSK	/	23.63	/	25.00
		MID	QPSK	/	24.20	/	25.00
		HIGH	QPSK	/	23.71	/	25.00
	25	LOW	QPSK	/	23.04	/	24.00
		MID	QPSK	/	23.04	/	24.00
		HIGH	QPSK	/	22.98	/	24.00
10	1	LOW	QPSK	/	23.06	/	24.00
	25	LOW	Q16	/	22.67	/	24.00
		MID	Q16	/	23.70	/	24.00
		HIGH	Q16	/	22.83	/	24.00
	50	LOW	Q16	/	22.19	/	23.00
		MID	Q16	/	22.09	/	23.00
10	1	LOW	Q16	/	21.87	/	23.00
	25	LOW	Q16	/	21.93	/	23.00
		MID	Q16	/	21.72	/	23.00
		HIGH	Q16	/	22.60	/	23.00
	50	LOW	Q16	/	21.74	/	23.00
		MID	Q16	/	21.10	/	22.00
10	1	LOW	Q16	/	21.23	/	22.00
	25	LOW	Q16	/	20.89	/	22.00
		MID	Q16	/	21.07	/	22.00
	50	LOW	Q16	/	21.07	/	22.00
		MID	Q16	/	21.07	/	22.00
		HIGH	Q16	/	21.07	/	22.00

LTE B13-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23205	23230	23255	Tune-up power(dBm)
5	1	LOW	QPSK	23.54	23.58	23.62	25.00
		MID	QPSK	24.35	24.25	24.21	25.00
		HIGH	QPSK	23.57	23.57	23.74	25.00
	12	LOW	QPSK	22.96	23.03	22.90	24.00
		MID	QPSK	23.10	22.90	23.03	24.00
		HIGH	QPSK	22.92	22.91	22.87	24.00
25	LOW	QPSK	23.17	23.11	23.18	24.00	
5	1	LOW	Q16	22.54	22.68	22.64	24.00
		MID	Q16	23.73	23.70	23.80	24.00
		HIGH	Q16	22.97	22.78	22.89	24.00
	12	LOW	Q16	22.24	22.16	22.17	23.00
		MID	Q16	22.04	22.20	22.01	23.00
		HIGH	Q16	22.02	21.93	21.88	23.00
25	LOW	Q16	21.80	21.93	21.94	23.00	
5	1	LOW	64QAM	21.53	21.74	21.63	23.00
		MID	64QAM	22.77	22.64	22.87	23.00
		HIGH	64QAM	22.09	21.89	21.85	23.00
	12	LOW	64QAM	21.21	21.02	21.32	22.00
		MID	64QAM	20.91	21.30	20.99	22.00
		HIGH	64QAM	21.06	20.87	20.79	22.00
25	LOW	64QAM	20.95	20.92	20.93	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	23230			Tune-up power(dBm)
10	1	LOW	QPSK	/	23.63	/	25.00
		MID	QPSK	/	24.20	/	25.00
		HIGH	QPSK	/	23.71	/	25.00
	25	LOW	QPSK	/	23.04	/	24.00
		MID	QPSK	/	23.04	/	24.00
		HIGH	QPSK	/	22.98	/	24.00
50	LOW	QPSK	/	23.06	/	24.00	
10	1	LOW	Q16	/	22.67	/	24.00
		MID	Q16	/	23.70	/	24.00
		HIGH	Q16	/	22.83	/	24.00
	25	LOW	Q16	/	22.19	/	23.00
		MID	Q16	/	22.09	/	23.00
		HIGH	Q16	/	21.87	/	23.00
50	LOW	Q16	/	21.93	/	23.00	
10	1	LOW	64QAM	/	21.72	/	23.00
		MID	64QAM	/	22.60	/	23.00
		HIGH	64QAM	/	21.74	/	23.00
	25	LOW	64QAM	/	21.10	/	22.00
		MID	64QAM	/	21.23	/	22.00
		HIGH	64QAM	/	20.89	/	22.00
50	LOW	64QAM	/	21.07	/	22.00	

LTE B13-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23205	23230	23255	Tune-up power(dBm)
5	1	LOW	QPSK	22.84	23.11	22.95	23.50
		MID	QPSK	22.92	23.08	23.06	23.50
		HIGH	QPSK	22.90	22.90	23.08	23.50
	12	LOW	QPSK	23.19	23.03	22.96	23.50
		MID	QPSK	23.11	23.01	23.27	23.50
		HIGH	QPSK	23.14	22.99	23.09	23.50
5	1	LOW	Q16	23.29	23.16	23.18	23.50
		MID	Q16	22.96	23.06	22.99	23.50
		HIGH	Q16	23.09	23.28	23.25	23.50
	12	LOW	Q16	22.71	22.56	22.69	23.50
		MID	Q16	22.86	22.76	22.79	23.00
		HIGH	Q16	22.81	22.67	22.70	23.00
5	1	LOW	Q16	22.64	22.59	22.55	23.00
		MID	Q16	22.59	22.60	22.43	23.00
		HIGH	Q16	22.59	22.60	22.43	23.00
	12	LOW	64QAM	22.56	22.57	22.40	23.00
		MID	64QAM	22.62	22.74	22.89	23.00
		HIGH	64QAM	22.16	22.10	22.08	23.00
5	1	LOW	64QAM	21.73	21.91	21.78	22.00
		MID	64QAM	21.87	21.66	21.56	22.00
		HIGH	64QAM	21.63	21.44	21.65	22.00
	12	LOW	64QAM	21.44	21.50	21.41	22.00
		MID	64QAM	21.44	21.50	21.41	22.00
		HIGH	64QAM	21.44	21.50	21.41	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23230			Tune-up power(dBm)
10	1	LOW	QPSK	/	22.99	/	23.50
		MID	QPSK	/	23.12	/	23.50
		HIGH	QPSK	/	22.94	/	23.50
	25	LOW	QPSK	/	23.11	/	23.50
		MID	QPSK	/	23.12	/	23.50
		HIGH	QPSK	/	23.00	/	23.50
10	1	LOW	QPSK	/	23.18	/	23.50
		MID	QPSK	/	23.18	/	23.50
		HIGH	QPSK	/	22.96	/	23.50
	25	LOW	Q16	/	22.96	/	23.50
		MID	Q16	/	23.18	/	23.50
		HIGH	Q16	/	22.59	/	23.50
10	1	LOW	Q16	/	22.79	/	23.00
		MID	Q16	/	22.81	/	23.00
		HIGH	Q16	/	22.51	/	23.00
	25	LOW	Q16	/	22.56	/	23.00
		MID	Q16	/	22.56	/	23.00
		HIGH	Q16	/	22.56	/	23.00
10	1	LOW	64QAM	/	22.34	/	23.00
		MID	64QAM	/	22.75	/	23.00
		HIGH	64QAM	/	22.08	/	23.00
	25	LOW	64QAM	/	21.85	/	22.00
		MID	64QAM	/	21.88	/	22.00
		HIGH	64QAM	/	21.42	/	22.00
10	1	LOW	64QAM	/	21.56	/	22.00
		MID	64QAM	/	21.56	/	22.00
		HIGH	64QAM	/	21.56	/	22.00
	25	LOW	64QAM	/	21.56	/	22.00
		MID	64QAM	/	21.56	/	22.00
		HIGH	64QAM	/	21.56	/	22.00

8.3.8 LTE Band17 Output Power

LTE B17-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23755	23790	23825	Tune-up power(dBm)
5	1	LOW	QPSK	24.13	24.00	24.01	25.00
		MID	QPSK	24.61	24.90	24.61	25.00
		HIGH	QPSK	23.95	23.91	23.53	25.00
	12	LOW	QPSK	23.76	23.43	23.75	24.00
		MID	QPSK	23.71	23.55	23.63	24.00
		HIGH	QPSK	23.78	23.71	23.74	24.00
	25	LOW	QPSK	23.65	23.59	23.71	24.00
5	1	LOW	Q16	23.01	23.26	23.01	24.00
		MID	Q16	23.83	23.77	23.91	24.00
		HIGH	Q16	23.16	23.48	22.60	24.00
	12	LOW	Q16	22.63	22.94	22.51	23.00
		MID	Q16	22.67	22.80	22.70	23.00
		HIGH	Q16	22.59	22.67	22.61	23.00
	25	LOW	Q16	22.64	22.47	22.41	23.00
5	1	LOW	64QAM	22.00	22.40	22.13	23.00
		MID	64QAM	22.75	22.78	22.99	23.00
		HIGH	64QAM	21.92	22.30	21.82	23.00
	12	LOW	64QAM	21.94	21.78	21.50	22.00
		MID	64QAM	21.56	21.83	21.73	22.00
		HIGH	64QAM	21.53	21.71	21.77	22.00
	25	LOW	64QAM	21.66	21.79	21.46	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23780	23790	23800	Tune-up power(dBm)
10	1	LOW	QPSK	23.98	24.00	24.02	25.00
		MID	QPSK	24.59	24.79	24.64	25.00
		HIGH	QPSK	24.07	23.89	23.64	25.00
	25	LOW	QPSK	23.64	23.53	23.65	24.00
		MID	QPSK	23.63	23.55	23.56	24.00
		HIGH	QPSK	23.65	23.68	23.66	24.00
10	50	LOW	QPSK	23.69	23.58	23.56	24.00
	1	LOW	Q16	22.87	23.34	23.03	24.00
		MID	Q16	23.79	23.77	23.88	24.00
		HIGH	Q16	23.05	23.36	22.75	24.00
	25	LOW	Q16	22.73	22.85	22.55	23.00
		MID	Q16	22.66	22.77	22.75	23.00
		HIGH	Q16	22.59	22.77	22.60	23.00
	50	LOW	Q16	22.60	22.57	22.54	23.00
10	1	LOW	64QAM	21.98	22.38	22.15	23.00
		MID	64QAM	22.78	22.76	23.00	23.00
		HIGH	64QAM	21.98	22.25	21.81	23.00
	25	LOW	64QAM	21.82	21.89	21.65	22.00
		MID	64QAM	21.71	21.82	21.66	22.00
		HIGH	64QAM	21.64	21.86	21.71	22.00
	50	LOW	64QAM	21.55	21.71	21.57	22.00

LTE B17-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23755	23790	23825	Tune-up power(dBm)
5	1	LOW	QPSK	24.13	24.00	24.01	25.00
		MID	QPSK	24.61	24.90	24.61	25.00
		HIGH	QPSK	23.95	23.91	23.53	25.00
	12	LOW	QPSK	23.76	23.43	23.75	24.00
		MID	QPSK	23.71	23.55	23.63	24.00
		HIGH	QPSK	23.78	23.71	23.74	24.00
	25	LOW	QPSK	23.65	23.59	23.71	24.00
5	1	LOW	Q16	23.01	23.26	23.01	24.00
		MID	Q16	23.83	23.77	23.91	24.00
		HIGH	Q16	23.16	23.48	22.60	24.00
	12	LOW	Q16	22.63	22.94	22.51	23.00
		MID	Q16	22.67	22.80	22.70	23.00
		HIGH	Q16	22.59	22.67	22.61	23.00
	25	LOW	Q16	22.64	22.47	22.41	23.00
5	1	LOW	64QAM	22.00	22.40	22.13	23.00
		MID	64QAM	22.75	22.78	22.99	23.00
		HIGH	64QAM	21.92	22.30	21.82	23.00
	12	LOW	64QAM	21.94	21.78	21.50	22.00
		MID	64QAM	21.56	21.83	21.73	22.00
		HIGH	64QAM	21.53	21.71	21.77	22.00
	25	LOW	64QAM	21.66	21.79	21.46	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23780	23790	23800	Tune-up power(dBm)
10	1	LOW	QPSK	23.98	24.00	24.02	25.00
		MID	QPSK	24.59	24.79	24.64	25.00
		HIGH	QPSK	24.07	23.89	23.64	25.00
	25	LOW	QPSK	23.64	23.53	23.65	24.00
		MID	QPSK	23.63	23.55	23.56	24.00
		HIGH	QPSK	23.65	23.68	23.66	24.00
	50	LOW	QPSK	23.69	23.58	23.56	24.00
10	1	LOW	Q16	22.87	23.34	23.03	24.00
		MID	Q16	23.79	23.77	23.88	24.00
		HIGH	Q16	23.05	23.36	22.75	24.00
	25	LOW	Q16	22.73	22.85	22.55	23.00
		MID	Q16	22.66	22.77	22.75	23.00
		HIGH	Q16	22.59	22.77	22.60	23.00
	50	LOW	Q16	22.60	22.57	22.54	23.00
10	1	LOW	64QAM	21.98	22.38	22.15	23.00
		MID	64QAM	22.78	22.76	23.00	23.00
		HIGH	64QAM	21.98	22.25	21.81	23.00
	25	LOW	64QAM	21.82	21.89	21.65	22.00
		MID	64QAM	21.71	21.82	21.66	22.00
		HIGH	64QAM	21.64	21.86	21.71	22.00
	50	LOW	64QAM	21.55	21.71	21.57	22.00

LTE B17-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23755	23790	23825	Tune-up power(dBm)
5	1	LOW	QPSK	21.01	20.91	21.00	21.50
		MID	QPSK	20.94	21.41	21.25	21.50
		HIGH	QPSK	20.99	21.10	20.72	21.50
	12	LOW	QPSK	21.06	21.10	21.11	21.50
		MID	QPSK	21.17	21.01	20.88	21.50
		HIGH	QPSK	20.98	20.95	21.00	21.50
	25	LOW	QPSK	20.91	21.03	20.81	21.50
5	1	LOW	Q16	20.96	20.84	20.90	21.50
		MID	Q16	21.44	21.11	20.93	21.50
		HIGH	Q16	21.00	20.86	20.69	21.50
	12	LOW	Q16	21.07	20.95	21.06	21.50
		MID	Q16	21.14	21.23	21.15	21.50
		HIGH	Q16	21.05	21.07	21.10	21.50
	25	LOW	Q16	21.07	20.90	20.90	21.50
5	1	LOW	64QAM	21.08	21.07	20.72	21.50
		MID	64QAM	21.43	21.28	21.09	21.50
		HIGH	64QAM	21.21	20.91	20.52	21.50
	12	LOW	64QAM	21.00	20.97	21.45	21.50
		MID	64QAM	20.73	21.10	21.33	21.50
		HIGH	64QAM	20.98	20.98	21.10	21.50
	25	LOW	64QAM	20.90	20.59	20.92	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	23780	23790	23800	Tune-up power(dBm)
10	1	LOW	QPSK	20.99	20.85	20.94	21.50
		MID	QPSK	21.07	21.37	21.21	21.50
		HIGH	QPSK	21.02	21.00	20.82	21.50
	25	LOW	QPSK	21.04	20.96	20.99	21.50
		MID	QPSK	21.06	21.00	20.92	21.50
		HIGH	QPSK	21.05	21.07	21.02	21.50
	50	LOW	QPSK	21.05	20.95	20.94	21.50
10	1	LOW	Q16	20.95	20.89	20.84	21.50
		MID	Q16	21.40	21.12	20.98	21.50
		HIGH	Q16	21.01	20.76	20.54	21.50
	25	LOW	Q16	21.07	21.04	21.19	21.50
		MID	Q16	20.99	21.23	21.11	21.50
		HIGH	Q16	20.99	21.18	21.00	21.50
	50	LOW	Q16	21.04	20.79	20.90	21.50
10	1	LOW	64QAM	21.07	20.94	20.72	21.50
		MID	64QAM	21.32	21.20	21.00	21.50
		HIGH	64QAM	21.09	20.78	20.50	21.50
	25	LOW	64QAM	20.92	20.97	21.33	21.50
		MID	64QAM	20.88	21.09	21.20	21.50
		HIGH	64QAM	20.96	21.11	21.01	21.50
	50	LOW	64QAM	20.90	20.64	20.96	21.50

8.3.8 LTE Band17 Output Power

LTE B17-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23755	23790	23825	Tune-up power(dBm)
5	1	LOW	QPSK	23.86	23.85	23.66	25.00
		MID	QPSK	24.17	24.33	24.36	25.00
		HIGH	QPSK	23.73	23.81	23.61	25.00
	12	LOW	QPSK	23.24	23.18	23.35	24.00
		MID	QPSK	23.40	23.31	23.36	24.00
		HIGH	QPSK	23.40	23.30	23.36	24.00
25	LOW	QPSK	23.36	23.13	23.38	24.00	
5	1	LOW	Q16	22.76	23.19	22.82	24.00
		MID	Q16	23.60	23.49	23.62	24.00
		HIGH	Q16	22.69	23.24	22.57	24.00
	12	LOW	Q16	22.26	22.30	22.35	23.00
		MID	Q16	22.34	22.57	22.36	23.00
		HIGH	Q16	22.26	22.29	22.11	23.00
25	LOW	Q16	22.16	22.48	22.27	23.00	
5	1	LOW	64QAM	21.65	22.25	21.68	23.00
		MID	64QAM	22.33	22.60	22.42	23.00
		HIGH	64QAM	21.75	22.21	21.72	23.00
	12	LOW	64QAM	21.24	21.55	21.51	22.00
		MID	64QAM	21.16	21.53	21.41	22.00
		HIGH	64QAM	21.37	21.34	21.01	22.00
25	LOW	64QAM	21.51	21.35	20.99	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	23780	23790	23800	Tune-up power(dBm)
10	1	LOW	QPSK	23.89	23.79	23.83	25.00
		MID	QPSK	24.17	24.43	24.40	25.00
		HIGH	QPSK	23.84	23.52	23.72	25.00
	25	LOW	QPSK	23.32	23.30	23.24	24.00
		MID	QPSK	23.30	23.27	23.26	24.00
		HIGH	QPSK	23.30	23.38	23.29	24.00
50	LOW	QPSK	23.29	23.25	23.24	24.00	
10	1	LOW	Q16	22.74	23.16	22.79	24.00
		MID	Q16	23.45	23.44	23.49	24.00
		HIGH	Q16	22.80	23.17	22.62	24.00
	25	LOW	Q16	22.31	22.28	22.39	23.00
		MID	Q16	22.40	22.48	22.34	23.00
		HIGH	Q16	22.32	22.38	22.23	23.00
50	LOW	Q16	22.30	22.39	22.13	23.00	
10	1	LOW	64QAM	21.63	22.24	21.74	23.00
		MID	64QAM	22.39	22.55	22.47	23.00
		HIGH	64QAM	21.78	22.29	21.69	23.00
	25	LOW	64QAM	21.35	21.41	21.44	22.00
		MID	64QAM	21.31	21.41	21.42	22.00
		HIGH	64QAM	21.33	21.40	21.14	22.00
50	LOW	64QAM	21.45	21.38	21.07	22.00	

LTE B17-State1&2&3&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23755	23790	23825	Tune-up power(dBm)
5	1	LOW	QPSK	23.86	23.85	23.66	25.00
		MID	QPSK	24.17	24.33	24.36	25.00
		HIGH	QPSK	23.73	23.81	23.61	25.00
	12	LOW	QPSK	23.24	23.18	23.35	24.00
		MID	QPSK	23.40	23.31	23.36	24.00
		HIGH	QPSK	23.40	23.30	23.36	24.00
	25	LOW	QPSK	23.36	23.13	23.38	24.00
5	1	LOW	Q16	22.76	23.19	22.82	24.00
		MID	Q16	23.60	23.49	23.62	24.00
		HIGH	Q16	22.69	23.24	22.57	24.00
	12	LOW	Q16	22.26	22.30	22.35	23.00
		MID	Q16	22.34	22.57	22.36	23.00
		HIGH	Q16	22.26	22.29	22.11	23.00
	25	LOW	Q16	22.16	22.48	22.27	23.00
5	1	LOW	64QAM	21.65	22.25	21.68	23.00
		MID	64QAM	22.33	22.60	22.42	23.00
		HIGH	64QAM	21.75	22.21	21.72	23.00
	12	LOW	64QAM	21.24	21.55	21.51	22.00
		MID	64QAM	21.16	21.53	21.41	22.00
		HIGH	64QAM	21.37	21.34	21.01	22.00
	25	LOW	64QAM	21.51	21.35	20.99	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23780	23790	23800	Tune-up power(dBm)
10	1	LOW	QPSK	23.89	23.79	23.83	25.00
		MID	QPSK	24.17	24.43	24.40	25.00
		HIGH	QPSK	23.84	23.52	23.72	25.00
	25	LOW	QPSK	23.32	23.30	23.24	24.00
		MID	QPSK	23.30	23.27	23.26	24.00
		HIGH	QPSK	23.30	23.38	23.29	24.00
	50	LOW	QPSK	23.29	23.25	23.24	24.00
10	1	LOW	Q16	22.74	23.16	22.79	24.00
		MID	Q16	23.45	23.44	23.49	24.00
		HIGH	Q16	22.80	23.17	22.62	24.00
	25	LOW	Q16	22.31	22.28	22.39	23.00
		MID	Q16	22.40	22.48	22.34	23.00
		HIGH	Q16	22.32	22.38	22.23	23.00
	50	LOW	Q16	22.30	22.39	22.13	23.00
10	1	LOW	64QAM	21.63	22.24	21.74	23.00
		MID	64QAM	22.39	22.55	22.47	23.00
		HIGH	64QAM	21.78	22.29	21.69	23.00
	25	LOW	64QAM	21.35	21.41	21.44	22.00
		MID	64QAM	21.31	21.41	21.42	22.00
		HIGH	64QAM	21.33	21.40	21.14	22.00
	50	LOW	64QAM	21.45	21.38	21.07	22.00

8.3.9 LTE Band18 Output Power

LTE B18-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	24.15	24.07	24.00	25.00
		MID	QPSK	24.49	24.42	24.00	25.00
		HIGH	QPSK	23.90	23.84	23.65	25.00
	12	LOW	QPSK	23.51	23.45	23.33	24.00
		MID	QPSK	23.35	23.47	23.38	24.00
		HIGH	QPSK	23.44	23.39	23.34	24.00
	25	LOW	QPSK	23.37	23.37	23.40	24.00
	5	LOW	Q16	23.13	23.38	23.32	24.00
		MID	Q16	23.39	23.68	23.45	24.00
		HIGH	Q16	23.00	23.04	22.66	24.00
		LOW	Q16	22.77	22.40	22.50	23.00
		MID	Q16	22.51	22.54	22.38	23.00
		HIGH	Q16	22.35	22.43	22.36	23.00
	25	LOW	Q16	22.59	22.53	22.25	23.00
5	1	LOW	64QAM	21.92	22.46	22.65	23.00
		MID	64QAM	22.48	22.72	22.75	23.00
		HIGH	64QAM	22.22	21.85	21.77	23.00
	12	LOW	64QAM	21.57	21.51	21.62	22.00
		MID	64QAM	21.58	21.48	21.26	22.00
		HIGH	64QAM	21.23	21.49	21.35	22.00
	25	LOW	64QAM	21.42	21.48	21.29	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	24.01	23.93	24.02	25.00
		MID	QPSK	24.40	24.58	24.09	25.00
		HIGH	QPSK	23.98	23.83	23.51	25.00
	25	LOW	QPSK	23.47	23.42	23.41	24.00
		MID	QPSK	23.40	23.35	23.49	24.00
		HIGH	QPSK	23.43	23.42	23.41	24.00
	50	LOW	QPSK	23.46	23.51	23.36	24.00
	10	LOW	Q16	23.05	23.41	23.44	24.00
		MID	Q16	23.43	23.83	23.60	24.00
		HIGH	Q16	23.04	22.86	22.67	24.00
		LOW	Q16	22.63	22.59	22.41	23.00
		MID	Q16	22.54	22.38	22.50	23.00
		HIGH	Q16	22.39	22.54	22.39	23.00
10	1	LOW	Q16	22.45	22.43	22.39	23.00
		MID	64QAM	22.05	22.32	22.58	23.00
		HIGH	64QAM	22.52	22.83	22.68	23.00
	25	LOW	64QAM	22.08	21.96	21.57	23.00
		MID	64QAM	21.77	21.64	21.40	22.00
		HIGH	64QAM	21.57	21.39	21.57	22.00
	50	LOW	64QAM	21.25	21.60	21.42	22.00
		MID	64QAM	21.25	21.60	21.42	22.00
		HIGH	64QAM	21.36	21.40	21.50	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	24.07	/	25.00
		MID	QPSK	/	24.44	/	25.00
		HIGH	QPSK	/	23.87	/	25.00
	36	LOW	QPSK	/	23.47	/	24.00
		MID	QPSK	/	23.39	/	24.00
		HIGH	QPSK	/	23.46	/	24.00
	75	LOW	QPSK	/	23.43	/	24.00
	15	LOW	Q16	/	23.38	/	24.00
		MID	Q16	/	23.70	/	24.00
		HIGH	Q16	/	22.89	/	24.00
		LOW	Q16	/	22.47	/	23.00
		MID	Q16	/	22.48	/	23.00
		HIGH	Q16	/	22.44	/	23.00
15	1	LOW	Q16	/	22.43	/	23.00
		MID	64QAM	/	22.44	/	23.00
		HIGH	64QAM	/	21.77	/	23.00
	36	LOW	64QAM	/	21.45	/	22.00
		MID	64QAM	/	21.44	/	22.00
		HIGH	64QAM	/	21.43	/	22.00
	75	LOW	64QAM	/	21.41	/	22.00
		MID	64QAM	/	21.41	/	22.00
		HIGH	64QAM	/	21.41	/	22.00

LTE B18-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	24.15	24.07	24.00	25.00
		MID	QPSK	24.49	24.42	24.00	25.00
		HIGH	QPSK	23.90	23.84	23.65	25.00
	12	LOW	QPSK	23.51	23.45	23.33	24.00
		MID	QPSK	23.35	23.47	23.38	24.00
		HIGH	QPSK	23.44	23.39	23.34	24.00
	25	LOW	QPSK	23.37	23.37	23.40	24.00
	5	LOW	Q16	23.13	23.38	23.32	24.00
		MID	Q16	23.39	23.68	23.45	24.00
		HIGH	Q16	23.00	23.04	22.66	24.00
		LOW	Q16	22.77	22.40	22.50	23.00
		MID	Q16	22.51	22.54	22.38	23.00
		HIGH	Q16	22.35	22.43	22.36	23.00
5	1	LOW	Q16	22.59	22.53	22.25	23.00
		MID	Q16	22.59	22.53	22.25	23.00
		HIGH	Q16	22.59	22.53	22.25	23.00
	12	LOW	Q16	22.59	22.53	22.25	23.00
		MID	Q16	22.59	22.53	22.25	23.00
		HIGH	Q16	22.59	22.53	22.25	23.00
	25	LOW	Q16	22.59	22.53	22.25	23.00
	5	LOW	Q16	22.59	22.53	22.25	23.00
		MID	Q16	22.59	22.53	22.25	23.00
		HIGH	Q16	22.59	22.53	22.25	23.00
		LOW	Q16	22.59	22.53	22.25	23.00
		MID	Q16	22.59	22.53	22.25	23.00
		HIGH	Q16	22.59	22.53	22.25	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	24.01	23.93	24.02	25.00
		MID	QPSK	24.40	24.58	24.09	25.00
		HIGH	QPSK	23.98	23.83	23.51	25.00
	25	LOW	QPSK	23.47	23.42	23.41	24.00
		MID	QPSK	23.40	23.35	23.49	24.00
		HIGH	QPSK	23.43	23.42	23.41	24.00
	50	LOW	QPSK	23.46	23.51	23.36	24.00
	10	LOW	Q16	23.05	23.41	23.44	24.00
		MID	Q16	23.43	23.83	23.60	24.00
		HIGH	Q16	23.04	22.86	22.67	24.00
		LOW	Q16	22.63	22.59	22.41	23.00
		MID	Q16	22.54	22.38	22.50	23.00
		HIGH	Q16	22.39	22.54	22.39	23.00
10	1	LOW	Q16	22.45	22.43	22.39	23.00
		MID	Q16	22.45	22.43	22.39	23.00
		HIGH	Q16	22.45	22.43	22.39	23.00
	25	LOW	Q16	22.45	22.43	22.39	23.00
		MID	Q16	22.45	22.43	22.39	23.00
		HIGH	Q16	22.45	22.43	22.39	23.00
	50	LOW	Q16	22.45	22.43	22.39	23.00
	10	LOW	Q16	22.45	22.43	22.39	23.00
		MID	Q16	22.45	22.43	22.39	23.00
		HIGH	Q16	22.45	22.43	22.39	23.00
		LOW	Q16	22.45	22.43	22.39	23.00
		MID	Q16	22.45	22.43	22.39	23.00
		HIGH	Q16	22.45	22.43	22.39	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	24.07	/	25.00
		MID	QPSK	/	24.44	/	25.00
		HIGH	QPSK	/	23.87	/	25.00
	36	LOW	QPSK	/	23.47	/	24.00
		MID	QPSK	/	23.39	/	24.00
		HIGH	QPSK	/	23.46	/	24.00
	75	LOW	QPSK	/	23.43	/	24.00
	15	LOW	Q16	/	23.38	/	24.00
		MID	Q16	/	23.70	/	24.00
		HIGH	Q16	/	22.89	/	24.00
		LOW	Q16	/	22.47	/	23.00
		MID	Q16	/	22.48	/	23.00
		HIGH	Q16	/	22.44	/	23.00
15	1	LOW	Q16	/	22.43	/	23.00
		MID	Q16	/	22.43	/	23.00
		HIGH	Q16	/	22.43	/	23.00
	36	LOW	Q16	/	22.43	/	23.00
		MID	Q16	/	22.43	/	23.00
		HIGH	Q16	/	22.43	/	23.00
	75	LOW	Q16	/	22.43	/	23.00
	15	LOW	Q16	/	22.43	/	23.00
		MID	Q16	/	22.43	/	23.00
		HIGH	Q16	/	22.43	/	23.00
		LOW	Q16	/	22.43	/	23.00
		MID	Q16	/	22.43	/	23.00
		HIGH	Q16	/	22.43	/	23.00

LTE B18-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	21.66	21.61	21.42	22.00
		MID	QPSK	21.92	21.78	21.41	22.00
		HIGH	QPSK	21.64	21.69	21.45	22.00
	12	LOW	QPSK	21.67	21.73	21.65	22.00
		MID	QPSK	21.61	21.72	21.53	22.00
		HIGH	QPSK	21.68	21.49	21.62	22.00
	25	LOW	QPSK	21.65	21.59	21.75	22.00
5	1	LOW	Q16	21.38	21.58	21.48	22.00
		MID	Q16	21.68	21.93	21.59	22.00
		HIGH	Q16	21.26	21.47	21.30	22.00
	12	LOW	Q16	21.82	21.64	21.65	22.00
		MID	Q16	21.65	21.77	21.90	22.00
		HIGH	Q16	21.78	21.67	21.45	22.00
	25	LOW	Q16	21.53	21.60	21.61	22.00
5	1	LOW	64QAM	21.65	21.58	21.74	22.00
		MID	64QAM	21.87	21.85	21.46	22.00
		HIGH	64QAM	21.16	21.71	21.38	22.00
	12	LOW	64QAM	21.85	21.67	21.76	22.00
		MID	64QAM	21.62	21.69	21.93	22.00
		HIGH	64QAM	21.70	21.63	21.38	22.00
	25	LOW	64QAM	21.60	21.44	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	21.59	21.63	21.36	22.00
		MID	QPSK	21.97	21.76	21.50	22.00
		HIGH	QPSK	21.62	21.68	21.50	22.00
	25	LOW	QPSK	21.66	21.76	21.68	22.00
		MID	QPSK	21.72	21.64	21.65	22.00
		HIGH	QPSK	21.60	21.75	21.58	22.00
	50	LOW	QPSK	21.71	21.54	21.60	22.00
10	1	LOW	Q16	21.53	21.45	21.57	22.00
		MID	Q16	21.71	21.90	21.62	22.00
		HIGH	Q16	21.24	21.72	21.38	22.00
	25	LOW	Q16	21.88	21.61	21.78	22.00
		MID	Q16	21.64	21.66	21.85	22.00
		HIGH	Q16	21.66	21.65	21.59	22.00
	50	LOW	Q16	21.63	21.79	21.63	22.00
10	1	LOW	64QAM	21.57	21.44	21.65	22.00
		MID	64QAM	21.56	21.81	21.49	22.00
		HIGH	64QAM	21.10	21.78	21.31	22.00
	25	LOW	64QAM	21.74	21.71	21.75	22.00
		MID	64QAM	21.60	21.62	21.88	22.00
		HIGH	64QAM	21.61	21.60	21.67	22.00
	50	LOW	64QAM	21.74	21.89	21.78	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	21.75	/	22.00
		MID	QPSK	/	21.69	/	22.00
		HIGH	QPSK	/	21.58	/	22.00
	36	LOW	QPSK	/	21.63	/	22.00
		MID	QPSK	/	21.65	/	22.00
		HIGH	QPSK	/	21.61	/	22.00
	75	LOW	QPSK	/	21.64	/	22.00
15	1	LOW	Q16	/	21.60	/	22.00
		MID	Q16	/	21.99	/	22.00
		HIGH	Q16	/	21.62	/	22.00
	36	LOW	Q16	/	21.62	/	22.00
		MID	Q16	/	21.66	/	22.00
		HIGH	Q16	/	21.64	/	22.00
	75	LOW	Q16	/	21.69	/	22.00
15	1	LOW	64QAM	/	21.52	/	22.00
		MID	64QAM	/	21.88	/	22.00
		HIGH	64QAM	/	21.62	/	22.00
	36	LOW	64QAM	/	21.77	/	22.00
		MID	64QAM	/	21.55	/	22.00
		HIGH	64QAM	/	21.71	/	22.00
	75	LOW	64QAM	/	21.55	/	22.00

LTE B18-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	23.54	23.52	23.29	24.00
		MID	QPSK	23.58	23.73	23.43	24.00
		HIGH	QPSK	23.70	23.27	23.42	24.00
	12	LOW	QPSK	23.65	23.83	23.69	24.00
		MID	QPSK	23.82	23.56	23.53	24.00
		HIGH	QPSK	23.82	23.68	23.50	24.00
	25	LOW	QPSK	23.61	23.82	23.38	24.00
5	1	LOW	Q16	23.55	23.77	23.65	24.00
		MID	Q16	23.84	23.95	23.48	24.00
		HIGH	Q16	23.01	23.30	23.06	24.00
	12	LOW	Q16	22.95	22.53	22.75	23.00
		MID	Q16	22.70	22.65	22.54	23.00
		HIGH	Q16	22.79	22.51	22.65	23.00
	25	LOW	Q16	22.51	22.59	22.70	23.00
5	1	LOW	64QAM	22.37	22.60	22.47	23.00
		MID	64QAM	22.69	22.95	22.48	23.00
		HIGH	64QAM	22.28	22.51	22.11	23.00
	12	LOW	64QAM	21.92	21.64	21.82	22.00
		MID	64QAM	21.57	21.64	21.60	22.00
		HIGH	64QAM	21.78	21.45	21.68	22.00
	25	LOW	64QAM	21.69	21.53	21.79	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	23.63	23.52	23.42	24.00
		MID	QPSK	24.00	23.89	23.52	24.00
		HIGH	QPSK	23.57	23.50	23.46	24.00
	25	LOW	QPSK	23.76	23.59	23.71	24.00
		MID	QPSK	23.72	23.84	23.57	24.00
		HIGH	QPSK	23.67	23.46	23.47	24.00
	50	LOW	QPSK	23.66	23.69	23.53	24.00
10	1	LOW	Q16	23.53	23.53	23.69	24.00
		MID	Q16	23.74	23.90	23.37	24.00
		HIGH	Q16	23.16	23.48	23.16	24.00
	25	LOW	Q16	22.86	22.54	22.78	23.00
		MID	Q16	22.66	22.76	22.66	23.00
		HIGH	Q16	22.76	22.42	22.59	23.00
	50	LOW	Q16	22.65	22.52	22.74	23.00
10	1	LOW	64QAM	22.41	22.68	22.73	23.00
		MID	64QAM	22.80	22.76	22.35	23.00
		HIGH	64QAM	22.18	22.57	22.18	23.00
	25	LOW	64QAM	21.91	21.68	21.89	22.00
		MID	64QAM	21.81	21.82	21.65	22.00
		HIGH	64QAM	21.86	21.50	21.71	22.00
	50	LOW	64QAM	21.53	21.62	21.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.67	/	24.00
		MID	QPSK	/	23.79	/	24.00
		HIGH	QPSK	/	23.35	/	24.00
	36	LOW	QPSK	/	23.69	/	24.00
		MID	QPSK	/	23.71	/	24.00
		HIGH	QPSK	/	23.59	/	24.00
	75	LOW	QPSK	/	23.73	/	24.00
15	1	LOW	Q16	/	23.65	/	24.00
		MID	Q16	/	23.83	/	24.00
		HIGH	Q16	/	23.42	/	24.00
	36	LOW	Q16	/	22.64	/	23.00
		MID	Q16	/	22.68	/	23.00
		HIGH	Q16	/	22.54	/	23.00
	75	LOW	Q16	/	22.61	/	23.00
15	1	LOW	64QAM	/	22.58	/	23.00
		MID	64QAM	/	22.82	/	23.00
		HIGH	64QAM	/	22.48	/	23.00
	36	LOW	64QAM	/	21.52	/	22.00
		MID	64QAM	/	21.58	/	22.00
		HIGH	64QAM	/	21.41	/	22.00
	75	LOW	64QAM	/	21.59	/	22.00

LTE B18-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	20.50	20.42	20.37	21.00
		MID	QPSK	20.96	20.67	20.48	21.00
		HIGH	QPSK	20.62	20.32	20.14	21.00
	12	LOW	QPSK	20.76	20.80	20.56	21.00
		MID	QPSK	20.81	20.69	20.61	21.00
		HIGH	QPSK	20.62	20.56	20.60	21.00
	25	LOW	QPSK	20.80	20.77	20.56	21.00
5	1	LOW	Q16	20.51	20.41	20.66	21.00
		MID	Q16	20.73	20.94	20.39	21.00
		HIGH	Q16	20.57	20.29	20.04	21.00
	12	LOW	Q16	20.98	20.91	20.60	21.00
		MID	Q16	20.92	20.68	20.70	21.00
		HIGH	Q16	20.52	20.70	20.38	21.00
	25	LOW	Q16	20.39	20.60	20.53	21.00
5	1	LOW	64QAM	20.71	20.31	20.66	21.00
		MID	64QAM	20.83	20.90	20.64	21.00
		HIGH	64QAM	20.62	20.39	19.70	21.00
	12	LOW	64QAM	20.75	20.96	20.73	21.00
		MID	64QAM	20.83	20.72	20.57	21.00
		HIGH	64QAM	20.69	20.64	20.35	21.00
	25	LOW	64QAM	20.59	20.68	20.64	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	20.65	20.49	20.46	21.00
		MID	QPSK	20.98	20.69	20.47	21.00
		HIGH	QPSK	20.47	20.47	20.27	21.00
	25	LOW	QPSK	20.72	20.54	20.64	21.00
		MID	QPSK	20.68	20.70	20.53	21.00
		HIGH	QPSK	20.75	20.63	20.45	21.00
	50	LOW	QPSK	20.65	20.67	20.57	21.00
10	1	LOW	Q16	20.56	20.58	20.62	21.00
		MID	Q16	20.72	20.99	20.51	21.00
		HIGH	Q16	20.53	20.48	19.89	21.00
	25	LOW	Q16	20.86	20.79	20.55	21.00
		MID	Q16	20.83	20.89	20.57	21.00
		HIGH	Q16	20.66	20.81	20.48	21.00
	50	LOW	Q16	20.54	20.63	20.53	21.00
10	1	LOW	64QAM	20.54	20.50	20.72	21.00
		MID	64QAM	20.75	20.86	20.44	21.00
		HIGH	64QAM	20.39	20.35	19.91	21.00
	25	LOW	64QAM	20.79	20.68	20.40	21.00
		MID	64QAM	20.97	20.79	20.63	21.00
		HIGH	64QAM	20.52	20.87	20.36	21.00
	50	LOW	64QAM	20.54	20.63	20.43	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	20.57	/	21.00
		MID	QPSK	/	20.77	/	21.00
		HIGH	QPSK	/	20.41	/	21.00
	36	LOW	QPSK	/	20.67	/	21.00
		MID	QPSK	/	20.63	/	21.00
		HIGH	QPSK	/	20.55	/	21.00
	75	LOW	QPSK	/	20.64	/	21.00
15	1	LOW	Q16	/	20.48	/	21.00
		MID	Q16	/	20.97	/	21.00
		HIGH	Q16	/	20.40	/	21.00
	36	LOW	Q16	/	20.77	/	21.00
		MID	Q16	/	20.82	/	21.00
		HIGH	Q16	/	20.70	/	21.00
	75	LOW	Q16	/	20.72	/	21.00
15	1	LOW	64QAM	/	20.39	/	21.00
		MID	64QAM	/	20.85	/	21.00
		HIGH	64QAM	/	20.54	/	21.00
	36	LOW	64QAM	/	20.90	/	21.00
		MID	64QAM	/	20.84	/	21.00
		HIGH	64QAM	/	20.64	/	21.00
	75	LOW	64QAM	/	20.71	/	21.00

8.3.9 LTE Band18 Output Power

LTE B18-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	24.10	24.52	24.29	25.00
		MID	QPSK	24.71	24.37	24.35	25.00
		HIGH	QPSK	23.73	23.43	23.48	25.00
	12	LOW	QPSK	23.82	23.56	23.89	24.00
		MID	QPSK	23.68	23.89	23.78	24.00
		HIGH	QPSK	23.76	23.86	23.68	24.00
	25	LOW	QPSK	23.77	23.92	23.81	24.00
5	1	LOW	Q16	22.89	23.46	23.89	24.00
		MID	Q16	23.95	23.50	23.56	24.00
		HIGH	Q16	22.71	22.46	22.74	24.00
	12	LOW	Q16	22.85	22.78	22.90	23.00
		MID	Q16	23.00	22.66	22.83	23.00
		HIGH	Q16	22.81	22.84	22.84	23.00
	25	LOW	Q16	22.48	22.77	22.68	23.00
5	1	LOW	64QAM	21.93	22.33	22.77	23.00
		MID	64QAM	22.84	22.76	22.75	23.00
		HIGH	64QAM	21.85	21.60	21.68	23.00
	12	LOW	64QAM	21.95	21.76	21.75	22.00
		MID	64QAM	21.81	21.79	21.81	22.00
		HIGH	64QAM	21.77	21.78	21.99	22.00
	25	LOW	64QAM	21.34	21.74	21.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	24.02	24.55	24.32	25.00
		MID	QPSK	24.82	24.41	24.43	25.00
		HIGH	QPSK	23.79	23.56	23.45	25.00
	25	LOW	QPSK	23.84	23.81	23.74	24.00
		MID	QPSK	23.73	23.85	23.78	24.00
		HIGH	QPSK	23.80	23.78	23.79	24.00
	50	LOW	QPSK	23.77	23.66	23.77	24.00
10	1	LOW	Q16	23.02	23.17	23.76	24.00
		MID	Q16	23.90	23.59	23.71	24.00
		HIGH	Q16	22.85	22.53	22.80	24.00
	25	LOW	Q16	22.93	22.77	22.93	23.00
		MID	Q16	22.88	22.64	22.99	23.00
		HIGH	Q16	22.77	22.61	22.94	23.00
	50	LOW	Q16	22.59	22.84	22.83	23.00
10	1	LOW	64QAM	21.87	22.28	22.91	23.00
		MID	64QAM	22.95	22.72	22.73	23.00
		HIGH	64QAM	21.87	21.57	21.95	23.00
	25	LOW	64QAM	21.95	21.87	21.78	22.00
		MID	64QAM	21.81	21.61	21.88	22.00
		HIGH	64QAM	21.75	21.58	21.88	22.00
	50	LOW	64QAM	21.45	21.92	21.97	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	24.41	/	25.00
		MID	QPSK	/	24.50	/	25.00
		HIGH	QPSK	/	23.43	/	25.00
	36	LOW	QPSK	/	23.70	/	24.00
		MID	QPSK	/	23.74	/	24.00
		HIGH	QPSK	/	23.82	/	24.00
	75	LOW	QPSK	/	23.78	/	24.00
15	1	LOW	Q16	/	23.32	/	24.00
		MID	Q16	/	23.65	/	24.00
		HIGH	Q16	/	22.45	/	24.00
	36	LOW	Q16	/	22.82	/	23.00
		MID	Q16	/	22.72	/	23.00
		HIGH	Q16	/	22.76	/	23.00
	75	LOW	Q16	/	22.80	/	23.00
15	1	LOW	64QAM	/	22.24	/	23.00
		MID	64QAM	/	22.79	/	23.00
		HIGH	64QAM	/	21.48	/	23.00
	36	LOW	64QAM	/	21.82	/	22.00
		MID	64QAM	/	21.76	/	22.00
		HIGH	64QAM	/	21.78	/	22.00
	75	LOW	64QAM	/	21.89	/	22.00

LTE B18-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	24.10	24.52	24.29	25.00
		MID	QPSK	24.71	24.37	24.35	25.00
		HIGH	QPSK	23.73	23.43	23.48	25.00
	12	LOW	QPSK	23.82	23.56	23.89	24.00
		MID	QPSK	23.68	23.89	23.78	24.00
		HIGH	QPSK	23.76	23.86	23.68	24.00
	25	LOW	QPSK	23.77	23.92	23.81	24.00
5	1	LOW	Q16	22.89	23.46	23.89	24.00
		MID	Q16	23.95	23.50	23.56	24.00
		HIGH	Q16	22.71	22.46	22.74	24.00
	12	LOW	Q16	22.85	22.78	22.90	23.00
		MID	Q16	23.00	22.66	22.83	23.00
		HIGH	Q16	22.81	22.84	22.84	23.00
	25	LOW	Q16	22.48	22.77	22.68	23.00
5	1	LOW	64QAM	21.93	22.33	22.77	23.00
		MID	64QAM	22.84	22.76	22.75	23.00
		HIGH	64QAM	21.85	21.60	21.68	23.00
	12	LOW	64QAM	21.95	21.76	21.75	22.00
		MID	64QAM	21.81	21.79	21.81	22.00
		HIGH	64QAM	21.77	21.78	21.99	22.00
	25	LOW	64QAM	21.34	21.74	21.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	24.02	24.55	24.32	25.00
		MID	QPSK	24.82	24.41	24.43	25.00
		HIGH	QPSK	23.79	23.56	23.45	25.00
	25	LOW	QPSK	23.84	23.81	23.74	24.00
		MID	QPSK	23.73	23.85	23.78	24.00
		HIGH	QPSK	23.80	23.78	23.79	24.00
	50	LOW	QPSK	23.77	23.66	23.77	24.00
10	1	LOW	Q16	23.02	23.17	23.76	24.00
		MID	Q16	23.90	23.59	23.71	24.00
		HIGH	Q16	22.85	22.53	22.80	24.00
	25	LOW	Q16	22.93	22.77	22.93	23.00
		MID	Q16	22.88	22.64	22.99	23.00
		HIGH	Q16	22.77	22.61	22.94	23.00
	50	LOW	Q16	22.59	22.84	22.83	23.00
10	1	LOW	64QAM	21.87	22.28	22.91	23.00
		MID	64QAM	22.95	22.72	22.73	23.00
		HIGH	64QAM	21.87	21.57	21.95	23.00
	25	LOW	64QAM	21.95	21.87	21.78	22.00
		MID	64QAM	21.81	21.61	21.88	22.00
		HIGH	64QAM	21.75	21.58	21.88	22.00
	50	LOW	64QAM	21.45	21.92	21.97	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	24.41	/	25.00
		MID	QPSK	/	24.50	/	25.00
		HIGH	QPSK	/	23.43	/	25.00
	36	LOW	QPSK	/	23.70	/	24.00
		MID	QPSK	/	23.74	/	24.00
		HIGH	QPSK	/	23.82	/	24.00
	75	LOW	QPSK	/	23.78	/	24.00
15	1	LOW	Q16	/	23.32	/	24.00
		MID	Q16	/	23.65	/	24.00
		HIGH	Q16	/	22.45	/	24.00
	36	LOW	Q16	/	22.82	/	23.00
		MID	Q16	/	22.72	/	23.00
		HIGH	Q16	/	22.76	/	23.00
	75	LOW	Q16	/	22.80	/	23.00
15	1	LOW	64QAM	/	22.24	/	23.00
		MID	64QAM	/	22.79	/	23.00
		HIGH	64QAM	/	21.48	/	23.00
	36	LOW	64QAM	/	21.82	/	22.00
		MID	64QAM	/	21.76	/	22.00
		HIGH	64QAM	/	21.78	/	22.00
	75	LOW	64QAM	/	21.89	/	22.00

LTE B18-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	23875	23925	23975	Tune-up power(dBm)
5	1	LOW	QPSK	23.57	23.97	23.73	24.50
		MID	QPSK	23.93	24.09	23.81	24.50
		HIGH	QPSK	23.72	23.46	23.64	24.50
	12	LOW	QPSK	23.84	24.00	23.77	24.00
		MID	QPSK	23.86	23.85	23.62	24.00
		HIGH	QPSK	24.00	23.95	23.78	24.00
	25	LOW	QPSK	23.90	23.89	23.66	24.00
5	1	LOW	Q16	23.81	23.76	23.75	24.00
		MID	Q16	23.80	23.73	23.82	24.00
		HIGH	Q16	22.92	23.65	23.60	24.00
	12	LOW	Q16	22.97	22.74	22.60	23.00
		MID	Q16	22.66	22.66	22.49	23.00
		HIGH	Q16	22.50	22.60	22.43	23.00
	25	LOW	Q16	22.49	22.48	22.45	23.00
5	1	LOW	64QAM	22.45	22.81	22.55	23.00
		MID	64QAM	22.62	22.48	22.81	23.00
		HIGH	64QAM	21.82	22.33	22.27	23.00
	12	LOW	64QAM	21.85	21.70	21.73	22.00
		MID	64QAM	21.79	21.86	21.56	22.00
		HIGH	64QAM	21.72	21.61	21.41	22.00
	25	LOW	64QAM	21.75	21.55	21.30	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23900	23925	23950	Tune-up power(dBm)
10	1	LOW	QPSK	23.60	23.91	23.79	24.50
		MID	QPSK	23.90	24.00	23.86	24.50
		HIGH	QPSK	23.66	23.47	23.60	24.50
	25	LOW	QPSK	23.85	23.87	23.91	24.00
		MID	QPSK	23.95	23.81	23.77	24.00
		HIGH	QPSK	23.87	23.73	23.63	24.00
	50	LOW	QPSK	23.85	24.00	23.76	24.00
10	1	LOW	Q16	23.86	23.99	23.88	24.00
		MID	Q16	23.93	23.76	23.86	24.00
		HIGH	Q16	23.06	23.90	23.63	24.00
	25	LOW	Q16	22.77	22.78	22.58	23.00
		MID	Q16	22.72	22.69	22.56	23.00
		HIGH	Q16	22.57	22.45	22.34	23.00
	50	LOW	Q16	22.54	22.60	22.48	23.00
10	1	LOW	64QAM	22.52	22.86	22.69	23.00
		MID	64QAM	22.82	22.41	22.75	23.00
		HIGH	64QAM	21.83	22.70	22.44	23.00
	25	LOW	64QAM	21.83	21.72	21.65	22.00
		MID	64QAM	21.90	21.76	21.32	22.00
		HIGH	64QAM	21.59	21.54	21.46	22.00
	50	LOW	64QAM	21.59	21.78	21.65	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	23925			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.88	/	24.50
		MID	QPSK	/	23.98	/	24.50
		HIGH	QPSK	/	23.52	/	24.50
	36	LOW	QPSK	/	23.96	/	24.00
		MID	QPSK	/	23.91	/	24.00
		HIGH	QPSK	/	23.80	/	24.00
	75	LOW	QPSK	/	23.93	/	24.00
15	1	LOW	Q16	/	23.91	/	24.00
		MID	Q16	/	23.83	/	24.00
		HIGH	Q16	/	23.76	/	24.00
	36	LOW	Q16	/	22.80	/	23.00
		MID	Q16	/	22.68	/	23.00
		HIGH	Q16	/	22.63	/	23.00
	75	LOW	Q16	/	22.63	/	23.00
15	1	LOW	64QAM	/	22.68	/	23.00
		MID	64QAM	/	22.53	/	23.00
		HIGH	64QAM	/	22.34	/	23.00
	36	LOW	64QAM	/	21.66	/	22.00
		MID	64QAM	/	21.75	/	22.00
		HIGH	64QAM	/	21.78	/	22.00
	75	LOW	64QAM	/	21.53	/	22.00

8.3.10 LTE Band19 Output Power

LTE B19-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	23.47	23.86	23.97	25.00
		MID	QPSK	24.26	24.39	24.09	25.00
		HIGH	QPSK	24.10	24.04	23.80	25.00
	12	LOW	QPSK	23.30	23.33	23.20	24.00
		MID	QPSK	23.32	23.25	23.29	24.00
		HIGH	QPSK	23.22	23.14	23.05	24.00
	25	LOW	QPSK	23.21	23.07	23.11	24.00
5	1	LOW	Q16	22.96	23.05	23.05	24.00
		MID	Q16	23.30	23.45	23.92	24.00
		HIGH	Q16	22.92	22.82	23.20	24.00
	12	LOW	Q16	22.43	22.22	22.25	23.00
		MID	Q16	22.45	22.18	22.22	23.00
		HIGH	Q16	22.46	22.34	22.06	23.00
	25	LOW	Q16	22.14	22.01	22.00	23.00
5	1	LOW	64QAM	21.69	21.86	22.20	23.00
		MID	64QAM	22.03	22.50	22.80	23.00
		HIGH	64QAM	22.03	21.76	22.15	23.00
	12	LOW	64QAM	21.56	21.31	21.10	22.00
		MID	64QAM	21.46	21.52	21.05	22.00
		HIGH	64QAM	21.45	21.15	21.13	22.00
	25	LOW	64QAM	21.07	21.36	21.16	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.49	23.92	24.05	25.00
		MID	QPSK	24.31	24.28	24.14	25.00
		HIGH	QPSK	23.99	23.86	23.84	25.00
	25	LOW	QPSK	23.35	23.20	23.20	24.00
		MID	QPSK	23.29	23.10	23.18	24.00
		HIGH	QPSK	23.13	23.14	23.14	24.00
	50	LOW	QPSK	23.22	23.11	23.25	24.00
10	1	LOW	Q16	22.86	22.98	23.20	24.00
		MID	Q16	23.26	23.29	23.83	24.00
		HIGH	Q16	23.05	22.77	23.16	24.00
	25	LOW	Q16	22.32	22.35	22.16	23.00
		MID	Q16	22.49	22.26	22.16	23.00
		HIGH	Q16	22.34	22.34	22.13	23.00
	50	LOW	Q16	22.05	22.09	22.10	23.00
10	1	LOW	64QAM	21.83	21.92	22.31	23.00
		MID	64QAM	22.32	22.33	22.71	23.00
		HIGH	64QAM	22.03	21.81	22.25	23.00
	25	LOW	64QAM	21.17	21.31	21.09	22.00
		MID	64QAM	21.35	21.27	21.22	22.00
		HIGH	64QAM	21.46	21.22	21.10	22.00
	50	LOW	64QAM	20.91	20.95	20.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.90	/	25.00
		MID	QPSK	/	24.29	/	25.00
		HIGH	QPSK	/	23.97	/	25.00
	36	LOW	QPSK	/	23.28	/	24.00
		MID	QPSK	/	23.22	/	24.00
		HIGH	QPSK	/	23.25	/	24.00
	75	LOW	QPSK	/	23.22	/	24.00
15	1	LOW	Q16	/	22.90	/	24.00
		MID	Q16	/	23.35	/	24.00
		HIGH	Q16	/	22.73	/	24.00
	36	LOW	Q16	/	22.23	/	23.00
		MID	Q16	/	22.31	/	23.00
		HIGH	Q16	/	22.22	/	23.00
	75	LOW	Q16	/	22.15	/	23.00
15	1	LOW	64QAM	/	21.99	/	23.00
		MID	64QAM	/	22.41	/	23.00
		HIGH	64QAM	/	21.80	/	23.00
	36	LOW	64QAM	/	21.37	/	22.00
		MID	64QAM	/	21.46	/	22.00
		HIGH	64QAM	/	21.19	/	22.00
	75	LOW	64QAM	/	21.28	/	22.00

LTE B19-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	23.47	23.86	23.97	25.00
		MID	QPSK	24.26	24.39	24.09	25.00
		HIGH	QPSK	24.10	24.04	23.80	25.00
	12	LOW	QPSK	23.30	23.33	23.20	24.00
		MID	QPSK	23.32	23.25	23.29	24.00
		HIGH	QPSK	23.22	23.14	23.05	24.00
	25	LOW	QPSK	23.21	23.07	23.11	24.00
5	1	LOW	Q16	22.96	23.05	23.05	24.00
		MID	Q16	23.30	23.45	23.92	24.00
		HIGH	Q16	22.92	22.82	23.20	24.00
	12	LOW	Q16	22.43	22.22	22.25	23.00
		MID	Q16	22.45	22.18	22.22	23.00
		HIGH	Q16	22.46	22.34	22.06	23.00
	25	LOW	Q16	22.14	22.01	22.00	23.00
5	1	LOW	64QAM	21.69	21.86	22.20	23.00
		MID	64QAM	22.03	22.50	22.80	23.00
		HIGH	64QAM	22.03	21.76	22.15	23.00
	12	LOW	64QAM	21.56	21.31	21.10	22.00
		MID	64QAM	21.46	21.52	21.05	22.00
		HIGH	64QAM	21.45	21.15	21.13	22.00
	25	LOW	64QAM	21.07	21.36	21.16	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.49	23.92	24.05	25.00
		MID	QPSK	24.31	24.28	24.14	25.00
		HIGH	QPSK	23.99	23.86	23.84	25.00
	25	LOW	QPSK	23.35	23.20	23.20	24.00
		MID	QPSK	23.29	23.10	23.18	24.00
		HIGH	QPSK	23.13	23.14	23.14	24.00
	50	LOW	QPSK	23.22	23.11	23.25	24.00
10	1	LOW	Q16	22.86	22.98	23.20	24.00
		MID	Q16	23.26	23.29	23.83	24.00
		HIGH	Q16	23.05	22.77	23.16	24.00
	25	LOW	Q16	22.32	22.35	22.16	23.00
		MID	Q16	22.49	22.26	22.16	23.00
		HIGH	Q16	22.34	22.34	22.13	23.00
	50	LOW	Q16	22.05	22.09	22.10	23.00
10	1	LOW	64QAM	21.83	21.92	22.31	23.00
		MID	64QAM	22.32	22.33	22.71	23.00
		HIGH	64QAM	22.03	21.81	22.25	23.00
	25	LOW	64QAM	21.17	21.31	21.09	22.00
		MID	64QAM	21.35	21.27	21.22	22.00
		HIGH	64QAM	21.46	21.22	21.10	22.00
	50	LOW	64QAM	20.91	20.95	20.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.90	/	25.00
		MID	QPSK	/	24.29	/	25.00
		HIGH	QPSK	/	23.97	/	25.00
	36	LOW	QPSK	/	23.28	/	24.00
		MID	QPSK	/	23.22	/	24.00
		HIGH	QPSK	/	23.25	/	24.00
	75	LOW	QPSK	/	23.22	/	24.00
15	1	LOW	Q16	/	22.90	/	24.00
		MID	Q16	/	23.35	/	24.00
		HIGH	Q16	/	22.73	/	24.00
	36	LOW	Q16	/	22.23	/	23.00
		MID	Q16	/	22.31	/	23.00
		HIGH	Q16	/	22.22	/	23.00
	75	LOW	Q16	/	22.15	/	23.00
15	1	LOW	64QAM	/	21.99	/	23.00
		MID	64QAM	/	22.41	/	23.00
		HIGH	64QAM	/	21.80	/	23.00
	36	LOW	64QAM	/	21.37	/	22.00
		MID	64QAM	/	21.46	/	22.00
		HIGH	64QAM	/	21.19	/	22.00
	75	LOW	64QAM	/	21.28	/	22.00

LTE B19-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	22.98	22.78	22.97	23.50
		MID	QPSK	23.41	23.16	23.10	23.50
		HIGH	QPSK	23.12	22.94	22.78	23.50
	12	LOW	QPSK	23.08	23.04	23.02	23.50
		MID	QPSK	22.93	23.05	22.99	23.50
		HIGH	QPSK	23.01	22.82	23.00	23.50
	25	LOW	QPSK	23.08	22.94	22.85	23.50
5	1	LOW	Q16	23.19	23.12	22.94	23.50
		MID	Q16	22.96	22.97	23.33	23.50
		HIGH	Q16	23.09	22.91	22.88	23.50
	12	LOW	Q16	22.67	22.52	22.23	23.00
		MID	Q16	22.84	22.56	22.39	23.00
		HIGH	Q16	22.66	22.70	22.54	23.00
	25	LOW	Q16	22.51	22.40	22.29	23.00
5	1	LOW	64QAM	22.81	22.47	22.16	23.00
		MID	64QAM	22.74	22.44	22.85	23.00
		HIGH	64QAM	22.43	22.38	22.47	23.00
	12	LOW	64QAM	21.66	21.50	21.46	22.00
		MID	64QAM	21.71	21.71	21.25	22.00
		HIGH	64QAM	21.63	21.52	21.68	22.00
	25	LOW	64QAM	21.32	21.40	21.51	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.07	22.95	22.93	23.50
		MID	QPSK	23.21	23.17	23.10	23.50
		HIGH	QPSK	23.07	23.07	22.88	23.50
	25	LOW	QPSK	23.11	23.05	22.95	23.50
		MID	QPSK	23.07	22.98	22.96	23.50
		HIGH	QPSK	22.93	23.00	22.91	23.50
	50	LOW	QPSK	23.03	22.99	22.89	23.50
10	1	LOW	Q16	23.07	22.95	22.89	23.50
		MID	Q16	23.08	22.99	23.48	23.50
		HIGH	Q16	23.00	22.78	22.86	23.50
	25	LOW	Q16	22.63	22.63	22.30	23.00
		MID	Q16	22.77	22.55	22.39	23.00
		HIGH	Q16	22.53	22.44	22.45	23.00
	50	LOW	Q16	22.40	22.29	22.42	23.00
10	1	LOW	64QAM	22.72	22.51	22.24	23.00
		MID	64QAM	22.51	22.38	22.79	23.00
		HIGH	64QAM	22.48	22.21	22.25	23.00
	25	LOW	64QAM	21.74	21.55	21.42	22.00
		MID	64QAM	21.83	21.55	21.48	22.00
		HIGH	64QAM	21.65	21.39	21.55	22.00
	50	LOW	64QAM	21.43	21.31	21.41	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	22.86	/	23.50
		MID	QPSK	/	23.23	/	23.50
		HIGH	QPSK	/	22.93	/	23.50
	36	LOW	QPSK	/	23.07	/	23.50
		MID	QPSK	/	23.02	/	23.50
		HIGH	QPSK	/	22.96	/	23.50
	75	LOW	QPSK	/	22.97	/	23.50
15	1	LOW	Q16	/	23.03	/	23.50
		MID	Q16	/	23.04	/	23.50
		HIGH	Q16	/	22.88	/	23.50
	36	LOW	Q16	/	22.59	/	23.00
		MID	Q16	/	22.63	/	23.00
		HIGH	Q16	/	22.55	/	23.00
	75	LOW	Q16	/	22.43	/	23.00
15	1	LOW	64QAM	/	22.53	/	23.00
		MID	64QAM	/	22.47	/	23.00
		HIGH	64QAM	/	22.53	/	23.00
	36	LOW	64QAM	/	21.50	/	22.00
		MID	64QAM	/	21.64	/	22.00
		HIGH	64QAM	/	21.40	/	22.00
	75	LOW	64QAM	/	21.43	/	22.00

LTE B19-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	21.90	22.11	21.85	22.50
		MID	QPSK	22.33	21.96	22.07	22.50
		HIGH	QPSK	21.57	21.61	21.46	22.50
	12	LOW	QPSK	21.99	21.80	22.00	22.50
		MID	QPSK	21.99	22.02	21.94	22.50
		HIGH	QPSK	22.07	21.99	21.75	22.50
	25	LOW	QPSK	21.90	21.92	21.79	22.50
5	1	LOW	Q16	21.98	22.06	21.96	22.50
		MID	Q16	21.92	22.04	22.45	22.50
		HIGH	Q16	21.14	21.25	21.76	22.50
	12	LOW	Q16	21.99	21.94	22.05	22.50
		MID	Q16	22.02	21.99	21.75	22.50
		HIGH	Q16	22.07	21.90	21.66	22.50
	25	LOW	Q16	21.88	21.75	21.88	22.50
5	1	LOW	64QAM	22.00	22.21	21.85	22.50
		MID	64QAM	22.09	21.82	22.43	22.50
		HIGH	64QAM	21.31	21.38	21.88	22.50
	12	LOW	64QAM	21.34	21.35	21.58	22.00
		MID	64QAM	21.29	21.71	21.56	22.00
		HIGH	64QAM	21.44	21.36	20.92	22.00
	25	LOW	64QAM	21.51	21.41	21.34	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	21.79	22.13	21.84	22.50
		MID	QPSK	22.34	21.76	22.00	22.50
		HIGH	QPSK	21.70	21.61	21.60	22.50
	25	LOW	QPSK	21.99	21.93	21.88	22.50
		MID	QPSK	21.95	22.02	21.89	22.50
		HIGH	QPSK	21.98	21.77	21.66	22.50
50	LOW	QPSK	21.95	21.80	21.88	22.50	
10	1	LOW	Q16	21.95	21.87	21.90	22.50
		MID	Q16	21.97	22.08	22.32	22.50
		HIGH	Q16	21.27	21.25	21.66	22.50
	25	LOW	Q16	21.96	21.86	21.96	22.50
		MID	Q16	21.97	22.19	21.89	22.50
		HIGH	Q16	21.97	21.95	21.65	22.50
50	LOW	Q16	22.03	21.97	21.84	22.50	
10	1	LOW	64QAM	21.87	21.80	22.01	22.50
		MID	64QAM	22.12	22.12	22.41	22.50
		HIGH	64QAM	21.31	21.15	21.59	22.50
	25	LOW	64QAM	21.33	21.39	21.61	22.00
		MID	64QAM	21.33	21.77	21.32	22.00
		HIGH	64QAM	21.55	21.30	21.18	22.00
50	LOW	64QAM	21.53	21.57	21.29	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	22.01	/	22.50
		MID	QPSK	/	21.91	/	22.50
		HIGH	QPSK	/	21.61	/	22.50
	36	LOW	QPSK	/	21.90	/	22.50
		MID	QPSK	/	21.96	/	22.50
		HIGH	QPSK	/	21.88	/	22.50
75	LOW	QPSK	/	21.92	/	22.50	
15	1	LOW	Q16	/	21.96	/	22.50
		MID	Q16	/	21.99	/	22.50
		HIGH	Q16	/	21.39	/	22.50
	36	LOW	Q16	/	21.97	/	22.50
		MID	Q16	/	22.12	/	22.50
		HIGH	Q16	/	21.96	/	22.50
75	LOW	Q16	/	21.90	/	22.50	
15	1	LOW	64QAM	/	22.07	/	22.50
		MID	64QAM	/	21.91	/	22.50
		HIGH	64QAM	/	21.41	/	22.50
	36	LOW	64QAM	/	21.38	/	22.00
		MID	64QAM	/	21.74	/	22.00
		HIGH	64QAM	/	21.51	/	22.00
75	LOW	64QAM	/	21.49	/	22.00	

8.3.10 LTE Band19 Output Power

LTE B19-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	23.53	24.04	24.29	25.00
		MID	QPSK	24.98	24.78	24.66	25.00
		HIGH	QPSK	24.23	24.29	24.04	25.00
	12	LOW	QPSK	23.73	23.58	23.66	24.00
		MID	QPSK	23.74	23.52	23.58	24.00
		HIGH	QPSK	23.59	23.52	23.41	24.00
	25	LOW	QPSK	23.47	23.40	23.62	24.00
5	1	LOW	Q16	22.94	22.91	23.38	24.00
		MID	Q16	23.77	23.62	23.87	24.00
		HIGH	Q16	22.93	23.19	23.16	24.00
	12	LOW	Q16	22.50	22.73	22.42	23.00
		MID	Q16	22.60	22.63	22.31	23.00
		HIGH	Q16	22.28	22.72	22.45	23.00
	25	LOW	Q16	22.44	22.48	22.41	23.00
5	1	LOW	64QAM	21.63	21.94	22.20	23.00
		MID	64QAM	22.85	22.63	22.87	23.00
		HIGH	64QAM	22.16	22.35	22.26	23.00
	12	LOW	64QAM	21.39	21.61	21.37	22.00
		MID	64QAM	21.34	21.71	21.47	22.00
		HIGH	64QAM	21.43	21.57	21.44	22.00
	25	LOW	64QAM	21.53	21.41	21.42	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.44	23.94	24.21	25.00
		MID	QPSK	24.91	24.57	24.53	25.00
		HIGH	QPSK	24.23	24.22	24.12	25.00
	25	LOW	QPSK	23.68	23.69	23.57	24.00
		MID	QPSK	23.64	23.58	23.51	24.00
		HIGH	QPSK	23.52	23.66	23.46	24.00
	50	LOW	QPSK	23.60	23.61	23.56	24.00
10	1	LOW	Q16	22.80	23.04	23.26	24.00
		MID	Q16	23.84	23.41	23.87	24.00
		HIGH	Q16	23.00	23.18	23.27	24.00
	25	LOW	Q16	22.47	22.82	22.56	23.00
		MID	Q16	22.54	22.86	22.43	23.00
		HIGH	Q16	22.43	22.78	22.45	23.00
	50	LOW	Q16	22.48	22.53	22.45	23.00
10	1	LOW	64QAM	21.79	22.11	22.19	23.00
		MID	64QAM	22.85	22.54	23.00	23.00
		HIGH	64QAM	21.95	22.05	22.34	23.00
	25	LOW	64QAM	21.35	21.90	21.52	22.00
		MID	64QAM	21.47	21.88	21.42	22.00
		HIGH	64QAM	21.57	21.67	21.59	22.00
	50	LOW	64QAM	21.34	21.66	21.34	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.92	/	25.00
		MID	QPSK	/	24.70	/	25.00
		HIGH	QPSK	/	24.17	/	25.00
	36	LOW	QPSK	/	23.59	/	24.00
		MID	QPSK	/	23.55	/	24.00
		HIGH	QPSK	/	23.51	/	24.00
	75	LOW	QPSK	/	23.54	/	24.00
15	1	LOW	Q16	/	22.96	/	24.00
		MID	Q16	/	23.56	/	24.00
		HIGH	Q16	/	23.11	/	24.00
	36	LOW	Q16	/	22.76	/	23.00
		MID	Q16	/	22.72	/	23.00
		HIGH	Q16	/	22.67	/	23.00
	75	LOW	Q16	/	22.38	/	23.00
15	1	LOW	64QAM	/	22.00	/	23.00
		MID	64QAM	/	22.52	/	23.00
		HIGH	64QAM	/	22.25	/	23.00
	36	LOW	64QAM	/	21.68	/	22.00
		MID	64QAM	/	21.83	/	22.00
		HIGH	64QAM	/	21.66	/	22.00
	75	LOW	64QAM	/	21.47	/	22.00

LTE B19-State1&2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	23.53	24.04	24.29	25.00
		MID	QPSK	24.98	24.78	24.66	25.00
		HIGH	QPSK	24.23	24.29	24.04	25.00
	12	LOW	QPSK	23.73	23.58	23.66	24.00
		MID	QPSK	23.74	23.52	23.58	24.00
		HIGH	QPSK	23.59	23.52	23.41	24.00
	25	LOW	QPSK	23.47	23.40	23.62	24.00
5	1	LOW	Q16	22.94	22.91	23.38	24.00
		MID	Q16	23.77	23.62	23.87	24.00
		HIGH	Q16	22.93	23.19	23.16	24.00
	12	LOW	Q16	22.50	22.73	22.42	23.00
		MID	Q16	22.60	22.63	22.31	23.00
		HIGH	Q16	22.28	22.72	22.45	23.00
	25	LOW	Q16	22.44	22.48	22.41	23.00
5	1	LOW	64QAM	21.63	21.94	22.20	23.00
		MID	64QAM	22.85	22.63	22.87	23.00
		HIGH	64QAM	22.16	22.35	22.26	23.00
	12	LOW	64QAM	21.39	21.61	21.37	22.00
		MID	64QAM	21.34	21.71	21.47	22.00
		HIGH	64QAM	21.43	21.57	21.44	22.00
	25	LOW	64QAM	21.53	21.41	21.42	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.44	23.94	24.21	25.00
		MID	QPSK	24.91	24.57	24.53	25.00
		HIGH	QPSK	24.23	24.22	24.12	25.00
	25	LOW	QPSK	23.68	23.69	23.57	24.00
		MID	QPSK	23.64	23.58	23.51	24.00
		HIGH	QPSK	23.52	23.66	23.46	24.00
	50	LOW	QPSK	23.60	23.61	23.56	24.00
10	1	LOW	Q16	22.80	23.04	23.26	24.00
		MID	Q16	23.84	23.41	23.87	24.00
		HIGH	Q16	23.00	23.18	23.27	24.00
	25	LOW	Q16	22.47	22.82	22.56	23.00
		MID	Q16	22.54	22.86	22.43	23.00
		HIGH	Q16	22.43	22.78	22.45	23.00
	50	LOW	Q16	22.48	22.53	22.45	23.00
10	1	LOW	64QAM	21.79	22.11	22.19	23.00
		MID	64QAM	22.85	22.54	23.00	23.00
		HIGH	64QAM	21.95	22.05	22.34	23.00
	25	LOW	64QAM	21.35	21.90	21.52	22.00
		MID	64QAM	21.47	21.88	21.42	22.00
		HIGH	64QAM	21.57	21.67	21.59	22.00
	50	LOW	64QAM	21.34	21.66	21.34	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.92	/	25.00
		MID	QPSK	/	24.70	/	25.00
		HIGH	QPSK	/	24.17	/	25.00
	36	LOW	QPSK	/	23.59	/	24.00
		MID	QPSK	/	23.55	/	24.00
		HIGH	QPSK	/	23.51	/	24.00
	75	LOW	QPSK	/	23.54	/	24.00
15	1	LOW	Q16	/	22.96	/	24.00
		MID	Q16	/	23.56	/	24.00
		HIGH	Q16	/	23.11	/	24.00
	36	LOW	Q16	/	22.76	/	23.00
		MID	Q16	/	22.72	/	23.00
		HIGH	Q16	/	22.67	/	23.00
	75	LOW	Q16	/	22.38	/	23.00
15	1	LOW	64QAM	/	22.00	/	23.00
		MID	64QAM	/	22.52	/	23.00
		HIGH	64QAM	/	22.25	/	23.00
	36	LOW	64QAM	/	21.68	/	22.00
		MID	64QAM	/	21.83	/	22.00
		HIGH	64QAM	/	21.66	/	22.00
	75	LOW	64QAM	/	21.47	/	22.00

LTE B19-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	24025	24075	24125	Tune-up power(dBm)
5	1	LOW	QPSK	23.16	23.43	23.09	24.00
		MID	QPSK	23.51	23.07	23.27	24.00
		HIGH	QPSK	22.98	22.83	22.44	24.00
	12	LOW	QPSK	23.28	23.01	23.01	24.00
		MID	QPSK	23.25	23.07	22.99	24.00
		HIGH	QPSK	22.91	22.90	22.76	24.00
	25	LOW	QPSK	23.28	23.12	23.09	24.00
5	1	LOW	Q16	23.22	22.97	23.03	24.00
		MID	Q16	23.15	23.64	23.11	24.00
		HIGH	Q16	22.50	22.90	22.78	24.00
	12	LOW	Q16	22.62	22.65	22.75	23.00
		MID	Q16	22.72	22.67	22.69	23.00
		HIGH	Q16	22.66	22.56	22.52	23.00
	25	LOW	Q16	22.35	22.64	22.13	23.00
5	1	LOW	64QAM	22.84	22.48	22.71	23.00
		MID	64QAM	22.59	22.78	22.52	23.00
		HIGH	64QAM	22.02	22.27	22.32	23.00
	12	LOW	64QAM	21.73	21.88	21.81	22.00
		MID	64QAM	21.70	21.46	21.44	22.00
		HIGH	64QAM	21.60	21.63	21.49	22.00
	25	LOW	64QAM	21.33	21.37	21.50	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24050	24075	24100	Tune-up power(dBm)
10	1	LOW	QPSK	23.20	23.22	22.94	24.00
		MID	QPSK	23.39	23.18	23.22	24.00
		HIGH	QPSK	23.00	22.88	22.56	24.00
	25	LOW	QPSK	23.15	22.99	23.10	24.00
		MID	QPSK	23.19	23.10	23.06	24.00
		HIGH	QPSK	23.06	23.00	22.79	24.00
50	LOW	QPSK	23.14	23.06	22.94	24.00	
10	1	LOW	Q16	23.28	23.19	23.08	24.00
		MID	Q16	23.18	23.45	23.18	24.00
		HIGH	Q16	22.59	22.87	22.81	24.00
	25	LOW	Q16	22.62	22.69	22.74	23.00
		MID	Q16	22.73	22.63	22.62	23.00
		HIGH	Q16	22.59	22.72	22.31	23.00
	50	LOW	Q16	22.38	22.40	22.36	23.00
10	1	LOW	64QAM	22.66	22.49	22.36	23.00
		MID	64QAM	22.74	22.81	22.56	23.00
		HIGH	64QAM	21.90	22.14	22.41	23.00
	25	LOW	64QAM	21.71	21.87	21.82	22.00
		MID	64QAM	21.62	21.71	21.58	22.00
		HIGH	64QAM	21.40	21.66	21.32	22.00
	50	LOW	64QAM	21.40	21.24	21.32	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	24075			Tune-up power(dBm)
15	1	LOW	QPSK	/	23.29	/	24.00
		MID	QPSK	/	23.21	/	24.00
		HIGH	QPSK	/	22.77	/	24.00
	36	LOW	QPSK	/	23.12	/	24.00
		MID	QPSK	/	23.11	/	24.00
		HIGH	QPSK	/	23.02	/	24.00
75	LOW	QPSK	/	23.12	/	24.00	
15	1	LOW	Q16	/	23.10	/	24.00
		MID	Q16	/	23.54	/	24.00
		HIGH	Q16	/	22.94	/	24.00
	36	LOW	Q16	/	22.61	/	23.00
		MID	Q16	/	22.57	/	23.00
		HIGH	Q16	/	22.50	/	23.00
	75	LOW	Q16	/	22.50	/	23.00
15	1	LOW	64QAM	/	22.33	/	23.00
		MID	64QAM	/	22.82	/	23.00
		HIGH	64QAM	/	22.19	/	23.00
	36	LOW	64QAM	/	21.80	/	22.00
		MID	64QAM	/	21.63	/	22.00
		HIGH	64QAM	/	21.71	/	22.00
	75	LOW	64QAM	/	21.33	/	22.00

8.3.11 LTE Band26 Output Power

LTE B26-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.43	23.78	23.65	25.00
		MID	QPSK	24.19	23.91	23.91	25.00
		HIGH	QPSK	23.42	24.00	23.43	25.00
	3	LOW	QPSK	23.48	23.69	23.73	25.00
		MID	QPSK	24.30	24.05	23.75	25.00
		HIGH	QPSK	23.50	24.15	23.53	25.00
6	LOW	QPSK	23.50	23.29	23.02	24.00	
1.4	1	LOW	Q16	22.41	23.29	22.99	24.00
		MID	Q16	23.79	23.46	23.82	24.00
		HIGH	Q16	23.12	23.11	22.74	24.00
	3	LOW	Q16	22.49	23.20	23.19	24.00
		MID	Q16	23.99	23.39	23.63	24.00
		HIGH	Q16	22.85	23.15	22.95	24.00
6	LOW	Q16	22.56	22.23	21.89	23.00	
1.4	1	LOW	64QAM	21.43	22.24	21.86	23.00
		MID	64QAM	22.98	22.32	22.85	23.00
		HIGH	64QAM	22.02	22.22	21.68	23.00
	3	LOW	64QAM	21.44	22.18	22.24	23.00
		MID	64QAM	22.56	22.37	22.53	23.00
		HIGH	64QAM	21.43	22.00	21.91	23.00
6	LOW	64QAM	21.66	21.22	20.86	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	23.42	23.81	23.75	25.00
		MID	QPSK	24.30	23.90	23.79	25.00
		HIGH	QPSK	23.46	23.95	23.48	25.00
	8	LOW	QPSK	23.58	23.35	23.09	24.00
		MID	QPSK	23.55	23.11	23.06	24.00
		HIGH	QPSK	23.59	23.15	23.02	24.00
15	LOW	QPSK	23.58	23.21	23.15	24.00	
3	1	LOW	Q16	22.48	23.23	23.06	24.00
		MID	Q16	23.82	23.44	23.76	24.00
		HIGH	Q16	22.49	23.10	22.96	24.00
	8	LOW	Q16	22.71	22.55	22.22	23.00
		MID	Q16	22.42	22.43	22.05	23.00
		HIGH	Q16	22.34	22.31	21.73	23.00
15	LOW	Q16	22.39	22.29	22.15	23.00	
3	1	LOW	64QAM	21.48	22.19	22.19	23.00
		MID	64QAM	22.42	22.21	22.75	23.00
		HIGH	64QAM	21.46	22.31	21.94	23.00
	8	LOW	64QAM	21.50	21.59	20.97	22.00
		MID	64QAM	21.12	21.35	21.19	22.00
		HIGH	64QAM	21.36	21.38	20.76	22.00
15	LOW	64QAM	21.56	21.00	20.80	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	23.50	23.83	23.75	25.00
		MID	QPSK	24.39	23.98	23.98	25.00
		HIGH	QPSK	23.44	23.97	23.53	25.00
	12	LOW	QPSK	23.66	23.24	23.10	24.00
		MID	QPSK	23.62	23.26	23.01	24.00
		HIGH	QPSK	23.44	23.23	23.11	24.00
25	LOW	QPSK	23.41	23.25	23.07	24.00	
5	1	LOW	Q16	22.42	23.02	23.15	24.00
		MID	Q16	23.89	23.28	23.66	24.00
		HIGH	Q16	22.45	23.30	22.78	24.00
	12	LOW	Q16	22.57	22.55	22.11	23.00
		MID	Q16	22.24	22.29	21.98	23.00
		HIGH	Q16	22.40	22.50	21.76	23.00
25	LOW	Q16	22.54	22.01	21.98	23.00	
5	1	LOW	64QAM	21.42	22.39	22.28	23.00
		MID	64QAM	22.96	22.37	22.90	23.00
		HIGH	64QAM	21.48	22.10	21.92	23.00
	12	LOW	64QAM	21.46	21.32	21.04	22.00
		MID	64QAM	21.25	21.51	21.13	22.00
		HIGH	64QAM	21.21	21.14	20.88	22.00
25	LOW	64QAM	21.63	20.86	20.97	22.00	

LTE B26-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.43	23.95	23.58	25.00
		MID	QPSK	24.24	24.06	23.98	25.00
		HIGH	QPSK	23.44	24.23	23.51	25.00
	25	LOW	QPSK	23.77	23.22	23.18	24.00
		MID	QPSK	23.46	23.40	23.15	24.00
	50	HIGH	QPSK	23.43	23.02	23.08	24.00
10	1	LOW	Q16	23.51	23.29	23.08	24.00
		MID	Q16	22.48	23.00	23.18	24.00
		HIGH	Q16	23.79	23.32	23.71	24.00
	25	LOW	Q16	22.41	23.36	22.69	24.00
		MID	Q16	22.62	22.33	22.32	23.00
	50	HIGH	Q16	22.35	22.49	22.02	23.00
10	1	LOW	Q16	22.38	22.29	21.82	23.00
		MID	Q16	22.52	22.13	22.10	23.00
		HIGH	Q16	22.00	22.10	22.10	23.00
	25	LOW	64QAM	21.41	22.35	22.10	23.00
		MID	64QAM	22.81	22.25	22.80	23.00
	50	HIGH	64QAM	21.44	22.12	21.86	23.00
10	1	LOW	64QAM	21.60	21.60	21.19	22.00
		MID	64QAM	21.25	21.51	21.14	22.00
		HIGH	64QAM	21.26	21.41	20.88	22.00
	25	LOW	64QAM	21.57	20.95	21.06	22.00
		MID	64QAM	21.41	20.88	20.88	22.00
	50	HIGH	64QAM	21.06	21.06	21.06	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	24.08	23.84	23.66	25.00
		MID	QPSK	24.12	23.91	23.88	25.00
		HIGH	QPSK	23.49	24.31	23.41	25.00
	36	LOW	QPSK	23.31	23.64	23.14	24.00
		MID	QPSK	23.25	23.53	23.05	24.00
	75	HIGH	QPSK	23.13	23.52	22.97	24.00
15	1	LOW	QPSK	23.54	23.20	23.05	24.00
		MID	QPSK	23.31	23.64	23.14	24.00
		HIGH	QPSK	23.25	23.53	23.05	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	23.88	23.32	23.78	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.57	22.41	22.19	23.00
		MID	Q16	22.37	22.42	22.10	23.00
		HIGH	Q16	22.40	22.37	21.85	23.00
	36	LOW	Q16	22.44	22.15	22.01	23.00
		MID	Q16	22.44	22.15	22.01	23.00
	75	HIGH	Q16	22.44	22.15	22.01	23.00
15	1	LOW	64QAM	21.41	22.28	22.16	23.00
		MID	64QAM	22.90	22.23	22.86	23.00
		HIGH	64QAM	21.42	22.19	21.95	23.00
	36	LOW	64QAM	21.45	21.45	21.09	22.00
		MID	64QAM	21.24	21.45	21.24	22.00
	75	HIGH	64QAM	21.30	21.27	20.77	22.00
15	1	LOW	64QAM	21.48	21.01	20.94	22.00
		MID	64QAM	21.48	21.01	20.94	22.00
		HIGH	64QAM	21.48	21.01	20.94	22.00
	36	LOW	64QAM	21.48	21.01	20.94	22.00
		MID	64QAM	21.48	21.01	20.94	22.00
	75	HIGH	64QAM	21.48	21.01	20.94	22.00

LTE B26-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.43	23.78	23.65	25.00
		MID	QPSK	24.19	23.91	23.91	25.00
		HIGH	QPSK	23.42	24.00	23.43	25.00
	3	LOW	QPSK	23.48	23.69	23.73	25.00
		MID	QPSK	24.30	24.05	23.75	25.00
		HIGH	QPSK	23.50	24.15	23.53	25.00
1.4	1	LOW	QPSK	23.50	23.29	23.02	24.00
		MID	Q16	22.41	23.29	22.99	24.00
		HIGH	Q16	23.79	23.46	23.82	24.00
	3	LOW	Q16	23.12	23.11	22.74	24.00
		MID	Q16	22.49	23.20	23.19	24.00
		HIGH	Q16	23.99	23.39	23.63	24.00
1.4	1	LOW	Q16	22.85	23.15	22.95	24.00
		MID	Q16	22.56	22.23	21.89	23.00
		HIGH	Q16	22.02	22.22	21.68	23.00
	3	LOW	64QAM	21.43	22.24	21.86	23.00
		MID	64QAM	22.98	22.32	22.85	23.00
		HIGH	64QAM	22.02	22.22	21.68	23.00
1.4	1	LOW	64QAM	21.44	22.18	22.24	23.00
		MID	64QAM	22.56	22.37	22.53	23.00
		HIGH	64QAM	21.43	22.00	21.91	23.00
	3	LOW	64QAM	21.66	21.22	20.86	22.00
		MID	64QAM	21.43	22.00	21.91	23.00
		HIGH	64QAM	21.43	22.00	21.91	23.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	23.42	23.81	23.75	25.00
		MID	QPSK	24.30	23.90	23.79	25.00
		HIGH	QPSK	23.46	23.95	23.48	25.00
	8	LOW	QPSK	23.58	23.35	23.09	24.00
		MID	QPSK	23.55	23.11	23.06	24.00
		HIGH	QPSK	23.59	23.15	23.02	24.00
3	1	LOW	QPSK	23.58	23.21	23.15	24.00
		MID	Q16	23.48	23.23	23.06	24.00
		HIGH	Q16	23.82	23.44	23.76	24.00
	8	LOW	Q16	22.49	23.10	22.96	24.00
		MID	Q16	22.71	22.55	22.22	23.00
		HIGH	Q16	22.42	22.43	22.05	23.00
3	1	LOW	Q16	22.34	22.31	21.73	23.00
		MID	Q16	22.39	22.29	22.15	23.00
		HIGH	Q16	22.39	22.29	22.15	23.00
	8	LOW	64QAM	21.48	22.19	22.19	23.00
		MID	64QAM	22.42	22.21	22.75	23.00
		HIGH	64QAM	21.46	22.31	21.94	23.00
3	1	LOW	64QAM	21.50	21.59	20.97	22.00
		MID	64QAM	21.12	21.35	21.19	22.00
		HIGH	64QAM	21.36	21.38	20.76	22.00
	15	LOW	64QAM	21.56	21.00	20.80	22.00
		MID	64QAM	21.56	21.00	20.80	22.00
		HIGH	64QAM	21.56	21.00	20.80	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	23.50	23.83	23.75	25.00
		MID	QPSK	24.39	23.98	23.98	25.00
		HIGH	QPSK	23.44	23.97	23.53	25.00
	12	LOW	QPSK	23.66	23.24	23.10	24.00
		MID	QPSK	23.62	23.26	23.01	24.00
		HIGH	QPSK	23.44	23.23	23.11	24.00
5	1	LOW	QPSK	23.41	23.25	23.07	24.00
		MID	Q16	22.42	23.02	23.15	24.00
		HIGH	Q16	23.89	23.28	23.66	24.00
	12	LOW	Q16	22.45	23.30	22.78	24.00
		MID	Q16	22.57	22.55	22.11	23.00
		HIGH	Q16	22.24	22.29	21.98	23.00
5	1	LOW	Q16	22.40	22.50	21.76	23.00
		MID	Q16	22.54	22.01	21.98	23.00
		HIGH	Q16	22.54	22.01	21.98	23.00
	12	LOW	64QAM	21.42	22.39	22.28	23.00
		MID	64QAM	22.96	22.37	22.90	23.00
		HIGH	64QAM	21.48	22.10	21.92	23.00
5	1	LOW	64QAM	21.46	21.32	21.04	22.00
		MID	64QAM	21.25	21.51	21.13	22.00
		HIGH	64QAM	21.23	21.14	20.88	22.00
	25	LOW	64QAM	21.63	20.86	20.97	22.00
		MID	64QAM	21.63	20.86	20.97	22.00
		HIGH	64QAM	21.63	20.86	20.97	22.00

LTE B26-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.43	23.95	23.58	25.00
		MID	QPSK	24.24	24.06	23.98	25.00
		HIGH	QPSK	23.44	24.23	23.51	25.00
	25	LOW	QPSK	23.77	23.22	23.18	24.00
		MID	QPSK	23.46	23.40	23.15	24.00
	50	HIGH	QPSK	23.43	23.02	23.08	24.00
10	1	LOW	Q16	23.51	23.29	23.08	24.00
		MID	Q16	22.48	23.00	23.18	24.00
		HIGH	Q16	23.79	23.32	23.71	24.00
	25	LOW	Q16	22.41	23.36	22.69	24.00
		MID	Q16	22.62	22.33	22.32	23.00
	50	HIGH	Q16	22.35	22.49	22.02	23.00
10	1	LOW	Q16	22.38	22.29	21.82	23.00
		MID	Q16	22.52	22.13	22.10	23.00
		HIGH	Q16	22.00	22.10	22.10	23.00
	25	LOW	64QAM	21.41	22.35	22.10	23.00
		MID	64QAM	22.81	22.25	22.80	23.00
	50	HIGH	64QAM	21.44	22.12	21.86	23.00
10	1	LOW	64QAM	21.60	21.60	21.19	22.00
		MID	64QAM	21.25	21.51	21.14	22.00
		HIGH	64QAM	21.26	21.41	20.88	22.00
	25	LOW	64QAM	21.57	20.95	21.06	22.00
		MID	64QAM	21.41	20.88	20.88	22.00
	50	HIGH	64QAM	21.06	21.06	21.06	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	24.08	23.84	23.66	25.00
		MID	QPSK	24.12	23.91	23.88	25.00
		HIGH	QPSK	23.49	24.31	23.41	25.00
	36	LOW	QPSK	23.31	23.64	23.14	24.00
		MID	QPSK	23.25	23.53	23.05	24.00
	75	HIGH	QPSK	23.13	23.52	22.97	24.00
15	1	LOW	QPSK	23.54	23.20	23.05	24.00
		MID	QPSK	23.54	23.20	23.05	24.00
		HIGH	QPSK	23.54	23.20	23.05	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00
15	1	LOW	Q16	22.42	23.22	22.83	24.00
		MID	Q16	22.57	23.14	23.08	24.00
		HIGH	Q16	22.42	23.22	22.83	24.00
	36	LOW	Q16	22.57	23.14	23.08	24.00
		MID	Q16	22.57	23.14	23.08	24.00
	75	HIGH	Q16	22.42	23.22	22.83	24.00

LTE B26-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	21.31	21.09	20.93	21.50
		MID	QPSK	21.18	21.05	20.70	21.50
		HIGH	QPSK	21.11	21.08	20.48	21.50
	3	LOW	QPSK	21.08	21.14	20.85	21.50
		MID	QPSK	21.34	20.89	20.89	21.50
		HIGH	QPSK	20.86	21.09	20.59	21.50
1.4	1	LOW	QPSK	21.25	21.10	20.90	21.50
		MID	QPSK	21.25	21.10	20.90	21.50
		HIGH	QPSK	21.25	21.10	20.90	21.50
	3	LOW	QPSK	21.25	21.10	20.90	21.50
		MID	QPSK	21.25	21.10	20.90	21.50
		HIGH	QPSK	21.25	21.10	20.90	21.50
1.4	1	LOW	Q16	21.29	21.35	21.45	21.50
		MID	Q16	21.40	20.95	21.36	21.50
		HIGH	Q16	20.72	21.17	21.21	21.50
	3	LOW	Q16	21.43	21.36	21.33	21.50
		MID	Q16	21.43	21.13	21.25	21.50
		HIGH	Q16	20.94	21.15	21.20	21.50
1.4	1	LOW	Q16	21.33	20.95	20.63	21.50
		MID	Q16	21.33	20.95	20.63	21.50
		HIGH	Q16	21.33	20.95	20.63	21.50
	3	LOW	Q16	21.33	20.95	20.63	21.50
		MID	Q16	21.33	20.95	20.63	21.50
		HIGH	Q16	21.33	20.95	20.63	21.50
1.4	1	LOW	64QAM	21.31	21.21	21.33	21.50
		MID	64QAM	21.44	20.95	21.42	21.50
		HIGH	64QAM	20.84	21.20	21.31	21.50
	3	LOW	64QAM	21.34	21.23	21.47	21.50
		MID	64QAM	21.23	21.05	21.25	21.50
		HIGH	64QAM	20.95	21.00	21.16	21.50
1.4	1	LOW	64QAM	21.47	20.88	20.66	21.50
		MID	64QAM	21.47	20.88	20.66	21.50
		HIGH	64QAM	21.47	20.88	20.66	21.50
	3	LOW	64QAM	21.47	20.88	20.66	21.50
		MID	64QAM	21.47	20.88	20.66	21.50
		HIGH	64QAM	21.47	20.88	20.66	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	21.26	21.07	20.70	21.50
		MID	QPSK	21.26	21.02	20.90	21.50
		HIGH	QPSK	20.86	20.80	20.50	21.50
	8	LOW	QPSK	21.35	20.95	21.04	21.50
		MID	QPSK	21.35	20.89	20.91	21.50
		HIGH	QPSK	21.24	20.91	20.88	21.50
3	1	LOW	QPSK	21.18	21.11	20.86	21.50
		MID	QPSK	21.18	21.11	20.86	21.50
		HIGH	QPSK	21.18	21.11	20.86	21.50
	8	LOW	QPSK	21.18	21.11	20.86	21.50
		MID	QPSK	21.18	21.11	20.86	21.50
		HIGH	QPSK	21.18	21.11	20.86	21.50
3	1	LOW	Q16	21.42	21.25	21.47	21.50
		MID	Q16	21.27	21.15	21.25	21.50
		HIGH	Q16	20.89	21.07	21.32	21.50
	8	LOW	Q16	21.33	21.23	20.80	21.50
		MID	Q16	21.05	21.06	20.77	21.50
		HIGH	Q16	21.35	21.12	20.48	21.50
3	1	LOW	Q16	21.13	21.01	20.78	21.50
		MID	Q16	21.13	21.01	20.78	21.50
		HIGH	Q16	21.13	21.01	20.78	21.50
	8	LOW	Q16	21.13	21.01	20.78	21.50
		MID	Q16	21.13	21.01	20.78	21.50
		HIGH	Q16	21.13	21.01	20.78	21.50
3	1	LOW	64QAM	21.36	21.04	21.39	21.50
		MID	64QAM	21.36	20.96	21.22	21.50
		HIGH	64QAM	20.73	21.06	21.31	21.50
	8	LOW	64QAM	21.09	21.20	20.79	21.50
		MID	64QAM	21.29	21.15	21.00	21.50
		HIGH	64QAM	21.33	21.13	20.55	21.50
3	1	LOW	64QAM	21.50	20.98	20.93	21.50
		MID	64QAM	21.50	20.98	20.93	21.50
		HIGH	64QAM	21.50	20.98	20.93	21.50
	8	LOW	64QAM	21.50	20.98	20.93	21.50
		MID	64QAM	21.50	20.98	20.93	21.50
		HIGH	64QAM	21.50	20.98	20.93	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	21.31	21.16	20.84	21.50
		MID	QPSK	21.40	21.01	20.69	21.50
		HIGH	QPSK	20.86	20.85	20.68	21.50
	12	LOW	QPSK	21.33	21.05	21.06	21.50
		MID	QPSK	21.31	21.01	20.90	21.50
		HIGH	QPSK	21.42	20.83	20.72	21.50
5	1	LOW	QPSK	21.19	21.15	21.02	21.50
		MID	QPSK	21.19	21.15	21.02	21.50
		HIGH	QPSK	21.19	21.15	21.02	21.50
	12	LOW	QPSK	21.19	21.15	21.02	21.50
		MID	QPSK	21.19	21.15	21.02	21.50
		HIGH	QPSK	21.19	21.15	21.02	21.50
5	1	LOW	Q16	21.27	21.31	21.38	21.50
		MID	Q16	21.40	21.15	21.33	21.50
		HIGH	Q16	20.89	20.94	21.28	21.50
	12	LOW	Q16	21.20	21.32	20.63	21.50
		MID	Q16	20.96	21.26	20.86	21.50
		HIGH	Q16	21.37	21.04	20.49	21.50
5	1	LOW	Q16	21.28	21.12	20.72	21.50
		MID	Q16	21.28	21.12	20.72	21.50
		HIGH	Q16	21.28	21.12	20.72	21.50
	12	LOW	Q16	21.28	21.12	20.72	21.50
		MID	Q16	21.28	21.12	20.72	21.50
		HIGH	Q16	21.28	21.12	20.72	21.50
5	1	LOW	64QAM	21.28	21.06	21.21	21.50
		MID	64QAM	21.47	20.96	21.47	21.50
		HIGH	64QAM	20.81	20.79	21.20	21.50
	12	LOW	64QAM	21.13	21.27	20.77	21.50
		MID	64QAM	21.38	21.17	20.94	21.50
		HIGH	64QAM	21.08	21.15	20.51	21.50
5	1	LOW	64QAM	21.36	21.20	20.94	21.50
		MID	64QAM	21.36	21.20	20.94	21.50
		HIGH	64QAM	21.36	21.20	20.94	21.50
	12	LOW	64QAM	21.36	21.20	20.94	21.50
		MID	64QAM	21.36	21.20	20.94	21.50
		HIGH	64QAM	21.36	21.20	20.94	21.50

LTE B26-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	21.06	21.13	20.71	21.50
		MID	QPSK	21.28	21.07	20.76	21.50
		HIGH	QPSK	20.91	20.83	20.45	21.50
	25	LOW	QPSK	21.20	21.08	21.04	21.50
		MID	QPSK	21.43	21.03	20.87	21.50
	50	HIGH	QPSK	21.42	20.88	20.69	21.50
10	1	LOW	Q16	21.18	21.02	20.94	21.50
		MID	Q16	21.22	21.25	21.50	21.50
		HIGH	Q16	21.24	21.03	21.45	21.50
	25	LOW	Q16	20.97	20.94	21.31	21.50
		MID	Q16	21.42	21.29	20.71	21.50
	50	HIGH	Q16	21.08	21.32	20.73	21.50
10	1	LOW	Q16	21.18	21.20	20.52	21.50
		MID	Q16	21.14	21.17	20.72	21.50
		HIGH	Q16	21.14	21.17	20.72	21.50
	25	LOW	64QAM	21.34	21.31	21.46	21.50
		MID	64QAM	21.30	21.01	21.36	21.50
	50	HIGH	64QAM	20.74	20.85	21.26	21.50
15	1	LOW	64QAM	21.17	21.29	20.94	21.50
		MID	64QAM	21.31	21.16	20.91	21.50
		HIGH	64QAM	21.24	21.07	20.53	21.50
	25	LOW	64QAM	21.31	21.15	20.84	21.50
		MID	64QAM	21.31	21.15	20.84	21.50
	50	HIGH	64QAM	21.31	21.15	20.84	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	21.07	21.18	20.81	21.50
		MID	QPSK	21.02	21.29	20.80	21.50
		HIGH	QPSK	20.94	21.00	20.57	21.50
	36	LOW	QPSK	21.08	21.08	20.96	21.50
		MID	QPSK	21.12	21.25	20.84	21.50
	75	HIGH	QPSK	21.15	20.93	20.80	21.50
15	1	LOW	QPSK	21.23	21.03	20.88	21.50
		MID	QPSK	21.23	21.03	20.88	21.50
		HIGH	QPSK	21.23	21.03	20.88	21.50
	36	LOW	Q16	21.36	21.29	21.35	21.50
		MID	Q16	21.25	21.08	21.50	21.50
	75	HIGH	Q16	20.84	21.06	21.31	21.50
15	1	LOW	Q16	21.27	21.21	20.74	21.50
		MID	Q16	21.27	21.21	20.74	21.50
		HIGH	Q16	21.09	21.21	20.75	21.50
	36	LOW	Q16	21.22	21.05	20.60	21.50
		MID	Q16	21.22	21.05	20.60	21.50
	75	HIGH	Q16	21.26	21.05	20.78	21.50
15	1	LOW	64QAM	21.27	21.18	21.50	21.50
		MID	64QAM	21.32	21.02	21.21	21.50
		HIGH	64QAM	20.81	20.92	21.21	21.50
	36	LOW	64QAM	21.21	21.21	20.82	21.50
		MID	64QAM	21.23	21.23	20.89	21.50
	75	HIGH	64QAM	21.18	21.10	20.49	21.50
15	1	LOW	64QAM	21.36	21.07	20.83	21.50
		MID	64QAM	21.36	21.07	20.83	21.50
		HIGH	64QAM	21.36	21.07	20.83	21.50
	36	LOW	64QAM	21.36	21.07	20.83	21.50
		MID	64QAM	21.36	21.07	20.83	21.50
	75	HIGH	64QAM	21.36	21.07	20.83	21.50

LTE B26-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.30	23.48	23.19	23.50
		MID	QPSK	23.32	23.37	22.86	23.50
		HIGH	QPSK	23.14	23.39	22.76	23.50
	3	LOW	QPSK	23.11	23.31	23.13	23.50
		MID	QPSK	23.45	23.25	22.83	23.50
		HIGH	QPSK	23.44	23.42	22.79	23.50
1.4	1	LOW	QPSK	23.47	23.21	23.00	23.50
		MID	QPSK	23.47	23.21	23.00	23.50
		HIGH	QPSK	23.47	23.21	23.00	23.50
	3	LOW	QPSK	23.47	23.21	23.00	23.50
		MID	QPSK	23.47	23.21	23.00	23.50
		HIGH	QPSK	23.47	23.21	23.00	23.50
1.4	1	LOW	Q16	23.14	23.47	23.26	23.50
		MID	Q16	23.44	23.21	23.20	23.50
		HIGH	Q16	22.94	23.24	23.02	23.50
	3	LOW	Q16	23.01	23.37	23.26	23.50
		MID	Q16	23.49	23.49	23.47	23.50
		HIGH	Q16	23.05	23.29	22.98	23.50
1.4	1	LOW	Q16	22.76	22.82	22.40	23.00
		MID	Q16	22.76	22.82	22.40	23.00
		HIGH	Q16	22.76	22.82	22.40	23.00
	3	LOW	Q16	22.76	22.82	22.40	23.00
		MID	Q16	22.76	22.82	22.40	23.00
		HIGH	Q16	22.76	22.82	22.40	23.00
1.4	1	LOW	64QAM	22.66	22.79	22.73	23.00
		MID	64QAM	22.89	22.83	22.58	23.00
		HIGH	64QAM	22.40	22.68	22.62	23.00
	3	LOW	64QAM	22.44	22.89	22.86	23.00
		MID	64QAM	22.90	22.79	22.90	23.00
		HIGH	64QAM	22.54	22.89	22.50	23.00
1.4	1	LOW	64QAM	21.82	21.82	21.32	22.00
		MID	64QAM	21.82	21.82	21.32	22.00
		HIGH	64QAM	21.82	21.82	21.32	22.00
	3	LOW	64QAM	21.82	21.82	21.32	22.00
		MID	64QAM	21.82	21.82	21.32	22.00
		HIGH	64QAM	21.82	21.82	21.32	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	23.17	23.22	23.25	23.50
		MID	QPSK	23.26	23.34	23.08	23.50
		HIGH	QPSK	23.17	23.30	22.79	23.50
	8	LOW	QPSK	23.46	23.25	23.28	23.50
		MID	QPSK	23.21	23.44	22.91	23.50
		HIGH	QPSK	23.27	23.28	22.94	23.50
3	1	LOW	QPSK	23.30	23.24	22.85	23.50
		MID	QPSK	23.30	23.24	22.85	23.50
		HIGH	QPSK	23.30	23.24	22.85	23.50
	8	LOW	QPSK	23.30	23.24	22.85	23.50
		MID	QPSK	23.30	23.24	22.85	23.50
		HIGH	QPSK	23.30	23.24	22.85	23.50
3	1	LOW	Q16	22.96	23.24	23.32	23.50
		MID	Q16	23.45	23.50	23.24	23.50
		HIGH	Q16	23.02	23.13	23.17	23.50
	8	LOW	Q16	22.74	22.76	22.46	23.00
		MID	Q16	22.86	22.83	22.37	23.00
		HIGH	Q16	22.65	22.78	22.28	23.00
3	1	LOW	Q16	22.71	22.65	22.59	23.00
		MID	Q16	22.71	22.65	22.59	23.00
		HIGH	Q16	22.71	22.65	22.59	23.00
	8	LOW	Q16	22.71	22.65	22.59	23.00
		MID	Q16	22.71	22.65	22.59	23.00
		HIGH	Q16	22.71	22.65	22.59	23.00
3	1	LOW	64QAM	22.52	22.87	22.91	23.00
		MID	64QAM	22.80	22.86	22.59	23.00
		HIGH	64QAM	22.51	22.80	22.61	23.00
	8	LOW	64QAM	21.92	21.64	21.45	22.00
		MID	64QAM	21.90	21.87	21.52	22.00
		HIGH	64QAM	21.63	21.73	21.19	22.00
3	1	LOW	64QAM	21.78	21.66	21.64	22.00
		MID	64QAM	21.78	21.66	21.64	22.00
		HIGH	64QAM	21.78	21.66	21.64	22.00
	8	LOW	64QAM	21.78	21.66	21.64	22.00
		MID	64QAM	21.78	21.66	21.64	22.00
		HIGH	64QAM	21.78	21.66	21.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	23.29	23.42	23.26	23.50
		MID	QPSK	23.43	23.23	22.89	23.50
		HIGH	QPSK	23.33	23.38	22.78	23.50
	12	LOW	QPSK	23.42	23.44	23.11	23.50
		MID	QPSK	23.26	23.23	23.14	23.50
		HIGH	QPSK	23.47	23.26	22.83	23.50
5	1	LOW	QPSK	23.42	23.29	22.84	23.50
		MID	QPSK	23.42	23.29	22.84	23.50
		HIGH	QPSK	23.42	23.29	22.84	23.50
	12	LOW	QPSK	23.42	23.29	22.84	23.50
		MID	QPSK	23.42	23.29	22.84	23.50
		HIGH	QPSK	23.42	23.29	22.84	23.50
5	1	LOW	Q16	22.88	23.39	23.28	23.50
		MID	Q16	23.46	23.25	23.44	23.50
		HIGH	Q16	23.06	23.15	23.00	23.50
	12	LOW	Q16	22.65	22.78	22.58	23.00
		MID	Q16	22.77	22.82	22.34	23.00
		HIGH	Q16	22.71	22.90	22.24	23.00
5	1	LOW	Q16	23.00	22.71	22.50	23.00
		MID	Q16	23.00	22.71	22.50	23.00
		HIGH	Q16	23.00	22.71	22.50	23.00
	12	LOW	Q16	23.00	22.71	22.50	23.00
		MID	Q16	23.00	22.71	22.50	23.00
		HIGH	Q16	23.00	22.71	22.50	23.00
5	1	LOW	64QAM	22.64	22.76	22.80	23.00
		MID	64QAM	22.71	22.99	22.69	23.00
		HIGH	64QAM	22.39	22.79	22.41	23.00
	12	LOW	64QAM	21.79	21.77	21.45	22.00
		MID	64QAM	21.77	21.84	21.58	22.00
		HIGH	64QAM	21.83	21.71	21.18	22.00
5	1	LOW	64QAM	21.87	21.72	21.41	22.00
		MID	64QAM	21.87	21.72	21.41	22.00
		HIGH	64QAM	21.87	21.72	21.41	22.00
	12	LOW	64QAM	21.87	21.72	21.41	22.00
		MID	64QAM	21.87	21.72	21.41	22.00
		HIGH	64QAM	21.87	21.72	21.41	22.00

LTE B26-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.16	23.22	23.26	23.50
		MID	QPSK	23.30	23.29	23.07	23.50
		HIGH	QPSK	23.31	23.31	22.74	23.50
	25	LOW	QPSK	23.46	23.22	23.24	23.50
		MID	QPSK	23.36	23.39	22.87	23.50
	50	HIGH	QPSK	23.27	23.43	22.97	23.50
10	1	LOW	Q16	23.39	23.41	22.83	23.50
		MID	Q16	23.39	23.47	23.29	23.50
		HIGH	Q16	22.93	23.11	23.27	23.50
	25	LOW	Q16	22.74	22.75	22.37	23.00
		MID	Q16	22.70	22.89	22.60	23.00
	50	HIGH	Q16	22.81	22.97	22.36	23.00
10	1	LOW	Q16	22.74	22.89	22.64	23.00
		MID	Q16	22.74	22.89	22.64	23.00
		HIGH	Q16	22.74	22.89	22.64	23.00
	25	LOW	64QAM	22.49	22.96	22.72	23.00
		MID	64QAM	22.80	22.77	22.68	23.00
	50	HIGH	64QAM	22.41	22.69	22.59	23.00
10	1	LOW	64QAM	21.89	21.80	21.27	22.00
		MID	64QAM	21.92	21.75	21.57	22.00
		HIGH	64QAM	21.88	21.96	21.26	22.00
	25	LOW	64QAM	21.88	21.82	21.64	22.00
		MID	64QAM	21.88	21.82	21.64	22.00
	50	HIGH	64QAM	21.88	21.82	21.64	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	23.20	23.35	23.26	23.50
		MID	QPSK	23.31	23.38	22.93	23.50
		HIGH	QPSK	23.29	23.30	22.65	23.50
	36	LOW	QPSK	23.34	23.44	23.18	23.50
		MID	QPSK	23.44	23.46	22.99	23.50
	75	HIGH	QPSK	23.39	23.37	22.86	23.50
15	1	LOW	QPSK	23.37	23.45	22.96	23.50
		MID	QPSK	23.37	23.45	22.96	23.50
		HIGH	QPSK	23.37	23.45	22.96	23.50
	36	LOW	Q16	23.00	23.46	23.33	23.50
		MID	Q16	23.44	23.46	23.32	23.50
	75	HIGH	Q16	22.97	23.17	23.12	23.50
15	1	LOW	Q16	22.71	22.83	22.51	23.00
		MID	Q16	22.77	22.93	22.49	23.00
		HIGH	Q16	22.77	22.82	22.28	23.00
	36	LOW	Q16	22.95	22.79	22.53	23.00
		MID	Q16	22.95	22.79	22.53	23.00
	75	HIGH	Q16	22.95	22.79	22.53	23.00
15	1	LOW	64QAM	22.64	22.96	22.74	23.00
		MID	64QAM	22.79	22.90	22.70	23.00
		HIGH	64QAM	22.49	22.72	22.53	23.00
	36	LOW	64QAM	21.77	21.70	21.40	22.00
		MID	64QAM	21.83	21.96	21.58	22.00
	75	HIGH	64QAM	21.78	21.84	21.21	22.00
15	1	LOW	64QAM	21.83	21.74	21.54	22.00
		MID	64QAM	21.83	21.74	21.54	22.00
		HIGH	64QAM	21.83	21.74	21.54	22.00
	36	LOW	64QAM	21.83	21.74	21.54	22.00
		MID	64QAM	21.83	21.74	21.54	22.00
	75	HIGH	64QAM	21.83	21.74	21.54	22.00

LTE B26-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.31	20.29	20.37	20.50
		MID	QPSK	20.25	20.24	19.95	20.50
		HIGH	QPSK	20.09	20.41	19.50	20.50
	3	LOW	QPSK	20.20	20.10	20.33	20.50
		MID	QPSK	20.21	20.30	19.92	20.50
		HIGH	QPSK	20.16	20.11	19.73	20.50
6	LOW	QPSK	20.23	20.50	19.92	20.50	
1.4	1	LOW	Q16	20.25	20.30	20.35	20.50
		MID	Q16	20.42	20.29	20.42	20.50
		HIGH	Q16	20.32	20.00	20.17	20.50
	3	LOW	Q16	20.32	20.28	20.25	20.50
		MID	Q16	20.25	20.28	20.29	20.50
		HIGH	Q16	20.24	19.97	20.03	20.50
6	LOW	Q16	20.39	20.40	19.98	20.50	
1.4	1	LOW	64QAM	20.15	20.36	20.38	20.50
		MID	64QAM	20.48	20.27	20.45	20.50
		HIGH	64QAM	20.30	20.04	20.14	20.50
	3	LOW	64QAM	20.21	20.18	20.35	20.50
		MID	64QAM	20.34	20.35	20.25	20.50
		HIGH	64QAM	20.21	19.97	20.14	20.50
6	LOW	64QAM	20.36	20.36	20.10	20.50	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	20.16	20.31	20.19	20.50
		MID	QPSK	20.25	20.47	19.90	20.50
		HIGH	QPSK	20.34	20.28	19.66	20.50
	8	LOW	QPSK	20.17	20.44	19.93	20.50
		MID	QPSK	20.26	20.28	19.98	20.50
		HIGH	QPSK	20.38	20.25	19.98	20.50
15	LOW	QPSK	20.30	20.30	19.77	20.50	
3	1	LOW	Q16	20.32	20.27	20.50	20.50
		MID	Q16	20.34	20.31	20.40	20.50
		HIGH	Q16	20.24	20.14	20.13	20.50
	8	LOW	Q16	20.42	20.36	20.00	20.50
		MID	Q16	20.41	20.39	20.06	20.50
		HIGH	Q16	20.04	20.41	19.72	20.50
15	LOW	Q16	20.41	20.29	20.03	20.50	
3	1	LOW	64QAM	20.50	20.28	20.45	20.50
		MID	64QAM	20.22	20.20	20.28	20.50
		HIGH	64QAM	20.45	20.17	20.03	20.50
	8	LOW	64QAM	20.21	20.24	20.24	20.50
		MID	64QAM	20.42	20.43	20.04	20.50
		HIGH	64QAM	20.06	20.26	19.53	20.50
15	LOW	64QAM	20.31	20.29	20.04	20.50	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	20.35	20.17	20.17	20.50
		MID	QPSK	20.15	20.26	20.03	20.50
		HIGH	QPSK	20.18	20.16	19.58	20.50
	12	LOW	QPSK	20.20	20.39	19.92	20.50
		MID	QPSK	20.43	20.39	19.92	20.50
		HIGH	QPSK	20.41	20.30	20.05	20.50
25	LOW	QPSK	20.41	20.41	19.83	20.50	
5	1	LOW	Q16	20.29	20.27	20.34	20.50
		MID	Q16	20.45	20.27	20.40	20.50
		HIGH	Q16	20.30	20.09	19.94	20.50
	12	LOW	Q16	20.23	20.22	20.17	20.50
		MID	Q16	20.40	20.22	19.99	20.50
		HIGH	Q16	20.26	20.33	19.92	20.50
25	LOW	Q16	20.35	20.40	19.93	20.50	
5	1	LOW	64QAM	20.30	20.44	20.34	20.50
		MID	64QAM	20.32	20.43	20.37	20.50
		HIGH	64QAM	20.42	20.33	20.01	20.50
	12	LOW	64QAM	20.28	20.34	20.14	20.50
		MID	64QAM	20.46	20.36	19.93	20.50
		HIGH	64QAM	19.95	20.26	19.66	20.50
25	LOW	64QAM	20.27	20.27	19.76	20.50	

LTE B26-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	20.25	20.32	20.12	20.50
		MID	QPSK	20.24	20.18	19.80	20.50
		HIGH	QPSK	20.25	20.31	19.68	20.50
	25	LOW	QPSK	20.15	20.23	19.99	20.50
		MID	QPSK	20.37	20.43	19.88	20.50
		HIGH	QPSK	20.30	20.34	20.10	20.50
	50	LOW	QPSK	20.38	20.40	19.82	20.50
10	1	LOW	Q16	20.39	20.43	20.36	20.50
		MID	Q16	20.32	20.37	20.41	20.50
		HIGH	Q16	20.16	20.03	19.92	20.50
	25	LOW	Q16	20.43	20.35	20.13	20.50
		MID	Q16	20.36	20.26	20.02	20.50
		HIGH	Q16	20.16	20.22	19.71	20.50
	50	LOW	Q16	20.32	20.30	20.05	20.50
10	1	LOW	64QAM	20.45	20.41	20.43	20.50
		MID	64QAM	20.30	20.28	20.29	20.50
		HIGH	64QAM	20.30	20.34	20.08	20.50
	25	LOW	64QAM	20.22	20.41	20.10	20.50
		MID	64QAM	20.29	20.45	20.00	20.50
		HIGH	64QAM	20.12	20.29	19.56	20.50
	50	LOW	64QAM	20.26	20.44	20.02	20.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	20.20	20.20	20.25	20.50
		MID	QPSK	20.21	20.32	19.89	20.50
		HIGH	QPSK	20.24	20.26	19.62	20.50
	36	LOW	QPSK	20.26	20.31	20.06	20.50
		MID	QPSK	20.37	20.39	20.00	20.50
		HIGH	QPSK	20.25	20.31	19.96	20.50
	75	LOW	QPSK	20.36	20.36	19.90	20.50
15	1	LOW	Q16	20.35	20.31	20.43	20.50
		MID	Q16	20.36	20.41	20.40	20.50
		HIGH	Q16	20.25	20.12	20.07	20.50
	36	LOW	Q16	20.38	20.31	20.08	20.50
		MID	Q16	20.40	20.48	19.93	20.50
		HIGH	Q16	20.18	20.35	19.77	20.50
	75	LOW	Q16	20.35	20.44	19.91	20.50
15	1	LOW	64QAM	20.43	20.32	20.39	20.50
		MID	64QAM	20.50	20.32	20.49	20.50
		HIGH	64QAM	20.39	20.23	19.95	20.50
	36	LOW	64QAM	20.40	20.39	20.18	20.50
		MID	64QAM	20.44	20.28	19.90	20.50
		HIGH	64QAM	20.10	20.41	19.64	20.50
	75	LOW	64QAM	20.40	20.33	19.89	20.50

8.3.11 LTE Band26 Output Power

Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.11	23.98	24.16	25.00
		MID	QPSK	24.90	24.70	24.37	25.00
		HIGH	QPSK	23.50	24.46	23.55	25.00
	3	LOW	QPSK	23.94	23.82	24.09	25.00
		MID	QPSK	24.73	24.54	24.24	25.00
		HIGH	QPSK	23.54	24.41	23.47	25.00
	6	LOW	QPSK	23.70	23.63	23.86	24.00
1.4	1	LOW	Q16	22.68	23.10	23.45	24.00
		MID	Q16	23.90	23.73	23.55	24.00
		HIGH	Q16	22.66	23.97	22.74	24.00
	3	LOW	Q16	22.87	23.17	23.46	24.00
		MID	Q16	23.75	23.70	23.77	24.00
		HIGH	Q16	22.67	24.00	22.85	24.00
	6	LOW	Q16	22.64	22.85	22.83	23.00
1.4	1	LOW	64QAM	21.71	22.03	22.36	23.00
		MID	64QAM	22.75	22.75	22.52	23.00
		HIGH	64QAM	21.53	22.71	21.83	23.00
	3	LOW	64QAM	21.82	22.11	22.43	23.00
		MID	64QAM	22.66	22.66	22.66	23.00
		HIGH	64QAM	21.65	22.79	21.83	23.00
	6	LOW	64QAM	21.77	21.85	21.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	23.82	23.93	24.12	25.00
		MID	QPSK	24.99	24.56	24.39	25.00
		HIGH	QPSK	23.59	24.56	23.58	25.00
	8	LOW	QPSK	23.81	23.74	23.82	24.00
		MID	QPSK	23.87	23.97	23.84	24.00
		HIGH	QPSK	23.94	23.68	23.73	24.00
15	LOW	QPSK	23.90	23.75	23.80	24.00	
3	1	LOW	Q16	22.90	23.09	23.57	24.00
		MID	Q16	23.76	23.65	23.67	24.00
		HIGH	Q16	22.45	23.77	22.89	24.00
	8	LOW	Q16	22.84	22.75	22.63	23.00
		MID	Q16	22.81	22.85	22.97	23.00
		HIGH	Q16	22.93	22.84	22.79	23.00
15	LOW	Q16	22.73	22.75	22.92	23.00	
3	1	LOW	64QAM	21.83	22.31	22.77	23.00
		MID	64QAM	22.77	22.61	23.00	23.00
		HIGH	64QAM	21.41	22.59	21.93	23.00
	8	LOW	64QAM	21.88	21.84	21.86	22.00
		MID	64QAM	21.66	21.79	21.80	22.00
		HIGH	64QAM	22.00	21.88	21.63	22.00
15	LOW	64QAM	21.86	21.69	21.82	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	24.01	23.86	24.36	25.00
		MID	QPSK	24.88	24.73	24.45	25.00
		HIGH	QPSK	23.68	24.67	23.45	25.00
	12	LOW	QPSK	23.96	23.78	23.88	24.00
		MID	QPSK	23.67	23.79	23.91	24.00
		HIGH	QPSK	23.94	23.57	23.57	24.00
25	LOW	QPSK	23.83	23.88	23.64	24.00	
5	1	LOW	Q16	22.72	23.14	23.69	24.00
		MID	Q16	23.85	23.88	23.60	24.00
		HIGH	Q16	22.58	23.75	22.95	24.00
	12	LOW	Q16	22.81	22.82	22.75	23.00
		MID	Q16	22.64	22.93	22.77	23.00
		HIGH	Q16	22.75	22.69	22.80	23.00
25	LOW	Q16	22.69	22.68	22.92	23.00	
5	1	LOW	64QAM	21.80	22.34	22.66	23.00
		MID	64QAM	22.74	22.78	22.74	23.00
		HIGH	64QAM	21.42	22.64	21.99	23.00
	12	LOW	64QAM	21.71	21.74	21.92	22.00
		MID	64QAM	21.90	21.76	21.60	22.00
		HIGH	64QAM	21.98	21.83	21.65	22.00
25	LOW	64QAM	21.81	21.55	21.79	22.00	

LTE B26-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.86	24.02	24.29	25.00
		MID	QPSK	24.86	24.81	24.26	25.00
		HIGH	QPSK	23.55	24.67	23.45	25.00
	25	LOW	QPSK	23.89	23.74	23.77	24.00
		MID	QPSK	23.66	23.98	23.84	24.00
	50	HIGH	QPSK	23.94	23.59	23.74	24.00
10	1	LOW	Q16	23.83	23.83	23.87	24.00
		MID	Q16	22.67	23.32	23.67	24.00
		HIGH	Q16	23.89	23.77	23.64	24.00
	25	LOW	Q16	22.44	23.96	22.95	24.00
		MID	Q16	22.86	22.80	22.81	23.00
	50	HIGH	Q16	22.66	22.77	22.90	23.00
10	1	LOW	Q16	22.73	22.68	22.75	23.00
		MID	Q16	22.86	22.82	22.99	23.00
		HIGH	Q16	22.86	22.82	22.99	23.00
	25	LOW	64QAM	21.81	22.33	22.75	23.00
		MID	64QAM	22.90	22.66	22.76	23.00
	50	HIGH	64QAM	21.45	22.71	21.99	23.00
10	1	LOW	64QAM	21.76	21.80	21.71	22.00
		MID	64QAM	21.63	21.72	21.69	22.00
		HIGH	64QAM	21.73	21.81	21.56	22.00
	25	LOW	64QAM	21.90	21.60	21.92	22.00
		MID	64QAM	21.90	21.60	21.92	22.00
	50	HIGH	64QAM	21.90	21.60	21.92	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	23.97	23.89	24.23	25.00
		MID	QPSK	24.84	24.68	24.38	25.00
		HIGH	QPSK	23.59	24.54	23.45	25.00
	36	LOW	QPSK	23.91	23.87	23.83	24.00
		MID	QPSK	23.90	23.83	23.81	24.00
	75	HIGH	QPSK	23.68	23.72	23.80	24.00
15	1	LOW	QPSK	23.80	23.77	23.79	24.00
		MID	QPSK	23.80	23.77	23.79	24.00
		HIGH	QPSK	23.80	23.77	23.79	24.00
	36	LOW	Q16	22.81	23.21	23.60	24.00
		MID	Q16	23.90	23.78	23.67	24.00
	75	HIGH	Q16	22.55	23.94	22.85	24.00
15	1	LOW	Q16	22.78	22.90	22.73	23.00
		MID	Q16	22.78	22.80	22.84	23.00
		HIGH	Q16	22.88	22.76	22.72	23.00
	36	LOW	Q16	22.71	22.71	22.85	23.00
		MID	Q16	22.71	22.71	22.85	23.00
	75	HIGH	Q16	22.71	22.71	22.85	23.00
15	1	LOW	64QAM	21.95	22.28	22.68	23.00
		MID	64QAM	22.91	22.70	22.89	23.00
		HIGH	64QAM	21.45	22.71	21.91	23.00
	36	LOW	64QAM	21.89	21.83	21.88	22.00
		MID	64QAM	21.76	21.69	21.74	22.00
	75	HIGH	64QAM	21.98	21.91	21.62	22.00
15	1	LOW	64QAM	21.92	21.60	21.83	22.00
		MID	64QAM	21.92	21.60	21.83	22.00
		HIGH	64QAM	21.92	21.60	21.83	22.00
	36	LOW	64QAM	21.92	21.60	21.83	22.00
		MID	64QAM	21.92	21.60	21.83	22.00
	75	HIGH	64QAM	21.92	21.60	21.83	22.00

LTE B26-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.40	23.28	23.59	24.50
		MID	QPSK	23.76	24.06	24.19	24.50
		HIGH	QPSK	22.93	23.96	22.95	24.50
	25	LOW	QPSK	23.94	23.33	23.30	24.00
		MID	QPSK	23.93	23.63	23.22	24.00
	50	HIGH	QPSK	23.83	23.33	23.23	24.00
10	1	LOW	Q16	23.80	23.41	23.30	24.00
		MID	Q16	22.44	22.46	23.01	24.00
		HIGH	Q16	23.63	23.26	23.57	24.00
	25	LOW	Q16	22.44	23.44	22.46	24.00
		MID	Q16	22.67	22.44	22.55	23.00
	50	HIGH	Q16	22.69	22.67	22.27	23.00
10	1	LOW	Q16	22.63	22.35	22.22	23.00
		MID	Q16	22.66	22.46	22.26	23.00
		HIGH	Q16	22.66	22.46	22.26	23.00
	25	LOW	64QAM	21.50	21.43	21.81	23.00
		MID	64QAM	22.30	22.33	22.89	23.00
	50	HIGH	64QAM	21.48	22.07	21.40	23.00
10	1	LOW	64QAM	21.89	21.33	21.40	22.00
		MID	64QAM	21.57	21.69	21.36	22.00
		HIGH	64QAM	21.83	21.58	21.16	22.00
	25	LOW	64QAM	21.79	21.63	21.19	22.00
		MID	64QAM	21.79	21.63	21.19	22.00
	50	HIGH	64QAM	21.79	21.63	21.19	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	23.31	23.15	23.58	24.50
		MID	QPSK	23.89	23.93	24.20	24.50
		HIGH	QPSK	23.25	23.90	23.13	24.50
	36	LOW	QPSK	23.91	23.38	23.43	24.00
		MID	QPSK	23.84	23.58	23.36	24.00
	75	HIGH	QPSK	23.72	23.44	23.21	24.00
15	1	LOW	QPSK	23.81	23.54	23.34	24.00
		MID	QPSK	23.81	23.54	23.34	24.00
		HIGH	QPSK	23.81	23.54	23.34	24.00
	36	LOW	Q16	22.42	22.46	22.95	24.00
		MID	Q16	23.54	23.33	23.95	24.00
	75	HIGH	Q16	22.45	23.30	22.45	24.00
15	1	LOW	Q16	22.90	22.54	22.48	23.00
		MID	Q16	22.80	22.64	22.42	23.00
		HIGH	Q16	22.72	22.48	22.18	23.00
	36	LOW	Q16	22.72	22.40	22.34	23.00
		MID	Q16	22.72	22.40	22.34	23.00
	75	HIGH	Q16	22.72	22.40	22.34	23.00
15	1	LOW	64QAM	21.41	21.48	21.89	23.00
		MID	64QAM	22.40	22.37	23.00	23.00
		HIGH	64QAM	21.50	22.19	21.41	23.00
	36	LOW	64QAM	21.75	21.45	21.54	22.00
		MID	64QAM	21.94	21.70	21.40	22.00
	75	HIGH	64QAM	21.76	21.60	21.18	22.00
15	1	LOW	64QAM	21.76	21.53	21.31	22.00
		MID	64QAM	21.76	21.53	21.31	22.00
		HIGH	64QAM	21.76	21.53	21.31	22.00
	36	LOW	64QAM	21.76	21.53	21.31	22.00
		MID	64QAM	21.76	21.53	21.31	22.00
	75	HIGH	64QAM	21.76	21.53	21.31	22.00

LTE B26-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	24.11	23.98	24.16	25.00
		MID	QPSK	24.90	24.70	24.37	25.00
		HIGH	QPSK	23.50	24.46	23.55	25.00
	3	LOW	QPSK	23.94	23.82	24.09	25.00
		MID	QPSK	24.73	24.54	24.24	25.00
		HIGH	QPSK	23.54	24.41	23.47	25.00
	6	LOW	QPSK	23.70	23.63	23.86	24.00
1.4	1	LOW	Q16	22.68	23.10	23.45	24.00
		MID	Q16	23.90	23.73	23.55	24.00
		HIGH	Q16	22.66	23.97	22.74	24.00
	3	LOW	Q16	22.87	23.17	23.46	24.00
		MID	Q16	23.75	23.70	23.77	24.00
		HIGH	Q16	22.67	24.00	22.85	24.00
	6	LOW	Q16	22.64	22.85	22.83	23.00
1.4	1	LOW	64QAM	21.71	22.03	22.36	23.00
		MID	64QAM	22.75	22.75	22.52	23.00
		HIGH	64QAM	21.53	22.71	21.83	23.00
	3	LOW	64QAM	21.82	22.11	22.43	23.00
		MID	64QAM	22.66	22.66	22.66	23.00
		HIGH	64QAM	21.65	22.79	21.83	23.00
	6	LOW	64QAM	21.77	21.85	21.98	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	23.82	23.93	24.12	25.00
		MID	QPSK	24.99	24.56	24.39	25.00
		HIGH	QPSK	23.59	24.56	23.58	25.00
	8	LOW	QPSK	23.81	23.74	23.82	24.00
		MID	QPSK	23.87	23.97	23.84	24.00
		HIGH	QPSK	23.94	23.68	23.73	24.00
	15	LOW	QPSK	23.90	23.75	23.80	24.00
3	1	LOW	Q16	22.90	23.09	23.57	24.00
		MID	Q16	23.76	23.65	23.67	24.00
		HIGH	Q16	22.45	23.77	22.89	24.00
	8	LOW	Q16	22.84	22.75	22.63	23.00
		MID	Q16	22.81	22.85	22.97	23.00
		HIGH	Q16	22.93	22.84	22.79	23.00
	15	LOW	Q16	22.73	22.75	22.92	23.00
3	1	LOW	64QAM	21.83	22.31	22.77	23.00
		MID	64QAM	22.77	22.61	23.00	23.00
		HIGH	64QAM	21.41	22.59	21.93	23.00
	8	LOW	64QAM	21.88	21.84	21.86	22.00
		MID	64QAM	21.66	21.79	21.80	22.00
		HIGH	64QAM	22.00	21.88	21.63	22.00
	15	LOW	64QAM	21.86	21.69	21.82	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	24.01	23.86	24.36	25.00
		MID	QPSK	24.88	24.73	24.45	25.00
		HIGH	QPSK	23.68	24.67	23.45	25.00
	12	LOW	QPSK	23.96	23.78	23.88	24.00
		MID	QPSK	23.67	23.79	23.91	24.00
		HIGH	QPSK	23.94	23.57	23.57	24.00
	25	LOW	QPSK	23.83	23.88	23.64	24.00
5	1	LOW	Q16	22.72	23.14	23.69	24.00
		MID	Q16	23.85	23.88	23.60	24.00
		HIGH	Q16	22.58	23.75	22.95	24.00
	12	LOW	Q16	22.81	22.82	22.75	23.00
		MID	Q16	22.64	22.93	22.77	23.00
		HIGH	Q16	22.75	22.69	22.80	23.00
	25	LOW	Q16	22.69	22.68	22.92	23.00
5	1	LOW	64QAM	21.80	22.34	22.66	23.00
		MID	64QAM	22.74	22.78	22.74	23.00
		HIGH	64QAM	21.42	22.64	21.99	23.00
	12	LOW	64QAM	21.71	21.74	21.92	22.00
		MID	64QAM	21.90	21.76	21.60	22.00
		HIGH	64QAM	21.98	21.83	21.65	22.00
	25	LOW	64QAM	21.81	21.55	21.79	22.00

LTE B26-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	23.86	24.02	24.29	25.00
		MID	QPSK	24.86	24.81	24.26	25.00
		HIGH	QPSK	23.55	24.67	23.45	25.00
	25	LOW	QPSK	23.89	23.74	23.77	24.00
		MID	QPSK	23.66	23.98	23.84	24.00
	50	HIGH	QPSK	23.94	23.59	23.74	24.00
10	1	LOW	Q16	23.83	23.83	23.87	24.00
		MID	Q16	22.67	23.32	23.67	24.00
		HIGH	Q16	23.89	23.77	23.64	24.00
	25	LOW	Q16	22.44	23.96	22.95	24.00
		MID	Q16	22.86	22.80	22.81	23.00
	50	HIGH	Q16	22.66	22.77	22.90	23.00
10	1	LOW	Q16	22.73	22.68	22.75	23.00
		MID	Q16	22.86	22.82	22.99	23.00
		HIGH	Q16	22.86	22.82	22.99	23.00
	25	LOW	64QAM	21.81	22.33	22.75	23.00
		MID	64QAM	22.90	22.66	22.76	23.00
	50	HIGH	64QAM	21.45	22.71	21.99	23.00
10	1	LOW	64QAM	21.76	21.80	21.71	22.00
		MID	64QAM	21.63	21.72	21.69	22.00
		HIGH	64QAM	21.73	21.81	21.56	22.00
	25	LOW	64QAM	21.90	21.60	21.92	22.00
		MID	64QAM	21.90	21.60	21.92	22.00
	50	HIGH	64QAM	21.90	21.60	21.92	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	23.97	23.89	24.23	25.00
		MID	QPSK	24.84	24.68	24.38	25.00
		HIGH	QPSK	23.59	24.54	23.45	25.00
	36	LOW	QPSK	23.91	23.87	23.83	24.00
		MID	QPSK	23.90	23.83	23.81	24.00
	75	HIGH	QPSK	23.68	23.72	23.80	24.00
15	1	LOW	QPSK	23.80	23.77	23.79	24.00
		MID	QPSK	23.80	23.77	23.79	24.00
		HIGH	QPSK	23.80	23.77	23.79	24.00
	36	LOW	Q16	22.81	23.21	23.60	24.00
		MID	Q16	23.90	23.78	23.67	24.00
	75	HIGH	Q16	22.55	23.94	22.85	24.00
15	1	LOW	Q16	22.78	22.90	22.73	23.00
		MID	Q16	22.78	22.80	22.84	23.00
		HIGH	Q16	22.88	22.76	22.72	23.00
	36	LOW	Q16	22.71	22.71	22.85	23.00
		MID	Q16	22.71	22.71	22.85	23.00
	75	HIGH	Q16	22.71	22.71	22.85	23.00
15	1	LOW	64QAM	21.95	22.28	22.68	23.00
		MID	64QAM	22.91	22.70	22.89	23.00
		HIGH	64QAM	21.45	22.71	21.91	23.00
	36	LOW	64QAM	21.89	21.83	21.88	22.00
		MID	64QAM	21.76	21.69	21.74	22.00
	75	HIGH	64QAM	21.98	21.91	21.62	22.00
15	1	LOW	64QAM	21.92	21.60	21.83	22.00
		MID	64QAM	21.92	21.60	21.83	22.00
		HIGH	64QAM	21.92	21.60	21.83	22.00
	36	LOW	64QAM	21.92	21.60	21.83	22.00
		MID	64QAM	21.92	21.60	21.83	22.00
	75	HIGH	64QAM	21.92	21.60	21.83	22.00

LTE B26-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26697	26865	27033	Tune-up power(dBm)
1.4	1	LOW	QPSK	22.37	22.38	22.37	23.50
		MID	QPSK	22.90	22.68	22.04	23.50
		HIGH	QPSK	22.55	22.28	21.96	23.50
	3	LOW	QPSK	22.58	22.52	22.38	23.50
		MID	QPSK	22.91	22.74	21.97	23.50
		HIGH	QPSK	22.34	22.18	21.96	23.50
6	LOW	QPSK	22.70	22.50	22.10	23.50	
1.4	1	LOW	Q16	22.48	22.62	23.02	23.50
		MID	Q16	23.34	22.71	22.64	23.50
		HIGH	Q16	22.53	22.09	22.13	23.50
	3	LOW	Q16	22.58	22.83	22.97	23.50
		MID	Q16	23.43	22.84	22.71	23.50
		HIGH	Q16	22.40	22.25	22.28	23.50
6	LOW	Q16	22.55	22.52	22.01	23.00	
1.4	1	LOW	64QAM	22.54	22.60	22.88	23.00
		MID	64QAM	22.91	22.83	22.79	23.00
		HIGH	64QAM	22.59	22.01	22.14	23.00
	3	LOW	64QAM	22.53	22.70	22.98	23.00
		MID	64QAM	22.86	22.88	22.81	23.00
		HIGH	64QAM	22.29	22.30	22.40	23.00
6	LOW	64QAM	21.79	21.80	21.85	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
3	1	LOW	QPSK	22.61	22.42	22.44	23.50
		MID	QPSK	22.87	22.72	22.09	23.50
		HIGH	QPSK	22.39	22.20	21.91	23.50
	8	LOW	QPSK	22.44	22.79	22.38	23.50
		MID	QPSK	22.65	22.72	22.29	23.50
		HIGH	QPSK	22.43	22.41	22.16	23.50
15	LOW	QPSK	22.51	22.41	22.28	23.50	
3	1	LOW	Q16	22.54	22.86	22.95	23.50
		MID	Q16	23.29	22.70	22.83	23.50
		HIGH	Q16	22.34	22.25	22.09	23.50
	8	LOW	Q16	22.64	22.59	22.32	23.00
		MID	Q16	22.58	22.83	22.29	23.00
		HIGH	Q16	22.48	22.67	22.20	23.00
15	LOW	Q16	22.48	22.40	22.02	23.00	
3	1	LOW	64QAM	22.34	22.79	22.97	23.00
		MID	64QAM	22.79	22.54	22.77	23.00
		HIGH	64QAM	22.42	22.28	22.19	23.00
	8	LOW	64QAM	21.93	21.78	21.40	22.00
		MID	64QAM	21.67	21.65	21.32	22.00
		HIGH	64QAM	21.49	21.52	21.30	22.00
15	LOW	64QAM	21.71	21.49	21.12	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	26715	26865	27015	Tune-up power(dBm)
5	1	LOW	QPSK	22.44	22.44	22.36	23.50
		MID	QPSK	22.69	22.71	22.21	23.50
		HIGH	QPSK	22.57	22.28	21.96	23.50
	12	LOW	QPSK	22.64	22.73	22.17	23.50
		MID	QPSK	22.70	22.53	22.26	23.50
		HIGH	QPSK	22.47	22.50	22.11	23.50
25	LOW	QPSK	22.56	22.44	22.22	23.50	
5	1	LOW	Q16	22.50	22.58	22.95	23.50
		MID	Q16	23.43	22.65	22.83	23.50
		HIGH	Q16	22.32	22.02	22.25	23.50
	12	LOW	Q16	22.69	22.71	22.20	23.00
		MID	Q16	22.71	22.88	22.24	23.00
		HIGH	Q16	22.38	22.46	22.15	23.00
25	LOW	Q16	22.57	22.45	22.11	23.00	
5	1	LOW	64QAM	22.58	22.72	22.80	23.00
		MID	64QAM	22.74	22.66	22.82	23.00
		HIGH	64QAM	22.48	22.40	22.33	23.00
	12	LOW	64QAM	21.94	21.66	21.48	22.00
		MID	64QAM	21.78	21.86	21.20	22.00
		HIGH	64QAM	21.54	21.69	21.24	22.00
25	LOW	64QAM	21.72	21.77	20.95	22.00	

LTE B26-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	26740	26865	26990	Tune-up power(dBm)
10	1	LOW	QPSK	22.37	22.50	22.52	23.50
		MID	QPSK	22.64	22.68	22.07	23.50
		HIGH	QPSK	22.49	22.08	21.93	23.50
	25	LOW	QPSK	22.45	22.51	22.27	23.50
		MID	QPSK	22.54	22.74	22.31	23.50
		HIGH	QPSK	22.58	22.36	21.98	23.50
	50	LOW	QPSK	22.65	22.50	22.14	23.50
10	1	LOW	Q16	22.55	22.70	23.12	23.50
		MID	Q16	23.23	22.65	22.85	23.50
		HIGH	Q16	22.49	22.01	22.30	23.50
	25	LOW	Q16	22.75	22.68	22.42	23.00
		MID	Q16	22.77	22.76	22.29	23.00
		HIGH	Q16	22.30	22.45	22.05	23.00
	50	LOW	Q16	22.64	22.56	22.15	23.00
10	1	LOW	64QAM	22.33	22.72	22.82	23.00
		MID	64QAM	22.85	22.65	22.65	23.00
		HIGH	64QAM	22.41	22.29	22.25	23.00
	25	LOW	64QAM	21.82	21.66	21.40	22.00
		MID	64QAM	21.85	21.75	21.06	22.00
		HIGH	64QAM	21.59	21.77	21.33	22.00
	50	LOW	64QAM	21.72	21.73	21.00	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	26765	26865	26965	Tune-up power(dBm)
15	1	LOW	QPSK	22.49	22.48	22.44	23.50
		MID	QPSK	22.78	22.76	22.09	23.50
		HIGH	QPSK	22.49	22.17	21.96	23.50
	36	LOW	QPSK	22.56	22.64	22.26	23.50
		MID	QPSK	22.63	22.60	22.19	23.50
		HIGH	QPSK	22.57	22.47	22.02	23.50
	75	LOW	QPSK	22.60	22.54	22.17	23.50
15	1	LOW	Q16	22.52	22.72	23.05	23.50
		MID	Q16	23.28	22.70	22.77	23.50
		HIGH	Q16	22.47	22.13	22.22	23.50
	36	LOW	Q16	22.72	22.64	22.34	23.00
		MID	Q16	22.68	22.74	22.20	23.00
		HIGH	Q16	22.42	22.58	22.10	23.00
	75	LOW	Q16	22.60	22.53	22.07	23.00
15	1	LOW	64QAM	22.43	22.84	22.94	23.00
		MID	64QAM	22.76	22.57	22.76	23.00
		HIGH	64QAM	22.33	22.25	22.32	23.00
	36	LOW	64QAM	21.89	21.73	21.43	22.00
		MID	64QAM	21.73	21.79	21.20	22.00
		HIGH	64QAM	21.46	21.68	21.27	22.00
	75	LOW	64QAM	21.74	21.56	21.03	22.00

8.3.12 LTE Band28 Output Power

LTE B28-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27225	27375	27645	Tune-up power(dBm)
3	1	LOW	QPSK	24.15	23.41	23.70	25.00
		MID	QPSK	24.66	24.67	24.19	25.00
		HIGH	QPSK	24.34	24.09	23.87	25.00
	8	LOW	QPSK	23.77	23.65	23.07	24.00
		MID	QPSK	23.64	23.49	22.99	24.00
		HIGH	QPSK	23.52	23.34	23.23	24.00
	15	LOW	QPSK	23.72	23.42	23.12	24.00
		LOW	Q16	23.50	22.70	23.10	24.00
		MID	Q16	23.86	23.59	23.09	24.00
3	1	HIGH	Q16	23.42	23.11	22.88	24.00
		LOW	Q16	22.77	22.69	22.18	23.00
		MID	Q16	22.93	22.78	22.20	23.00
	8	HIGH	Q16	22.80	22.36	22.17	23.00
		LOW	Q16	22.84	22.52	21.91	23.00
		LOW	Q16	22.84	22.52	21.91	23.00
	15	LOW	Q16	22.84	22.52	21.91	23.00
		LOW	Q16	22.84	22.52	21.91	23.00
		LOW	Q16	22.84	22.52	21.91	23.00
3	1	LOW	64QAM	22.47	21.72	22.17	23.00
		MID	64QAM	22.82	22.42	22.10	23.00
		HIGH	64QAM	22.21	21.99	21.83	23.00
	8	LOW	64QAM	21.81	21.46	21.01	22.00
		MID	64QAM	21.94	21.47	21.10	22.00
		HIGH	64QAM	21.72	21.50	21.17	22.00
	15	LOW	64QAM	21.90	21.65	20.99	22.00
		LOW	64QAM	21.90	21.65	20.99	22.00
		LOW	64QAM	21.90	21.65	20.99	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27235	27385	27635	Tune-up power(dBm)
5	1	LOW	QPSK	24.09	23.42	23.69	25.00
		MID	QPSK	24.53	24.67	24.08	25.00
		HIGH	QPSK	24.26	23.98	23.79	25.00
	12	LOW	QPSK	23.70	23.79	23.25	24.00
		MID	QPSK	23.85	23.69	22.89	24.00
		HIGH	QPSK	23.58	23.49	23.07	24.00
	25	LOW	QPSK	23.75	23.39	23.17	24.00
		LOW	Q16	23.45	22.83	23.35	24.00
		MID	Q16	23.79	23.56	22.89	24.00
5	1	HIGH	Q16	23.35	22.96	22.94	24.00
		LOW	Q16	22.57	22.57	22.11	23.00
		MID	Q16	22.76	22.62	22.08	23.00
	12	HIGH	Q16	22.77	22.45	21.90	23.00
		LOW	Q16	22.83	22.53	22.04	23.00
		LOW	Q16	22.83	22.53	22.04	23.00
	25	LOW	Q16	22.83	22.53	22.04	23.00
		LOW	Q16	22.83	22.53	22.04	23.00
		LOW	Q16	22.83	22.53	22.04	23.00
5	1	LOW	64QAM	22.30	21.70	21.99	23.00
		MID	64QAM	22.89	22.35	22.16	23.00
		HIGH	64QAM	22.38	21.76	21.77	23.00
	12	LOW	64QAM	21.77	21.55	21.04	22.00
		MID	64QAM	21.73	21.67	20.92	22.00
		HIGH	64QAM	21.88	21.24	21.27	22.00
	25	LOW	64QAM	21.95	21.58	20.97	22.00
		LOW	64QAM	21.95	21.58	20.97	22.00
		LOW	64QAM	21.95	21.58	20.97	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27260	27410	27610	Tune-up power(dBm)
10	1	LOW	QPSK	24.04	23.45	23.84	25.00
		MID	QPSK	24.62	24.56	24.07	25.00
		HIGH	QPSK	24.33	24.21	23.75	25.00
	25	LOW	QPSK	23.70	23.79	23.02	24.00
		MID	QPSK	23.90	23.73	22.90	24.00
		HIGH	QPSK	23.73	23.38	23.19	24.00
	50	LOW	QPSK	23.85	23.65	23.28	24.00
		LOW	Q16	23.41	22.78	23.26	24.00
		MID	Q16	23.74	23.36	22.97	24.00
10	1	HIGH	Q16	23.42	23.12	22.67	24.00
		LOW	Q16	22.63	22.49	22.01	23.00
		MID	Q16	22.75	22.73	22.12	23.00
	25	HIGH	Q16	22.63	22.22	22.01	23.00
		LOW	Q16	22.57	22.40	21.91	23.00
		LOW	Q16	22.57	22.40	21.91	23.00
	50	LOW	Q16	22.57	22.40	21.91	23.00
		LOW	Q16	22.57	22.40	21.91	23.00
		LOW	Q16	22.57	22.40	21.91	23.00
10	1	LOW	64QAM	22.34	21.65	22.23	23.00
		MID	64QAM	22.79	22.35	21.98	23.00
		HIGH	64QAM	22.18	21.71	21.73	23.00
	25	LOW	64QAM	21.78	21.49	21.12	22.00
		MID	64QAM	21.76	21.68	20.87	22.00
		HIGH	64QAM	21.74	21.37	21.08	22.00
	50	LOW	64QAM	21.85	21.38	21.07	22.00
		LOW	64QAM	21.85	21.38	21.07	22.00
		LOW	64QAM	21.85	21.38	21.07	22.00

LTE B28-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27285	27435	27585	Tune-up power(dBm)
15	1	LOW	QPSK	24.23	23.43	23.85	25.00
		MID	QPSK	24.69	24.54	24.25	25.00
		HIGH	QPSK	24.27	23.99	23.99	25.00
	36	LOW	QPSK	23.69	23.76	23.14	24.00
		MID	QPSK	23.78	23.50	23.12	24.00
		HIGH	QPSK	23.69	23.46	23.24	24.00
75	LOW	QPSK	23.80	23.65	23.18	24.00	
15	1	LOW	Q16	23.43	22.96	23.26	24.00
		MID	Q16	23.80	23.38	23.10	24.00
		HIGH	Q16	23.40	22.86	22.75	24.00
	36	LOW	Q16	22.66	22.47	21.96	23.00
		MID	Q16	22.81	22.50	21.94	23.00
		HIGH	Q16	22.68	22.47	22.04	23.00
75	LOW	Q16	22.67	22.28	22.20	23.00	
15	1	LOW	64QAM	22.30	21.68	22.01	23.00
		MID	64QAM	22.75	22.56	22.04	23.00
		HIGH	64QAM	22.37	21.83	21.80	23.00
	36	LOW	64QAM	21.67	21.55	21.13	22.00
		MID	64QAM	21.81	21.69	21.09	22.00
		HIGH	64QAM	21.71	21.27	21.19	22.00
75	LOW	64QAM	21.81	21.57	20.86	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	27310	27460	27560	Tune-up power(dBm)
20	1	LOW	QPSK	24.10	23.45	23.78	25.00
		MID	QPSK	24.54	24.64	24.13	25.00
		HIGH	QPSK	24.40	24.07	23.86	25.00
	50	LOW	QPSK	23.65	23.72	23.10	24.00
		MID	QPSK	23.61	23.75	23.04	24.00
		HIGH	QPSK	23.66	23.42	23.09	24.00
100	LOW	QPSK	23.75	23.54	23.15	24.00	
20	1	LOW	Q16	23.44	22.82	23.20	24.00
		MID	Q16	23.80	23.49	23.02	24.00
		HIGH	Q16	23.29	22.98	22.79	24.00
	50	LOW	Q16	22.63	22.56	22.04	23.00
		MID	Q16	22.86	22.64	22.09	23.00
		HIGH	Q16	22.78	22.34	22.05	23.00
100	LOW	Q16	22.69	22.40	22.05	23.00	
20	1	LOW	64QAM	22.34	21.76	22.13	23.00
		MID	64QAM	22.84	22.47	22.01	23.00
		HIGH	64QAM	22.24	21.86	21.75	23.00
	50	LOW	64QAM	21.77	21.58	21.16	22.00
		MID	64QAM	21.84	21.59	20.98	22.00
		HIGH	64QAM	21.83	21.39	21.12	22.00
100	LOW	64QAM	21.80	21.53	20.98	22.00	

LTE B28-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27225	27375	27645	Tune-up power(dBm)
3	1	LOW	QPSK	24.15	23.41	23.70	25.00
		MID	QPSK	24.66	24.67	24.19	25.00
		HIGH	QPSK	24.34	24.09	23.87	25.00
	8	LOW	QPSK	23.77	23.65	23.07	24.00
		MID	QPSK	23.64	23.49	22.99	24.00
		HIGH	QPSK	23.52	23.34	23.23	24.00
	15	LOW	QPSK	23.72	23.42	23.12	24.00
3	1	LOW	Q16	23.50	22.70	23.10	24.00
		MID	Q16	23.86	23.59	23.09	24.00
		HIGH	Q16	23.42	23.11	22.88	24.00
	8	LOW	Q16	22.77	22.69	22.18	23.00
		MID	Q16	22.93	22.78	22.20	23.00
		HIGH	Q16	22.80	22.36	22.17	23.00
	15	LOW	Q16	22.84	22.52	21.91	23.00
3	1	LOW	64QAM	22.47	21.72	22.17	23.00
		MID	64QAM	22.82	22.42	22.10	23.00
		HIGH	64QAM	22.21	21.99	21.83	23.00
	8	LOW	64QAM	21.81	21.46	21.01	22.00
		MID	64QAM	21.94	21.47	21.10	22.00
		HIGH	64QAM	21.72	21.50	21.17	22.00
	15	LOW	64QAM	21.90	21.65	20.99	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27235	27385	27635	Tune-up power(dBm)
5	1	LOW	QPSK	24.09	23.42	23.69	25.00
		MID	QPSK	24.53	24.67	24.08	25.00
		HIGH	QPSK	24.26	23.98	23.79	25.00
	12	LOW	QPSK	23.70	23.79	23.25	24.00
		MID	QPSK	23.85	23.69	22.89	24.00
		HIGH	QPSK	23.58	23.49	23.07	24.00
	25	LOW	QPSK	23.75	23.39	23.17	24.00
5	1	LOW	Q16	23.45	22.83	23.35	24.00
		MID	Q16	23.79	23.56	22.89	24.00
		HIGH	Q16	23.35	22.96	22.94	24.00
	12	LOW	Q16	22.57	22.57	22.11	23.00
		MID	Q16	22.76	22.62	22.08	23.00
		HIGH	Q16	22.77	22.45	21.90	23.00
	25	LOW	Q16	22.83	22.53	22.04	23.00
5	1	LOW	64QAM	22.30	21.70	21.99	23.00
		MID	64QAM	22.89	22.35	22.16	23.00
		HIGH	64QAM	22.38	21.76	21.77	23.00
	12	LOW	64QAM	21.77	21.55	21.04	22.00
		MID	64QAM	21.73	21.67	20.92	22.00
		HIGH	64QAM	21.88	21.24	21.27	22.00
	25	LOW	64QAM	21.95	21.58	20.97	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27260	27410	27610	Tune-up power(dBm)
10	1	LOW	QPSK	24.04	23.45	23.84	25.00
		MID	QPSK	24.62	24.56	24.07	25.00
		HIGH	QPSK	24.33	24.21	23.75	25.00
	25	LOW	QPSK	23.70	23.79	23.02	24.00
		MID	QPSK	23.90	23.73	22.90	24.00
		HIGH	QPSK	23.73	23.38	23.19	24.00
	50	LOW	QPSK	23.85	23.65	23.28	24.00
10	1	LOW	Q16	23.41	22.78	23.26	24.00
		MID	Q16	23.74	23.36	22.97	24.00
		HIGH	Q16	23.42	23.12	22.67	24.00
	25	LOW	Q16	22.63	22.49	22.01	23.00
		MID	Q16	22.75	22.73	22.12	23.00
		HIGH	Q16	22.63	22.22	22.01	23.00
	50	LOW	Q16	22.57	22.40	21.91	23.00
10	1	LOW	64QAM	22.34	21.65	22.23	23.00
		MID	64QAM	22.79	22.35	21.98	23.00
		HIGH	64QAM	22.18	21.71	21.73	23.00
	25	LOW	64QAM	21.78	21.49	21.12	22.00
		MID	64QAM	21.76	21.68	20.87	22.00
		HIGH	64QAM	21.74	21.37	21.08	22.00
	50	LOW	64QAM	21.85	21.38	21.07	22.00

LTE B28-State1&3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27285	27435	27585	Tune-up power(dBm)
15	1	LOW	QPSK	24.23	23.43	23.85	25.00
		MID	QPSK	24.69	24.54	24.25	25.00
		HIGH	QPSK	24.27	23.99	23.99	25.00
	36	LOW	QPSK	23.69	23.76	23.14	24.00
		MID	QPSK	23.78	23.50	23.12	24.00
		HIGH	QPSK	23.69	23.46	23.24	24.00
75	LOW	QPSK	23.80	23.65	23.18	24.00	
15	1	LOW	Q16	23.43	22.96	23.26	24.00
		MID	Q16	23.80	23.38	23.10	24.00
		HIGH	Q16	23.40	22.86	22.75	24.00
	36	LOW	Q16	22.66	22.47	21.96	23.00
		MID	Q16	22.81	22.50	21.94	23.00
		HIGH	Q16	22.68	22.47	22.04	23.00
75	LOW	Q16	22.67	22.28	22.20	23.00	
15	1	LOW	64QAM	22.30	21.68	22.01	23.00
		MID	64QAM	22.75	22.56	22.04	23.00
		HIGH	64QAM	22.37	21.83	21.80	23.00
	36	LOW	64QAM	21.67	21.55	21.13	22.00
		MID	64QAM	21.81	21.69	21.09	22.00
		HIGH	64QAM	21.71	21.27	21.19	22.00
75	LOW	64QAM	21.81	21.57	20.86	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	27310	27460	27560	Tune-up power(dBm)
20	1	LOW	QPSK	24.10	23.45	23.78	25.00
		MID	QPSK	24.54	24.64	24.13	25.00
		HIGH	QPSK	24.40	24.07	23.86	25.00
	50	LOW	QPSK	23.65	23.72	23.10	24.00
		MID	QPSK	23.61	23.75	23.04	24.00
		HIGH	QPSK	23.66	23.42	23.09	24.00
100	LOW	QPSK	23.75	23.54	23.15	24.00	
20	1	LOW	Q16	23.44	22.82	23.20	24.00
		MID	Q16	23.80	23.49	23.02	24.00
		HIGH	Q16	23.29	22.98	22.79	24.00
	50	LOW	Q16	22.63	22.56	22.04	23.00
		MID	Q16	22.86	22.64	22.09	23.00
		HIGH	Q16	22.78	22.34	22.05	23.00
100	LOW	Q16	22.69	22.40	22.05	23.00	
20	1	LOW	64QAM	22.34	21.76	22.13	23.00
		MID	64QAM	22.84	22.47	22.01	23.00
		HIGH	64QAM	22.24	21.86	21.75	23.00
	50	LOW	64QAM	21.77	21.58	21.16	22.00
		MID	64QAM	21.84	21.59	20.98	22.00
		HIGH	64QAM	21.83	21.39	21.12	22.00
100	LOW	64QAM	21.80	21.53	20.98	22.00	

LTE B28-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27225	27375	27645	Tune-up power(dBm)
3	1	LOW	QPSK	21.79	22.14	21.75	22.50
		MID	QPSK	22.13	22.08	21.79	22.50
		HIGH	QPSK	21.98	21.74	21.62	22.50
	8	LOW	QPSK	21.93	22.11	21.89	22.50
		MID	QPSK	22.08	21.95	21.54	22.50
		HIGH	QPSK	22.00	21.65	21.78	22.50
	15	LOW	QPSK	22.19	21.73	21.78	22.50
3	1	LOW	Q16	21.83	22.16	21.70	22.50
		MID	Q16	22.36	21.64	21.66	22.50
		HIGH	Q16	21.57	21.79	21.54	22.50
	8	LOW	Q16	22.01	22.00	21.32	22.50
		MID	Q16	22.17	22.08	21.41	22.50
		HIGH	Q16	21.81	21.55	21.26	22.50
	15	LOW	Q16	22.06	21.99	21.33	22.50
3	1	LOW	64QAM	21.55	21.64	21.46	22.50
		MID	64QAM	21.99	21.57	21.16	22.50
		HIGH	64QAM	21.35	21.26	21.10	22.50
	8	LOW	64QAM	20.96	20.96	20.47	22.00
		MID	64QAM	21.04	21.27	20.44	22.00
		HIGH	64QAM	20.75	20.77	20.45	22.00
	15	LOW	64QAM	21.34	20.86	20.41	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27235	27385	27635	Tune-up power(dBm)
5	1	LOW	QPSK	21.51	22.21	21.69	22.50
		MID	QPSK	22.11	22.32	21.65	22.50
		HIGH	QPSK	22.13	21.62	21.72	22.50
	12	LOW	QPSK	22.15	22.05	21.87	22.50
		MID	QPSK	22.04	21.93	21.84	22.50
		HIGH	QPSK	22.01	21.62	21.78	22.50
	25	LOW	QPSK	22.01	21.88	21.53	22.50
5	1	LOW	Q16	22.04	22.19	21.87	22.50
		MID	Q16	22.34	21.78	21.76	22.50
		HIGH	Q16	21.83	21.85	21.73	22.50
	12	LOW	Q16	21.84	21.94	21.22	22.50
		MID	Q16	21.98	22.03	21.29	22.50
		HIGH	Q16	22.08	21.51	21.27	22.50
	25	LOW	Q16	22.08	21.85	21.50	22.50
5	1	LOW	64QAM	21.36	21.64	21.45	22.50
		MID	64QAM	22.01	21.41	21.27	22.50
		HIGH	64QAM	21.15	21.25	21.11	22.50
	12	LOW	64QAM	20.73	21.08	20.42	22.00
		MID	64QAM	21.03	21.23	20.43	22.00
		HIGH	64QAM	20.93	20.57	20.47	22.00
	25	LOW	64QAM	21.34	21.01	20.45	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27260	27410	27610	Tune-up power(dBm)
10	1	LOW	QPSK	21.62	22.28	21.70	22.50
		MID	QPSK	22.25	22.13	21.76	22.50
		HIGH	QPSK	21.95	21.75	21.56	22.50
	25	LOW	QPSK	22.14	22.00	21.86	22.50
		MID	QPSK	22.11	21.89	21.59	22.50
		HIGH	QPSK	21.97	21.81	21.75	22.50
	50	LOW	QPSK	22.20	21.64	21.73	22.50
10	1	LOW	Q16	22.13	22.07	21.61	22.50
		MID	Q16	22.31	21.69	21.65	22.50
		HIGH	Q16	21.72	21.59	21.72	22.50
	25	LOW	Q16	22.06	22.02	21.22	22.50
		MID	Q16	22.05	22.04	21.32	22.50
		HIGH	Q16	22.09	21.54	21.12	22.50
	50	LOW	Q16	22.17	21.88	21.37	22.50
10	1	LOW	64QAM	21.29	21.71	21.29	22.50
		MID	64QAM	21.94	21.36	21.03	22.50
		HIGH	64QAM	21.23	21.21	21.06	22.50
	25	LOW	64QAM	20.73	20.93	20.41	22.00
		MID	64QAM	21.05	21.24	20.41	22.00
		HIGH	64QAM	20.74	20.62	20.41	22.00
	50	LOW	64QAM	21.18	20.93	20.45	22.00

LTE B28-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27285	27435	27585	Tune-up power(dBm)
15	1	LOW	QPSK	21.77	22.20	21.75	22.50
		MID	QPSK	22.29	22.05	21.67	22.50
		HIGH	QPSK	22.14	21.79	21.66	22.50
	36	LOW	QPSK	22.02	22.10	21.90	22.50
		MID	QPSK	22.18	21.89	21.65	22.50
		HIGH	QPSK	22.14	21.59	21.60	22.50
75	LOW	QPSK	22.12	21.80	21.67	22.50	
15	1	LOW	Q16	21.98	22.28	21.71	22.50
		MID	Q16	22.44	21.71	21.59	22.50
		HIGH	Q16	21.67	21.62	21.55	22.50
	36	LOW	Q16	21.82	22.06	21.20	22.50
		MID	Q16	21.92	22.09	21.40	22.50
		HIGH	Q16	22.03	21.51	21.24	22.50
75	LOW	Q16	22.05	21.78	21.39	22.50	
15	1	LOW	64QAM	21.29	21.74	21.33	22.50
		MID	64QAM	21.84	21.38	21.20	22.50
		HIGH	64QAM	21.24	21.41	21.11	22.50
	36	LOW	64QAM	20.91	21.10	20.52	22.00
		MID	64QAM	20.91	21.06	20.43	22.00
		HIGH	64QAM	20.75	20.62	20.41	22.00
75	LOW	64QAM	21.20	20.82	20.49	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	27310	27460	27560	Tune-up power(dBm)
20	1	LOW	QPSK	21.64	22.22	21.77	22.50
		MID	QPSK	22.12	22.18	21.71	22.50
		HIGH	QPSK	22.03	21.68	21.51	22.50
	50	LOW	QPSK	22.03	22.13	21.76	22.50
		MID	QPSK	22.11	21.91	21.69	22.50
		HIGH	QPSK	22.04	21.72	21.68	22.50
100	LOW	QPSK	22.08	21.79	21.54	22.50	
20	1	LOW	Q16	21.98	22.22	21.72	22.50
		MID	Q16	22.48	21.79	21.66	22.50
		HIGH	Q16	21.68	21.73	21.66	22.50
	50	LOW	Q16	21.96	22.02	21.35	22.50
		MID	Q16	22.02	22.05	21.29	22.50
		HIGH	Q16	21.96	21.64	21.27	22.50
100	LOW	Q16	22.11	21.85	21.37	22.50	
20	1	LOW	64QAM	21.42	21.63	21.33	22.50
		MID	64QAM	21.88	21.44	21.18	22.50
		HIGH	64QAM	21.23	21.28	21.08	22.50
	50	LOW	64QAM	20.88	21.04	20.42	22.00
		MID	64QAM	20.97	21.19	20.43	22.00
		HIGH	64QAM	20.87	20.69	20.42	22.00
100	LOW	64QAM	21.21	20.93	20.43	22.00	

8.3.12 LTE Band28 Output Power

LTE B28-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27225	27375	27645	Tune-up power(dBm)
3	1	LOW	QPSK	23.77	23.42	23.75	25.00
		MID	QPSK	24.48	24.20	23.53	25.00
		HIGH	QPSK	24.32	23.79	23.70	25.00
	8	LOW	QPSK	23.29	23.32	23.06	24.00
		MID	QPSK	23.50	23.34	22.92	24.00
		HIGH	QPSK	23.42	23.15	22.94	24.00
	15	LOW	QPSK	23.33	23.24	22.82	24.00
3	1	LOW	Q16	23.21	22.41	22.79	24.00
		MID	Q16	23.75	23.14	22.81	24.00
		HIGH	Q16	22.89	22.93	22.60	24.00
	8	LOW	Q16	22.25	22.09	21.77	23.00
		MID	Q16	22.62	22.48	21.53	23.00
		HIGH	Q16	22.35	22.14	21.79	23.00
	15	LOW	Q16	22.45	22.18	21.65	23.00
3	1	LOW	64QAM	22.06	21.47	22.05	23.00
		MID	64QAM	22.88	22.32	21.90	23.00
		HIGH	64QAM	21.85	21.72	21.62	23.00
	8	LOW	64QAM	21.21	21.30	20.72	22.00
		MID	64QAM	21.52	21.17	20.75	22.00
		HIGH	64QAM	21.23	21.01	20.70	22.00
	15	LOW	64QAM	21.31	21.36	20.72	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27235	27385	27635	Tune-up power(dBm)
5	1	LOW	QPSK	23.70	23.48	23.50	25.00
		MID	QPSK	24.32	24.37	23.56	25.00
		HIGH	QPSK	24.35	24.02	23.72	25.00
	12	LOW	QPSK	23.37	23.36	22.84	24.00
		MID	QPSK	23.26	23.48	22.85	24.00
		HIGH	QPSK	23.19	23.27	22.88	24.00
	25	LOW	QPSK	23.24	23.31	22.90	24.00
5	1	LOW	Q16	23.18	22.44	23.03	24.00
		MID	Q16	23.75	23.05	22.73	24.00
		HIGH	Q16	22.99	22.81	22.71	24.00
	12	LOW	Q16	22.18	22.32	21.80	23.00
		MID	Q16	22.64	22.26	21.49	23.00
		HIGH	Q16	22.41	22.15	21.55	23.00
	25	LOW	Q16	22.27	22.15	21.89	23.00
5	1	LOW	64QAM	22.07	21.44	22.05	23.00
		MID	64QAM	22.87	22.20	21.78	23.00
		HIGH	64QAM	21.99	21.84	21.42	23.00
	12	LOW	64QAM	21.02	21.25	20.67	22.00
		MID	64QAM	21.68	21.11	20.71	22.00
		HIGH	64QAM	21.31	21.06	20.84	22.00
	25	LOW	64QAM	21.23	21.35	20.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27260	27410	27610	Tune-up power(dBm)
10	1	LOW	QPSK	23.69	23.43	23.66	25.00
		MID	QPSK	24.57	24.27	23.66	25.00
		HIGH	QPSK	24.24	23.97	23.79	25.00
	25	LOW	QPSK	23.39	23.42	23.01	24.00
		MID	QPSK	23.36	23.48	22.80	24.00
		HIGH	QPSK	23.27	23.10	22.97	24.00
	50	LOW	QPSK	23.43	23.35	22.73	24.00
10	1	LOW	Q16	23.17	22.47	22.91	24.00
		MID	Q16	23.78	23.26	22.80	24.00
		HIGH	Q16	22.97	22.78	22.67	24.00
	25	LOW	Q16	22.34	22.10	21.86	23.00
		MID	Q16	22.61	22.42	21.69	23.00
		HIGH	Q16	22.39	22.13	21.59	23.00
	50	LOW	Q16	22.28	22.30	21.75	23.00
10	1	LOW	64QAM	21.97	21.44	22.00	23.00
		MID	64QAM	22.75	22.22	21.75	23.00
		HIGH	64QAM	22.07	21.71	21.53	23.00
	25	LOW	64QAM	21.08	21.21	20.59	22.00
		MID	64QAM	21.53	21.13	20.51	22.00
		HIGH	64QAM	21.26	21.12	20.63	22.00
	50	LOW	64QAM	21.35	21.24	20.74	22.00

LTE B28-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27285	27435	27585	Tune-up power(dBm)
15	1	LOW	QPSK	23.64	23.48	23.52	25.00
		MID	QPSK	24.34	24.21	23.71	25.00
		HIGH	QPSK	24.19	23.80	23.67	25.00
	36	LOW	QPSK	23.17	23.46	22.80	24.00
		MID	QPSK	23.36	23.48	22.73	24.00
		HIGH	QPSK	23.17	23.02	22.75	24.00
75	LOW	QPSK	23.48	23.39	22.72	24.00	
15	1	LOW	Q16	23.09	22.47	22.95	24.00
		MID	Q16	23.82	23.31	22.65	24.00
		HIGH	Q16	22.93	22.75	22.49	24.00
	36	LOW	Q16	22.38	22.31	21.82	23.00
		MID	Q16	22.67	22.44	21.72	23.00
		HIGH	Q16	22.24	22.26	21.76	23.00
75	LOW	Q16	22.20	22.35	21.91	23.00	
15	1	LOW	64QAM	21.92	21.41	21.85	23.00
		MID	64QAM	22.97	22.18	21.80	23.00
		HIGH	64QAM	21.84	21.88	21.67	23.00
	36	LOW	64QAM	21.17	21.12	20.80	22.00
		MID	64QAM	21.65	21.33	20.50	22.00
		HIGH	64QAM	21.23	21.09	20.71	22.00
75	LOW	64QAM	21.40	21.39	20.78	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	27310	27460	27560	Tune-up power(dBm)
20	1	LOW	QPSK	23.77	23.58	23.64	25.00
		MID	QPSK	24.42	24.28	23.67	25.00
		HIGH	QPSK	24.25	23.88	23.71	25.00
	50	LOW	QPSK	23.30	23.43	22.91	24.00
		MID	QPSK	23.41	23.33	22.88	24.00
		HIGH	QPSK	23.32	23.13	22.82	24.00
100	LOW	QPSK	23.35	23.24	22.85	24.00	
20	1	LOW	Q16	23.11	22.43	22.93	24.00
		MID	Q16	23.82	23.17	22.71	24.00
		HIGH	Q16	22.99	22.82	22.56	24.00
	50	LOW	Q16	22.30	22.21	21.77	23.00
		MID	Q16	22.55	22.37	21.61	23.00
		HIGH	Q16	22.27	22.15	21.64	23.00
100	LOW	Q16	22.32	22.20	21.76	23.00	
20	1	LOW	64QAM	22.03	21.42	21.98	23.00
		MID	64QAM	22.87	22.17	21.86	23.00
		HIGH	64QAM	21.93	21.77	21.53	23.00
	50	LOW	64QAM	21.16	21.16	20.65	22.00
		MID	64QAM	21.54	21.22	20.62	22.00
		HIGH	64QAM	21.24	21.08	20.77	22.00
100	LOW	64QAM	21.30	21.26	20.64	22.00	

LTE B28-State1&2&3&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27225	27375	27645	Tune-up power(dBm)
3	1	LOW	QPSK	23.77	23.42	23.75	25.00
		MID	QPSK	24.48	24.20	23.53	25.00
		HIGH	QPSK	24.32	23.79	23.70	25.00
	8	LOW	QPSK	23.29	23.32	23.06	24.00
		MID	QPSK	23.50	23.34	22.92	24.00
		HIGH	QPSK	23.42	23.15	22.94	24.00
3	15	LOW	QPSK	23.33	23.24	22.82	24.00
		LOW	Q16	23.21	22.41	22.79	24.00
		MID	Q16	23.75	23.14	22.81	24.00
	8	HIGH	Q16	22.89	22.93	22.60	24.00
		LOW	Q16	22.25	22.09	21.77	23.00
		MID	Q16	22.62	22.48	21.53	23.00
3	15	HIGH	Q16	22.35	22.14	21.79	23.00
		LOW	Q16	22.45	22.18	21.65	23.00
	1	LOW	64QAM	22.06	21.47	22.05	23.00
		MID	64QAM	22.88	22.32	21.90	23.00
		HIGH	64QAM	21.85	21.72	21.62	23.00
	8	LOW	64QAM	21.21	21.30	20.72	22.00
3	15	MID	64QAM	21.52	21.17	20.75	22.00
		HIGH	64QAM	21.23	21.01	20.70	22.00
		LOW	64QAM	21.31	21.36	20.72	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27235	27385	27635	Tune-up power(dBm)
5	1	LOW	QPSK	23.70	23.48	23.50	25.00
		MID	QPSK	24.32	24.37	23.56	25.00
		HIGH	QPSK	24.35	24.02	23.72	25.00
	12	LOW	QPSK	23.37	23.36	22.84	24.00
		MID	QPSK	23.26	23.48	22.85	24.00
		HIGH	QPSK	23.19	23.27	22.88	24.00
5	25	LOW	QPSK	23.24	23.31	22.90	24.00
		LOW	Q16	23.18	22.44	23.03	24.00
		MID	Q16	23.75	23.05	22.73	24.00
	12	HIGH	Q16	22.99	22.81	22.71	24.00
		LOW	Q16	22.18	22.32	21.80	23.00
		MID	Q16	22.64	22.26	21.49	23.00
5	25	HIGH	Q16	22.41	22.15	21.55	23.00
		LOW	Q16	22.27	22.15	21.89	23.00
	1	LOW	64QAM	22.07	21.44	22.05	23.00
		MID	64QAM	22.87	22.20	21.78	23.00
		HIGH	64QAM	21.99	21.84	21.42	23.00
	12	LOW	64QAM	21.02	21.25	20.67	22.00
5	25	MID	64QAM	21.68	21.11	20.71	22.00
		HIGH	64QAM	21.31	21.06	20.84	22.00
		LOW	64QAM	21.23	21.35	20.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27260	27410	27610	Tune-up power(dBm)
10	1	LOW	QPSK	23.69	23.43	23.66	25.00
		MID	QPSK	24.57	24.27	23.66	25.00
		HIGH	QPSK	24.24	23.97	23.79	25.00
	25	LOW	QPSK	23.39	23.42	23.01	24.00
		MID	QPSK	23.36	23.48	22.80	24.00
		HIGH	QPSK	23.27	23.10	22.97	24.00
10	50	LOW	QPSK	23.43	23.35	22.73	24.00
		LOW	Q16	23.17	22.47	22.91	24.00
		MID	Q16	23.78	23.26	22.80	24.00
	25	HIGH	Q16	22.97	22.78	22.67	24.00
		LOW	Q16	22.34	22.10	21.86	23.00
		MID	Q16	22.61	22.42	21.69	23.00
10	50	HIGH	Q16	22.39	22.13	21.59	23.00
		LOW	Q16	22.28	22.30	21.75	23.00
	1	LOW	64QAM	21.97	21.44	22.00	23.00
		MID	64QAM	22.75	22.22	21.75	23.00
		HIGH	64QAM	22.07	21.71	21.53	23.00
	25	LOW	64QAM	21.08	21.21	20.59	22.00
10	50	MID	64QAM	21.53	21.13	20.51	22.00
		HIGH	64QAM	21.26	21.12	20.63	22.00
		LOW	64QAM	21.35	21.24	20.74	22.00

LTE B28-State1&2&3&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	27285	27435	27585	Tune-up power(dBm)
15	1	LOW	QPSK	23.64	23.48	23.52	25.00
		MID	QPSK	24.34	24.21	23.71	25.00
		HIGH	QPSK	24.19	23.80	23.67	25.00
	36	LOW	QPSK	23.17	23.46	22.80	24.00
		MID	QPSK	23.36	23.48	22.73	24.00
		HIGH	QPSK	23.17	23.02	22.75	24.00
15	1	LOW	QPSK	23.48	23.39	22.72	24.00
	36	LOW	Q16	23.09	22.47	22.95	24.00
		MID	Q16	23.82	23.31	22.65	24.00
		HIGH	Q16	22.93	22.75	22.49	24.00
	36	LOW	Q16	22.38	22.31	21.82	23.00
		MID	Q16	22.67	22.44	21.72	23.00
15	1	LOW	Q16	22.24	22.26	21.76	23.00
	36	LOW	Q16	22.20	22.35	21.91	23.00
		MID	Q16	22.20	22.35	21.91	23.00
	36	LOW	64QAM	21.92	21.41	21.85	23.00
		MID	64QAM	22.97	22.18	21.80	23.00
		HIGH	64QAM	21.84	21.88	21.67	23.00
15	1	LOW	64QAM	21.17	21.12	20.80	22.00
	36	LOW	64QAM	21.65	21.33	20.50	22.00
		MID	64QAM	21.23	21.09	20.71	22.00
	36	LOW	64QAM	21.23	21.09	20.71	22.00
		MID	64QAM	21.23	21.09	20.71	22.00
		HIGH	64QAM	21.23	21.09	20.71	22.00
15	1	LOW	64QAM	21.40	21.39	20.78	22.00
	36	LOW	64QAM	21.40	21.39	20.78	22.00
		MID	64QAM	21.40	21.39	20.78	22.00
	36	LOW	64QAM	21.40	21.39	20.78	22.00
		MID	64QAM	21.40	21.39	20.78	22.00
		HIGH	64QAM	21.40	21.39	20.78	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	27310	27460	27560	Tune-up power(dBm)
20	1	LOW	QPSK	23.77	23.58	23.64	25.00
		MID	QPSK	24.42	24.28	23.67	25.00
		HIGH	QPSK	24.25	23.88	23.71	25.00
	50	LOW	QPSK	23.30	23.43	22.91	24.00
		MID	QPSK	23.41	23.33	22.88	24.00
		HIGH	QPSK	23.32	23.13	22.82	24.00
20	100	LOW	QPSK	23.35	23.24	22.85	24.00
	1	LOW	Q16	23.11	22.43	22.93	24.00
		MID	Q16	23.82	23.17	22.71	24.00
		HIGH	Q16	22.99	22.82	22.56	24.00
	50	LOW	Q16	22.30	22.21	21.77	23.00
		MID	Q16	22.55	22.37	21.61	23.00
20	100	LOW	Q16	22.27	22.15	21.64	23.00
	1	LOW	Q16	22.32	22.20	21.76	23.00
		MID	Q16	22.32	22.20	21.76	23.00
	50	LOW	64QAM	22.03	21.42	21.98	23.00
		MID	64QAM	22.87	22.17	21.86	23.00
		HIGH	64QAM	21.93	21.77	21.53	23.00
20	100	LOW	64QAM	21.16	21.16	20.65	22.00
	50	LOW	64QAM	21.54	21.22	20.62	22.00
		MID	64QAM	21.24	21.08	20.77	22.00
	100	LOW	64QAM	21.24	21.08	20.77	22.00
		MID	64QAM	21.24	21.08	20.77	22.00
		HIGH	64QAM	21.24	21.08	20.77	22.00
20	100	LOW	64QAM	21.30	21.26	20.64	22.00
	50	LOW	64QAM	21.30	21.26	20.64	22.00
		MID	64QAM	21.30	21.26	20.64	22.00
	100	LOW	64QAM	21.30	21.26	20.64	22.00
		MID	64QAM	21.30	21.26	20.64	22.00
		HIGH	64QAM	21.30	21.26	20.64	22.00

8.3.13 LTE Band66 Output Power

LTE B66-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.69	23.97	23.62	25.00
		MID	QPSK	24.25	24.20	24.16	25.00
		HIGH	QPSK	23.68	23.83	23.89	25.00
	3	LOW	QPSK	23.68	23.98	23.76	25.00
		MID	QPSK	24.09	24.05	24.36	25.00
		HIGH	QPSK	23.66	23.89	23.96	25.00
	6	LOW	QPSK	23.38	22.75	23.32	24.00
	1.4	LOW	Q16	22.97	22.95	23.03	24.00
		MID	Q16	23.37	22.82	23.30	24.00
		HIGH	Q16	23.31	22.71	23.12	24.00
		LOW	Q16	23.03	22.90	23.14	24.00
		MID	Q16	23.56	22.79	23.13	24.00
		HIGH	Q16	23.12	22.70	23.29	24.00
1.4	6	LOW	Q16	22.34	21.97	22.41	23.00
	1.4	LOW	64QAM	22.12	21.88	22.06	23.00
		MID	64QAM	22.47	21.87	22.19	23.00
		HIGH	64QAM	22.27	21.86	21.97	23.00
		LOW	64QAM	22.06	21.91	22.17	23.00
		MID	64QAM	22.44	21.87	22.24	23.00
		HIGH	64QAM	22.04	21.79	22.26	23.00
	6	LOW	64QAM	21.33	20.84	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	23.67	23.97	23.77	25.00
		MID	QPSK	24.24	24.11	24.25	25.00
		HIGH	QPSK	23.81	23.81	23.97	25.00
	8	LOW	QPSK	23.60	22.93	23.32	24.00
		MID	QPSK	23.38	22.99	23.31	24.00
		HIGH	QPSK	23.21	23.05	23.10	24.00
	15	LOW	QPSK	23.45	22.77	23.20	24.00
	3	LOW	Q16	23.01	23.04	22.97	24.00
		MID	Q16	23.47	22.85	23.31	24.00
		HIGH	Q16	23.21	22.75	23.30	24.00
		LOW	Q16	22.65	21.95	22.18	23.00
		MID	Q16	22.45	22.15	22.08	23.00
		HIGH	Q16	22.25	22.00	22.11	23.00
3	15	LOW	Q16	22.27	21.84	22.40	23.00
	3	LOW	64QAM	22.02	22.11	22.01	23.00
		MID	64QAM	22.40	21.96	22.35	23.00
		HIGH	64QAM	22.26	21.64	22.15	23.00
		LOW	64QAM	21.77	20.77	21.19	22.00
		MID	64QAM	21.52	21.03	21.38	22.00
		HIGH	64QAM	21.41	21.31	21.07	22.00
	15	LOW	64QAM	21.37	21.05	21.59	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	23.59	24.12	23.51	25.00
		MID	QPSK	24.23	24.20	24.12	25.00
		HIGH	QPSK	23.70	24.01	23.95	25.00
	12	LOW	QPSK	23.56	22.96	23.26	24.00
		MID	QPSK	23.20	22.92	23.17	24.00
		HIGH	QPSK	23.35	23.15	23.14	24.00
	25	LOW	QPSK	23.30	22.93	23.29	24.00
	5	LOW	Q16	23.08	22.86	23.15	24.00
		MID	Q16	23.51	23.02	23.08	24.00
		HIGH	Q16	23.07	22.85	23.09	24.00
		LOW	Q16	22.49	22.03	21.99	23.00
		MID	Q16	22.41	22.20	22.14	23.00
		HIGH	Q16	22.21	22.07	22.33	23.00
5	25	LOW	Q16	22.41	21.98	22.18	23.00
	5	LOW	64QAM	22.02	22.07	22.21	23.00
		MID	64QAM	22.41	21.95	22.32	23.00
		HIGH	64QAM	22.40	21.83	22.18	23.00
		LOW	64QAM	21.72	20.86	20.96	22.00
		MID	64QAM	21.61	21.02	21.31	22.00
		HIGH	64QAM	21.28	21.15	21.26	22.00
	25	LOW	64QAM	21.37	21.07	21.39	22.00

LTE B66-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	23.55	24.16	23.61	25.00
		MID	QPSK	24.09	24.33	24.31	25.00
		HIGH	QPSK	23.73	23.85	24.02	25.00
	25	LOW	QPSK	23.53	23.12	23.16	24.00
		MID	QPSK	23.34	22.97	23.20	24.00
		HIGH	QPSK	23.32	23.01	23.28	24.00
	50	LOW	QPSK	23.37	22.89	23.19	24.00
10	1	LOW	Q16	23.05	22.94	23.18	24.00
		MID	Q16	23.42	22.88	23.13	24.00
		HIGH	Q16	23.19	22.80	23.05	24.00
	25	LOW	Q16	22.44	21.93	22.16	23.00
		MID	Q16	22.37	22.19	22.20	23.00
		HIGH	Q16	22.29	22.27	22.20	23.00
	50	LOW	Q16	22.31	21.90	22.27	23.00
10	1	LOW	64QAM	21.89	21.82	22.12	23.00
		MID	64QAM	22.66	21.80	22.26	23.00
		HIGH	64QAM	22.41	21.61	22.37	23.00
	25	LOW	64QAM	21.77	20.67	20.97	22.00
		MID	64QAM	21.49	21.12	21.31	22.00
		HIGH	64QAM	21.39	21.22	21.29	22.00
	50	LOW	64QAM	21.45	20.99	21.37	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	23.82	24.16	23.78	25.00
		MID	QPSK	24.14	24.24	24.25	25.00
		HIGH	QPSK	23.75	23.98	23.97	25.00
	36	LOW	QPSK	23.61	22.93	23.14	24.00
		MID	QPSK	23.43	22.89	23.15	24.00
		HIGH	QPSK	23.23	23.08	23.32	24.00
	75	LOW	QPSK	23.53	22.89	23.38	24.00
15	1	LOW	Q16	23.01	22.98	23.03	24.00
		MID	Q16	23.60	22.88	23.23	24.00
		HIGH	Q16	23.04	22.93	23.26	24.00
	36	LOW	Q16	22.61	21.97	22.20	23.00
		MID	Q16	22.36	22.16	22.10	23.00
		HIGH	Q16	22.19	22.20	22.10	23.00
	75	LOW	Q16	22.20	21.89	22.18	23.00
15	1	LOW	64QAM	22.03	22.02	22.01	23.00
		MID	64QAM	22.61	21.88	22.40	23.00
		HIGH	64QAM	22.35	21.68	22.36	23.00
	36	LOW	64QAM	21.78	20.65	20.97	22.00
		MID	64QAM	21.67	21.00	21.24	22.00
		HIGH	64QAM	21.35	21.18	21.17	22.00
	75	LOW	64QAM	21.38	20.92	21.50	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	23.70	24.01	23.63	25.00
		MID	QPSK	24.12	24.19	24.27	25.00
		HIGH	QPSK	23.79	23.92	23.90	25.00
	50	LOW	QPSK	23.46	23.04	23.18	24.00
		MID	QPSK	23.34	22.92	23.25	24.00
		HIGH	QPSK	23.29	23.07	23.23	24.00
	100	LOW	QPSK	23.38	22.90	23.25	24.00
20	1	LOW	Q16	23.09	22.96	23.09	24.00
		MID	Q16	23.51	22.89	23.23	24.00
		HIGH	Q16	23.17	22.85	23.17	24.00
	50	LOW	Q16	22.55	21.92	22.12	23.00
		MID	Q16	22.47	22.07	22.19	23.00
		HIGH	Q16	22.22	22.14	22.18	23.00
	100	LOW	Q16	22.35	21.95	22.31	23.00
20	1	LOW	64QAM	21.95	21.97	22.16	23.00
		MID	64QAM	22.55	21.86	22.29	23.00
		HIGH	64QAM	22.32	21.72	22.29	23.00
	50	LOW	64QAM	21.65	20.78	21.10	22.00
		MID	64QAM	21.60	21.03	21.32	22.00
		HIGH	64QAM	21.27	21.23	21.20	22.00
	100	LOW	64QAM	21.46	21.06	21.46	22.00

LTE B66-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	22.36	22.57	22.33	23.00
		MID	QPSK	22.99	22.55	22.72	23.00
		HIGH	QPSK	22.21	22.69	22.54	23.00
	3	LOW	QPSK	22.46	22.35	22.49	23.00
		MID	QPSK	22.88	22.80	22.66	23.00
		HIGH	QPSK	22.43	22.77	22.79	23.00
	6	LOW	QPSK	22.77	22.44	22.65	23.00
	1.4	LOW	Q16	22.68	22.33	22.17	23.00
		MID	Q16	22.85	22.27	22.87	23.00
		HIGH	Q16	22.12	22.00	22.61	23.00
		LOW	Q16	22.82	22.44	22.05	23.00
		MID	Q16	22.86	22.24	22.90	23.00
		HIGH	Q16	22.19	21.88	22.51	23.00
1.4	6	LOW	Q16	22.79	22.11	22.66	23.00
	1.4	LOW	64QAM	22.76	22.31	22.21	23.00
		MID	64QAM	22.75	22.39	22.89	23.00
		HIGH	64QAM	22.05	22.11	22.62	23.00
		LOW	64QAM	22.91	22.36	22.08	23.00
		MID	64QAM	22.95	22.21	22.89	23.00
		HIGH	64QAM	22.06	21.77	22.40	23.00
	6	LOW	64QAM	21.84	21.01	21.57	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	22.40	22.46	22.45	23.00
		MID	QPSK	22.87	22.55	22.71	23.00
		HIGH	QPSK	22.44	22.76	22.73	23.00
	8	LOW	QPSK	22.88	22.44	22.40	23.00
		MID	QPSK	22.88	22.42	22.72	23.00
		HIGH	QPSK	22.64	22.46	22.45	23.00
	15	LOW	QPSK	22.86	22.40	22.75	23.00
	3	LOW	Q16	22.77	22.48	22.08	23.00
		MID	Q16	22.86	22.28	22.78	23.00
		HIGH	Q16	22.09	21.95	22.61	23.00
		LOW	Q16	22.82	22.22	22.43	23.00
		MID	Q16	22.92	22.52	22.55	23.00
		HIGH	Q16	22.68	22.63	22.56	23.00
3	15	LOW	Q16	22.76	22.25	22.50	23.00
	3	LOW	64QAM	22.77	22.39	22.02	23.00
		MID	64QAM	22.88	22.21	22.96	23.00
		HIGH	64QAM	22.22	22.22	22.43	23.00
		LOW	64QAM	21.89	21.47	21.32	22.00
		MID	64QAM	21.82	21.70	21.32	22.00
		HIGH	64QAM	21.86	21.47	21.37	22.00
	15	LOW	64QAM	21.82	21.25	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	22.50	22.45	22.46	23.00
		MID	QPSK	22.96	22.54	22.63	23.00
		HIGH	QPSK	22.32	22.69	22.59	23.00
	12	LOW	QPSK	22.86	22.60	22.48	23.00
		MID	QPSK	22.85	22.38	22.48	23.00
		HIGH	QPSK	22.57	22.52	22.74	23.00
	25	LOW	QPSK	22.83	22.37	22.75	23.00
	5	LOW	Q16	22.59	22.32	22.07	23.00
		MID	Q16	22.91	22.06	22.92	23.00
		HIGH	Q16	22.38	21.98	22.49	23.00
		LOW	Q16	22.78	22.34	22.55	23.00
		MID	Q16	22.90	22.34	22.56	23.00
		HIGH	Q16	22.74	22.44	22.42	23.00
5	25	LOW	Q16	22.83	22.30	22.42	23.00
	5	LOW	64QAM	22.60	22.28	21.97	23.00
		MID	64QAM	22.90	22.05	22.94	23.00
		HIGH	64QAM	22.08	21.98	22.34	23.00
		LOW	64QAM	21.79	21.42	21.17	22.00
		MID	64QAM	21.90	21.43	21.41	22.00
		HIGH	64QAM	21.71	21.31	21.35	22.00
	25	LOW	64QAM	21.89	21.27	21.44	22.00

LTE B66-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	22.38	22.55	22.30	23.00
		MID	QPSK	22.95	22.52	22.77	23.00
		HIGH	QPSK	22.24	22.68	22.58	23.00
	25	LOW	QPSK	22.96	22.33	22.58	23.00
		MID	QPSK	22.72	22.54	22.50	23.00
		HIGH	QPSK	22.61	22.36	22.45	23.00
	50	LOW	QPSK	22.63	22.25	22.53	23.00
10	1	LOW	Q16	22.78	22.18	22.09	23.00
		MID	Q16	22.94	22.24	22.98	23.00
		HIGH	Q16	22.12	21.84	22.39	23.00
	25	LOW	Q16	22.88	22.33	22.50	23.00
		MID	Q16	22.71	22.37	22.56	23.00
		HIGH	Q16	22.85	22.38	22.36	23.00
	50	LOW	Q16	22.82	22.30	22.46	23.00
10	1	LOW	64QAM	22.67	22.32	22.15	23.00
		MID	64QAM	22.83	22.05	22.90	23.00
		HIGH	64QAM	22.02	22.28	22.54	23.00
	25	LOW	64QAM	21.94	21.37	21.40	22.00
		MID	64QAM	21.88	21.69	21.48	22.00
		HIGH	64QAM	21.75	21.52	21.61	22.00
	50	LOW	64QAM	21.95	21.23	21.49	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	22.37	22.35	22.37	23.00
		MID	QPSK	22.86	22.73	22.62	23.00
		HIGH	QPSK	22.26	22.88	22.62	23.00
	36	LOW	QPSK	22.69	22.45	22.63	23.00
		MID	QPSK	22.84	22.39	22.47	23.00
		HIGH	QPSK	22.58	22.32	22.56	23.00
	75	LOW	QPSK	22.61	22.27	22.50	23.00
15	1	LOW	Q16	22.74	22.40	22.03	23.00
		MID	Q16	22.86	22.01	22.89	23.00
		HIGH	Q16	22.16	21.94	22.59	23.00
	36	LOW	Q16	22.92	22.27	22.40	23.00
		MID	Q16	22.68	22.50	22.39	23.00
		HIGH	Q16	22.78	22.49	22.49	23.00
	75	LOW	Q16	22.85	22.10	22.67	23.00
15	1	LOW	64QAM	22.77	22.24	22.13	23.00
		MID	64QAM	22.99	22.07	22.93	23.00
		HIGH	64QAM	22.10	22.12	22.47	23.00
	36	LOW	64QAM	21.70	21.18	21.23	22.00
		MID	64QAM	21.83	21.46	21.47	22.00
		HIGH	64QAM	21.75	21.41	21.37	22.00
	75	LOW	64QAM	21.87	21.12	21.31	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	22.51	22.50	22.38	23.00
		MID	QPSK	22.64	22.66	22.95	23.00
		HIGH	QPSK	22.32	22.77	22.66	23.00
	50	LOW	QPSK	22.54	22.47	22.82	23.00
		MID	QPSK	22.61	22.41	22.77	23.00
		HIGH	QPSK	22.60	22.41	22.60	23.00
	100	LOW	QPSK	22.72	22.31	22.63	23.00
20	1	LOW	Q16	22.74	22.33	22.14	23.00
		MID	Q16	22.91	22.14	22.97	23.00
		HIGH	Q16	22.23	21.98	22.51	23.00
	50	LOW	Q16	22.93	22.34	22.43	23.00
		MID	Q16	22.80	22.45	22.51	23.00
		HIGH	Q16	22.71	22.52	22.47	23.00
	100	LOW	Q16	22.77	22.23	22.52	23.00
20	1	LOW	64QAM	22.67	22.37	22.04	23.00
		MID	64QAM	22.89	22.07	22.83	23.00
		HIGH	64QAM	22.10	22.13	22.43	23.00
	50	LOW	64QAM	21.81	21.33	21.29	22.00
		MID	64QAM	21.88	21.55	21.47	22.00
		HIGH	64QAM	21.82	21.40	21.47	22.00
	100	LOW	64QAM	21.92	21.17	21.43	22.00

LTE B66-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	18.35	18.19	18.24	18.50
		MID	QPSK	18.43	18.37	18.23	18.50
		HIGH	QPSK	18.21	18.30	18.24	18.50
	3	LOW	QPSK	18.27	18.11	18.23	18.50
		MID	QPSK	18.34	18.31	18.09	18.50
		HIGH	QPSK	18.29	18.22	18.11	18.50
	6	LOW	QPSK	18.06	18.29	18.27	18.50
1.4	1	LOW	Q16	18.21	18.12	18.30	18.50
		MID	Q16	18.07	18.23	18.37	18.50
		HIGH	Q16	18.25	18.42	18.19	18.50
	3	LOW	Q16	18.27	18.12	18.41	18.50
		MID	Q16	18.08	18.02	18.50	18.50
		HIGH	Q16	18.14	18.00	18.02	18.50
	6	LOW	Q16	18.16	18.30	18.25	18.50
1.4	1	LOW	64QAM	18.03	18.00	18.24	18.50
		MID	64QAM	18.04	18.27	18.25	18.50
		HIGH	64QAM	18.26	18.48	18.32	18.50
	3	LOW	64QAM	18.12	18.15	18.26	18.50
		MID	64QAM	18.23	18.20	18.43	18.50
		HIGH	64QAM	18.18	18.10	18.06	18.50
	6	LOW	64QAM	18.28	18.31	18.19	18.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	18.44	18.23	18.34	18.50
		MID	QPSK	18.41	18.50	18.26	18.50
		HIGH	QPSK	18.43	18.16	18.11	18.50
	8	LOW	QPSK	18.31	18.35	18.48	18.50
		MID	QPSK	18.22	18.32	18.22	18.50
		HIGH	QPSK	18.17	18.45	18.06	18.50
	15	LOW	QPSK	18.26	18.30	18.22	18.50
3	1	LOW	Q16	18.03	18.23	18.23	18.50
		MID	Q16	18.07	18.30	18.38	18.50
		HIGH	Q16	18.23	18.35	18.07	18.50
	8	LOW	Q16	18.37	18.35	18.12	18.50
		MID	Q16	18.17	18.48	18.05	18.50
		HIGH	Q16	18.46	18.14	18.08	18.50
	15	LOW	Q16	18.19	18.31	18.18	18.50
3	1	LOW	64QAM	18.00	18.04	18.33	18.50
		MID	64QAM	18.25	18.38	18.38	18.50
		HIGH	64QAM	18.06	18.50	18.16	18.50
	8	LOW	64QAM	18.24	18.05	18.16	18.50
		MID	64QAM	18.10	18.30	18.27	18.50
		HIGH	64QAM	18.43	18.14	18.04	18.50
	15	LOW	64QAM	18.06	18.28	18.12	18.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	18.46	18.30	18.25	18.50
		MID	QPSK	18.35	18.36	18.22	18.50
		HIGH	QPSK	18.43	18.34	18.06	18.50
	12	LOW	QPSK	18.32	18.36	18.36	18.50
		MID	QPSK	18.06	18.20	18.19	18.50
		HIGH	QPSK	18.25	18.43	18.07	18.50
	25	LOW	QPSK	18.04	18.42	18.16	18.50
5	1	LOW	Q16	18.11	18.11	18.36	18.50
		MID	Q16	18.20	18.39	18.24	18.50
		HIGH	Q16	18.05	18.34	18.09	18.50
	12	LOW	Q16	18.22	18.22	18.24	18.50
		MID	Q16	18.08	18.26	18.07	18.50
		HIGH	Q16	18.37	18.22	18.26	18.50
	25	LOW	Q16	18.21	18.21	18.16	18.50
5	1	LOW	64QAM	18.18	18.18	18.07	18.50
		MID	64QAM	18.05	18.27	18.19	18.50
		HIGH	64QAM	18.10	18.41	18.03	18.50
	12	LOW	64QAM	18.40	18.05	18.02	18.50
		MID	64QAM	18.29	18.41	18.00	18.50
		HIGH	64QAM	18.38	18.14	18.22	18.50
	25	LOW	64QAM	18.28	18.37	18.00	18.50

LTE B66-State2&4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	18.19	18.22	18.47	18.50
		MID	QPSK	18.35	18.43	18.32	18.50
		HIGH	QPSK	18.36	18.11	18.29	18.50
	25	LOW	QPSK	18.28	18.30	18.42	18.50
		MID	QPSK	18.13	18.46	18.01	18.50
		HIGH	QPSK	18.08	18.46	18.01	18.50
	50	LOW	QPSK	18.28	18.37	18.15	18.50
		LOW	Q16	18.29	18.02	18.30	18.50
		MID	Q16	18.12	18.30	18.41	18.50
10	1	HIGH	Q16	18.16	18.47	18.11	18.50
		LOW	Q16	18.13	18.45	18.12	18.50
		MID	Q16	18.02	18.33	18.07	18.50
	25	HIGH	Q16	18.35	18.08	18.16	18.50
		LOW	Q16	18.17	18.29	18.07	18.50
		LOW	Q16	18.17	18.29	18.07	18.50
	50	LOW	Q16	18.17	18.29	18.07	18.50
		LOW	Q16	18.17	18.29	18.07	18.50
		LOW	Q16	18.17	18.29	18.07	18.50
10	1	LOW	64QAM	18.16	18.12	18.10	18.50
		MID	64QAM	18.16	18.29	18.31	18.50
		HIGH	64QAM	18.11	18.41	18.18	18.50
	25	LOW	64QAM	18.22	18.15	18.20	18.50
		MID	64QAM	18.18	18.45	18.01	18.50
		HIGH	64QAM	18.44	18.09	18.08	18.50
	50	LOW	64QAM	18.08	18.18	18.12	18.50
		LOW	64QAM	18.08	18.18	18.12	18.50
		LOW	64QAM	18.08	18.18	18.12	18.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	18.44	18.16	18.21	18.50
		MID	QPSK	18.31	18.35	18.29	18.50
		HIGH	QPSK	18.38	18.13	18.10	18.50
	36	LOW	QPSK	18.11	18.30	18.38	18.50
		MID	QPSK	18.14	18.19	18.24	18.50
		HIGH	QPSK	18.07	18.38	18.17	18.50
	75	LOW	QPSK	18.13	18.28	18.01	18.50
		LOW	Q16	18.06	18.22	18.36	18.50
		MID	Q16	18.27	18.30	18.32	18.50
15	1	HIGH	Q16	18.22	18.33	18.27	18.50
		LOW	Q16	18.13	18.37	18.10	18.50
		MID	Q16	18.20	18.49	18.30	18.50
	36	HIGH	Q16	18.33	18.02	18.11	18.50
		LOW	Q16	18.06	18.42	18.02	18.50
		LOW	Q16	18.06	18.42	18.02	18.50
	75	LOW	Q16	18.06	18.42	18.02	18.50
		LOW	Q16	18.06	18.42	18.02	18.50
		LOW	Q16	18.06	18.42	18.02	18.50
15	1	LOW	64QAM	18.23	18.11	18.28	18.50
		MID	64QAM	18.06	18.49	18.31	18.50
		HIGH	64QAM	18.28	18.38	18.25	18.50
	36	LOW	64QAM	18.42	18.19	18.18	18.50
		MID	64QAM	18.13	18.18	18.15	18.50
		HIGH	64QAM	18.34	18.08	18.23	18.50
	75	LOW	64QAM	18.02	18.23	18.06	18.50
		LOW	64QAM	18.02	18.23	18.06	18.50
		LOW	64QAM	18.02	18.23	18.06	18.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	18.33	18.19	18.32	18.50
		MID	QPSK	18.45	18.48	18.20	18.50
		HIGH	QPSK	18.35	18.26	18.20	18.50
	50	LOW	QPSK	18.23	18.43	18.43	18.50
		MID	QPSK	18.16	18.33	18.01	18.50
		HIGH	QPSK	18.08	18.40	18.02	18.50
	100	LOW	QPSK	18.14	18.28	18.03	18.50
		LOW	Q16	18.04	18.00	18.34	18.50
		MID	Q16	18.18	18.37	18.37	18.50
20	1	HIGH	Q16	18.13	18.46	18.15	18.50
		LOW	Q16	18.25	18.32	18.04	18.50
		MID	Q16	18.09	18.40	18.20	18.50
	50	HIGH	Q16	18.46	18.00	18.15	18.50
		LOW	Q16	18.07	18.29	18.02	18.50
		LOW	Q16	18.07	18.29	18.02	18.50
	100	LOW	Q16	18.07	18.29	18.02	18.50
		LOW	Q16	18.07	18.29	18.02	18.50
		LOW	Q16	18.07	18.29	18.02	18.50
20	1	LOW	64QAM	18.26	18.01	18.22	18.50
		MID	64QAM	18.12	18.37	18.25	18.50
		HIGH	64QAM	18.29	18.46	18.14	18.50
	50	LOW	64QAM	18.31	18.19	18.08	18.50
		MID	64QAM	18.28	18.30	18.11	18.50
		HIGH	64QAM	18.24	18.28	18.12	18.50
	100	LOW	64QAM	18.14	18.23	18.27	18.50
		LOW	64QAM	18.14	18.23	18.27	18.50
		LOW	64QAM	18.14	18.23	18.27	18.50

LTE B66-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.13	20.51	20.40	21.00
		MID	QPSK	20.67	20.48	20.85	21.00
		HIGH	QPSK	20.27	20.75	20.82	21.00
	3	LOW	QPSK	20.10	20.64	20.43	21.00
		MID	QPSK	20.93	20.44	20.91	21.00
		HIGH	QPSK	20.38	20.62	20.72	21.00
	6	LOW	QPSK	20.75	20.23	20.79	21.00
1.4	1	LOW	Q16	20.67	20.39	20.18	21.00
		MID	Q16	20.75	20.88	20.75	21.00
		HIGH	Q16	20.21	20.15	20.50	21.00
	3	LOW	Q16	20.68	20.54	20.20	21.00
		MID	Q16	20.89	20.76	20.71	21.00
		HIGH	Q16	20.12	20.25	20.38	21.00
	6	LOW	Q16	20.67	20.50	20.58	21.00
1.4	1	LOW	64QAM	20.71	20.30	20.26	21.00
		MID	64QAM	20.76	20.71	20.81	21.00
		HIGH	64QAM	20.12	20.22	20.39	21.00
	3	LOW	64QAM	20.80	20.54	20.08	21.00
		MID	64QAM	20.99	20.67	20.71	21.00
		HIGH	64QAM	20.21	20.34	20.49	21.00
	6	LOW	64QAM	20.76	20.63	20.44	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	20.22	20.52	20.43	21.00
		MID	QPSK	20.94	20.38	20.82	21.00
		HIGH	QPSK	20.41	20.84	20.70	21.00
	8	LOW	QPSK	20.63	20.47	20.46	21.00
		MID	QPSK	20.62	20.42	20.54	21.00
		HIGH	QPSK	20.57	20.48	20.55	21.00
	15	LOW	QPSK	20.61	20.39	20.66	21.00
3	1	LOW	Q16	20.42	20.31	20.21	21.00
		MID	Q16	20.93	20.74	20.79	21.00
		HIGH	Q16	20.16	20.17	20.48	21.00
	8	LOW	Q16	20.96	20.53	20.43	21.00
		MID	Q16	20.80	20.39	20.66	21.00
		HIGH	Q16	20.38	20.50	20.50	21.00
	15	LOW	Q16	20.73	20.40	20.43	21.00
3	1	LOW	64QAM	20.58	20.47	20.12	21.00
		MID	64QAM	20.76	20.86	20.83	21.00
		HIGH	64QAM	20.33	20.05	20.37	21.00
	8	LOW	64QAM	20.78	20.65	20.60	21.00
		MID	64QAM	20.69	20.40	20.53	21.00
		HIGH	64QAM	20.63	20.45	20.57	21.00
	15	LOW	64QAM	20.54	20.37	20.54	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	20.21	20.56	20.42	21.00
		MID	QPSK	20.85	20.36	20.96	21.00
		HIGH	QPSK	20.27	20.73	20.82	21.00
	12	LOW	QPSK	20.78	20.47	20.57	21.00
		MID	QPSK	20.78	20.32	20.52	21.00
		HIGH	QPSK	20.64	20.46	20.74	21.00
	25	LOW	QPSK	20.72	20.29	20.63	21.00
5	1	LOW	Q16	20.57	20.41	20.09	21.00
		MID	Q16	20.85	20.97	20.81	21.00
		HIGH	Q16	20.12	19.97	20.57	21.00
	12	LOW	Q16	20.92	20.59	20.45	21.00
		MID	Q16	20.93	20.41	20.59	21.00
		HIGH	Q16	20.29	20.37	20.55	21.00
	25	LOW	Q16	20.70	20.26	20.68	21.00
5	1	LOW	64QAM	20.55	20.63	20.18	21.00
		MID	64QAM	20.89	20.63	20.89	21.00
		HIGH	64QAM	20.35	20.00	20.45	21.00
	12	LOW	64QAM	20.65	20.58	20.66	21.00
		MID	64QAM	20.74	20.25	20.64	21.00
		HIGH	64QAM	20.41	20.29	20.49	21.00
	25	LOW	64QAM	20.54	20.38	20.73	21.00

LTE B66-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	20.21	20.68	20.46	21.00
		MID	QPSK	20.69	20.39	20.73	21.00
		HIGH	QPSK	20.44	20.77	20.69	21.00
	25	LOW	QPSK	20.91	20.42	20.45	21.00
		MID	QPSK	20.76	20.28	20.58	21.00
		HIGH	QPSK	20.72	20.37	20.61	21.00
	50	LOW	QPSK	20.56	20.44	20.72	21.00
		LOW	Q16	20.42	20.36	20.18	21.00
		MID	Q16	20.78	21.00	20.87	21.00
10	1	HIGH	Q16	20.16	20.17	20.53	21.00
		LOW	Q16	20.94	20.41	20.62	21.00
		MID	Q16	20.88	20.16	20.58	21.00
	25	HIGH	Q16	20.49	20.41	20.56	21.00
		LOW	Q16	20.83	20.32	20.62	21.00
		LOW	Q16	20.83	20.32	20.62	21.00
	50	LOW	Q16	20.83	20.32	20.62	21.00
		LOW	Q16	20.83	20.32	20.62	21.00
		LOW	Q16	20.83	20.32	20.62	21.00
10	1	LOW	64QAM	20.45	20.53	20.12	21.00
		MID	64QAM	20.81	20.82	20.80	21.00
		HIGH	64QAM	20.51	20.05	20.45	21.00
	25	LOW	64QAM	20.77	20.71	20.54	21.00
		MID	64QAM	20.81	20.36	20.51	21.00
		HIGH	64QAM	20.64	20.39	20.65	21.00
	50	LOW	64QAM	20.68	20.44	20.71	21.00
		LOW	64QAM	20.68	20.44	20.71	21.00
		LOW	64QAM	20.68	20.44	20.71	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	20.10	20.54	20.49	21.00
		MID	QPSK	20.84	20.42	20.89	21.00
		HIGH	QPSK	20.22	20.82	20.58	21.00
	36	LOW	QPSK	20.82	20.44	20.48	21.00
		MID	QPSK	20.74	20.43	20.61	21.00
		HIGH	QPSK	20.71	20.35	20.82	21.00
	75	LOW	QPSK	20.71	20.19	20.73	21.00
		LOW	QPSK	20.71	20.19	20.73	21.00
		LOW	QPSK	20.71	20.19	20.73	21.00
15	1	LOW	Q16	20.59	20.39	20.24	21.00
		MID	Q16	20.73	20.94	20.78	21.00
		HIGH	Q16	20.30	20.17	20.51	21.00
	36	LOW	Q16	20.92	20.65	20.51	21.00
		MID	Q16	20.77	20.41	20.62	21.00
		HIGH	Q16	20.37	20.36	20.54	21.00
	75	LOW	Q16	20.73	20.34	20.61	21.00
		LOW	Q16	20.73	20.34	20.61	21.00
		LOW	Q16	20.73	20.34	20.61	21.00
15	1	LOW	64QAM	20.64	20.40	20.12	21.00
		MID	64QAM	20.94	20.61	20.84	21.00
		HIGH	64QAM	20.42	20.11	20.42	21.00
	36	LOW	64QAM	20.77	20.58	20.53	21.00
		MID	64QAM	20.79	20.48	20.49	21.00
		HIGH	64QAM	20.58	20.51	20.44	21.00
	75	LOW	64QAM	20.47	20.24	20.52	21.00
		LOW	64QAM	20.47	20.24	20.52	21.00
		LOW	64QAM	20.47	20.24	20.52	21.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	20.23	20.53	20.35	21.00
		MID	QPSK	20.82	20.45	20.74	21.00
		HIGH	QPSK	20.37	20.70	20.73	21.00
	50	LOW	QPSK	20.76	20.44	20.52	21.00
		MID	QPSK	20.76	20.34	20.66	21.00
		HIGH	QPSK	20.64	20.46	20.70	21.00
	100	LOW	QPSK	20.71	20.31	20.71	21.00
		LOW	QPSK	20.71	20.31	20.71	21.00
		LOW	QPSK	20.71	20.31	20.71	21.00
20	1	LOW	Q16	20.56	20.35	20.20	21.00
		MID	Q16	20.90	20.85	20.93	21.00
		HIGH	Q16	20.27	20.02	20.53	21.00
	50	LOW	Q16	20.87	20.53	20.52	21.00
		MID	Q16	20.90	20.30	20.57	21.00
		HIGH	Q16	20.42	20.40	20.51	21.00
	100	LOW	Q16	20.69	20.35	20.54	21.00
		LOW	Q16	20.69	20.35	20.54	21.00
		LOW	Q16	20.69	20.35	20.54	21.00
20	1	LOW	64QAM	20.59	20.48	20.16	21.00
		MID	64QAM	20.79	20.76	20.74	21.00
		HIGH	64QAM	20.41	20.07	20.51	21.00
	50	LOW	64QAM	20.74	20.56	20.58	21.00
		MID	64QAM	20.83	20.35	20.51	21.00
		HIGH	64QAM	20.51	20.41	20.50	21.00
	100	LOW	64QAM	20.55	20.39	20.65	21.00
		LOW	64QAM	20.55	20.39	20.65	21.00
		LOW	64QAM	20.55	20.39	20.65	21.00

8.3.13 LTE Band66 Output Power

LTE B66-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.43	23.60	23.72	25.00
		MID	QPSK	23.85	23.67	23.53	25.00
		HIGH	QPSK	23.57	23.83	23.58	25.00
	3	LOW	QPSK	23.44	23.46	23.56	25.00
		MID	QPSK	23.82	23.56	23.68	25.00
		HIGH	QPSK	23.43	23.76	23.51	25.00
	6	LOW	QPSK	22.97	22.85	22.66	24.00
1.4	1	LOW	Q16	22.92	22.41	22.64	24.00
		MID	Q16	23.07	22.63	22.86	24.00
		HIGH	Q16	22.55	22.43	22.43	24.00
	3	LOW	Q16	22.85	22.57	22.53	24.00
		MID	Q16	23.03	22.87	22.87	24.00
		HIGH	Q16	22.86	22.49	22.58	24.00
	6	LOW	Q16	21.79	21.75	21.92	23.00
1.4	1	LOW	64QAM	21.99	21.47	21.54	23.00
		MID	64QAM	22.04	21.69	21.85	23.00
		HIGH	64QAM	21.58	21.46	21.57	23.00
	3	LOW	64QAM	21.97	21.47	21.50	23.00
		MID	64QAM	21.95	21.92	21.82	23.00
		HIGH	64QAM	21.81	21.66	21.63	23.00
	6	LOW	64QAM	20.64	20.70	21.03	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	23.46	23.67	23.51	25.00
		MID	QPSK	23.98	23.67	23.45	25.00
		HIGH	QPSK	23.43	23.68	23.61	25.00
	8	LOW	QPSK	23.52	22.99	22.75	24.00
		MID	QPSK	22.99	22.80	22.68	24.00
		HIGH	QPSK	22.66	22.98	22.71	24.00
	15	LOW	QPSK	22.97	22.54	22.48	24.00
3	1	LOW	Q16	22.90	22.57	22.49	24.00
		MID	Q16	23.17	22.85	22.68	24.00
		HIGH	Q16	22.66	22.53	22.67	24.00
	8	LOW	Q16	22.18	21.44	21.76	23.00
		MID	Q16	21.70	21.99	21.69	23.00
		HIGH	Q16	21.51	21.57	21.45	23.00
	15	LOW	Q16	21.90	21.54	21.75	23.00
3	1	LOW	64QAM	22.14	21.47	21.58	23.00
		MID	64QAM	22.12	21.98	21.90	23.00
		HIGH	64QAM	21.84	21.62	21.53	23.00
	8	LOW	64QAM	21.01	20.49	20.56	22.00
		MID	64QAM	20.82	20.85	20.66	22.00
		HIGH	64QAM	20.69	20.51	20.46	22.00
	15	LOW	64QAM	20.95	20.78	20.67	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	23.56	23.58	23.71	25.00
		MID	QPSK	23.98	23.54	23.53	25.00
		HIGH	QPSK	23.45	23.82	23.56	25.00
	12	LOW	QPSK	23.59	22.91	22.64	24.00
		MID	QPSK	23.01	22.80	22.96	24.00
		HIGH	QPSK	22.76	22.97	22.65	24.00
	25	LOW	QPSK	22.91	22.63	22.47	24.00
5	1	LOW	Q16	23.01	22.49	22.45	24.00
		MID	Q16	23.25	22.87	22.89	24.00
		HIGH	Q16	22.85	22.41	22.50	24.00
	12	LOW	Q16	22.26	21.50	21.60	23.00
		MID	Q16	21.82	21.94	21.93	23.00
		HIGH	Q16	21.67	21.65	21.61	23.00
	25	LOW	Q16	21.71	21.62	21.87	23.00
5	1	LOW	64QAM	22.10	21.65	21.49	23.00
		MID	64QAM	22.23	21.76	21.81	23.00
		HIGH	64QAM	21.61	21.65	21.43	23.00
	12	LOW	64QAM	21.09	20.48	20.67	22.00
		MID	64QAM	20.76	20.90	20.68	22.00
		HIGH	64QAM	20.57	20.49	20.41	22.00
	25	LOW	64QAM	20.62	20.71	20.93	22.00

LTE B66-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	23.54	23.48	23.62	25.00
		MID	QPSK	23.94	23.56	23.51	25.00
		HIGH	QPSK	23.55	23.77	23.56	25.00
	25	LOW	QPSK	23.72	22.79	22.83	24.00
		MID	QPSK	22.99	22.70	22.82	24.00
		HIGH	QPSK	22.73	22.76	22.76	24.00
	50	LOW	QPSK	23.04	22.68	22.41	24.00
		LOW	Q16	22.99	22.43	22.62	24.00
		MID	Q16	22.92	22.87	22.75	24.00
10	1	HIGH	Q16	22.81	22.42	22.43	24.00
	25	LOW	Q16	22.06	21.47	21.78	23.00
		MID	Q16	21.76	21.82	21.83	23.00
		HIGH	Q16	21.66	21.54	21.40	23.00
	50	LOW	Q16	21.89	21.71	21.96	23.00
	1	LOW	64QAM	21.88	21.45	21.75	23.00
		MID	64QAM	22.06	21.77	21.90	23.00
		HIGH	64QAM	21.62	21.56	21.60	23.00
10	25	LOW	64QAM	21.24	20.64	20.67	22.00
		MID	64QAM	20.87	20.93	20.59	22.00
		HIGH	64QAM	20.52	20.49	20.41	22.00
	50	LOW	64QAM	20.70	20.75	20.83	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	23.49	23.54	23.60	25.00
		MID	QPSK	23.93	23.46	23.59	25.00
		HIGH	QPSK	23.51	23.73	23.67	25.00
	36	LOW	QPSK	23.67	22.77	22.71	24.00
		MID	QPSK	22.93	22.65	22.75	24.00
		HIGH	QPSK	22.77	22.76	22.70	24.00
	75	LOW	QPSK	22.86	22.73	22.57	24.00
	1	LOW	Q16	22.84	22.61	22.47	24.00
		MID	Q16	22.93	22.66	22.78	24.00
15	1	HIGH	Q16	22.68	22.47	22.47	24.00
	36	LOW	Q16	21.99	21.46	21.85	23.00
		MID	Q16	21.71	21.98	21.91	23.00
		HIGH	Q16	21.66	21.64	21.42	23.00
	75	LOW	Q16	21.66	21.74	21.89	23.00
	1	LOW	64QAM	22.08	21.63	21.78	23.00
		MID	64QAM	22.04	21.78	21.72	23.00
		HIGH	64QAM	21.57	21.54	21.61	23.00
15	36	LOW	64QAM	21.05	20.47	20.49	22.00
		MID	64QAM	20.81	20.88	20.61	22.00
		HIGH	64QAM	20.49	20.42	20.42	22.00
	75	LOW	64QAM	20.95	20.95	20.67	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	23.52	23.51	23.61	25.00
		MID	QPSK	23.89	23.60	23.57	25.00
		HIGH	QPSK	23.40	23.80	23.53	25.00
	50	LOW	QPSK	23.61	22.86	22.76	24.00
		MID	QPSK	22.89	22.81	22.84	24.00
		HIGH	QPSK	22.78	22.84	22.75	24.00
	100	LOW	QPSK	22.95	22.72	22.49	24.00
	1	LOW	Q16	23.00	22.43	22.46	24.00
		MID	Q16	23.07	22.77	22.79	24.00
20	1	HIGH	Q16	22.73	22.43	22.50	24.00
	50	LOW	Q16	22.06	21.48	21.68	23.00
		MID	Q16	21.81	21.81	21.84	23.00
		HIGH	Q16	21.59	21.44	21.48	23.00
	100	LOW	Q16	21.78	21.71	21.89	23.00
	1	LOW	64QAM	22.02	21.46	21.61	23.00
		MID	64QAM	22.11	21.82	21.88	23.00
		HIGH	64QAM	21.65	21.57	21.42	23.00
20	50	LOW	64QAM	21.02	20.51	20.61	22.00
		MID	64QAM	20.82	20.97	20.62	22.00
		HIGH	64QAM	20.64	20.48	20.53	22.00
	100	LOW	64QAM	20.76	20.79	20.84	22.00

LTE B66-State1&3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	20.66	20.67	20.04	21.50
		MID	QPSK	20.87	20.54	20.78	21.50
		HIGH	QPSK	20.55	20.62	20.38	21.50
	3	LOW	QPSK	20.73	20.72	20.14	21.50
		MID	QPSK	20.97	20.63	20.69	21.50
		HIGH	QPSK	20.52	20.56	20.36	21.50
	6	LOW	QPSK	20.95	20.29	20.45	21.50
1.4	1	LOW	Q16	20.87	20.44	20.30	21.50
		MID	Q16	21.27	20.09	20.31	21.50
		HIGH	Q16	20.22	20.27	20.21	21.50
	3	LOW	Q16	20.87	20.34	20.26	21.50
		MID	Q16	21.15	20.20	20.43	21.50
		HIGH	Q16	20.21	20.06	20.19	21.50
	6	LOW	Q16	20.97	20.34	20.23	21.50
1.4	1	LOW	64QAM	20.69	20.29	20.08	21.50
		MID	64QAM	21.10	19.97	20.14	21.50
		HIGH	64QAM	20.01	20.08	19.97	21.50
	3	LOW	64QAM	20.63	20.17	20.04	21.50
		MID	64QAM	21.13	20.15	20.28	21.50
		HIGH	64QAM	20.05	20.01	19.92	21.50
	6	LOW	64QAM	20.93	20.18	20.04	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	20.63	20.57	19.92	21.50
		MID	QPSK	20.87	20.37	20.56	21.50
		HIGH	QPSK	20.52	20.75	20.16	21.50
	8	LOW	QPSK	20.87	20.33	20.45	21.50
		MID	QPSK	20.71	20.22	20.20	21.50
		HIGH	QPSK	20.60	20.29	20.35	21.50
	15	LOW	QPSK	21.01	20.36	20.40	21.50
3	1	LOW	Q16	20.95	20.48	20.42	21.50
		MID	Q16	21.13	20.28	20.38	21.50
		HIGH	Q16	20.18	20.04	20.33	21.50
	8	LOW	Q16	20.92	20.20	20.42	21.50
		MID	Q16	20.94	20.56	20.41	21.50
		HIGH	Q16	20.81	20.40	20.19	21.50
	15	LOW	Q16	20.73	20.04	20.28	21.50
3	1	LOW	64QAM	21.00	20.37	20.24	21.50
		MID	64QAM	21.00	20.07	20.07	21.50
		HIGH	64QAM	19.98	20.03	20.14	21.50
	8	LOW	64QAM	20.92	20.05	20.22	21.50
		MID	64QAM	20.83	20.50	20.22	21.50
		HIGH	64QAM	20.57	20.01	20.07	21.50
	15	LOW	64QAM	20.80	20.17	20.20	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	20.73	20.84	20.07	21.50
		MID	QPSK	20.70	20.50	20.57	21.50
		HIGH	QPSK	20.56	20.57	20.32	21.50
	12	LOW	QPSK	20.82	20.49	20.34	21.50
		MID	QPSK	20.87	20.43	20.37	21.50
		HIGH	QPSK	20.65	20.29	20.36	21.50
	25	LOW	QPSK	20.80	20.30	20.44	21.50
5	1	LOW	Q16	20.97	20.40	20.29	21.50
		MID	Q16	21.36	20.09	20.27	21.50
		HIGH	Q16	20.27	20.04	20.33	21.50
	12	LOW	Q16	21.03	20.49	20.31	21.50
		MID	Q16	20.94	20.43	20.38	21.50
		HIGH	Q16	20.87	20.41	20.49	21.50
	25	LOW	Q16	20.87	20.29	20.27	21.50
5	1	LOW	64QAM	20.85	20.48	20.20	21.50
		MID	64QAM	21.26	20.13	20.06	21.50
		HIGH	64QAM	20.06	20.11	20.28	21.50
	12	LOW	64QAM	20.84	20.25	20.31	21.50
		MID	64QAM	20.86	20.44	20.27	21.50
		HIGH	64QAM	20.46	20.09	20.07	21.50
	25	LOW	64QAM	20.82	20.13	20.50	21.50

LTE B66-State1&3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	20.52	20.56	20.10	21.50
		MID	QPSK	20.91	20.50	20.71	21.50
		HIGH	QPSK	20.40	20.64	20.30	21.50
	25	LOW	QPSK	21.00	20.33	20.34	21.50
		MID	QPSK	20.74	20.41	20.37	21.50
		HIGH	QPSK	20.71	20.43	20.31	21.50
	50	LOW	QPSK	20.85	20.23	20.51	21.50
10	1	LOW	Q16	20.93	20.26	20.33	21.50
		MID	Q16	21.26	20.27	20.45	21.50
		HIGH	Q16	20.18	20.02	20.39	21.50
	25	LOW	Q16	21.20	20.26	20.37	21.50
		MID	Q16	20.92	20.55	20.38	21.50
		HIGH	Q16	20.68	20.44	20.25	21.50
	50	LOW	Q16	20.89	20.10	20.39	21.50
10	1	LOW	64QAM	20.92	20.36	20.12	21.50
		MID	64QAM	21.27	20.20	19.93	21.50
		HIGH	64QAM	20.12	20.01	20.22	21.50
	25	LOW	64QAM	20.89	20.08	20.17	21.50
		MID	64QAM	20.91	20.25	20.20	21.50
		HIGH	64QAM	20.64	19.92	20.03	21.50
	50	LOW	64QAM	20.79	20.16	20.23	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	20.76	20.82	19.99	21.50
		MID	QPSK	20.88	20.39	20.72	21.50
		HIGH	QPSK	20.53	20.63	20.20	21.50
	36	LOW	QPSK	21.07	20.36	20.36	21.50
		MID	QPSK	20.70	20.45	20.22	21.50
		HIGH	QPSK	20.81	20.27	20.51	21.50
	75	LOW	QPSK	20.89	20.36	20.27	21.50
15	1	LOW	Q16	20.80	20.41	20.44	21.50
		MID	Q16	21.25	20.22	20.39	21.50
		HIGH	Q16	20.18	20.03	20.46	21.50
	36	LOW	Q16	20.94	20.20	20.34	21.50
		MID	Q16	20.84	20.34	20.23	21.50
		HIGH	Q16	20.83	20.43	20.43	21.50
	75	LOW	Q16	20.71	20.27	20.19	21.50
15	1	LOW	64QAM	20.81	20.36	20.21	21.50
		MID	64QAM	21.07	20.30	20.20	21.50
		HIGH	64QAM	20.21	20.12	20.32	21.50
	36	LOW	64QAM	20.84	20.22	20.39	21.50
		MID	64QAM	21.04	20.26	20.27	21.50
		HIGH	64QAM	20.68	20.09	20.05	21.50
	75	LOW	64QAM	20.85	20.03	20.47	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	20.52	20.59	19.97	21.50
		MID	QPSK	20.75	20.38	20.54	21.50
		HIGH	QPSK	20.37	20.51	20.17	21.50
	50	LOW	QPSK	20.74	20.36	20.20	21.50
		MID	QPSK	20.72	20.20	20.24	21.50
		HIGH	QPSK	20.61	20.27	20.29	21.50
	100	LOW	QPSK	20.77	20.23	20.28	21.50
20	1	LOW	Q16	20.88	20.39	20.30	21.50
		MID	Q16	21.26	20.19	20.35	21.50
		HIGH	Q16	20.20	20.14	20.33	21.50
	50	LOW	Q16	21.07	20.35	20.36	21.50
		MID	Q16	20.96	20.48	20.38	21.50
		HIGH	Q16	20.77	20.31	20.34	21.50
	100	LOW	Q16	20.85	20.19	20.34	21.50
20	1	LOW	64QAM	20.89	20.38	20.27	21.50
		MID	64QAM	21.13	20.19	20.06	21.50
		HIGH	64QAM	20.07	19.98	20.20	21.50
	50	LOW	64QAM	20.93	20.20	20.25	21.50
		MID	64QAM	20.92	20.40	20.18	21.50
		HIGH	64QAM	20.59	20.02	20.12	21.50
	100	LOW	64QAM	20.75	20.04	20.35	21.50

LTE B66-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	131979	132322	132665	Tune-up power(dBm)
1.4	1	LOW	QPSK	23.43	23.60	23.72	25.00
		MID	QPSK	23.85	23.67	23.53	25.00
		HIGH	QPSK	23.57	23.83	23.58	25.00
	3	LOW	QPSK	23.44	23.46	23.56	25.00
		MID	QPSK	23.82	23.56	23.68	25.00
		HIGH	QPSK	23.43	23.76	23.51	25.00
	6	LOW	QPSK	22.97	22.85	22.66	24.00
1.4	1	LOW	Q16	22.92	22.41	22.64	24.00
		MID	Q16	23.07	22.63	22.86	24.00
		HIGH	Q16	22.55	22.43	22.43	24.00
	3	LOW	Q16	22.85	22.57	22.53	24.00
		MID	Q16	23.03	22.87	22.87	24.00
		HIGH	Q16	22.86	22.49	22.58	24.00
	6	LOW	Q16	21.79	21.75	21.92	23.00
1.4	1	LOW	64QAM	21.99	21.47	21.54	23.00
		MID	64QAM	22.04	21.69	21.85	23.00
		HIGH	64QAM	21.58	21.46	21.57	23.00
	3	LOW	64QAM	21.97	21.47	21.50	23.00
		MID	64QAM	21.95	21.92	21.82	23.00
		HIGH	64QAM	21.81	21.66	21.63	23.00
	6	LOW	64QAM	20.64	20.70	21.03	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131987	132322	132657	Tune-up power(dBm)
3	1	LOW	QPSK	23.46	23.67	23.51	25.00
		MID	QPSK	23.98	23.67	23.45	25.00
		HIGH	QPSK	23.43	23.68	23.61	25.00
	8	LOW	QPSK	23.52	22.99	22.75	24.00
		MID	QPSK	22.99	22.80	22.68	24.00
		HIGH	QPSK	22.66	22.98	22.71	24.00
	15	LOW	QPSK	22.97	22.54	22.48	24.00
3	1	LOW	Q16	22.90	22.57	22.49	24.00
		MID	Q16	23.17	22.85	22.68	24.00
		HIGH	Q16	22.66	22.53	22.67	24.00
	8	LOW	Q16	22.18	21.44	21.76	23.00
		MID	Q16	21.70	21.99	21.69	23.00
		HIGH	Q16	21.51	21.57	21.45	23.00
	15	LOW	Q16	21.90	21.54	21.75	23.00
3	1	LOW	64QAM	22.14	21.47	21.58	23.00
		MID	64QAM	22.12	21.98	21.90	23.00
		HIGH	64QAM	21.84	21.62	21.53	23.00
	8	LOW	64QAM	21.01	20.49	20.56	22.00
		MID	64QAM	20.82	20.85	20.66	22.00
		HIGH	64QAM	20.69	20.51	20.46	22.00
	15	LOW	64QAM	20.95	20.78	20.67	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	131997	132322	132647	Tune-up power(dBm)
5	1	LOW	QPSK	23.56	23.58	23.71	25.00
		MID	QPSK	23.98	23.54	23.53	25.00
		HIGH	QPSK	23.45	23.82	23.56	25.00
	12	LOW	QPSK	23.59	22.91	22.64	24.00
		MID	QPSK	23.01	22.80	22.96	24.00
		HIGH	QPSK	22.76	22.97	22.65	24.00
	25	LOW	QPSK	22.91	22.63	22.47	24.00
5	1	LOW	Q16	23.01	22.49	22.45	24.00
		MID	Q16	23.25	22.87	22.89	24.00
		HIGH	Q16	22.85	22.41	22.50	24.00
	12	LOW	Q16	22.26	21.50	21.60	23.00
		MID	Q16	21.82	21.94	21.93	23.00
		HIGH	Q16	21.67	21.65	21.61	23.00
	25	LOW	Q16	21.71	21.62	21.87	23.00
5	1	LOW	64QAM	22.10	21.65	21.49	23.00
		MID	64QAM	22.23	21.76	21.81	23.00
		HIGH	64QAM	21.61	21.65	21.43	23.00
	12	LOW	64QAM	21.09	20.48	20.67	22.00
		MID	64QAM	20.76	20.90	20.68	22.00
		HIGH	64QAM	20.57	20.49	20.41	22.00
	25	LOW	64QAM	20.62	20.71	20.93	22.00

LTE B66-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	132022	132322	132622	Tune-up power(dBm)
10	1	LOW	QPSK	23.54	23.48	23.62	25.00
		MID	QPSK	23.94	23.56	23.51	25.00
		HIGH	QPSK	23.55	23.77	23.56	25.00
	25	LOW	QPSK	23.72	22.79	22.83	24.00
		MID	QPSK	22.99	22.70	22.82	24.00
		HIGH	QPSK	22.73	22.76	22.76	24.00
	50	LOW	QPSK	23.04	22.68	22.41	24.00
10	1	LOW	Q16	22.99	22.43	22.62	24.00
		MID	Q16	22.92	22.87	22.75	24.00
		HIGH	Q16	22.81	22.42	22.43	24.00
	25	LOW	Q16	22.06	21.47	21.78	23.00
		MID	Q16	21.76	21.82	21.83	23.00
		HIGH	Q16	21.66	21.54	21.40	23.00
	50	LOW	Q16	21.89	21.71	21.96	23.00
10	1	LOW	64QAM	21.88	21.45	21.75	23.00
		MID	64QAM	22.06	21.77	21.90	23.00
		HIGH	64QAM	21.62	21.56	21.60	23.00
	25	LOW	64QAM	21.24	20.64	20.67	22.00
		MID	64QAM	20.87	20.93	20.59	22.00
		HIGH	64QAM	20.52	20.49	20.41	22.00
	50	LOW	64QAM	20.70	20.75	20.83	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132047	132322	132597	Tune-up power(dBm)
15	1	LOW	QPSK	23.49	23.54	23.60	25.00
		MID	QPSK	23.93	23.46	23.59	25.00
		HIGH	QPSK	23.51	23.73	23.67	25.00
	36	LOW	QPSK	23.67	22.77	22.71	24.00
		MID	QPSK	22.93	22.65	22.75	24.00
		HIGH	QPSK	22.77	22.76	22.70	24.00
	75	LOW	QPSK	22.86	22.73	22.57	24.00
15	1	LOW	Q16	22.84	22.61	22.47	24.00
		MID	Q16	22.93	22.66	22.78	24.00
		HIGH	Q16	22.68	22.47	22.47	24.00
	36	LOW	Q16	21.99	21.46	21.85	23.00
		MID	Q16	21.71	21.98	21.91	23.00
		HIGH	Q16	21.66	21.64	21.42	23.00
	75	LOW	Q16	21.66	21.74	21.89	23.00
15	1	LOW	64QAM	22.08	21.63	21.78	23.00
		MID	64QAM	22.04	21.78	21.72	23.00
		HIGH	64QAM	21.57	21.54	21.61	23.00
	36	LOW	64QAM	21.05	20.47	20.49	22.00
		MID	64QAM	20.81	20.88	20.61	22.00
		HIGH	64QAM	20.49	20.42	20.42	22.00
	75	LOW	64QAM	20.95	20.95	20.67	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	132072	132322	132572	Tune-up power(dBm)
20	1	LOW	QPSK	23.52	23.51	23.61	25.00
		MID	QPSK	23.89	23.60	23.57	25.00
		HIGH	QPSK	23.40	23.80	23.53	25.00
	50	LOW	QPSK	23.61	22.86	22.76	24.00
		MID	QPSK	22.89	22.81	22.84	24.00
		HIGH	QPSK	22.78	22.84	22.75	24.00
	100	LOW	QPSK	22.95	22.72	22.49	24.00
20	1	LOW	Q16	23.00	22.43	22.46	24.00
		MID	Q16	23.07	22.77	22.79	24.00
		HIGH	Q16	22.73	22.43	22.50	24.00
	50	LOW	Q16	22.06	21.48	21.68	23.00
		MID	Q16	21.81	21.81	21.84	23.00
		HIGH	Q16	21.59	21.44	21.48	23.00
	100	LOW	Q16	21.78	21.71	21.89	23.00
20	1	LOW	64QAM	22.02	21.46	21.61	23.00
		MID	64QAM	22.11	21.82	21.88	23.00
		HIGH	64QAM	21.65	21.57	21.42	23.00
	50	LOW	64QAM	21.02	20.51	20.61	22.00
		MID	64QAM	20.82	20.97	20.62	22.00
		HIGH	64QAM	20.64	20.48	20.53	22.00
	100	LOW	64QAM	20.76	20.79	20.84	22.00

8.3.14 LTE Band38 Output Power

LTE B38-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	23.84	24.44	24.20	25.00
		MID	QPSK	24.78	24.71	24.52	25.00
		HIGH	QPSK	24.65	24.51	23.98	25.00
	12	LOW	QPSK	23.83	23.91	23.56	24.00
		MID	QPSK	23.81	23.78	23.48	24.00
		HIGH	QPSK	23.88	23.86	23.21	24.00
	25	LOW	QPSK	23.86	23.85	23.29	24.00
5	1	LOW	Q16	23.02	23.14	23.39	24.00
		MID	Q16	23.40	23.37	23.81	24.00
		HIGH	Q16	23.34	22.78	22.84	24.00
	12	LOW	Q16	22.56	22.90	22.70	23.00
		MID	Q16	22.66	22.94	22.35	23.00
		HIGH	Q16	22.50	22.87	22.24	23.00
	25	LOW	Q16	22.54	22.73	22.43	23.00
5	1	LOW	64QAM	21.89	22.35	22.30	23.00
		MID	64QAM	22.40	22.52	22.93	23.00
		HIGH	64QAM	22.26	21.80	21.74	23.00
	12	LOW	64QAM	21.50	21.89	21.64	22.00
		MID	64QAM	21.48	21.87	21.40	22.00
		HIGH	64QAM	21.56	21.81	21.09	22.00
	25	LOW	64QAM	21.31	21.57	21.07	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	23.84	24.53	24.24	25.00
		MID	QPSK	24.77	24.50	24.64	25.00
		HIGH	QPSK	24.71	24.39	23.94	25.00
	25	LOW	QPSK	23.56	23.79	23.66	24.00
		MID	QPSK	23.89	23.90	23.49	24.00
		HIGH	QPSK	23.85	23.68	23.12	24.00
10	1	LOW	QPSK	23.99	23.94	23.28	24.00
		MID	QPSK	23.99	23.94	23.28	24.00
		HIGH	QPSK	23.99	23.94	23.28	24.00
	25	LOW	QPSK	23.99	23.94	23.28	24.00
		MID	QPSK	23.99	23.94	23.28	24.00
		HIGH	QPSK	23.99	23.94	23.28	24.00
	50	LOW	QPSK	23.99	23.94	23.28	24.00
		MID	QPSK	23.99	23.94	23.28	24.00
		HIGH	QPSK	23.99	23.94	23.28	24.00
10	1	LOW	Q16	22.81	23.22	23.17	24.00
		MID	Q16	23.59	23.28	23.80	24.00
		HIGH	Q16	23.29	22.82	22.86	24.00
	25	LOW	Q16	22.43	22.84	22.59	23.00
		MID	Q16	22.53	22.99	22.24	23.00
		HIGH	Q16	22.50	22.96	22.05	23.00
	50	LOW	Q16	22.68	22.65	22.36	23.00
		MID	Q16	22.68	22.65	22.36	23.00
		HIGH	Q16	22.68	22.65	22.36	23.00
10	1	LOW	64QAM	21.87	22.36	22.27	23.00
		MID	64QAM	22.35	22.43	22.96	23.00
		HIGH	64QAM	22.51	22.02	21.65	23.00
	25	LOW	64QAM	21.42	21.82	21.80	22.00
		MID	64QAM	21.55	21.86	21.31	22.00
		HIGH	64QAM	21.61	21.86	21.21	22.00
	50	LOW	64QAM	21.20	21.35	21.40	22.00
		MID	64QAM	21.20	21.35	21.40	22.00
		HIGH	64QAM	21.20	21.35	21.40	22.00

LTE B38-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	24.08	24.54	24.11	25.00
		MID	QPSK	24.70	24.73	24.52	25.00
		HIGH	QPSK	24.57	24.54	23.96	25.00
	36	LOW	QPSK	23.63	23.93	23.62	24.00
		MID	QPSK	23.95	23.83	23.27	24.00
		HIGH	QPSK	23.91	23.94	23.26	24.00
	75	LOW	QPSK	23.83	23.72	23.53	24.00
15	1	LOW	Q16	22.69	23.32	23.17	24.00
		MID	Q16	23.57	23.30	23.92	24.00
		HIGH	Q16	23.48	22.81	22.88	24.00
	36	LOW	Q16	22.47	22.86	22.59	23.00
		MID	Q16	22.65	22.98	22.30	23.00
		HIGH	Q16	22.60	22.81	22.19	23.00
	75	LOW	Q16	22.37	22.69	22.38	23.00
15	1	LOW	64QAM	21.83	22.33	22.10	23.00
		MID	64QAM	22.65	22.19	22.86	23.00
		HIGH	64QAM	22.30	21.89	21.57	23.00
	36	LOW	64QAM	21.51	21.90	21.71	22.00
		MID	64QAM	21.47	21.87	21.39	22.00
		HIGH	64QAM	21.29	21.82	20.98	22.00
	75	LOW	64QAM	21.33	21.51	21.17	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	23.92	24.40	24.12	25.00
		MID	QPSK	24.73	24.66	24.57	25.00
		HIGH	QPSK	24.70	24.41	23.99	25.00
	50	LOW	QPSK	23.76	23.93	23.62	24.00
		MID	QPSK	23.81	23.85	23.45	24.00
		HIGH	QPSK	23.92	23.83	23.10	24.00
	100	LOW	QPSK	23.84	23.82	23.43	24.00
20	1	LOW	Q16	22.83	23.27	23.29	24.00
		MID	Q16	23.54	23.30	24.00	24.00
		HIGH	Q16	23.38	22.93	22.72	24.00
	50	LOW	Q16	22.44	23.00	22.61	23.00
		MID	Q16	22.50	22.99	22.40	23.00
		HIGH	Q16	22.53	22.85	22.25	23.00
	100	LOW	Q16	22.58	22.66	22.37	23.00
20	1	LOW	64QAM	21.79	22.30	22.22	23.00
		MID	64QAM	22.53	22.41	22.88	23.00
		HIGH	64QAM	22.34	21.88	21.76	23.00
	50	LOW	64QAM	21.55	21.85	21.66	22.00
		MID	64QAM	21.64	21.91	21.40	22.00
		HIGH	64QAM	21.40	21.82	21.17	22.00
	100	LOW	64QAM	21.39	21.45	21.22	22.00

LTE B38-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	16.09	16.58	16.68	17.00
		MID	QPSK	16.87	16.43	16.87	17.00
		HIGH	QPSK	16.48	16.41	16.22	17.00
	12	LOW	QPSK	16.62	16.92	16.51	17.00
		MID	QPSK	16.38	16.90	16.62	17.00
		HIGH	QPSK	16.78	16.72	16.29	17.00
	25	LOW	QPSK	16.45	16.76	16.59	17.00
	5	LOW	Q16	15.66	15.97	16.88	17.00
		MID	Q16	16.30	15.64	16.73	17.00
		HIGH	Q16	16.52	15.64	16.08	17.00
		LOW	Q16	16.53	16.67	16.88	17.00
		MID	Q16	16.61	16.72	16.58	17.00
		HIGH	Q16	16.73	16.89	16.32	17.00
5	1	LOW	Q16	16.59	16.69	16.51	17.00
		MID	Q16	16.59	16.69	16.51	17.00
		HIGH	Q16	16.59	16.69	16.51	17.00
	12	LOW	Q16	16.59	16.69	16.51	17.00
		MID	Q16	16.59	16.69	16.51	17.00
		HIGH	Q16	16.59	16.69	16.51	17.00
	25	LOW	Q16	16.59	16.69	16.51	17.00
		MID	Q16	16.59	16.69	16.51	17.00
		HIGH	Q16	16.59	16.69	16.51	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	16.32	16.68	16.85	17.00
		MID	QPSK	16.82	16.70	16.76	17.00
		HIGH	QPSK	16.50	16.59	16.23	17.00
	25	LOW	QPSK	16.64	16.89	16.56	17.00
		MID	QPSK	16.42	16.97	16.65	17.00
		HIGH	QPSK	16.56	16.78	16.39	17.00
	50	LOW	QPSK	16.39	16.54	16.70	17.00
	10	LOW	Q16	15.88	16.03	16.85	17.00
		MID	Q16	16.24	15.85	16.81	17.00
		HIGH	Q16	16.60	15.86	16.14	17.00
		LOW	Q16	16.63	16.79	16.76	17.00
		MID	Q16	16.69	16.85	16.64	17.00
		HIGH	Q16	16.39	16.59	16.40	17.00
10	25	LOW	Q16	16.62	16.49	16.34	17.00
		MID	Q16	16.62	16.49	16.34	17.00
		HIGH	Q16	16.62	16.49	16.34	17.00
	50	LOW	Q16	16.62	16.49	16.34	17.00
		MID	Q16	16.62	16.49	16.34	17.00
		HIGH	Q16	16.62	16.49	16.34	17.00
	10	LOW	Q16	16.62	16.49	16.34	17.00
		MID	Q16	16.62	16.49	16.34	17.00
		HIGH	Q16	16.62	16.49	16.34	17.00
		LOW	Q16	16.62	16.49	16.34	17.00
		MID	Q16	16.62	16.49	16.34	17.00
		HIGH	Q16	16.62	16.49	16.34	17.00

LTE B38-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	16.14	16.48	16.72	17.00
		MID	QPSK	16.78	16.74	16.71	17.00
		HIGH	QPSK	16.49	16.35	16.11	17.00
	36	LOW	QPSK	16.67	16.89	16.63	17.00
		MID	QPSK	16.74	16.93	16.56	17.00
		HIGH	QPSK	16.61	16.83	16.33	17.00
	75	LOW	QPSK	16.70	16.56	16.44	17.00
15	1	LOW	Q16	15.61	15.83	16.84	17.00
		MID	Q16	16.56	15.83	16.58	17.00
		HIGH	Q16	16.53	15.84	15.98	17.00
	36	LOW	Q16	16.75	16.77	16.73	17.00
		MID	Q16	16.90	16.93	16.70	17.00
		HIGH	Q16	16.53	16.63	16.26	17.00
	75	LOW	Q16	16.64	16.78	16.61	17.00
15	1	LOW	64QAM	15.96	16.12	16.90	17.00
		MID	64QAM	16.40	15.65	16.76	17.00
		HIGH	64QAM	16.64	15.78	15.94	17.00
	36	LOW	64QAM	16.57	16.90	16.72	17.00
		MID	64QAM	16.75	16.78	16.66	17.00
		HIGH	64QAM	16.74	16.69	16.11	17.00
	75	LOW	64QAM	16.55	16.51	16.16	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	16.20	16.56	16.80	17.00
		MID	QPSK	16.77	16.60	16.75	17.00
		HIGH	QPSK	16.56	16.38	16.19	17.00
	50	LOW	QPSK	16.55	16.86	16.67	17.00
		MID	QPSK	16.57	16.94	16.63	17.00
		HIGH	QPSK	16.70	16.89	16.36	17.00
	100	LOW	QPSK	16.56	16.78	16.56	17.00
20	1	LOW	Q16	15.80	15.96	16.89	17.00
		MID	Q16	16.45	15.73	16.68	17.00
		HIGH	Q16	16.39	15.87	16.06	17.00
	50	LOW	Q16	16.70	16.85	16.81	17.00
		MID	Q16	16.78	16.86	16.57	17.00
		HIGH	Q16	16.50	16.79	16.23	17.00
	100	LOW	Q16	16.55	16.58	16.47	17.00
20	1	LOW	64QAM	15.92	16.07	17.00	17.00
		MID	64QAM	16.45	15.59	16.63	17.00
		HIGH	64QAM	16.51	15.84	16.06	17.00
	50	LOW	64QAM	16.65	16.86	16.78	17.00
		MID	64QAM	16.74	16.98	16.67	17.00
		HIGH	64QAM	16.59	16.64	16.21	17.00
	100	LOW	64QAM	16.67	16.44	16.30	17.00

LTE B38-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	13.00	13.02	13.08	14.50
		MID	QPSK	13.80	13.98	13.57	14.50
		HIGH	QPSK	13.23	13.12	13.25	14.50
	12	LOW	QPSK	13.85	14.05	14.21	14.50
		MID	QPSK	13.95	14.39	14.43	14.50
		HIGH	QPSK	13.96	14.23	13.93	14.50
	25	LOW	QPSK	13.96	14.01	13.97	14.50
5	1	LOW	Q16	13.12	13.15	13.12	14.50
		MID	Q16	13.55	13.62	13.46	14.50
		HIGH	Q16	13.33	13.34	13.06	14.50
	12	LOW	Q16	13.59	14.05	14.28	14.50
		MID	Q16	14.05	14.45	14.38	14.50
		HIGH	Q16	13.74	14.38	13.88	14.50
	25	LOW	Q16	13.96	14.23	14.04	14.50
5	1	LOW	64QAM	12.96	13.05	13.26	14.50
		MID	64QAM	13.92	13.38	13.45	14.50
		HIGH	64QAM	13.22	13.32	13.30	14.50
	12	LOW	64QAM	13.60	13.97	14.37	14.50
		MID	64QAM	13.79	14.45	14.22	14.50
		HIGH	64QAM	13.72	14.35	13.74	14.50
	25	LOW	64QAM	13.75	14.16	13.91	14.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	12.96	13.15	12.92	14.50
		MID	QPSK	13.76	14.13	13.48	14.50
		HIGH	QPSK	13.05	13.18	13.25	14.50
	25	LOW	QPSK	13.80	14.28	14.26	14.50
		MID	QPSK	14.21	14.46	14.27	14.50
		HIGH	QPSK	14.07	14.30	13.92	14.50
	50	LOW	QPSK	13.82	14.31	13.96	14.50
10	1	LOW	Q16	13.24	13.15	13.06	14.50
		MID	Q16	13.54	13.66	13.57	14.50
		HIGH	Q16	13.27	13.46	13.06	14.50
	25	LOW	Q16	13.59	14.19	14.13	14.50
		MID	Q16	14.05	14.44	14.30	14.50
		HIGH	Q16	13.80	14.19	14.07	14.50
	50	LOW	Q16	13.79	14.35	14.04	14.50
10	1	LOW	64QAM	13.28	13.45	13.09	14.50
		MID	64QAM	13.74	13.41	13.45	14.50
		HIGH	64QAM	13.06	13.26	13.02	14.50
	25	LOW	64QAM	13.72	13.84	14.41	14.50
		MID	64QAM	13.94	14.34	14.37	14.50
		HIGH	64QAM	13.84	14.23	13.90	14.50
	50	LOW	64QAM	13.70	14.33	14.07	14.50

LTE B38-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	13.07	13.01	12.96	14.50
		MID	QPSK	13.78	14.24	13.69	14.50
		HIGH	QPSK	13.13	13.19	13.18	14.50
	36	LOW	QPSK	14.00	14.20	14.16	14.50
		MID	QPSK	14.19	14.02	14.39	14.50
		HIGH	QPSK	13.90	14.37	14.13	14.50
	75	LOW	QPSK	13.93	14.37	14.20	14.50
15	1	LOW	Q16	13.12	13.03	12.96	14.50
		MID	Q16	13.47	13.51	13.55	14.50
		HIGH	Q16	13.33	13.27	13.11	14.50
	36	LOW	Q16	13.76	14.02	14.26	14.50
		MID	Q16	14.10	14.48	14.31	14.50
		HIGH	Q16	13.77	14.18	14.01	14.50
	75	LOW	Q16	13.72	14.30	13.96	14.50
15	1	LOW	64QAM	12.96	13.30	13.01	14.50
		MID	64QAM	13.82	13.37	13.75	14.50
		HIGH	64QAM	13.40	13.40	13.05	14.50
	36	LOW	64QAM	13.79	13.94	14.41	14.50
		MID	64QAM	13.88	14.42	14.20	14.50
		HIGH	64QAM	13.92	14.22	13.80	14.50
	75	LOW	64QAM	13.58	14.23	13.94	14.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	12.97	13.03	12.98	14.50
		MID	QPSK	13.73	14.10	13.54	14.50
		HIGH	QPSK	12.99	13.10	13.14	14.50
	50	LOW	QPSK	13.88	14.16	14.21	14.50
		MID	QPSK	14.08	14.03	14.31	14.50
		HIGH	QPSK	13.91	14.35	14.03	14.50
	100	LOW	QPSK	13.91	14.16	14.03	14.50
20	1	LOW	Q16	13.15	13.48	13.03	14.50
		MID	Q16	13.62	13.53	13.56	14.50
		HIGH	Q16	13.34	13.43	13.17	14.50
	50	LOW	Q16	13.76	14.14	14.29	14.50
		MID	Q16	14.05	14.23	14.42	14.50
		HIGH	Q16	13.92	14.24	13.98	14.50
	100	LOW	Q16	13.77	14.23	14.06	14.50
20	1	LOW	64QAM	13.12	12.96	13.21	14.50
		MID	64QAM	13.77	13.46	13.54	14.50
		HIGH	64QAM	13.17	13.39	13.16	14.50
	50	LOW	64QAM	13.81	13.96	14.36	14.50
		MID	64QAM	13.91	14.32	14.35	14.50
		HIGH	64QAM	13.83	14.40	13.81	14.50
	100	LOW	64QAM	13.71	14.27	14.01	14.50

LTE B38-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	11.97	12.09	12.30	13.50
		MID	QPSK	12.99	13.13	13.02	13.50
		HIGH	QPSK	11.95	12.22	12.10	13.50
	12	LOW	QPSK	12.96	13.37	13.21	13.50
		MID	QPSK	13.18	12.96	13.20	13.50
		HIGH	QPSK	13.05	13.47	13.23	13.50
	25	LOW	QPSK	13.14	13.30	13.27	13.50
5	1	LOW	Q16	12.11	11.91	12.18	13.50
		MID	Q16	12.80	12.89	12.75	13.50
		HIGH	Q16	12.64	12.61	12.38	13.50
	12	LOW	Q16	13.09	13.48	13.39	13.50
		MID	Q16	13.37	13.02	13.29	13.50
		HIGH	Q16	13.21	13.47	13.17	13.50
	25	LOW	Q16	12.99	13.31	13.09	13.50
5	1	LOW	64QAM	12.09	12.08	12.12	13.50
		MID	64QAM	12.86	13.17	12.80	13.50
		HIGH	64QAM	12.85	12.72	12.69	13.50
	12	LOW	64QAM	12.95	13.33	13.21	13.50
		MID	64QAM	13.19	13.02	13.45	13.50
		HIGH	64QAM	13.24	13.32	13.10	13.50
	25	LOW	64QAM	12.77	13.40	13.00	13.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	11.91	12.12	12.19	13.50
		MID	QPSK	12.71	13.13	12.78	13.50
		HIGH	QPSK	12.16	11.98	12.15	13.50
	25	LOW	QPSK	13.02	13.37	13.36	13.50
		MID	QPSK	13.40	13.11	13.05	13.50
		HIGH	QPSK	13.11	13.39	13.31	13.50
	50	LOW	QPSK	13.04	13.33	13.29	13.50
10	1	LOW	Q16	12.23	12.00	12.26	13.50
		MID	Q16	12.69	13.02	12.91	13.50
		HIGH	Q16	12.78	12.84	12.26	13.50
	25	LOW	Q16	12.93	13.05	13.38	13.50
		MID	Q16	13.22	13.00	13.03	13.50
		HIGH	Q16	12.99	13.05	12.94	13.50
	50	LOW	Q16	12.88	13.35	13.23	13.50
10	1	LOW	64QAM	12.10	12.13	12.18	13.50
		MID	64QAM	12.81	13.03	12.89	13.50
		HIGH	64QAM	12.85	12.59	12.41	13.50
	25	LOW	64QAM	12.94	13.06	13.20	13.50
		MID	64QAM	13.22	13.02	13.46	13.50
		HIGH	64QAM	13.33	13.27	13.04	13.50
	50	LOW	64QAM	12.95	13.28	13.14	13.50

LTE B38-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	11.97	12.10	12.23	13.50
		MID	QPSK	12.78	13.16	12.81	13.50
		HIGH	QPSK	12.18	11.93	12.05	13.50
	36	LOW	QPSK	13.01	13.03	13.31	13.50
		MID	QPSK	13.39	13.05	13.00	13.50
		HIGH	QPSK	13.23	13.03	13.26	13.50
	75	LOW	QPSK	13.18	13.30	13.17	13.50
15	1	LOW	Q16	12.18	12.12	12.11	13.50
		MID	Q16	12.76	12.75	12.92	13.50
		HIGH	Q16	12.85	12.68	12.50	13.50
	36	LOW	Q16	13.08	13.37	13.38	13.50
		MID	Q16	13.36	13.02	13.05	13.50
		HIGH	Q16	13.11	13.43	13.16	13.50
	75	LOW	Q16	13.07	13.23	13.19	13.50
15	1	LOW	64QAM	12.19	12.06	12.12	13.50
		MID	64QAM	12.54	12.99	12.81	13.50
		HIGH	64QAM	12.66	12.80	12.62	13.50
	36	LOW	64QAM	13.08	13.27	13.34	13.50
		MID	64QAM	13.40	13.03	13.31	13.50
		HIGH	64QAM	13.38	13.22	13.17	13.50
	75	LOW	64QAM	12.98	13.34	13.04	13.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	11.97	12.05	12.26	13.50
		MID	QPSK	12.88	13.20	12.93	13.50
		HIGH	QPSK	12.03	12.11	13.10	13.50
	50	LOW	QPSK	13.00	13.36	13.43	13.50
		MID	QPSK	13.37	13.24	13.20	13.50
		HIGH	QPSK	13.10	13.09	13.17	13.50
	100	LOW	QPSK	13.07	13.43	13.23	13.50
20	1	LOW	Q16	12.77	12.84	12.24	13.50
		MID	Q16	12.70	12.87	12.94	13.50
		HIGH	Q16	12.68	12.70	12.31	13.50
	50	LOW	Q16	12.98	13.37	13.41	13.50
		MID	Q16	13.22	13.06	13.46	13.50
		HIGH	Q16	13.15	13.45	12.98	13.50
	100	LOW	Q16	13.08	13.46	13.19	13.50
20	1	LOW	64QAM	12.25	12.28	12.27	13.50
		MID	64QAM	12.63	13.02	12.82	13.50
		HIGH	64QAM	12.82	12.77	12.49	13.50
	50	LOW	64QAM	13.00	13.38	13.29	13.50
		MID	64QAM	13.22	13.02	13.33	13.50
		HIGH	64QAM	13.22	13.32	13.12	13.50
	100	LOW	64QAM	12.90	13.41	13.11	13.50

LTE B38-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	12.75	12.49	12.84	14.00
		MID	QPSK	13.20	13.65	13.50	14.00
		HIGH	QPSK	12.55	12.64	12.56	14.00
	12	LOW	QPSK	13.47	13.79	13.91	14.00
		MID	QPSK	13.88	13.81	13.85	14.00
		HIGH	QPSK	13.45	13.85	13.56	14.00
	25	LOW	QPSK	13.47	13.90	13.92	14.00
5	1	LOW	Q16	12.80	12.93	12.74	14.00
		MID	Q16	12.89	13.38	12.84	14.00
		HIGH	Q16	13.00	12.57	12.84	14.00
	12	LOW	Q16	13.48	13.73	13.92	14.00
		MID	Q16	13.65	13.73	13.76	14.00
		HIGH	Q16	13.67	13.91	13.56	14.00
	25	LOW	Q16	13.26	13.73	13.76	14.00
5	1	LOW	64QAM	12.75	12.79	12.85	14.00
		MID	64QAM	13.09	13.34	12.63	14.00
		HIGH	64QAM	12.91	12.76	12.69	14.00
	12	LOW	64QAM	13.20	13.71	13.98	14.00
		MID	64QAM	13.46	13.76	13.76	14.00
		HIGH	64QAM	13.50	13.75	13.80	14.00
	25	LOW	64QAM	13.45	13.77	13.79	14.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	12.49	12.96	12.82	14.00
		MID	QPSK	13.29	13.54	13.38	14.00
		HIGH	QPSK	12.41	12.86	13.01	14.00
	25	LOW	QPSK	13.51	13.99	13.70	14.00
		MID	QPSK	13.61	13.72	13.91	14.00
		HIGH	QPSK	13.62	13.87	13.74	14.00
	50	LOW	QPSK	13.64	13.98	13.77	14.00
10	1	LOW	Q16	12.75	12.74	12.56	14.00
		MID	Q16	13.16	13.26	12.71	14.00
		HIGH	Q16	13.05	12.67	13.01	14.00
	25	LOW	Q16	13.42	13.93	13.75	14.00
		MID	Q16	13.87	13.75	13.97	14.00
		HIGH	Q16	13.66	13.87	13.61	14.00
	50	LOW	Q16	13.49	13.83	13.53	14.00
10	1	LOW	64QAM	12.80	12.42	12.54	14.00
		MID	64QAM	13.06	13.26	12.71	14.00
		HIGH	64QAM	12.93	12.61	12.90	14.00
	25	LOW	64QAM	13.24	13.87	13.74	14.00
		MID	64QAM	13.46	13.75	13.89	14.00
		HIGH	64QAM	13.55	13.85	13.72	14.00
	50	LOW	64QAM	13.27	13.73	13.56	14.00

LTE B38-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	12.66	12.53	12.56	14.00
		MID	QPSK	13.35	13.60	13.34	14.00
		HIGH	QPSK	12.52	12.54	12.72	14.00
	36	LOW	QPSK	13.40	13.73	13.93	14.00
		MID	QPSK	13.65	13.80	13.86	14.00
		HIGH	QPSK	13.63	13.97	13.59	14.00
	75	LOW	QPSK	13.57	13.99	13.80	14.00
15	1	LOW	Q16	12.56	12.58	12.56	14.00
		MID	Q16	13.11	13.40	12.81	14.00
		HIGH	Q16	13.02	12.56	12.80	14.00
	36	LOW	Q16	13.57	13.69	13.87	14.00
		MID	Q16	13.80	13.85	13.85	14.00
		HIGH	Q16	13.37	13.83	13.66	14.00
	75	LOW	Q16	13.45	13.63	13.82	14.00
15	1	LOW	64QAM	12.66	12.56	12.75	14.00
		MID	64QAM	13.08	13.25	12.62	14.00
		HIGH	64QAM	12.88	12.74	12.62	14.00
	36	LOW	64QAM	13.25	13.75	13.65	14.00
		MID	64QAM	13.62	13.89	13.79	14.00
		HIGH	64QAM	13.76	13.56	13.60	14.00
	75	LOW	64QAM	13.42	13.59	13.68	14.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	12.42	12.47	12.70	14.00
		MID	QPSK	13.16	13.55	13.34	14.00
		HIGH	QPSK	12.58	12.64	12.78	14.00
	50	LOW	QPSK	13.49	13.90	13.89	14.00
		MID	QPSK	13.76	13.80	13.74	14.00
		HIGH	QPSK	13.55	13.85	13.63	14.00
	100	LOW	QPSK	13.47	13.78	13.75	14.00
20	1	LOW	Q16	12.56	12.75	12.68	14.00
		MID	Q16	13.06	13.38	12.84	14.00
		HIGH	Q16	13.01	12.66	12.82	14.00
	50	LOW	Q16	13.50	13.81	13.90	14.00
		MID	Q16	13.75	13.06	13.98	14.00
		HIGH	Q16	13.59	13.88	13.57	14.00
	100	LOW	Q16	13.47	13.76	13.66	14.00
20	1	LOW	64QAM	12.52	12.60	12.60	14.00
		MID	64QAM	13.08	13.34	12.70	14.00
		HIGH	64QAM	12.90	12.74	12.75	14.00
	50	LOW	64QAM	13.36	13.65	13.24	14.00
		MID	64QAM	13.66	13.12	13.83	14.00
		HIGH	64QAM	13.63	13.30	13.64	14.00
	100	LOW	64QAM	13.40	13.72	13.70	14.00

8.3.14 LTE Band38 Output Power

LTE B38-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	23.45	23.61	23.43	25.00
		MID	QPSK	23.84	23.85	23.95	25.00
		HIGH	QPSK	23.98	23.66	23.41	25.00
	12	LOW	QPSK	22.96	22.97	22.94	24.00
		MID	QPSK	23.24	22.98	22.87	24.00
		HIGH	QPSK	22.90	23.14	22.51	24.00
	25	LOW	QPSK	22.92	22.98	22.61	24.00
5	1	LOW	Q16	22.48	22.43	22.69	24.00
		MID	Q16	23.19	22.91	23.32	24.00
		HIGH	Q16	22.48	22.49	22.45	24.00
	12	LOW	Q16	21.75	22.13	22.47	23.00
		MID	Q16	21.73	21.91	22.34	23.00
		HIGH	Q16	21.91	21.85	22.22	23.00
	25	LOW	Q16	21.68	21.71	22.16	23.00
5	1	LOW	64QAM	21.44	21.43	21.51	23.00
		MID	64QAM	22.16	21.71	22.29	23.00
		HIGH	64QAM	21.44	21.41	21.45	23.00
	12	LOW	64QAM	20.77	20.88	21.35	22.00
		MID	64QAM	20.68	21.15	21.31	22.00
		HIGH	64QAM	20.53	20.88	21.18	22.00
	25	LOW	64QAM	20.57	20.98	21.23	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	23.41	23.47	23.42	25.00
		MID	QPSK	24.03	23.70	23.83	25.00
		HIGH	QPSK	23.89	23.71	23.45	25.00
	25	LOW	QPSK	22.97	23.00	22.88	24.00
		MID	QPSK	22.98	23.10	22.72	24.00
		HIGH	QPSK	22.92	23.04	22.46	24.00
10	1	LOW	QPSK	22.72	23.03	22.81	24.00
	1	LOW	Q16	22.42	22.44	22.60	24.00
		MID	Q16	23.13	22.67	23.18	24.00
		HIGH	Q16	22.44	22.43	22.41	24.00
	25	LOW	Q16	21.65	22.00	22.26	23.00
		MID	Q16	21.80	22.12	22.36	23.00
		HIGH	Q16	21.75	21.94	21.99	23.00
	50	LOW	Q16	21.72	21.74	22.01	23.00
10	1	LOW	64QAM	21.42	21.43	21.54	23.00
		MID	64QAM	22.28	21.54	22.19	23.00
		HIGH	64QAM	21.42	21.42	21.43	23.00
	25	LOW	64QAM	20.61	20.92	21.16	22.00
		MID	64QAM	20.63	21.18	21.12	22.00
		HIGH	64QAM	20.59	20.86	21.10	22.00
	50	LOW	64QAM	20.47	21.02	21.32	22.00

LTE B38-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	23.49	23.60	23.45	25.00
		MID	QPSK	23.92	23.92	23.96	25.00
		HIGH	QPSK	24.11	23.69	23.43	25.00
	36	LOW	QPSK	23.06	23.13	22.91	24.00
		MID	QPSK	23.15	23.10	22.79	24.00
		HIGH	QPSK	22.98	22.88	22.41	24.00
	75	LOW	QPSK	22.82	23.05	22.79	24.00
	15	LOW	Q16	22.45	22.47	22.60	24.00
		MID	Q16	23.22	22.93	23.37	24.00
		HIGH	Q16	22.48	22.41	22.44	24.00
15	1	LOW	Q16	21.73	21.99	22.40	23.00
		MID	Q16	21.64	22.04	22.33	23.00
		HIGH	Q16	21.77	22.00	22.24	23.00
	36	LOW	Q16	21.48	21.99	22.12	23.00
		MID	Q16	21.48	21.99	22.12	23.00
		HIGH	Q16	21.48	21.99	22.12	23.00
	75	LOW	Q16	21.48	21.99	22.12	23.00
	15	LOW	64QAM	21.57	21.57	21.48	23.00
		MID	64QAM	22.17	21.55	22.06	23.00
		HIGH	64QAM	21.49	21.46	21.48	23.00
15	1	LOW	64QAM	20.64	20.96	21.18	22.00
		MID	64QAM	20.73	21.23	21.06	22.00
		HIGH	64QAM	20.75	20.76	21.06	22.00
	36	LOW	64QAM	20.72	21.05	21.22	22.00
		MID	64QAM	20.72	21.05	21.22	22.00
		HIGH	64QAM	20.72	21.05	21.22	22.00
	75	LOW	64QAM	20.72	21.05	21.22	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	23.55	23.49	23.46	25.00
		MID	QPSK	23.91	23.82	23.93	25.00
		HIGH	QPSK	23.96	23.68	23.55	25.00
	50	LOW	QPSK	22.99	23.09	22.93	24.00
		MID	QPSK	23.10	23.05	22.75	24.00
		HIGH	QPSK	22.91	23.01	22.50	24.00
	100	LOW	QPSK	22.85	23.00	22.71	24.00
	20	LOW	Q16	22.69	22.55	22.59	24.00
		MID	Q16	23.07	22.80	23.31	24.00
		HIGH	Q16	22.79	22.81	22.62	24.00
20	1	LOW	Q16	21.65	22.01	22.37	23.00
		MID	Q16	21.73	22.05	22.25	23.00
		HIGH	Q16	21.76	21.93	22.11	23.00
	50	LOW	Q16	21.61	21.85	22.15	23.00
		MID	Q16	21.61	21.85	22.15	23.00
		HIGH	Q16	21.61	21.85	22.15	23.00
	100	LOW	Q16	21.61	21.85	22.15	23.00
	20	LOW	64QAM	21.69	21.56	21.44	23.00
		MID	64QAM	22.20	21.67	22.17	23.00
		HIGH	64QAM	21.77	21.64	21.48	23.00
20	1	LOW	64QAM	20.72	21.01	21.30	22.00
		MID	64QAM	20.70	21.18	21.20	22.00
		HIGH	64QAM	20.64	20.84	21.03	22.00
	50	LOW	64QAM	20.57	21.00	21.19	22.00
		MID	64QAM	20.57	21.00	21.19	22.00
		HIGH	64QAM	20.57	21.00	21.19	22.00
	100	LOW	64QAM	20.57	21.00	21.19	22.00

LTE B38-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	23.39	23.79	24.30	24.50
		MID	QPSK	24.10	23.88	24.12	24.50
		HIGH	QPSK	23.85	23.96	23.68	24.50
	12	LOW	QPSK	23.07	23.56	23.32	24.00
		MID	QPSK	23.15	23.60	23.27	24.00
		HIGH	QPSK	23.35	23.72	23.03	24.00
	25	LOW	QPSK	23.30	23.49	23.22	24.00
5	1	LOW	Q16	22.74	22.66	23.59	24.00
		MID	Q16	23.37	23.32	23.93	24.00
		HIGH	Q16	22.98	22.64	23.24	24.00
	12	LOW	Q16	22.30	22.59	22.73	23.00
		MID	Q16	22.19	22.76	22.45	23.00
		HIGH	Q16	22.30	22.62	22.20	23.00
	25	LOW	Q16	22.42	22.27	22.39	23.00
5	1	LOW	64QAM	21.87	21.45	22.43	23.00
		MID	64QAM	22.28	22.06	22.97	23.00
		HIGH	64QAM	22.01	21.60	22.29	23.00
	12	LOW	64QAM	21.32	21.63	21.94	22.00
		MID	64QAM	21.44	21.52	21.29	22.00
		HIGH	64QAM	21.68	21.46	21.00	22.00
	25	LOW	64QAM	21.31	21.32	21.20	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	23.46	23.77	24.23	24.50
		MID	QPSK	24.13	23.92	24.29	24.50
		HIGH	QPSK	23.69	23.80	23.83	24.50
	25	LOW	QPSK	23.21	23.63	23.48	24.00
		MID	QPSK	23.40	23.71	23.23	24.00
		HIGH	QPSK	23.14	23.54	23.04	24.00
	50	LOW	QPSK	23.34	23.65	23.27	24.00
10	1	LOW	Q16	22.60	22.64	23.53	24.00
		MID	Q16	23.61	23.12	23.95	24.00
		HIGH	Q16	23.10	22.66	23.13	24.00
	25	LOW	Q16	22.08	22.69	22.95	23.00
		MID	Q16	22.32	22.79	22.28	23.00
		HIGH	Q16	22.31	22.51	22.16	23.00
	50	LOW	Q16	22.51	22.50	22.46	23.00
10	1	LOW	64QAM	21.72	21.73	22.40	23.00
		MID	64QAM	22.18	22.10	22.70	23.00
		HIGH	64QAM	22.17	21.56	22.25	23.00
	25	LOW	64QAM	21.20	21.43	21.58	22.00
		MID	64QAM	21.28	21.64	21.40	22.00
		HIGH	64QAM	21.66	21.69	20.89	22.00
	50	LOW	64QAM	21.34	21.59	21.22	22.00

LTE B38-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	23.45	23.81	24.20	24.50
		MID	QPSK	24.18	24.03	24.05	24.50
		HIGH	QPSK	23.79	23.83	23.69	24.50
	36	LOW	QPSK	23.10	23.58	23.28	24.00
		MID	QPSK	23.21	23.72	23.36	24.00
		HIGH	QPSK	23.27	23.49	23.10	24.00
	75	LOW	QPSK	23.33	23.56	23.28	24.00
15	1	LOW	Q16	22.71	22.54	23.36	24.00
		MID	Q16	23.49	23.40	23.92	24.00
		HIGH	Q16	23.03	22.62	23.08	24.00
	36	LOW	Q16	22.23	22.70	22.90	23.00
		MID	Q16	22.36	22.67	22.38	23.00
		HIGH	Q16	22.31	22.39	22.23	23.00
	75	LOW	Q16	22.27	22.49	22.25	23.00
15	1	LOW	64QAM	21.71	21.49	22.53	23.00
		MID	64QAM	22.37	22.29	22.78	23.00
		HIGH	64QAM	22.11	21.49	22.09	23.00
	36	LOW	64QAM	21.25	21.68	21.78	22.00
		MID	64QAM	21.45	21.66	21.46	22.00
		HIGH	64QAM	21.55	21.68	20.88	22.00
	75	LOW	64QAM	21.48	21.36	21.24	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	23.42	23.83	24.18	24.50
		MID	QPSK	24.17	23.97	24.15	24.50
		HIGH	QPSK	23.84	23.84	23.78	24.50
	50	LOW	QPSK	23.10	23.64	23.42	24.00
		MID	QPSK	23.25	23.65	23.26	24.00
		HIGH	QPSK	23.29	23.57	23.04	24.00
	100	LOW	QPSK	23.25	23.52	23.31	24.00
20	1	LOW	Q16	22.73	22.51	23.45	24.00
		MID	Q16	23.46	23.26	23.82	24.00
		HIGH	Q16	23.06	22.70	23.20	24.00
	50	LOW	Q16	22.18	22.66	22.82	23.00
		MID	Q16	22.26	22.67	22.30	23.00
		HIGH	Q16	22.41	22.51	22.18	23.00
	100	LOW	Q16	22.38	22.39	22.33	23.00
20	1	LOW	64QAM	21.72	21.57	22.51	23.00
		MID	64QAM	22.32	22.19	22.84	23.00
		HIGH	64QAM	22.12	21.64	22.15	23.00
	50	LOW	64QAM	21.19	21.54	21.96	22.00
		MID	64QAM	21.38	21.65	21.35	22.00
		HIGH	64QAM	21.55	21.60	21.03	22.00
	100	LOW	64QAM	21.36	21.44	21.29	22.00

LTE B38-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	23.45	23.61	23.43	25.00
		MID	QPSK	23.84	23.85	23.95	25.00
		HIGH	QPSK	23.98	23.66	23.41	25.00
	12	LOW	QPSK	22.96	22.97	22.94	24.00
		MID	QPSK	23.24	22.98	22.87	24.00
		HIGH	QPSK	22.90	23.14	22.51	24.00
	25	LOW	QPSK	22.92	22.98	22.61	24.00
5	1	LOW	Q16	22.48	22.43	22.69	24.00
		MID	Q16	23.19	22.91	23.32	24.00
		HIGH	Q16	22.48	22.49	22.45	24.00
	12	LOW	Q16	21.75	22.13	22.47	23.00
		MID	Q16	21.73	21.91	22.34	23.00
		HIGH	Q16	21.91	21.85	22.22	23.00
	25	LOW	Q16	21.68	21.71	22.16	23.00
5	1	LOW	64QAM	21.44	21.43	21.51	23.00
		MID	64QAM	22.16	21.71	22.29	23.00
		HIGH	64QAM	21.44	21.41	21.45	23.00
	12	LOW	64QAM	20.77	20.88	21.35	22.00
		MID	64QAM	20.68	21.15	21.31	22.00
		HIGH	64QAM	20.53	20.88	21.18	22.00
	25	LOW	64QAM	20.57	20.98	21.23	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	23.41	23.47	23.42	25.00
		MID	QPSK	24.03	23.70	23.83	25.00
		HIGH	QPSK	23.89	23.71	23.45	25.00
	25	LOW	QPSK	22.97	23.00	22.88	24.00
		MID	QPSK	22.98	23.10	22.72	24.00
		HIGH	QPSK	22.92	23.04	22.46	24.00
10	1	LOW	QPSK	22.72	23.03	22.81	24.00
	1	LOW	Q16	22.42	22.44	22.60	24.00
		MID	Q16	23.13	22.67	23.18	24.00
		HIGH	Q16	22.44	22.43	22.41	24.00
	25	LOW	Q16	21.65	22.00	22.26	23.00
		MID	Q16	21.80	22.12	22.36	23.00
		HIGH	Q16	21.75	21.94	21.99	23.00
	50	LOW	Q16	21.72	21.74	22.01	23.00
10	1	LOW	64QAM	21.42	21.43	21.54	23.00
		MID	64QAM	22.28	21.54	22.19	23.00
		HIGH	64QAM	21.42	21.42	21.43	23.00
	25	LOW	64QAM	20.61	20.92	21.16	22.00
		MID	64QAM	20.63	21.18	21.12	22.00
		HIGH	64QAM	20.59	20.86	21.10	22.00
	50	LOW	64QAM	20.47	21.02	21.32	22.00

LTE B38-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	23.49	23.60	23.45	25.00
		MID	QPSK	23.92	23.92	23.96	25.00
		HIGH	QPSK	24.11	23.69	23.43	25.00
	36	LOW	QPSK	23.06	23.13	22.91	24.00
		MID	QPSK	23.15	23.10	22.79	24.00
		HIGH	QPSK	22.98	22.88	22.41	24.00
	75	LOW	QPSK	22.82	23.05	22.79	24.00
	15	LOW	Q16	22.45	22.47	22.60	24.00
		MID	Q16	23.22	22.93	23.37	24.00
		HIGH	Q16	22.48	22.41	22.44	24.00
15	1	LOW	Q16	21.73	21.99	22.40	23.00
		MID	Q16	21.64	22.04	22.33	23.00
		HIGH	Q16	21.77	22.00	22.24	23.00
	36	LOW	Q16	21.48	21.99	22.12	23.00
		MID	Q16	21.48	21.99	22.12	23.00
		HIGH	Q16	21.48	21.99	22.12	23.00
	75	LOW	Q16	21.48	21.99	22.12	23.00
	15	LOW	64QAM	21.57	21.57	21.48	23.00
		MID	64QAM	22.17	21.55	22.06	23.00
		HIGH	64QAM	21.49	21.46	21.48	23.00
15	1	LOW	64QAM	20.64	20.96	21.18	22.00
		MID	64QAM	20.73	21.23	21.06	22.00
		HIGH	64QAM	20.75	20.76	21.06	22.00
	36	LOW	64QAM	20.72	21.05	21.22	22.00
		MID	64QAM	20.72	21.05	21.22	22.00
		HIGH	64QAM	20.72	21.05	21.22	22.00
	75	LOW	64QAM	20.72	21.05	21.22	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	23.55	23.49	23.46	25.00
		MID	QPSK	23.91	23.82	23.93	25.00
		HIGH	QPSK	23.96	23.68	23.55	25.00
	50	LOW	QPSK	22.99	23.09	22.93	24.00
		MID	QPSK	23.10	23.05	22.75	24.00
		HIGH	QPSK	22.91	23.01	22.50	24.00
	100	LOW	QPSK	22.85	23.00	22.71	24.00
	20	LOW	Q16	22.69	22.55	22.59	24.00
		MID	Q16	23.07	22.80	23.31	24.00
		HIGH	Q16	22.79	22.81	22.62	24.00
20	1	LOW	Q16	21.65	22.01	22.37	23.00
		MID	Q16	21.73	22.05	22.25	23.00
		HIGH	Q16	21.76	21.93	22.11	23.00
	50	LOW	Q16	21.61	21.85	22.15	23.00
		MID	Q16	21.61	21.85	22.15	23.00
		HIGH	Q16	21.61	21.85	22.15	23.00
	100	LOW	Q16	21.61	21.85	22.15	23.00
	20	LOW	64QAM	21.69	21.56	21.44	23.00
		MID	64QAM	22.20	21.67	22.17	23.00
		HIGH	64QAM	21.77	21.64	21.48	23.00
20	1	LOW	64QAM	20.72	21.01	21.30	22.00
		MID	64QAM	20.70	21.18	21.20	22.00
		HIGH	64QAM	20.64	20.84	21.03	22.00
	50	LOW	64QAM	20.57	21.00	21.19	22.00
		MID	64QAM	20.57	21.00	21.19	22.00
		HIGH	64QAM	20.57	21.00	21.19	22.00
	100	LOW	64QAM	20.57	21.00	21.19	22.00

LTE B38-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37775	38000	38225	Tune-up power(dBm)
5	1	LOW	QPSK	21.16	21.38	21.50	22.00
		MID	QPSK	21.42	21.30	21.81	22.00
		HIGH	QPSK	21.39	21.34	20.97	22.00
	12	LOW	QPSK	21.16	21.78	21.57	22.00
		MID	QPSK	21.39	21.54	21.71	22.00
		HIGH	QPSK	21.70	21.43	21.00	22.00
	25	LOW	QPSK	21.44	21.60	21.36	22.00
5	1	LOW	Q16	20.85	20.98	21.66	22.00
		MID	Q16	21.31	21.05	21.44	22.00
		HIGH	Q16	21.12	20.55	20.94	22.00
	12	LOW	Q16	21.33	21.87	21.78	22.00
		MID	Q16	21.28	21.82	21.55	22.00
		HIGH	Q16	21.37	21.72	21.48	22.00
	25	LOW	Q16	21.52	21.87	21.53	22.00
5	1	LOW	64QAM	20.61	21.09	21.46	22.00
		MID	64QAM	21.40	21.20	21.30	22.00
		HIGH	64QAM	21.08	20.54	21.05	22.00
	12	LOW	64QAM	21.34	21.60	21.75	22.00
		MID	64QAM	21.36	21.92	21.47	22.00
		HIGH	64QAM	21.43	21.75	21.36	22.00
	25	LOW	64QAM	21.53	21.92	21.72	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37800	38000	38200	Tune-up power(dBm)
10	1	LOW	QPSK	21.04	21.23	21.57	22.00
		MID	QPSK	21.69	21.37	21.62	22.00
		HIGH	QPSK	21.23	21.24	21.15	22.00
	25	LOW	QPSK	21.27	21.55	21.84	22.00
		MID	QPSK	21.25	21.72	21.64	22.00
		HIGH	QPSK	21.77	21.61	21.07	22.00
	50	LOW	QPSK	21.54	21.67	21.18	22.00
10	1	LOW	Q16	20.90	20.78	21.73	22.00
		MID	Q16	21.11	20.95	21.27	22.00
		HIGH	Q16	21.02	20.67	20.93	22.00
	25	LOW	Q16	21.38	21.59	21.66	22.00
		MID	Q16	21.43	21.83	21.47	22.00
		HIGH	Q16	21.59	21.82	21.35	22.00
	50	LOW	Q16	21.53	21.95	21.64	22.00
10	1	LOW	64QAM	20.69	20.92	21.60	22.00
		MID	64QAM	21.31	20.98	21.32	22.00
		HIGH	64QAM	21.00	20.47	20.88	22.00
	25	LOW	64QAM	21.43	21.73	21.72	22.00
		MID	64QAM	21.27	21.99	21.52	22.00
		HIGH	64QAM	21.20	21.72	21.40	22.00
	50	LOW	64QAM	21.66	21.92	21.60	22.00

LTE B38-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	37825	38000	38175	Tune-up power(dBm)
15	1	LOW	QPSK	20.98	21.27	21.51	22.00
		MID	QPSK	21.55	21.33	21.80	22.00
		HIGH	QPSK	21.41	21.39	21.16	22.00
	36	LOW	QPSK	21.13	21.68	21.73	22.00
		MID	QPSK	21.34	21.81	21.58	22.00
		HIGH	QPSK	21.78	21.65	21.05	22.00
	75	LOW	QPSK	21.59	21.59	21.32	22.00
15	1	LOW	Q16	20.85	20.77	21.80	22.00
		MID	Q16	21.11	20.98	21.49	22.00
		HIGH	Q16	21.08	20.64	20.96	22.00
	36	LOW	Q16	21.30	21.63	21.69	22.00
		MID	Q16	21.48	21.80	21.64	22.00
		HIGH	Q16	21.54	21.73	21.33	22.00
	75	LOW	Q16	21.40	21.84	21.68	22.00
15	1	LOW	64QAM	20.82	21.07	21.47	22.00
		MID	64QAM	21.16	21.25	21.39	22.00
		HIGH	64QAM	21.11	20.76	21.03	22.00
	36	LOW	64QAM	21.32	21.72	21.89	22.00
		MID	64QAM	21.22	21.89	21.53	22.00
		HIGH	64QAM	21.35	21.61	21.52	22.00
	75	LOW	64QAM	21.44	21.93	21.75	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	37850	38000	38150	Tune-up power(dBm)
20	1	LOW	QPSK	21.13	21.29	21.57	22.00
		MID	QPSK	21.57	21.69	21.62	22.00
		HIGH	QPSK	21.31	21.25	21.06	22.00
	50	LOW	QPSK	21.27	21.68	21.72	22.00
		MID	QPSK	21.39	21.67	21.62	22.00
		HIGH	QPSK	21.66	21.53	21.01	22.00
	100	LOW	QPSK	21.57	21.61	21.29	22.00
20	1	LOW	Q16	20.77	20.88	21.65	22.00
		MID	Q16	21.20	21.00	21.34	22.00
		HIGH	Q16	20.98	20.54	21.03	22.00
	50	LOW	Q16	21.32	21.73	21.76	22.00
		MID	Q16	21.42	21.88	21.61	22.00
		HIGH	Q16	21.48	21.81	21.40	22.00
	100	LOW	Q16	21.39	21.92	21.59	22.00
20	1	LOW	64QAM	20.70	20.95	21.55	22.00
		MID	64QAM	21.28	21.12	21.41	22.00
		HIGH	64QAM	20.99	20.59	20.91	22.00
	50	LOW	64QAM	21.30	21.59	21.81	22.00
		MID	64QAM	21.37	21.81	21.46	22.00
		HIGH	64QAM	21.33	21.66	21.44	22.00
	100	LOW	64QAM	21.54	21.82	21.65	22.00

8.3.15 LTE Band41 Output Power

LTE B41-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	24.43	24.18	23.75	25.00
		MID	QPSK	24.55	24.66	24.20	25.00
		HIGH	QPSK	23.90	24.00	23.77	25.00
	12	LOW	QPSK	23.72	23.62	23.77	24.00
		MID	QPSK	23.80	23.44	23.68	24.00
		HIGH	QPSK	23.56	23.28	23.54	24.00
	25	LOW	QPSK	23.64	23.46	23.73	24.00
5	1	LOW	Q16	23.17	23.25	22.74	24.00
		MID	Q16	23.68	23.21	23.15	24.00
		HIGH	Q16	22.45	23.10	22.89	24.00
	12	LOW	Q16	22.76	22.34	22.41	23.00
		MID	Q16	22.74	22.47	22.44	23.00
		HIGH	Q16	22.25	22.11	22.31	23.00
	25	LOW	Q16	22.30	22.09	22.16	23.00
5	1	LOW	64QAM	22.18	22.37	21.58	23.00
		MID	64QAM	22.43	22.78	22.32	23.00
		HIGH	64QAM	21.56	22.14	21.56	23.00
	12	LOW	64QAM	21.56	21.58	21.49	22.00
		MID	64QAM	21.69	21.46	21.71	22.00
		HIGH	64QAM	21.35	20.99	21.44	22.00
	25	LOW	64QAM	21.33	21.16	21.11	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	24.55	24.18	23.62	25.00
		MID	QPSK	24.50	24.91	24.30	25.00
		HIGH	QPSK	24.12	23.91	24.06	25.00
	25	LOW	QPSK	23.59	23.59	23.66	24.00
		MID	QPSK	23.84	23.39	23.87	24.00
		HIGH	QPSK	23.49	23.10	23.64	24.00
10	1	LOW	QPSK	23.62	23.39	23.87	24.00
		LOW	Q16	23.26	23.36	22.75	24.00
		MID	Q16	23.39	23.85	23.26	24.00
	25	HIGH	Q16	22.49	23.09	22.65	24.00
		LOW	Q16	22.71	22.60	22.49	23.00
		MID	Q16	22.79	22.34	22.36	23.00
	50	HIGH	Q16	22.09	22.19	22.58	23.00
		LOW	Q16	22.35	22.15	22.38	23.00
10	1	LOW	64QAM	22.41	22.55	21.54	23.00
		MID	64QAM	22.56	22.83	22.33	23.00
		HIGH	64QAM	21.52	22.80	21.74	23.00
	25	LOW	64QAM	21.84	21.53	21.44	22.00
		MID	64QAM	21.85	21.40	21.45	22.00
		HIGH	64QAM	21.51	21.19	21.29	22.00
	50	LOW	64QAM	21.29	21.06	21.10	22.00

LTE B41-Full Power -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	24.50	24.27	23.76	25.00
		MID	QPSK	24.50	24.68	24.25	25.00
		HIGH	QPSK	24.01	23.97	23.90	25.00
	36	LOW	QPSK	23.68	23.44	23.70	24.00
		MID	QPSK	23.87	23.29	23.65	24.00
		HIGH	QPSK	23.41	23.25	23.62	24.00
	75	LOW	QPSK	23.74	23.51	23.80	24.00
15	1	LOW	Q16	23.13	23.25	22.52	24.00
		MID	Q16	23.41	23.85	23.07	24.00
		HIGH	Q16	22.63	22.98	22.90	24.00
	36	LOW	Q16	22.67	22.49	22.34	23.00
		MID	Q16	22.71	22.29	22.38	23.00
		HIGH	Q16	22.25	22.23	22.56	23.00
	75	LOW	Q16	22.49	22.30	22.28	23.00
15	1	LOW	64QAM	22.26	22.49	21.55	23.00
		MID	64QAM	22.48	22.85	22.30	23.00
		HIGH	64QAM	21.60	22.03	21.66	23.00
	36	LOW	64QAM	21.91	21.75	21.53	22.00
		MID	64QAM	21.66	21.59	21.58	22.00
		HIGH	64QAM	21.47	21.15	21.54	22.00
	75	LOW	64QAM	21.52	21.20	21.10	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	24.48	24.27	23.81	25.00
		MID	QPSK	24.45	24.83	24.13	25.00
		HIGH	QPSK	24.05	23.92	23.90	25.00
	50	LOW	QPSK	23.64	23.55	23.68	24.00
		MID	QPSK	23.73	23.34	23.79	24.00
		HIGH	QPSK	23.47	23.24	23.74	24.00
	100	LOW	QPSK	23.71	23.31	23.72	24.00
20	1	LOW	Q16	23.21	23.36	22.66	24.00
		MID	Q16	23.52	23.75	23.22	24.00
		HIGH	Q16	22.47	22.99	22.82	24.00
	50	LOW	Q16	22.76	22.57	22.50	23.00
		MID	Q16	22.68	22.49	22.47	23.00
		HIGH	Q16	22.21	22.18	22.42	23.00
	100	LOW	Q16	22.39	22.22	22.20	23.00
20	1	LOW	64QAM	22.31	22.43	21.58	23.00
		MID	64QAM	22.33	22.70	22.29	23.00
		HIGH	64QAM	21.47	22.09	21.63	23.00
	50	LOW	64QAM	21.76	21.60	21.49	22.00
		MID	64QAM	21.83	21.39	21.57	22.00
		HIGH	64QAM	21.43	21.09	21.43	22.00
	100	LOW	64QAM	21.47	21.09	21.09	22.00

LTE B41-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	22.17	22.26	22.18	23.00
		MID	QPSK	22.81	22.91	22.61	23.00
		HIGH	QPSK	21.74	22.02	22.63	23.00
	12	LOW	QPSK	22.42	22.61	22.28	23.00
		MID	QPSK	22.51	22.82	22.21	23.00
		HIGH	QPSK	22.14	22.81	22.14	23.00
25	LOW	QPSK	22.21	22.94	22.41	23.00	
5	1	LOW	Q16	21.95	21.57	22.25	23.00
		MID	Q16	22.57	21.97	22.48	23.00
		HIGH	Q16	21.43	21.70	22.41	23.00
	12	LOW	Q16	22.73	22.59	22.19	23.00
		MID	Q16	22.49	22.65	22.24	23.00
		HIGH	Q16	22.03	22.43	22.29	23.00
25	LOW	Q16	22.33	22.29	22.06	23.00	
5	1	LOW	64QAM	22.19	21.58	22.00	23.00
		MID	64QAM	22.56	22.10	22.52	23.00
		HIGH	64QAM	21.53	21.70	22.35	23.00
	12	LOW	64QAM	21.98	21.58	21.71	22.00
		MID	64QAM	21.73	21.84	21.79	22.00
		HIGH	64QAM	21.74	21.85	21.65	22.00
25	LOW	64QAM	21.93	21.94	21.70	22.00	
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	22.29	22.51	22.42	23.00
		MID	QPSK	22.75	22.97	22.54	23.00
		HIGH	QPSK	21.95	21.94	22.58	23.00
	25	LOW	QPSK	22.33	22.53	22.38	23.00
		MID	QPSK	22.40	22.93	22.34	23.00
		HIGH	QPSK	21.90	22.75	22.18	23.00
50	LOW	QPSK	22.30	22.80	22.36	23.00	
10	1	LOW	Q16	22.08	21.53	22.26	23.00
		MID	Q16	22.56	22.25	22.53	23.00
		HIGH	Q16	21.56	21.56	22.29	23.00
	25	LOW	Q16	22.49	22.79	22.26	23.00
		MID	Q16	22.56	22.71	22.24	23.00
		HIGH	Q16	22.20	22.66	22.10	23.00
50	LOW	Q16	22.45	22.42	22.38	23.00	
10	1	LOW	64QAM	21.98	21.65	22.12	23.00
		MID	64QAM	22.51	22.30	22.41	23.00
		HIGH	64QAM	21.44	21.72	22.42	23.00
	25	LOW	64QAM	21.74	21.79	21.77	22.00
		MID	64QAM	21.85	21.80	21.80	22.00
		HIGH	64QAM	21.64	21.76	21.62	22.00
50	LOW	64QAM	21.99	21.92	21.91	22.00	

LTE B41-State1 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	22.45	22.53	22.23	23.00
		MID	QPSK	22.65	22.95	22.48	23.00
		HIGH	QPSK	21.80	22.09	22.58	23.00
	36	LOW	QPSK	22.44	22.55	22.23	23.00
		MID	QPSK	22.32	22.93	22.16	23.00
		HIGH	QPSK	21.92	22.80	22.37	23.00
	75	LOW	QPSK	22.17	22.83	22.24	23.00
15	1	LOW	Q16	22.09	21.46	22.15	23.00
		MID	Q16	22.42	22.00	22.54	23.00
		HIGH	Q16	21.43	21.70	22.17	23.00
	36	LOW	Q16	22.67	22.49	22.38	23.00
		MID	Q16	22.67	22.56	22.17	23.00
		HIGH	Q16	22.04	22.67	22.33	23.00
	75	LOW	Q16	22.17	22.55	22.26	23.00
15	1	LOW	64QAM	22.22	21.65	22.20	23.00
		MID	64QAM	22.28	22.07	22.23	23.00
		HIGH	64QAM	21.49	21.45	22.35	23.00
	36	LOW	64QAM	21.92	21.71	21.61	22.00
		MID	64QAM	21.85	21.76	21.82	22.00
		HIGH	64QAM	21.86	21.83	21.80	22.00
	75	LOW	64QAM	21.87	21.94	21.77	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	22.30	22.41	22.29	23.00
		MID	QPSK	22.75	22.73	22.70	23.00
		HIGH	QPSK	21.87	22.07	22.55	23.00
	50	LOW	QPSK	22.45	22.57	22.21	23.00
		MID	QPSK	22.38	22.92	22.27	23.00
		HIGH	QPSK	22.08	22.99	22.31	23.00
	100	LOW	QPSK	22.32	22.90	22.27	23.00
20	1	LOW	Q16	22.05	21.54	22.18	23.00
		MID	Q16	22.37	22.08	22.35	23.00
		HIGH	Q16	21.59	21.50	22.35	23.00
	50	LOW	Q16	22.57	22.71	22.33	23.00
		MID	Q16	22.55	22.67	22.28	23.00
		HIGH	Q16	22.22	22.57	22.30	23.00
	100	LOW	Q16	22.29	22.49	22.23	23.00
20	1	LOW	64QAM	22.07	21.64	22.13	23.00
		MID	64QAM	22.51	22.17	22.26	23.00
		HIGH	64QAM	21.46	21.70	22.35	23.00
	50	LOW	64QAM	21.85	21.83	21.72	22.00
		MID	64QAM	21.93	21.90	21.86	22.00
		HIGH	64QAM	21.71	21.80	21.63	22.00
	100	LOW	64QAM	21.86	21.97	21.87	22.00

LTE B41-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	17.46	17.26	16.80	18.00
		MID	QPSK	17.76	17.65	17.45	18.00
		HIGH	QPSK	17.14	17.38	17.25	18.00
	12	LOW	QPSK	17.72	17.53	17.53	18.00
		MID	QPSK	17.52	17.51	17.64	18.00
		HIGH	QPSK	17.07	17.48	17.33	18.00
	25	LOW	QPSK	17.65	17.60	17.64	18.00
5	1	LOW	Q16	17.35	16.90	16.54	18.00
		MID	Q16	17.57	17.85	16.92	18.00
		HIGH	Q16	16.48	16.88	16.51	18.00
	12	LOW	Q16	17.60	17.54	17.34	18.00
		MID	Q16	17.66	17.62	17.44	18.00
		HIGH	Q16	17.30	17.62	17.51	18.00
	25	LOW	Q16	17.57	17.49	17.03	18.00
5	1	LOW	64QAM	17.50	17.15	16.42	18.00
		MID	64QAM	17.90	17.74	16.98	18.00
		HIGH	64QAM	16.45	17.03	16.54	18.00
	12	LOW	64QAM	17.87	17.57	17.04	18.00
		MID	64QAM	17.63	17.47	17.33	18.00
		HIGH	64QAM	17.43	17.36	17.36	18.00
	25	LOW	64QAM	17.46	17.49	16.94	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	17.37	17.29	16.79	18.00
		MID	QPSK	17.76	17.79	17.26	18.00
		HIGH	QPSK	16.99	17.25	17.23	18.00
	25	LOW	QPSK	17.62	17.70	17.29	18.00
		MID	QPSK	17.47	17.45	17.42	18.00
		HIGH	QPSK	17.23	17.42	17.30	18.00
	50	LOW	QPSK	17.62	17.46	17.54	18.00
10	1	LOW	Q16	17.49	17.05	16.45	18.00
		MID	Q16	17.68	17.85	16.96	18.00
		HIGH	Q16	16.54	16.83	16.53	18.00
	25	LOW	Q16	17.66	17.70	17.25	18.00
		MID	Q16	17.68	17.59	17.28	18.00
		HIGH	Q16	17.34	17.56	17.31	18.00
	50	LOW	Q16	17.47	17.67	17.01	18.00
10	1	LOW	64QAM	17.49	16.97	16.54	18.00
		MID	64QAM	17.88	17.85	16.75	18.00
		HIGH	64QAM	16.46	16.87	16.55	18.00
	25	LOW	64QAM	17.77	17.47	17.02	18.00
		MID	64QAM	17.72	17.55	17.52	18.00
		HIGH	64QAM	17.38	17.45	17.26	18.00
	50	LOW	64QAM	17.44	17.37	17.17	18.00

LTE B41-State2 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	17.39	17.24	17.08	18.00
		MID	QPSK	17.82	17.67	17.58	18.00
		HIGH	QPSK	16.97	17.33	17.27	18.00
	36	LOW	QPSK	17.68	17.47	17.51	18.00
		MID	QPSK	17.47	17.52	17.59	18.00
		HIGH	QPSK	17.40	17.42	17.57	18.00
	75	LOW	QPSK	17.50	17.47	17.53	18.00
15	1	LOW	Q16	17.36	16.81	16.54	18.00
		MID	Q16	17.60	17.87	16.92	18.00
		HIGH	Q16	16.64	16.98	16.54	18.00
	36	LOW	Q16	17.59	17.55	17.12	18.00
		MID	Q16	17.77	17.64	17.40	18.00
		HIGH	Q16	17.22	17.47	17.29	18.00
	75	LOW	Q16	17.40	17.63	17.15	18.00
15	1	LOW	64QAM	17.64	17.08	16.50	18.00
		MID	64QAM	17.69	17.90	16.98	18.00
		HIGH	64QAM	16.46	17.23	16.53	18.00
	36	LOW	64QAM	17.67	17.44	17.06	18.00
		MID	64QAM	17.70	17.69	17.28	18.00
		HIGH	64QAM	17.52	17.34	17.34	18.00
	75	LOW	64QAM	17.33	17.54	17.09	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	17.47	17.38	16.95	18.00
		MID	QPSK	17.84	17.69	17.43	18.00
		HIGH	QPSK	17.14	17.28	17.20	18.00
	50	LOW	QPSK	17.69	17.50	17.37	18.00
		MID	QPSK	17.52	17.50	17.50	18.00
		HIGH	QPSK	17.24	17.44	17.47	18.00
	100	LOW	QPSK	17.47	17.58	17.56	18.00
20	1	LOW	Q16	17.50	17.05	16.57	18.00
		MID	Q16	17.68	17.97	16.83	18.00
		HIGH	Q16	16.54	16.89	16.49	18.00
	50	LOW	Q16	17.66	17.58	17.31	18.00
		MID	Q16	17.71	17.56	17.31	18.00
		HIGH	Q16	17.37	17.52	17.28	18.00
	100	LOW	Q16	17.52	17.53	17.14	18.00
20	1	LOW	64QAM	17.64	16.97	16.41	18.00
		MID	64QAM	17.72	17.84	16.89	18.00
		HIGH	64QAM	16.60	16.98	16.41	18.00
	50	LOW	64QAM	17.73	17.53	17.16	18.00
		MID	64QAM	17.66	17.55	17.39	18.00
		HIGH	64QAM	17.48	17.44	17.38	18.00
	100	LOW	64QAM	17.45	17.57	17.15	18.00

LTE B41-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	18.81	18.77	18.40	19.50
		MID	QPSK	19.29	19.00	18.82	19.50
		HIGH	QPSK	18.40	18.50	18.96	19.50
	12	LOW	QPSK	18.72	19.12	18.27	19.50
		MID	QPSK	18.80	19.24	18.55	19.50
		HIGH	QPSK	18.93	19.00	18.58	19.50
	25	LOW	QPSK	18.61	19.04	18.64	19.50
5	1	LOW	Q16	18.66	18.60	18.40	19.50
		MID	Q16	18.76	18.54	18.71	19.50
		HIGH	Q16	18.17	18.42	18.73	19.50
	12	LOW	Q16	18.99	19.14	18.57	19.50
		MID	Q16	18.88	19.29	18.55	19.50
		HIGH	Q16	18.56	19.19	18.73	19.50
	25	LOW	Q16	18.52	19.21	18.71	19.50
5	1	LOW	64QAM	18.82	18.53	18.39	19.50
		MID	64QAM	18.83	18.77	18.69	19.50
		HIGH	64QAM	18.34	18.44	18.58	19.50
	12	LOW	64QAM	18.83	19.05	18.65	19.50
		MID	64QAM	19.01	19.36	18.66	19.50
		HIGH	64QAM	18.56	18.86	18.53	19.50
	25	LOW	64QAM	18.56	19.25	18.36	19.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	18.78	18.93	18.53	19.50
		MID	QPSK	19.05	18.85	18.90	19.50
		HIGH	QPSK	18.29	18.57	18.73	19.50
	25	LOW	QPSK	18.89	19.21	18.36	19.50
		MID	QPSK	18.99	19.20	18.73	19.50
		HIGH	QPSK	18.68	18.85	18.87	19.50
	50	LOW	QPSK	18.80	19.28	18.83	19.50
10	1	LOW	Q16	18.83	18.56	18.43	19.50
		MID	Q16	18.80	18.48	18.73	19.50
		HIGH	Q16	18.03	18.16	18.54	19.50
	25	LOW	Q16	18.99	19.35	18.41	19.50
		MID	Q16	18.93	19.29	18.60	19.50
		HIGH	Q16	18.71	19.05	18.81	19.50
	50	LOW	Q16	18.75	19.27	18.43	19.50
10	1	LOW	64QAM	18.78	18.49	18.41	19.50
		MID	64QAM	18.65	18.75	18.54	19.50
		HIGH	64QAM	18.20	18.37	18.57	19.50
	25	LOW	64QAM	18.84	19.39	18.42	19.50
		MID	64QAM	19.05	19.41	18.65	19.50
		HIGH	64QAM	18.43	19.08	18.77	19.50
	50	LOW	64QAM	18.59	19.25	18.53	19.50

LTE B41-State3 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	18.57	18.72	18.41	19.50
		MID	QPSK	19.25	18.92	18.84	19.50
		HIGH	QPSK	18.42	18.60	18.83	19.50
	36	LOW	QPSK	18.95	19.20	18.33	19.50
		MID	QPSK	18.99	19.02	18.66	19.50
		HIGH	QPSK	18.57	19.05	18.71	19.50
	75	LOW	QPSK	18.55	19.17	18.62	19.50
15	1	LOW	Q16	18.62	18.72	18.51	19.50
		MID	Q16	18.97	18.46	18.76	19.50
		HIGH	Q16	18.04	18.29	18.60	19.50
	36	LOW	Q16	18.98	19.21	18.62	19.50
		MID	Q16	18.75	19.32	18.75	19.50
		HIGH	Q16	18.66	19.26	18.58	19.50
	75	LOW	Q16	18.56	19.49	18.71	19.50
15	1	LOW	64QAM	18.65	18.57	18.30	19.50
		MID	64QAM	18.83	18.63	18.70	19.50
		HIGH	64QAM	18.24	18.24	18.71	19.50
	36	LOW	64QAM	18.76	19.18	18.80	19.50
		MID	64QAM	19.07	19.37	18.68	19.50
		HIGH	64QAM	18.59	19.01	18.79	19.50
	75	LOW	64QAM	18.62	19.35	18.40	19.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	18.68	18.87	18.43	19.50
		MID	QPSK	19.14	18.91	18.90	19.50
		HIGH	QPSK	18.50	18.50	18.76	19.50
	50	LOW	QPSK	18.82	19.10	18.41	19.50
		MID	QPSK	18.78	19.21	18.63	19.50
		HIGH	QPSK	18.77	18.95	18.72	19.50
	100	LOW	QPSK	18.74	19.03	18.64	19.50
20	1	LOW	Q16	18.81	18.57	18.40	19.50
		MID	Q16	18.85	18.60	18.85	19.50
		HIGH	Q16	18.12	18.31	18.69	19.50
	50	LOW	Q16	18.83	19.23	18.50	19.50
		MID	Q16	18.84	19.30	18.67	19.50
		HIGH	Q16	18.56	19.10	18.65	19.50
	100	LOW	Q16	18.73	19.34	18.57	19.50
20	1	LOW	64QAM	18.76	18.46	18.31	19.50
		MID	64QAM	18.81	18.68	18.74	19.50
		HIGH	64QAM	18.32	18.26	18.57	19.50
	50	LOW	64QAM	18.90	19.22	18.64	19.50
		MID	64QAM	18.91	19.33	18.54	19.50
		HIGH	64QAM	18.44	18.94	18.64	19.50
	100	LOW	64QAM	18.61	19.37	18.51	19.50

LTE B41-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	16.31	16.51	15.59	17.00
		MID	QPSK	16.57	16.97	16.10	17.00
		HIGH	QPSK	16.14	16.31	15.86	17.00
	12	LOW	QPSK	16.56	16.90	16.27	17.00
		MID	QPSK	16.26	16.83	16.54	17.00
		HIGH	QPSK	16.21	16.56	16.20	17.00
	25	LOW	QPSK	16.33	16.57	16.10	17.00
5	1	LOW	Q16	16.19	15.92	15.46	17.00
		MID	Q16	16.23	16.21	15.68	17.00
		HIGH	Q16	16.02	15.49	15.43	17.00
	12	LOW	Q16	16.43	16.55	16.07	17.00
		MID	Q16	16.46	16.80	16.31	17.00
		HIGH	Q16	16.42	16.64	16.23	17.00
	25	LOW	Q16	16.30	16.53	16.28	17.00
5	1	LOW	64QAM	16.30	15.72	15.46	17.00
		MID	64QAM	16.52	16.22	15.58	17.00
		HIGH	64QAM	16.05	15.67	15.45	17.00
	12	LOW	64QAM	16.40	16.54	16.14	17.00
		MID	64QAM	16.43	16.72	16.44	17.00
		HIGH	64QAM	16.30	16.87	16.52	17.00
	25	LOW	64QAM	16.47	16.71	16.14	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	16.09	16.40	15.91	17.00
		MID	QPSK	16.68	16.92	16.15	17.00
		HIGH	QPSK	16.11	16.39	16.13	17.00
	25	LOW	QPSK	16.48	16.78	16.09	17.00
		MID	QPSK	16.41	16.80	16.24	17.00
		HIGH	QPSK	16.20	16.54	16.30	17.00
	50	LOW	QPSK	16.26	16.67	16.03	17.00
10	1	LOW	Q16	16.33	15.89	15.42	17.00
		MID	Q16	16.30	16.18	15.58	17.00
		HIGH	Q16	16.05	15.52	15.42	17.00
	25	LOW	Q16	16.37	16.69	16.19	17.00
		MID	Q16	16.48	16.91	16.23	17.00
		HIGH	Q16	16.50	16.71	16.27	17.00
	50	LOW	Q16	16.43	16.61	16.20	17.00
10	1	LOW	64QAM	16.28	15.71	15.58	17.00
		MID	64QAM	16.46	16.20	15.65	17.00
		HIGH	64QAM	16.08	15.47	15.42	17.00
	25	LOW	64QAM	16.17	16.55	16.14	17.00
		MID	64QAM	16.64	16.87	16.47	17.00
		HIGH	64QAM	16.13	16.65	16.41	17.00
	50	LOW	64QAM	16.28	16.84	16.30	17.00

LTE B41-State4 -Ant.1							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	16.26	16.39	15.64	17.00
		MID	QPSK	16.57	16.53	16.13	17.00
		HIGH	QPSK	15.96	16.20	16.08	17.00
	36	LOW	QPSK	16.43	16.79	16.16	17.00
		MID	QPSK	16.41	16.86	16.29	17.00
		HIGH	QPSK	16.33	16.54	16.32	17.00
	75	LOW	QPSK	16.36	16.74	16.03	17.00
15	1	LOW	Q16	16.12	15.99	15.44	17.00
		MID	Q16	16.38	16.16	15.68	17.00
		HIGH	Q16	16.27	15.75	15.81	17.00
	36	LOW	Q16	16.36	16.82	15.89	17.00
		MID	Q16	16.48	16.74	16.15	17.00
		HIGH	Q16	16.50	16.58	16.35	17.00
	75	LOW	Q16	16.34	16.75	16.44	17.00
15	1	LOW	64QAM	16.30	15.68	15.42	17.00
		MID	64QAM	16.61	16.25	15.83	17.00
		HIGH	64QAM	16.03	15.75	15.42	17.00
	36	LOW	64QAM	16.31	16.70	16.53	17.00
		MID	64QAM	16.65	16.69	16.55	17.00
		HIGH	64QAM	16.12	16.81	16.29	17.00
	75	LOW	64QAM	16.40	16.68	16.35	17.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	16.30	16.47	15.77	17.00
		MID	QPSK	16.69	16.62	16.19	17.00
		HIGH	QPSK	16.17	16.28	15.95	17.00
	50	LOW	QPSK	16.75	16.68	16.22	17.00
		MID	QPSK	16.30	16.71	16.40	17.00
		HIGH	QPSK	16.28	16.58	16.26	17.00
	100	LOW	QPSK	16.35	16.58	16.18	17.00
20	1	LOW	Q16	16.21	15.92	15.47	17.00
		MID	Q16	16.44	16.34	15.62	17.00
		HIGH	Q16	16.14	15.45	15.43	17.00
	50	LOW	Q16	16.45	16.56	16.06	17.00
		MID	Q16	16.55	16.88	16.26	17.00
		HIGH	Q16	16.38	16.70	16.35	17.00
	100	LOW	Q16	16.42	16.57	16.31	17.00
20	1	LOW	64QAM	16.34	15.79	15.82	17.00
		MID	64QAM	16.53	16.17	15.71	17.00
		HIGH	64QAM	16.17	15.56	15.55	17.00
	50	LOW	64QAM	16.32	16.71	16.19	17.00
		MID	64QAM	16.52	16.90	16.39	17.00
		HIGH	64QAM	16.23	16.67	16.45	17.00
	100	LOW	64QAM	16.47	16.64	16.27	17.00

8.3.15 LTE Band41 Output Power

LTE B41-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	23.44	23.95	23.45	25.00
		MID	QPSK	23.49	24.68	23.84	25.00
		HIGH	QPSK	23.41	23.90	23.63	25.00
	12	LOW	QPSK	22.47	23.12	23.01	24.00
		MID	QPSK	22.91	23.12	22.97	24.00
		HIGH	QPSK	22.49	23.10	22.98	24.00
	25	LOW	QPSK	22.70	23.14	22.96	24.00
5	1	LOW	Q16	22.67	22.87	22.56	24.00
		MID	Q16	22.60	23.74	22.72	24.00
		HIGH	Q16	22.61	22.78	22.49	24.00
	12	LOW	Q16	21.50	22.05	22.20	23.00
		MID	Q16	21.83	21.88	22.46	23.00
		HIGH	Q16	21.45	22.12	22.16	23.00
	25	LOW	Q16	21.42	21.81	21.82	23.00
5	1	LOW	64QAM	21.43	22.11	21.73	23.00
		MID	64QAM	21.48	22.80	21.89	23.00
		HIGH	64QAM	21.46	22.15	21.51	23.00
	12	LOW	64QAM	20.67	20.85	21.25	22.00
		MID	64QAM	20.89	20.73	21.39	22.00
		HIGH	64QAM	20.49	21.23	21.20	22.00
	25	LOW	64QAM	20.43	20.99	21.01	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	23.44	23.81	23.45	25.00
		MID	QPSK	23.60	24.65	24.02	25.00
		HIGH	QPSK	23.46	23.87	23.62	25.00
	25	LOW	QPSK	22.42	22.93	22.94	24.00
		MID	QPSK	22.69	22.92	23.04	24.00
		HIGH	QPSK	22.57	23.16	23.16	24.00
	50	LOW	QPSK	22.75	23.06	23.11	24.00
10	1	LOW	Q16	22.67	22.96	22.43	24.00
		MID	Q16	22.54	23.84	22.81	24.00
		HIGH	Q16	22.43	22.88	22.62	24.00
	25	LOW	Q16	21.64	21.91	22.25	23.00
		MID	Q16	21.63	21.86	22.28	23.00
		HIGH	Q16	21.46	21.85	22.01	23.00
	50	LOW	Q16	21.48	21.80	21.90	23.00
10	1	LOW	64QAM	21.43	22.11	21.65	23.00
		MID	64QAM	21.54	22.61	21.77	23.00
		HIGH	64QAM	21.44	22.13	21.54	23.00
	25	LOW	64QAM	20.49	21.14	21.40	22.00
		MID	64QAM	20.96	20.74	21.44	22.00
		HIGH	64QAM	20.42	21.08	21.25	22.00
	50	LOW	64QAM	20.42	20.94	20.95	22.00

LTE B41-Full Power -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	23.44	23.83	23.42	25.00
		MID	QPSK	23.67	24.57	24.03	25.00
		HIGH	QPSK	23.41	23.89	23.47	25.00
	36	LOW	QPSK	22.58	23.21	22.99	24.00
		MID	QPSK	22.81	23.02	23.04	24.00
		HIGH	QPSK	22.41	23.19	22.91	24.00
	75	LOW	QPSK	22.86	23.09	23.22	24.00
	15	LOW	Q16	22.64	23.01	22.60	24.00
		MID	Q16	22.45	23.74	22.84	24.00
		HIGH	Q16	22.62	22.85	22.58	24.00
15	1	LOW	Q16	21.46	21.90	22.36	23.00
		MID	Q16	21.60	21.95	22.19	23.00
		HIGH	Q16	21.46	21.87	22.01	23.00
	36	LOW	Q16	21.44	21.94	21.78	23.00
		MID	Q16	21.44	21.94	21.78	23.00
		HIGH	Q16	21.44	21.94	21.78	23.00
	75	LOW	Q16	21.44	21.94	21.78	23.00
		MID	Q16	21.44	21.94	21.78	23.00
		HIGH	Q16	21.44	21.94	21.78	23.00
15	1	LOW	64QAM	21.47	21.97	21.54	23.00
		MID	64QAM	21.62	22.87	21.91	23.00
		HIGH	64QAM	21.43	22.17	21.48	23.00
	36	LOW	64QAM	20.59	20.99	21.25	22.00
		MID	64QAM	20.90	20.84	21.58	22.00
		HIGH	64QAM	20.48	21.07	21.24	22.00
	75	LOW	64QAM	20.42	21.04	20.93	22.00
	15	LOW	64QAM	20.42	21.04	20.93	22.00
		MID	64QAM	20.42	21.04	20.93	22.00
		HIGH	64QAM	20.42	21.04	20.93	22.00
		LOW	64QAM	20.42	21.04	20.93	22.00
		MID	64QAM	20.42	21.04	20.93	22.00
		HIGH	64QAM	20.42	21.04	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	23.49	23.84	23.49	25.00
		MID	QPSK	23.63	24.54	23.92	25.00
		HIGH	QPSK	23.48	23.89	23.62	25.00
	50	LOW	QPSK	22.51	23.07	23.08	24.00
		MID	QPSK	22.82	23.03	23.07	24.00
		HIGH	QPSK	22.53	23.06	23.03	24.00
	100	LOW	QPSK	22.77	23.08	23.09	24.00
	20	LOW	Q16	22.58	22.99	22.54	24.00
		MID	Q16	22.51	23.78	22.87	24.00
		HIGH	Q16	22.58	22.89	22.47	24.00
20	1	LOW	Q16	21.52	21.93	22.35	23.00
		MID	Q16	21.75	21.95	22.33	23.00
		HIGH	Q16	21.55	21.97	22.09	23.00
	50	LOW	Q16	21.46	21.94	21.93	23.00
		MID	Q16	21.46	21.94	21.93	23.00
		HIGH	Q16	21.46	21.94	21.93	23.00
	100	LOW	Q16	21.46	21.94	21.93	23.00
		MID	Q16	21.46	21.94	21.93	23.00
		HIGH	Q16	21.46	21.94	21.93	23.00
20	1	LOW	64QAM	21.54	22.09	21.60	23.00
		MID	64QAM	21.53	22.74	21.84	23.00
		HIGH	64QAM	21.46	22.04	21.48	23.00
	50	LOW	64QAM	20.61	21.00	21.25	22.00
		MID	64QAM	20.83	20.83	21.47	22.00
		HIGH	64QAM	20.44	21.11	21.19	22.00
	100	LOW	64QAM	20.47	20.91	21.08	22.00
		MID	64QAM	20.47	20.91	21.08	22.00
		HIGH	64QAM	20.47	20.91	21.08	22.00

LTE B41-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	20.65	20.81	21.29	21.50
		MID	QPSK	21.05	20.91	21.37	21.50
		HIGH	QPSK	20.45	20.96	21.25	21.50
	12	LOW	QPSK	20.91	21.44	21.24	21.50
		MID	QPSK	21.07	21.20	21.21	21.50
		HIGH	QPSK	20.63	21.12	21.16	21.50
	25	LOW	QPSK	20.95	21.15	21.42	21.50
5	1	LOW	Q16	20.87	20.30	21.24	21.50
		MID	Q16	20.86	20.26	21.50	21.50
		HIGH	Q16	19.91	20.55	21.26	21.50
	12	LOW	Q16	20.68	21.10	21.39	21.50
		MID	Q16	20.67	21.18	21.30	21.50
		HIGH	Q16	20.32	21.24	21.37	21.50
	25	LOW	Q16	20.41	21.35	21.43	21.50
5	1	LOW	64QAM	21.00	20.61	21.22	21.50
		MID	64QAM	20.72	20.48	21.23	21.50
		HIGH	64QAM	20.06	20.30	21.23	21.50
	12	LOW	64QAM	20.59	21.16	21.03	21.50
		MID	64QAM	20.87	21.09	21.14	21.50
		HIGH	64QAM	20.55	21.45	21.34	21.50
	25	LOW	64QAM	20.76	21.49	21.32	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	20.55	20.71	21.07	21.50
		MID	QPSK	21.30	20.93	21.38	21.50
		HIGH	QPSK	20.44	20.88	21.40	21.50
	25	LOW	QPSK	20.94	21.31	21.04	21.50
		MID	QPSK	21.00	21.14	21.13	21.50
		HIGH	QPSK	20.62	21.12	21.18	21.50
10	50	LOW	QPSK	20.82	21.06	21.16	21.50
	1	LOW	Q16	20.78	20.43	21.34	21.50
		MID	Q16	20.67	20.31	21.43	21.50
		HIGH	Q16	19.95	20.42	21.37	21.50
	25	LOW	Q16	20.76	21.11	21.32	21.50
		MID	Q16	20.82	20.93	21.39	21.50
		HIGH	Q16	20.61	21.24	21.31	21.50
	50	LOW	Q16	20.51	21.46	21.31	21.50
10	1	LOW	64QAM	20.83	20.47	21.31	21.50
		MID	64QAM	20.73	20.59	21.35	21.50
		HIGH	64QAM	19.95	20.21	21.47	21.50
	25	LOW	64QAM	20.60	20.95	21.29	21.50
		MID	64QAM	20.72	21.08	21.40	21.50
		HIGH	64QAM	20.69	21.30	21.36	21.50
	50	LOW	64QAM	20.67	21.22	21.30	21.50

LTE B41-State1 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	20.74	20.89	21.14	21.50
		MID	QPSK	21.20	20.82	21.18	21.50
		HIGH	QPSK	20.24	20.92	21.38	21.50
	36	LOW	QPSK	20.82	21.45	21.12	21.50
		MID	QPSK	21.03	21.14	21.07	21.50
		HIGH	QPSK	20.68	21.04	21.32	21.50
	75	LOW	QPSK	20.84	21.10	21.13	21.50
15	1	LOW	Q16	21.02	20.51	21.27	21.50
		MID	Q16	20.78	20.34	21.49	21.50
		HIGH	Q16	20.02	20.59	21.31	21.50
	36	LOW	Q16	20.90	20.99	21.35	21.50
		MID	Q16	20.67	20.92	21.17	21.50
		HIGH	Q16	20.33	21.32	21.30	21.50
	75	LOW	Q16	20.51	21.45	21.33	21.50
15	1	LOW	64QAM	21.00	20.46	21.18	21.50
		MID	64QAM	20.53	20.51	21.41	21.50
		HIGH	64QAM	20.01	20.29	21.41	21.50
	36	LOW	64QAM	20.83	21.03	21.16	21.50
		MID	64QAM	20.63	20.97	21.23	21.50
		HIGH	64QAM	20.72	21.28	21.39	21.50
	75	LOW	64QAM	20.56	21.24	21.44	21.50
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	20.65	20.75	21.16	21.50
		MID	QPSK	21.15	21.32	21.25	21.50
		HIGH	QPSK	20.33	20.82	21.25	21.50
	50	LOW	QPSK	20.87	21.36	21.15	21.50
		MID	QPSK	21.08	21.05	21.19	21.50
		HIGH	QPSK	20.74	21.07	21.22	21.50
	100	LOW	QPSK	20.92	21.02	21.27	21.50
20	1	LOW	Q16	20.92	20.39	21.23	21.50
		MID	Q16	20.71	20.40	21.40	21.50
		HIGH	Q16	19.93	20.45	21.30	21.50
	50	LOW	Q16	20.82	21.04	21.27	21.50
		MID	Q16	20.69	21.05	21.29	21.50
		HIGH	Q16	20.47	21.28	21.33	21.50
	100	LOW	Q16	20.56	21.32	21.50	21.50
20	1	LOW	64QAM	20.95	20.51	21.16	21.50
		MID	64QAM	20.61	20.55	21.23	21.50
		HIGH	64QAM	19.98	20.31	21.38	21.50
	50	LOW	64QAM	20.69	21.07	21.15	21.50
		MID	64QAM	20.77	21.03	21.26	21.50
		HIGH	64QAM	20.61	21.42	21.43	21.50
	100	LOW	64QAM	20.66	21.43	21.31	21.50

LTE B41-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	23.44	23.95	23.45	25.00
		MID	QPSK	23.49	24.68	23.84	25.00
		HIGH	QPSK	23.41	23.90	23.63	25.00
	12	LOW	QPSK	22.47	23.12	23.01	24.00
		MID	QPSK	22.91	23.12	22.97	24.00
		HIGH	QPSK	22.49	23.10	22.98	24.00
	25	LOW	QPSK	22.70	23.14	22.96	24.00
5	1	LOW	Q16	22.67	22.87	22.56	24.00
		MID	Q16	22.60	23.74	22.72	24.00
		HIGH	Q16	22.61	22.78	22.49	24.00
	12	LOW	Q16	21.50	22.05	22.20	23.00
		MID	Q16	21.83	21.88	22.46	23.00
		HIGH	Q16	21.45	22.12	22.16	23.00
	25	LOW	Q16	21.42	21.81	21.82	23.00
5	1	LOW	64QAM	21.43	22.11	21.73	23.00
		MID	64QAM	21.48	22.80	21.89	23.00
		HIGH	64QAM	21.46	22.15	21.51	23.00
	12	LOW	64QAM	20.67	20.85	21.25	22.00
		MID	64QAM	20.89	20.73	21.39	22.00
		HIGH	64QAM	20.49	21.23	21.20	22.00
	25	LOW	64QAM	20.43	20.99	21.01	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	23.44	23.81	23.45	25.00
		MID	QPSK	23.60	24.65	24.02	25.00
		HIGH	QPSK	23.46	23.87	23.62	25.00
	25	LOW	QPSK	22.42	22.93	22.94	24.00
		MID	QPSK	22.69	22.92	23.04	24.00
		HIGH	QPSK	22.57	23.16	23.16	24.00
10	50	LOW	QPSK	22.75	23.06	23.11	24.00
	1	LOW	Q16	22.67	22.96	22.43	24.00
		MID	Q16	22.54	23.84	22.81	24.00
		HIGH	Q16	22.43	22.88	22.62	24.00
	25	LOW	Q16	21.64	21.91	22.25	23.00
		MID	Q16	21.63	21.86	22.28	23.00
		HIGH	Q16	21.46	21.85	22.01	23.00
	50	LOW	Q16	21.48	21.80	21.90	23.00
10	1	LOW	64QAM	21.43	22.11	21.65	23.00
		MID	64QAM	21.54	22.61	21.77	23.00
		HIGH	64QAM	21.44	22.13	21.54	23.00
	25	LOW	64QAM	20.49	21.14	21.40	22.00
		MID	64QAM	20.96	20.74	21.44	22.00
		HIGH	64QAM	20.42	21.08	21.25	22.00
	50	LOW	64QAM	20.42	20.94	20.95	22.00

LTE B41-State2&4 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	23.44	23.83	23.42	25.00
		MID	QPSK	23.67	24.57	24.03	25.00
		HIGH	QPSK	23.41	23.89	23.47	25.00
	36	LOW	QPSK	22.58	23.21	22.99	24.00
		MID	QPSK	22.81	23.02	23.04	24.00
		HIGH	QPSK	22.41	23.19	22.91	24.00
	75	LOW	QPSK	22.86	23.09	23.22	24.00
15	1	LOW	Q16	22.64	23.01	22.60	24.00
		MID	Q16	22.45	23.74	22.84	24.00
		HIGH	Q16	22.62	22.85	22.58	24.00
	36	LOW	Q16	21.46	21.90	22.36	23.00
		MID	Q16	21.60	21.95	22.19	23.00
		HIGH	Q16	21.46	21.87	22.01	23.00
	75	LOW	Q16	21.44	21.94	21.78	23.00
15	1	LOW	64QAM	21.47	21.97	21.54	23.00
		MID	64QAM	21.62	22.87	21.91	23.00
		HIGH	64QAM	21.43	22.17	21.48	23.00
	36	LOW	64QAM	20.59	20.99	21.25	22.00
		MID	64QAM	20.90	20.84	21.58	22.00
		HIGH	64QAM	20.48	21.07	21.24	22.00
	75	LOW	64QAM	20.42	21.04	20.93	22.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	23.49	23.84	23.49	25.00
		MID	QPSK	23.63	24.54	23.92	25.00
		HIGH	QPSK	23.48	23.89	23.62	25.00
	50	LOW	QPSK	22.51	23.07	23.08	24.00
		MID	QPSK	22.82	23.03	23.07	24.00
		HIGH	QPSK	22.53	23.06	23.03	24.00
	100	LOW	QPSK	22.77	23.08	23.09	24.00
20	1	LOW	Q16	22.58	22.99	22.54	24.00
		MID	Q16	22.51	23.78	22.87	24.00
		HIGH	Q16	22.58	22.89	22.47	24.00
	50	LOW	Q16	21.52	21.93	22.35	23.00
		MID	Q16	21.75	21.95	22.33	23.00
		HIGH	Q16	21.55	21.97	22.09	23.00
	100	LOW	Q16	21.46	21.94	21.93	23.00
20	1	LOW	64QAM	21.54	22.09	21.60	23.00
		MID	64QAM	21.53	22.74	21.84	23.00
		HIGH	64QAM	21.46	22.04	21.48	23.00
	50	LOW	64QAM	20.61	21.00	21.25	22.00
		MID	64QAM	20.83	20.83	21.47	22.00
		HIGH	64QAM	20.44	21.11	21.19	22.00
	100	LOW	64QAM	20.47	20.91	21.08	22.00

LTE B41-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40065	40640	41215	Tune-up power(dBm)
5	1	LOW	QPSK	17.79	17.61	17.09	18.00
		MID	QPSK	17.99	17.99	17.39	18.00
		HIGH	QPSK	17.38	17.70	17.45	18.00
	12	LOW	QPSK	17.73	17.89	17.38	18.00
		MID	QPSK	17.99	17.75	17.73	18.00
		HIGH	QPSK	17.42	17.66	17.60	18.00
	25	LOW	QPSK	17.76	17.88	17.54	18.00
5	1	LOW	Q16	17.87	17.35	16.46	18.00
		MID	Q16	17.85	17.92	17.00	18.00
		HIGH	Q16	17.59	16.98	17.24	18.00
	12	LOW	Q16	17.76	17.96	17.53	18.00
		MID	Q16	17.92	17.86	17.86	18.00
		HIGH	Q16	17.47	17.69	17.81	18.00
	25	LOW	Q16	17.48	17.81	17.66	18.00
5	1	LOW	64QAM	17.73	17.15	16.55	18.00
		MID	64QAM	17.79	17.78	16.94	18.00
		HIGH	64QAM	17.45	16.84	17.01	18.00
	12	LOW	64QAM	17.98	17.77	17.54	18.00
		MID	64QAM	17.72	17.95	17.75	18.00
		HIGH	64QAM	17.67	17.68	17.90	18.00
	25	LOW	64QAM	17.59	17.83	17.55	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40090	40640	41190	Tune-up power(dBm)
10	1	LOW	QPSK	17.90	17.65	17.17	18.00
		MID	QPSK	17.94	17.83	17.62	18.00
		HIGH	QPSK	17.46	17.69	17.70	18.00
	25	LOW	QPSK	17.82	17.86	17.32	18.00
		MID	QPSK	17.95	17.71	17.51	18.00
		HIGH	QPSK	17.64	17.66	17.59	18.00
	50	LOW	QPSK	17.60	17.76	17.49	18.00
10	1	LOW	Q16	17.87	17.27	16.54	18.00
		MID	Q16	17.97	17.72	16.97	18.00
		HIGH	Q16	17.60	16.97	17.05	18.00
	25	LOW	Q16	17.94	17.90	17.49	18.00
		MID	Q16	17.84	17.92	17.93	18.00
		HIGH	Q16	17.47	17.77	17.87	18.00
	50	LOW	Q16	17.63	17.79	17.58	18.00
10	1	LOW	64QAM	17.72	17.13	16.48	18.00
		MID	64QAM	17.77	17.96	16.97	18.00
		HIGH	64QAM	17.48	17.10	17.13	18.00
	25	LOW	64QAM	17.88	17.83	17.72	18.00
		MID	64QAM	17.49	17.98	17.83	18.00
		HIGH	64QAM	17.63	17.81	17.74	18.00
	50	LOW	64QAM	17.46	17.70	17.41	18.00

LTE B41-State3 -Ant.0							
Bandwidth (MHz)	RB Size	RB offset	Modulation	40155	40640	41165	Tune-up power(dBm)
15	1	LOW	QPSK	17.84	17.68	17.07	18.00
		MID	QPSK	17.71	17.84	17.42	18.00
		HIGH	QPSK	17.50	17.42	17.64	18.00
	36	LOW	QPSK	17.95	17.81	17.48	18.00
		MID	QPSK	17.90	17.73	17.50	18.00
		HIGH	QPSK	17.70	17.61	17.72	18.00
	75	LOW	QPSK	17.81	17.68	17.69	18.00
15	1	LOW	Q16	17.72	17.30	16.53	18.00
		MID	Q16	17.89	17.90	16.75	18.00
		HIGH	Q16	17.57	17.01	17.23	18.00
	36	LOW	Q16	17.75	17.97	17.63	18.00
		MID	Q16	17.89	17.96	17.90	18.00
		HIGH	Q16	17.51	17.66	17.79	18.00
	75	LOW	Q16	17.43	17.94	17.64	18.00
15	1	LOW	64QAM	17.87	17.16	16.59	18.00
		MID	64QAM	17.71	17.97	17.07	18.00
		HIGH	64QAM	17.69	17.02	17.20	18.00
	36	LOW	64QAM	17.98	17.91	17.61	18.00
		MID	64QAM	17.60	17.82	17.84	18.00
		HIGH	64QAM	17.63	17.87	17.83	18.00
	75	LOW	64QAM	17.45	17.73	17.46	18.00
Bandwidth (MHz)	RB Size	RB offset	Modulation	40140	40640	41140	Tune-up power(dBm)
20	1	LOW	QPSK	17.91	17.73	17.07	18.00
		MID	QPSK	17.91	17.92	17.48	18.00
		HIGH	QPSK	17.42	17.56	17.56	18.00
	50	LOW	QPSK	17.97	17.77	17.45	18.00
		MID	QPSK	18.00	17.74	17.65	18.00
		HIGH	QPSK	17.56	17.68	17.70	18.00
	100	LOW	QPSK	17.66	17.78	17.63	18.00
20	1	LOW	Q16	17.80	17.22	16.59	18.00
		MID	Q16	17.82	17.96	16.89	18.00
		HIGH	Q16	17.48	17.04	17.12	18.00
	50	LOW	Q16	17.79	17.87	17.64	18.00
		MID	Q16	17.77	17.83	17.84	18.00
		HIGH	Q16	17.56	17.75	17.89	18.00
	100	LOW	Q16	17.58	17.89	17.52	18.00
20	1	LOW	64QAM	17.91	17.20	16.43	18.00
		MID	64QAM	17.76	17.71	16.97	18.00
		HIGH	64QAM	17.60	16.97	17.12	18.00
	50	LOW	64QAM	17.83	17.95	17.60	18.00
		MID	64QAM	17.64	17.83	17.72	18.00
		HIGH	64QAM	17.63	17.79	17.82	18.00
	100	LOW	64QAM	17.50	17.80	17.56	18.00