




802.11ax(HEW40)_LCH_5510MHz_SU_ / Ant1_NTNV




802.11ax(HEW40)_MCH_5550MHz_SU_ / Ant1_NTNV




802.11ax(HEW40)_HCH_5670MHz_SU / Ant1_NTNV



802.11ax(HEW80)_LCH_5530MHz_SU / Ant1_NTNV





5. Unwanted Emissions In Restricted Frequency Bands


5.1 Test Result

5.1.1 RSE


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5510	/	/	1	Refer To Test Graph		Pass
		5550	/	/	1	Refer To Test Graph		Pass
		5670	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5500	/	/	1	Refer To Test Graph		Pass
		5580	/	/	1	Refer To Test Graph		Pass
		5700	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5510	/	/	1	Refer To Test Graph		Pass
		5550	/	/	1	Refer To Test Graph		Pass
		5670	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5530	/	/	1	Refer To Test Graph		Pass
		5610	/	/	1	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5500	SU	/	1	Refer To Test Graph		Pass
		5580	SU	/	1	Refer To Test Graph		Pass
		5700	SU	/	1	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5510	SU	/	1	Refer To Test Graph		Pass
		5550	SU	/	1	Refer To Test Graph		Pass
		5670	SU	/	1	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5530	SU	/	1	Refer To Test Graph		Pass
		5610	SU	/	1	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 RSE




802.11a_MCH_5580MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20531.3	-47.75	-21.20	24.35	Pass	Peak	7	20531.3	-56.23	-41.20	12.83	Pass	AVG
2	21881.95	-47.38	-27.00	18.18	Pass	Peak	8	21881.95	/	-27.00	/	/	AVG
3	22843.3	-47.48	-21.20	24.08	Pass	Peak	9	22843.3	-57.60	-41.20	14.20	Pass	AVG
4	23711.15	-45.08	-21.20	21.68	Pass	Peak	10	23711.15	-53.93	-41.20	10.53	Pass	AVG
5	25203.75	-44.12	-27.00	14.92	Pass	Peak	11	25203.75	/	-27.00	/	/	AVG
6	26487.25	-46.56	-27.00	17.36	Pass	Peak	12	26487.25	/	-27.00	/	/	AVG

802.11a_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.55	-38.19	-27.00	8.99	Pass	Peak	7	5728.55	/	-27.00	/	/	AVG
2	21727.25	-46.84	-27.00	17.64	Pass	Peak	8	21727.25	/	-27.00	/	/	AVG
3	23100	-46.91	-21.20	23.51	Pass	Peak	9	23100	-55.11	-41.20	11.71	Pass	AVG
4	24318.05	-44.64	-27.00	15.44	Pass	Peak	10	24318.05	/	-27.00	/	/	AVG
5	25256.45	-44.68	-27.00	15.48	Pass	Peak	11	25256.45	/	-27.00	/	/	AVG
6	26059.7	-46.33	-27.00	17.13	Pass	Peak	12	26059.7	/	-27.00	/	/	AVG

802.11a_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.360	-40.43	-27.00	11.23	Pass	Peak	3	5725.360	/	-27.00	/	/	AVG
2	5731.240	-38.98	-27.00	9.78	Pass	Peak	4	5731.240	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19314.95	-48.63	-21.20	25.23	Pass	Peak	7	19314.95	-57.92	-41.20	14.52	Pass	AVG
2	20657.1	-47.13	-21.20	23.73	Pass	Peak	8	20657.1	-57.32	-41.20	13.92	Pass	AVG
3	21725.55	-46.59	-27.00	17.39	Pass	Peak	9	21725.55	/	-27.00	/	/	AVG
4	23096.6	-46.34	-21.20	22.94	Pass	Peak	10	23096.6	-55.60	-41.20	12.20	Pass	AVG
5	24258.55	-44.91	-27.00	15.71	Pass	Peak	11	24258.55	/	-27.00	/	/	AVG
6	25760.5	-43.43	-27.00	14.23	Pass	Peak	12	25760.5	/	-27.00	/	/	AVG


802.11n(HT20)_LCH_5500MHz_Ant1_NTNV



802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20) HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5726.85	-39.09	-27.00	9.89	Pass	Peak	7	5726.85	/	-27.00	/	/	AVG
2	21677.95	-46.67	-27.00	17.47	Pass	Peak	8	21677.95	/	-27.00	/	/	AVG
3	22831.4	-47.20	-21.20	23.80	Pass	Peak	9	22831.4	-57.46	-41.20	14.06	Pass	AVG
4	23757.05	-45.69	-21.20	22.29	Pass	Peak	10	23757.05	-53.80	-41.20	10.40	Pass	AVG
5	25245.4	-44.77	-27.00	15.57	Pass	Peak	11	25245.4	/	-27.00	/	/	AVG
6	26341.9	-45.84	-27.00	16.64	Pass	Peak	12	26341.9	/	-27.00	/	/	AVG

802.11n(HT20) HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5726.680	-37.21	-27.00	8.01	Pass	Peak	3	5726.680	/	-27.00	/	/	AVG
2	5733.160	-38.53	-27.00	9.33	Pass	Peak	4	5733.160	/	-27.00	/	/	AVG

802.11n(HT40) LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21105.9	-47.03	-21.20	23.63	Pass	Peak	7	21105.9	-56.60	-41.20	13.20	Pass	AVG
2	21876.85	-47.21	-27.00	18.01	Pass	Peak	8	21876.85	/	-27.00	/	/	AVG
3	22999.7	-48.13	-21.20	24.73	Pass	Peak	9	22999.7	-55.77	-41.20	12.37	Pass	AVG
4	23784.25	-45.28	-21.20	21.88	Pass	Peak	10	23784.25	-54.06	-41.20	10.66	Pass	AVG
5	25275.15	-44.90	-27.00	15.70	Pass	Peak	11	25275.15	/	-27.00	/	/	AVG
6	26210.15	-46.23	-27.00	17.03	Pass	Peak	12	26210.15	/	-27.00	/	/	AVG

802.11n(HT40) LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5438.200	-41.25	-21.20	17.85	Pass	Peak	3	5438.200	/	-21.20	/	/	AVG
2	5457.400	-40.75	-21.20	17.35	Pass	Peak	4	5457.400	/	-21.20	/	/	AVG


802.11n(HT40) MCH 5550MHz_Ant1_NTNV



802.11n(HT40) HCH 5670MHz_Ant1_NTNV




802.11n(HT40) HCH 5670MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5726.050	-30.93	-27.00	1.73	Pass	Peak	3	5726.050	/	-27.00	/	/	AVG
2	5735.910	-34.03	-27.00	4.83	Pass	Peak	4	5735.910	/	-27.00	/	/	AVG

802.11ac(VHT20) LCH 5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20507.5	-47.98	-21.20	24.58	Pass	Peak	7	20507.5	-56.19	-41.20	12.79	Pass	AVG
2	21732.35	-46.89	-27.00	17.69	Pass	Peak	8	21732.35	/	-27.00	/	/	AVG
3	22965.7	-48.30	-21.20	24.90	Pass	Peak	9	22965.7	-55.92	-41.20	12.52	Pass	AVG
4	23763.85	-45.80	-21.20	22.40	Pass	Peak	10	23763.85	-53.99	-41.20	10.59	Pass	AVG
5	24781.3	-44.52	-27.00	15.32	Pass	Peak	11	24781.3	/	-27.00	/	/	AVG
6	25815.75	-44.79	-27.00	15.59	Pass	Peak	12	25815.75	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5454.040	-43.63	-21.20	20.23	Pass Peak	3	5454.040	/	-21.20	/	/ AVG
2	5459.310	-42.01	-21.20	18.61	Pass Peak	4	5459.310	/	-21.20	/	/ AVG

802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	20528.75	-46.56	-21.20	23.16	Pass Peak	7	20528.75	-56.39	-41.20	12.99	Pass AVG
2	21770.6	-46.68	-27.00	17.48	Pass Peak	8	21770.6	/	-27.00	/	/ AVG
3	22963.15	-47.76	-21.20	24.36	Pass Peak	9	22963.15	-55.76	-41.20	12.36	Pass AVG
4	23734.1	-45.59	-21.20	22.18	Pass Peak	10	23734.1	-54.05	-41.20	10.65	Pass AVG
5	25255.6	-43.30	-27.00	14.10	Pass Peak	11	25255.6	/	-27.00	/	/ AVG
6	26433.7	-46.86	-27.00	17.66	Pass Peak	12	26433.7	/	-27.00	/	/ AVG

802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.15	-39.09	-27.00	9.89	Pass	Peak	7	5725.15	/	-27.00	/	/	AVG
2	21712.8	-46.76	-27.00	17.56	Pass	Peak	8	21712.8	/	-27.00	/	/	AVG
3	22992.05	-46.02	-21.20	22.62	Pass	Peak	9	22992.05	-55.58	-41.20	12.18	Pass	AVG
4	23764.7	-45.26	-21.20	21.86	Pass	Peak	10	23764.7	-54.05	-41.20	10.65	Pass	AVG
5	24733.7	-45.13	-27.00	15.93	Pass	Peak	11	24733.7	/	-27.00	/	/	AVG
6	25738.4	-44.13	-27.00	14.93	Pass	Peak	12	25738.4	/	-27.00	/	/	AVG

802.11ac(VHT20) HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5727.280	-37.86	-27.00	8.66	Pass	Peak	3	5727.280	/	-27.00	/	/	AVG
2	5732.800	-40.58	-27.00	11.38	Pass	Peak	4	5732.800	/	-27.00	/	/	AVG

802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	20510.9	-47.44	-21.20	24.04	Pass Peak	7	20510.9	-56.27	-41.20	12.87	Pass AVG
2	21727.25	-47.01	-27.00	17.81	Pass Peak	8	21727.25	/	-27.00	/	/ AVG
3	22947.85	-48.42	-21.20	25.02	Pass Peak	9	22947.85	-55.89	-41.20	12.49	Pass AVG
4	23742.6	-45.14	-21.20	21.74	Pass Peak	10	23742.6	-53.84	-41.20	10.44	Pass AVG
5	24729.45	-44.45	-27.00	15.25	Pass Peak	11	24729.45	/	-27.00	/	/ AVG
6	25741.8	-44.93	-27.00	15.73	Pass Peak	12	25741.8	/	-27.00	/	/ AVG

802.11ac(VHT40) LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5444.200	-40.60	-21.20	17.20	Pass Peak	3	5444.200	/	-21.20	/	/ AVG
2	5455.200	-40.67	-21.20	17.27	Pass Peak	4	5455.200	/	-21.20	/	/ AVG

802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19283.5	-48.49	-21.20	25.09	Pass	Peak	7	19283.5	-50.75	-41.20	7.35	Pass	AVG
2	21084.65	-47.11	-21.20	23.71	Pass	Peak	8	21084.65	-48.57	-41.20	5.17	Pass	AVG
3	23084.7	-46.96	-21.20	23.56	Pass	Peak	9	23084.7	-49.06	-41.20	5.66	Pass	AVG
4	24210.1	-45.18	-27.00	15.98	Pass	Peak	10	24210.1	/	-27.00	/	/	AVG
5	25242	-44.50	-27.00	15.30	Pass	Peak	11	25242	/	-27.00	/	/	AVG
6	26312.15	-46.42	-27.00	17.22	Pass	Peak	12	26312.15	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.55	-31.71	-27.00	2.51	Pass	Peak	7	5728.55	/	-27.00	/	/	AVG
2	19938.85	-47.51	-21.20	24.11	Pass	Peak	8	19938.85	-57.53	-41.20	14.13	Pass	AVG
3	21740	-46.78	-27.00	17.58	Pass	Peak	9	21740	/	-27.00	/	/	AVG
4	23692.45	-45.13	-21.20	21.73	Pass	Peak	10	23692.45	-53.84	-41.20	10.44	Pass	AVG
5	24736.25	-45.64	-27.00	16.44	Pass	Peak	11	24736.25	/	-27.00	/	/	AVG
6	25876.95	-43.49	-27.00	14.29	Pass	Peak	12	25876.95	/	-27.00	/	/	AVG


802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80) LCH_5530MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5423.350	-41.15	-21.20	17.75	Pass	Peak	3	5423.350	/	-21.20	/	/	AVG
2	5444.050	-36.57	-21.20	13.17	Pass	Peak	4	5444.050	/	-21.20	/	/	AVG

802.11ac(VHT80) HCH_5610MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5734.5	-35.88	-27.00	6.68	Pass	Peak	7	5734.5	/	-27.00	/	/	AVG
2	21672	-46.20	-27.00	17.00	Pass	Peak	8	21672	/	-27.00	/	/	AVG
3	23037.1	-46.26	-21.20	22.86	Pass	Peak	9	23037.1	-55.48	-41.20	12.08	Pass	AVG
4	24197.35	-44.33	-27.00	15.13	Pass	Peak	10	24197.35	/	-27.00	/	/	AVG
5	24965.75	-46.63	-27.00	17.43	Pass	Peak	11	24965.75	/	-27.00	/	/	AVG
6	25746.05	-44.38	-27.00	15.18	Pass	Peak	12	25746.05	/	-27.00	/	/	AVG

802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5728.000	-36.20	-27.00	7.00	Pass Peak	3	5728.000	/	-27.00	/	/ AVG
2	5743.300	-38.53	-27.00	9.33	Pass Peak	4	5743.300	/	-27.00	/	/ AVG

802.11ax(HEW20)_LCH_5500MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	19235.9	-48.00	-21.20	24.60	Pass Peak	7	19235.9	-58.14	-41.20	14.74	Pass AVG
2	20628.2	-48.02	-21.20	24.62	Pass Peak	8	20628.2	-57.13	-41.20	13.73	Pass AVG
3	21723	-46.78	-27.00	17.58	Pass Peak	9	21723	/	-27.00	/	/ AVG
4	23708.6	-45.91	-21.20	22.51	Pass Peak	10	23708.6	-54.06	-41.20	10.66	Pass AVG
5	24744.75	-45.57	-27.00	16.37	Pass Peak	11	24744.75	/	-27.00	/	/ AVG
6	25778.35	-43.63	-27.00	14.43	Pass Peak	12	25778.35	/	-27.00	/	/ AVG

802.11ax(HEW20)_LCH_5500MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5453.360	-44.66	-21.20	21.26	Pass Peak	3	5453.360	/	-21.20	/	/ AVG
2	5458.800	-43.81	-21.20	20.41	Pass Peak	4	5458.800	/	-21.20	/	/ AVG

802.11ax(HEW20)_MCH_5580MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	20566.15	-48.08	-21.20	24.68	Pass Peak	7	20566.15	-56.41	-41.20	13.01	Pass AVG
2	21655.85	-46.24	-27.00	17.04	Pass Peak	8	21655.85	/	-27.00	/	/ AVG
3	22916.4	-48.27	-21.20	24.87	Pass Peak	9	22916.4	-56.80	-41.20	13.40	Pass AVG
4	23753.65	-45.08	-21.20	21.68	Pass Peak	10	23753.65	-54.15	-41.20	10.75	Pass AVG
5	25245.4	-44.03	-27.00	14.83	Pass Peak	11	25245.4	/	-27.00	/	/ AVG
6	26243.3	-46.14	-27.00	16.94	Pass Peak	12	26243.3	/	-27.00	/	/ AVG

802.11ax(HEW20)_HCH_5700MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.15	-36.66	-27.00	7.46	Pass	Peak	7	5725.15	/	-27.00	/	/	AVG
2	20579.75	-47.26	-21.20	23.86	Pass	Peak	8	20579.75	-56.29	-41.20	12.89	Pass	AVG
3	21720.45	-46.57	-27.00	17.37	Pass	Peak	9	21720.45	/	-27.00	/	/	AVG
4	23774.05	-45.30	-21.20	21.91	Pass	Peak	10	23774.05	-54.08	-41.20	10.68	Pass	AVG
5	24913.05	-44.65	-27.00	15.45	Pass	Peak	11	24913.05	/	-27.00	/	/	AVG
6	25730.75	-44.40	-27.00	15.20	Pass	Peak	12	25730.75	/	-27.00	/	/	AVG

802.11ax(HEW20)_HCH_5700MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.000	-36.09	-27.00	6.89	Pass	Peak	3	5725.000	/	-27.00	/	/	AVG
2	5728.960	-41.63	-27.00	12.43	Pass	Peak	4	5728.960	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5510MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18748	-48.99	-21.20	25.59	Pass	Peak	7	18748	-58.11	-41.20	14.71	Pass	AVG
2	20631.6	-48.44	-21.20	25.04	Pass	Peak	8	20631.6	-56.73	-41.20	13.33	Pass	AVG
3	21706.85	-47.33	-27.00	18.13	Pass	Peak	9	21706.85	/	-27.00	/	/	AVG
4	23706.05	-45.01	-21.20	21.61	Pass	Peak	10	23706.05	-54.08	-41.20	10.68	Pass	AVG
5	25191	-44.06	-27.00	14.86	Pass	Peak	11	25191	/	-27.00	/	/	AVG
6	26349.55	-46.35	-27.00	17.15	Pass	Peak	12	26349.55	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5510MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5438.400	-42.42	-21.20	19.02	Pass	Peak	3	5438.400	/	-21.20	/	/	AVG
2	5450.200	-42.27	-21.20	18.87	Pass	Peak	4	5450.200	/	-21.20	/	/	AVG

802.11ax(HEW40)_MCH_5550MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20526.2	-47.83	-21.20	24.43	Pass	Peak	7	20526.2	-56.36	-41.20	12.96	Pass	AVG
2	21706	-45.05	-27.00	15.85	Pass	Peak	8	21706	/	-27.00	/	/	AVG
3	23177.35	-46.36	-27.00	17.16	Pass	Peak	9	23177.35	/	-27.00	/	/	AVG
4	24354.6	-45.76	-27.00	16.56	Pass	Peak	10	24354.6	/	-27.00	/	/	AVG
5	25217.35	-44.17	-27.00	14.97	Pass	Peak	11	25217.35	/	-27.00	/	/	AVG
6	26258.6	-46.75	-27.00	17.55	Pass	Peak	12	26258.6	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5670MHz_SU / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5728.55	-34.55	-27.00	5.35	Pass	Peak	7	5728.55	/	-27.00	/	/	AVG
2	20612.05	-46.99	-21.20	23.59	Pass	Peak	8	20612.05	-56.34	-41.20	12.94	Pass	AVG
3	21748.5	-46.12	-27.00	16.92	Pass	Peak	9	21748.5	/	-27.00	/	/	AVG
4	23700.95	-44.69	-21.20	21.29	Pass	Peak	10	23700.95	-53.75	-41.20	10.35	Pass	AVG
5	24703.95	-44.88	-27.00	15.68	Pass	Peak	11	24703.95	/	-27.00	/	/	AVG
6	25744.35	-43.90	-27.00	14.70	Pass	Peak	12	25744.35	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5670MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	5727.070	-35.04	-27.00	5.84	Pass Peak	3	5727.070	/	-27.00	/	/ AVG
2	5735.230	-36.04	-27.00	6.84	Pass Peak	4	5735.230	/	-27.00	/	/ AVG

802.11ax(HEW80)_LCH_5530MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	21672	-46.76	-27.00	17.56	Pass Peak	7	21672	/	-27.00	/	/ AVG
2	22533.05	-48.18	-21.20	24.78	Pass Peak	8	22533.05	-58.23	-41.20	14.83	Pass AVG
3	23741.75	-45.59	-21.20	22.19	Pass Peak	9	23741.75	-54.26	-41.20	10.86	Pass AVG
4	24729.45	-45.02	-27.00	15.82	Pass Peak	10	24729.45	/	-27.00	/	/ AVG
5	25695.05	-44.02	-27.00	14.82	Pass Peak	11	25695.05	/	-27.00	/	/ AVG
6	26492.35	-47.23	-27.00	18.03	Pass Peak	12	26492.35	/	-27.00	/	/ AVG

802.11ax(HEW80)_LCH_5530MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5442.250	-37.45	-21.20	14.05	Pass	Peak	3	5442.250	/	-21.20	/	/	AVG
2	5457.100	-41.64	-21.20	18.24	Pass	Peak	4	5457.100	/	-21.20	/	/	AVG

802.11ax(HEW80)_HCH_5610MHz_SU_ / Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5725.15	-39.23	-27.00	10.03	Pass	Peak	7	5725.15	/	-27.00	/	/	AVG
2	21696.65	-47.12	-27.00	17.92	Pass	Peak	8	21696.65	/	-27.00	/	/	AVG
3	23689.9	-44.71	-21.20	21.31	Pass	Peak	9	23689.9	-54.12	-41.20	10.71	Pass	AVG
4	24470.2	-46.55	-27.00	17.35	Pass	Peak	10	24470.2	/	-27.00	/	/	AVG
5	25254.75	-44.23	-27.00	15.03	Pass	Peak	11	25254.75	/	-27.00	/	/	AVG
6	26438.8	-45.85	-27.00	16.65	Pass	Peak	12	26438.8	/	-27.00	/	/	AVG

802.11ax(HEW80)_HCH_5610MHz_SU_ / Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5727.100	-38.95	-27.00	9.75	Pass	Peak	3	5727.100	/	-27.00	/	/	AVG
2	5747.800	-41.26	-27.00	12.06	Pass	Peak	4	5747.800	/	-27.00	/	/	AVG

6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5500	20	102	5499.999	5470 to 5725	Pass
				120	5499.997	5470 to 5725	Pass
				138	5499.997	5470 to 5725	Pass
			-30	120	5499.997	5470 to 5725	Pass
			-20	120	5499.997	5470 to 5725	Pass
			-10	120	5499.997	5470 to 5725	Pass
			0	120	5499.997	5470 to 5725	Pass
			10	120	5499.997	5470 to 5725	Pass
			30	120	5499.996	5470 to 5725	Pass
			40	120	5499.996	5470 to 5725	Pass
			50	120	5499.996	5470 to 5725	Pass
		5580	20	102	5579.997	5470 to 5725	Pass
				120	5579.997	5470 to 5725	Pass
				138	5579.997	5470 to 5725	Pass
			-30	120	5579.997	5470 to 5725	Pass
			-20	120	5579.997	5470 to 5725	Pass
			-10	120	5579.997	5470 to 5725	Pass
			0	120	5579.997	5470 to 5725	Pass
			10	120	5579.997	5470 to 5725	Pass
			30	120	5579.997	5470 to 5725	Pass
			40	120	5579.997	5470 to 5725	Pass
			50	120	5579.997	5470 to 5725	Pass
		5700	20	102	5699.996	5470 to 5725	Pass
				120	5699.996	5470 to 5725	Pass
				138	5699.996	5470 to 5725	Pass
			-30	120	5699.996	5470 to 5725	Pass
			-20	120	5699.996	5470 to 5725	Pass
			-10	120	5699.996	5470 to 5725	Pass
			0	120	5699.996	5470 to 5725	Pass
			10	120	5699.996	5470 to 5725	Pass
			30	120	5699.996	5470 to 5725	Pass
			40	120	5699.996	5470 to 5725	Pass
			50	120	5699.996	5470 to 5725	Pass
		5510	20	102	5509.997	5470 to 5725	Pass
				120	5509.997	5470 to 5725	Pass
				138	5509.997	5470 to 5725	Pass
			-30	120	5509.997	5470 to 5725	Pass
			-20	120	5509.997	5470 to 5725	Pass
			-10	120	5509.997	5470 to 5725	Pass
			0	120	5509.997	5470 to 5725	Pass
			10	120	5509.997	5470 to 5725	Pass
			30	120	5509.998	5470 to 5725	Pass
			40	120	5509.997	5470 to 5725	Pass
			50	120	5509.997	5470 to 5725	Pass
		5550	20	102	5549.996	5470 to 5725	Pass
				120	5549.996	5470 to 5725	Pass
				138	5549.996	5470 to 5725	Pass
			-30	120	5549.996	5470 to 5725	Pass

			-20	120	5549.996	5470 to 5725	Pass
			-10	120	5549.996	5470 to 5725	Pass
			0	120	5549.996	5470 to 5725	Pass
			10	120	5549.996	5470 to 5725	Pass
			30	120	5549.996	5470 to 5725	Pass
			40	120	5549.996	5470 to 5725	Pass
			50	120	5549.996	5470 to 5725	Pass
		5670	20	102	5669.998	5470 to 5725	Pass
				120	5669.998	5470 to 5725	Pass
				138	5669.998	5470 to 5725	Pass
			-30	120	5669.998	5470 to 5725	Pass
			-20	120	5669.997	5470 to 5725	Pass
			-10	120	5669.997	5470 to 5725	Pass
			0	120	5669.997	5470 to 5725	Pass
			10	120	5669.997	5470 to 5725	Pass
			30	120	5669.997	5470 to 5725	Pass
			40	120	5669.997	5470 to 5725	Pass
			50	120	5669.997	5470 to 5725	Pass
		5530	20	102	5529.998	5470 to 5725	Pass
				120	5529.998	5470 to 5725	Pass
				138	5529.998	5470 to 5725	Pass
			-30	120	5529.998	5470 to 5725	Pass
			-20	120	5529.998	5470 to 5725	Pass
			-10	120	5529.998	5470 to 5725	Pass
			0	120	5529.998	5470 to 5725	Pass
			10	120	5529.998	5470 to 5725	Pass
			30	120	5529.998	5470 to 5725	Pass
			40	120	5529.998	5470 to 5725	Pass
			50	120	5529.998	5470 to 5725	Pass
		5610	20	102	5609.996	5470 to 5725	Pass
				120	5609.997	5470 to 5725	Pass
				138	5609.997	5470 to 5725	Pass
			-30	120	5609.997	5470 to 5725	Pass
			-20	120	5609.997	5470 to 5725	Pass
			-10	120	5609.997	5470 to 5725	Pass
			0	120	5609.997	5470 to 5725	Pass
			10	120	5609.997	5470 to 5725	Pass
			30	120	5609.997	5470 to 5725	Pass
			40	120	5609.997	5470 to 5725	Pass
			50	120	5609.997	5470 to 5725	Pass

▶▶▶ END OF REPORT ◀◀◀