

Contents

1. Effective (Isotropic) Radiated Power Output Data 2

2. Frequency Stability 8

3. 99% & 26dB Bandwidth 10

4. Peak-Average Ratio..... 48

5. Spurious Emission 54

6. Field Strength of Spurious Radiation..... 100

1. Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result Ant9

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
Band41	5MHz	QPSK	L	1RB#0	24.21	27.41	33	PASS
Band41	5MHz	QPSK	L	1RB#12	24.27	27.47	33	PASS
Band41	5MHz	QPSK	L	1RB#24	24.51	27.71	33	PASS
Band41	5MHz	QPSK	L	25RB#0	23.44	26.64	33	PASS
Band41	5MHz	QPSK	M	1RB#0	24.28	27.48	33	PASS
Band41	5MHz	QPSK	M	1RB#12	24.39	27.59	33	PASS
Band41	5MHz	QPSK	M	1RB#24	24.48	27.68	33	PASS
Band41	5MHz	QPSK	M	25RB#0	23.36	26.56	33	PASS
Band41	5MHz	QPSK	H	1RB#0	24.15	27.35	33	PASS
Band41	5MHz	QPSK	H	1RB#12	24.3	27.5	33	PASS
Band41	5MHz	QPSK	H	1RB#24	24.26	27.46	33	PASS
Band41	5MHz	QPSK	H	25RB#0	23.26	26.46	33	PASS
Band41	5MHz	16QAM	L	1RB#0	23.64	26.84	33	PASS
Band41	5MHz	16QAM	L	1RB#12	23.61	26.81	33	PASS
Band41	5MHz	16QAM	L	1RB#24	23.75	26.95	33	PASS
Band41	5MHz	16QAM	L	25RB#0	22.35	25.55	33	PASS
Band41	5MHz	16QAM	M	1RB#0	23.65	26.85	33	PASS
Band41	5MHz	16QAM	M	1RB#12	23.77	26.97	33	PASS
Band41	5MHz	16QAM	M	1RB#24	23.57	26.77	33	PASS
Band41	5MHz	16QAM	M	25RB#0	22.5	25.7	33	PASS
Band41	5MHz	16QAM	H	1RB#0	23.42	26.62	33	PASS
Band41	5MHz	16QAM	H	1RB#12	23.64	26.84	33	PASS

Band41	5MHz	16QAM	H	1RB#24	23.52	26.72	33	PASS
Band41	5MHz	16QAM	H	25RB#0	22.51	25.71	33	PASS
Band41	5MHz	64QAM	L	1RB#0	22.57	25.77	33	PASS
Band41	5MHz	64QAM	L	1RB#12	22.73	25.93	33	PASS
Band41	5MHz	64QAM	L	1RB#24	22.65	25.85	33	PASS
Band41	5MHz	64QAM	L	25RB#0	21.4	24.6	33	PASS
Band41	5MHz	64QAM	M	1RB#0	22.6	25.8	33	PASS
Band41	5MHz	64QAM	M	1RB#12	22.93	26.13	33	PASS
Band41	5MHz	64QAM	M	1RB#24	22.7	25.9	33	PASS
Band41	5MHz	64QAM	M	25RB#0	21.57	24.77	33	PASS
Band41	5MHz	64QAM	H	1RB#0	22.62	25.82	33	PASS
Band41	5MHz	64QAM	H	1RB#12	22.46	25.66	33	PASS
Band41	5MHz	64QAM	H	1RB#24	22.51	25.71	33	PASS
Band41	5MHz	64QAM	H	25RB#0	21.19	24.39	33	PASS
Band41	10MHz	QPSK	L	1RB#0	24.3	27.5	33	PASS
Band41	10MHz	QPSK	L	1RB#24	24.34	27.54	33	PASS
Band41	10MHz	QPSK	L	1RB#49	24.31	27.51	33	PASS
Band41	10MHz	QPSK	L	50RB#0	23.41	26.61	33	PASS
Band41	10MHz	QPSK	M	1RB#0	24.35	27.55	33	PASS
Band41	10MHz	QPSK	M	1RB#24	24.46	27.66	33	PASS
Band41	10MHz	QPSK	M	1RB#49	24.28	27.48	33	PASS
Band41	10MHz	QPSK	M	50RB#0	23.43	26.63	33	PASS
Band41	10MHz	QPSK	H	1RB#0	24.18	27.38	33	PASS
Band41	10MHz	QPSK	H	1RB#24	24.26	27.46	33	PASS
Band41	10MHz	QPSK	H	1RB#49	24.15	27.35	33	PASS

Band41	10MHz	QPSK	H	50RB#0	23.25	26.45	33	PASS
Band41	10MHz	16QAM	L	1RB#0	23.63	26.83	33	PASS
Band41	10MHz	16QAM	L	1RB#24	23.73	26.93	33	PASS
Band41	10MHz	16QAM	L	1RB#49	23.72	26.92	33	PASS
Band41	10MHz	16QAM	L	50RB#0	22.49	25.69	33	PASS
Band41	10MHz	16QAM	M	1RB#0	23.7	26.9	33	PASS
Band41	10MHz	16QAM	M	1RB#24	23.77	26.97	33	PASS
Band41	10MHz	16QAM	M	1RB#49	23.63	26.83	33	PASS
Band41	10MHz	16QAM	M	50RB#0	22.43	25.63	33	PASS
Band41	10MHz	16QAM	H	1RB#0	23.55	26.75	33	PASS
Band41	10MHz	16QAM	H	1RB#24	23.66	26.86	33	PASS
Band41	10MHz	16QAM	H	1RB#49	23.51	26.71	33	PASS
Band41	10MHz	16QAM	H	50RB#0	22.31	25.51	33	PASS
Band41	10MHz	64QAM	L	1RB#0	22.65	25.85	33	PASS
Band41	10MHz	64QAM	L	1RB#24	22.72	25.92	33	PASS
Band41	10MHz	64QAM	L	1RB#49	22.7	25.9	33	PASS
Band41	10MHz	64QAM	L	50RB#0	21.46	24.66	33	PASS
Band41	10MHz	64QAM	M	1RB#0	22.66	25.86	33	PASS
Band41	10MHz	64QAM	M	1RB#24	22.79	25.99	33	PASS
Band41	10MHz	64QAM	M	1RB#49	22.68	25.88	33	PASS
Band41	10MHz	64QAM	M	50RB#0	21.45	24.65	33	PASS
Band41	10MHz	64QAM	H	1RB#0	22.48	25.68	33	PASS
Band41	10MHz	64QAM	H	1RB#24	22.58	25.78	33	PASS
Band41	10MHz	64QAM	H	1RB#49	22.41	25.61	33	PASS
Band41	10MHz	64QAM	H	50RB#0	21.31	24.51	33	PASS

Band41	15MHz	QPSK	L	1RB#0	24.33	27.53	33	PASS
Band41	15MHz	QPSK	L	1RB#38	24.3	27.5	33	PASS
Band41	15MHz	QPSK	L	1RB#74	24.42	27.62	33	PASS
Band41	15MHz	QPSK	L	75RB#0	23.4	26.6	33	PASS
Band41	15MHz	QPSK	M	1RB#0	24.3	27.5	33	PASS
Band41	15MHz	QPSK	M	1RB#38	24.36	27.56	33	PASS
Band41	15MHz	QPSK	M	1RB#74	24.4	27.6	33	PASS
Band41	15MHz	QPSK	M	75RB#0	23.38	26.58	33	PASS
Band41	15MHz	QPSK	H	1RB#0	24.18	27.38	33	PASS
Band41	15MHz	QPSK	H	1RB#38	24.21	27.41	33	PASS
Band41	15MHz	QPSK	H	1RB#74	24.17	27.37	33	PASS
Band41	15MHz	QPSK	H	75RB#0	23.34	26.54	33	PASS
Band41	15MHz	16QAM	L	1RB#0	23.69	26.89	33	PASS
Band41	15MHz	16QAM	L	1RB#38	23.57	26.77	33	PASS
Band41	15MHz	16QAM	L	1RB#74	23.92	27.12	33	PASS
Band41	15MHz	16QAM	L	75RB#0	22.44	25.64	33	PASS
Band41	15MHz	16QAM	M	1RB#0	23.63	26.83	33	PASS
Band41	15MHz	16QAM	M	1RB#38	23.82	27.02	33	PASS
Band41	15MHz	16QAM	M	1RB#74	23.72	26.92	33	PASS
Band41	15MHz	16QAM	M	75RB#0	22.44	25.64	33	PASS
Band41	15MHz	16QAM	H	1RB#0	23.44	26.64	33	PASS
Band41	15MHz	16QAM	H	1RB#38	23.59	26.79	33	PASS
Band41	15MHz	16QAM	H	1RB#74	23.55	26.75	33	PASS
Band41	15MHz	16QAM	H	75RB#0	22.35	25.55	33	PASS
Band41	15MHz	64QAM	L	1RB#0	22.63	25.83	33	PASS

Band41	15MHz	64QAM	L	1RB#38	22.74	25.94	33	PASS
Band41	15MHz	64QAM	L	1RB#74	22.59	25.79	33	PASS
Band41	15MHz	64QAM	L	75RB#0	21.43	24.63	33	PASS
Band41	15MHz	64QAM	M	1RB#0	22.74	25.94	33	PASS
Band41	15MHz	64QAM	M	1RB#38	22.72	25.92	33	PASS
Band41	15MHz	64QAM	M	1RB#74	22.63	25.83	33	PASS
Band41	15MHz	64QAM	M	75RB#0	21.41	24.61	33	PASS
Band41	15MHz	64QAM	H	1RB#0	22.56	25.76	33	PASS
Band41	15MHz	64QAM	H	1RB#38	22.57	25.77	33	PASS
Band41	15MHz	64QAM	H	1RB#74	22.54	25.74	33	PASS
Band41	15MHz	64QAM	H	75RB#0	21.35	24.55	33	PASS
Band41	20MHz	QPSK	L	1RB#0	24.3	27.5	33	PASS
Band41	20MHz	QPSK	L	1RB#49	24.36	27.56	33	PASS
Band41	20MHz	QPSK	L	1RB#99	24.4	27.6	33	PASS
Band41	20MHz	QPSK	L	100RB#0	23.45	26.65	33	PASS
Band41	20MHz	QPSK	M	1RB#0	24.4	27.6	33	PASS
Band41	20MHz	QPSK	M	1RB#49	24.44	27.64	33	PASS
Band41	20MHz	QPSK	M	1RB#99	24.33	27.53	33	PASS
Band41	20MHz	QPSK	M	100RB#0	23.38	26.58	33	PASS
Band41	20MHz	QPSK	H	1RB#0	24.24	27.44	33	PASS
Band41	20MHz	QPSK	H	1RB#49	24.26	27.46	33	PASS
Band41	20MHz	QPSK	H	1RB#99	24.13	27.33	33	PASS
Band41	20MHz	QPSK	H	100RB#0	23.34	26.54	33	PASS
Band41	20MHz	16QAM	L	1RB#0	23.66	26.86	33	PASS
Band41	20MHz	16QAM	L	1RB#49	23.77	26.97	33	PASS

Band41	20MHz	16QAM	L	1RB#99	23.77	26.97	33	PASS
Band41	20MHz	16QAM	L	100RB#0	22.46	25.66	33	PASS
Band41	20MHz	16QAM	M	1RB#0	23.72	26.92	33	PASS
Band41	20MHz	16QAM	M	1RB#49	23.68	26.88	33	PASS
Band41	20MHz	16QAM	M	1RB#99	23.62	26.82	33	PASS
Band41	20MHz	16QAM	M	100RB#0	22.41	25.61	33	PASS
Band41	20MHz	16QAM	H	1RB#0	23.47	26.67	33	PASS
Band41	20MHz	16QAM	H	1RB#49	23.69	26.89	33	PASS
Band41	20MHz	16QAM	H	1RB#99	23.48	26.68	33	PASS
Band41	20MHz	16QAM	H	100RB#0	22.37	25.57	33	PASS
Band41	20MHz	64QAM	L	1RB#0	22.5	25.7	33	PASS
Band41	20MHz	64QAM	L	1RB#49	22.73	25.93	33	PASS
Band41	20MHz	64QAM	L	1RB#99	22.78	25.98	33	PASS
Band41	20MHz	64QAM	L	100RB#0	21.47	24.67	33	PASS
Band41	20MHz	64QAM	M	1RB#0	22.69	25.89	33	PASS
Band41	20MHz	64QAM	M	1RB#49	22.78	25.98	33	PASS
Band41	20MHz	64QAM	M	1RB#99	22.61	25.81	33	PASS
Band41	20MHz	64QAM	M	100RB#0	21.37	24.57	33	PASS
Band41	20MHz	64QAM	H	1RB#0	22.42	25.62	33	PASS
Band41	20MHz	64QAM	H	1RB#49	22.64	25.84	33	PASS
Band41	20MHz	64QAM	H	1RB#99	22.47	25.67	33	PASS
Band41	20MHz	64QAM	H	100RB#0	21.35	24.55	33	PASS

2. Frequency Stability

2.4 B41_20MHz

2.4.1 Test Result

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.27	-5.289	-0.0021	-2.5 to 2.5	Pass
					3.85	-1.905	-0.0008	-2.5 to 2.5	Pass
					4.43	-1.897	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-2.950	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-6.636	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-2.607	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-5.984	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-6.262	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-5.788	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-1.708	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-6.075	-0.0024	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	-1.411	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.205	-0.0001	-2.5 to 2.5	Pass
					4.43	-4.161	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-3.338	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-1.367	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-3.826	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-3.776	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-4.483	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-0.417	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-5.476	-0.0021	-2.5 to 2.5	Pass
				50	3.85	0.882	0.0003	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	-1.964	-0.0007	-2.5 to 2.5	Pass
					3.85	-5.274	-0.0020	-2.5 to 2.5	Pass
					4.43	-0.519	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-4.143	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	-6.297	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-5.524	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-5.723	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-6.335	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-0.335	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-1.714	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-6.921	-0.0026	-2.5 to 2.5	Pass
16QAM	2506	100	0	20	3.27	-6.209	-0.0025	-2.5 to 2.5	Pass
					3.85	-1.313	-0.0005	-2.5 to 2.5	Pass
					4.43	-2.017	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-2.186	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-1.521	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-2.115	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-1.568	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-2.044	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-4.963	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-4.479	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-4.211	-0.0017	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	-0.293	-0.0001	-2.5 to 2.5	Pass
					3.85	0.293	0.0001	-2.5 to 2.5	Pass
					4.43	-4.771	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-3.424	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-0.855	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-3.546	-0.0014	-2.5 to 2.5	Pass

				0	3.85	-3.688	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-0.143	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-0.207	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.780	0.0003	-2.5 to 2.5	Pass
				50	3.85	-1.016	-0.0004	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	-0.985	-0.0004	-2.5 to 2.5	Pass
					3.85	-1.614	-0.0006	-2.5 to 2.5	Pass
					4.43	-4.936	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-4.979	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-0.372	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-5.526	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-4.400	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-0.792	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.964	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-4.388	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-5.375	-0.0020	-2.5 to 2.5	Pass
64QAM	2506	100	0	20	3.27	-0.958	-0.0004	-2.5 to 2.5	Pass
					3.85	-1.351	-0.0005	-2.5 to 2.5	Pass
					4.43	-4.391	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-1.300	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-4.902	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-2.168	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-1.582	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-1.012	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.028	0.0000	-2.5 to 2.5	Pass
				40	3.85	-4.999	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-0.739	-0.0003	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	0.715	0.0003	-2.5 to 2.5	Pass
					3.85	-2.931	-0.0011	-2.5 to 2.5	Pass
					4.43	-3.347	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	0.080	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.097	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.608	0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.132	-0.0001	-2.5 to 2.5	Pass
				10	3.85	0.582	0.0002	-2.5 to 2.5	Pass
				30	3.85	-3.935	-0.0015	-2.5 to 2.5	Pass
				40	3.85	1.247	0.0005	-2.5 to 2.5	Pass
				50	3.85	-3.028	-0.0012	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	-5.651	-0.0021	-2.5 to 2.5	Pass
					3.85	-1.926	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.573	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-4.222	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-0.511	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.050	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.417	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-4.500	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-5.260	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-4.458	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-4.191	-0.0016	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Band41_OBW

3.1.1 Test Result

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.592	/	Pass
		2593	25	0	4.579	/	Pass
		2687.5	25	0	4.557	/	Pass
	16QAM	2498.5	25	0	4.567	/	Pass
		2593	25	0	4.570	/	Pass
		2687.5	25	0	4.574	/	Pass
	64QAM	2498.5	25	0	4.561	/	Pass
		2593	25	0	4.538	/	Pass
		2687.5	25	0	4.562	/	Pass
10	QPSK	2501	50	0	9.064	/	Pass
		2593	50	0	9.089	/	Pass
		2685	50	0	9.058	/	Pass
	16QAM	2501	50	0	9.107	/	Pass
		2593	50	0	9.084	/	Pass
		2685	50	0	9.052	/	Pass
	64QAM	2501	50	0	9.089	/	Pass
		2593	50	0	9.059	/	Pass
		2685	50	0	9.088	/	Pass
15	QPSK	2503.5	75	0	13.620	/	Pass
		2593	75	0	13.619	/	Pass
		2682.5	75	0	13.639	/	Pass
	16QAM	2503.5	75	0	13.599	/	Pass
		2593	75	0	13.589	/	Pass
		2682.5	75	0	13.605	/	Pass
	64QAM	2503.5	75	0	13.618	/	Pass
		2593	75	0	13.564	/	Pass
		2682.5	75	0	13.691	/	Pass
20	QPSK	2506	100	0	18.124	/	Pass
		2593	100	0	18.107	/	Pass
		2680	100	0	18.137	/	Pass
	16QAM	2506	100	0	18.134	/	Pass
		2593	100	0	18.163	/	Pass
		2680	100	0	18.150	/	Pass
	64QAM	2506	100	0	18.131	/	Pass
		2593	100	0	18.090	/	Pass
		2680	100	0	18.113	/	Pass

3.2 Band41_XDB


3.2.1 Test Result

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.399	/	Pass
		2593	25	0	5.315	/	Pass
		2687.5	25	0	5.191	/	Pass


	16QAM	2498.5	25	0	5.407	/	Pass
		2593	25	0	5.320	/	Pass
		2687.5	25	0	5.216	/	Pass
	64QAM	2498.5	25	0	5.299	/	Pass
		2593	25	0	4.917	/	Pass
		2687.5	25	0	5.407	/	Pass
10	QPSK	2501	50	0	10.575	/	Pass
		2593	50	0	10.157	/	Pass
		2685	50	0	10.677	/	Pass
	16QAM	2501	50	0	10.196	/	Pass
		2593	50	0	10.226	/	Pass
		2685	50	0	10.235	/	Pass
	64QAM	2501	50	0	11.061	/	Pass
		2593	50	0	10.178	/	Pass
		2685	50	0	10.073	/	Pass
15	QPSK	2503.5	75	0	15.610	/	Pass
		2593	75	0	15.996	/	Pass
		2682.5	75	0	15.768	/	Pass
	16QAM	2503.5	75	0	16.248	/	Pass
		2593	75	0	15.805	/	Pass
		2682.5	75	0	15.964	/	Pass
	64QAM	2503.5	75	0	17.181	/	Pass
		2593	75	0	15.653	/	Pass
		2682.5	75	0	16.549	/	Pass
20	QPSK	2506	100	0	20.822	/	Pass
		2593	100	0	21.278	/	Pass
		2680	100	0	20.739	/	Pass
	16QAM	2506	100	0	20.443	/	Pass
		2593	100	0	20.373	/	Pass
		2680	100	0	20.626	/	Pass
	64QAM	2506	100	0	21.168	/	Pass
		2593	100	0	20.083	/	Pass
		2680	100	0	20.272	/	Pass

3.1 Band41_OBW


3.1.2 Test Graph




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41 5MHz 64QAM LCH 2498.5MHz RB 25 0 NTNV




Band41_5MHz_64QAM_MCH_2593MHz_RB_25_0_NTNV




Band41 5MHz 64QAM HCH 2687.5MHz RB 25 0 NTN




Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTN




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV





Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTN




Band41 10MHz 64QAM LCH 2501MHz RB 50 0 NTN







Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV





Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTNV




Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTNV







Band41_15MHz_64QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_MCH_2593MHz_RB_75_0_NTNV





Band41_15MHz_64QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV







Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_LCH_2506MHz_RB_100_0_NTNV



Band41_20MHz_64QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_HCH_2680MHz_RB_100_0_NTNV




3.2 Band41_XDB


3.2.2 Test Graph




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




Band41 5MHz 64QAM LCH 2498.5MHz RB 25 0 NTNV




Band41_5MHz_64QAM_MCH_2593MHz_RB_25_0_NTNV




Band41 5MHz 64QAM HCH 2687.5MHz RB 25 0 NTN




Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTN




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTN




Band41 10MHz 64QAM LCH 2501MHz RB 50 0 NTN




Band41 10MHz 64QAM MCH 2593MHz RB 50 0 NTNV




Band41 10MHz 64QAM HCH 2685MHz RB 50 0 NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTNV




Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_LCH_2503.5MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_64QAM_HCH_2682.5MHz_RB_75_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41 20MHz 16QAM LCH 2506MHz RB 100 0 NTNV




Band41 20MHz 16QAM MCH 2593MHz RB 100 0 NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_64QAM_LCH_2506MHz_RB_100_0_NTNV



Band41_20MHz_64QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_64QAM_HCH_2680MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.4 B41_20MHz

4.4.1 Test Result


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.01	<=13	Pass
	2593	100	0	7.02	<=13	Pass
	2680	100	0	6.93	<=13	Pass
16QAM	2506	100	0	8.34	<=13	Pass
	2593	100	0	8.40	<=13	Pass
	2680	100	0	7.98	<=13	Pass
64QAM	2506	100	0	11.41	<=13	Pass
	2593	100	0	11.51	<=13	Pass
	2680	100	0	11.28	<=13	Pass

4.4 B41_20MHz


4.4.2 Test Graph




Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTNV




Band41 20MHz 16QAM LCH 2506MHz RB 100 0 NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV



Band41_20MHz_64QAM_LCH_2506MHz_RB_100_0_NTNV



Band41_20MHz_64QAM_MCH_2593MHz_RB_100_0_NTNV





5. Spurious Emission

5.1 B41_5MHz

5.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.2 B41_10MHz

5.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.3 B41_15MHz

5.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2682.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.4 B41_20MHz


5.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict


	(MHz)	Size	Offset	Result	Limit	
QPSK	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.1 B41_5MHz


5.1.2 Test Graph




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_25_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV



Band41 5MHz QPSK HCH 2687.5MHz RB 1 24 NTNV




Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV




5.2 B41_10MHz


5.2.2 Test Graph




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_HCH_2685MHz_RB_1_49_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




5.3 B41_15MHz


5.3.2 Test Graph




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTV




Band41 15MHz QPSK LCH 2503.5MHz RB 75 0 NTV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV



Band41 15MHz QPSK HCH 2682.5MHz RB 1 74 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTNV




5.4 B41_20MHz


5.4.2 Test Graph




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41 20MHz QPSK LCH 2506MHz RB 1 0 NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41 20MHz QPSK MCH 2593MHz RB 1 0 NTV




Band41 20MHz QPSK MCH 2593MHz RB 1 0 NTV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_HCH_2680MHz_RB_1_99_NTNV



Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV



6. Field Strength of Spurious Radiation

For Sample #1:

Test Band = LTE Band41_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3863.625	45.54	-46.15	29.18	-66.69	-25.00	41.69	Horizontal
2	5093.625	45.07	-45.39	31.57	-64.01	-25.00	39.01	Horizontal
3	6387.75	44.77	-44.43	33.72	-61.20	-25.00	36.20	Horizontal
4	8470.125	43.87	-41.57	36.82	-56.14	-25.00	31.14	Horizontal
5	11391	43.10	-37.37	38.80	-50.74	-25.00	25.74	Horizontal
6	13715.625	43.94	-36.20	40.40	-47.12	-25.00	22.12	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4101.75	44.53	-45.76	29.64	-66.85	-25.00	41.85	Vertical
2	5727.375	44.78	-44.82	32.35	-62.96	-25.00	37.96	Vertical
3	7225.875	45.51	-43.51	35.63	-57.62	-25.00	32.62	Vertical
4	9888	43.05	-39.35	38.28	-53.28	-25.00	28.28	Vertical
5	13577.625	43.92	-36.29	40.21	-47.42	-25.00	22.42	Vertical
6	17028.375	46.80	-33.54	42.22	-39.78	-25.00	14.78	Vertical

Test Band = LTE Band41_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3816.75	45.11	-45.98	29.11	-67.02	-25.00	42.02	Horizontal
2	4860.75	45.52	-45.53	31.18	-64.10	-25.00	39.10	Horizontal
3	6118.125	45.49	-44.51	32.80	-61.47	-25.00	36.47	Horizontal
4	7217.25	44.87	-43.48	35.61	-58.26	-25.00	33.26	Horizontal
5	9267.375	42.74	-40.23	37.03	-55.72	-25.00	30.72	Horizontal
6	11228.625	42.13	-37.40	38.71	-51.81	-25.00	26.81	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3861.75	45.36	-46.14	29.18	-66.86	-25.00	41.86	Vertical
2	5651.625	45.30	-44.96	32.33	-62.59	-25.00	37.59	Vertical
3	6328.5	45.63	-44.50	33.52	-60.62	-25.00	35.62	Vertical
4	8164.875	44.19	-41.98	37.00	-56.05	-25.00	31.05	Vertical
5	10057.875	43.26	-39.17	38.51	-52.66	-25.00	27.66	Vertical
6	13166.25	42.83	-37.13	39.63	-49.93	-25.00	24.93	Vertical

Test Band = LTE Band41_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3852.75	45.51	-46.11	29.16	-66.70	-25.00	41.70	Horizontal
2	5987.25	45.47	-44.85	32.40	-62.24	-25.00	37.24	Horizontal
3	6998.625	44.49	-43.56	35.00	-59.33	-25.00	34.33	Horizontal
4	9163.5	42.55	-40.29	36.83	-56.17	-25.00	31.17	Horizontal
5	11885.25	43.06	-37.08	39.04	-50.23	-25.00	25.23	Horizontal
6	14497.875	43.93	-34.84	41.20	-44.97	-25.00	19.97	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732.75	45.13	-45.64	28.97	-66.80	-25.00	41.80	Vertical
2	5199	45.09	-45.28	31.76	-63.69	-25.00	38.69	Vertical
3	6480.375	44.88	-44.57	34.03	-60.92	-25.00	35.92	Vertical
4	7835.625	44.86	-42.49	36.87	-56.02	-25.00	31.02	Vertical
5	10101.375	42.52	-39.13	38.51	-53.36	-25.00	28.36	Vertical
6	12785.25	43.28	-36.81	39.34	-49.45	-25.00	24.45	Vertical

For Sample #2:

Test Band = LTE Band41_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4075.5	44.10	-45.83	29.58	-67.41	-25.00	42.41	Horizontal
2	5881	44.11	-44.93	32.38	-63.70	-25.00	38.70	Horizontal
3	7004.5	42.40	-43.58	35.01	-61.43	-25.00	36.43	Horizontal
4	8457	42.03	-41.55	36.83	-57.95	-25.00	32.95	Horizontal
5	10777	37.32	-38.44	38.58	-57.80	-25.00	32.80	Horizontal
6	13374	35.67	-36.46	39.92	-56.12	-25.00	31.12	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4114	43.75	-45.76	29.67	-67.60	-25.00	42.60	Vertical
2	5592	43.78	-45.08	32.32	-64.25	-25.00	39.25	Vertical
3	7576	42.24	-42.98	36.51	-59.49	-25.00	34.49	Vertical
4	9446	40.78	-40.01	37.39	-57.10	-25.00	32.10	Vertical
5	12503.5	36.24	-36.97	39.25	-56.74	-25.00	31.74	Vertical
6	16147	32.02	-34.59	39.88	-57.94	-25.00	32.94	Vertical

Test Band = LTE Band41_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4126.5	43.77	-45.76	29.70	-67.55	-25.00	42.55	Horizontal
2	5285.5	44.33	-45.12	31.91	-64.13	-25.00	39.13	Horizontal
3	7581.5	41.76	-42.97	36.51	-59.95	-25.00	34.95	Horizontal
4	9214.5	39.10	-40.25	36.93	-59.48	-25.00	34.48	Horizontal
5	11909	36.07	-37.15	39.05	-57.28	-25.00	32.28	Horizontal
6	14615	32.68	-35.19	41.29	-56.48	-25.00	31.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3842.5	44.44	-46.07	29.15	-67.75	-25.00	42.75	Vertical
2	5275.5	44.35	-45.14	31.90	-64.15	-25.00	39.15	Vertical
3	6700.5	42.76	-43.81	34.46	-61.85	-25.00	36.85	Vertical
4	8254	41.11	-42.15	36.95	-59.36	-25.00	34.36	Vertical
5	11111.5	36.73	-37.90	38.66	-57.78	-25.00	32.78	Vertical
6	15316	32.74	-34.27	40.94	-55.85	-25.00	30.85	Vertical

Test Band = LTE Band41_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4125.5	43.91	-45.76	29.70	-67.41	-25.00	42.41	Horizontal
2	5722.5	43.63	-44.83	32.34	-64.11	-25.00	39.11	Horizontal
3	7027	43.17	-43.73	35.08	-60.74	-25.00	35.74	Horizontal
4	8768	41.69	-41.39	36.64	-58.32	-25.00	33.32	Horizontal
5	11397.5	36.48	-37.37	38.80	-57.35	-25.00	32.35	Horizontal
6	14341	34.00	-35.60	41.07	-55.79	-25.00	30.79	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4171	43.60	-45.77	29.81	-67.62	-25.00	42.62	Vertical
2	5553	44.07	-45.15	32.31	-64.03	-25.00	39.03	Vertical
3	7552	42.22	-43.03	36.47	-59.60	-25.00	34.60	Vertical
4	9393	40.97	-39.86	37.29	-56.86	-25.00	31.86	Vertical
5	12096.5	36.41	-37.35	39.13	-57.07	-25.00	32.07	Vertical
6	14385.5	34.41	-35.00	41.11	-54.74	-25.00	29.74	Vertical