



### CH38



Date: 1.MAR.2018 16:07:38

### CH46




Date: 1.MAR.2018 16:08:49

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 2.13                       | 0.57        | 2.70                                        | 14.18              |
| CH46    | 5230               | 1.45                       | 0.57        | 2.02                                        | 14.18              |

### CH38



Date: 1.MAR.2018 16:22:49

### CH46



Date: 1.MAR.2018 16:24:22


**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH38    | 5190               | 8.02                       | 14.18              |
| CH46    | 5230               | 6.39                       | 14.18              |

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.26                      | 0.25        | -5.01                                    | 27.18              |
| CH157   | 5785            | -5.26                      | 0.25        | -5.01                                    | 27.18              |
| CH165   | 5825            | -6.11                      | 0.25        | -5.86                                    | 27.18              |

**TX CH149**




Date: 1.MAR.2018 11:32:48

### TX CH157



Date: 1.MAR.2018 11:34:03

### TX CH165




Date: 1.MAR.2018 11:35:06

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.85                      | 0.25        | -4.60                                    | 27.18              |
| CH157   | 5785            | -5.24                      | 0.25        | -4.99                                    | 27.18              |
| CH165   | 5825            | -6.42                      | 0.25        | -6.17                                    | 27.18              |

**TX CH149**




Date: 1.MAR.2018 11:51:01

### TX CH157



Date: 1.MAR.2018 11:52:15

### TX CH165




Date: 1.MAR.2018 11:53:40



**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.99                      | 0.25        | -5.74                                    | 27.18              |
| CH157   | 5785            | -5.96                      | 0.25        | -5.71                                    | 27.18              |
| CH165   | 5825            | -6.47                      | 0.25        | -6.22                                    | 27.18              |

**TX CH149**




Date: 1.MAR.2018 13:52:50

### TX CH157



Date: 1.MAR.2018 13:54:55

### TX CH165




Date: 1.MAR.2018 13:56:22

Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -3.79                      | 0.25        | -3.54                                    | 27.18              |
| CH157   | 5785            | -3.96                      | 0.25        | -3.71                                    | 27.18              |
| CH165   | 5825            | -4.60                      | 0.25        | -4.35                                    | 27.18              |

TX CH149




Date: 1.MAR.2018 14:07:48

### TX CH157



Date: 1.MAR.2018 14:08:51

### TX CH165



Date: 1.MAR.2018 14:10:10


**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 1.37                          | 27.18                 |
| CH157   | 5785               | 1.22                          | 27.18                 |
| CH165   | 5825               | 0.44                          | 27.18                 |

Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.80                      | 0.24        | -5.56                                    | 27.18              |
| CH157   | 5785            | -5.89                      | 0.24        | -5.65                                    | 27.18              |
| CH165   | 5825            | -6.82                      | 0.24        | -6.58                                    | 27.18              |

TX CH149




Date: 1.MAR.2018 15:33:34

### TX CH157



Date: 1.MAR.2018 15:34:31

### TX CH165




Date: 1.MAR.2018 15:35:47

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.99                      | 0.24        | -5.75                                    | 27.18              |
| CH157   | 5785            | -5.75                      | 0.24        | -5.51                                    | 27.18              |
| CH165   | 5825            | -6.75                      | 0.24        | -6.51                                    | 27.18              |


**TX CH149**



Date: 1.MAR.2018 14:59:45




### TX CH157



Date: 1.MAR.2018 15:00:42

### TX CH165




Date: 1.MAR.2018 15:01:45

Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -3.78                      | 0.24        | -3.54                                    | 27.18              |
| CH157   | 5785            | -4.23                      | 0.24        | -3.99                                    | 27.18              |
| CH165   | 5825            | -5.12                      | 0.24        | -4.88                                    | 27.18              |

TX CH149




Date: 1.MAR.2018 14:41:55

### TX CH157



Date: 1.MAR.2018 14:42:53

### TX CH165




Date: 1.MAR.2018 14:44:05

Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 4


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -3.49                      | 0.24        | -3.25                                    | 27.18              |
| CH157   | 5785            | -4.11                      | 0.24        | -3.87                                    | 27.18              |
| CH165   | 5825            | -5.09                      | 0.24        | -4.85                                    | 27.18              |

TX CH149




Date: 1.MAR.2018 14:23:06

### TX CH157



Date: 1.MAR.2018 14:24:02

### TX CH165



Date: 1.MAR.2018 14:25:06


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 1.64                          | 27.18                 |
| CH157   | 5785               | 1.34                          | 27.18                 |
| CH165   | 5825               | 0.40                          | 27.18                 |

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -6.11                         | 0.57        | -5.54                                          | 27.18                 |
| CH159   | 5795               | -7.35                         | 0.57        | -6.78                                          | 27.18                 |

### TX CH151



Date: 1.MAR.2018 15:50:24

### TX CH159




Date: 1.MAR.2018 15:51:58



**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -6.92                         | 0.57        | -6.35                                          | 27.18                 |
| CH159   | 5795               | -8.57                         | 0.57        | -8.00                                          | 27.18                 |

### TX CH151



Date: 1.MAR.2018 16:04:13

### TX CH159




Date: 1.MAR.2018 16:05:32

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -6.88                         | 0.57        | -6.31                                          | 27.18                 |
| CH159   | 5795               | -7.63                         | 0.57        | -7.06                                          | 27.18                 |

### TX CH151



Date: 1.MAR.2018 16:17:08

### TX CH159




Date: 1.MAR.2018 16:18:25

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -5.05                         | 0.57        | -4.48                                          | 27.18                 |
| CH159   | 5795               | -5.35                         | 0.57        | -4.78                                          | 27.18                 |

### TX CH151



Date: 1.MAR.2018 16:58:00

### TX CH159




Date: 1.MAR.2018 16:59:54

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH151   | 5755               | 0.42                          | 27.18                 |
| CH159   | 5795               | -0.46                         | 27.18                 |

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.54                    | 0.32        | 3.86                                  | 14.18           |
| CH40    | 5200            | 2.54                    | 0.32        | 2.86                                  | 14.18           |
| CH48    | 5240            | 2.72                    | 0.32        | 3.04                                  | 14.18           |



Date: 2.MAR.2018 10:12:36




### CH40



Date: 1.MAR.2018 17:18:44


### CH48



Date: 1.MAR.2018 17:20:24


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 4.45                    | 0.32        | 4.77                                  | 14.18           |
| CH40    | 5200            | 3.84                    | 0.32        | 4.16                                  | 14.18           |
| CH48    | 5240            | 1.15                    | 0.32        | 1.47                                  | 14.18           |




Date: 2.MAR.2018 10:13:26

### CH40



Date: 1.MAR.2018 19:32:40


### CH48



Date: 1.MAR.2018 19:45:52


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.82                    | 0.32        | 4.14                                  | 14.18           |
| CH40    | 5200            | 3.71                    | 0.32        | 4.03                                  | 14.18           |
| CH48    | 5240            | 3.85                    | 0.32        | 4.17                                  | 14.18           |




Date: 2.MAR.2018 10:54:00

### CH40



Date: 2.MAR.2018 10:16:07


### CH48



Date: 2.MAR.2018 10:17:00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.57                    | 0.32        | 3.89                                  | 14.18           |
| CH40    | 5200            | 3.13                    | 0.32        | 3.45                                  | 14.18           |
| CH48    | 5240            | 3.30                    | 0.32        | 3.62                                  | 14.18           |




Date: 2.MAR.2018 10:56:13

### CH40



Date: 2.MAR.2018 10:57:11

### CH48



Date: 2.MAR.2018 10:58:09

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH36    | 5180               | 10.20                      | 14.18              |
| CH40    | 5200               | 9.68                       | 14.18              |
| CH48    | 5240               | 9.21                       | 14.18              |



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38    | 5190            | 0.10                    | 1.07        | 1.17                                  | 14.18           |
| CH46    | 5230            | -2.42                   | 1.07        | -1.35                                 | 14.18           |

### CH38



Date: 2.MAR.2018 14:09:52

### CH46




Date: 2.MAR.2018 14:10:46

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 1.00                       | 1.07        | 2.07                                        | 14.18              |
| CH46    | 5230               | -1.97                      | 1.07        | -0.90                                       | 14.18              |

### CH38



Date: 2.MAR.2018 13:48:50

### CH46




Date: 2.MAR.2018 13:50:09

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 0.99                       | 1.07        | 2.06                                        | 14.18              |
| CH46    | 5230               | -2.01                      | 1.07        | -0.94                                       | 14.18              |

### CH38



Date: 2.MAR.2018 11:47:20

### CH46




Date: 2.MAR.2018 11:48:34

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 0.64                       | 1.07        | 1.71                                        | 14.18              |
| CH46    | 5230               | -2.17                      | 1.07        | -1.10                                       | 14.18              |

### CH38



Date: 2.MAR.2018 11:26:44

### CH46



Date: 2.MAR.2018 11:28:47




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH38    | 5190               | 7.79                       | 14.18              |
| CH46    | 5230               | 4.95                       | 14.18              |

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -7.21                   | 1.65        | -5.56                                 | 14.18           |



Date: 2.MAR.2018 14:57:31

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -3.71                   | 1.65        | -2.06                                 | 14.18           |



Date: 2.MAR.2018 15:30:32

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -4.14                   | 1.65        | -2.49                                 | 14.18           |



Date: 2.MAR.2018 15:42:53

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -4.45                   | 1.65        | -2.80                                 | 14.18           |




Date: 2.MAR.2018 15:53:01

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH42    | 5210               | 2.98                       | 14.18              |


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.87                      | 0.32        | -4.55                                    | 27.18              |
| CH157   | 5785            | -5.56                      | 0.32        | -5.24                                    | 27.18              |
| CH165   | 5825            | -6.45                      | 0.32        | -6.13                                    | 27.18              |




Date: 1.MAR.2018 19:21:02

### TX CH157



Date: 1.MAR.2018 19:22:05

### TX CH165




Date: 1.MAR.2018 19:23:33



**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.55                      | 0.32        | -4.23                                    | 27.18              |
| CH157   | 5785            | -4.93                      | 0.32        | -4.61                                    | 27.18              |
| CH165   | 5825            | -5.69                      | 0.32        | -5.37                                    | 27.18              |

**TX CH149**




Date: 2.MAR.2018 09:59:38

### TX CH157



Date: 2.MAR.2018 10:01:07

### TX CH165




Date: 2.MAR.2018 10:02:05

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.26                      | 0.32        | -4.94                                    | 27.18              |
| CH157   | 5785            | -5.25                      | 0.32        | -4.93                                    | 27.18              |
| CH165   | 5825            | -5.87                      | 0.32        | -5.55                                    | 27.18              |

**TX CH149**




Date: 2.MAR.2018 10:42:09

### TX CH157



Date: 2.MAR.2018 10:43:08

### TX CH165




Date: 2.MAR.2018 10:44:17

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | 4.39                       | 0.32        | 4.71                                     | 27.18              |
| CH157   | 5785            | -4.96                      | 0.32        | -4.64                                    | 27.18              |
| CH165   | 5825            | -5.70                      | 0.32        | -5.38                                    | 27.18              |

**TX CH149**




Date: 2.MAR.2018 11:05:57

### TX CH157



Date: 2.MAR.2018 11:06:56

### TX CH165



Date: 2.MAR.2018 11:08:02

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 6.03                          | 27.18                 |
| CH157   | 5785               | 1.17                          | 27.18                 |
| CH165   | 5825               | 0.43                          | 27.18                 |

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -2.65                         | 1.07        | -1.58                                          | 27.18                 |
| CH159   | 5795               | -6.30                         | 1.07        | -5.23                                          | 27.18                 |




### TX CH151



Date: 2.MAR.2018 14:31:15

### TX CH159




Date: 2.MAR.2018 14:33:09

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -2.82                         | 1.07        | -1.75                                          | 27.18                 |
| CH159   | 5795               | -5.50                         | 1.07        | -4.43                                          | 27.18                 |

### TX CH151



Date: 2.MAR.2018 13:58:31

### TX CH159




Date: 2.MAR.2018 13:59:46

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -3.53                         | 1.07        | -2.46                                          | 27.18                 |
| CH159   | 5795               | -6.26                         | 1.07        | -5.19                                          | 27.18                 |

### TX CH151



Date: 2.MAR.2018 12:00:57

### TX CH159




Date: 2.MAR.2018 13:44:16

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -3.13                         | 1.07        | -2.06                                          | 27.18                 |
| CH159   | 5795               | -5.85                         | 1.07        | -4.78                                          | 27.18                 |

### TX CH151



Date: 2.MAR.2018 11:43:05

### TX CH159



Date: 2.MAR.2018 11:45:06

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH151   | 5755               | 4.07                          | 27.18                 |
| CH159   | 5795               | 1.13                          | 27.18                 |



**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.63                      | 1.65        | -3.98                                    | 27.18              |


**TX CH155**



Date: 2.MAR.2018 15:27:34

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.28                      | 1.65        | -3.63                                    | 27.18              |



Date: 2.MAR.2018 15:40:44

Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.68                      | 1.65        | -4.03                                    | 27.18              |



Date: 2.MAR.2018 15:49:47

Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.24                      | 1.65        | -3.59                                    | 27.18              |



Date: 2.MAR.2018 15:58:52


**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH155   | 5775               | 2.22                          | 27.18                 |

## Beamforming


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.54                    | 0.32        | 3.86                                  | 14.20           |
| CH40    | 5200            | 2.54                    | 0.32        | 2.86                                  | 14.20           |
| CH48    | 5240            | 2.72                    | 0.32        | 3.04                                  | 14.20           |




Date: 2.MAR.2018 10:12:36

### CH40



Date: 1.MAR.2018 17:18:44


### CH48



Date: 1.MAR.2018 17:20:24

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 4.45                    | 0.32        | 4.77                                  | 14.20           |
| CH40    | 5200            | 3.84                    | 0.32        | 4.16                                  | 14.20           |
| CH48    | 5240            | 1.15                    | 0.32        | 1.47                                  | 14.20           |



Date: 2.MAR.2018 10:13:26




### CH40



Date: 1.MAR.2018 19:32:40


### CH48



Date: 1.MAR.2018 19:45:52


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.82                    | 0.32        | 4.14                                  | 14.20           |
| CH40    | 5200            | 3.71                    | 0.32        | 4.03                                  | 14.20           |
| CH48    | 5240            | 3.85                    | 0.32        | 4.17                                  | 14.20           |




Date: 2.MAR.2018 10:54:00

### CH40



Date: 2.MAR.2018 10:16:07


### CH48



Date: 2.MAR.2018 10:17:00


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH36    | 5180            | 3.57                    | 0.32        | 3.89                                  | 14.20           |
| CH40    | 5200            | 3.13                    | 0.32        | 3.45                                  | 14.20           |
| CH48    | 5240            | 3.30                    | 0.32        | 3.62                                  | 14.20           |




Date: 2.MAR.2018 10:56:13

### CH40



Date: 2.MAR.2018 10:57:11

### CH48



Date: 2.MAR.2018 10:58:09


**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH36    | 5180               | 10.20                      | 14.20              |
| CH40    | 5200               | 9.68                       | 14.20              |
| CH48    | 5240               | 9.21                       | 14.20              |

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 0.10                       | 1.07        | 1.17                                        | 14.20              |
| CH46    | 5230               | -2.42                      | 1.07        | -1.35                                       | 14.20              |

### CH38



Date: 2.MAR.2018 14:09:52

### CH46




Date: 2.MAR.2018 14:10:46



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 1.00                       | 1.07        | 2.07                                        | 14.20              |
| CH46    | 5230               | -1.97                      | 1.07        | -0.90                                       | 14.20              |

### CH38



Date: 2.MAR.2018 13:48:50

### CH46




Date: 2.MAR.2018 13:50:09

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH38    | 5190            | 0.99                    | 1.07        | 2.06                                  | 14.20           |
| CH46    | 5230            | -2.01                   | 1.07        | -0.94                                 | 14.20           |

### CH38



Date: 2.MAR.2018 11:47:20

### CH46




Date: 2.MAR.2018 11:48:34

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH38    | 5190               | 0.64                       | 1.07        | 1.71                                        | 14.20              |
| CH46    | 5230               | -2.17                      | 1.07        | -1.10                                       | 14.20              |

### CH38



Date: 2.MAR.2018 11:26:44

### CH46




Date: 2.MAR.2018 11:28:47

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH38    | 5190               | 6.56                       | 14.20              |
| CH46    | 5230               | 3.71                       | 14.20              |

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -7.21                   | 1.65        | -5.56                                 | 14.20           |




Date: 2.MAR.2018 14:57:31



**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -3.71                   | 1.65        | -2.06                                 | 14.20           |



Date: 2.MAR.2018 15:30:32

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -4.14                   | 1.65        | -2.49                                 | 14.20           |



Date: 2.MAR.2018 15:42:53

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH42    | 5210            | -4.45                   | 1.65        | -2.80                                 | 14.20           |




Date: 2.MAR.2018 15:53:01

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH42    | 5210               | 2.98                       | 14.20              |


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.87                      | 0.32        | -4.55                                    | 27.20              |
| CH157   | 5785            | -5.56                      | 0.32        | -5.24                                    | 27.20              |
| CH165   | 5825            | -6.45                      | 0.32        | -6.13                                    | 27.20              |




Date: 1.MAR.2018 19:21:02

### TX CH157



Date: 1.MAR.2018 19:22:05

### TX CH165




Date: 1.MAR.2018 19:23:33

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.55                      | 0.32        | -4.23                                    | 27.20              |
| CH157   | 5785            | -4.93                      | 0.32        | -4.61                                    | 27.20              |
| CH165   | 5825            | -5.69                      | 0.32        | -5.37                                    | 27.20              |

**TX CH149**




Date: 2.MAR.2018 09:59:38

### TX CH157



Date: 2.MAR.2018 10:01:07

### TX CH165




Date: 2.MAR.2018 10:02:05



**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -5.26                      | 0.32        | -4.94                                    | 27.20              |
| CH157   | 5785            | -5.25                      | 0.32        | -4.93                                    | 27.20              |
| CH165   | 5825            | -5.87                      | 0.32        | -5.55                                    | 27.20              |

**TX CH149**




Date: 2.MAR.2018 10:42:09

### TX CH157



Date: 2.MAR.2018 10:43:08

### TX CH165




Date: 2.MAR.2018 10:44:17

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH149   | 5745            | -4.39                      | 0.32        | -4.07                                    | 27.20              |
| CH157   | 5785            | -4.96                      | 0.32        | -4.64                                    | 27.20              |
| CH165   | 5825            | -5.70                      | 0.32        | -5.38                                    | 27.20              |

**TX CH149**




Date: 2.MAR.2018 11:05:57

### TX CH157



Date: 2.MAR.2018 11:06:56

### TX CH165



Date: 2.MAR.2018 11:08:02


**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH149   | 5745               | 1.59                          | 27.20                 |
| CH157   | 5785               | 1.17                          | 27.20                 |
| CH165   | 5825               | 0.43                          | 27.20                 |

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -2.65                         | 1.07        | -1.58                                          | 27.20                 |
| CH159   | 5795               | -6.30                         | 1.07        | -5.23                                          | 27.20                 |

### TX CH151



Date: 2.MAR.2018 14:31:15

### TX CH159




Date: 2.MAR.2018 14:33:09

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 2**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -2.82                         | 1.07        | -1.75                                          | 27.20                 |
| CH159   | 5795               | -5.50                         | 1.07        | -4.43                                          | 27.20                 |




### TX CH151



Date: 2.MAR.2018 13:58:31

### TX CH159




Date: 2.MAR.2018 13:59:46

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -3.53                         | 1.07        | -2.46                                          | 27.20                 |
| CH159   | 5795               | -6.26                         | 1.07        | -5.19                                          | 27.20                 |

### TX CH151



Date: 2.MAR.2018 12:00:57

### TX CH159




Date: 2.MAR.2018 13:44:16

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH151   | 5755               | -3.13                         | 1.07        | -2.06                                          | 27.20                 |
| CH159   | 5795               | -5.85                         | 1.07        | -4.78                                          | 27.20                 |

### TX CH151



Date: 2.MAR.2018 11:43:05

### TX CH159



Date: 2.MAR.2018 11:45:06


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH151   | 5755               | 4.07                          | 27.20                 |
| CH159   | 5795               | 1.13                          | 27.20                 |

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.63                      | 1.65        | -3.98                                    | 27.20              |


**TX CH155**



Date: 2.MAR.2018 15:27:34

Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.28                      | 1.65        | -3.63                                    | 27.20              |




Date: 2.MAR.2018 15:40:44



Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 3


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-------------|------------------------------------------------|-----------------------|
| CH155   | 5775               | -5.68                         | 1.65        | -4.03                                          | 27.20                 |



Date: 2.MAR.2018 15:49:47

Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/500kHz) | Duty Factor | Power Density + Duty Factor (dBm/500kHz) | Limit (dBm/500kHz) |
|---------|-----------------|----------------------------|-------------|------------------------------------------|--------------------|
| CH155   | 5775            | -5.24                      | 1.65        | -3.59                                    | 27.20              |



Date: 2.MAR.2018 15:58:52

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/500kHz) | Limit<br>(dBm/500kHz) |
|---------|--------------------|-------------------------------|-----------------------|
| CH155   | 5775               | 2.22                          | 27.20                 |

## APPENDIX H - FREQUENCY STABILITY

|            |        |
|------------|--------|
| Test Mode: | UNII-1 |
|------------|--------|

#### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5180.0000                   |
| 132                  | 5179.9364                   |
| 120                  | 5179.9364                   |
| 108                  | 5179.9364                   |
| Max. Deviation (MHz) | 0.0636                      |
| Max. Deviation (ppm) | 12.2780                     |

#### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5180.0000                   |
| -5                   | 5179.9364                   |
| 5                    | 5179.9364                   |
| 15                   | 5179.9364                   |
| 25                   | 5179.9364                   |
| 35                   | 5179.9364                   |
| 45                   | 5179.9364                   |
| 50                   | 5179.9364                   |
| Max. Deviation (MHz) | 0.0636                      |
| Max. Deviation (ppm) | 12.2780                     |

|            |        |
|------------|--------|
| Test Mode: | UNII-3 |
|------------|--------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5745.0000                   |
| 132                  | 5744.9296                   |
| 120                  | 5744.9296                   |
| 108                  | 5744.9296                   |
| Max. Deviation (MHz) | 0.0704                      |
| Max. Deviation (ppm) | 12.2541                     |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5745.0000                   |
| -5                   | 5744.9296                   |
| 5                    | 5744.9296                   |
| 15                   | 5744.9296                   |
| 25                   | 5744.9296                   |
| 35                   | 5744.9296                   |
| 45                   | 5744.9296                   |
| 50                   | 5744.9296                   |
| Max. Deviation (MHz) | 0.0704                      |
| Max. Deviation (ppm) | 12.2541                     |