



9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	863.71	-64.92	-13	Pass	9701
1000	1700	1	RMS	1699	-53.33	-13	Pass	701
1700	1765	1	RMS	1732.013	22.99	60	Pass	401
1765	3000	1	RMS	2947	-50.41	-13	Pass	1236
3000	12000	1	RMS	11980	-41.76	-13	Pass	9002
12000	20000	1	RMS	19333	-34.96	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	Pass	2986
30	1000	0.1	RMS	855.104	-64.97	-13	Pass	9701
1000	1700	1	RMS	1696	-53.41	-13	Pass	701
1700	1765	1	RMS	1732.013	22.5	60	Pass	401
1765	3000	1	RMS	2986	-50.43	-13	Pass	1236
3000	12000	1	RMS	11983	-41.74	-13	Pass	9002
12000	20000	1	RMS	19352	-34.93	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	927.652	-64.95	-13	Pass	9701
1000	1700	1	RMS	1698	-53.42	-13	Pass	701
1700	1765	1	RMS	1753.788	23.05	60	Pass	401
1765	3000	1	RMS	2969	-50.41	-13	Pass	1236
3000	12000	1	RMS	11976	-41.72	-13	Pass	9002
12000	20000	1	RMS	19305	-34.93	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	918.746	-65.05	-13	Pass	9701
1000	1700	1	RMS	1678	-53.38	-13	Pass	701
1700	1765	1	RMS	1753.788	22.27	60	Pass	401
1765	3000	1	RMS	2997	-50.41	-13	Pass	1236
3000	12000	1	RMS	11980	-41.72	-13	Pass	9002
12000	20000	1	RMS	19452	-35	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.34	-13	Pass	2986
30	1000	0.1	RMS	884.423	-65.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.37	-13	Pass	701
1700	1765	1	RMS	1710.238	22.73	60	Pass	401
1765	3000	1	RMS	2984	-50.43	-13	Pass	1236
3000	12000	1	RMS	11981	-41.73	-13	Pass	9002
12000	20000	1	RMS	19449	-34.94	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	1000	0.1	RMS	940.461	-65.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1765	1	RMS	1710.238	22.3	60	Pass	401
1765	3000	1	RMS	2996	-50.45	-13	Pass	1236
3000	12000	1	RMS	11981	-41.79	-13	Pass	9002
12000	20000	1	RMS	19463	-35.01	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-13	Pass	2986
30	1000	0.1	RMS	964.977	-64.97	-13	Pass	9701
1000	1700	1	RMS	1700	-53.1	-13	Pass	701
1700	1765	1	RMS	1731.2	22.95	60	Pass	401
1765	3000	1	RMS	2964	-50.44	-13	Pass	1236
3000	12000	1	RMS	11979	-41.75	-13	Pass	9002
12000	20000	1	RMS	19410	-34.95	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2986
30	1000	0.1	RMS	941.161	-64.95	-13	Pass	9701
1000	1700	1	RMS	1700	-53.22	-13	Pass	701
1700	1765	1	RMS	1731.2	22.94	60	Pass	401
1765	3000	1	RMS	2997	-50.44	-13	Pass	1236
3000	12000	1	RMS	11979	-41.73	-13	Pass	9002
12000	20000	1	RMS	19318	-34.98	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2986
30	1000	0.1	RMS	983.289	-64.93	-13	Pass	9701
1000	1700	1	RMS	1699	-53.42	-13	Pass	701
1700	1765	1	RMS	1752.163	23.06	60	Pass	401
1765	3000	1	RMS	1765	-50.05	-13	Pass	1236
3000	12000	1	RMS	11981	-41.8	-13	Pass	9002
12000	20000	1	RMS	19386	-34.95	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	925.351	-65.04	-13	Pass	9701
1000	1700	1	RMS	1676	-53.45	-13	Pass	701
1700	1765	1	RMS	1752.163	22.51	60	Pass	401
1765	3000	1	RMS	3000	-50.44	-13	Pass	1236
3000	12000	1	RMS	11981	-41.77	-13	Pass	9002
12000	20000	1	RMS	19399	-34.95	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	979.286	-65.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.31	-13	Pass	701
1700	1765	1	RMS	1710.4	22.72	60	Pass	401
1765	3000	1	RMS	2999	-50.42	-13	Pass	1236
3000	12000	1	RMS	11982	-41.75	-13	Pass	9002
12000	20000	1	RMS	19445	-34.93	-13	Pass	8001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.77	-13	Pass	2986
30	1000	0.1	RMS	976.584	-65	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1710.4	21.87	60	Pass	401
1765	3000	1	RMS	2999	-50.48	-13	Pass	1236
3000	12000	1	RMS	11977	-41.79	-13	Pass	9002
12000	20000	1	RMS	19392	-34.95	-13	Pass	8001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	945.464	-65.05	-13	Pass	9701
1000	1700	1	RMS	1700	-53.12	-13	Pass	701
1700	1765	1	RMS	1730.388	22.93	60	Pass	401
1765	3000	1	RMS	2978	-50.45	-13	Pass	1236
3000	12000	1	RMS	11979	-41.7	-13	Pass	9002
12000	20000	1	RMS	19417	-34.99	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	986.291	-65.01	-13	Pass	9701
1000	1700	1	RMS	1700	-53.19	-13	Pass	701
1700	1765	1	RMS	1730.388	22.31	60	Pass	401
1765	3000	1	RMS	2998	-50.43	-13	Pass	1236
3000	12000	1	RMS	11981	-41.78	-13	Pass	9002
12000	20000	1	RMS	19337	-34.98	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	Pass	2986
30	1000	0.1	RMS	934.256	-65.06	-13	Pass	9701
1000	1700	1	RMS	1699	-53.45	-13	Pass	701
1700	1765	1	RMS	1750.375	22.82	60	Pass	401
1765	3000	1	RMS	1765	-50.36	-13	Pass	1236
3000	12000	1	RMS	11979	-41.76	-13	Pass	9002
12000	20000	1	RMS	19402	-35.01	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.23	-13	Pass	2986
30	1000	0.1	RMS	921.848	-65.06	-13	Pass	9701
1000	1700	1	RMS	1700	-53.42	-13	Pass	701
1700	1765	1	RMS	1750.375	22.61	60	Pass	401
1765	3000	1	RMS	3000	-50.37	-13	Pass	1236
3000	12000	1	RMS	11975	-41.68	-13	Pass	9002
12000	20000	1	RMS	19314	-35.02	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2986
30	1000	0.1	RMS	855.204	-64.99	-13	Pass	9701
1000	1700	1	RMS	1693	-41.65	-13	Pass	701
1700	1765	1	RMS	1710.563	22.87	60	Pass	401
1765	3000	1	RMS	2963	-50.45	-13	Pass	1236
3000	12000	1	RMS	11976	-41.83	-13	Pass	9002
12000	20000	1	RMS	19406	-35.02	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	Pass	2986
30	1000	0.1	RMS	979.887	-65.05	-13	Pass	9701
1000	1700	1	RMS	1693	-42.05	-13	Pass	701
1700	1765	1	RMS	1710.563	22.29	60	Pass	401
1765	3000	1	RMS	3000	-50.41	-13	Pass	1236
3000	12000	1	RMS	11965	-41.73	-13	Pass	9002
12000	20000	1	RMS	19435	-35	-13	Pass	8001




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	931.054	-65.06	-13	Pass	9701
1000	1700	1	RMS	1700	-53.13	-13	Pass	701
1700	1765	1	RMS	1728.113	23.01	60	Pass	401
1765	3000	1	RMS	2999	-50.45	-13	Pass	1236
3000	12000	1	RMS	11979	-41.79	-13	Pass	9002
12000	20000	1	RMS	19335	-35.03	-13	Pass	8001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	872.215	-64.97	-13	Pass	9701
1000	1700	1	RMS	1700	-53.21	-13	Pass	701
1700	1765	1	RMS	1728.113	22.37	60	Pass	401
1765	3000	1	RMS	2964	-50.47	-13	Pass	1236
3000	12000	1	RMS	11979	-41.78	-13	Pass	9002
12000	20000	1	RMS	19381	-35.07	-13	Pass	8001




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	851.702	-65.03	-13	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	Pass	701
1700	1765	1	RMS	1745.5	22.93	60	Pass	401
1765	3000	1	RMS	1765	-50.19	-13	Pass	1236
3000	12000	1	RMS	11977	-41.8	-13	Pass	9002
12000	20000	1	RMS	19419	-34.92	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2986
30	1000	0.1	RMS	994.196	-65.01	-13	Pass	9701
1000	1700	1	RMS	1699	-53.39	-13	Pass	701
1700	1765	1	RMS	1745.5	21.99	60	Pass	401
1765	3000	1	RMS	3000	-50.37	-13	Pass	1236
3000	12000	1	RMS	11980	-41.68	-13	Pass	9002
12000	20000	1	RMS	19375	-34.99	-13	Pass	8001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	992.395	-64.95	-13	Pass	9701
1000	1700	1	RMS	1698	-39.24	-13	Pass	701
1700	1765	1	RMS	1710.888	22.76	60	Pass	401
1765	3000	1	RMS	3000	-50.4	-13	Pass	1236
3000	12000	1	RMS	11977	-41.77	-13	Pass	9002
12000	20000	1	RMS	19401	-35.01	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2986
30	1000	0.1	RMS	852.602	-65.06	-13	Pass	9701
1000	1700	1	RMS	1698	-39.95	-13	Pass	701
1700	1765	1	RMS	1710.888	22.26	60	Pass	401
1765	3000	1	RMS	2999	-50.39	-13	Pass	1236
3000	12000	1	RMS	11981	-41.7	-13	Pass	9002
12000	20000	1	RMS	19300	-35.01	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	978.386	-64.86	-13	Pass	9701
1000	1700	1	RMS	1699	-41.28	-13	Pass	701
1700	1765	1	RMS	1725.838	22.96	60	Pass	401
1765	3000	1	RMS	2997	-50.42	-13	Pass	1236
3000	12000	1	RMS	11980	-41.79	-13	Pass	9002
12000	20000	1	RMS	19419	-34.95	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	876.818	-65.02	-13	Pass	9701
1000	1700	1	RMS	1699	-40.53	-13	Pass	701
1700	1765	1	RMS	1725.838	22.95	60	Pass	401
1765	3000	1	RMS	2966	-50.41	-13	Pass	1236
3000	12000	1	RMS	11980	-41.73	-13	Pass	9002
12000	20000	1	RMS	19362	-35	-13	Pass	8001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	979.787	-64.96	-13	Pass	9701
1000	1700	1	RMS	1700	-53.31	-13	Pass	701
1700	1765	1	RMS	1740.788	23.05	60	Pass	401
1765	3000	1	RMS	1768	-33.7	-13	Pass	1236
3000	12000	1	RMS	11987	-41.8	-13	Pass	9002
12000	20000	1	RMS	19426	-35.02	-13	Pass	8001




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-13	Pass	2986
30	1000	0.1	RMS	924.45	-65.03	-13	Pass	9701
1000	1700	1	RMS	1698	-53.38	-13	Pass	701
1700	1765	1	RMS	1740.788	22.41	60	Pass	401
1765	3000	1	RMS	1768	-34.01	-13	Pass	1236
3000	12000	1	RMS	11971	-41.8	-13	Pass	9002
12000	20000	1	RMS	19472	-35	-13	Pass	8001




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	964.076	-65.06	-13	Pass	9701
1000	1700	1	RMS	1693	-39.11	-13	Pass	701
1700	1765	1	RMS	1711.05	22.93	60	Pass	401
1765	3000	1	RMS	1773	-43.42	-13	Pass	1236
3000	12000	1	RMS	11979	-41.73	-13	Pass	9002
12000	20000	1	RMS	19320	-34.98	-13	Pass	8001




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	838.2	-65.06	-13	Pass	9701
1000	1700	1	RMS	1693	-38.72	-13	Pass	701
1700	1765	1	RMS	1711.05	22.59	60	Pass	401
1765	3000	1	RMS	1773	-43.78	-13	Pass	1236
3000	12000	1	RMS	11984	-41.78	-13	Pass	9002
12000	20000	1	RMS	19324	-35.05	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2986
30	1000	0.1	RMS	847.9	-64.89	-13	Pass	9701
1000	1700	1	RMS	1688	-45.04	-13	Pass	701
1700	1765	1	RMS	1723.563	22.86	60	Pass	401
1765	3000	1	RMS	1785	-44.67	-13	Pass	1236
3000	12000	1	RMS	11981	-41.78	-13	Pass	9002
12000	20000	1	RMS	19317	-35.05	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.31	-13	Pass	2986
30	1000	0.1	RMS	964.577	-65.1	-13	Pass	9701
1000	1700	1	RMS	1688	-45.51	-13	Pass	701
1700	1765	1	RMS	1723.563	22.39	60	Pass	401
1765	3000	1	RMS	1785	-44.81	-13	Pass	1236
3000	12000	1	RMS	11981	-41.71	-13	Pass	9002
12000	20000	1	RMS	19330	-35.06	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	1000	0.1	RMS	930.754	-64.91	-13	Pass	9701
1000	1700	1	RMS	1700	-42.73	-13	Pass	701
1700	1765	1	RMS	1736.075	22.94	60	Pass	401
1765	3000	1	RMS	1772	-33.43	-13	Pass	1236
3000	12000	1	RMS	11990	-41.81	-13	Pass	9002
12000	20000	1	RMS	19321	-35.01	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	981.488	-64.96	-13	Pass	9701
1000	1700	1	RMS	1700	-43.97	-13	Pass	701
1700	1765	1	RMS	1736.075	22.08	60	Pass	401
1765	3000	1	RMS	1772	-34.19	-13	Pass	1236
3000	12000	1	RMS	11976	-41.76	-13	Pass	9002
12000	20000	1	RMS	19323	-35.02	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.31	-13	Pass	7841
814	860	0.1	RMS	824.3	20.14	60	Pass	461
860	1000	0.1	RMS	968.9	-64.98	-13	Pass	1401
1000	3000	1	RMS	2472	-48.18	-13	Pass	2001
3000	10000	1	RMS	7321	-43.66	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	814	0.1	RMS	813.5	-64.23	-13	Pass	7841
814	860	0.1	RMS	824.3	20.03	60	Pass	461
860	1000	0.1	RMS	867.3	-65.06	-13	Pass	1401
1000	3000	1	RMS	2472	-47.89	-13	Pass	2001
3000	10000	1	RMS	7320	-43.68	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2986
30	814	0.1	RMS	810.1	-64.67	-13	Pass	7841
814	860	0.1	RMS	836.1	20.39	60	Pass	461
860	1000	0.1	RMS	978.7	-65.03	-13	Pass	1401
1000	3000	1	RMS	1672	-46.92	-13	Pass	2001
3000	10000	1	RMS	7314	-43.72	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.19	-13	Pass	2986
30	814	0.1	RMS	810	-64.92	-13	Pass	7841
814	860	0.1	RMS	836.1	20.45	60	Pass	461
860	1000	0.1	RMS	863	-65.08	-13	Pass	1401
1000	3000	1	RMS	1672	-46.51	-13	Pass	2001
3000	10000	1	RMS	7319	-43.64	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	814	0.1	RMS	812.6	-65.09	-13	Pass	7841
814	860	0.1	RMS	847.9	20.34	60	Pass	461
860	1000	0.1	RMS	983.1	-65.13	-13	Pass	1401
1000	3000	1	RMS	1695	-46.26	-13	Pass	2001
3000	10000	1	RMS	8742	-43.68	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.37	-13	Pass	2986
30	814	0.1	RMS	813.7	-65	-13	Pass	7841
814	860	0.1	RMS	847.9	19.59	60	Pass	461
860	1000	0.1	RMS	941.7	-65.02	-13	Pass	1401
1000	3000	1	RMS	1695	-47.15	-13	Pass	2001
3000	10000	1	RMS	8746	-43.67	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.09	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.03	-13	Pass	7841
814	860	0.1	RMS	824.3	19.91	60	Pass	461
860	1000	0.1	RMS	964	-65.06	-13	Pass	1401
1000	3000	1	RMS	2472	-48.07	-13	Pass	2001
3000	10000	1	RMS	7321	-43.7	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.28	-13	Pass	7841
814	860	0.1	RMS	824.3	19.2	60	Pass	461
860	1000	0.1	RMS	946.7	-65.02	-13	Pass	1401
1000	3000	1	RMS	2472	-48.68	-13	Pass	2001
3000	10000	1	RMS	7315	-43.68	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.48	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.6	-13	Pass	7841
814	860	0.1	RMS	835.3	20.31	60	Pass	461
860	1000	0.1	RMS	942.3	-65.01	-13	Pass	1401
1000	3000	1	RMS	1670	-46.11	-13	Pass	2001
3000	10000	1	RMS	7320	-43.65	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	814	0.1	RMS	811.8	-64.7	-13	Pass	7841
814	860	0.1	RMS	835.3	19.71	60	Pass	461
860	1000	0.1	RMS	967.3	-64.97	-13	Pass	1401
1000	3000	1	RMS	1670	-46.66	-13	Pass	2001
3000	10000	1	RMS	7322	-43.61	-13	Pass	7001




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.99	-13	Pass	7841
814	860	0.1	RMS	846.3	20.05	60	Pass	461
860	1000	0.1	RMS	966.5	-65	-13	Pass	1401
1000	3000	1	RMS	1692	-46.76	-13	Pass	2001
3000	10000	1	RMS	8744	-43.68	-13	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	814	0.1	RMS	811.3	-65.03	-13	Pass	7841
814	860	0.1	RMS	846.3	19.38	60	Pass	461
860	1000	0.1	RMS	978.1	-65.11	-13	Pass	1401
1000	3000	1	RMS	1692	-47.47	-13	Pass	2001
3000	10000	1	RMS	7320	-43.6	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	814	-62.87	-13	Pass	7841
814	860	0.1	RMS	824.4	19.8	60	Pass	461
860	1000	0.1	RMS	956.8	-65.06	-13	Pass	1401
1000	3000	1	RMS	2473	-48.23	-13	Pass	2001
3000	10000	1	RMS	7320	-43.55	-13	Pass	7001




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.52	-13	Pass	2986
30	814	0.1	RMS	814	-63	-13	Pass	7841
814	860	0.1	RMS	824.4	18.82	60	Pass	461
860	1000	0.1	RMS	936.8	-65.02	-13	Pass	1401
1000	3000	1	RMS	2473	-49.23	-13	Pass	2001
3000	10000	1	RMS	7324	-43.7	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.1	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.44	-13	Pass	7841
814	860	0.1	RMS	834.4	20.23	60	Pass	461
860	1000	0.1	RMS	981.7	-65.11	-13	Pass	1401
1000	3000	1	RMS	1668	-46.4	-13	Pass	2001
3000	10000	1	RMS	7320	-43.68	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.94	-13	Pass	2986
30	814	0.1	RMS	814	-64.4	-13	Pass	7841
814	860	0.1	RMS	834.4	19.58	60	Pass	461
860	1000	0.1	RMS	986.7	-65.03	-13	Pass	1401
1000	3000	1	RMS	1668	-46.95	-13	Pass	2001
3000	10000	1	RMS	7319	-43.68	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	Pass	2986
30	814	0.1	RMS	814	-64.82	-13	Pass	7841
814	860	0.1	RMS	844.4	19.86	60	Pass	461
860	1000	0.1	RMS	946	-65.07	-13	Pass	1401
1000	3000	1	RMS	1688	-47.71	-13	Pass	2001
3000	10000	1	RMS	8748	-43.7	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.86	-13	Pass	2986
30	814	0.1	RMS	812.9	-64.94	-13	Pass	7841
814	860	0.1	RMS	844.4	19.84	60	Pass	461
860	1000	0.1	RMS	943.5	-65	-13	Pass	1401
1000	3000	1	RMS	1688	-47.87	-13	Pass	2001
3000	10000	1	RMS	7320	-43.6	-13	Pass	7001




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	814	0.1	RMS	807	-51.73	-13	Pass	7841
814	860	0.1	RMS	824.6	20.24	60	Pass	461
860	1000	0.1	RMS	968.1	-65.15	-13	Pass	1401
1000	3000	1	RMS	2473	-48.07	-13	Pass	2001
3000	10000	1	RMS	8747	-43.65	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2986
30	814	0.1	RMS	807	-51.05	-13	Pass	7841
814	860	0.1	RMS	824.6	19.4	60	Pass	461
860	1000	0.1	RMS	973.7	-64.99	-13	Pass	1401
1000	3000	1	RMS	2473	-48.37	-13	Pass	2001
3000	10000	1	RMS	7316	-43.65	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2986
30	814	0.1	RMS	814	-63.46	-13	Pass	7841
814	860	0.1	RMS	832.1	20.34	60	Pass	461
860	1000	0.1	RMS	980.4	-65.04	-13	Pass	1401
1000	3000	1	RMS	1664	-46.37	-13	Pass	2001
3000	10000	1	RMS	7320	-43.65	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.98	-13	Pass	2986
30	814	0.1	RMS	814	-62.93	-13	Pass	7841
814	860	0.1	RMS	832.1	20.39	60	Pass	461
860	1000	0.1	RMS	988.7	-65.07	-13	Pass	1401
1000	3000	1	RMS	1664	-46.07	-13	Pass	2001
3000	10000	1	RMS	7324	-43.72	-13	Pass	7001




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.47	-13	Pass	7841
814	860	0.1	RMS	839.6	20.28	60	Pass	461
860	1000	0.1	RMS	887.4	-65.14	-13	Pass	1401
1000	3000	1	RMS	1679	-47.51	-13	Pass	2001
3000	10000	1	RMS	7319	-43.61	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.37	-13	Pass	7841
814	860	0.1	RMS	839.6	20.2	60	Pass	461
860	1000	0.1	RMS	966.4	-65.15	-13	Pass	1401
1000	3000	1	RMS	1679	-47.4	-13	Pass	2001
3000	10000	1	RMS	7317	-43.65	-13	Pass	7001



11. LTE_Band7

11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-25	Pass	2986
30	1000	0.1	RMS	539.7	-64.72	-25	Pass	9701
1000	2480	1	RMS	2480	-51.69	-25	Pass	1481
2480	2590	1	RMS	2500.35	21.37	60	Pass	401
2590	3000	1	RMS	2994	-50.52	-25	Pass	411
3000	12000	1	RMS	5001	-49.1	-25	Pass	9002
12000	26000	1	RMS	25501	-41.94	-25	Pass	14002



11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-25	Pass	2986
30	1000	0.1	RMS	889.827	-65.05	-25	Pass	9701
1000	2480	1	RMS	2480	-51.69	-25	Pass	1481
2480	2590	1	RMS	2500.35	20.44	60	Pass	401
2590	3000	1	RMS	2997	-50.49	-25	Pass	411
3000	12000	1	RMS	5001	-51.01	-25	Pass	9002
12000	26000	1	RMS	25506	-42.01	-25	Pass	14002

