

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5240MHz	Pass	5.38G	7G	AV	5.38041G	7.41	-56.61	-57.21	-53.89	-46.48	-41.20	-5.28
5240MHz	Pass	4.5G	5.1G	PK	5.0961G	7.41	-43.26	-47.14	-41.77	-34.36	-21.20	-13.16
5240MHz	Pass	5.1G	5.15G	PK	5.144G	7.41	-39.28	-44.32	-38.10	-30.69	-21.20	-9.49
5240MHz	Pass	5.35G	5.38G	PK	5.35456G	7.41	-43.67	-45.41	-41.44	-34.03	-21.20	-12.83
5240MHz	Pass	5.38G	7G	PK	6.97084G	7.41	-46.31	-47.13	-43.69	-36.28	-27.00	-9.28
5260MHz	Pass	4.5G	5.1G	AV	5.0997G	7.41	-54.99	-56.26	-52.57	-45.16	-41.20	-3.96
5260MHz	Pass	5.1G	5.15G	AV	5.1479G	7.41	-52.04	-53.82	-49.83	-42.42	-41.20	-1.22
5260MHz	Pass	5.35G	5.38G	AV	5.35063G	7.41	-52.55	-53.42	-49.95	-42.54	-41.20	-1.34
5260MHz	Pass	5.38G	7G	AV	5.38041G	7.41	-54.68	-54.71	-51.68	-44.27	-41.20	-3.07
5260MHz	Pass	4.5G	5.1G	PK	5.0973G	7.41	-45.69	-44.48	-42.03	-34.62	-21.20	-13.42
5260MHz	Pass	5.1G	5.15G	PK	5.14055G	7.41	-39.98	-43.79	-38.47	-31.06	-21.20	-9.86
5260MHz	Pass	5.35G	5.38G	PK	5.35108G	7.41	-41.07	-42.56	-38.74	-31.33	-21.20	-10.13
5260MHz	Pass	5.38G	7G	PK	6.9919G	7.41	-46.68	-47.76	-44.18	-36.77	-27.00	-9.77
5300MHz	Pass	4.5G	5.1G	AV	5.0979G	7.41	-57.93	-59.14	-55.48	-48.07	-41.20	-6.87
5300MHz	Pass	5.1G	5.15G	AV	5.1488G	7.41	-55.76	-56.66	-53.18	-45.77	-41.20	-4.57
5300MHz	Pass	5.35G	5.38G	AV	5.35075G	7.41	-51.97	-53.85	-49.80	-42.39	-41.20	-1.19
5300MHz	Pass	5.38G	7G	AV	5.38729G	7.41	-53.82	-55.60	-51.61	-44.20	-41.20	-3.00
5300MHz	Pass	4.5G	5.1G	PK	5.0985G	7.41	-47.09	-48.29	-44.64	-37.23	-21.20	-16.03
5300MHz	Pass	5.1G	5.15G	PK	5.1487G	7.41	-44.49	-47.32	-42.67	-35.26	-21.20	-14.06
5300MHz	Pass	5.35G	5.38G	PK	5.35921G	7.41	-39.75	-43.60	-38.25	-30.84	-21.20	-9.64
5300MHz	Pass	5.38G	7G	PK	6.94168G	7.41	-48.64	-45.29	-43.64	-36.23	-27.00	-9.23
5320MHz	Pass	4.5G	5.1G	AV	5.097G	7.41	-58.26	-59.94	-56.01	-48.60	-41.20	-7.40
5320MHz	Pass	5.1G	5.15G	AV	5.1454G	7.41	-56.44	-58.45	-54.32	-46.91	-41.20	-5.71
5320MHz	Pass	5.35G	5.38G	AV	5.35006G	7.41	-51.38	-54.58	-49.68	-42.27	-41.20	-1.07
5320MHz	Pass	5.38G	7G	AV	5.38041G	7.41	-53.13	-55.87	-51.28	-43.87	-41.20	-2.67
5320MHz	Pass	4.5G	5.1G	PK	5.0802G	7.41	-47.52	-48.70	-45.06	-37.65	-21.20	-16.45
5320MHz	Pass	5.1G	5.15G	PK	5.1409G	7.41	-46.11	-48.16	-44.00	-36.59	-21.20	-15.39
5320MHz	Pass	5.35G	5.38G	PK	5.35162G	7.41	-39.59	-44.08	-38.27	-30.86	-21.20	-9.66
5320MHz	Pass	5.38G	7G	PK	6.9595G	7.41	-48.64	-47.03	-44.75	-37.34	-27.00	-10.34
5500MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-56.56	-55.77	-53.14	-45.73	-41.20	-4.53
5500MHz	Pass	5.35G	5.47G	AV	5.4586G	7.41	-52.01	-53.39	-49.64	-42.23	-41.20	-1.03
5500MHz	Pass	4.5G	5.35G	PK	5.30835G	7.41	-44.24	-48.56	-42.87	-35.46	-27.00	-8.46
5500MHz	Pass	5.35G	5.46G	PK	5.45989G	7.41	-40.73	-42.85	-38.65	-31.24	-21.20	-10.04
5500MHz	Pass	5.46G	5.47G	PK	5.462G	7.41	-41.22	-40.75	-37.97	-30.56	-27.00	-3.56
5500MHz	Pass	5.725G	5.75G	PK	5.7313G	7.41	-47.72	-48.13	-44.91	-37.50	-27.00	-10.50
5500MHz	Pass	5.75G	7G	PK	6.97031G	7.41	-48.19	-45.31	-43.51	-36.10	-27.00	-9.10
5580MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-57.05	-58.01	-54.49	-47.08	-41.20	-5.88
5580MHz	Pass	5.35G	5.47G	AV	5.45956G	7.41	-52.57	-53.45	-49.98	-42.57	-41.20	-1.37
5580MHz	Pass	4.5G	5.35G	PK	5.34915G	7.41	-45.75	-46.76	-43.22	-35.81	-27.00	-8.81
5580MHz	Pass	5.35G	5.46G	PK	5.46G	7.41	-41.35	-43.27	-39.19	-31.78	-21.20	-10.58
5580MHz	Pass	5.46G	5.47G	PK	5.46761G	7.41	-39.83	-40.22	-37.01	-29.60	-27.00	-2.60
5580MHz	Pass	5.725G	5.75G	PK	5.72543G	7.41	-42.71	-42.36	-39.52	-32.11	-27.00	-5.11

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5580MHz	Pass	5.75G	7G	PK	5.76656G	7.41	-45.72	-44.77	-42.21	-34.80	-27.00	-7.80
5700MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-59.42	-59.47	-56.43	-49.02	-41.20	-7.82
5700MHz	Pass	5.35G	5.47G	AV	5.45884G	7.41	-58.96	-60.01	-56.44	-49.03	-41.20	-7.83
5700MHz	Pass	4.5G	5.35G	PK	5.3092G	7.41	-47.82	-48.73	-45.24	-37.83	-27.00	-10.83
5700MHz	Pass	5.35G	5.46G	PK	5.45505G	7.41	-48.79	-49.04	-45.90	-38.49	-21.20	-17.29
5700MHz	Pass	5.46G	5.47G	PK	5.46017G	7.41	-47.18	-48.52	-44.79	-37.38	-27.00	-10.38
5700MHz	Pass	5.725G	5.75G	PK	5.72518G	7.41	-37.51	-40.96	-35.89	-28.48	-27.00	-1.48
5700MHz	Pass	5.75G	7G	PK	5.75531G	7.41	-41.56	-43.73	-39.50	-32.09	-27.00	-5.09
5720MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-58.61	-59.08	-55.83	-48.42	-41.20	-7.22
5720MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.47G	AV	5.4592G	7.41	-58.07	-59.62	-55.77	-48.36	-41.20	-7.16
5720MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	PK	5.33045G	7.41	-47.65	-48.26	-44.93	-37.52	-27.00	-10.52
5720MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.46G	PK	5.45978G	7.41	-47.80	-48.55	-45.15	-37.74	-21.20	-16.54
5720MHz Straddle 5.47-5.725GHz	Pass	5.46G	5.47G	PK	5.46906G	7.41	-46.24	-48.75	-44.31	-36.90	-27.00	-9.90
5720MHz Straddle 5.47-5.725GHz	Pass	5.85G	7G	PK	5.85489G	7.41	-42.20	-42.03	-39.10	-31.69	-27.00	-4.69
5745MHz	Pass	4.5G	5.6G	AV	5.42455G	7.41	-57.85	-57.34	-54.58	-47.17	-41.20	-5.97
5745MHz	Pass	4.5G	5.6G	PK	5.59835G	7.41	-43.76	-43.14	-40.43	-33.02	-27.00	-6.02
5745MHz	Pass	5.6G	5.65G	PK	5.64815G	7.41	-37.74	-40.10	-35.75	-28.34	-27.00	-1.34
5745MHz	Pass	5.65G	5.7G	PK	5.65015G	7.41	-39.77	-39.03	-36.37	-28.96	-26.89	-2.07
5745MHz	Pass	5.7G	5.72G	PK	5.71454G	7.41	-19.64	-28.28	-19.08	-11.67	14.07	-25.74
5745MHz	Pass	5.72G	5.725G	PK	5.72003G	7.41	-16.50	-25.22	-15.95	-8.54	15.67	-24.21
5745MHz	Pass	5.85G	5.855G	PK	5.8549G	7.41	-37.64	-39.62	-35.51	-28.10	15.84	-43.94
5745MHz	Pass	5.855G	5.875G	PK	5.87444G	7.41	-39.05	-39.83	-36.41	-29.00	10.16	-39.16
5745MHz	Pass	5.875G	5.925G	PK	5.92475G	7.41	-42.88	-42.48	-39.67	-32.26	-26.82	-5.44
5745MHz	Pass	5.925G	7G	PK	5.92984G	7.41	-43.74	-42.39	-40.00	-32.59	-27.00	-5.59
5785MHz	Pass	4.5G	5.6G	AV	5.45865G	7.41	-58.12	-57.55	-54.82	-47.41	-41.20	-6.21
5785MHz	Pass	4.5G	5.6G	PK	5.57158G	7.41	-45.87	-45.76	-42.80	-35.39	-27.00	-8.39
5785MHz	Pass	5.6G	5.65G	PK	5.6454G	7.41	-42.50	-40.90	-38.62	-31.21	-27.00	-4.21
5785MHz	Pass	5.65G	5.7G	PK	5.6501G	7.41	-42.30	-42.32	-39.30	-31.89	-26.93	-4.96
5785MHz	Pass	5.7G	5.72G	PK	5.7013G	7.41	-34.76	-40.24	-33.68	-26.27	10.36	-36.63
5785MHz	Pass	5.72G	5.725G	PK	5.72042G	7.41	-35.83	-34.87	-32.31	-24.90	16.55	-41.45
5785MHz	Pass	5.85G	5.855G	PK	5.855G	7.41	-38.54	-34.92	-33.35	-25.94	15.60	-41.54
5785MHz	Pass	5.855G	5.875G	PK	5.87398G	7.41	-39.03	-36.02	-34.26	-26.85	10.29	-37.14
5785MHz	Pass	5.875G	5.925G	PK	5.925G	7.41	-41.77	-39.97	-37.77	-30.36	-27.00	-3.36
5785MHz	Pass	5.925G	7G	PK	5.92796G	7.41	-41.38	-42.69	-38.98	-31.57	-27.00	-4.57
5825MHz	Pass	4.5G	5.6G	AV	5.44985G	7.41	-57.64	-58.01	-54.81	-47.40	-41.20	-6.20
5825MHz	Pass	4.5G	5.6G	PK	5.5989G	7.41	-47.53	-46.36	-43.90	-36.49	-27.00	-9.49
5825MHz	Pass	5.6G	5.65G	PK	5.6488G	7.41	-46.06	-43.69	-41.70	-34.29	-27.00	-7.29
5825MHz	Pass	5.65G	5.7G	PK	5.65075G	7.41	-44.60	-44.90	-41.74	-34.33	-26.45	-7.88
5825MHz	Pass	5.7G	5.72G	PK	5.70006G	7.41	-41.37	-41.16	-38.25	-30.84	10.02	-40.86
5825MHz	Pass	5.72G	5.725G	PK	5.72G	7.41	-40.02	-40.95	-37.45	-30.04	15.60	-45.64
5825MHz	Pass	5.85G	5.855G	PK	5.8547G	7.41	-27.19	-21.96	-20.82	-13.41	16.28	-29.69
5825MHz	Pass	5.855G	5.875G	PK	5.85504G	7.41	-26.04	-20.55	-19.47	-12.06	15.59	-27.65

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5825MHz	Pass	5.875G	5.925G	PK	5.9239G	7.41	-38.23	-38.87	-35.53	-28.12	-26.19	-1.93
5825MHz	Pass	5.925G	7G	PK	5.92634G	7.41	-40.77	-39.19	-36.90	-29.49	-27.00	-2.49
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.5G	5.1G	AV	5.0964G	7.41	-54.25	-56.01	-52.03	-44.62	-41.20	-3.42
5190MHz	Pass	5.1G	5.15G	AV	5.14955G	7.41	-52.25	-53.19	-49.68	-42.27	-41.20	-1.07
5190MHz	Pass	5.35G	5.38G	AV	5.35003G	7.41	-57.79	-58.21	-54.98	-47.57	-41.20	-6.37
5190MHz	Pass	5.38G	7G	AV	5.38324G	7.41	-59.54	-59.77	-56.64	-49.23	-41.20	-8.03
5190MHz	Pass	4.5G	5.1G	PK	5.0976G	7.41	-43.87	-45.40	-41.56	-34.15	-21.20	-12.95
5190MHz	Pass	5.1G	5.15G	PK	5.1493G	7.41	-41.84	-42.39	-39.10	-31.69	-21.20	-10.49
5190MHz	Pass	5.35G	5.38G	PK	5.3509G	7.41	-47.15	-46.19	-43.63	-36.22	-21.20	-15.02
5190MHz	Pass	5.38G	7G	PK	6.98259G	7.41	-47.80	-46.62	-44.16	-36.75	-27.00	-9.75
5230MHz	Pass	4.5G	5.1G	AV	5.0994G	7.41	-53.31	-55.40	-51.22	-43.81	-41.20	-2.61
5230MHz	Pass	5.1G	5.15G	AV	5.14795G	7.41	-51.82	-53.60	-49.61	-42.20	-41.20	-1.00
5230MHz	Pass	5.35G	5.38G	AV	5.35072G	7.41	-55.23	-55.44	-52.32	-44.91	-41.20	-3.71
5230MHz	Pass	5.38G	7G	AV	5.38243G	7.41	-57.45	-57.03	-54.22	-46.81	-41.20	-5.61
5230MHz	Pass	4.5G	5.1G	PK	5.0937G	7.41	-43.43	-46.05	-41.54	-34.13	-21.20	-12.93
5230MHz	Pass	5.1G	5.15G	PK	5.1433G	7.41	-39.63	-43.11	-38.02	-30.61	-21.20	-9.41
5230MHz	Pass	5.35G	5.38G	PK	5.35096G	7.41	-44.67	-44.88	-41.76	-34.35	-21.20	-13.15
5230MHz	Pass	5.38G	7G	PK	6.98866G	7.41	-48.64	-46.52	-44.44	-37.03	-27.00	-10.03
5270MHz	Pass	4.5G	5.1G	AV	5.0982G	7.41	-55.32	-57.12	-53.12	-45.71	-41.20	-4.51
5270MHz	Pass	5.1G	5.15G	AV	5.14775G	7.41	-52.67	-54.18	-50.35	-42.94	-41.20	-1.74
5270MHz	Pass	5.35G	5.38G	AV	5.35G	7.41	-52.85	-53.02	-49.92	-42.51	-41.20	-1.31
5270MHz	Pass	5.38G	7G	AV	5.38G	7.41	-54.34	-55.12	-51.70	-44.29	-41.20	-3.09
5270MHz	Pass	4.5G	5.1G	PK	5.0988G	7.41	-46.55	-45.73	-43.11	-35.70	-21.20	-14.50
5270MHz	Pass	5.1G	5.15G	PK	5.14415G	7.41	-40.74	-44.95	-39.34	-31.93	-21.20	-10.73
5270MHz	Pass	5.35G	5.38G	PK	5.35558G	7.41	-40.83	-41.87	-38.31	-30.90	-21.20	-9.70
5270MHz	Pass	5.38G	7G	PK	6.98299G	7.41	-47.63	-46.81	-44.19	-36.78	-27.00	-9.78
5310MHz	Pass	4.5G	5.1G	AV	5.0985G	7.41	-59.14	-59.77	-56.43	-49.02	-41.20	-7.82
5310MHz	Pass	5.1G	5.15G	AV	5.14995G	7.41	-57.37	-58.02	-54.67	-47.26	-41.20	-6.06
5310MHz	Pass	5.35G	5.38G	AV	5.35015G	7.41	-52.89	-53.22	-50.04	-42.63	-41.20	-1.43
5310MHz	Pass	5.38G	7G	AV	5.38162G	7.41	-55.35	-56.31	-52.79	-45.38	-41.20	-4.18
5310MHz	Pass	4.5G	5.1G	PK	5.0964G	7.41	-48.22	-49.49	-45.80	-38.39	-21.20	-17.19
5310MHz	Pass	5.1G	5.15G	PK	5.1248G	7.41	-47.26	-45.48	-43.27	-35.86	-21.20	-14.66
5310MHz	Pass	5.35G	5.38G	PK	5.3524G	7.41	-43.06	-40.93	-38.86	-31.45	-21.20	-10.25
5310MHz	Pass	5.38G	7G	PK	6.9915G	7.41	-46.10	-47.01	-43.52	-36.11	-27.00	-9.11
5510MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-56.91	-57.09	-53.99	-46.58	-41.20	-5.38
5510MHz	Pass	5.35G	5.47G	AV	5.45992G	7.41	-52.50	-53.17	-49.81	-42.40	-41.20	-1.20
5510MHz	Pass	4.5G	5.35G	PK	5.34363G	7.41	-46.13	-46.75	-43.42	-36.01	-27.00	-9.01
5510MHz	Pass	5.35G	5.46G	PK	5.45296G	7.41	-41.47	-42.74	-39.05	-31.64	-21.20	-10.44
5510MHz	Pass	5.46G	5.47G	PK	5.46949G	7.41	-42.92	-38.96	-37.49	-30.08	-27.00	-3.08
5510MHz	Pass	5.725G	5.75G	PK	5.7273G	7.41	-49.78	-46.28	-44.68	-37.27	-27.00	-10.27
5510MHz	Pass	5.75G	7G	PK	6.99813G	7.41	-46.65	-47.80	-44.18	-36.77	-27.00	-9.77

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5590MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-57.02	-57.65	-54.31	-46.90	-41.20	-5.70
5590MHz	Pass	5.35G	5.47G	AV	5.45944G	7.41	-51.56	-54.27	-49.70	-42.29	-41.20	-1.09
5590MHz	Pass	4.5G	5.35G	PK	5.34915G	7.41	-46.27	-47.47	-43.82	-36.41	-27.00	-9.41
5590MHz	Pass	5.35G	5.46G	PK	5.45956G	7.41	-40.63	-43.93	-38.96	-31.55	-21.20	-10.35
5590MHz	Pass	5.46G	5.47G	PK	5.46621G	7.41	-40.01	-40.35	-37.17	-29.76	-27.00	-2.76
5590MHz	Pass	5.725G	5.75G	PK	5.7261G	7.41	-42.10	-40.95	-38.48	-31.07	-27.00	-4.07
5590MHz	Pass	5.75G	7G	PK	5.75031G	7.41	-43.33	-45.05	-41.10	-33.69	-27.00	-6.69
5670MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-58.82	-59.37	-56.08	-48.67	-41.20	-7.47
5670MHz	Pass	5.35G	5.47G	AV	5.45392G	7.41	-58.26	-58.89	-55.55	-48.14	-41.20	-6.94
5670MHz	Pass	4.5G	5.35G	PK	5.32195G	7.41	-47.62	-48.51	-45.03	-37.62	-27.00	-10.62
5670MHz	Pass	5.35G	5.46G	PK	5.45373G	7.41	-46.04	-48.73	-44.17	-36.76	-21.20	-15.56
5670MHz	Pass	5.46G	5.47G	PK	5.46762G	7.41	-45.46	-49.09	-43.90	-36.49	-27.00	-9.49
5670MHz	Pass	5.725G	5.75G	PK	5.7278G	7.41	-38.05	-41.39	-36.40	-28.99	-27.00	-1.99
5670MHz	Pass	5.75G	7G	PK	5.75094G	7.41	-41.91	-42.93	-39.38	-31.97	-27.00	-4.97
5710MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-58.74	-58.74	-55.73	-48.32	-41.20	-7.12
5710MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.47G	AV	5.45836G	7.41	-57.66	-58.76	-55.16	-47.75	-41.20	-6.55
5710MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	PK	5.3279G	7.41	-47.95	-47.11	-44.50	-37.09	-27.00	-10.09
5710MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.46G	PK	5.45736G	7.41	-46.52	-47.10	-43.79	-36.38	-21.20	-15.18
5710MHz Straddle 5.47-5.725GHz	Pass	5.46G	5.47G	PK	5.46589G	7.41	-46.96	-45.50	-43.16	-35.75	-27.00	-8.75
5710MHz Straddle 5.47-5.725GHz	Pass	5.85G	7G	PK	5.85604G	7.41	-44.59	-40.54	-39.10	-31.69	-27.00	-4.69
5755MHz	Pass	4.5G	5.6G	AV	5.44655G	7.41	-58.01	-57.68	-54.83	-47.42	-41.20	-6.22
5755MHz	Pass	4.5G	5.6G	PK	5.59963G	7.41	-44.90	-44.77	-41.82	-34.41	-27.00	-7.41
5755MHz	Pass	5.6G	5.65G	PK	5.64885G	7.41	-40.92	-38.72	-36.67	-29.26	-27.00	-2.26
5755MHz	Pass	5.65G	5.7G	PK	5.65065G	7.41	-40.59	-38.58	-36.46	-29.05	-26.52	-2.53
5755MHz	Pass	5.7G	5.72G	PK	5.71714G	7.41	-24.09	-19.90	-18.50	-11.09	14.80	-25.89
5755MHz	Pass	5.72G	5.725G	PK	5.7202G	7.41	-22.93	-19.95	-18.18	-10.77	16.04	-26.81
5755MHz	Pass	5.85G	5.855G	PK	5.85486G	7.41	-37.17	-38.80	-34.90	-27.49	15.92	-43.41
5755MHz	Pass	5.855G	5.875G	PK	5.87498G	7.41	-39.03	-39.84	-36.41	-29.00	10.01	-39.01
5755MHz	Pass	5.875G	5.925G	PK	5.925G	7.41	-44.23	-43.53	-40.86	-33.45	-27.00	-6.45
5755MHz	Pass	5.925G	7G	PK	5.92608G	7.41	-45.10	-43.64	-41.30	-33.89	-27.00	-6.89
5795MHz	Pass	4.5G	5.6G	AV	5.41245G	7.41	-57.43	-58.15	-54.76	-47.35	-41.20	-6.15
5795MHz	Pass	4.5G	5.6G	PK	5.59725G	7.41	-45.62	-45.97	-42.78	-35.37	-27.00	-8.37
5795MHz	Pass	5.6G	5.65G	PK	5.64855G	7.41	-43.86	-41.96	-39.80	-32.39	-27.00	-5.39
5795MHz	Pass	5.65G	5.7G	PK	5.65105G	7.41	-42.79	-43.00	-39.88	-32.47	-26.22	-6.25
5795MHz	Pass	5.7G	5.72G	PK	5.70266G	7.41	-36.44	-34.80	-32.53	-25.12	10.74	-35.86
5795MHz	Pass	5.72G	5.725G	PK	5.72002G	7.41	-34.90	-31.22	-29.67	-22.26	15.65	-37.91
5795MHz	Pass	5.85G	5.855G	PK	5.85489G	7.41	-35.05	-27.24	-26.57	-19.16	15.85	-35.01
5795MHz	Pass	5.855G	5.875G	PK	5.86966G	7.41	-37.04	-28.35	-27.80	-20.39	11.50	-31.89
5795MHz	Pass	5.875G	5.925G	PK	5.92495G	7.41	-42.80	-40.13	-38.25	-30.84	-26.96	-3.88
5795MHz	Pass	5.925G	7G	PK	5.92796G	7.41	-42.61	-39.79	-37.96	-30.55	-27.00	-3.55
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.5G	5.1G	AV	5.0991G	7.41	-58.40	-59.17	-55.76	-48.35	-41.20	-7.15

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5210MHz	Pass	5.1G	5.15G	AV	5.14945G	7.41	-53.71	-52.78	-50.21	-42.80	-41.20	-1.60
5210MHz	Pass	5.35G	5.38G	AV	5.35108G	7.41	-61.83	-61.25	-58.52	-51.11	-41.20	-9.91
5210MHz	Pass	5.38G	7G	AV	5.38041G	7.41	-63.38	-62.71	-60.02	-52.61	-41.20	-11.41
5210MHz	Pass	4.5G	5.1G	PK	5.0916G	7.41	-50.51	-48.12	-46.14	-38.73	-21.20	-17.53
5210MHz	Pass	5.1G	5.15G	PK	5.14955G	7.41	-43.50	-42.30	-39.85	-32.44	-21.20	-11.24
5210MHz	Pass	5.35G	5.38G	PK	5.35282G	7.41	-50.66	-51.81	-48.19	-40.78	-21.20	-19.58
5210MHz	Pass	5.38G	7G	PK	6.98988G	7.41	-51.79	-53.67	-49.62	-42.21	-27.00	-15.21
5290MHz	Pass	4.5G	5.1G	AV	5.1G	7.41	-61.76	-62.39	-59.05	-51.64	-41.20	-10.44
5290MHz	Pass	5.1G	5.15G	AV	5.14755G	7.41	-59.35	-60.07	-56.68	-49.27	-41.20	-8.07
5290MHz	Pass	5.35G	5.38G	AV	5.35006G	7.41	-53.48	-53.23	-50.34	-42.93	-41.20	-1.73
5290MHz	Pass	5.38G	7G	AV	5.38162G	7.41	-58.44	-58.24	-55.33	-47.92	-41.20	-6.72
5290MHz	Pass	4.5G	5.1G	PK	5.0964G	7.41	-49.71	-53.37	-48.16	-40.75	-21.20	-19.55
5290MHz	Pass	5.1G	5.15G	PK	5.14545G	7.41	-48.00	-47.11	-44.52	-37.11	-21.20	-15.91
5290MHz	Pass	5.35G	5.38G	PK	5.35057G	7.41	-43.47	-43.07	-40.26	-32.85	-21.20	-11.65
5290MHz	Pass	5.38G	7G	PK	6.93439G	7.41	-53.11	-51.71	-49.34	-41.93	-27.00	-14.93
5530MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-60.33	-61.71	-57.96	-50.55	-41.20	-9.35
5530MHz	Pass	5.35G	5.47G	AV	5.4586G	7.41	-52.95	-52.40	-49.66	-42.25	-41.20	-1.05
5530MHz	Pass	4.5G	5.35G	PK	5.18978G	7.41	-55.60	-48.20	-47.47	-40.06	-27.00	-13.06
5530MHz	Pass	5.35G	5.46G	PK	5.45758G	7.41	-43.66	-40.43	-38.74	-31.33	-21.20	-10.13
5530MHz	Pass	5.46G	5.47G	PK	5.46948G	7.41	-42.48	-37.44	-36.26	-28.85	-27.00	-1.85
5530MHz	Pass	5.725G	5.75G	PK	5.7261G	7.41	-52.07	-52.06	-49.05	-41.64	-27.00	-14.64
5530MHz	Pass	5.75G	7G	PK	6.98906G	7.41	-52.03	-52.60	-49.30	-41.89	-27.00	-14.89
5610MHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-61.69	-62.28	-58.96	-51.55	-41.20	-10.35
5610MHz	Pass	5.35G	5.47G	AV	5.45932G	7.41	-54.48	-55.71	-52.04	-44.63	-41.20	-3.43
5610MHz	Pass	4.5G	5.35G	PK	5.33385G	7.41	-49.57	-52.95	-47.93	-40.52	-27.00	-13.52
5610MHz	Pass	5.35G	5.46G	PK	5.44812G	7.41	-43.77	-44.94	-41.31	-33.90	-21.20	-12.70
5610MHz	Pass	5.46G	5.47G	PK	5.46844G	7.41	-41.47	-45.06	-39.89	-32.48	-27.00	-5.48
5610MHz	Pass	5.725G	5.75G	PK	5.72623G	7.41	-41.61	-38.79	-36.96	-29.55	-27.00	-2.55
5610MHz	Pass	5.75G	7G	PK	5.755G	7.41	-43.76	-45.92	-41.70	-34.29	-27.00	-7.29
5690MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	AV	5.35G	7.41	-58.34	-58.89	-55.60	-48.19	-41.20	-6.99
5690MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.47G	AV	5.45956G	7.41	-55.53	-58.50	-53.76	-46.35	-41.20	-5.15
5690MHz Straddle 5.47-5.725GHz	Pass	4.5G	5.35G	PK	5.34278G	7.41	-47.60	-48.26	-44.91	-37.50	-27.00	-10.50
5690MHz Straddle 5.47-5.725GHz	Pass	5.35G	5.46G	PK	5.45549G	7.41	-45.17	-47.24	-43.07	-35.66	-21.20	-14.46
5690MHz Straddle 5.47-5.725GHz	Pass	5.46G	5.47G	PK	5.46874G	7.41	-42.75	-45.64	-40.95	-33.54	-27.00	-6.54
5690MHz Straddle 5.47-5.725GHz	Pass	5.85G	7G	PK	5.8523G	7.41	-40.89	-37.29	-35.72	-28.31	-27.00	-1.31
5775MHz	Pass	4.5G	5.6G	AV	5.4152G	7.41	-60.15	-60.22	-57.17	-49.76	-41.20	-8.56
5775MHz	Pass	4.5G	5.6G	PK	5.59193G	7.41	-46.07	-47.78	-43.83	-36.42	-27.00	-9.42
5775MHz	Pass	5.6G	5.65G	PK	5.64985G	7.41	-40.38	-39.60	-36.96	-29.55	-27.00	-2.55
5775MHz	Pass	5.65G	5.7G	PK	5.65005G	7.41	-39.29	-40.00	-36.62	-29.21	-26.96	-2.25
5775MHz	Pass	5.7G	5.72G	PK	5.7037G	7.41	-32.52	-26.71	-25.70	-18.29	11.04	-29.33
5775MHz	Pass	5.72G	5.725G	PK	5.72006G	7.41	-27.64	-28.89	-25.21	-17.80	15.73	-33.53
5775MHz	Pass	5.85G	5.855G	PK	5.85473G	7.41	-27.94	-29.87	-25.79	-18.38	16.23	-34.61



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5775MHz	Pass	5.855G	5.875G	PK	5.87306G	7.41	-28.17	-28.09	-25.12	-17.71	10.54	-28.25
5775MHz	Pass	5.875G	5.925G	PK	5.92455G	7.41	-41.65	-41.13	-38.37	-30.96	-26.67	-4.29
5775MHz	Pass	5.925G	7G	PK	5.92527G	7.41	-45.38	-40.54	-39.31	-31.90	-27.00	-4.90


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0946G	-41.74	-43.09	-47.49
5.1G	5.15G	1M	PK	5.14085G	-36.60	-42.78	-37.80
5.35G	5.38G	1M	PK	5.353G	-47.45	-50.18	-50.75
5.38G	7G	7G	PK	6.97368G	-49.52	-53.84	-51.53

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-52.01	-54.16	-56.10
5.1G	5.15G	1M	AV	5.1499G	-49.81	-51.54	-54.63
5.35G	5.38G	1M	AV	5.35066G	-58.18	-60.95	-61.44
5.38G	7G	1M	AV	5.38162G	-59.84	-62.43	-63.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


5200MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]


5200MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0958G	-41.89	-45.18	-44.63
5.1G	5.15G	1M	PK	5.13235G	-38.73	-40.00	-44.68
5.35G	5.38G	1M	PK	5.3503G	-41.53	-42.62	-48.08
5.38G	7G	1M	PK	5.47356G	-48.59	-51.03	-52.25

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-51.97	-54.17	-55.97
5.1G	5.15G	1M	AV	5.14685G	-49.77	-51.88	-53.91
5.35G	5.38G	1M	AV	5.3512G	-52.86	-55.42	-56.38
5.38G	7G	1M	AV	5.38G	-54.75	-57.17	-58.44

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0913G	-42.91	-44.73	-47.56
5.1G	5.15G	1M	PK	5.14895G	-38.92	-41.22	-42.79
5.35G	5.38G	1M	PK	5.35723G	-38.71	-40.51	-43.41
5.38G	7G	1M	PK	5.46708G	-46.61	-49.78	-49.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-53.28	-55.47	-57.29
5.1G	5.15G	1M	AV	5.14855G	-49.91	-51.93	-54.21
5.35G	5.38G	1M	AV	5.3509G	-50.33	-52.83	-53.93
5.38G	7G	1M	AV	5.38162G	-52.15	-54.52	-55.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0913G	-46.50	-49.75	-49.29
5.1G	5.15G	1M	PK	5.1423G	-42.59	-44.17	-47.75
5.35G	5.38G	1M	PK	5.36194G	-39.15	-43.64	-41.06
5.38G	7G	1M	PK	5.4772G	-46.70	-47.89	-52.89

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-56.90	-59.05	-60.98
5.1G	5.15G	1M	AV	5.14805G	-54.10	-56.28	-58.13
5.35G	5.38G	1M	AV	5.35132G	-49.90	-52.27	-53.66
5.38G	7G	1M	AV	5.38122G	-52.05	-54.34	-55.92

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0997G	-47.39	-48.63	-53.43
5.1G	5.15G	1M	PK	5.144G	-44.48	-46.81	-48.30
5.35G	5.38G	1M	PK	5.36242G	-38.67	-41.33	-42.07
5.38G	7G	1M	PK	5.46019G	-45.95	-48.04	-50.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-58.05	-60.21	-62.11
5.1G	5.15G	1M	AV	5.14955G	-55.30	-57.73	-58.98
5.35G	5.38G	1M	AV	5.35054G	-49.61	-51.95	-53.42
5.38G	7G	1M	AV	5.38405G	-51.00	-53.58	-54.48

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.34915G	-44.82	-47.61	-48.07
5.35G	5.46G	1M	PK	5.44559G	-39.71	-44.90	-41.28
5.46G	5.47G	1M	PK	5.46952G	-38.15	-41.28	-41.05
5.725G	5.75G	1M	PK	5.7252G	-47.88	-50.87	-50.92
5.75G	7G	1M	PK	6.99875G	-48.89	-51.81	-51.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5500MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-55.26	-58.23	-58.31
5.35G	5.47G	1M	AV	5.45908G	-50.03	-52.69	-53.42

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.34958G	-46.57	-49.03	-50.21
5.35G	5.46G	1M	PK	5.45895G	-38.81	-42.15	-41.52
5.46G	5.47G	1M	PK	5.46554G	-37.99	-40.16	-42.04
5.725G	5.75G	1M	PK	5.72545G	-39.39	-42.18	-42.64
5.75G	7G	1M	PK	5.75031G	-42.17	-46.34	-44.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5580MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-56.89	-59.48	-60.37
5.35G	5.47G	1M	AV	5.45716G	-49.62	-52.13	-53.20



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.3381G	-50.08	-53.23	-52.96
5.35G	5.46G	1M	PK	5.45738G	-48.14	-49.58	-53.84
5.46G	5.47G	1M	PK	5.46901G	-46.79	-47.88	-53.31
5.725G	5.75G	1M	PK	5.72643G	-36.10	-38.23	-40.22
5.75G	7G	1M	PK	5.75156G	-37.93	-38.92	-44.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-61.30	-63.96	-64.69
5.35G	5.47G	1M	AV	5.45848G	-58.96	-60.95	-63.31

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.59615G	-40.54	-43.16	-43.98
5.6G	5.65G	1M	PK	5.64985G	-35.75	-37.35	-40.85
5.65G	5.7G	1M	PK	5.6901G	-35.97	-38.99	-38.97
5.7G	5.72G	1M	PK	5.71544G	-21.81	-22.94	-38.23
5.72G	5.725G	1M	PK	5.7202G	-20.48	-20.99	-30.07
5.85G	5.855G	1M	PK	5.855G	-35.13	-38.16	-38.13
5.855G	5.875G	1M	PK	5.87324G	-35.59	-38.76	-38.45
5.875G	5.925G	1M	PK	5.92355G	-38.67	-41.28	-42.12
5.925G	7G	1M	PK	5.92581G	-40.07	-43.13	-43.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.42675G	-58.41	-62.29	-60.69



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.59872G	-42.81	-46.52	-45.22
5.6G	5.65G	1M	PK	5.6457G	-38.67	-42.59	-40.93
5.65G	5.7G	1M	PK	5.69055G	-38.64	-43.26	-40.48
5.7G	5.72G	1M	PK	5.70052G	-35.16	-38.23	-38.11
5.72G	5.725G	1M	PK	5.72003G	-33.72	-36.49	-36.98
5.85G	5.855G	1M	PK	5.85495G	-33.55	-37.38	-35.87
5.855G	5.875G	1M	PK	5.87418G	-35.01	-39.85	-36.74
5.875G	5.925G	1M	PK	5.92465G	-38.17	-42.42	-40.21
5.925G	7G	7G	PK	5.92581G	-38.18	-41.80	-40.65

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.457G	-54.93	-58.33	-57.59



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.5967G	-46.47	-49.15	-49.84
5.6G	5.65G	1M	PK	5.64975G	-42.48	-45.25	-45.75
5.65G	5.7G	1M	PK	5.69025G	-43.04	-46.05	-46.06
5.7G	5.72G	1M	PK	5.70048G	-37.61	-42.27	-39.43
5.72G	5.725G	1M	PK	5.72001G	-37.77	-41.43	-40.21
5.85G	5.855G	1M	PK	5.85422G	-21.78	-25.89	-23.91
5.855G	5.875G	1M	PK	5.85886G	-24.01	-34.61	-24.41
5.875G	5.925G	1M	PK	5.925G	-35.78	-41.26	-37.23
5.925G	7G	1M	PK	5.92634G	-36.61	-40.55	-38.85

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.44105G	-59.38	-62.41	-62.37



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0814G	-41.15	-43.26	-45.30
5.1G	5.15G	1M	PK	5.1437G	-38.53	-39.95	-44.07
5.35G	5.38G	1M	PK	5.35084G	-44.28	-46.90	-47.73
5.38G	7G	1M	PK	6.97813G	-44.03	-48.60	-45.90

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-51.60	-53.72	-55.74
5.1G	5.15G	1M	AV	5.1472G	-49.65	-51.60	-54.06
5.35G	5.38G	1M	AV	5.35063G	-55.06	-57.73	-58.44
5.38G	7G	1M	AV	5.38446G	-56.68	-59.42	-59.97



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0961G	-41.38	-42.90	-46.69
5.1G	5.15G	1M	PK	5.1341G	-39.61	-40.94	-45.39
5.35G	5.38G	1M	PK	5.35225G	-44.17	-46.34	-48.22
5.38G	7G	1M	PK	6.98178G	-44.30	-48.72	-46.25

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5200MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-52.28	-54.43	-56.37
5.1G	5.15G	1M	AV	5.14425G	-50.45	-52.41	-54.85
5.35G	5.38G	1M	AV	5.35015G	-54.51	-57.18	-57.88
5.38G	7G	1M	AV	5.38041G	-56.45	-59.24	-59.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0961G	-41.77	-43.26	-47.14
5.1G	5.15G	1M	PK	5.144G	-38.10	-39.28	-44.32
5.35G	5.38G	1M	PK	5.35456G	-41.44	-43.67	-45.41
5.38G	7G	1M	PK	6.97084G	-43.69	-46.31	-47.13

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5240MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.1G	-51.53	-53.83	-55.38
5.1G	5.15G	1M	AV	5.14735G	-49.73	-51.99	-53.66
5.35G	5.38G	1M	AV	5.35036G	-51.92	-54.75	-55.11
5.38G	7G	1M	AV	5.38041G	-53.89	-56.61	-57.21



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0973G	-42.03	-45.69	-44.48
5.1G	5.15G	1M	PK	5.14055G	-38.47	-39.98	-43.79
5.35G	5.38G	1M	PK	5.35108G	-38.74	-41.07	-42.56
5.38G	7G	1M	PK	6.9919G	-44.18	-46.68	-47.76

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5260MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0997G	-52.57	-54.99	-56.26
5.1G	5.15G	1M	AV	5.1479G	-49.83	-52.04	-53.82
5.35G	5.38G	1M	AV	5.35063G	-49.95	-52.55	-53.42
5.38G	7G	1M	AV	5.38041G	-51.68	-54.68	-54.71



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0985G	-44.64	-47.09	-48.29
5.1G	5.15G	1M	PK	5.1487G	-42.67	-44.49	-47.32
5.35G	5.38G	1M	PK	5.35921G	-38.25	-39.75	-43.60
5.38G	7G	1M	PK	6.94168G	-43.64	-48.64	-45.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5300MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0979G	-55.48	-57.93	-59.14
5.1G	5.15G	1M	AV	5.1488G	-53.18	-55.76	-56.66
5.35G	5.38G	1M	AV	5.35075G	-49.80	-51.97	-53.85
5.38G	7G	1M	AV	5.38729G	-51.61	-53.82	-55.60



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0802G	-45.06	-47.52	-48.70
5.1G	5.15G	1M	PK	5.1409G	-44.00	-46.11	-48.16
5.35G	5.38G	1M	PK	5.35162G	-38.27	-39.59	-44.08
5.38G	7G	1M	PK	6.9595G	-44.75	-48.64	-47.03

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5320MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.097G	-56.01	-58.26	-59.94
5.1G	5.15G	1M	AV	5.1454G	-54.32	-56.44	-58.45
5.35G	5.38G	1M	AV	5.35006G	-49.68	-51.38	-54.58
5.38G	7G	1M	AV	5.38041G	-51.28	-53.13	-55.87

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5500MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.30835G	-42.87	-44.24	-48.56
5.35G	5.46G	1M	PK	5.45989G	-38.65	-40.73	-42.85
5.46G	5.47G	1M	PK	5.462G	-37.97	-41.22	-40.75
5.725G	5.75G	1M	PK	5.7313G	-44.91	-47.72	-48.13
5.75G	7G	1M	PK	6.97031G	-43.51	-48.19	-45.31

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5500MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-53.14	-56.56	-55.77
5.35G	5.47G	1M	AV	5.4586G	-49.64	-52.01	-53.39



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5580MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.34915G	-43.22	-45.75	-46.76
5.35G	5.46G	1M	PK	5.46G	-39.19	-41.35	-43.27
5.46G	5.47G	1M	PK	5.46761G	-37.01	-39.83	-40.22
5.725G	5.75G	1M	PK	5.72543G	-39.52	-42.71	-42.36
5.75G	7G	1M	PK	5.76656G	-42.21	-45.72	-44.77

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5580MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-54.49	-57.05	-58.01
5.35G	5.47G	1M	AV	5.45956G	-49.98	-52.57	-53.45



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.3092G	-45.24	-47.82	-48.73
5.35G	5.46G	1M	PK	5.45505G	-45.90	-48.79	-49.04
5.46G	5.47G	1M	PK	5.46017G	-44.79	-47.18	-48.52
5.725G	5.75G	1M	PK	5.72518G	-35.89	-37.51	-40.96
5.75G	7G	1M	PK	5.75531G	-39.50	-41.56	-43.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5700MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-56.43	-59.42	-59.47
5.35G	5.47G	1M	AV	5.45804G	-56.44	-58.96	-60.01



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5720MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.59835G	-40.43	-43.76	-43.14
5.6G	5.65G	1M	PK	5.64815G	-35.75	-37.74	-40.10
5.65G	5.7G	1M	PK	5.69015G	-36.37	-39.77	-39.03
5.7G	5.72G	1M	PK	5.71454G	-19.08	-19.64	-38.28
5.72G	5.725G	1M	PK	5.72003G	-15.95	-16.50	-25.22
5.85G	5.855G	1M	PK	5.8549G	-35.51	-37.64	-39.62
5.855G	5.875G	1M	PK	5.87444G	-36.41	-39.05	-39.83
5.875G	5.925G	1M	PK	5.92475G	-39.67	-42.88	-42.48
5.925G	7G	7G	PK	5.92984G	-40.00	-43.74	-42.39

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5745MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.42455G	-54.58	-57.85	-57.34



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.57158G	-42.80	-45.87	-45.76
5.6G	5.65G	1M	PK	5.6454G	-38.62	-42.50	-40.90
5.65G	5.7G	1M	PK	5.6501G	-39.30	-42.30	-42.32
5.7G	5.72G	1M	PK	5.7013G	-33.68	-34.76	-40.24
5.72G	5.725G	1M	PK	5.72042G	-32.31	-35.83	-34.87
5.85G	5.855G	1M	PK	5.855G	-33.35	-38.54	-34.92
5.855G	5.875G	1M	PK	5.87398G	-34.26	-39.03	-36.02
5.875G	5.925G	1M	PK	5.925G	-37.77	-41.77	-39.97
5.925G	7G	1M	PK	5.92796G	-38.98	-41.38	-42.69

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5785MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.45865G	-54.82	-58.12	-57.55



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.5989G	-43.90	-47.53	-46.36
5.6G	5.65G	1M	PK	5.6488G	-41.70	-46.06	-43.69
5.65G	5.7G	1M	PK	5.69075G	-41.74	-44.60	-44.90
5.7G	5.72G	1M	PK	5.7006G	-38.25	-41.37	-41.16
5.72G	5.725G	1M	PK	5.72G	-37.45	-40.02	-40.95
5.85G	5.855G	1M	PK	5.8547G	-20.82	-27.19	-21.96
5.855G	5.875G	1M	PK	5.85504G	-19.47	-26.04	-20.55
5.875G	5.925G	1M	PK	5.9239G	-35.53	-38.23	-38.87
5.925G	7G	1M	PK	5.92634G	-36.90	-40.77	-39.19

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5825MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.44985G	-54.81	-57.64	-58.01

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5190MHz



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5190MHz






5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5230MHz



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]


5230MHz



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5270MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0988G	-43.11	-46.55	-45.73
5.1G	5.15G	1M	PK	5.14415G	-39.34	-40.74	-44.95
5.35G	5.38G	1M	PK	5.35558G	-38.31	-40.83	-41.87
5.38G	7G	1M	PK	6.98299G	-44.19	-47.63	-46.81

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5270MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0982G	-53.12	-55.32	-57.12
5.1G	5.15G	1M	AV	5.14775G	-50.35	-52.67	-54.18
5.35G	5.38G	1M	AV	5.35G	-49.92	-52.85	-53.02
5.38G	7G	1M	AV	5.38G	-51.70	-54.34	-55.12

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5310MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0964G	-45.80	-48.22	-49.49
5.1G	5.15G	1M	PK	5.1248G	-43.27	-47.26	-45.48
5.35G	5.38G	1M	PK	5.3524G	-38.86	-43.06	-40.93
5.38G	7G	1M	PK	6.9915G	-43.52	-46.10	-47.01

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5310MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0985G	-56.43	-59.14	-59.77
5.1G	5.15G	1M	AV	5.14995G	-54.67	-57.37	-58.02
5.35G	5.38G	1M	AV	5.35015G	-50.04	-52.89	-53.22
5.38G	7G	1M	AV	5.38162G	-52.79	-55.35	-56.31

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5510MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.34363G	-43.42	-46.13	-46.75
5.35G	5.46G	1M	PK	5.45296G	-39.05	-41.47	-42.74
5.46G	5.47G	1M	PK	5.46949G	-37.49	-42.92	-38.96
5.725G	5.75G	1M	PK	5.7273G	-44.68	-49.78	-46.28
5.75G	7G	1M	PK	6.99813G	-44.18	-46.65	-47.80

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5510MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-53.99	-56.91	-57.09
5.35G	5.47G	1M	AV	5.45992G	-49.81	-52.50	-53.17



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5590MHz




Limit.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.34915G	-43.82	-46.27	-47.47
5.35G	5.46G	1M	PK	5.45956G	-38.96	-40.63	-43.93
5.46G	5.47G	1M	PK	5.46621G	-37.17	-40.01	-40.35
5.725G	5.75G	1M	PK	5.7261G	-38.48	-42.10	-40.95
5.75G	7G	1M	PK	5.75031G	-41.10	-43.33	-45.05

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5590MHz



Limit.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-54.31	-57.02	-57.65
5.35G	5.47G	1M	AV	5.45944G	-49.70	-51.56	-54.27



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5670MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.32195G	-45.03	-47.62	-48.51
5.35G	5.46G	1M	PK	5.45373G	-44.17	-46.04	-46.73
5.46G	5.47G	1M	PK	5.46762G	-43.90	-45.46	-46.09
5.725G	5.75G	1M	PK	5.7278G	-36.40	-38.05	-41.39
5.75G	7G	1M	PK	5.75094G	-39.38	-41.91	-42.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5670MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-56.08	-58.82	-59.37
5.35G	5.47G	1M	AV	5.45392G	-55.55	-58.26	-58.89



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5710MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5755MHz



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5755MHz






5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5795MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	PK	5.59725G	-42.78	-45.62	-45.97
5.6G	5.65G	1M	PK	5.64855G	-39.80	-43.86	-41.96
5.65G	5.7G	1M	PK	5.65105G	-39.88	-42.79	-43.00
5.7G	5.72G	1M	PK	5.70266G	-32.53	-36.44	-34.80
5.72G	5.725G	1M	PK	5.72002G	-29.67	-34.90	-31.22
5.85G	5.855G	1M	PK	5.85489G	-26.57	-35.05	-27.24
5.855G	5.875G	1M	PK	5.86966G	-27.80	-37.04	-28.35
5.875G	5.925G	1M	PK	5.92495G	-38.25	-42.80	-40.13
5.925G	7G	1M	PK	5.92796G	-37.96	-42.61	-39.79

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5795MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.6G	1M	AV	5.41245G	-54.76	-57.43	-58.15

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5210MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0916G	-46.14	-50.51	-48.12
5.1G	5.15G	1M	PK	5.14955G	-39.85	-43.50	-42.30
5.35G	5.38G	1M	PK	5.35282G	-48.19	-50.66	-51.81
5.38G	7G	1M	PK	6.98988G	-49.62	-51.79	-53.67

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5210MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.0991G	-55.76	-58.40	-59.17
5.1G	5.15G	1M	AV	5.14945G	-50.21	-53.71	-52.78
5.35G	5.38G	1M	AV	5.35108G	-58.52	-61.83	-61.25
5.38G	7G	1M	AV	5.38041G	-60.02	-63.38	-62.71



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5290MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	PK	5.0964G	-48.16	-49.71	-53.37
5.1G	5.15G	1M	PK	5.14545G	-44.52	-48.00	-47.11
5.35G	5.38G	1M	PK	5.35057G	-40.26	-43.47	-43.07
5.38G	7G	1M	PK	6.93439G	-49.34	-53.11	-51.71

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5290MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.1G	1M	AV	5.1G	-59.05	-61.76	-62.39
5.1G	5.15G	1M	AV	5.14755G	-56.68	-59.35	-60.07
5.35G	5.38G	1M	AV	5.35006G	-50.34	-53.48	-53.23
5.38G	7G	1M	AV	5.38162G	-55.33	-58.44	-58.24

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.18978G	-47.47	-55.60	-48.20
5.35G	5.46G	1M	PK	5.45738G	-38.74	-43.66	-40.43
5.46G	5.47G	1M	PK	5.46940G	-36.26	-42.48	-37.44
5.725G	5.75G	1M	PK	5.7261G	-49.05	-52.07	-52.06
5.75G	7G	1M	PK	6.98906G	-49.30	-52.03	-52.60

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5530MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-57.96	-60.33	-61.71
5.35G	5.47G	1M	AV	5.4586G	-49.66	-52.95	-52.40



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	PK	5.33385G	-47.93	-49.57	-52.95
5.35G	5.46G	1M	PK	5.44012G	-41.31	-43.77	-44.94
5.46G	5.47G	1M	PK	5.46844G	-39.89	-41.47	-45.06
5.725G	5.75G	1M	PK	5.72623G	-36.96	-41.61	-38.79
5.75G	7G	1M	PK	5.755G	-41.70	-43.76	-45.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5610MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)	P2(dBm)
4.5G	5.35G	1M	AV	5.35G	-58.96	-61.69	-62.28
5.35G	5.47G	1M	AV	5.45932G	-52.04	-54.48	-55.71



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5690MHz Straddle 5.47-5.725GHz



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5775MHz



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5775MHz



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	18G	40G	AV	38.6525G	7.41	-68.10	-67.97	-65.02	-57.61	-41.20	-16.41
802.11ax HEW20_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.94881G	7.41	-68.01	-67.57	-64.77	-57.36	-41.20	-16.16
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.845G	7.41	-67.69	-67.96	-64.81	-57.40	-41.20	-16.20
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.61813G	7.41	-68.51	-67.87	-65.17	-57.76	-41.20	-16.56
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	18G	40G	AV	38.60094G	7.41	-67.65	-68.16	-64.89	-57.48	-41.20	-16.28
802.11ax HEW20_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.64631G	7.41	-68.23	-67.51	-64.84	-57.43	-41.20	-16.23
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.64013G	7.41	-68.29	-67.67	-64.96	-57.55	-41.20	-16.35
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.94056G	7.41	-68.99	-67.43	-65.13	-57.72	-41.20	-16.52
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	18G	40G	AV	38.64356G	7.41	-67.97	-68.03	-64.99	-57.58	-41.20	-16.38
802.11ax HEW20_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.75013G	7.41	-68.80	-66.68	-64.60	-57.19	-41.20	-15.99
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.83056G	7.41	-67.76	-68.16	-64.95	-57.54	-41.20	-16.34
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.60644G	7.41	-68.02	-67.96	-64.98	-57.57	-41.20	-16.37
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	18G	40G	AV	38.73294G	7.41	-68.16	-67.77	-64.95	-57.54	-41.20	-16.34
802.11ax HEW20_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.7955G	7.41	-67.87	-67.97	-64.91	-57.50	-41.20	-16.30
802.11ax HEW40_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.78931G	7.41	-67.36	-68.58	-64.92	-57.51	-41.20	-16.31
802.11ax HEW80_Nss1,(MCS0)_2TX-OFDMA	Pass	18G	40G	AV	38.60713G	7.41	-67.59	-68.52	-65.02	-57.61	-41.20	-16.41

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX