


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.15	-13	Pass	2985
30	1000	0.1	RMS	961.596	-54.49	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.04	-13	Pass	830
1830	1920	1	RMS	1850.25	22.63	60	Pass	601
1920	3000	1	RMS	2667.692	-39.23	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.42	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.54	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.25	-13	Pass	2985
30	1000	0.1	RMS	926.392	-54.85	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.03	-13	Pass	830
1830	1920	1	RMS	1851.15	22.68	60	Pass	601
1920	3000	1	RMS	2670.695	-39.14	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.4	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.6	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.55	-13	Pass	2985
30	1000	0.1	RMS	901.49	-54.57	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.02	-13	Pass	830
1830	1920	1	RMS	1850.25	21.85	60	Pass	601
1920	3000	1	RMS	2667.692	-39.15	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.29	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.63	-13	Pass	8000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	899.99	-54.57	-13	Pass	9700
1000	1830	1	RMS	1827.998	-44.05	-13	Pass	830
1830	1920	1	RMS	1851.15	21.45	60	Pass	601
1920	3000	1	RMS	2672.697	-39.17	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.26	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.65	-13	Pass	8000



1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	929.293	-54.9	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.02	-13	Pass	830
1830	1920	1	RMS	1879.5	23.03	60	Pass	601
1920	3000	1	RMS	2674.699	-39.21	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.43	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.62	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	1000	0.1	RMS	916.091	-54.69	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.98	-13	Pass	830
1830	1920	1	RMS	1880.4	23.15	60	Pass	601
1920	3000	1	RMS	2669.694	-39.19	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.42	-13	Pass	9000
12000	20000	1	RMS	19832.979	-28.59	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	894.589	-54.75	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.01	-13	Pass	830
1830	1920	1	RMS	1879.5	21.85	60	Pass	601
1920	3000	1	RMS	2671.696	-39.1	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.27	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.6	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	924.392	-54.63	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.05	-13	Pass	830
1830	1920	1	RMS	1880.4	22.17	60	Pass	601
1920	3000	1	RMS	2668.693	-39.09	-13	Pass	1080
3000	12000	1	RMS	11936.993	-46.45	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.55	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	1000	0.1	RMS	955.295	-54.3	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44	-13	Pass	830
1830	1920	1	RMS	1908.9	22.48	60	Pass	601
1920	3000	1	RMS	2665.69	-39.05	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.42	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.63	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.29	-13	Pass	2985
30	1000	0.1	RMS	939.994	-54.75	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.96	-13	Pass	830
1830	1920	1	RMS	1909.8	22.48	60	Pass	601
1920	3000	1	RMS	2672.697	-39.1	-13	Pass	1080
3000	12000	1	RMS	5729.303	-45.84	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.59	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.53	-13	Pass	2985
30	1000	0.1	RMS	887.988	-54.43	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.01	-13	Pass	830
1830	1920	1	RMS	1908.9	21.81	60	Pass	601
1920	3000	1	RMS	2670.695	-39.13	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.43	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.5	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.66	-13	Pass	2985
30	1000	0.1	RMS	947.195	-54.8	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.02	-13	Pass	830
1830	1920	1	RMS	1909.8	21.86	60	Pass	601
1920	3000	1	RMS	2670.695	-39.15	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.17	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.6	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	1000	0.1	RMS	884.888	-54.86	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.94	-13	Pass	830
1830	1920	1	RMS	1850.25	22.68	60	Pass	601
1920	3000	1	RMS	2672.697	-39.16	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.45	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.41	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.33	-13	Pass	2985
30	1000	0.1	RMS	960.496	-54.69	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.06	-13	Pass	830
1830	1920	1	RMS	1852.8	22.73	60	Pass	601
1920	3000	1	RMS	2665.69	-39.22	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.28	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.58	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.52	-13	Pass	2985
30	1000	0.1	RMS	985.298	-54.81	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.04	-13	Pass	830
1830	1920	1	RMS	1850.25	21.22	60	Pass	601
1920	3000	1	RMS	2668.693	-39.16	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.4	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.55	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	882.088	-54.82	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.97	-13	Pass	830
1830	1920	1	RMS	1852.8	21.38	60	Pass	601
1920	3000	1	RMS	2667.692	-39.17	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.38	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.74	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.11	-13	Pass	2985
30	1000	0.1	RMS	911.791	-54.59	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.01	-13	Pass	830
1830	1920	1	RMS	1878.75	23.22	60	Pass	601
1920	3000	1	RMS	2670.695	-39.12	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.42	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.71	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.01	-13	Pass	2985
30	1000	0.1	RMS	928.493	-54.73	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44	-13	Pass	830
1830	1920	1	RMS	1881.3	23.1	60	Pass	601
1920	3000	1	RMS	2670.695	-39.15	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.3	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.5	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.56	-13	Pass	2985
30	1000	0.1	RMS	974.797	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.97	-13	Pass	830
1830	1920	1	RMS	1878.75	22.7	60	Pass	601
1920	3000	1	RMS	2670.695	-39.08	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.43	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.63	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	972.697	-54.62	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.01	-13	Pass	830
1830	1920	1	RMS	1881.3	22.36	60	Pass	601
1920	3000	1	RMS	2666.691	-39.08	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.4	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.62	-13	Pass	8000



1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.36	-13	Pass	2985
30	1000	0.1	RMS	997.5	-54.75	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.07	-13	Pass	830
1830	1920	1	RMS	1907.25	22.56	60	Pass	601
1920	3000	1	RMS	2671.696	-39.19	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.24	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.49	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.89	-13	Pass	2985
30	1000	0.1	RMS	973.297	-54.65	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.01	-13	Pass	830
1830	1920	1	RMS	1909.8	22.96	60	Pass	601
1920	3000	1	RMS	2671.696	-39.13	-13	Pass	1080
3000	12000	1	RMS	5729.303	-45.76	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.56	-13	Pass	8000



1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.99	-13	Pass	2985
30	1000	0.1	RMS	921.592	-54.54	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.01	-13	Pass	830
1830	1920	1	RMS	1907.25	21.4	60	Pass	601
1920	3000	1	RMS	2671.696	-39.19	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.35	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.65	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.13	-13	Pass	2985
30	1000	0.1	RMS	904.99	-54.82	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.01	-13	Pass	830
1830	1920	1	RMS	1909.8	21.29	60	Pass	601
1920	3000	1	RMS	2665.69	-39.18	-13	Pass	1080
3000	12000	1	RMS	11898.989	-46.37	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.6	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	1000	0.1	RMS	913.291	-54.73	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.03	-13	Pass	830
1830	1920	1	RMS	1850.4	22.62	60	Pass	601
1920	3000	1	RMS	2671.696	-39.18	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.44	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.66	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.12	-13	Pass	2985
30	1000	0.1	RMS	875.087	-54.87	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.02	-13	Pass	830
1830	1920	1	RMS	1854.6	22.51	60	Pass	601
1920	3000	1	RMS	2669.694	-39.13	-13	Pass	1080
3000	12000	1	RMS	11895.988	-46.36	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.6	-13	Pass	8000



1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.23	-13	Pass	2985
30	1000	0.1	RMS	875.287	-54.58	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44	-13	Pass	830
1830	1920	1	RMS	1850.4	21.19	60	Pass	601
1920	3000	1	RMS	2670.695	-39.16	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.43	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.59	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	935.393	-54.72	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.02	-13	Pass	830
1830	1920	1	RMS	1854.6	21.72	60	Pass	601
1920	3000	1	RMS	2667.692	-39.14	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.33	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.54	-13	Pass	8000



1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	898.79	-54.63	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.01	-13	Pass	830
1830	1920	1	RMS	1877.85	22.73	60	Pass	601
1920	3000	1	RMS	2672.697	-39.14	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.29	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.64	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	900.69	-54.7	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.01	-13	Pass	830
1830	1920	1	RMS	1882.2	22.59	60	Pass	601
1920	3000	1	RMS	2670.695	-39.12	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.48	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.64	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.58	-13	Pass	2985
30	1000	0.1	RMS	920.292	-54.79	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.01	-13	Pass	830
1830	1920	1	RMS	1877.85	21.88	60	Pass	601
1920	3000	1	RMS	2668.693	-39.15	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.44	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.47	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	894.389	-54.58	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.98	-13	Pass	830
1830	1920	1	RMS	1882.2	21.94	60	Pass	601
1920	3000	1	RMS	2672.697	-39.14	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.24	-13	Pass	9000
12000	20000	1	RMS	19832.979	-28.64	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.6	-13	Pass	2985
30	1000	0.1	RMS	965.796	-54.79	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.03	-13	Pass	830
1830	1920	1	RMS	1905.3	22.58	60	Pass	601
1920	3000	1	RMS	2670.695	-39.13	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.33	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.56	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.36	-13	Pass	2985
30	1000	0.1	RMS	927.092	-54.62	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.03	-13	Pass	830
1830	1920	1	RMS	1909.65	22.56	60	Pass	601
1920	3000	1	RMS	2673.698	-39.22	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.44	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.6	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.18	-13	Pass	2985
30	1000	0.1	RMS	891.089	-54.71	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44	-13	Pass	830
1830	1920	1	RMS	1905.3	21.34	60	Pass	601
1920	3000	1	RMS	2669.694	-39.18	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.32	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.4	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.12	-13	Pass	2985
30	1000	0.1	RMS	982.898	-54.95	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.03	-13	Pass	830
1830	1920	1	RMS	1909.65	21.35	60	Pass	601
1920	3000	1	RMS	2667.692	-39.15	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.36	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.64	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.11	-13	Pass	2985
30	1000	0.1	RMS	949.895	-55	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.03	-13	Pass	830
1830	1920	1	RMS	1850.55	22.79	60	Pass	601
1920	3000	1	RMS	2671.696	-39.14	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.38	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.48	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.93	-13	Pass	2985
30	1000	0.1	RMS	989.999	-54.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.02	-13	Pass	830
1830	1920	1	RMS	1859.4	22.9	60	Pass	601
1920	3000	1	RMS	2670.695	-39.19	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.41	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.61	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.73	-13	Pass	2985
30	1000	0.1	RMS	993.799	-54.64	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.02	-13	Pass	830
1830	1920	1	RMS	1850.55	21.63	60	Pass	601
1920	3000	1	RMS	2665.69	-39.18	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.27	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.51	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.82	-13	Pass	2985
30	1000	0.1	RMS	983.898	-54.75	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.01	-13	Pass	830
1830	1920	1	RMS	1859.4	21.79	60	Pass	601
1920	3000	1	RMS	2673.698	-39.17	-13	Pass	1080
3000	12000	1	RMS	11929.992	-46.32	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.52	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.62	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.01	-13	Pass	2985
30	1000	0.1	RMS	920.492	-54.86	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.01	-13	Pass	830
1830	1920	1	RMS	1875.6	22.76	60	Pass	601
1920	3000	1	RMS	2666.691	-39.1	-13	Pass	1080
3000	12000	1	RMS	11930.992	-46.47	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.55	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	994.399	-54.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.03	-13	Pass	830
1830	1920	1	RMS	1884.45	22.95	60	Pass	601
1920	3000	1	RMS	2670.695	-39.11	-13	Pass	1080
3000	12000	1	RMS	11930.992	-46.37	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.63	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.45	-13	Pass	2985
30	1000	0.1	RMS	879.688	-54.8	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.98	-13	Pass	830
1830	1920	1	RMS	1875.6	22.09	60	Pass	601
1920	3000	1	RMS	2667.692	-39.19	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.27	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.52	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	1000	0.1	RMS	998.2	-55.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.96	-13	Pass	830
1830	1920	1	RMS	1884.45	22	60	Pass	601
1920	3000	1	RMS	2669.694	-39.06	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.36	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.64	-13	Pass	8000



1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.41	-13	Pass	2985
30	1000	0.1	RMS	979.698	-54.61	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.02	-13	Pass	830
1830	1920	1	RMS	1900.65	22.54	60	Pass	601
1920	3000	1	RMS	2673.698	-39.15	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.41	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.55	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	917.291	-54.73	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.03	-13	Pass	830
1830	1920	1	RMS	1909.35	22.67	60	Pass	601
1920	3000	1	RMS	2666.691	-39.04	-13	Pass	1080
3000	12000	1	RMS	5728.303	-45.93	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.58	-13	Pass	8000



1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.3	-13	Pass	2985
30	1000	0.1	RMS	919.892	-54.41	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.01	-13	Pass	830
1830	1920	1	RMS	1900.65	21.92	60	Pass	601
1920	3000	1	RMS	2671.696	-39.17	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.43	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.4	-13	Pass	8000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	995.8	-54.49	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.02	-13	Pass	830
1830	1920	1	RMS	1909.35	21.72	60	Pass	601
1920	3000	1	RMS	2669.694	-39.14	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.4	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.52	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.88	-13	Pass	2985
30	1000	0.1	RMS	893.789	-54.52	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.98	-13	Pass	830
1830	1920	1	RMS	1850.85	22.82	60	Pass	601
1920	3000	1	RMS	2668.693	-39.08	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.36	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.41	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.48	-13	Pass	2985
30	1000	0.1	RMS	957.496	-54.96	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.99	-13	Pass	830
1830	1920	1	RMS	1864.2	22.9	60	Pass	601
1920	3000	1	RMS	2670.695	-39.14	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.45	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.71	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	928.493	-54.68	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.98	-13	Pass	830
1830	1920	1	RMS	1850.85	21.09	60	Pass	601
1920	3000	1	RMS	2671.696	-39.19	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.39	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.7	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.85	-13	Pass	2985
30	1000	0.1	RMS	901.29	-54.65	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.03	-13	Pass	830
1830	1920	1	RMS	1864.2	21.81	60	Pass	601
1920	3000	1	RMS	2670.695	-39.12	-13	Pass	1080
3000	12000	1	RMS	11924.992	-46.48	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.66	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	996	-54.72	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.97	-13	Pass	830
1830	1920	1	RMS	1873.35	22.65	60	Pass	601
1920	3000	1	RMS	2670.695	-39.17	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.43	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.54	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.05	-13	Pass	2985
30	1000	0.1	RMS	914.491	-54.35	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.98	-13	Pass	830
1830	1920	1	RMS	1886.7	22.84	60	Pass	601
1920	3000	1	RMS	2672.697	-39.15	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.28	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.52	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.78	-13	Pass	2985
30	1000	0.1	RMS	899.59	-54.93	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.01	-13	Pass	830
1830	1920	1	RMS	1873.35	22.15	60	Pass	601
1920	3000	1	RMS	2672.697	-39.12	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.33	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.53	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	986.499	-54.55	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.99	-13	Pass	830
1830	1920	1	RMS	1886.7	22.04	60	Pass	601
1920	3000	1	RMS	2668.693	-39.14	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.46	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.59	-13	Pass	8000



1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.1	-13	Pass	2985
30	1000	0.1	RMS	901.39	-54.65	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.97	-13	Pass	830
1830	1920	1	RMS	1895.85	22.63	60	Pass	601
1920	3000	1	RMS	2672.697	-39.16	-13	Pass	1080
3000	12000	1	RMS	11936.993	-46.42	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.5	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	939.394	-54.63	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.01	-13	Pass	830
1830	1920	1	RMS	1909.2	22.46	60	Pass	601
1920	3000	1	RMS	2667.692	-39.13	-13	Pass	1080
3000	12000	1	RMS	11934.993	-46.37	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.65	-13	Pass	8000



1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.54	-13	Pass	2985
30	1000	0.1	RMS	874.687	-54.6	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.03	-13	Pass	830
1830	1920	1	RMS	1895.85	20.96	60	Pass	601
1920	3000	1	RMS	2674.699	-39.14	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.22	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.57	-13	Pass	8000



1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.18	-13	Pass	2985
30	1000	0.1	RMS	975.697	-54.87	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.01	-13	Pass	830
1830	1920	1	RMS	1909.2	21.26	60	Pass	601
1920	3000	1	RMS	2667.692	-39.11	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.36	-13	Pass	9000
12000	20000	1	RMS	19861.983	-28.64	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.08	-13	Pass	2985
30	1000	0.1	RMS	885.988	-54.69	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.99	-13	Pass	830
1830	1920	1	RMS	1851.15	22.67	60	Pass	601
1920	3000	1	RMS	2667.692	-39.12	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.3	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.69	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.01	-13	Pass	2985
30	1000	0.1	RMS	998.1	-54.63	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.99	-13	Pass	830
1830	1920	1	RMS	1868.85	22.58	60	Pass	601
1920	3000	1	RMS	2668.693	-39.11	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.4	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.53	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.3	-13	Pass	2985
30	1000	0.1	RMS	946.795	-54.64	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.02	-13	Pass	830
1830	1920	1	RMS	1851.15	21.32	60	Pass	601
1920	3000	1	RMS	2666.691	-39.12	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.43	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.53	-13	Pass	8000



1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.4	-13	Pass	2985
30	1000	0.1	RMS	899.39	-54.74	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.95	-13	Pass	830
1830	1920	1	RMS	1868.85	22.21	60	Pass	601
1920	3000	1	RMS	2668.693	-39.12	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.38	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.51	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	902.89	-54.66	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.98	-13	Pass	830
1830	1920	1	RMS	1871.1	22.96	60	Pass	601
1920	3000	1	RMS	2671.696	-39.11	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.45	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.49	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	860.586	-54.76	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.01	-13	Pass	830
1830	1920	1	RMS	1888.95	22.75	60	Pass	601
1920	3000	1	RMS	2674.699	-39.15	-13	Pass	1080
3000	12000	1	RMS	11927.992	-46.38	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.68	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.86	-13	Pass	2985
30	1000	0.1	RMS	938.794	-54.63	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.03	-13	Pass	830
1830	1920	1	RMS	1871.1	21.59	60	Pass	601
1920	3000	1	RMS	2672.697	-39.15	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.45	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.85	-13	Pass	2985
30	1000	0.1	RMS	972.997	-54.64	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.98	-13	Pass	830
1830	1920	1	RMS	1888.95	21.41	60	Pass	601
1920	3000	1	RMS	2666.691	-39.11	-13	Pass	1080
3000	12000	1	RMS	11933.993	-46.38	-13	Pass	9000
12000	20000	1	RMS	19837.98	-28.48	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.56	-13	Pass	2985
30	1000	0.1	RMS	914.891	-54.45	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44	-13	Pass	830
1830	1920	1	RMS	1891.05	22.64	60	Pass	601
1920	3000	1	RMS	2669.694	-39.1	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.31	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.34	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.34	-13	Pass	2985
30	1000	0.1	RMS	897.289	-54.73	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.98	-13	Pass	830
1830	1920	1	RMS	1908.9	22.8	60	Pass	601
1920	3000	1	RMS	2671.696	-39.1	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.3	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.59	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.82	-13	Pass	2985
30	1000	0.1	RMS	990.699	-54.69	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.93	-13	Pass	830
1830	1920	1	RMS	1891.05	21.29	60	Pass	601
1920	3000	1	RMS	2675.7	-39.14	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.33	-13	Pass	9000
12000	20000	1	RMS	19838.98	-28.56	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.14	-13	Pass	2985
30	1000	0.1	RMS	995.8	-54.61	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.99	-13	Pass	830
1830	1920	1	RMS	1908.9	21.61	60	Pass	601
1920	3000	1	RMS	2675.7	-39.15	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.4	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.51	-13	Pass	8000



END