



Annex for LTE Band 41

Test Report No.: CTL2405163031-WF

TABLE OF CONTENTS

1. Effective (Isotropic) Radiated Power Output Data	4
1.1 Test Result	4
1.1.1 B41_5MHz_EIRP	4
1.1.2 B41_10MHz_EIRP	5
1.1.3 B41_15MHz_EIRP	5
1.1.4 B41_20MHz_EIRP	6
2. Frequency Stability	7
2.1 Test Result	7
2.1.1 B41_5MHz	7
2.1.2 B41_10MHz	9
2.1.3 B41_15MHz	10
2.1.4 B41_20MHz	11
3. Modulation Characteristics	12
3.1 Test Result	12
3.1.1 B41_5MHz	12
3.1.2 B41_10MHz	13
3.1.3 B41_15MHz	13
3.1.4 B41_20MHz	13
3.2 Test Graph	14
3.2.1 B41_5MHz	14



3.2.2 B41_10MHz	15
3.2.3 B41_15MHz	16
3.2.4 B41_20MHz	17
4. 99% & 26dB Bandwidth	18
4.1 Test Result	18
4.1.1 Band41_OBW	18
4.1.2 Band41_XDB	18
4.2 Test Graph	20
4.2.1 Band41_OBW	20
4.2.2 Band41_XDB	32
5. Peak-Average Ratio	44
5.1 Test Result	44
5.1.1 B41_5MHz	44
5.1.2 B41_10MHz	44
5.1.3 B41_15MHz	44
5.1.4 B41_20MHz	44
5.2 Test Graph	45
5.2.1 B41_5MHz	45
5.2.2 B41_10MHz	48
5.2.3 B41_15MHz	51
5.2.4 B41_20MHz	54
6. Spurious Emission	57
6.1 Test Result	57
6.1.1 B41_5MHz	57
6.1.2 B41_10MHz	57
6.1.3 B41_15MHz	57



6.1.4 B41_20MHz 58

6.2 Test Graph..... 59

6.2.1 B41_5MHz 59

6.2.2 B41_10MHz 72

6.2.3 B41_15MHz 85

6.2.4 B41_20MHz 98

FCCID: 2BCUE-P8GLOBAL

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	21.97	1.08	23.05	<=33.01	Pass
			13	22.09	1.08	23.17	<=33.01	Pass
			24	22.02	1.08	23.10	<=33.01	Pass
		12	0	20.97	1.08	22.05	<=33.01	Pass
			6	21.09	1.08	22.17	<=33.01	Pass
			13	21.04	1.08	22.12	<=33.01	Pass
		25	0	20.99	1.08	22.07	<=33.01	Pass
	2593	1	0	21.93	1.08	23.01	<=33.01	Pass
			13	21.97	1.08	23.05	<=33.01	Pass
			24	21.83	1.08	22.91	<=33.01	Pass
		12	0	21.06	1.08	22.14	<=33.01	Pass
			6	21.00	1.08	22.08	<=33.01	Pass
			13	20.88	1.08	21.96	<=33.01	Pass
		25	0	20.98	1.08	22.06	<=33.01	Pass
	2687.5	1	0	22.13	1.08	23.21	<=33.01	Pass
			13	22.19	1.08	23.27	<=33.01	Pass
			24	22.05	1.08	23.13	<=33.01	Pass
		12	0	21.45	1.08	22.53	<=33.01	Pass
			6	21.49	1.08	22.57	<=33.01	Pass
			13	21.26	1.08	22.34	<=33.01	Pass
		25	0	21.43	1.08	22.51	<=33.01	Pass
16QAM	2498.5	1	0	20.45	1.08	21.53	<=33.01	Pass
			13	20.87	1.08	21.95	<=33.01	Pass
			24	20.75	1.08	21.83	<=33.01	Pass
		12	0	19.88	1.08	20.96	<=33.01	Pass
			6	20.03	1.08	21.11	<=33.01	Pass
			13	19.97	1.08	21.05	<=33.01	Pass
		25	0	20.01	1.08	21.09	<=33.01	Pass
	2593	1	0	21.44	1.08	22.52	<=33.01	Pass
			13	21.12	1.08	22.20	<=33.01	Pass
			24	21.07	1.08	22.15	<=33.01	Pass
		12	0	19.77	1.08	20.85	<=33.01	Pass
			6	19.74	1.08	20.82	<=33.01	Pass
			13	19.64	1.08	20.72	<=33.01	Pass
		25	0	19.93	1.08	21.01	<=33.01	Pass
	2687.5	1	0	21.32	1.08	22.40	<=33.01	Pass
			13	21.26	1.08	22.34	<=33.01	Pass
			24	20.89	1.08	21.97	<=33.01	Pass
		12	0	20.35	1.08	21.43	<=33.01	Pass
			6	20.21	1.08	21.29	<=33.01	Pass
			13	20.26	1.08	21.34	<=33.01	Pass
		25	0	20.48	1.08	21.56	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

FCCID: 2BCUE-P8GLOBAL

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2501	1	0	21.90	1.08	22.98	<=33.01	Pass
			25	21.95	1.08	23.03	<=33.01	Pass
			49	21.99	1.08	23.07	<=33.01	Pass
		25	0	21.00	1.08	22.08	<=33.01	Pass
			13	21.09	1.08	22.17	<=33.01	Pass
			25	20.96	1.08	22.04	<=33.01	Pass
		50	0	21.01	1.08	22.09	<=33.01	Pass
	2593	1	0	21.85	1.08	22.93	<=33.01	Pass
			25	21.96	1.08	23.04	<=33.01	Pass
			49	21.67	1.08	22.75	<=33.01	Pass
		25	0	20.99	1.08	22.07	<=33.01	Pass
			13	21.10	1.08	22.18	<=33.01	Pass
			25	20.90	1.08	21.98	<=33.01	Pass
		50	0	21.01	1.08	22.09	<=33.01	Pass
	2685	1	0	22.40	1.08	23.48	<=33.01	Pass
			25	22.62	1.08	23.70	<=33.01	Pass
			49	22.43	1.08	23.51	<=33.01	Pass
		25	0	21.50	1.08	22.58	<=33.01	Pass
			13	21.49	1.08	22.57	<=33.01	Pass
			25	21.41	1.08	22.49	<=33.01	Pass
		50	0	21.49	1.08	22.57	<=33.01	Pass
16QAM	2501	1	0	20.60	1.08	21.68	<=33.01	Pass
			25	20.99	1.08	22.07	<=33.01	Pass
			49	20.55	1.08	21.63	<=33.01	Pass
		25	0	19.95	1.08	21.03	<=33.01	Pass
			13	19.85	1.08	20.93	<=33.01	Pass
			25	20.14	1.08	21.22	<=33.01	Pass
		50	0	19.90	1.08	20.98	<=33.01	Pass
	2593	1	0	21.16	1.08	22.24	<=33.01	Pass
			25	21.27	1.08	22.35	<=33.01	Pass
			49	20.41	1.08	21.49	<=33.01	Pass
		25	0	19.95	1.08	21.03	<=33.01	Pass
			13	19.94	1.08	21.02	<=33.01	Pass
			25	20.00	1.08	21.08	<=33.01	Pass
		50	0	19.92	1.08	21.00	<=33.01	Pass
	2685	1	0	21.99	1.08	23.07	<=33.01	Pass
			25	22.14	1.08	23.22	<=33.01	Pass
			49	21.94	1.08	23.02	<=33.01	Pass
		25	0	20.88	1.08	21.96	<=33.01	Pass
			13	20.49	1.08	21.57	<=33.01	Pass
			25	20.38	1.08	21.46	<=33.01	Pass
		50	0	20.37	1.08	21.45	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2503.5	1	0	21.77	1.08	22.85	<=33.01	Pass
			38	21.78	1.08	22.86	<=33.01	Pass
			74	21.69	1.08	22.77	<=33.01	Pass

FCCID: 2BCUE-P8GLOBAL

16QAM	2593	36	0	20.91	1.08	21.99	<=33.01	Pass
			18	20.91	1.08	21.99	<=33.01	Pass
			39	20.86	1.08	21.94	<=33.01	Pass
		75	0	20.77	1.08	21.85	<=33.01	Pass
			0	22.00	1.08	23.08	<=33.01	Pass
			38	21.91	1.08	22.99	<=33.01	Pass
		1	74	21.84	1.08	22.92	<=33.01	Pass
			0	21.08	1.08	22.16	<=33.01	Pass
			18	21.08	1.08	22.16	<=33.01	Pass
		36	39	20.97	1.08	22.05	<=33.01	Pass
			0	20.94	1.08	22.02	<=33.01	Pass
			74	22.41	1.08	23.49	<=33.01	Pass
	2682.5	1	38	22.35	1.08	23.43	<=33.01	Pass
			74	22.40	1.08	23.48	<=33.01	Pass
			0	21.45	1.08	22.53	<=33.01	Pass
		36	18	21.48	1.08	22.56	<=33.01	Pass
			39	21.30	1.08	22.38	<=33.01	Pass
			0	21.48	1.08	22.56	<=33.01	Pass
		75	0	20.58	1.08	21.66	<=33.01	Pass
			38	20.72	1.08	21.80	<=33.01	Pass
			74	21.21	1.08	22.29	<=33.01	Pass
		36	0	19.73	1.08	20.81	<=33.01	Pass
			18	19.88	1.08	20.96	<=33.01	Pass
			39	19.81	1.08	20.89	<=33.01	Pass
16QAM	2503.5	1	0	20.58	1.08	21.66	<=33.01	Pass
			38	20.72	1.08	21.80	<=33.01	Pass
			74	21.21	1.08	22.29	<=33.01	Pass
		36	0	19.73	1.08	20.81	<=33.01	Pass
			18	19.88	1.08	20.96	<=33.01	Pass
			39	19.81	1.08	20.89	<=33.01	Pass
		75	0	19.84	1.08	20.92	<=33.01	Pass
			0	21.17	1.08	22.25	<=33.01	Pass
			38	20.71	1.08	21.79	<=33.01	Pass
		1	74	21.26	1.08	22.34	<=33.01	Pass
			0	20.02	1.08	21.10	<=33.01	Pass
			18	20.04	1.08	21.12	<=33.01	Pass
	2593	36	39	19.93	1.08	21.01	<=33.01	Pass
			0	20.03	1.08	21.11	<=33.01	Pass
			74	21.91	1.08	22.99	<=33.01	Pass
		1	38	21.91	1.08	22.99	<=33.01	Pass
			74	21.85	1.08	22.93	<=33.01	Pass
			0	20.39	1.08	21.47	<=33.01	Pass
		36	18	20.53	1.08	21.61	<=33.01	Pass
			39	20.44	1.08	21.52	<=33.01	Pass
			0	20.54	1.08	21.62	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	21.67	1.08	22.75	<=33.01	Pass
			50	22.09	1.08	23.17	<=33.01	Pass
			99	21.69	1.08	22.77	<=33.01	Pass
		50	0	20.72	1.08	21.80	<=33.01	Pass
			25	20.85	1.08	21.93	<=33.01	Pass
			50	20.73	1.08	21.81	<=33.01	Pass
	2593	100	0	20.74	1.08	21.82	<=33.01	Pass
			0	21.97	1.08	23.05	<=33.01	Pass
			50	22.10	1.08	23.18	<=33.01	Pass
		1	99	21.67	1.08	22.75	<=33.01	Pass

FCCID: 2BCUE-P8GLOBAL

16QAM	2680	50	0	20.99	1.08	22.07	<=33.01	Pass
			25	20.92	1.08	22.00	<=33.01	Pass
			50	20.68	1.08	21.76	<=33.01	Pass
		100	0	20.81	1.08	21.89	<=33.01	Pass
			0	21.91	1.08	22.99	<=33.01	Pass
			50	22.11	1.08	23.19	<=33.01	Pass
		1	99	21.86	1.08	22.94	<=33.01	Pass
			0	21.31	1.08	22.39	<=33.01	Pass
			25	21.29	1.08	22.37	<=33.01	Pass
	2506	50	50	21.36	1.08	22.44	<=33.01	Pass
			0	21.38	1.08	22.46	<=33.01	Pass
			0	21.06	1.08	22.14	<=33.01	Pass
		1	50	21.22	1.08	22.30	<=33.01	Pass
			99	21.40	1.08	22.48	<=33.01	Pass
			0	19.97	1.08	21.05	<=33.01	Pass
		50	25	19.99	1.08	21.07	<=33.01	Pass
			50	19.97	1.08	21.05	<=33.01	Pass
			0	19.97	1.08	21.05	<=33.01	Pass
	2593	100	0	21.14	1.08	22.22	<=33.01	Pass
			0	21.91	1.08	22.99	<=33.01	Pass
			99	21.22	1.08	22.30	<=33.01	Pass
		1	0	20.02	1.08	21.10	<=33.01	Pass
			25	19.97	1.08	21.05	<=33.01	Pass
			50	19.90	1.08	20.98	<=33.01	Pass
		50	0	19.95	1.08	21.03	<=33.01	Pass
			0	20.87	1.08	21.95	<=33.01	Pass
			50	21.33	1.08	22.41	<=33.01	Pass
	2680	1	99	21.25	1.08	22.33	<=33.01	Pass
			0	20.43	1.08	21.51	<=33.01	Pass
			25	20.40	1.08	21.48	<=33.01	Pass
		50	50	20.38	1.08	21.46	<=33.01	Pass
			0	20.37	1.08	21.45	<=33.01	Pass
			0					
		100	0					
			0					
			0					

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	3.27	8.383	0.0034	-2.5 to 2.5	Pass
					3.85	-5.236	-0.0021	-2.5 to 2.5	Pass
					4.43	-1.817	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	9.098	0.0036	-2.5 to 2.5	Pass
				-20	3.85	-3.219	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	8.497	0.0034	-2.5 to 2.5	Pass
				0	3.85	-3.619	-0.0014	-2.5 to 2.5	Pass
				10	3.85	9.971	0.0040	-2.5 to 2.5	Pass
				30	3.85	10.157	0.0041	-2.5 to 2.5	Pass
				40	3.85	7.353	0.0029	-2.5 to 2.5	Pass
				50	3.85	-1.817	-0.0007	-2.5 to 2.5	Pass

FCCID: 2BCUE-P8GLOBAL

16QAM	2593	25	0	20	3.27	12.660	0.0049	-2.5 to 2.5	Pass
					3.85	14.348	0.0055	-2.5 to 2.5	Pass
					4.43	1.988	0.0008	-2.5 to 2.5	Pass
				-30	3.85	1.602	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				-10	3.85	14.820	0.0057	-2.5 to 2.5	Pass
				0	3.85	1.602	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.458	0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				40	3.85	13.075	0.0050	-2.5 to 2.5	Pass
				50	3.85	-1.802	-0.0007	-2.5 to 2.5	Pass
	2687.5	25	0	20	3.27	9.956	0.0037	-2.5 to 2.5	Pass
					3.85	8.683	0.0032	-2.5 to 2.5	Pass
					4.43	9.441	0.0035	-2.5 to 2.5	Pass
				-30	3.85	-1.674	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	1.845	0.0007	-2.5 to 2.5	Pass
				-10	3.85	1.016	0.0004	-2.5 to 2.5	Pass
				0	3.85	-2.890	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-0.901	-0.0003	-2.5 to 2.5	Pass
				30	3.85	11.072	0.0041	-2.5 to 2.5	Pass
				40	3.85	-2.232	-0.0008	-2.5 to 2.5	Pass
				50	3.85	1.817	0.0007	-2.5 to 2.5	Pass
	2498.5	25	0	20	3.27	9.027	0.0036	-2.5 to 2.5	Pass
					3.85	7.181	0.0029	-2.5 to 2.5	Pass
					4.43	7.625	0.0031	-2.5 to 2.5	Pass
				-30	3.85	8.283	0.0033	-2.5 to 2.5	Pass
				-20	3.85	11.272	0.0045	-2.5 to 2.5	Pass
				-10	3.85	-1.616	-0.0006	-2.5 to 2.5	Pass
				0	3.85	5.436	0.0022	-2.5 to 2.5	Pass
				10	3.85	-3.018	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-3.819	-0.0015	-2.5 to 2.5	Pass
				40	3.85	6.938	0.0028	-2.5 to 2.5	Pass
				50	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass
	2593	25	0	20	3.27	-0.772	-0.0003	-2.5 to 2.5	Pass
					3.85	11.816	0.0046	-2.5 to 2.5	Pass
					4.43	12.760	0.0049	-2.5 to 2.5	Pass
				-30	3.85	2.561	0.0010	-2.5 to 2.5	Pass
				-20	3.85	13.647	0.0053	-2.5 to 2.5	Pass
				-10	3.85	13.332	0.0051	-2.5 to 2.5	Pass
				0	3.85	-0.601	-0.0002	-2.5 to 2.5	Pass
				10	3.85	11.559	0.0045	-2.5 to 2.5	Pass
				30	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.429	0.0002	-2.5 to 2.5	Pass
				50	3.85	14.262	0.0055	-2.5 to 2.5	Pass
	2687.5	25	0	20	3.27	-2.460	-0.0009	-2.5 to 2.5	Pass
					3.85	0.587	0.0002	-2.5 to 2.5	Pass
					4.43	10.901	0.0041	-2.5 to 2.5	Pass
				-30	3.85	-3.619	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-0.300	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	9.971	0.0037	-2.5 to 2.5	Pass
				0	3.85	9.527	0.0035	-2.5 to 2.5	Pass
				10	3.85	0.529	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				40	3.85	8.340	0.0031	-2.5 to 2.5	Pass
				50	3.85	9.642	0.0036	-2.5 to 2.5	Pass

FCCID: 2BCUE-P8GLOBAL

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	3.27	1.845	0.0007	-2.5 to 2.5	Pass
					3.85	2.847	0.0011	-2.5 to 2.5	Pass
					4.43	0.043	0.0000	-2.5 to 2.5	Pass
				-30	3.85	1.674	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				0	3.85	1.488	0.0006	-2.5 to 2.5	Pass
				10	3.85	12.345	0.0049	-2.5 to 2.5	Pass
				30	3.85	1.416	0.0006	-2.5 to 2.5	Pass
				40	3.85	1.860	0.0007	-2.5 to 2.5	Pass
				50	3.85	2.947	0.0012	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	-0.601	-0.0002	-2.5 to 2.5	Pass
					3.85	0.372	0.0001	-2.5 to 2.5	Pass
					4.43	11.001	0.0042	-2.5 to 2.5	Pass
				-30	3.85	0.701	0.0003	-2.5 to 2.5	Pass
				-20	3.85	2.260	0.0009	-2.5 to 2.5	Pass
				-10	3.85	13.547	0.0052	-2.5 to 2.5	Pass
				0	3.85	-0.529	-0.0002	-2.5 to 2.5	Pass
				10	3.85	13.018	0.0050	-2.5 to 2.5	Pass
				30	3.85	0.515	0.0002	-2.5 to 2.5	Pass
				40	3.85	0.558	0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
	2685	50	0	20	3.27	-4.478	-0.0017	-2.5 to 2.5	Pass
					3.85	-2.303	-0.0009	-2.5 to 2.5	Pass
					4.43	9.441	0.0035	-2.5 to 2.5	Pass
				-30	3.85	9.484	0.0035	-2.5 to 2.5	Pass
				-20	3.85	9.212	0.0034	-2.5 to 2.5	Pass
				-10	3.85	-1.101	-0.0004	-2.5 to 2.5	Pass
				0	3.85	8.883	0.0033	-2.5 to 2.5	Pass
				10	3.85	9.084	0.0034	-2.5 to 2.5	Pass
				30	3.85	-4.749	-0.0018	-2.5 to 2.5	Pass
				40	3.85	8.068	0.0030	-2.5 to 2.5	Pass
				50	3.85	-1.774	-0.0007	-2.5 to 2.5	Pass
16QAM	2501	50	0	20	3.27	3.047	0.0012	-2.5 to 2.5	Pass
					3.85	2.904	0.0012	-2.5 to 2.5	Pass
					4.43	13.490	0.0054	-2.5 to 2.5	Pass
				-30	3.85	-1.616	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	1.202	0.0005	-2.5 to 2.5	Pass
				-10	3.85	15.364	0.0061	-2.5 to 2.5	Pass
				0	3.85	1.760	0.0007	-2.5 to 2.5	Pass
				10	3.85	1.431	0.0006	-2.5 to 2.5	Pass
				30	3.85	3.705	0.0015	-2.5 to 2.5	Pass
				40	3.85	-0.758	-0.0003	-2.5 to 2.5	Pass
				50	3.85	11.873	0.0047	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	15.106	0.0058	-2.5 to 2.5	Pass
					3.85	10.457	0.0040	-2.5 to 2.5	Pass
					4.43	-0.300	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	12.531	0.0048	-2.5 to 2.5	Pass
				-20	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-1.588	-0.0006	-2.5 to 2.5	Pass
				0	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				10	3.85	1.101	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.658	0.0003	-2.5 to 2.5	Pass

FCCID: 2BCUE-P8GLOBAL

	2685	50	0	40	3.85	2.275	0.0009	-2.5 to 2.5	Pass
				50	3.85	13.919	0.0054	-2.5 to 2.5	Pass
				20	3.27	8.340	0.0031	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0001	-2.5 to 2.5	Pass
					4.43	-2.689	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-4.520	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	8.440	0.0031	-2.5 to 2.5	Pass
				0	3.85	5.765	0.0021	-2.5 to 2.5	Pass
				10	3.85	10.772	0.0040	-2.5 to 2.5	Pass
				30	3.85	-5.894	-0.0022	-2.5 to 2.5	Pass
				40	3.85	8.512	0.0032	-2.5 to 2.5	Pass
				50	3.85	9.785	0.0036	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2503.5	75	0	20	3.27	6.294	0.0025	-2.5 to 2.5	Pass
					3.85	-5.221	-0.0021	-2.5 to 2.5	Pass
					4.43	-5.236	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-1.903	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	7.081	0.0028	-2.5 to 2.5	Pass
				-10	3.85	-2.847	-0.0011	-2.5 to 2.5	Pass
				0	3.85	7.052	0.0028	-2.5 to 2.5	Pass
				10	3.85	-3.819	-0.0015	-2.5 to 2.5	Pass
				30	3.85	6.652	0.0027	-2.5 to 2.5	Pass
				40	3.85	6.180	0.0025	-2.5 to 2.5	Pass
				50	3.85	-3.333	-0.0013	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	-2.060	-0.0008	-2.5 to 2.5	Pass
					3.85	15.392	0.0059	-2.5 to 2.5	Pass
					4.43	14.462	0.0056	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.486	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.086	0.0000	-2.5 to 2.5	Pass
				0	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	12.903	0.0050	-2.5 to 2.5	Pass
				30	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	12.331	0.0048	-2.5 to 2.5	Pass
				50	3.85	1.674	0.0006	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	5.450	0.0020	-2.5 to 2.5	Pass
					3.85	10.772	0.0040	-2.5 to 2.5	Pass
					4.43	2.103	0.0008	-2.5 to 2.5	Pass
				-30	3.85	14.777	0.0055	-2.5 to 2.5	Pass
				-20	3.85	13.361	0.0050	-2.5 to 2.5	Pass
				-10	3.85	1.960	0.0007	-2.5 to 2.5	Pass
				0	3.85	11.044	0.0041	-2.5 to 2.5	Pass
				10	3.85	1.760	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				40	3.85	1.960	0.0007	-2.5 to 2.5	Pass
				50	3.85	10.529	0.0039	-2.5 to 2.5	Pass
16QAM	2503.5	75	0	20	3.27	-3.834	-0.0015	-2.5 to 2.5	Pass
					3.85	-3.262	-0.0013	-2.5 to 2.5	Pass
					4.43	-1.831	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-6.509	-0.0026	-2.5 to 2.5	Pass

FCCID: 2BCUE-P8GLOBAL

				-20	3.85	5.322	0.0021	-2.5 to 2.5	Pass
				-10	3.85	4.950	0.0020	-2.5 to 2.5	Pass
				0	3.85	4.792	0.0019	-2.5 to 2.5	Pass
				10	3.85	-6.108	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-4.063	-0.0016	-2.5 to 2.5	Pass
				40	3.85	8.783	0.0035	-2.5 to 2.5	Pass
				50	3.85	7.982	0.0032	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	13.332	0.0051	-2.5 to 2.5	Pass
					3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
					4.43	12.259	0.0047	-2.5 to 2.5	Pass
				-30	3.85	13.161	0.0051	-2.5 to 2.5	Pass
				-20	3.85	-1.044	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	16.780	0.0065	-2.5 to 2.5	Pass
				0	3.85	2.575	0.0010	-2.5 to 2.5	Pass
				10	3.85	4.406	0.0017	-2.5 to 2.5	Pass
				30	3.85	15.950	0.0062	-2.5 to 2.5	Pass
				40	3.85	-2.804	-0.0011	-2.5 to 2.5	Pass
				50	3.85	12.546	0.0048	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	3.676	0.0014	-2.5 to 2.5	Pass
					3.85	2.303	0.0009	-2.5 to 2.5	Pass
					4.43	1.216	0.0005	-2.5 to 2.5	Pass
				-30	3.85	19.712	0.0073	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	8.197	0.0031	-2.5 to 2.5	Pass
				0	3.85	13.762	0.0051	-2.5 to 2.5	Pass
				10	3.85	3.462	0.0013	-2.5 to 2.5	Pass
				30	3.85	15.693	0.0059	-2.5 to 2.5	Pass
				40	3.85	11.358	0.0042	-2.5 to 2.5	Pass
				50	3.85	3.891	0.0015	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.27	11.573	0.0046	-2.5 to 2.5	Pass
					3.85	8.540	0.0034	-2.5 to 2.5	Pass
					4.43	1.144	0.0005	-2.5 to 2.5	Pass
				-30	3.85	13.032	0.0052	-2.5 to 2.5	Pass
				-20	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	12.488	0.0050	-2.5 to 2.5	Pass
				0	3.85	10.815	0.0043	-2.5 to 2.5	Pass
				10	3.85	-0.758	-0.0003	-2.5 to 2.5	Pass
				30	3.85	13.433	0.0054	-2.5 to 2.5	Pass
				40	3.85	10.743	0.0043	-2.5 to 2.5	Pass
				50	3.85	-0.100	0.0000	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	14.176	0.0055	-2.5 to 2.5	Pass
					3.85	15.206	0.0059	-2.5 to 2.5	Pass
					4.43	1.287	0.0005	-2.5 to 2.5	Pass
				-30	3.85	16.050	0.0062	-2.5 to 2.5	Pass
				-20	3.85	12.431	0.0048	-2.5 to 2.5	Pass
				-10	3.85	0.601	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.930	0.0004	-2.5 to 2.5	Pass
				10	3.85	10.529	0.0041	-2.5 to 2.5	Pass
				30	3.85	12.946	0.0050	-2.5 to 2.5	Pass
				40	3.85	2.046	0.0008	-2.5 to 2.5	Pass

FCCID: 2BCUE-P8GLOBAL

	2680	100	0	50	3.85	-0.672	-0.0003	-2.5 to 2.5	Pass
				20	3.27	13.518	0.0050	-2.5 to 2.5	Pass
					3.85	12.002	0.0045	-2.5 to 2.5	Pass
					4.43	11.873	0.0044	-2.5 to 2.5	Pass
				-30	3.85	9.942	0.0037	-2.5 to 2.5	Pass
				-20	3.85	10.343	0.0039	-2.5 to 2.5	Pass
				-10	3.85	-0.343	-0.0001	-2.5 to 2.5	Pass
				0	3.85	12.045	0.0045	-2.5 to 2.5	Pass
				10	3.85	-1.674	-0.0006	-2.5 to 2.5	Pass
				30	3.85	12.259	0.0046	-2.5 to 2.5	Pass
				40	3.85	11.745	0.0044	-2.5 to 2.5	Pass
				50	3.85	10.800	0.0040	-2.5 to 2.5	Pass
16QAM	2506	100	0	20	3.27	11.516	0.0046	-2.5 to 2.5	Pass
					3.85	10.886	0.0043	-2.5 to 2.5	Pass
					4.43	1.359	0.0005	-2.5 to 2.5	Pass
				-30	3.85	3.204	0.0013	-2.5 to 2.5	Pass
				-20	3.85	11.773	0.0047	-2.5 to 2.5	Pass
				-10	3.85	0.572	0.0002	-2.5 to 2.5	Pass
				0	3.85	-2.303	-0.0009	-2.5 to 2.5	Pass
				10	3.85	1.788	0.0007	-2.5 to 2.5	Pass
				30	3.85	-2.604	-0.0010	-2.5 to 2.5	Pass
				40	3.85	11.415	0.0046	-2.5 to 2.5	Pass
				50	3.85	16.336	0.0065	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	-0.916	-0.0004	-2.5 to 2.5	Pass
					3.85	1.516	0.0006	-2.5 to 2.5	Pass
					4.43	1.802	0.0007	-2.5 to 2.5	Pass
				-30	3.85	13.647	0.0053	-2.5 to 2.5	Pass
				-20	3.85	11.787	0.0045	-2.5 to 2.5	Pass
				-10	3.85	2.317	0.0009	-2.5 to 2.5	Pass
				0	3.85	11.172	0.0043	-2.5 to 2.5	Pass
				10	3.85	11.845	0.0046	-2.5 to 2.5	Pass
				30	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				40	3.85	12.689	0.0049	-2.5 to 2.5	Pass
				50	3.85	0.429	0.0002	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	12.960	0.0048	-2.5 to 2.5	Pass
					3.85	15.965	0.0060	-2.5 to 2.5	Pass
					4.43	14.262	0.0053	-2.5 to 2.5	Pass
				-30	3.85	12.689	0.0047	-2.5 to 2.5	Pass
				-20	3.85	-0.858	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	13.947	0.0052	-2.5 to 2.5	Pass
				0	3.85	12.817	0.0048	-2.5 to 2.5	Pass
				10	3.85	-1.101	-0.0004	-2.5 to 2.5	Pass
				30	3.85	15.478	0.0058	-2.5 to 2.5	Pass
				40	3.85	2.117	0.0008	-2.5 to 2.5	Pass
				50	3.85	-3.476	-0.0013	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTN				
Modulation	Frequency	RB Allocation	Modulation Characteristics	Verdict

FCCID: 2BCUE-P8GLOBAL

	(MHz)	Size	Offset	Result	Limit	
QPSK	2593	25	0	Refer To Test Graph		Pass
16QAM	2593	25	0	Refer To Test Graph		Pass

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	50	0	Refer To Test Graph		Pass
16QAM	2593	50	0	Refer To Test Graph		Pass

3.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	75	0	Refer To Test Graph		Pass
16QAM	2593	75	0	Refer To Test Graph		Pass


3.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	Refer To Test Graph		Pass
16QAM	2593	100	0	Refer To Test Graph		Pass

FCCID: 2BCUE-P8GLOBAL


3.2 Test Graph

3.2.1 B41_5MHz




FCCID: 2BCUE-P8GLOBAL

3.2.2 B41_10MHz




FCCID: 2BCUE-P8GLOBAL

3.2.3 B41_15MHz

FCCID: 2BCUE-P8GLOBAL

3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.557	/	Pass
		2593	25	0	4.569	/	Pass
		2687.5	25	0	4.567	/	Pass
	16QAM	2498.5	25	0	4.547	/	Pass
		2593	25	0	4.598	/	Pass
		2687.5	25	0	4.559	/	Pass
10	QPSK	2501	50	0	9.033	/	Pass
		2593	50	0	9.047	/	Pass
		2685	50	0	9.045	/	Pass
	16QAM	2501	50	0	9.059	/	Pass
		2593	50	0	9.093	/	Pass
		2685	50	0	9.001	/	Pass
15	QPSK	2503.5	75	0	13.576	/	Pass
		2593	75	0	13.531	/	Pass
		2682.5	75	0	13.551	/	Pass
	16QAM	2503.5	75	0	13.547	/	Pass
		2593	75	0	13.576	/	Pass
		2682.5	75	0	13.530	/	Pass
20	QPSK	2506	100	0	18.102	/	Pass
		2593	100	0	18.043	/	Pass
		2680	100	0	18.003	/	Pass
	16QAM	2506	100	0	18.000	/	Pass
		2593	100	0	18.031	/	Pass
		2680	100	0	18.044	/	Pass

4.1.2 Band41_XDB

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.839	/	Pass
		2593	25	0	6.653	/	Pass
		2687.5	25	0	5.449	/	Pass
	16QAM	2498.5	25	0	5.189	/	Pass
		2593	25	0	5.330	/	Pass
		2687.5	25	0	5.183	/	Pass
10	QPSK	2501	50	0	10.041	/	Pass
		2593	50	0	10.367	/	Pass
		2685	50	0	10.096	/	Pass
	16QAM	2501	50	0	10.521	/	Pass
		2593	50	0	11.925	/	Pass
		2685	50	0	9.989	/	Pass
15	QPSK	2503.5	75	0	15.342	/	Pass


FCCID: 2BCUE-P8GLOBAL

	16QAM	2593	75	0	16.263	/	Pass
		2682.5	75	0	15.526	/	Pass
		2503.5	75	0	14.888	/	Pass
		2593	75	0	15.543	/	Pass
		2682.5	75	0	15.095	/	Pass
20	QPSK	2506	100	0	21.662	/	Pass
		2593	100	0	19.863	/	Pass
		2680	100	0	20.281	/	Pass
	16QAM	2506	100	0	20.558	/	Pass
		2593	100	0	19.724	/	Pass
		2680	100	0	20.616	/	Pass


FCCID: 2BCUE-P8GLOBAL

4.2 Test Graph


4.2.1 Band41_OBW




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




4.2.2 Band41_XDB




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL



FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL


Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




FCCID: 2BCUE-P8GLOBAL




FCCID: 2BCUE-P8GLOBAL



FCCID: 2BCUE-P8GLOBAL



FCCID: 2BCUE-P8GLOBAL



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	25	0	7.32	<=13	Pass
	2593	25	0	7.37	<=13	Pass
	2687.5	25	0	7.37	<=13	Pass
16QAM	2498.5	25	0	8.14	<=13	Pass
	2593	25	0	8.23	<=13	Pass
	2687.5	25	0	8.21	<=13	Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	50	0	7.42	<=13	Pass
	2593	50	0	7.36	<=13	Pass
	2685	50	0	7.32	<=13	Pass
16QAM	2501	50	0	8.12	<=13	Pass
	2593	50	0	8.12	<=13	Pass
	2685	50	0	8.08	<=13	Pass

5.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	75	0	7.56	<=13	Pass
	2593	75	0	7.57	<=13	Pass
	2682.5	75	0	7.49	<=13	Pass
16QAM	2503.5	75	0	8.28	<=13	Pass
	2593	75	0	8.22	<=13	Pass
	2682.5	75	0	8.17	<=13	Pass


5.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.35	<=13	Pass
	2593	100	0	7.29	<=13	Pass
	2680	100	0	7.31	<=13	Pass
16QAM	2506	100	0	7.92	<=13	Pass
	2593	100	0	8.37	<=13	Pass
	2680	100	0	7.93	<=13	Pass

FCCID: 2BCUE-P8GLOBAL


5.2 Test Graph

5.2.1 B41_5MHz




FCCID: 2BCUE-P8GLOBAL

Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV




Band41_5MHz_16QAM_LCH_2498.5MHz_RB_25_0_NTNV




FCCID: 2BCUE-P8GLOBAL


Band41_5MHz_16QAM_MCH_2593MHz_RB_25_0_NTNV



Band41_5MHz_16QAM_HCH_2687.5MHz_RB_25_0_NTNV




5.2.2 B41_10MHz




FCCID: 2BCUE-P8GLOBAL

Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_50_0_NTNV




FCCID: 2BCUE-P8GLOBAL


Band41_10MHz_16QAM_MCH_2593MHz_RB_50_0_NTNV



Band41_10MHz_16QAM_HCH_2685MHz_RB_50_0_NTNV




5.2.3 B41_15MHz




FCCID: 2BCUE-P8GLOBAL

Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_LCH_2503.5MHz_RB_75_0_NTNV




FCCID: 2BCUE-P8GLOBAL

Band41_15MHz_16QAM_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_HCH_2682.5MHz_RB_75_0_NTNV




FCCID: 2BCUE-P8GLOBAL

5.2.4 B41_20MHz




FCCID: 2BCUE-P8GLOBAL

Band41_20MHz_QPSK_HCH_2680MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTNV




FCCID: 2BCUE-P8GLOBAL

Band41_20MHz_16QAM_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_HCH_2680MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2498.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2687.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
		25	24	Refer To Test Graph	Pass
16QAM	2498.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2687.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
		25	24	Refer To Test Graph	Pass

6.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2501	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2685	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
		50	49	Refer To Test Graph	Pass
16QAM	2501	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2685	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
		50	49	Refer To Test Graph	Pass

6.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2503.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2682.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
		75	74	Refer To Test Graph	Pass

FCCID: 2BCUE-P8GLOBAL

16QAM	2503.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2682.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

FCCID: 2BCUE-P8GLOBAL

6.2 Test Graph

6.2.1 B41_5MHz

