



Appendix B

E-UTRA BAND 5

CONTENT

1.	EFFECTIVE (ISOTROPIC) RADIATED POWER	3
1.1.	Test Result.....	3
2.	PEAK-TO-AVERAGE RATIO(CCDF).....	10
2.1.	Test Result.....	10
2.2.	Test Plots.....	10
3.	MODULATION CHARACTERISTICS	14
3.1.	Test BAND = LTE BAND5.....	14
3.1.1.	Test Mode = LTE /TM1 10MHz.....	14
3.1.1.1.	Test Channel = MCH.....	14
3.1.2.	Test Mode = LTE /TM2 10MHz.....	15
3.1.2.1.	Test Channel = MCH.....	15
3.1.1.	Test Mode = LTE /TM3 10MHz.....	16
3.1.1.1.	Test Channel = MCH.....	16
4.	26dB BANDWIDTH AND OCCUPIED BANDWIDTH	17
4.1.	Test Result.....	17
4.2.	Test Plots.....	18
5.	BAND EDGE COMPLIANCE	31
5.1.	Test Plots.....	31
6.	SPURIOUS EMISSION AT ANTENNA TERMINAL	48
6.1.	Test Plots.....	48
7.	FIELD STRENGTH OF SPURIOUS RADIATION.....	55
7.1.	Test BAND = LTE BAND 5.....	55
7.1.1.	Test Mode =LTE/TM1 10MHz.....	55
7.1.1.1.	Test Channel = LCH.....	55
7.1.1.1.1.	Polarity=Horizontal	55
7.1.1.1.2.	Polarity=Vertical.....	56
7.1.1.2.	Test Channel = MCH.....	56
7.1.1.2.1.	Polarity=Horizontal	56
7.1.1.2.2.	Polarity=Vertical.....	57
7.1.1.3.	Test Channel = HCH.....	57
7.1.1.3.1.	Polarity=Horizontal	57
7.1.1.3.2.	Polarity=Vertical.....	58
8.	FREQUENCY STABILITY	59
8.1.	Frequency Vs Voltage.....	59
8.2.	Frequency Vs Temperature.....	59



1. Effective (Isotropic) Radiated Power

1.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	22.51	20.26	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	22.51	20.26	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	22.50	20.25	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	22.50	20.25	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	22.50	20.25	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	22.48	20.23	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	21.46	19.21	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	22.46	20.21	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	22.47	20.22	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.48	20.23	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	22.46	20.21	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	22.46	20.21	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	22.43	20.18	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	21.41	19.16	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	22.44	20.19	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	22.42	20.17	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	22.38	20.13	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.42	20.17	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	22.44	20.19	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.42	20.17	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	21.43	19.18	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	20.54	18.29	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	20.56	18.31	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	20.47	18.22	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	20.33	18.08	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	20.35	18.10	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#3	20.33	18.08	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	19.33	17.08	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	20.50	18.25	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	20.50	18.25	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	20.43	18.18	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#0	20.42	18.17	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	20.39	18.14	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#3	20.39	18.14	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	19.38	17.13	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	20.45	18.20	38.45	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Band5	1.4MHz	64QAM	20643	1RB#2	20.53	18.28	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	20.54	18.29	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	20.44	18.19	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	20.40	18.15	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#3	20.40	18.15	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	19.37	17.12	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	21.55	19.30	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	21.55	19.30	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	21.68	19.43	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.51	19.26	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	21.50	19.25	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	21.47	19.22	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	20.44	18.19	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	21.60	19.35	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	21.61	19.36	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	21.52	19.27	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	21.51	19.26	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	21.54	19.29	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	21.48	19.23	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	20.42	18.17	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	21.51	19.26	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	21.51	19.26	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	21.47	19.22	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	21.36	19.11	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	21.46	19.21	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	21.40	19.15	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	20.40	18.15	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	22.46	20.21	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	22.52	20.27	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.47	20.22	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	21.42	19.17	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	21.51	19.26	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	21.51	19.26	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	21.43	19.18	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.40	20.15	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#8	22.48	20.23	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.45	20.20	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	21.46	19.21	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	21.45	19.20	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	21.41	19.16	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	21.46	19.21	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.39	20.14	38.45	PASS



Band5	3MHz	QPSK	20635	1RB#8	22.44	20.19	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.40	20.15	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	21.34	19.09	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	21.41	19.16	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	21.34	19.09	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	21.36	19.11	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	20.39	18.14	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#8	20.57	18.32	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	20.46	18.21	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#0	19.42	17.17	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#4	19.39	17.14	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#7	19.38	17.13	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	19.35	17.10	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	20.38	18.13	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#8	20.54	18.29	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	20.43	18.18	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#0	19.42	17.17	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#4	19.35	17.10	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#7	19.37	17.12	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	19.39	17.14	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#0	20.51	18.26	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#8	20.50	18.25	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	20.40	18.15	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#0	19.35	17.10	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#4	19.40	17.15	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#7	19.33	17.08	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	19.36	17.11	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	21.61	19.36	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	21.64	19.39	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.51	19.26	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	20.36	18.11	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	20.41	18.16	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	20.46	18.21	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	20.38	18.13	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	21.47	19.22	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	21.50	19.25	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	21.55	19.30	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	20.40	18.15	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	20.35	18.10	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	20.34	18.09	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	20.32	18.07	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	21.50	19.25	38.45	PASS



Band5	3MHz	16QAM	20635	1RB#8	21.56	19.31	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.41	19.16	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	20.32	18.07	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	20.31	18.06	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	20.38	18.13	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	20.38	18.13	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.43	20.18	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.49	20.24	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.36	20.11	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	21.43	19.18	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	21.50	19.25	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#13	21.44	19.19	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	21.47	19.22	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	22.40	20.15	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	22.41	20.16	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	22.39	20.14	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	21.38	19.13	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	21.45	19.20	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#13	21.46	19.21	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	21.43	19.18	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	22.34	20.09	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	22.37	20.12	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	22.27	20.02	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	21.34	19.09	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	21.40	19.15	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#13	21.36	19.11	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	21.32	19.07	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	20.52	18.27	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	20.44	18.19	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	20.46	18.21	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#0	19.31	17.06	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#6	19.32	17.07	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#13	19.38	17.13	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	19.41	17.16	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	20.49	18.24	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	20.47	18.22	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	20.41	18.16	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#0	19.31	17.06	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#6	19.33	17.08	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#13	19.35	17.10	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	19.31	17.06	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	20.43	18.18	38.45	PASS



Band5	5MHz	64QAM	20625	1RB#12	20.53	18.28	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	20.38	18.13	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#0	19.30	17.05	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#6	19.30	17.05	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#13	19.34	17.09	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	19.27	17.02	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	21.46	19.21	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	21.65	19.40	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	21.58	19.33	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	20.39	18.14	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	20.37	18.12	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#13	20.32	18.07	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	20.32	18.07	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	21.61	19.36	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	21.61	19.36	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	21.53	19.28	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	20.37	18.12	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	20.32	18.07	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#13	20.36	18.11	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	20.29	18.04	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	21.41	19.16	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	21.55	19.30	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	21.39	19.14	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	20.28	18.03	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	20.30	18.05	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#13	20.26	18.01	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	20.21	17.96	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	22.33	20.08	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	22.44	20.19	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	22.30	20.05	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	21.45	19.20	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	21.46	19.21	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#25	21.39	19.14	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	21.36	19.11	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	22.38	20.13	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	22.39	20.14	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	22.31	20.06	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	21.38	19.13	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	21.43	19.18	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#25	21.40	19.15	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	21.37	19.12	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	22.33	20.08	38.45	PASS



Band5	10MHz	QPSK	20600	1RB#24	22.38	20.13	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	22.23	19.98	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	21.37	19.12	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	21.39	19.14	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#25	21.36	19.11	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	21.32	19.07	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	20.47	18.22	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	20.55	18.30	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	20.35	18.10	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#0	19.39	17.14	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#12	19.40	17.15	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#25	19.41	17.16	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	19.32	17.07	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	20.43	18.18	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	20.57	18.32	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	20.37	18.12	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#0	19.36	17.11	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#12	19.31	17.06	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#25	19.30	17.05	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	19.28	17.03	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#0	20.43	18.18	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	20.52	18.27	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	20.38	18.13	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#0	19.30	17.05	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#12	19.34	17.09	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#25	19.34	17.09	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	19.33	17.08	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	21.59	19.34	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	21.66	19.41	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	21.50	19.25	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	20.39	18.14	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	20.36	18.11	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#25	20.26	18.01	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	20.28	18.03	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	21.52	19.27	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	21.57	19.32	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.36	19.11	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	20.38	18.13	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	20.27	18.02	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#25	20.33	18.08	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	20.29	18.04	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	21.40	19.15	38.45	PASS

Band5	10MHz	16QAM	20600	1RB#24	21.52	19.27	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.35	19.10	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	20.33	18.08	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	20.24	17.99	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#25	20.21	17.96	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	20.25	18.00	38.45	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$


b: SGP=Signal Generator Level


2. Peak-to-Average Ratio(CCDF)

2.1.Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	10MHz	QPSK	20450	50RB#0	5.36	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.36	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.36	13	PASS
Band5	10MHz	64QAM	20450	50RB#0	5.91	13	PASS
Band5	10MHz	64QAM	20525	50RB#0	5.91	13	PASS
Band5	10MHz	64QAM	20600	50RB#0	5.91	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	5.36	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.36	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	5.36	13	PASS

2.2.Test Plots







Band5_10MHz_QPSK_20600_50RB#0




Band5_10MHz_64QAM_20450_50RB#0




Band5_10MHz_64QAM_20525_50RB#0




Band5_10MHz_64QAM_20600_50RB#0




Band5_10MHz_16QAM_20450_50RB#0



Band5_10MHz_16QAM_20525_50RB#0



Band5_10MHz_16QAM_20600_50RB#0




3. Modulation Characteristics

3.1. Test BAND = LTE BAND5


3.1.1. Test Mode = LTE /TM1 10MHz

3.1.1.1. Test Channel = MCH




3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH



3.1.1. Test Mode = LTE /TM3 10MHz

3.1.1.1. Test Channel = MCH



4. 26dB Bandwidth and Occupied Bandwidth


4.1. Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.099	1.245	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.103	1.242	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.1	1.242	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	1.094	1.248	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	1.097	1.254	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	1.094	1.245	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.1	1.248	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.1	1.242	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.091	1.242	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.703	2.970	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.703	2.970	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.697	2.964	PASS
Band5	3MHz	64QAM	20415	15RB#0	2.697	2.970	PASS
Band5	3MHz	64QAM	20525	15RB#0	2.691	2.964	PASS
Band5	3MHz	64QAM	20635	15RB#0	2.691	2.970	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.697	2.970	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.697	2.970	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.703	2.976	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.476	4.890	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.486	4.890	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.496	4.900	PASS
Band5	5MHz	64QAM	20425	25RB#0	4.476	4.920	PASS
Band5	5MHz	64QAM	20525	25RB#0	4.486	4.910	PASS
Band5	5MHz	64QAM	20625	25RB#0	4.476	4.910	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.486	4.920	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.486	4.910	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.476	4.900	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.931	9.780	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.951	9.820	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.971	9.840	PASS
Band5	10MHz	64QAM	20450	50RB#0	8.931	9.740	PASS
Band5	10MHz	64QAM	20525	50RB#0	8.931	9.800	PASS
Band5	10MHz	64QAM	20600	50RB#0	8.991	9.760	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.951	9.800	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.931	9.800	PASS




Band5	10MHz	16QAM	20600	50RB#0	8.971	9.760	PASS
-------	-------	-------	-------	--------	-------	-------	------

4.2. Test Plots







Band5_1.4MHz_64QAM_20407_6RB#0




Band5_1.4MHz_64QAM_20525_6RB#0




Band5_1.4MHz_64QAM_20643_6RB#0




Band5_1.4MHz_16QAM_20407_6RB#0



Band5_1.4MHz_16QAM_20525_6RB#0




Band5_1.4MHz_16QAM_20643_6RB#0




Date: 14 NOV 2018 13:11:42

Band5_3MHz_QPSK_20415_15RB#0




Date: 14 NOV 2018 13:12:23

Band5_3MHz_QPSK_20525_15RB#0




Date: 14 NOV 2018 13:12:48

Band5_3MHz_QPSK_20635_15RB#0




Date: 14 NOV 2018 13:13:12

Band5_3MHz_64QAM_20415_15RB#0




Date: 15 NOV 2018 12:11:51

Band5_3MHz_64QAM_20525_15RB#0




Date: 15 NOV 2018 12:12:24

Band5_3MHz_64QAM_20635_15RB#0




Date: 15 NOV 2018 12:23:38

Band5_3MHz_16QAM_20415_15RB#0




Date: 14 NOV 2018 13:22:33

Band5_3MHz_16QAM_20525_15RB#0




Date: 14 NOV 2018 13:22:58

Band5_3MHz_16QAM_20635_15RB#0




Date: 14 NOV 2018 13:32:23

Band5_5MHz_QPSK_20425_25RB#0




Date: 14 NOV 2018 13:44:10

Band5_5MHz_QPSK_20525_25RB#0




Date: 14 NOV 2018 13:44:50


Band5_5MHz_QPSK_20625_25RB#0




Band5_5MHz_64QAM_20425_25RB#0



Band5_5MHz_64QAM_20525_25RB#0




Band5_5MHz_64QAM_20625_25RB#0




Date: 15 NOV 2018 12:13:43

Band5_5MHz_16QAM_20425_25RB#0




Date: 14 NOV 2018 13:44:28

Band5_5MHz_16QAM_20525_25RB#0




Date: 14 NOV 2018 13:15:07


Band5_5MHz_16QAM_20625_25RB#0




Band5_10MHz_QPSK_20450_50RB#0



Band5_10MHz_QPSK_20525_50RB#0




Band5_10MHz_QPSK_20600_50RB#0




Date: 14 NOV 2018 13:18:18

Band5_10MHz_64QAM_20450_50RB#0




Date: 15 NOV 2018 12:44:00

Band5_10MHz_64QAM_20525_50RB#0




Date: 15 NOV 2018 12:44:14

Band5_10MHz_64QAM_20600_50RB#0




Date: 15 NOV 2018 12:44:27

Band5_10MHz_16QAM_20450_50RB#0




Date: 14 NOV 2018 13:17:38

Band5_10MHz_16QAM_20525_50RB#0



Date: 14 NOV 2018 13:18:03

Band5_10MHz_16QAM_20600_50RB#0




Date: 14 NOV 2018 13:18:29


5. Band Edge Compliance

5.1. Test Plots


Band5_1.4MHz_QPSK_20407_1RB#0



Band5_1.4MHz_QPSK_20407_6RB#0




Band5_1.4MHz_QPSK_20643_1RB#5




Band5_1.4MHz_QPSK_20643_6RB#0




Band5_1.4MHz_64QAM_20407_1RB#0




Band5_1.4MHz_64QAM_20407_6RB#0




Band5_1.4MHz_64QAM_20643_1RB#5




Band5_1.4MHz_64QAM_20643_6RB#0




Band5_1.4MHz_16QAM_20407_1RB#0




Band5_1.4MHz_16QAM_20407_6RB#0



Band5_1.4MHz_16QAM_20643_1RB#5



Band5_1.4MHz_16QAM_20643_6RB#0




Date: 14 NOV 2018 13:24:50

Band5_3MHz_QPSK_20415_1RB#0




Date: 14 NOV 2018 13:26:06

Band5_3MHz_QPSK_20415_15RB#0



Date: 14 NOV 2018 13:27:33

Band5_3MHz_QPSK_20635_1RB#14



Date: 14 NOV 2018 13:29:09

Band5_3MHz_QPSK_20635_15RB#0




Date: 14 NOV 2018 13:30:36

Band5_3MHz_64QAM_20415_1RB#0




Date: 15 NOV 2018 12:48:30

Band5_3MHz_64QAM_20415_15RB#0



Date: 15 NOV 2018 12:19:15

Band5_3MHz_64QAM_20635_1RB#14




Date: 15 NOV 2018 12:20:06

Band5_3MHz_64QAM_20635_15RB#0




Date: 15 NOV 2018 12:20:51

Band5_3MHz_16QAM_20415_1RB#0



Date: 14 NOV 2018 13:26:49

Band5_3MHz_16QAM_20415_15RB#0




Date: 14 NOV 2018 13:28:16

Band5_3MHz_16QAM_20635_1RB#14




Date: 14 NOV 2018 13:29:53

Band5_3MHz_16QAM_20635_15RB#0




Date: 14 NOV 2018 13:51:19

Band5_5MHz_QPSK_20425_1RB#0




Date: 14 NOV 2018 13:52:35

Band5_5MHz_QPSK_20425_25RB#0




Date: 14 NOV 2018 13:54:02

Band5_5MHz_QPSK_20625_1RB#24



Date: 14 NOV 2018 13:25:28

Band5_5MHz_QPSK_20625_25RB#0




Date: 14 NOV 2018 13:27:06

Band5_5MHz_64QAM_20425_1RB#0




Date: 15 NOV 2018 12:21:42

Band5_5MHz_64QAM_20425_25RB#0



Date: 15 NOV 2018 12:22:27

Band5_5MHz_64QAM_20625_1RB#24




Date: 15 NOV 2018 12:23:18

Band5_5MHz_64QAM_20625_25RB#0




Date: 15 NOV 2018 12:24:03


Band5_5MHz_16QAM_20425_1RB#0




Band5_5MHz_16QAM_20425_25RB#0



Band5_5MHz_16QAM_20625_1RB#24




Band5_5MHz_16QAM_20625_25RB#0




Date: 14 NOV 2018 13:57:49

Band5_10MHz_QPSK_20450_1RB#0




Date: 14 NOV 2018 13:59:06

Band5_10MHz_QPSK_20450_50RB#0




Date: 14 NOV 2018 13:40:33

Band5_10MHz_QPSK_20600_1RB#49




Date: 14 NOV 2018 13:42:10

Band5_10MHz_QPSK_20600_50RB#0




Date: 14 NOV 2018 13:43:39

Band5_10MHz_64QAM_20450_1RB#0




Date: 15 NOV 2018 12:24:54

Band5_10MHz_64QAM_20450_50RB#0




Date: 15 NOV 2018 12:25:40

Band5_10MHz_64QAM_20600_1RB#49




Date: 15 NOV 2018 12:26:30

Band5_10MHz_64QAM_20600_50RB#0




Date: 15 NOV 2018 12:27:15


Band5_10MHz_16QAM_20450_1RB#0




Band5_10MHz_16QAM_20450_50RB#0



Band5_10MHz_16QAM_20600_1RB#49



Band5_10MHz_16QAM_20600_50RB#0



Date: 14 NOV. 2018 13:14:22


6. Spurious Emission at Antenna Terminal

Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Remark2: only the worst case data displayed in this report.

6.1. Test Plots


Band5_10MHz_QPSK_20450_1RB#0




Band5_10MHz_QPSK_20450_1RB#0




Band5_10MHz_QPSK_20525_1RB#0




Band5_10MHz_QPSK_20525_1RB#0




Band5_10MHz_QPSK_20600_1RB#0




Band5_10MHz_QPSK_20600_1RB#0




Band5_10MHz_64QAM_20450_1RB#0



Band5_10MHz_64QAM_20450_1RB#0




Band5_10MHz_64QAM_20525_1RB#0




Date: 15 NOV 2018 12:29:06

Band5_10MHz_64QAM_20525_1RB#0




Date: 15 NOV 2018 12:30:14

Band5_10MHz_64QAM_20600_1RB#0




Date: 15 NOV 2018 12:30:36

Band5_10MHz_64QAM_20600_1RB#0




Date: 15 NOV 2018 12:31:43

Band5_10MHz_16QAM_20450_1RB#0




Date: 14 NOV 2018 13:46:09

Band5_10MHz_16QAM_20450_1RB#0




Date: 14 NOV 2018 13:47:17


Band5_10MHz_16QAM_20525_1RB#0




Band5_10MHz_16QAM_20525_1RB#0



Band5_10MHz_16QAM_20600_1RB#0



Band5_10MHz_16QAM_20600_1RB#0



Date: 14 NOV. 2018 13:53:03

7. Field Strength of Spurious Radiation


7.1. Test BAND = LTE BAND 5

7.1.1. Test Mode = LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH


7.1.1.1.1. Polarity = Horizontal

Full Spectrum



7.1.1.1.2. Polarity=Vertical


Full Spectrum



7.1.1.2. Test Channel = MCH


7.1.1.2.1. Polarity=Horizontal

Full Spectrum



7.1.1.2.2. Polarity=Vertical


Full Spectrum



7.1.1.3. Test Channel = HCH


7.1.1.3.1. Polarity=Horizontal

Full Spectrum



7.1.1.3.2. Polarity=Vertical

Full Spectrum



Remark:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
- 2) We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.



8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	10MHz	QPSK	20450	50RB#0	VL	NT	3.58	0.004318	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	VN	NT	3.29	0.003969	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	VH	NT	4.05	0.004885	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VL	NT	2.82	0.003371	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VN	NT	2.60	0.003108	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	VH	NT	2.49	0.002977	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VL	NT	-4.68	-0.005545	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VN	NT	-4.73	-0.005604	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	VH	NT	-4.71	-0.005581	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	VL	NT	1.20	0.001448	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	VN	NT	1.30	0.001568	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	VH	NT	2.20	0.002654	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	VL	NT	0.40	0.000478	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	VN	NT	0.40	0.000478	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	VH	NT	0.50	0.000598	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	VL	NT	-1.90	-0.002251	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	VN	NT	-1.50	-0.001777	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	VH	NT	-1.90	-0.002251	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VL	NT	3.76	0.004536	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VN	NT	3.66	0.004415	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	VH	NT	4.13	0.004982	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VL	NT	3.66	0.004375	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VN	NT	-3.09	-0.003694	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	VH	NT	2.82	0.003371	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VL	NT	-4.05	-0.004799	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VN	NT	-4.11	-0.004870	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	VH	NT	-4.22	-0.005000	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	10MHz	QPSK	20450	50RB#0	NV	-30	3.99	0.004813	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	-20	4.23	0.005103	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	0	3.53	0.004258	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	10	4.35	0.005247	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	20	3.30	0.003981	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	30	3.16	0.003812	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	40	3.19	0.003848	±2.5	PASS
Band5	10MHz	QPSK	20450	50RB#0	NV	50	3.65	0.004403	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	-30	2.76	0.003299	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	-20	2.63	0.003144	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	0	2.98	0.003562	±2.5	PASS



Band5	10MHz	QPSK	20525	50RB#0	NV	10	2.33	0.002785	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	20	3.19	0.003814	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	30	2.72	0.003252	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	40	2.83	0.003383	±2.5	PASS
Band5	10MHz	QPSK	20525	50RB#0	NV	50	2.93	0.003503	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	-30	-3.99	-0.004727	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	-20	-3.85	-0.004562	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	0	-4.91	-0.005818	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	10	-3.82	-0.004526	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	20	-4.19	-0.004964	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	30	-3.83	-0.004538	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	40	-4.71	-0.005581	±2.5	PASS
Band5	10MHz	QPSK	20600	50RB#0	NV	50	-4.48	-0.005308	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	-30	1.40	0.001689	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	-20	1.60	0.001930	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	0	1.60	0.001930	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	10	1.80	0.002171	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	20	1.20	0.001448	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	30	2.10	0.002533	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	40	1.50	0.001809	±2.5	PASS
Band5	10MHz	64QAM	20450	50RB#0	NV	50	2.20	0.002654	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	-30	0.90	0.001076	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	-20	0.30	0.000359	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	0	0.20	0.000239	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	10	0.30	0.000359	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	20	0.60	0.000717	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	30	0.50	0.000598	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	40	0.90	0.001076	±2.5	PASS
Band5	10MHz	64QAM	20525	50RB#0	NV	50	0.70	0.000837	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	-30	-1.80	-0.002133	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	-20	-2.00	-0.002370	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	0	-2.00	-0.002370	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	10	-1.50	-0.001777	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	20	-1.10	-0.001303	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	30	-1.50	-0.001777	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	40	-1.80	-0.002133	±2.5	PASS
Band5	10MHz	64QAM	20600	50RB#0	NV	50	-1.70	-0.002014	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	-30	3.39	0.004089	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	-20	3.75	0.004524	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	0	4.35	0.005247	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	10	3.76	0.004536	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	20	3.93	0.004741	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	30	4.86	0.005862	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	40	3.75	0.004524	±2.5	PASS
Band5	10MHz	16QAM	20450	50RB#0	NV	50	4.33	0.005223	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	-30	-2.66	-0.003180	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	-20	2.72	0.003252	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	0	2.76	0.003299	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	10	2.75	0.003288	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	20	2.50	0.002989	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	30	-3.12	-0.003730	±2.5	PASS



Band5	10MHz	16QAM	20525	50RB#0	NV	40	3.33	0.003981	±2.5	PASS
Band5	10MHz	16QAM	20525	50RB#0	NV	50	2.82	0.003371	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	-30	-4.35	-0.005154	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	-20	-5.32	-0.006303	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	0	-4.29	-0.005083	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	10	-4.65	-0.005509	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	20	-4.05	-0.004799	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	30	-5.15	-0.006102	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	40	-4.35	-0.005154	±2.5	PASS
Band5	10MHz	16QAM	20600	50RB#0	NV	50	-4.33	-0.005130	±2.5	PASS

The End