

Parts List

1 Upper Board:

Part Number	Product Name	Designation	Quantity
14Y-400127-00	UPPER BOARD ASSY	14Y-400127-00	1
MAY-DB0005-A001	HDR2113-010020 RECEIVER	MAY-DB0005-A001	1
14Y-400130-00	M-R FPC ASSY	14Y-400130-00	1
MAY-PM0015-A001	NY-06A-6 LED MODULE	MAY-PM0015-A001	1
MAY-PE0015-M001	LS022Q8DD07 LCD MODULE	MAY-PE0015-M001	1
MAY-PE0016-M001	RB263 LCD MODULE	MAY-PE0016-M001	1
MAY-PP0010-A001	MCB511-N VGA CAMERA MODULE	MAY-PP0010-A001	1
15Y-001435	SHIELD SHEET(R)	15Y-001435	1
15Y-001431	CUSHION(R5)	15Y-001431	1
15Y-001474	SHIELD SHEET(C1)	15Y-001474	1
15Y-001459	DOUBLE FACE(R2)	15Y-001459	1
15Y-001475	SHIELD SHEET(C2)	15Y-001475	1
15Y-001627	SHIELD SHEET(G)	15Y-001627	1

1.1 Upper Board Assembly:

Part Number	Product Name	Designation	Quantity
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAY-CA0013-T001	CK1005B105K63 CAPACITOR, CERAMIC	MAY-CA0013-T001	1
MAY-CA0013-T001	CK1005B105K63 CAPACITOR, CERAMIC	MAY-CA0013-T001	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T015	CC0603CH180J25 CAPACITOR, CERAMIC	MAT-CA0006-T015	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1



Part Number	Product Name	Designation	Quantity
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T010	CC0603CH8R0D25 CAPACITOR, CERAMIC	MAT-CA0006-T010	1
MAT-CA0006-T010	CC0603CH8R0D25 CAPACITOR, CERAMIC	MAT-CA0006-T010	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
ENT-C00014-0001	TEPSLP0J106M8RSN	NEC	1
ENT-C00013-0001	TEPSLJ0J475M8RSN	NEC	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
ENT-C00014-0001	TEPSLP0J106M8RSN	NEC	1
MAT-CA0001-T008	CK2012B106K6.3L CAPACITOR, CERAMIC	MAT-CA0001-T008	1
PSZ-99999-993ZZ	NOT ASSIGNED		
ENT-C00013-0001	TEPSLJ0J475M8RSN	NEC	1
ENT-C00014-0001	TEPSLP0J106M8RSN	NEC	1
MAY-CC0010-T005	TEESVJ1A475M8R CAPASITOR, TANTALUM	MAY-CC0010-T005	1
ENT-C00013-0001	TEPSLJ0J475M8RSN	NEC	1
MAY-CC0011-T008	TEESVP0J226M8R CAPASITOR, TANTALUM	MAY-CC0011-T008	1
MAY-CC0011-T008	TEESVP0J226M8R CAPASITOR, TANTALUM	MAY-CC0011-T008	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
ENT-C00013-0001	TEPSLJ0J475M8RSN	NEC	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAT-CA0001-T008	CK2012B106K6.3L CAPACITOR, CERAMIC	MAT-CA0001-T008	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1



Part Number	Product Name	Designation	Quantity
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAY-CC0010-T005	TEESVJ1A475M8R CAPASITOR, TANTALUM	MAY-CC0010-T005	1
PSC-KT39B0C474K	GRM39B474K10NT CAPACITOR, CERAMIC	MPS-C-1068	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAY-CA0013-T001	CK1005B105K63 CAPACITOR, CERAMIC	MAY-CA0013-T001	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
PSC-ST29Z0B106M	TCFGP0J106M8R CAPACITOR, TANTALUM	MPS-C-3009	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1



Part Number	Product Name	Designation	Quantity
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAY-LB0002-T003	BLA2ABB220SN4D CHIP FERRITE BEAD ARRAY	MAY-LB0002-T003	1
MAY-LB0002-T003	BLA2ABB220SN4D CHIP FERRITE BEAD ARRAY	MAY-LB0002-T003	1
MAY-LB0002-T003	BLA2ABB220SN4D CHIP FERRITE BEAD ARRAY	MAY-LB0002-T003	1
MAY-LB0002-T003	BLA2ABB220SN4D CHIP FERRITE BEAD ARRAY	MAY-LB0002-T003	1
MAY-FY0002-T003	EXC24CB221U NOISE REJECTION FILTER	MAY-FY0002-T003	1
MAY-YD0036-0024	OMAP1510GGZG3J MICROCONTROLLER	MAY-YD0036-0024	1
MAY-YD0077-0001	K4M28163PE-RG1L000	MAY-YD0077-0001	1
MAY-YD0076-0001	RD38F3252LLZDQ0	MAY-YD0076-0001	1
MAY-YD0073-T001	MC74VHC1G32DFT2G	MAY-YD0073-T001	1
MAY-YD0071-T001	MC74VHC1G04DFT2G	MAY-YD0071-T001	1
MAY-YD0073-T001	MC74VHC1G32DFT2G	MAY-YD0073-T001	1
MAY-YC0030-0001	RC5T725 IC, POWER	MAY-YC0030-0001	1
MAY-YD0072-T001	MC74VHC1G08DFT2G	MAY-YD0072-T001	1
MAY-YD0060-T001	LTC3205EUF#TR	MAY-YD0060-T001	1
MAY-VL0003-T001	CIM-86S7B-T IRDA MODULE	MAY-VL0003-T001	1
MAY-YD0078-T001	SN74LVC1G17YZPR	MAY-YD0078-T001	1
MAY-YD0079-T001	SN74LVC2G74YZPR	MAY-YD0079-T001	1
15Y-001440	SHIELD(HEL)	15Y-001440	1
15Y-001441	SHIELD(ROB)	15Y-001441	1
15Y-001437	EARTH TERMINAL(R)	15Y-001437	1
15Y-001437	EARTH TERMINAL(R)	15Y-001437	1
MAS-LY0002-TD03	BLM15BB220SN1D FERRITE, BEAD	MAS-LY0002-TD03	1
MAS-LY0002-TD03	BLM15BB220SN1D FERRITE, BEAD	MAS-LY0002-TD03	1
MAY-LB0004-T001	C3-Z1.5R(10)-T CHOKE COIL	MAY-LB0004-T001	1



Part Number	Product Name	Designation	Quantity
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
PSR-NT16B0A500J	CR16SB500J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A500J	CR16SB500J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T053	CR20B152J RESISTOR	MAT-RA0003-T053	1
MAT-RA0003-T037	CR20B331J RESISTOR	MAT-RA0003-T037	1
MAT-RA0003-T035	CR20B271J RESISTOR	MAT-RA0003-T035	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T073	CR20B103J RESISTOR	MAT-RA0003-T073	1
MAT-RA0003-T073	CR20B103J RESISTOR	MAT-RA0003-T073	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T013	CR20B330J RESISTOR	MAT-RA0003-T013	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T081	CR20B223J RESISTOR	MAT-RA0003-T081	1
MAT-RA0003-T108	CR20B304J RESISTOR	MAT-RA0003-T108	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T108	CR20B304J RESISTOR	MAT-RA0003-T108	1
MAS-RA0001-T019	CR16SB560D RESISTOR, THICK FILM CHIP	MAS-RA0001-T019	1
MAS-RA0001-T019	CR16SB560D RESISTOR, THICK FILM CHIP	MAS-RA0001-T019	1
MAS-RA0001-T019	CR16SB560D RESISTOR, THICK FILM CHIP	MAS-RA0001-T019	1
PSR-ST05B0A273D	RR0510R-273-D RESISTOR, METAL	MPS-R-1026	1
PSR-ST05B0A273D	RR0510R-273-D RESISTOR, METAL	MPS-R-1026	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
PSR-NT16B0A000J	CR16SB000J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A000J	CR16SB000J RESISTOR, FIXED	MPS-R-1023	1
MAS-RA0005-T139	CR16SB474J RESISTOR, CHIP	MAS-RA0005-T139	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T065	CR20B472J RESISTOR	MAT-RA0003-T065	1
MAT-RA0003-T065	CR20B472J RESISTOR	MAT-RA0003-T065	1

Part Number	Product Name	Designation	Quantity
MAT-RA0003-T037	CR20B331J RESISTOR	MAT-RA0003-T037	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T037	CR20B331J RESISTOR	MAT-RA0003-T037	1
MAT-RA0003-T037	CR20B331J RESISTOR	MAT-RA0003-T037	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0001-T037	CR16S04B331J RESISTOR	MAT-RA0001-T037	1
MAT-RA0001-T037	CR16S04B331J RESISTOR	MAT-RA0001-T037	1
MAY-VJ0003-A001	SI2315DS-T1 TRANSISTOR	MAY-VJ0003-A001	1
MAS-VH0018-0001	2SK3541	MAS-VH0018-0001	1
MAY-VH0016-T001	RTF025N03 TL	MAY-VH0016-T001	1
MAS-VB0007-0001	RSX101VA-30 DIODE, RECTIFICATION	MAS-VB0007-0001	1
MAY-VK0013-T002	CL-470S-3WD-DS-T FLASH LED	MAY-VK0013-T002	1
MAT-VK0034-T001	CL-501G-D-T LED	MAT-VK0034-T001	1
MAS-VD0009-0001	VDZ T2R 8.2B	MAS-VD0009-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAT-VA0001-0001	1SS400 TE61 DIODE	MAT-VA0001-0001	1
MAY-QA0003-T001	12MHZ CRYSTAL RESONATOR	MAY-QA0003-T001	1
15Y-800179	PRINT BOARD UPPER	15Y-800179	0.5

1.2 M-R FPC Assembly

Part Number	Product Name	Designation	Quantity
MAT-JJ0026-T002	WA5P080VA1E3000 CONNECTOR	MAT-JJ0026-T002	1

15Y-800181	800181 MR FPC	15Y-800181	0.125
15Y-001610	TAPE(MR-FPC)	15Y-001610	1
15Y-001611	PLATE	15Y-001611	1

2 Lower Board

Part Number	Product Name	Designation	Quantity
14Y-400128-00	LOWER BOARD ASSY	14Y-400128-00	1
MAY-BD0014-0001	ML414 BATTERY,LITHIUM SECONDARY	MAY-BD0014-0001	1
15Y-001447	METAL DOME SHEET	15Y-001447	1
15Y-001449	BLIND SHEET	15Y-001449	1

2.1 Lower Board Assembly

Part Number	Product Name	Designation	Quantity
MAY-FE0029-T001	1960MHZ FILTER, SAW	MAY-FE0029-T001	1
MAY-FE0038-T001	FILETR,SAW(DCS)	MAY-FE0038-T001	1
MAY-FE0025-0001	SAFSD942MFM0T07R05 FILTER, SAW	MAY-FE0025-0001	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T013	GRM36CH070D50T CAPACITOR, CERAMIC	MAS-CA0010-T013	1
MAS-CA0010-T016	GRM36CH100D50T CAPACITOR, CERAMIC	MAS-CA0010-T016	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0004-B010	GRM36B102K50NT CAPACITOR,CERAMIC	MAS-CA0004-B010	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAY-CA0016-T001	CK2012B106K10 CAPACITOR, CERAMIC	MAY-CA0016-T001	1
MAY-CA0016-T001	CK2012B106K10 CAPACITOR, CERAMIC	MAY-CA0016-T001	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0010-T026	GRM36CH270J50T CAPACITOR, CERAMIC	MAS-CA0010-T026	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T022	GRM36CH180J50T CAPACITOR, CERAMIC	MAS-CA0010-T022	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAS-CA0010-T016	GRM36CH100D50T CAPACITOR, CERAMIC	MAS-CA0010-T016	1
MAS-CA0010-T034	GRM36CH560J50T CAPACITOR, CERAMIC	MAS-CA0010-T034	1
MAS-CA0010-T003	GRM36CK010C50T CAPACITOR, CERAMIC	MAS-CA0010-T003	1
MAY-CA0015-T001	CK1608B225K10 CAPACITOR, CERAMIC	MAY-CA0015-T001	1
MAS-CA0010-T028	GRM36CH330J50T CAPACITOR, CERAMIC	MAS-CA0010-T028	1
MAS-CA0010-T016	GRM36CH100D50T CAPACITOR, CERAMIC	MAS-CA0010-T016	1
MAS-CA0010-T028	GRM36CH330J50T CAPACITOR, CERAMIC	MAS-CA0010-T028	1
MAT-CA0006-T009	CC0603CH7R0D25 CAPACITOR, CERAMIC	MAT-CA0006-T009	1
MAY-CA0015-T001	CK1608B225K10 CAPACITOR, CERAMIC	MAY-CA0015-T001	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSC-KT39B0C474K	GRM39B474K10NT CAPACITOR, CERAMIC	MPS-C-1068	1
PSC-KT39B0C474K	GRM39B474K10NT CAPACITOR, CERAMIC	MPS-C-1068	1
MAT-CA0006-T021	CC0603CH560J16 CAPACITOR, CERAMIC	MAT-CA0006-T021	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
PSC-KT39B0C474K	GRM39B474K10NT CAPACITOR, CERAMIC	MPS-C-1068	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAY-CA0019-T001	C2012JB1A106KT CAPACITOR, CERAMIC	MAY-CA0019-T001	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAT-CA0006-T007	CC0603CH5R0C25 CAPACITOR, CERAMIC	MAT-CA0006-T007	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAY-CA0016-T001	CK2012B106K10 CAPACITOR, CERAMIC	MAY-CA0016-T001	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
MAT-CA0006-T007	CC0603CH5R0C25 CAPACITOR, CERAMIC	MAT-CA0006-T007	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR, CERAMIC	MAS-CA0004-B040	1
MAY-CA0015-T001	CK1608B225K10 CAPACITOR, CERAMIC	MAY-CA0015-T001	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAY-CA0015-T001	CK1608B225K10 CAPACITOR, CERAMIC	MAY-CA0015-T001	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR, CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B029	GRM36B223K16NT CAPACITOR, CERAMIC	MAS-CA0004-B029	1
MAT-CA0006-T013	CC0603CH120J25 CAPACITOR, CERAMIC	MAT-CA0006-T013	1
MAT-CA0006-T013	CC0603CH120J25 CAPACITOR, CERAMIC	MAT-CA0006-T013	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAY-CA0017-T001	GRM155B31A224KE18D CAPACITOR, CERAMIC	MAY-CA0017-T001	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR, CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR, CERAMIC	MAS-CA0004-B025	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAY-CA0017-T001	GRM155B31A224KE18D CAPACITOR, CERAMIC	MAY-CA0017-T001	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAT-CA0006-T020	CC0603CH470J16 CAPACITOR, CERAMIC	MAT-CA0006-T020	1
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B025	GRM36B103K16NT CAPACITOR,CERAMIC	MAS-CA0004-B025	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T024	CC0603CH101J10 CAPACITOR, CERAMIC	MAT-CA0006-T024	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAY-CC0010-T005	TEESVJ1A475M8R CAPASITOR, TANTALUM	MAY-CC0010-T005	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAY-CC0010-T005	TEESVJ1A475M8R CAPASITOR, TANTALUM	MAY-CC0010-T005	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

[illegible]



Part Number	Product Name	Designation	Quantity
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B003	GRM36B331K50NT CAPACITOR,CERAMIC	MAS-CA0004-B003	1
ENY-C00006-0001	TEESVP0E476M8R	NEC	1
MAT-CA0006-T015	CC0603CH180J25 CAPACITOR, CERAMIC	MAT-CA0006-T015	1
MAT-CA0006-T014	CC0603CH150J25 CAPACITOR, CERAMIC	MAT-CA0006-T014	1
MAT-CA0006-T015	CC0603CH180J25 CAPACITOR, CERAMIC	MAT-CA0006-T015	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T015	CC0603CH180J25 CAPACITOR, CERAMIC	MAT-CA0006-T015	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B003	GRM36B331K50NT CAPACITOR,CERAMIC	MAS-CA0004-B003	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
ENY-C00006-0001	TEESVP0E476M8R	NEC	1
MAT-CA0006-T015	CC0603CH180J25 CAPACITOR, CERAMIC	MAT-CA0006-T015	1
MAT-CA0006-T014	CC0603CH150J25 CAPACITOR, CERAMIC	MAT-CA0006-T014	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T014	CC0603CH150J25 CAPACITOR, CERAMIC	MAT-CA0006-T014	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T017	CC0603CH270J25	MAT-CA0006-T017	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
	CAPACITOR, CERAMIC		
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T014	CC0603CH150J25 CAPACITOR, CERAMIC	MAT-CA0006-T014	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAS-CA0010-T040	GRM36CH101J50T CAPACITOR, CERAMIC	MAS-CA0010-T040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAT-CA0006-T017	CC0603CH270J25 CAPACITOR, CERAMIC	MAT-CA0006-T017	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0008-T001	CK1608B105K16 CAPACITOR, CERAMIC	MAT-CA0008-T001	1
MAS-CA0004-B045	GRM36B474K6.3NT CAPACITOR,CERAMIC	MAS-CA0004-B045	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAS-CA0004-B040	GRM36B104K10NT CAPACITOR,CERAMIC	MAS-CA0004-B040	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T018	CC0603CH330J25 CAPACITOR, CERAMIC	MAT-CA0006-T018	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T012	CC0603CH100J25 CAPACITOR, CERAMIC	MAT-CA0006-T012	1
MAT-CA0006-T012	CC0603CH100J25	MAT-CA0006-T012	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T012	CAPACITOR, CERAMIC CC0603CH100J25	MAT-CA0006-T012	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAT-CA0006-T018	CAPACITOR, CERAMIC CC0603CH330J25	MAT-CA0006-T018	1
MAS-CA0004-B040	CAPACITOR,CERAMIC GRM36B104K10NT	MAS-CA0004-B040	1
MAS-HE0001-T002	FUSE, CHIP ERBFE1R00U	MAS-HE0001-T002	1
MAY-FY0002-T003	NOISE REJECTION FILTER EXC24CB221U	MAY-FY0002-T003	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAY-YD0070-T001	SI4206-BMR	MAY-YD0070-T001	1
MAY-YD0073-T001	MC74VHC1G32DFT2G	MAY-YD0073-T001	1
MAY-YC0068-T002	MM1613ANRE	MAY-YC0068-T002	1
MAY-YD0059-T001	LTC4053EMSE-4.2#TR	MAY-YD0059-T001	1
MAY-YB0006-0001	L-C-CSP2200B-YV10-DT	MAY-YB0006-0001	1
MAY-YB0005-0001	L-TR09WOTFC15IN2B-DT	MAY-YB0005-0001	1



Part Number	Product Name	Designation	Quantity
MAY-YD0075-0001	RD38F2020W0ZBQ0	MAY-YD0075-0001	1
MAS-YA0019-0001	S-8110CNB-DRA-TF	MAS-YA0019-0001	1
MAY-YD0080-0001	TPA6100A2DGKR	MAY-YD0080-0001	1
MAY-YD0080-0001	TPA6100A2DGKR	MAY-YD0080-0001	1
MAY-YD0081-0001	LM4893ITLX	MAY-YD0081-0001	1
MAY-YA0030-0001	BU8857GU-E2	MAY-YA0030-0001	1
MAY-YC0098-T001	R1114Q251D-TR	MAY-YC0098-T001	1
MAY-VY0012-T001	EM-1671-FT HOLE IC	MAY-VY0012-T001	1
MAY-XD0004-T001	SPC 3P-SMT CONNECTOR, BATTERY	MAY-XD0004-T001	1
MAY-XD0004-T001	SPC 3P-SMT CONNECTOR, BATTERY	MAY-XD0004-T001	1
MAY-XF0007-T001	55900-1091 HSJ	MAY-XF0007-T001	1
15Y-001439	EARTH TERMINAL(ML)	15Y-001439	1
15Y-001438	EARTH TERMINAL(MR)	15Y-001438	1
15Y-001445	SHIELD(TRI)	15Y-001445	1
15Y-001442	SHIELD(GEM)	15Y-001442	1
15Y-001443	SHIELD(TX-3)	15Y-001443	1
15Y-001444	SHIELD(RX)	15Y-001444	1
15Y-001446	SHIELD(XTL)	15Y-001446	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-LA0005-T007	LL1005-FHL3N3S COIL, LEADLESS	MAS-LA0005-T007	1
MAS-LA0005-T013	LL1005-FHL10NJ COIL, LEADLESS	MAS-LA0005-T013	1
MAS-LA0005-T019	LL1005-FHL33NJ COIL, LEADLESS	MAS-LA0005-T019	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-LA0004-T006	LQW15AN6N2C00D CHIP COIL	MAT-LA0004-T006	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-LA0004-T008	LQW15AN7N5H00D CHIP COIL	MAT-LA0004-T008	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-LA0004-T015	LQW15AN27NH00D CHIP COIL	MAT-LA0004-T015	1
PSL-18034-010ZZ	ELJRE8N2JF2 COIL, LEADLESS	MPS-L-4054-A10	1
MAS-LA0005-T013	LL1005-FHL10NJ COIL, LEADLESS	MAS-LA0005-T013	1
MAS-LA0005-T013	LL1005-FHL10NJ COIL, LEADLESS	MAS-LA0005-T013	1
MAS-LA0005-T013	LL1005-FHL10NJ COIL, LEADLESS	MAS-LA0005-T013	1
MAS-LA0005-T025	LL1005-FHLR10J COIL, LEADLESS	MAS-LA0005-T025	1
PSR-NT16B0A181J	CR16SB181J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A270J	CR16SB270J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A181J	CR16SB181J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A151J	CR16SB151J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A390J	CR16SB390J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A151J	CR16SB151J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A224J	CR16SB224J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A563J	CR16SB563J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A000J	CR16SB000J	MPS-R-1023	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

[illegible]



Part Number	Product Name	Designation	Quantity
MAS-RA0001-T105	CR16SB224D RESISTOR, THICK FILM CHIP	MAS-RA0001-T105	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T115	CR20B564J RESISTOR	MAT-RA0003-T115	1
MAT-RA0003-T081	CR20B223J RESISTOR	MAT-RA0003-T081	1
MAT-RA0003-T071	CR20B822J RESISTOR	MAT-RA0003-T071	1
MAT-RA0003-T071	CR20B822J RESISTOR	MAT-RA0003-T071	1
MAT-RA0003-T071	CR20B822J RESISTOR	MAT-RA0003-T071	1
MAT-RA0003-T071	CR20B822J RESISTOR	MAT-RA0003-T071	1
MAT-RA0003-T071	CR20B822J RESISTOR	MAT-RA0003-T071	1
PSR-NT16B0A304J	CR16SB304J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T057	CR20B222J RESISTOR	MAT-RA0003-T057	1
PSR-NT16B0A102J	CR16SB102J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T057	CR20B222J RESISTOR	MAT-RA0003-T057	1
PSR-NT16B0A103J	CR16SB103J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A224J	CR16SB224J RESISTOR, FIXED	MPS-R-1023	1
MAS-RA0005-T111	CR16SB333J RESISTOR, CHIP	MAS-RA0005-T111	1
PSR-NT16B0A394J	CR16SB394J RESISTOR, FIXED	MPS-R-1023	1
MAS-RA0005-T111	CR16SB333J RESISTOR, CHIP	MAS-RA0005-T111	1
PSR-NT16B0A394J	CR16SB394J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T057	CR20B222J RESISTOR	MAT-RA0003-T057	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
PSR-NT16B0A683J	CR16SB683J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T017	CR20B470J RESISTOR	MAT-RA0003-T017	1
MAT-RA0003-T017	CR20B470J RESISTOR	MAT-RA0003-T017	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T083	CR20B273J RESISTOR	MAT-RA0003-T083	1
MAT-RA0003-T083	CR20B273J RESISTOR	MAT-RA0003-T083	1



Part Number	Product Name	Designation	Quantity
MAT-RA0003-T081	CR20B223J RESISTOR	MAT-RA0003-T081	1
PSR-NT16B0A683J	CR16SB683J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T013	CR20B330J RESISTOR	MAT-RA0003-T013	1
MAT-RA0003-T083	CR20B273J RESISTOR	MAT-RA0003-T083	1
MAT-RA0003-T081	CR20B223J RESISTOR	MAT-RA0003-T081	1
MAT-RA0003-T083	CR20B273J RESISTOR	MAT-RA0003-T083	1
PSR-NT16B0A683J	CR16SB683J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T013	CR20B330J RESISTOR	MAT-RA0003-T013	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T077	CR20B153J RESISTOR	MAT-RA0003-T077	1
MAT-RA0003-T077	CR20B153J RESISTOR	MAT-RA0003-T077	1
PSR-NT16B0A473J	CR16SB473J RESISTOR, FIXED	MPS-R-1023	1
PSR-NT16B0A473J	CR16SB473J RESISTOR, FIXED	MPS-R-1023	1
MAT-RA0003-T121	CR20B105J RESISTOR	MAT-RA0003-T121	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAS-RA0005-T107	CR16SB223J RESISTOR, CHIP	MAS-RA0005-T107	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T122	CR20B000J RESISTOR	MAT-RA0003-T122	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T009	CR20B220J RESISTOR	MAT-RA0003-T009	1
MAT-RA0003-T077	CR20B153J RESISTOR	MAT-RA0003-T077	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-RA0003-T093	CR20B683J RESISTOR	MAT-RA0003-T093	1
MAT-RA0003-T093	CR20B683J RESISTOR	MAT-RA0003-T093	1
MAT-RA0003-T069	CR20B682J RESISTOR	MAT-RA0003-T069	1
MAT-RA0003-T069	CR20B682J RESISTOR	MAT-RA0003-T069	1
MAT-RA0003-T089	CR20B473J RESISTOR	MAT-RA0003-T089	1
MAT-RA0003-T089	CR20B473J RESISTOR	MAT-RA0003-T089	1
PSR-ST05B0A240D	RR0510R-240-D RESISTOR, METAL	MPS-R-1026	1
PSR-ST05B0A240D	RR0510R-240-D RESISTOR, METAL	MPS-R-1026	1
MAT-RA0003-T017	CR20B470J RESISTOR	MAT-RA0003-T017	1
MAT-RA0003-T017	CR20B470J RESISTOR	MAT-RA0003-T017	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
PSZ-99999-993ZZ	NOT ASSIGNED		
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAS-RA0005-T077	CR16SB122J RESISTOR, CHIP	MAS-RA0005-T077	1
MAT-RA0003-T097	CR20B104J RESISTOR	MAT-RA0003-T097	1
MAT-RA0003-T049	CR20B102J RESISTOR	MAT-RA0003-T049	1
MAT-SD0004-T001	EVQ3P701K SWITCH, PUSH BUTTON	MAT-SD0004-T001	1
MAT-SD0004-T001	EVQ3P701K SWITCH, PUSH BUTTON	MAT-SD0004-T001	1
MAS-VH0018-0001	2SK3541	MAS-VH0018-0001	1
MAY-VH0010-0001	SI1016X-T1	MAY-VH0010-0001	1
MAY-VH0010-0001	SI1016X-T1	MAY-VH0010-0001	1
MAY-VH0013-T001	EM6K1 T2R	MAY-VH0013-T001	1
MAT-VH0017-0001	CPH5611-TL	MAT-VH0017-0001	1
MAS-YA0020-T001	LMSP54CA-157	MAS-YA0020-T001	1
MAY-YD0065-T001	RF3133TR13	MAY-YD0065-T001	1
MAT-VA0001-0001	1SS400 TE61 DIODE	MAT-VA0001-0001	1
MAY-VA0010-0001	RB521G-30FS T2R	MAY-VA0010-0001	1
MAY-VA0010-0001	RB521G-30FS T2R	MAY-VA0010-0001	1
MAY-VY0005-0002	AVR-M1005C270MTAABG DIODE	MAY-VY0005-0002	1
MAS-VB0007-0001	RSX101VA-30 DIODE, RECTIFICATION	MAS-VB0007-0001	1
MAS-RA0005-T147	CR16SB105J RESISTOR, CHIP	MAS-RA0005-T147	1
MAS-RA0005-T147	CR16SB105J RESISTOR, CHIP	MAS-RA0005-T147	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1



FCC ID# A98-KMP6J1L1
Model # KMP6J1L1-1A

Part Number	Product Name	Designation	Quantity
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0014-T001	AVR-M1005C080MTACB DIODE	MAY-VY0014-T001	1
MAY-VY0014-T001	AVR-M1005C080MTACB DIODE	MAY-VY0014-T001	1
MAY-VY0014-T001	AVR-M1005C080MTACB DIODE	MAY-VY0014-T001	1
MAY-VY0014-T001	AVR-M1005C080MTACB DIODE	MAY-VY0014-T001	1
MAT-VY0007-0001	SBS804-TL	MAT-VY0007-0001	1
MAY-VY0005-0002	AVR-M1005C270MTAABG DIODE	MAY-VY0005-0002	1
MAY-VY0005-0002	AVR-M1005C270MTAABG DIODE	MAY-VY0005-0002	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0001	AVR-M1005C080MTAABG DIODE	MAY-VY0005-0001	1
MAY-VY0005-0002	AVR-M1005C270MTAABG DIODE	MAY-VY0005-0002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
PSZ-99999-993ZZ	NOT ASSIGNED		
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAT-VK0017-T002	NL-197SYG-CD-T LED	MAT-VK0017-T002	1
MAY-QA0005-T001	13MHZ CRYSTAL RESONATOR	MAY-QA0005-T001	1
MAT-QA0004-T001	FC-135 32.768KHZ CRYSTAL	MAT-QA0004-T001	1
MAY-QC0002-T001	SG-310SDF DCXO	MAY-QC0002-T001	1
MAY-HK0003-T001	NCP15WF104J03RC THERMISTOR	MAY-HK0003-T001	1
MAY-XA0006-T001	ID1B-6S-2.54SF	MAY-XA0006-T001	1
MAY-JJ0020-T001	TCX0557-010100	MAY-JJ0020-T001	1
MAT-JJ0018-T001	RA1RN11H12-E1000 CONNECTOR	MAT-JJ0018-T001	1
MAT-JJ0027-T002	WA5B080VA2E1000 CONNECTOR	MAT-JJ0027-T002	1
15Y-800180	PRINT BOARD LOWER	15Y-800180	0.5

3 Front Assembly

Part Number	Product Name	Designation	Quantity
15Y-001399-01	FRONT CASE(R)	15Y-001399-01	1
15Y-001399-02	FRONT CASE(R)	15Y-001399-02	1
15Y-001399-03	FRONT CASE(R)	15Y-001399-03	1
15Y-001399-03	FRONT CASE(R)	15Y-001399-03	1
15Y-001399-03	FRONT CASE(R)	15Y-001399-03	1
15Y-001399-03	FRONT CASE(R)	15Y-001399-03	1
15Y-001399-03	FRONT CASE(R)	15Y-001399-03	1
15Y-001401-01	FRONT CASE(M)ASSY	15Y-001401-01	1
15Y-001401-02	FRONT CASE(M)ASSY	15Y-001401-02	1
15Y-001401-03	FRONT CASE(M)ASSY	15Y-001401-03	1
15Y-001401-03	FRONT CASE(M)ASSY	15Y-001401-03	1
15Y-001401-03	FRONT CASE(M)ASSY	15Y-001401-03	1
15Y-001401-03	FRONT CASE(M)ASSY	15Y-001401-03	1
15Y-001401-03	FRONT CASE(M)ASSY	15Y-001401-03	1
15Y-001448	HINGE UNIT	15Y-001448	2
15Y-001432	NET(REC)	15Y-001432	1
15Y-001433	MAGNET	15Y-001433	1
15Y-001464	DOUBLE FACE(MG)	15Y-001464	1

4 Rear Assembly

Part Number	Product Name	Designation	Quantity
15Y-001400-01	REAR COVER(R)	15Y-001400-01	1
15Y-001400-02	REAR COVER(R)	15Y-001400-02	1
15Y-001428	CUSHION(R2)	15Y-001428	1
15Y-001383	WATER SENSITIVE LABEL	15Y-001383	1

Power Output Adjustment Procedure

- HHP and personal computer are connected
- The software for adjustment is operated.
- Press PWR to turn on the phone.

- Command line of PC input: “TestModeOn” : *set HHP into Engineering test mode.*

- Command line of PC input: “ContTxon,661,5,0,2” : *Tx on at PCS1900 661ch power level 0*

- Command line of PC input:
 “SetRamp,745,115,115,115,115,115,115,115,115,217,351,497,626,714,745,745,745,
 745,745,714,626,497,351,217,115,115,115,115,115,115,115,115,0,0,0,
 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0”

 : *The values of the highlight are changed to change Mid-Burst power.*

- Command line of PC input “ContTxOff” : *Turn TX off*

Appendix 1 command list

- 1) TestModeOn

Syntax	TestModeOn
Parameters	None
Returns	TestModeOn:DONE

- 2) ContTxOn

Syntax	ContTxOn, <UINT8 TxArfcn>, <UINT8 Trainingsequence>, <UINT8Powerlevel>, <UINT8 Band>		
Parameters	TxArfcn, channel to transmit on		
	valid inputs	512 to 810 for PCS1900	
	Training sequence		
	valid inputs	0 to 7	
	Powerlevel		
	valid inputs	0 to 15 for PCS1900	
	Band	valid inputs	2 for PCS1900
Returns	ContTxOn:DONE		

- 3) SetRamp

Syntax	SetRamp,< Array of 16-bit values >
Parameters	The values of a powerramp (normally 33 values)
Returns	SetRamp:DONE

- 4) ContTxOff

Syntax	ContTxOff
Parameters	None
Returns	ContTxOff:DONE