



MEAS. 1 Left Head with Cheek on Low Channel in GSM 850 mode

Test Date: 27/4/2016
Signal: GSM, f=824.2 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 42.20; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=5mm, dy=5mm, dz=5mm, Complete
Maximum location: X=-48.000000, Y=-36.000000
SAR 10g (W/Kg): 0.168470
SAR 1g (W/Kg): 0.215264
Power drift (%): 0.95
3D screen shot




Z Axis Scan




MEAS. 2 Left Head with Tilt on Low Channel in GSM 850 mode

Test Date: 27/4/2016
Signal: GSM, $f=824.2$ MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 42.20; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, $h=5.00$ mm
Zoom Scan: 5x5x7, $dx=8$ mm, $dy=8$ mm, $dz=5$ mm, Complete
Maximum location: X=-36.000000, Y=-24.000000
SAR 10g (W/Kg): 0.094609
SAR 1g (W/Kg): 0.125455
Power drift (%): 1.65
3D screen shot




Z Axis Scan




MEAS. 3 Right Head with Cheek on Low Channel in GSM 850 mode

Test Date: 27/4/2016
Signal: GSM, f=824.2 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 42.20; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-36.000000
SAR 10g (W/Kg): 0.142378
SAR 1g (W/Kg): 0.196386
Power drift (%): -0.38
3D screen shot




Z Axis Scan




MEAS. 24 Right Head with Tilt on Low Channel in GSM 850 mode

Test Date: 27/4/2016
Signal: GSM, $f=824.2$ MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 42.20; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, $h=5.00$ mm
Zoom Scan: 5x5x7, $dx=8$ mm, $dy=8$ mm, $dz=5$ mm, Complete
Maximum location: X=-36.000000, Y=-12.000000
SAR 10g (W/Kg): 0.077580
SAR 1g (W/Kg): 0.105466
Power drift (%): -3.27
3D screen shot




Z Axis Scan




MEAS. 5 Body Plane with Front Side 15mm on Low Channel in GSM 850

mode

Test Date: 28/4/2016
Signal: GSM, f=824.2 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 56.00; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=36.000000
SAR 10g (W/Kg): 0.160915
SAR 1g (W/Kg): 0.213156
Power drift (%): 1.89
3D screen shot




Z Axis Scan




MEAS. 6 Body Plane with Back Side 15mm on Low Channel in GSM 850

mode

Test Date: 28/4/2016
Signal: GSM, f=824.2 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 56.00; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=48.000000
SAR 10g (W/Kg): 0.156337
SAR 1g (W/Kg): 0.208807
Power drift (%): -3.28
3D screen shot




Z Axis Scan




MEAS. 7 Body Plane with Front Side 10mm on High Channel in GPRS 850

mode

Test Date: 28/4/2016
Signal: GPRS, f=848.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 55.47; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=20.000000, Y=12.000000
SAR 10g (W/Kg): 0.154421
SAR 1g (W/Kg): 0.222193
Power drift (%): -0.10
3D screen shot




Z Axis Scan




MEAS. 8 Body Plane with Back Side 10mm on High Channel in GPRS 850

mode

Test Date: 28/4/2016
Signal: GPRS, f=848.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 55.47; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-48.000000
SAR 10g (W/Kg): 0.215061
SAR 1g (W/Kg): 0.369479
Power drift (%): -2.18
3D screen shot




Z Axis Scan




MEAS. 9 Body Plane with Left Side 10mm on High Channel in GPRS 850

mode

Test Date: 28/4/2016
Signal: GPRS, f=848.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 55.47; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=36.000000
SAR 10g (W/Kg): 0.062143
SAR 1g (W/Kg): 0.089409
Power drift (%): 0.20
3D screen shot




Z Axis Scan




MEAS. 10 Body Plane with Right Side 10mm on High Channel in GPRS 850

mode

Test Date: 28/4/2016
Signal: GPRS, f=848.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 55.47; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=24.000000
SAR 10g (W/Kg): 0.177663
SAR 1g (W/Kg): 0.263081
Power drift (%): -0.31
3D screen shot




Z Axis Scan




MEAS. 11 Body Plane with Bottom Side 10mm on High Channel in GPRS 850

mode

Test Date: 28/4/2016
Signal: GPRS, f=848.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 55.47; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.120033
SAR 1g (W/Kg): 0.208237
Power drift (%): -3.82
3D screen shot




Z Axis Scan




MEAS. 12 Left Head with Cheek on High Channel in GSM 1900 mode

Test Date: 24/4/2016
Signal: GSM, $f=1909.8$ MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 39.60; Conductivity: 1.42 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, $h=5.00$ mm
Zoom Scan: 5x5x7, $dx=8$ mm, $dy=8$ mm, $dz=5$ mm, Complete
Maximum location: X=-60.000000, Y=-12.000000
SAR 10g (W/Kg): 0.038253
SAR 1g (W/Kg): 0.060392
Power drift (%): 3.31
3D screen shot




Z Axis Scan




MEAS. 13 Left Head with Tilt on High Channel in GSM 1900 mode

Test Date: 24/4/2016
Signal: GSM, f=1909.8 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 39.60; Conductivity: 1.42 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.022635
SAR 1g (W/Kg): 0.037353
Power drift (%): -4.61
3D screen shot




Z Axis Scan




MEAS. 14 Right Head with Cheek on High Channel in GSM 1900 mode

Test Date: 24/4/2016
Signal: GSM, $f=1909.8$ MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 39.60; Conductivity: 1.42 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, $h=5.00$ mm
Zoom Scan: 5x5x7, $dx=8$ mm, $dy=8$ mm, $dz=5$ mm, Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.048624
SAR 1g (W/Kg): 0.092158
Power drift (%): 3.11
3D screen shot




Z Axis Scan




MEAS. 15 Right Head with Tilt on High Channel in GSM 1900 mode

Test Date: 24/4/2016
Signal: GSM, f=1909.8 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 39.60; Conductivity: 1.42 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=0.000000
SAR 10g (W/Kg): 0.020239
SAR 1g (W/Kg): 0.031731
Power drift (%): -3.02
3D screen shot




Z Axis Scan




MEAS. 16 Body Plane with Front Side 15mm on High Channel in GSM 1900

mode

Test Date: 23/4/2016
Signal: GSM, f=1909.8 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.039388
SAR 1g (W/Kg): 0.066602
Power drift (%): -4.26
3D screen shot




Z Axis Scan




MEAS. 17 Body Plane with Back Side 15mm on High Channel in GSM 1900

mode

Test Date: 23/4/2016
Signal: GSM, f=1909.8 MHz, Duty Cycle: 1:8.3
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=20.000000, Y=0.000000
SAR 10g (W/Kg): 0.052439
SAR 1g (W/Kg): 0.096447
Power drift (%): -2.65
3D screen shot




Z Axis Scan




MEAS. 18 Body Plane with Front Side 10mm on High Channel in GPRS 1900

mode

Test Date: 23/4/2016
Signal: GPRS, f=1909.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.081470
SAR 1g (W/Kg): 0.142080
Power drift (%): -3.44
3D screen shot




Z Axis Scan




MEAS. 19 Body Plane with Back Side 10mm on High Channel in GPRS 1900

mode

Test Date: 23/4/2016
Signal: GPRS, f=1909.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.131584
SAR 1g (W/Kg): 0.277039
Power drift (%): -1.42
3D screen shot




Z Axis Scan




MEAS. 20 Body Plane with Left Side 10mm on High Channel in GPRS 1900

mode

Test Date: 23/4/2016
Signal: GPRS, f=1909.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=36.000000
SAR 10g (W/Kg): 0.133087
SAR 1g (W/Kg): 0.221681
Power drift (%): -4.54
3D screen shot




Z Axis Scan




MEAS. 21 Body Plane with Right Side 10mm on High Channel in GPRS 1900

mode

Test Date: 23/4/2016
Signal: GPRS, f=1909.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-24.000000
SAR 10g (W/Kg): 0.015354
SAR 1g (W/Kg): 0.020258
Power drift (%): -4.65
3D screen shot




Z Axis Scan




MEAS. 22 Body Plane with Bottom Side 10mm on High Channel in GPRS

1900 mode

Test Date: 23/4/2016
Signal: GPRS, f=1909.8 MHz, Duty Cycle: 1:2.7
Liquid Parameters: Permittivity: 52.66; Conductivity: 1.55 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.148873
SAR 1g (W/Kg): 0.270444
Power drift (%): -2.34
3D screen shot




Z Axis Scan




MEAS. 23 Left Head with Cheek on Low Channel in WCDMA Band 2 mode

Test Date: 24/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.68; Conductivity: 1.38 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-60.000000, Y=-12.000000
SAR 10g (W/Kg): 0.101133
SAR 1g (W/Kg): 0.151696
Power drift (%): -4.48
3D screen shot




Z Axis Scan




MEAS. 24 Left Head with Tilt on Low Channel in WCDMA Band 2 mode

Test Date: 24/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.68; Conductivity: 1.38 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.065493
SAR 1g (W/Kg): 0.094071
Power drift (%): -2.26
3D screen shot




Z Axis Scan




MEAS. 25 Right Head with Cheek on Low Channel in WCDMA Band 2 mode

Test Date: 24/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.68; Conductivity: 1.38 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.164396
SAR 1g (W/Kg): 0.259294
Power drift (%): -2.78
3D screen shot




Z Axis Scan




MEAS. 26 Right Head with Tilt on Low Channel in WCDMA Band 2 mode

Test Date: 24/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.68; Conductivity: 1.38 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=-12.000000
SAR 10g (W/Kg): 0.058596
SAR 1g (W/Kg): 0.080066
Power drift (%): -2.39
3D screen shot




Z Axis Scan




MEAS. 27 Body Plane with Front Side 15mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.109880
SAR 1g (W/Kg): 0.173068
Power drift (%): -1.29
3D screen shot




Z Axis Scan




MEAS. 28 Body Plane with Back Side 15mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.152205
SAR 1g (W/Kg): 0.253545
Power drift (%): -1.03
3D screen shot




Z Axis Scan




MEAS. 29 Body Plane with Front Side 10mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.194075
SAR 1g (W/Kg): 0.330253
Power drift (%): -1.81
3D screen shot




Z Axis Scan




MEAS. 30 Body Plane with Back Side 10mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.282469
SAR 1g (W/Kg): 0.509517
Power drift (%): -0.47
3D screen shot




Z Axis Scan




MEAS. 31 Body Plane with Left Side 10mm on Low Channel in WCDMA Band

2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.246135
SAR 1g (W/Kg): 0.405096
Power drift (%): -1.63
3D screen shot




Z Axis Scan




MEAS. 32 Body Plane with Right Side 10mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-24.000000
SAR 10g (W/Kg): 0.034612
SAR 1g (W/Kg): 0.041839
Power drift (%): -0.62
3D screen shot




Z Axis Scan




MEAS. 33 Body Plane with Bottom Side 10mm on Low Channel in WCDMA

Band 2 mode

Test Date: 23/4/2016
Signal: WCDMA, f=1852.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.30; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.349578
SAR 1g (W/Kg): 0.623549
Power drift (%): -0.94
3D screen shot




Z Axis Scan




MEAS. 34 Left Head with Cheek on High Channel in WCDMA Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.10; Conductivity: 1.39 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-60.000000, Y=0.000000
SAR 10g (W/Kg): 0.151160
SAR 1g (W/Kg): 0.225989
Power drift (%): -3.41
3D screen shot




Z Axis Scan




MEAS. 35 Left Head with Tilt on High Channel in WCDMA Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.10; Conductivity: 1.39 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.094660
SAR 1g (W/Kg): 0.143729
Power drift (%): -2.37
3D screen shot




Z Axis Scan




MEAS. 36 Right Head with Cheek on High Channel in WCDMA Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.10; Conductivity: 1.39 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.258174
SAR 1g (W/Kg): 0.409489
Power drift (%): 1.20
3D screen shot




Z Axis Scan




MEAS. 37 Right Head with Tilt on High Channel in WCDMA Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.10; Conductivity: 1.39 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=0.000000, Y=0.000000
SAR 10g (W/Kg): 0.097071
SAR 1g (W/Kg): 0.148103
Power drift (%): -2.26
3D screen shot




Z Axis Scan




MEAS. 38 Body Plane with Front Side 15mm on High Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.62; Conductivity: 1.50 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=20.000000, Y=0.000000
SAR 10g (W/Kg): 0.196720
SAR 1g (W/Kg): 0.314342
Power drift (%): -1.29
3D screen shot




Z Axis Scan




MEAS. 39 Body Plane with Back Side 15mm on High Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1752.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.62; Conductivity: 1.50 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.266731
SAR 1g (W/Kg): 0.447422
Power drift (%): 0.09
3D screen shot




Z Axis Scan




MEAS. 40 Body Plane with Front Side 10mm on Middle Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1732.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.91; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.164004
SAR 1g (W/Kg): 0.269106
Power drift (%): 3.72
3D screen shot




Z Axis Scan




MEAS. 41 Body Plane with Back Side 10mm on Middle Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1732.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.91; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.215031
SAR 1g (W/Kg): 0.366495
Power drift (%): 1.47
3D screen shot




Z Axis Scan




MEAS. 42 Body Plane with Left Edge 10mm on Middle Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1732.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.91; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.288221
SAR 1g (W/Kg): 0.474736
Power drift (%): -2.16
3D screen shot




Z Axis Scan




MEAS. 43 Body Plane with Right Edge 10mm on Middle Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1732.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.91; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-24.000000
SAR 10g (W/Kg): 0.041153
SAR 1g (W/Kg): 0.050957
Power drift (%): -3.12
3D screen shot




Z Axis Scan




MEAS. 44 Body Plane with Bottom Edge 10mm on Middle Channel in WCDMA

Band 4 mode

Test Date: 22/4/2016
Signal: WCDMA, f=1732.4 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.91; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.302804
SAR 1g (W/Kg): 0.527071
Power drift (%): -2.81
3D screen shot




Z Axis Scan




MEAS. 45 Left Head with Cheek on High Channel in WCDMA Band5 mode

Test Date: 27/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.55; Conductivity: 0.91 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-36.000000
SAR 10g (W/Kg): 0.066667
SAR 1g (W/Kg): 0.082209
Power drift (%): -1.87
3D screen shot




Z Axis Scan




MEAS. 46 Left Head with Tilt on High Channel in WCDMA Band5 mode

Test Date: 27/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.55; Conductivity: 0.91 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-24.000000
SAR 10g (W/Kg): 0.035596
SAR 1g (W/Kg): 0.041531
Power drift (%): 1.63
3D screen shot




Z Axis Scan




MEAS. 47 Right Head with Cheek on High Channel in WCDMA Band5 mode

Test Date: 27/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.55; Conductivity: 0.91 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-24.000000
SAR 10g (W/Kg): 0.092107
SAR 1g (W/Kg): 0.117767
Power drift (%): -3.51
3D screen shot




Z Axis Scan




MEAS. 48 Right Head with Tilt on High Channel in WCDMA Band5 mode

Test Date: 27/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.55; Conductivity: 0.91 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-12.000000
SAR 10g (W/Kg): 0.068625
SAR 1g (W/Kg): 0.085328
Power drift (%): -0.93
3D screen shot




Z Axis Scan




MEAS. 49 Body Plane with Front Side 15mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=12.000000
SAR 10g (W/Kg): 0.105704
SAR 1g (W/Kg): 0.135787
Power drift (%): -3.15
3D screen shot




Z Axis Scan




MEAS. 50 Body Plane with Back Side 15mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-36.000000
SAR 10g (W/Kg): 0.091226
SAR 1g (W/Kg): 0.141799
Power drift (%): -3.27
3D screen shot




Z Axis Scan




MEAS. 51 Body Plane with Front Side 10mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-48.000000
SAR 10g (W/Kg): 0.111236
SAR 1g (W/Kg): 0.182535
Power drift (%): 0.82
3D screen shot




Z Axis Scan




MEAS. 52 Body Plane with Back Side 10mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-36.000000
SAR 10g (W/Kg): 0.172863
SAR 1g (W/Kg): 0.290456
Power drift (%): -1.63
3D screen shot




Z Axis Scan




MEAS. 53 Body Plane with Left Side 10mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=36.000000
SAR 10g (W/Kg): 0.052215
SAR 1g (W/Kg): 0.071084
Power drift (%): -3.31
3D screen shot




Z Axis Scan




MEAS. 54 Body Plane with Right Side 10mm on Middle Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=36.000000
SAR 10g (W/Kg): 0.109840
SAR 1g (W/Kg): 0.155979
Power drift (%): 0.09
3D screen shot




Z Axis Scan




MEAS. 55 Body Plane with Bottom Side 10mm on High Channel in WCDMA

Band5 mode

Test Date: 28/4/2016
Signal: WCDMA, f=846.6 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.57; Conductivity: 1.01 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.115612
SAR 1g (W/Kg): 0.191074
Power drift (%): -2.11
3D screen shot




Z Axis Scan




MEAS. 56 Left Head with Cheek on Middle Channel in CDMA2000 mode

Test Date: 27/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.82; Conductivity: 0.90 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-36.000000
SAR 10g (W/Kg): 0.082169
SAR 1g (W/Kg): 0.103893
Power drift (%): -3.69
3D screen shot




Z Axis Scan




MEAS. 57 Left Head with Tilt on Middle Channel in CDMA2000 mode

Test Date: 27/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.82; Conductivity: 0.90 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-36.000000
SAR 10g (W/Kg): 0.039441
SAR 1g (W/Kg): 0.046903
Power drift (%): -2.32
3D screen shot




Z Axis Scan




MEAS. 58 Right Head with Cheek on Middle Channel in CDMA2000 mode

Test Date: 27/4/2016
Signal: CDMA, f=711.0 MHz, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.82; Conductivity: 0.90 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-24.000000
SAR 10g (W/Kg): 0.063878
SAR 1g (W/Kg): 0.078412
Power drift (%): 3.13
3D screen shot




Z Axis Scan




MEAS. 59 Right Head with Tilt on Middle Channel in CDMA2000 mode

Test Date: 27/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.82; Conductivity: 0.90 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-12.000000
SAR 10g (W/Kg): 0.040973
SAR 1g (W/Kg): 0.048426
Power drift (%): -0.88
3D screen shot




Z Axis Scan




MEAS. 60 Body Plane with Front Side 15mm on Middle Channel in

CDMA2000 BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.089195
SAR 1g (W/Kg): 0.116081
Power drift (%): -1.73
3D screen shot




Z Axis Scan




MEAS. 61 Body Plane with Back Side 15mm on Middle Channel in CDMA2000

BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-36.000000
SAR 10g (W/Kg): 0.089911
SAR 1g (W/Kg): 0.138786
Power drift (%): -3.09
3D screen shot




Z Axis Scan




MEAS. 62 Body Plane with Front Side 10mm on Middle Channel in

CDMA2000 BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-48.000000
SAR 10g (W/Kg): 0.112312
SAR 1g (W/Kg): 0.181273
Power drift (%): -4.34
3D screen shot




Z Axis Scan




MEAS. 63 Body Plane with Back Side 10mm on Middle Channel in CDMA2000

BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-36.000000
SAR 10g (W/Kg): 0.171689
SAR 1g (W/Kg): 0.287984
Power drift (%): -3.61
3D screen shot




Z Axis Scan




MEAS. 64 Body Plane with Left Side 10mm on Middle Channel in CDMA2000

BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.041341
SAR 1g (W/Kg): 0.052794
Power drift (%): 0.32
3D screen shot




Z Axis Scan




MEAS. 65 Body Plane with Right Side 10mm on Middle Channel in

CDMA2000 BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.115508
SAR 1g (W/Kg): 0.164014
Power drift (%): -1.18
3D screen shot




Z Axis Scan




MEAS. 66 Body Plane with Bottom Side 10mm on Middle Channel in

CDMA2000 BC0 mode

Test Date: 28/4/2016
Signal: CDMA, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.100316
SAR 1g (W/Kg): 0.165558
Power drift (%): -3.85
3D screen shot




Z Axis Scan




MEAS. 67 Body Plane with Front Side 15mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=36.000000
SAR 10g (W/Kg): 0.109063
SAR 1g (W/Kg): 0.141870
Power drift (%): -2.47
3D screen shot




Z Axis Scan




MEAS. 68 Body Plane with Back Side 15mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.110259
SAR 1g (W/Kg): 0.171200
Power drift (%): 0.50
3D screen shot




Z Axis Scan




MEAS. 69 Body Plane with Front Side 10mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=12.000000
SAR 10g (W/Kg): 0.144481
SAR 1g (W/Kg): 0.200131
Power drift (%): -2.98
3D screen shot




Z Axis Scan




MEAS. 70 Body Plane with Back Side 10mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-24.000000
SAR 10g (W/Kg): 0.186986
SAR 1g (W/Kg): 0.312566
Power drift (%): -1.25
3D screen shot




Z Axis Scan




MEAS. 71 Body Plane with Left Side 10mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=48.000000
SAR 10g (W/Kg): 0.047800
SAR 1g (W/Kg): 0.061769
Power drift (%): -1.29
3D screen shot




Z Axis Scan




MEAS. 72 Body Plane with Right Side 10mm on Middle Channel in EVDO BC0

mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=48.000000
SAR 10g (W/Kg): 0.125120
SAR 1g (W/Kg): 0.176508
Power drift (%): -2.02
3D screen shot




Z Axis Scan




MEAS. 73 Body Plane with Bottom Side 10mm on Middle Channel in EVDO

BC0 mode

Test Date: 28/4/2016
Signal: EVDO, f=836.52 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.70; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.107852
SAR 1g (W/Kg): 0.178049
Power drift (%): -2.27
3D screen shot




Z Axis Scan




MEAS. 74 Left Head with Cheek on Middle Channel in LTE Band 2 mode with

1RB

Test Date: 24/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.11; Conductivity: 1.41 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-60.000000, Y=-12.000000
SAR 10g (W/Kg): 0.093144
SAR 1g (W/Kg): 0.140919
Power drift (%): -2.48
3D screen shot




Z Axis Scan




MEAS. 75 Left Head with Cheek on Low Channel in LTE Band 2 mode with

50%RB

Test Date:	24/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 40.37; Conductivity: 1.40 S/m
Test condition:	Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-60.000000, Y=-12.000000
SAR 10g (W/Kg):	0.070900
SAR 1g (W/Kg):	0.104221
Power drift (%):	-2.30
3D screen shot	




Z Axis Scan




MEAS. 76 Left Head with Tilt on Middle Channel in LTE Band 2 mode with

1RB

Test Date: 24/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.11; Conductivity: 1.41 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.063663
SAR 1g (W/Kg): 0.097278
Power drift (%): 0.12
3D screen shot




Z Axis Scan




MEAS. 77 Left Head with Tilt on Low Channel in LTE Band 2 mode with

50%RB

Test Date:	24/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 40.37; Conductivity: 1.40 S/m
Test condition:	Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-24.000000, Y=12.000000
SAR 10g (W/Kg):	0.050565
SAR 1g (W/Kg):	0.075234
Power drift (%):	-4.35
3D screen shot	




Z Axis Scan




MEAS. 78 Right Head with Cheek on Middle Channel in LTE Band 2 mode

with 1RB

Test Date: 24/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.11 Conductivity: 1.41 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.152238
SAR 1g (W/Kg): 0.242800
Power drift (%): -3.93
3D screen shot




Z Axis Scan




MEAS. 79 Right Head with Cheek on Low Channel in LTE Band 2 mode with

50%RB

Test Date: 24/4/2016
Signal: LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.37; Conductivity: 1.40 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.111404
SAR 1g (W/Kg): 0.171678
Power drift (%): -3.73
3D screen shot




Z Axis Scan




MEAS. 80 Right Head with Tilt on Middle Channel in LTE Band 2 mode with

1RB

Test Date: 24/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.11; Conductivity: 1.41 S/m
Test condition: Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.35
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=-12.000000
SAR 10g (W/Kg): 0.053751
SAR 1g (W/Kg): 0.075440
Power drift (%): -3.51
3D screen shot




Z Axis Scan




MEAS. 81 Right Head with Tilt on Low Channel in LTE Band 2 mode with

50%RB

Test Date:	24/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 40.37; Conductivity: 1.40 S/m
Test condition:	Ambient Temperature: 21.8°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPG0265, ConvF: 2.35
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-12.000000, Y=-12.000000
SAR 10g (W/Kg):	0.046623
SAR 1g (W/Kg):	0.065340
Power drift (%):	-4.78
3D screen shot	




Z Axis Scan




MEAS. 82 Body Plane with Front Side 15mm on Middle Channel in LTE Band

2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=20.000000, Y=0.000000
SAR 10g (W/Kg): 0.091519
SAR 1g (W/Kg): 0.142976
Power drift (%): -2.50
3D screen shot




Z Axis Scan




MEAS. 83 Body Plane with Front Side 15mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=-12.000000
SAR 10g (W/Kg):	0.071076
SAR 1g (W/Kg):	0.105751
Power drift (%):	-0.54
3D screen shot	




Z Axis Scan




MEAS. 84 Body Plane with Back Side 15mm on Middle Channel in LTE Band

2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.119414
SAR 1g (W/Kg): 0.197555
Power drift (%): -3.36
3D screen shot




Z Axis Scan




MEAS. 85 Body Plane with Back Side 15mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=-12.000000
SAR 10g (W/Kg):	0.091508
SAR 1g (W/Kg):	0.147906
Power drift (%):	-1.96
3D screen shot	




Z Axis Scan




MEAS. 86 Body Plane with Front Side 10mm on Middle Channel in LTE Band

2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=12.000000
SAR 10g (W/Kg): 0.147812
SAR 1g (W/Kg): 0.230390
Power drift (%): 4.00
3D screen shot




Z Axis Scan




MEAS. 87 Body Plane with Front Side 10mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=8.000000, Y=12.000000
SAR 10g (W/Kg):	0.114447
SAR 1g (W/Kg):	0.177480
Power drift (%):	-2.64
3D screen shot	




Z Axis Scan




MEAS. 88 Body Plane with Back Side 10mm on Middle Channel in LTE Band

2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=0.000000
SAR 10g (W/Kg): 0.196664
SAR 1g (W/Kg): 0.348538
Power drift (%): 0.40
3D screen shot




Z Axis Scan




MEAS. 89 Body Plane with Back Side 10mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPG0265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=-12.000000
SAR 10g (W/Kg):	0.162390
SAR 1g (W/Kg):	0.281944
Power drift (%):	-0.82
3D screen shot	




Z Axis Scan




MEAS. 90 Body Plane with Left Side 10mm on Middle Channel in LTE Band 2

mode with 1RB

Test Date:	23/4/2016
Signal:	LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=24.000000
SAR 10g (W/Kg):	0.193390
SAR 1g (W/Kg):	0.316114
Power drift (%):	-1.31
3D screen shot	




Z Axis Scan




MEAS. 91 Body Plane with Left Side 10mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=24.000000
SAR 10g (W/Kg):	0.151270
SAR 1g (W/Kg):	0.243313
Power drift (%):	-2.73
3D screen shot	




Z Axis Scan




MEAS. 92 Body Plane with Right Side 10mm on Middle Channel in LTE Band

2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-24.000000
SAR 10g (W/Kg): 0.032569
SAR 1g (W/Kg): 0.040107
Power drift (%): -2.01
3D screen shot




Z Axis Scan




MEAS. 93 Body Plane with Right Side 10mm on Low Channel in LTE Band 2

mode with 50%RB

Test Date:	23/4/2016
Signal:	LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-4.000000, Y=-36.000000
SAR 10g (W/Kg):	0.031634
SAR 1g (W/Kg):	0.047779
Power drift (%):	-3.24
3D screen shot	




Z Axis Scan




MEAS. 94 Body Plane with Bottom Side 10mm on Middle Channel in LTE

Band 2 mode with 1RB

Test Date: 23/4/2016
Signal: LTE, f=1880.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 52.98; Conductivity: 1.53 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.271874
SAR 1g (W/Kg): 0.482505
Power drift (%): -1.69
3D screen shot




Z Axis Scan




MEAS. 95 Body Plane with Bottom Side 10mm on Low Channel in LTE Band

2 mode with 50%RB

Test Date: 23/4/2016
Signal: LTE, f=1860.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.07; Conductivity: 1.52 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.4°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.42
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=20.000000, Y=0.000000
SAR 10g (W/Kg): 0.214678
SAR 1g (W/Kg): 0.375216
Power drift (%): -0.62
3D screen shot




Z Axis Scan




MEAS. 96 Left Head with Cheek on Middle Channel in LTE Band 4 mode with

1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-60.000000, Y=0.000000
SAR 10g (W/Kg): 0.121344
SAR 1g (W/Kg): 0.178849
Power drift (%): 3.68
3D screen shot




Z Axis Scan




MEAS. 97 Left Head with Cheek on Middle Channel in LTE Band 4 mode with

50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-60.000000, Y=0.000000
SAR 10g (W/Kg): 0.106112
SAR 1g (W/Kg): 0.155572
Power drift (%): -2.70
3D screen shot




Z Axis Scan




MEAS. 98 Left Head with Tilt on Middle Channel in LTE Band 4 mode with

1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.099856
SAR 1g (W/Kg): 0.158886
Power drift (%): -2.96
3D screen shot




Z Axis Scan




MEAS. 99 Left Head with Tilt on Middle Channel in LTE Band 4 mode with

50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=12.000000
SAR 10g (W/Kg): 0.082059
SAR 1g (W/Kg): 0.127388
Power drift (%): -4.18
3D screen shot




Z Axis Scan




MEAS. 100 Right Head with Cheek on Middle Channel in LTE Band 4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.231620
SAR 1g (W/Kg): 0.373171
Power drift (%): -4.38
3D screen shot




Z Axis Scan




MEAS. 101 Right Head with Cheek on Middle Channel in LTE Band 4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-48.000000
SAR 10g (W/Kg): 0.186322
SAR 1g (W/Kg): 0.292551
Power drift (%): -2.58
3D screen shot




Z Axis Scan




MEAS. 102 Right Head with Tilt on Middle Channel in LTE Band 4 mode with

1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=0.000000
SAR 10g (W/Kg): 0.093297
SAR 1g (W/Kg): 0.143975
Power drift (%): -2.35
3D screen shot




Z Axis Scan




MEAS. 103 Right Head with Tilt on Middle Channel in LTE Band 4 mode with

50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 40.71; Conductivity: 1.37 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-12.000000, Y=0.000000
SAR 10g (W/Kg): 0.077905
SAR 1g (W/Kg): 0.116974
Power drift (%): -3.82
3D screen shot




Z Axis Scan




MEAS. 104 Body Plane with Front Side 15mm on Middle Channel in LTE Band

4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.222564
SAR 1g (W/Kg): 0.358281
Power drift (%): -1.51
3D screen shot




Z Axis Scan




MEAS. 105 Body Plane with Front Side 15mm on Middle Channel in LTE Band

4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.171561
SAR 1g (W/Kg): 0.273530
Power drift (%): -0.17
3D screen shot




Z Axis Scan




MEAS. 106 Body Plane with Back Side 15mm on Middle Channel in LTE Band

4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.296253
SAR 1g (W/Kg): 0.498997
Power drift (%): -0.80
3D screen shot




Z Axis Scan




MEAS. 107 Body Plane with Back Side 15mm on Middle Channel in LTE Band

4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.228395
SAR 1g (W/Kg): 0.380036
Power drift (%): -1.04
3D screen shot




Z Axis Scan




MEAS. 108 Body Plane with Front Side 10mm on Middle Channel in LTE Band

4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.127585
SAR 1g (W/Kg): 0.207083
Power drift (%): -2.05
3D screen shot




Z Axis Scan




MEAS. 109 Body Plane with Front Side 10mm on Middle Channel in LTE Band

4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=-12.000000
SAR 10g (W/Kg): 0.117090
SAR 1g (W/Kg): 0.190002
Power drift (%): -1.67
3D screen shot




Z Axis Scan




MEAS. 110 Body Plane with Back Side 10mm on Middle Channel in LTE Band

4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.203848
SAR 1g (W/Kg): 0.354878
Power drift (%): -0.92
3D screen shot




Z Axis Scan




MEAS. 111 Body Plane with Back Side 10mm on Middle Channel in LTE Band

4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-12.000000
SAR 10g (W/Kg): 0.185645
SAR 1g (W/Kg): 0.321695
Power drift (%): -0.18
3D screen shot




Z Axis Scan




MEAS. 112 Body Plane with Left Edge 10mm on Middle Channel in LTE Band

4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.108465
SAR 1g (W/Kg): 0.167548
Power drift (%): -3.06
3D screen shot




Z Axis Scan




MEAS. 113 Body Plane with Left Edge 10mm on Middle Channel in LTE Band

4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=24.000000
SAR 10g (W/Kg): 0.100493
SAR 1g (W/Kg): 0.155020
Power drift (%): -4.40
3D screen shot




Z Axis Scan




MEAS. 114 Body Plane with Right Edge 10mm on Middle Channel in LTE

Band 4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-16.000000, Y=-24.000000
SAR 10g (W/Kg): 0.028415
SAR 1g (W/Kg): 0.031944
Power drift (%): -4.24
3D screen shot




Z Axis Scan




MEAS. 115 Body Plane with Right Edge 10mm on Middle Channel in LTE

Band 4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=-24.000000
SAR 10g (W/Kg): 0.028260
SAR 1g (W/Kg): 0.032113
Power drift (%): -3.36
3D screen shot




Z Axis Scan




MEAS. 116 Body Plane with Bottom Edge 10mm on Middle Channel in LTE

Band 4 mode with 1RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.254399
SAR 1g (W/Kg): 0.439581
Power drift (%): -1.07
3D screen shot




Z Axis Scan




MEAS. 117 Body Plane with Bottom Edge 10mm on Middle Channel in LTE

Band 4 mode with 50%RB

Test Date: 22/4/2016
Signal: LTE, f=1732.5 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 53.90; Conductivity: 1.49 S/m
Test condition: Ambient Temperature: 22.6°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.08
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=0.000000
SAR 10g (W/Kg): 0.232985
SAR 1g (W/Kg): 0.401365
Power drift (%): -1.35
3D screen shot




Z Axis Scan




MEAS. 118 Left Head with Cheek on Low Channel in LTE Band5 mode with

1RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-36.000000
SAR 10g (W/Kg): 0.160506
SAR 1g (W/Kg): 0.205341
Power drift (%): -0.65
3D screen shot




Z Axis Scan




MEAS. 119 Left Head with Cheek on Low Channel in LTE Band5 mode with

50%RB

Test Date:	27/4/2016
Signal:	LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition:	Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=-48.000000, Y=-36.000000
SAR 10g (W/Kg):	0.129965
SAR 1g (W/Kg):	0.165970
Power drift (%):	-4.07
3D screen shot	




Z Axis Scan




MEAS. 120 Left Head with Tilt on Low Channel in LTE Band5 mode with 1RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-24.000000
SAR 10g (W/Kg): 0.051610
SAR 1g (W/Kg): 0.062544
Power drift (%): -0.71
3D screen shot




Z Axis Scan




MEAS. 121 Left Head with Tilt on Low Channel in LTE Band5 mode with

50%RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-24.000000
SAR 10g (W/Kg): 0.042139
SAR 1g (W/Kg): 0.049294
Power drift (%): -1.24
3D screen shot




Z Axis Scan




MEAS. 122 Right Head with Cheek on Low Channel in LTE Band5 mode with

1RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-24.000000
SAR 10g (W/Kg): 0.142588
SAR 1g (W/Kg): 0.180376
Power drift (%): 1.25
3D screen shot




Z Axis Scan




MEAS. 123 Right Head with Cheek on Low Channel in LTE Band5 mode with

50%RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-48.000000, Y=-24.000000
SAR 10g (W/Kg): 0.113842
SAR 1g (W/Kg): 0.143392
Power drift (%): -2.24
3D screen shot




Z Axis Scan




MEAS. 124 Right Head with Tilt on Low Channel in LTE Band5 mode with

1RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-12.000000
SAR 10g (W/Kg): 0.091123
SAR 1g (W/Kg): 0.111728
Power drift (%): -1.40
3D screen shot




Z Axis Scan




MEAS. 125 Right Head with Tilt on Low Channel in LTE Band5 mode with

50%RB

Test Date: 27/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 41.83; Conductivity: 0.89 S/m
Test condition: Ambient Temperature: 21.9°C, Liquid Temperature: 21.2°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.04
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-36.000000, Y=-12.000000
SAR 10g (W/Kg): 0.074702
SAR 1g (W/Kg): 0.090958
Power drift (%): -0.43
3D screen shot




Z Axis Scan




MEAS. 126 Body Plane with Front Side 15mm on Low Channel in LTE Band5

mode with 1RB

Test Date: 28/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.92; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=48.000000
SAR 10g (W/Kg): 0.161880
SAR 1g (W/Kg): 0.208230
Power drift (%): -0.73
3D screen shot




Z Axis Scan




MEAS. 127 Body Plane with Front Side 15mm on Low Channel in LTE Band5

mode with 1RB

Test Date: 28/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.92; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=-4.000000, Y=36.000000
SAR 10g (W/Kg): 0.130857
SAR 1g (W/Kg): 0.166046
Power drift (%): -2.75
3D screen shot




Z Axis Scan




MEAS. 128 Body Plane with Back Side 15mm on Low Channel in LTE Band5

mode with 1RB

Test Date: 28/4/2016
Signal: LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters: Permittivity: 55.92; Conductivity: 1.00 S/m
Test condition: Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe: SN 34/15 SSE2 EPG0265, ConvF: 2.12
Area Scan: sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan: 5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location: X=8.000000, Y=48.000000
SAR 10g (W/Kg): 0.146464
SAR 1g (W/Kg): 0.186471
Power drift (%): -1.61
3D screen shot




Z Axis Scan



MEAS. 129 Body Plane with Back Side 15mm on Low Channel in LTE Band5

mode with 50%RB

Test Date:	28/4/2016
Signal:	LTE, f=829.0 MHz, Duty Cycle: 1:1.0
Liquid Parameters:	Permittivity: 55.92; Conductivity: 1.00 S/m
Test condition:	Ambient Temperature: 22.7°C, Liquid Temperature: 22.1°C
Probe:	SN 34/15 SSE2 EPGO265, ConvF: 2.12
Area Scan:	sam_direct_droit2_surf12mm.txt, h= 5.00 mm
Zoom Scan:	5x5x7,dx=8mm, dy=8mm, dz=5mm,Complete
Maximum location:	X=8.000000, Y=48.000000
SAR 10g (W/Kg):	0.117954
SAR 1g (W/Kg):	0.149212
Power drift (%):	-2.55
3D screen shot	



Z Axis Scan

