

1003B585000000	CB585Finished CB radio(MXT115)				
Item code	Item Name	Item Specification	Unit	Quantity	
2004B585000001	CB585Semi-finished CB radio	PCB03	piece	1.000000	
2007B585000001	CB585CB radio Microphone	PCB01	piece	1.000000	
34207080910003	UC708Microphone bracket (ROHS)		piece	1.000000	
34207080910001	UC708 button Microphone bracket (ROHS)	ABS black	piece	1	
34207080910000	UC708 upper Microphone bracket (ROHS)	ABS black	piece	1	
34600300802223	* cross recessed screw with oval head (R	Φ3*8BM(silver) head wideth6mm	piece	2	
34630250242102	hexagon nut (RoHS)	Φ6.2*М3*2.5mm	piece	2	
39080235500000	UC708 double sides adhesive tape (ROHS)	46.5*35.5mm (L*W) thick: 1mm/用3M胶	piece	1	模组
39142632362350	CB585 carton (4 sets/ROHS)	size: 263*236*235/Material: 5 piles/K2	piece	0.25	
39120257000000	RP709 velcro(hard)-- customer-supplied	2.5*7cm	piece	2	
39120257000002	RP709 velcro(hard)-- customer-supplied	total 42 meters of a budle	piece	0.001667	子母件
39120257000001	RP709 velcro(soft)-- customer-supplied	2.5*7cm	piece	2	
39120257000003	RP709 velcro(soft)-- customer-supplied	42 meters of a buckle	piece	0.001667	子母件
35040800600000	Battery bag/RoHS	80*60mm (L*W)	piece	1	
3303B585B00100	CB585 (MXT115) model label of bottom cover	English/15*30mm/PET/black base silver word	piece	1	
3308RP709000008	RP709Velcro specification	size: 76x76mm/80Gtwo-side offset paper	piece	1	
3501B585000000	CB585 (MXT115) color box (ROHS)	size: 246x228x52/Material: box 300 gram	piece	1	
3503B585000001	CB585 (MXT115)Fast refer to the operation	159x116mm/English/80gtwo-side offset pap	piece	1	
3503B585000000	CB585 (MXT115) user manual ROHS	English/117x80mm/face cover157 art paper	piece	1	
3303B585000000	CB585 (MXT115)Microphone back cover model	PET/black base silver word/ size: 19.9*	piece	1	
3303B581121001	CB581shell Scutcheons (M/ROHS)	25*10/black basewhite writer/sigle-side	piece	1	
3309B585000000	CB585CB radio color box carton bar coded	size43*13mm/in triplicate/Material:Env	piece	3	
33037084167600	UC708MicrophoneshellNameplate label (MIDI	PVC/length: 41.6mmwidth: 7.6mm/without	piece	1	
3308T20S0000000	T20S Bluetooth headset transparent stick	diameter30mm(circle)	piece	2	
3308RP709000005	RP709 Using the vegetable parchmentROHS	Materials:parchment paper/ size250x210mm	piece	0.5	
91305	MIDLANDsdhesive tape	thicker48mm/length80 meters	piece	0.017	
3502B585000000	CB585Blister boxROHS	one set	piece	1	
3308B585000001	CB585 Magnetic tags(customer-supplied)	stick inside the Blister box	piece	1	
3224B585000001	CB585 CB radio power线 (with) -ROHS	red & black Doubling /With the fuse 3A/1	piece	1	
2007B585000001	CB585CB radio Microphone				
Item code	Item Name	Item Specification	Unit	Quantity	
2001B585428001	CB585CB radio Microphonesemi-finished pla	PCB01	piece	1	
3227B585000001	CB-585Microphone Slingshot curve (with USB dust cover/soft/ROHS)--要外发3400B5850		piece	1	
34610240701222	*Cross recessed pan head screws (RoHS)	Φ2.3*7*5PWB(silver heat treatment)	piece	1	
34207080910002	UC708MicrophoneHang buckle (ROHS)	ABS black	piece	1	
3400B585211001	CB585Microphonebottom shell (ROHS)	ABS/ black	piece	1	
3400B585211000	CB585Microphoneshell (ROHS)	ABS/ black	piece	1	
36020330000001	250speaker mesh (RoHS)	Φ33mm	piece	1	
34543436300001	counterweight iron components (ROHS)		piece	2	
34543436300000	counterweight iron components (ROHS)--库	34*36*3	piece	3	
39079125000000	sponge pad (ROHS)	width9mm*length125mm* thick 1mm	piece	1	模组
3403B585030000	CB585Microphone PTT button (ROHS)	ABS/ black	piece	1	
34057080000000	UC708 Microphone PTT button (ROHS)	silica gel	piece	1	
3403B585050000	CB585Microphone silicom buttonsROHS	silica gel +print(▲▼)	piece	1	
34610200801211	*Cross recessed pan head screws	Φ2*8PA (black)	piece	3	
2001B585428001	CB585CB radio Microphone semi-finished radio				
Item code	Item Name	Item Specification	Unit	Quantity	
30021026530603	Chip capacitor102P (ROHS)	0603±10% 50V X5R/X7R	piece	3	C1. C2. C3
30012223110603	chip resistor2K2 (ROHS)	0603±5% 1/10W (Yageo)	piece	1	R2
30013923110603	chip resistor3K9 (ROHS)	0603±5% 1/10W (Yageo)	piece	1	R1
30011023110603	chip resistor1K (ROHS)	0603±5% 1/10W (Yageo)	piece	1	R3
31500111300000	327 plug-in touch power plate (RoHS)	6*3.5mm model: SKHLLDA010	piece	3	SW1. SW2. SW3
31719745206020	3107/4508 Microphone (带杆pin)	9.7*4.5mm (Φ*H) 60±2dB	piece	1	MIC1
3600B585428001	CB585CB radio Microphone plate (ROHS)	PCB01/piles number:单 piles/ size: 118.9	piece	1	

2004B585000001	CB585Semi-finished CB radio				
Item code	Item Name	Item Specification	Unit	Quantity	
2001B585411003	CB585semi-finished CB radio transceiver	PCB03	piece	1	
2014B585000000	CB585 shells sets		piece	1	
3404B581000000	CB-581knob(ROHS)	ABS black	piece	1	
34630620100000	CB radiovolume potentiometer nut (RoHS)	M701-2.0	piece	1	
3400B585000003	CB-585shell(ROHS)	printMIDLAND加word符			
3400B585000000	CB-585shell(ROHS)	ABS black	piece	1	
3401B583000000	CB-583 mirro surface(ROHS)	亚克力/length47±0.1mm thick 0.65mm/含双	piece	1	
3403B585000000	CB-585shell buttons(ROHS)	silica gel (black+print)	piece	1	
34610234704211	* cross recessed countersunk head tappin	Φ2.3*5FA(black)	piece	3	
2001B581423000	CB581 CB radio Knob semi-finished plate	PCB00	piece	1	
3600B581423000	CB581 CB radio Knob plate (ROHS)	PCB00/ size: 47.5*77.6mm/40PCS/2 piles	piece	1	
31411032001020	CB168Volume Knob (with power switch) -ROH	R087DONS-KQ15C6.0-A103-00A (length泰尔)	piece	1	
32212000050600	5芯Single side band socket flat cable (RO	AWG#24/Wire 100mm/5P/pin距2.0mm	piece	1	
2001B585402001	CB585 CB radio semi-finished press plate	PCB01	piece	1	
3306B585000000	CB585(MXT115) crystle protective film (RO		piece	1	
39070150071010	sponge pad (single side of gum)	15*7*1mm	piece	1	
3420B585000002	CB585shell overlay (ROHS)	Spray gun metal color (color number: PM	piece	1	
3420B585000001	CB585shell overlay (ROHS)	ABSwhite	piece	1	模组
2014B581010000	CB-581button shell components		piece	1	
31912000022031	Single side band socket flat cable (ROHS	AWG#28, 线length60mm, 2P (red & black)	piece	1	
31705000013020	speaker (豊勤/ROHS)	Φ50/inpedance: 8Ω/3W/model : 50CP08M3	piece	1	
36020450000000	speaker mesh (用于358/359radio upper cove	Φ45mm	piece	1	
3400B581010000	CB-581button shell(ROHS)	ABS black	piece	1	
2014B581020000	CB-581 bracket sets		piece	1	模组
34207080210001	UC708 external fixed bracket (ROHS)	ABS black	piece	2	
34207080210000	UC708 internal fixed bracket(ROHS)	ABS black	piece	2	
3420B581000000	CB-581 iron bracket (ROHS)	SPCC (black print) T=1.6 painting pe	piece	1	模组
2014B583010000	CB583 aluminium processing shell		piece	1	
3454B583000000	CB583 aluminium shell (ROHS)		piece	1	
31981000100100	UC708antenna head (ROHS)	Φ16*26.5mm SL16-KY-8A 5/8-24	piece	1	模组
34600200604321	T6 plum blossom thread countersunk headsc	M2*6 black	piece	6	
34600200454222	*Cross recessed pan head screws (ROHS)	Φ2*5mmPM(silver)	piece	11	
32210500240406	12芯 soft flat cable (Positive and negati	0.5*12*40mm/线口/补强板length度: 4/4/8/8	piece	1	
3224B585000000	CB585power wire (ROHS)		piece	1	
39193680000000	Super heat-conducting strip	8.5*5.5*5mm	piece	2	
2001B585414001	CB585 CB radio USBsemi-charging plate (RO	PCB01	piece	1	
346002050501221	*Cross recessed pan head screws (ROHS)	Φ2.5*5PM(black)	piece	1	
3420B585000000	CB-585 USB Circuit board fixed piece (ROH	SPCC NI-PLATED	piece	1	
39192201000120	Super heat-conducting strip	1.51*22*10MM	piece	1	
3452B585080000	CB585Audio amplifier heat sink(ROHS)		piece	1	
36047080011000	UC708 Microphone cover A(ROHS)	sponge / inner diameter Φ9.2±0.2mm/ou	piece	1	
32220504000000	Φ5 Tin-coated line (ROHS)	Φ0.5*40mm	piece	1	
2001B585402001	CB585 CB radio semi-finished press plate	(ROHS)			
Item code	Item Name	Item Specification	Unit	Quantity	
2009B585402001	CB585 CB radio semi-finished press plate	PCB01	piece	1	
3601B585000001	CB585 crystle (ROHS)	GDS-FF-3216WP/ shape size12*49.5/45 SQMM	piece	1	DS1
3402B581000000	CB581 Back plate component (ROHS)	49*12*2.5mm/±2mm	piece	1	
2009B585402001	CB585 CB radio semi-finished press plate	(patch/ROHS)			
Item code	Item Name	Item Specification	Unit	Quantity	
3600B585402001	CB585 CB radio press plate (ROHS)	PCB01/piles number:2 piles/ size: 69.3*9	piece	1	
30021026530603	Chip capacitor102P (ROHS)	0603±10% 50V X5R/X7R	piece	2	C1. C4
30022256530603	Chip capacitor225P (RoHS)	0603±10% 10V	piece	1	C2
30021036530603	Chip capacitor103P (ROHS)	0603±10% 50V X5R/X7R	piece	3	C3. C5. C6
30021049500603	Chip capacitor104P (ROHS)	0603±10% 50V X5R/X7R	piece	1	C7
31920500700001	Patch single 12 core (Lift the cover unde	0.5*12P	piece	1	J1
30130700000603	patch Light emitting diode trichromatic	0603/HQ19-2333BGRC	piece	2	LED3. LED4
3020DTC1144181	chip triodeDTC114EETL/RoHS	SOT-523	piece	3	Q1. Q2. Q3

子母件

子件

模组

子件

模组

模组

模组

30011033110603	chip resistor10K (ROHS)	0603±5% 1/10W (Yageo)	piece	7	R1. R3. R6. R9. R10. R13. R14
30011023110603	chip resistor1K (ROHS)	0603±5% 1/10W (Yageo)	piece	1	R2. R7
30014723110603	chip resistor4K7 (ROHS)	0603±5% 1/10W(Yageo)	piece	2	R4. R8
30011013110603	chip resistor101R (ROHS)	0603±5% 1/10W (Yageo)	piece	4	R5. R15. R16. R17
31500101200000	patch touch power (826) ROHS	6*3.5*5mm	piece	4	SW1. SW2. SW3. SW4
3030TM17220000	patch LCD driver chip TM1722 (ROHS)	SOP-24	piece	1	U1
2001B585414001	CB585 CB radio USBsemi-charging plate (ROHS)				
Item code	Item Name	Item Specification	Unit	Quantity	
2009B585414001	CB585 CB radio USBsemi-charging plate (pa	PCB01	piece	1	
31042277220808	Plug-in electrolytic capacitor220uF (RoHS	6.3*7mm±20% 16V	piece	1	E2
31044757120406	Plug-in electrolytic capacitor4uF7 (diffi	4*6mm ±20% 10V	piece	1	E3
3194UT770M0000	Plug-in USB socket (ROHS)	KL-UAF-05	piece	1	USB1
3191B585000000	CB585 flat cable ROHS	4P separation distance2.0mm, AWG #24 lan	piece	1	
2009B585414001	CB585 CB radio USBsemi-charging plate (pa	patch/ROHS)			
Item code	Item Name	Item Specification	Unit	Quantity	
3600B585414001	CB585Car charger plate(ROHS)	PCB01/piles number:2 piles/ size: 171*82	piece	1	
30021059500603	Chip capacitor105P (ROHS) -common use	0603±10% 16V X5R/X7R	piece	1	C1
30021049500603	Chip capacitor104P (ROHS)	0603±10% 50V X5R/X7R	piece	2	C2. C3
3010SS340014AA	patch Schottky diodeSS34(ROHS)	SMA D0-214AA 3A/40V	piece	1	D1
30022260001206	Chip capacitor226P(ROHS)	1206 X5R ±10% 16V	piece	1	E1
30066820001000	patchHigh Current Power Inductors6.8uH- (	10*10.2*4.2MM	piece	1	L1
30010003311206	chip resistor0R(ROHS)	1206±5% 1/4W	piece	1	R1
30013933110603	chip resistor39K (ROHS)	0603±5% 1/10W(Yageo)	piece	1	R2
30016833110603	chip resistor68K (ROHS)	0603±5% 1/10W	piece	1	R3
30014733110603	chip resistor47K (ROHS)	0603±5% 1/10W(Yageo)	piece	2	R4. R5
30011023110603	chip resistor1K (ROHS)	0603±5% 1/10W (Yageo)	piece	2	R6. R7
3030X8512C1000	CX8812powerIC(ROHS)	SOP-8/5V 3.1A	piece	1	U1
2001B585411003	CB585semi-finished CB radio transceiver	(ROHS)			
Item code	Item Name	Item Specification	Unit	Quantity	
31043377321012	Plug-in electrolytic capacitor330uF-ROHS	8*11.5mm ±20% 25V	piece	4	E1. E4. E5. E9
31041067220511	Plug-in electrolytic capacitor10uF	5*11mm ±20% 16V	piece	1	E2
31044777421013	Plug-in electrolytic capacitor470uF (ROHS	10*13mm ±20% 35V	piece	1	E3
31041077220607	Plug-in electrolytic capacitor100uF(ROHS)	6.3*7mm ±20% 16V	piece	1	E8
31044767420608	Plug-in electrolytic capacitor47uF(ROHS)	6.3*8mm ±20% 35V	piece	1	E10
3030UTC1517000	UTC1517Plug-in audio power amplifierIC (R	DIP-18-300	piece	1	U1
31933500001132	4 pim plug-in headset socket(ROHS)	PJ3270 Φ3.5mm	piece	1	J3
31922000051001	plug-in no core socket (ROHS)	2.0*5P	piece	1	J1
31972600100000	Plug-in RJ11 network interface (ROHS) -Ba	6pin/90° /Y5722-6P6C	piece	1	J4
31060000003508	Plug-in magnetic bead inductance1.8uH(ROH	WBRH-35908	piece	2	L8. L10
2009B585411003	CB585semi-finished CB radio transceiver	PCB03	piece	1	
2009B585411003	CB585semi-finished CB radio transceiver	(patch/ROHS)			
Item code	Item Name	Item Specification	Unit	Quantity	
2009B585411003	CB585semi-finished CB radio transceiver	PCB03			
Item code	Item Name	Item Specification	Unit	Quantity	插件1
300220A2510603	Chip capacitor2P (ROHS)	0603±0.25P 50V COG/NPO	piece	1.000000	C26
30022205510603	Chip capacitor22P (ROHS)	0603±5% 50V COG/NPO(Murata)	piece	2.000000	C5. C6
30024705510603	Chip capacitor47P (ROHS)	0603±5% 50V COG/NPO (Murata)	piece	1.000000	C25
30024715510603	Chip capacitor471P (ROHS)	0603±5% 50V COG/NPO	piece	9.000000	C47. C55. C64. C67. C104. C105. C108. R40. C141
30021015510603	Chip capacitor101P (ROHS)	0603±5% 50V COG/NPO	piece	4.000000	C3. C103. C148. C149
30021026530603	Chip capacitor102P (ROHS)	0603±10% 50V X5R/X7R	piece	23.000000	C7. C24. C33. C35. C36. C37. C39. C45. C56. C58. C68. C72. C73. C75. C76. C81. C82. C9
30021036530603	Chip capacitor103P (ROHS)	0603±10% 50V X5R/X7R	piece	12.000000	2. C94. C95. C99. C112. C111
					C9. C30. C31. C34. C65. C71. C91. C100. C113. C125. C145. C110
					C27. C28. C29. C38. C40. C46. C50. C51. C54. C61. C66. C89. C90. C93. C109. C114. C11
30021049500603	Chip capacitor104P (ROHS)	0603±10% 50V X5R/X7R	piece	33.000000	5. C116. C118. C119. C120. C121. C123. C124. C126. C128. C129. C130. C134. C135. C1
30021046530805	Chip capacitor104P (ROHS)	0805±10% 50V X5R/X7R	piece	1.000000	36. C144. C140
30021059500603	Chip capacitor105P (ROHS) -common use	0603±10% 16V X5R/X7R	piece	6.000000	C41
					C42. C43. C49. C60. C96. C98

30023305510805	Chip capacitor33P	0805±5% 50V COG/NPO	piece	1.000000	C44
30021205510603	Chip capacitor12P (ROHS)	0603±5% 50V COG/NPO(Murata)	piece	1.000000	C57
30021002510603	Chip capacitor10P (ROHS)	0603±0.5P 50V COG/NPO	piece	1.000000	C59
30041066030805	Chip capacitor106P (ROHS) -common use/对	0805±10% 10V	piece	8.000000	C74. C122. C127. C133. C137. E6. C22. C70
30011013110603	chip resistor101R (ROHS)	0603±5% 1/10W (Yageo)	piece	4.000000	R1. R41. R43. R66
30024759101206	Chip capacitor475P (ROHS)	1206+80%-20% 16V	piece	1.000000	C117
300290A2510603	Chip capacitor9P (ROHS)	0603±0.25P 50V COG/NPO	piece	2.000000	C131. C132
3010A592000805	chip diodeBA592/ROHS-take placeHVU131	SOD-323	piece	3.000000	D1. D2. D4
3010AV99W14080	chip diodeBAV99W(ROHS)	SOD-323 (PHILIPS)	piece	1.000000	D3
3010S40000D523	chip power diode1SS400 (RoHS)	SOD-523, EMD2, MARKING: A	piece	1.000000	D5
30105408001206	chip diode5408(ROHS)	1206	piece	1.000000	D6
30104148000805	chip diodeLL4148-ROHS	0805	piece	2.000000	D7. D16
3020BAV7014080	chip triodeBAV70(ROHS)	SOT323	piece	1.000000	D8
3010S111010603	chip diode MA2S111(4148/RoHS)	SOD-523/ (0603)	piece	1.000000	D9
30011533110603	chip resistor15K (ROHS)	0603±5% 1/10W (Yageo)	piece	2.000000	R2. R96
30011053110603	chip resistor1M (ROHS)	0603±5% 1/10W	piece	2.000000	R70. R113
30012213110603	chip resistor221R (ROHS)	0603±5% 1/10W (Yageo)	piece	3.000000	R4. R23. R24
30012243110603	chip resistor220K (ROHS)	0603±5% 1/10W (Yageo)	piece	1.000000	R108
30011023110603	chip resistor1K (ROHS)	0603±5% 1/10W (Yageo)	piece	12.000000	R6. R29. R60. R89. R104. R105. R109. R110. R115. R116. R55. R79
30011043110603	chip resistor100K (ROHS)	0603±5% 1/10W (Yageo)	piece	1.000000	R46
30013313110603	chip resistor331R (ROHS)	0603±5% 1/10W	piece	1.000000	R8
30014703210805	chip resistor47R(ROHS)	0805±5% 1/8W	piece	3.000000	R9. R10. R11
30016823110603	chip resistor6K8 (ROHS)	0603±5% 1/10W	piece	1.000000	R12
30014733110603	chip resistor47K (ROHS)	0603±5% 1/10W(Yageo)	piece	7.000000	R13. R45. R47. R106. R107. R52. R62
30013333110603	chip resistor33K (ROHS)	0603±5% 1/10W(Yageo)	piece	2.000000	R14. R31
30014713110603	chip resistor471R(ROHS)	0603±5% 1/10W (Yageo)	piece	3.000000	R15. R30. R37
30010003110603	chip resistor0R (ROHS)	0603±5% 1/10W (Yageo)	piece	7.000000	R18. R22. R39. R83. R73. R78. R16
30011033110603	chip resistor10K (ROHS)	0603±5% 1/10W (Yageo)	piece	12.000000	R20. R26. R32. R33. R53. R77. R84. R111. R112. R114. R63. R72
30012203110603	chip resistor22R (ROHS)	0603±5% 1/10W (Yageo)	piece	3.000000	R27. R49. R50
30018223110603	chip resistor8K2(ROHS)	0603±5% 1/10W	piece	1.000000	R28
30011223110603	chip resistor1K2 (ROHS)	0603±5% 1/10W	piece	1.000000	R34
30012223110603	chip resistor2K2 (ROHS)	0603±5% 1/10W (Yageo)	piece	6.000000	R35. R56. R57. R65. R101. R102
30015603110603	chip resistor56R (ROHS)	0603±5% 1/10W	piece	2.000000	R36. R38
300102A1011206	SMD precision resistor0R2	1206±1% 1/2W (RLC32-R200FTP)	piece	4.000000	R42. R44. R51. R54
30011243110603	chip resistor120K (ROHS)	0603±5% 1/10W (Yageo)	piece	2.000000	R91. R48
30011541120603	SMD precision resistor150K (ROHS)	0603±1% 1/10W	piece	7.000000	R59. R61. R64. R71. R87. R92. R19
30014723110603	chip resistor4K7 (ROHS)	0603±5% 1/10W(Yageo)	piece	3.000000	R67. R74. R75
30013933110603	chip resistor39K (ROHS)	0603±5% 1/10W(Yageo)	piece	1.000000	R90
30011003210805	chip resistor10R (ROHS)	0805±5% 1/8W (Yageo)	piece	6.000000	R94. R95. R98. R99. R100. R103
30017533110603	chip resistor75K	0603±5% 1/10W	piece	1.000000	R97
3030DA1846S000	SMT chipAT1846S (ROHS)	QFN-32	piece	1.000000	U2
3030JM29046000	SMT blockNJM2904V-ROHS (manufacturer: JRC	SSOP-8	piece	1.000000	U4
303024C64A1000	SMT blockFT24C64A (ROHS)	SOP-8	piece	1.000000	U5
3031078L082040	Patch three-terminal regulator tubeCJ78L0	SOT-89-3L	piece	1.000000	U6
3030MB95F63611	SMT blockMB95F636KPMC-G-SNE2 (ROHS)	LQFP-32/Workshop burning/CB585 software	piece	1.000000	U7
316013000330D6	patch removing crystal 13.00MHz(VCTCX0)-R	3225/KDSbrand	piece	1.000000	X1
316016000330D0	SMD crystal 16MHZ (RoHS)	5032 9PF ±10PPM	piece	1.000000	X2
3020SC42264022	chip triode2SC4226 (R25)/RoHS	SOT-323	piece	2.000000	Q4. Q5
3021AF09MS015	The patch field effect tubeAFT09MS015NT1	PLD-1.5W-2/136-94 MHz 16W 12.5V	piece	1.000000	Q6
302000RD012000	Push pipe RD01MUS2-T113-ROHS	SOT-89	piece	1.000000	Q7
3020A1576A4210	chip triode2SA1576A (ROHS) -placed30202SP	SOT-323	piece	3.000000	Q8. Q18. Q20
3020BC847C4000	chip triodeBC847CW (RoHS)	SOT-323	piece	3.000000	Q2. Q3. Q10
3020BFG5200000	chip triodeBFG520 (ROHS)	SOT-143B/N36	piece	1.000000	Q1
30061010050603	SMT magnetic bead inductance101RT-ROHS	0603 inpedance: 101R	piece	4.000000	L26. L27. L28. L41
30062226030603	strips laminated inductance 2nH2-ROHS	0603 ±0.3	piece	1.000000	L20
30068223030603	'strips laminated inductance 8nH2(ROHS)	0603 ±5%	piece	1.000000	L19
30061053011008	Patch wire wound inductorsluH-ROHS/顺络	1008 ±5%	piece	1.000000	L18
30070501505001	chip inductor5T (UC708) /ROHS	GW3730/18.5NH	piece	1.000000	L17
30021805510805	Chip capacitor18P	0805±5% 50V COG/NPO	piece	1.000000	L16

MXT115 BOM

30061010050805	SMT magnetic bead inductance101RT-ROHS	0805 inpedance: 101R	piece	5.000000	L15. L22. L29. L30. L31
300618330R0805	Patch wire wound inductors18nH(high frequ	0805 ±5%	piece	2.000000	L11. L12
30063343010805	Patch wire wound inductors330NH (ROHS)	0805	piece	1.000000	L9
30065633030603	strips laminated inductance 56nH (ROHS)	0603 ±5%	piece	1.000000	L7
30061833010603	Patch wire wound inductors18nH(high frequ	0603 ±5%	piece	1.000000	L6
30062743010603	Patch wire wound inductors270NH (ROHS)	0603	piece	1.000000	L5
30070501504002	chip inductor4T (UC708)/ROHS	GW3730/12.5NH	piece	3.000000	L2. L4. L3
30070501503002	chip inductor3T (UC708) /ROHS	GW3730/8NH	piece	2.000000	L1. L13
30061043020603	patch hf wire wound inductors100nH (RoHS	0603 ±5%	piece	2.000000	L24. L25
30042256110805	Chip capacitor225P (ROHS)	0805±10% 10V	piece	1.000000	E7
3021SK18241010	The patch field effect tube2SK1824/ROHS	SOT-523	piece	1.000000	Q9
3020SC41814010	chip triode2SC4181 (Use 3020KTC4075Y00 af	SOT-323	piece	1.000000	Q13
3020DTC1144181	chip triodeDTC114EETL/RoHS	SOT-523	piece	6.000000	Q14. Q15. Q19. Q21. Q11. Q22
30311P362R7000	Patch low dropout voltage regulator tubeX	(3.6V) SOT-89	piece	1.000000	Q16
3031078L052040	Patch three-terminal regulator tubeCJ78L0	SOT-89-3L	piece	2.000000	Q17. Q23
300250A2510805	Chip capacitor5P (ROHS)	0805±0.25P 50V COG/NPO	piece	3.000000	C77. C88. C23
3600B585411003	CB585CB radio transceiver (ROHS)	PCB03/piles number:4 piles/ size: 206*93	piece	1.000000	
31920500700001	Patch single 12 core (Lift the cover unde	0.5*12P	piece	1.000000	J7
30021505510603	Chip capacitor15P (ROHS)	0603±5% 50V COG/NPO	piece	1.000000	C69
30061010051812	SMT magnetic bead inductance101RT (ROHS)	1812	piece	1.000000	L14
30012723110603	chip resistor2K7 (ROHS)	0603±5% 1/10W (Yageo)	piece	1.000000	R68
31922000021010	plug-in 2 cores socket (ROHS)	2.0*2P	piece	1.000000	SPK1
3020DTA114B001	chip triodeDTA114EE (RoHS)	SOT-523	piece	2.000000	T24. Q12
300210A1510805	Chip capacitor1P	0805±0.1P 50V COG/NPO	piece	1.000000	C4
300290A2510805	Chip capacitor9P	0805±0.25P 50V COG/NPO	piece	1.000000	C20
30021805510603	Chip capacitor18P (ROHS)	0603±5% 50V COG/NPO (Murata)	piece	1.000000	C97
30012043110603	chip resistor200K	0603±5% 1/10W	piece	2.000000	R3. R17
30085033003040	chip adjustable resistor50K (ROHS)	4.0*3.0*1.6mm (EVM3GSX50B54)	piece	1.000000	RV1
3004106623A001	Chip capacitor106P-ROHS (manufacturer: Ya	1206 ±10% 16V Material: X7R	piece	2.000000	C142. C143
30021505510805	Chip capacitor15P	0805±5% 50V COG/NPO	piece	1.000000	C87
30011043210805	chip resistor100K	0805±5% 1/8W	piece	1.000000	R7
30024715510805	Chip capacitor471P (ROHS)	0805±5% 50V COG/NPO	piece	1.000000	C2
300230A2510805	Chip capacitor3P	0805±0.25P 50V COG/NPO	piece	2.000000	C8. C19
300220A2510805	Chip capacitor2P	0805±0.25P 50V COG/NPO	piece	1.000000	C10
34526607070000	6607Intercom fin		piece	1.000000	
30041066010603	Chip capacitor106P (ROHS)	0603±20% 6V3	piece	5.000000	R69. C101. C102. C106. C107