



DASY/EASY – Parameters of Probe: ES3DV3 – SN:3282

Calibration Parameter Determined in Head Tissue Simulating Media

f [MHz] ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unct. (k=2)
750	41.9	0.89	6.45	6.45	6.45	0.40	1.45	± 12.1%
835	41.5	0.90	6.22	6.22	6.22	0.44	1.41	± 12.1%
900	41.5	0.97	6.20	6.20	6.20	0.41	1.50	± 12.1%
1750	40.1	1.37	5.33	5.33	5.33	0.72	1.17	± 12.1%
1900	40.0	1.40	5.10	5.10	5.10	0.65	1.27	± 12.1%
2000	40.0	1.40	5.01	5.01	5.01	0.90	1.05	± 12.1%
2300	39.5	1.67	4.76	4.76	4.76	1.61	0.88	± 12.1%
2450	39.2	1.80	4.65	4.65	4.65	0.90	1.10	± 12.1%
2600	39.0	1.96	4.48	4.48	4.48	0.95	1.15	± 12.1%

^C Frequency validity above 300 MHz of ±100MHz only applies for DASY v4.4 and higher (Page 2), else it is restricted to ±50MHz. The uncertainty is the RSS of ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^F At frequency below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ±10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to ±5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.


^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for the frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.



In Collaboration with
s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: cttl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

Frequency Response of E-Field (TEM-Cell: ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: $\pm 7.4\%$ ($k=2$)




In Collaboration with
s p e a g
CALIBRATION LABORATORY



Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: cttl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

Receiving Pattern (Φ), $\theta=0^\circ$

f=600 MHz, TEM





f=1800 MHz, R22



Uncertainty of Axial Isotropy Assessment: $\pm 1.2\%$ ($k=2$)

Dynamic Range f(SAR_{head}) (TEM cell, f = 900 MHz)





Uncertainty of Linearity Assessment: $\pm 0.9\%$ ($k=2$)


Conversion Factor Assessment

f=750 MHz,WGLS R9(H_convF)

f=1750 MHz,WGLS R22(H_convF)



Deviation from Isotropy in Liquid



Uncertainty of Spherical Isotropy Assessment: $\pm 3.2\%$ ($k=2$)



In Collaboration with
s p e a g
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504
E-mail: cttl@chinattl.com [Http://www.chinattl.cn](http://www.chinattl.cn)

DASY/EASY – Parameters of Probe: ES3DV3 – SN:3282

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	130.7
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disable
Probe Overall Length	337mm
Probe Body Diameter	10mm
Tip Length	10mm
Tip Diameter	4mm
Probe Tip to Sensor X Calibration Point	2mm
Probe Tip to Sensor Y Calibration Point	2mm
Probe Tip to Sensor Z Calibration Point	2mm
Recommended Measurement Distance from Surface	3mm



Appendix E. Conducted RF Output Power Table

The detailed power table are shown as follows.

Conducted Default Power for WWAN

GSM850_Ant 11	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	824.2	836.4	848.8		824.2	836.4	848.8	
Frequency (MHz)								
GSM 1 Tx slot	32.36	32.13	32.11	34.00	23.36	23.13	23.11	25.00
GPRS 1 Tx slot	32.35	32.11	32.08	34.00	23.35	23.11	23.08	25.00
GPRS 2 Tx slots	30.71	30.66	30.63	32.50	24.71	24.66	24.63	26.50
GPRS 3 Tx slots	28.98	28.97	28.91	30.50	24.72	24.71	24.65	26.24
GPRS 4 Tx slots	28.18	28.12	28.00	29.20	25.18	25.12	25.00	26.20
EDGE 1 Tx slot	25.91	26.01	26.87	27.50	16.91	17.01	16.87	18.50
EDGE 2 Tx slots	24.83	24.87	24.83	26.50	16.83	16.87	16.83	20.50
EDGE 3 Tx slots	23.65	23.69	23.59	25.50	19.39	19.43	19.33	21.24
EDGE 4 Tx slots	22.97	22.85	22.80	24.50	19.97	19.85	19.80	21.50

GSM1900_Ant 13	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	512	851	910		512	851	910	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)								
GSM 1 Tx slot	29.46	29.15	29.40	30.50	20.46	20.15	20.49	21.50
GPRS 1 Tx slot	29.45	29.14	29.48	30.50	20.45	20.14	20.48	21.50
GPRS 2 Tx slots	27.07	26.96	27.15	28.00	21.07	20.96	21.15	22.00
GPRS 3 Tx slots	26.26	26.19	26.45	27.00	22.00	21.93	22.19	22.74
GPRS 4 Tx slots	24.95	24.74	25.08	25.50	21.95	21.74	22.08	22.50
EDGE 1 Tx slot	24.77	24.75	24.95	26.00	15.77	15.75	15.95	17.00
EDGE 2 Tx slots	23.54	23.76	23.83	25.00	17.54	17.76	17.83	19.00
EDGE 3 Tx slots	22.57	22.45	22.64	23.50	18.31	18.19	18.38	19.24
EDGE 4 Tx slots	21.63	21.54	21.82	22.50	18.63	18.54	18.82	19.50

Band	WCDMA II_Ant 13			Tune-up Limit (dBm)	WCDMA II_Ant 31			Tune-up Limit (dBm)	
	9262	9400	9538		9262	9400	9538		
TX Channel	9662	9800	9938		9662	9800	9938		
Rx Channel	1852.4	1880	1907.6		1852.4	1880	1907.6		
Frequency (MHz)									
3GPP Rel 99	AMR 12.2Kbps	23.38	23.54	23.50	25.00	24.00	24.15	24.10	25.30
3GPP Rel 99	RMC 12.2Kbps	23.40	23.56	23.53	25.00	24.02	24.20	24.13	25.30
3GPP Rel 6	HSDPA Subtest-1	22.47	22.57	22.55	24.00	23.07	23.16	23.26	24.30
3GPP Rel 6	HSDPA Subtest-2	22.45	22.63	22.61	24.00	23.05	23.13	23.27	24.30
3GPP Rel 6	HSDPA Subtest-3	21.96	22.11	22.07	23.50	22.54	22.61	22.77	23.80
3GPP Rel 6	HSDPA Subtest-4	21.99	22.12	22.10	23.50	22.52	22.61	22.79	23.80
3GPP Rel 8	DC-HSDPA Subtest-1	22.77	22.87	22.69	24.00	23.46	23.54	23.63	24.30
3GPP Rel 8	DC-HSDPA Subtest-2	22.77	22.88	22.69	24.00	23.45	23.46	23.57	24.30
3GPP Rel 8	DC-HSDPA Subtest-3	22.21	22.40	22.23	23.50	22.86	22.91	23.09	23.80
3GPP Rel 8	DC-HSDPA Subtest-4	22.29	22.41	22.30	23.50	22.83	22.91	23.09	23.80
3GPP Rel 6	HSUPA Subtest-1	22.50	22.67	22.65	24.00	23.01	23.14	23.24	24.30
3GPP Rel 6	HSUPA Subtest-2	20.46	20.63	20.65	22.00	21.00	21.12	21.29	22.30
3GPP Rel 6	HSUPA Subtest-3	21.48	21.61	21.68	23.00	22.00	22.15	22.26	23.30
3GPP Rel 6	HSUPA Subtest-4	20.44	20.64	20.66	22.00	21.04	21.14	21.30	22.30
3GPP Rel 6	HSUPA Subtest-5	22.40	22.55	22.60	24.00	23.10	23.20	23.30	24.30

Band	WCDMA V_Ant 11			Tune-up Limit (dBm)	WCDMA V_Ant 41			Tune-up Limit (dBm)	
	TX Channel	4132	4182		4233	4132	4182		4233
Rx Channel		4357	4407	4458		4357	4407	4458	
Frequency (MHz)		826.4	836.4	846.6		826.4	836.4	846.6	
3GPP Rel 99	AMR 12.2Kbps	23.81	23.81	23.76	25.50	24.16	24.11	24.03	25.50
3GPP Rel 99	RMC 12.2Kbps	23.82	23.86	23.77	25.50	24.17	24.22	24.05	25.50
3GPP Rel 6	HSDPA Subtest-1	22.87	22.86	22.80	24.50	23.33	23.26	23.14	24.50
3GPP Rel 6	HSDPA Subtest-2	22.84	22.83	22.79	24.50	23.34	23.24	23.15	24.50
3GPP Rel 6	HSDPA Subtest-3	22.35	22.35	22.29	24.00	22.82	22.80	22.64	24.00
3GPP Rel 6	HSDPA Subtest-4	22.05	22.35	22.30	24.00	22.82	22.69	22.64	24.00
3GPP Rel 8	DC-HSDPA Subtest-1	23.23	23.39	23.27	24.50	23.97	23.94	23.80	24.50
3GPP Rel 8	DC-HSDPA Subtest-2	23.34	23.40	23.27	24.50	23.98	23.92	23.85	24.50
3GPP Rel 8	DC-HSDPA Subtest-3	22.77	22.90	22.78	24.00	23.48	23.40	23.25	24.00
3GPP Rel 8	DC-HSDPA Subtest-4	22.87	22.92	22.77	24.00	23.44	23.37	23.30	24.00
3GPP Rel 6	HSUPA Subtest-1	22.87	22.87	22.86	24.50	23.30	23.24	23.16	24.50
3GPP Rel 6	HSUPA Subtest-2	20.87	20.94	20.82	22.50	21.27	21.23	21.11	22.50
3GPP Rel 6	HSUPA Subtest-3	21.88	21.87	21.80	23.50	22.28	22.23	22.11	23.50
3GPP Rel 6	HSUPA Subtest-4	20.84	20.87	20.79	22.50	21.29	21.27	21.10	22.50
3GPP Rel 6	HSUPA Subtest-5	22.90	22.90	22.80	24.50	23.30	23.20	23.10	24.50

GSM1900_Ant 31	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	512	851	910		512	851	910	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)								
GSM 1 Tx slot	29.60	29.92	29.89	31.00	20.60	20.92	20.89	22.00
GPRS 1 Tx slot	29.57	29.79	29.81	31.00	20.57	20.79	20.81	22.00
GPRS 2 Tx slots	27.28	27.41	27.49	29.00	21.28	21.41	21.49	23.00
GPRS 3 Tx slots	26.26	26.42	26.35	28.00	22.00	22.16	22.09	23.74
GPRS 4 Tx slots	25.00	25.13	25.01	26.50	22.00	22.13	22.01	23.50
EDGE 1 Tx slot	25.12	25.31	25.48	26.50	16.12	16.31	16.48	17.50
EDGE 2 Tx slots	24.11	24.38	24.32	25.50	18.11	18.38	18.32	19.50
EDGE 3 Tx slots	22.96	23.06	23.16	24.50	18.70	18.80	18.90	20.24
EDGE 4 Tx slots	22.03	22.10	22.27	23.50	19.03	19.10	19.27	20.50

Band	WCDMA IV_Ant 13				Tune-up Limit (dBm)	WCDMA IV_Ant 31				Tune-up Limit (dBm)
	TX Channel	1312	1413	1513		1312	1413	1513		
	Rx Channel	1537	1638	1738		1537	1638	1738		
	Frequency (MHz)	1712.4	1732.6	1752.6		1712.4	1732.6	1752.6		
3GPP Rel 99	AMR 12.2Kbps	23.55	23.62	23.60	25.00	24.02	24.11	24.08	25.50	
3GPP Rel 99	RMC 12.2Kbps	23.57	23.66	23.64	25.00	24.09	24.16	24.13	25.50	
3GPP Rel 6	HSDPA Subtest-1	22.64	22.70	22.69	24.00	22.96	23.20	23.29	24.50	
3GPP Rel 6	HSDPA Subtest-2	22.61	22.68	22.69	24.00	23.01	23.20	23.30	24.50	
3GPP Rel 6	HSDPA Subtest-3	22.17	22.15	22.17	23.50	22.54	22.67	22.78	24.00	
3GPP Rel 6	HSDPA Subtest-4	22.07	22.18	22.16	23.50	22.53	22.68	22.75	24.00	
3GPP Rel 8	DC-HSDPA Subtest-1	22.94	23.08	23.05	24.00	23.31	23.60	23.65	24.50	
3GPP Rel 8	DC-HSDPA Subtest-2	22.95	23.03	23.07	24.00	23.39	23.56	23.59	24.50	
3GPP Rel 8	DC-HSDPA Subtest-3	22.50	22.52	22.54	23.50	22.86	23.01	23.13	24.00	
3GPP Rel 8	DC-HSDPA Subtest-4	22.47	22.52	22.45	23.50	22.86	23.00	23.13	24.00	
3GPP Rel 6	HSUPA Subtest-1	22.67	22.52	22.58	24.00	23.06	22.90	22.90	24.50	
3GPP Rel 6	HSUPA Subtest-2	20.62	20.55	20.46	22.00	21.04	20.91	20.98	22.50	
3GPP Rel 6	HSUPA Subtest-3	21.65	21.54	21.54	23.00	22.04	21.90	21.97	23.50	
3GPP Rel 6	HSUPA Subtest-4	20.64	20.57	20.52	22.00	21.03	20.88	20.91	22.50	
3GPP Rel 6	HSUPA Subtest-5	22.70	22.62	22.55	24.00	23.00	22.88	22.93	24.50	

Band	CDMA BC0_Ant 11			Tune-up Limit (dBm)	CDMA BC0_Ant 41			Tune-up Limit (dBm)
	1013	384	777		1013	384	777	
TX Channel	824.7	836.52	848.31		824.7	836.52	848.31	
Frequency (MHz)								
RC1 SO55	23.70	23.73	23.62	25.00	23.92	23.95	23.85	25.00
RC3 SO55	23.73	23.74	23.69	25.00	23.92	23.97	23.85	25.00
RC3 SO32 (+FSCH)	23.70	23.71	23.63	25.00	23.92	23.94	23.85	25.00
RC3 SO32 (+FSCH)	23.67	23.63	23.57	25.00	23.79	23.88	23.84	25.00

Band 2_Ant13														
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MFR (dB)						
Channel														
Frequency (MHz)														
20	QPSK	1	0	22.70	22.86	22.81	24	0						
20	QPSK	1	49	22.68	22.67	22.79								
20	QPSK	1	99	22.53	22.47	22.64								
20	QPSK	50	0	21.76	21.86	21.81	23	1						
20	QPSK	50	24	21.75	21.77	21.78								
20	QPSK	50	50	21.65	21.75	21.76								
20	QPSK	100	0	21.73	21.82	21.81	23	1						
20	16QAM	1	0	21.65	21.94	21.99								
20	16QAM	1	49	22.18	22.09	22.09								
20	16QAM	1	99	21.92	21.68	22.08	22	2						
20	16QAM	50	0	20.76	20.73	20.83								
20	16QAM	50	24	20.76	20.81	20.87								
20	16QAM	50	50	20.73	20.80	20.84	22	2						
20	16QAM	100	0	20.72	20.77	20.84								
20	84QAM	1	0	20.84	21.04	21.03								
20	84QAM	1	49	20.94	20.95	21.12	22	2						
20	84QAM	1	99	20.78	20.93	20.90								
20	84QAM	50	0	19.75	19.72	19.77								
20	84QAM	50	24	19.78	19.81	19.87	21	3						
20	84QAM	50	50	19.69	19.76	19.82								
20	84QAM	100	0	19.73	19.77	19.88								
Channel														
Frequency (MHz)														
15	QPSK	1	0	22.69	22.87	22.82	24	0						
15	QPSK	1	37	22.68	22.70	22.85								
15	QPSK	1	74	22.63	22.66	22.66								
15	QPSK	36	0	21.70	21.74	21.82	23	1						
15	QPSK	36	20	21.77	21.79	21.83								
15	QPSK	36	39	21.74	21.80	21.87								
15	QPSK	75	0	21.77	21.82	21.78	23	1						
15	16QAM	1	0	21.88	22.00	22.12								
15	16QAM	1	37	21.92	22.04	22.24								
15	16QAM	1	74	21.96	22.02	22.18	22	2						
15	16QAM	36	0	20.74	20.76	20.83								
15	16QAM	36	20	20.84	20.86	20.80								
15	16QAM	36	39	20.79	20.83	20.93	22	2						
15	16QAM	75	0	20.80	20.81	20.81								
15	84QAM	1	0	20.96	20.92	21.10								
15	84QAM	1	37	20.87	20.95	21.05	22	2						
15	84QAM	1	74	20.96	20.93	20.91								
15	84QAM	36	0	19.75	19.77	19.83								
15	84QAM	36	20	19.78	19.84	19.88	21	3						
15	84QAM	36	39	19.77	19.82	19.82								
15	84QAM	75	0	19.80	19.79	19.82								
Channel														
Frequency (MHz)														
10	QPSK	1	0	22.54	22.82	22.81	24	0						
10	QPSK	1	25	22.47	22.83	22.85								
10	QPSK	1	49	22.72	22.75	22.83								
10	QPSK	25	0	21.85	21.83	21.98	23	1						
10	QPSK	25	12	21.73	21.98	21.98								
10	QPSK	25	25	21.87	21.92	21.98								
10	QPSK	50	0	21.60	21.98	21.96	23	1						
10	16QAM	1	0	21.88	22.27	22.42								
10	16QAM	1	25	21.81	22.26	22.41								
10	16QAM	1	49	21.98	22.08	22.24	22	2						
10	16QAM	25	0	20.79	20.92	21.04								
10	16QAM	25	12	20.90	21.00	20.97								
10	16QAM	25	25	20.90	20.95	21.01	22	2						
10	16QAM	50	0	20.80	20.97	20.97								
10	84QAM	1	0	20.97	21.13	21.09								
10	84QAM	1	25	20.78	21.15	21.17	22	2						
10	84QAM	1	49	20.92	21.13	21.16								
10	84QAM	25	0	19.77	19.94	20.00								
10	84QAM	25	12	19.91	20.01	20.00	21	3						
10	84QAM	25	25	19.92	19.93	19.95								
10	84QAM	50	0	19.89	19.99	19.97								
Channel														
Frequency (MHz)														
5	QPSK	1	0	22.70	22.80	22.81	24	0						
5	QPSK	1	12	22.64	22.80	22.82								
5	QPSK	1	24	22.66	22.75	22.86								
5	QPSK	12	0	21.77	21.88	21.96	23	1						
5	QPSK	12	7	21.73	21.86	22.03								
5	QPSK	12	13	21.74	21.87	21.83								
5	QPSK	25	0	21.68	21.92	21.99	23	1						
5	16QAM	1	0	21.95	22.11	22.18								
5	16QAM	1	12	21.90	22.28	22.28								
5	16QAM	1	24	22.04	22.14	21.96	22	2						
5	16QAM	12	0	20.82	20.92	21.03								
5	16QAM	12	7	20.85	20.97	21.06								
5	16QAM	12	13	20.85	20.89	21.03	22	2						
5	16QAM	25	0	20.74	20.97	21.03								
5	84QAM	1	0	20.92	21.18	21.25								
5	84QAM	1	12	20.96	21.04	21.32	22	2						
5	84QAM	1	24	20.92	21.09	20.94								
5	84QAM	12	0	19.89	19.89	19.99								
5	84QAM	12	7	19.87	20.01	20.10	21	3						
5	84QAM	12	13	19.88	19.87	19.99								
5	84QAM	25	0	19.81	19.94	20.03								
Channel														
Frequency (MHz)														
3	QPSK	1	0	22.67	22.82	22.81	24	0						
3	QPSK	1	8	22.70	22.82	22.85								
3	QPSK	1	14	22.56	22.70	22.80								
3	QPSK	8	0	21.91	21.99	21.91	23	1						
3	QPSK	8	4	21.74	21.94	21.87								
3	QPSK	8	7	21.70	21.87	21.83	23	1						
3	QPSK	15	0	21.64	21.91	21.86								
3	16QAM	1	0	21.97	22.23	22.30								
3	16QAM	1	8	21.87	22.30	22.07	23	1						
3	16QAM	1	14	21.86	22.20	21.84								
3	16QAM	8	0	20.86	21.07	21.02								
3	16QAM	8	4	20.89	21.01	21.07	22	2						
3	16QAM	8	7	20.87	20.93	20.94								
3	16QAM	15	0	20.87	21.07	20.99								
3	84QAM	1	0	20.76	21.26	21.19	22	2						
3	84QAM	1	8	20.90	21.17	21.14								
3	84QAM	1	14	20.77	20.94	20.74								
3	84QAM	8	0	19.86	20.00	20.05	21	3						
3	84QAM	8	4	19.87	20.17	20.12								
3	84QAM	8	7	19.84	19.90	20.02								
3	84QAM	15	0	19.84	19.95	19.98								
Channel														
Frequency (MHz)														
1.4	QPSK	1	0	22.60	22.80	22.81	24	0						
1.4	QPSK	1	8	22.44	22.72	22.38								
1.4	QPSK	1	14	22.44	22.67	22.59								
1.4	QPSK	3	0	22.45	22.72	22.48	24	0						
1.4	QPSK	3	1	22.44	22.75	22.42								
1.4	QPSK	3	3	22.40	22.73	22.44								
1.4	QPSK	6	0	21.53	21.79	21.63	23	1						
1.4	16QAM	1	0	21.76	22.20	21.90								
1.4	16QAM	1	21.80	22.07	21.89									
1.4	16QAM	1	5	21.68	22.04	21.78	23	1						
1.4	16QAM	3	0	21.65	21.99	21.77								
1.4	16QAM	3	1	21.64	21.94	21.76								
1.4	84QAM	1	3	21.66	21.94	21.68	22	2						
1.4	84QAM	6	0	20.86	21.04	20.84								
1.4	84QAM	1	0	20.87	21.01	20.84								
1.4	84QAM	1	5	20.97	20.87	20.85	22	2						
1.4	84QAM	3	0	20.80	20.94	20.77								
1.4	84QAM	3	1	20.80	20.89	20.86								
1.4	84QAM	6	0	20.80	20.86	20.81	21	3						
1.4	84QAM	3	0	19.70	19.82	19.85								

Band 4_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Turn-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
20	QPSK	1	0	23.65	23.88	23.72	25	0		
20	QPSK	1	49	23.62	23.73	23.64				
20	QPSK	1	99	23.62	23.68	23.58				
20	QPSK	50	0	22.53	22.79	22.65				
20	QPSK	50	24	22.41	22.70	22.52	24	1		
20	QPSK	50	50	22.38	22.64	22.44				
20	QPSK	100	0	22.42	22.65	22.53				
20	16QAM	1	0	22.61	22.80	22.71				
20	16QAM	1	49	22.58	22.85	22.67	23	1		
20	16QAM	1	99	22.60	22.81	22.67				
20	16QAM	50	0	21.52	21.63	21.62				
20	16QAM	50	24	21.50	21.63	21.58				
20	16QAM	50	50	21.38	21.65	21.59	23	2		
20	16QAM	100	0	21.35	21.58	21.60				
20	64QAM	1	0	21.56	21.85	21.49				
20	64QAM	1	49	21.56	21.72	21.59				
20	64QAM	1	99	21.73	21.64	21.66	23	2		
20	64QAM	50	0	20.61	20.81	20.53				
20	64QAM	50	24	20.66	20.56	20.58				
20	64QAM	50	50	20.38	20.75	20.56				
20	64QAM	100	0	20.52	20.71	20.57	25	0		
Channel										
Frequency (MHz)										
15	QPSK	1	0	23.56	23.83	23.62	25	0		
15	QPSK	1	37	23.46	23.57	23.54				
15	QPSK	1	74	23.38	23.50	23.53				
15	QPSK	36	0	22.38	22.63	22.37				
15	QPSK	36	39	22.31	22.59	22.31	24	1		
15	QPSK	75	0	22.15	22.49	22.37				
15	16QAM	1	0	22.50	22.79	22.56				
15	16QAM	1	37	22.42	22.70	22.60				
15	16QAM	1	74	22.49	22.69	22.61	23	2		
15	16QAM	36	0	21.44	21.53	21.55				
15	16QAM	36	20	21.35	21.56	21.52				
15	16QAM	36	39	21.22	21.57	21.59				
15	16QAM	75	0	21.20	21.53	21.55	22	3		
15	64QAM	1	0	21.48	21.76	21.40				
15	64QAM	1	37	21.40	21.60	21.51				
15	64QAM	1	74	21.67	21.49	21.57				
15	64QAM	36	0	20.50	20.85	20.41	22	3		
15	64QAM	36	20	20.61	20.48	20.48				
15	64QAM	36	39	20.31	20.70	20.48				
15	64QAM	75	0	20.42	20.57	20.49				
Channel										
Frequency (MHz)										
10	QPSK	1	0	23.59	23.82	23.65	25	0		
10	QPSK	1	25	23.64	23.57	23.50				
10	QPSK	1	49	23.39	23.58	23.46				
10	QPSK	25	0	22.36	22.68	22.40				
10	QPSK	25	12	22.34	22.64	22.40	24	1		
10	QPSK	25	25	22.24	22.49	22.29				
10	QPSK	50	0	22.10	22.51	22.37				
10	16QAM	1	0	22.53	22.81	22.56				
10	16QAM	1	25	22.43	22.71	22.57	23	2		
10	16QAM	1	49	22.55	22.70	22.59				
10	16QAM	25	0	21.41	21.53	21.54				
10	16QAM	25	12	21.38	21.50	21.45				
10	16QAM	25	25	21.23	21.50	21.51	23	2		
10	16QAM	50	0	21.25	21.46	21.46				
10	64QAM	1	0	21.48	21.76	21.42				
10	64QAM	1	25	21.47	21.63	21.44				
10	64QAM	1	49	21.64	21.53	21.56	22	3		
10	64QAM	25	0	20.55	20.73	20.45				
10	64QAM	25	12	20.60	20.45	20.51				
10	64QAM	25	25	20.27	20.63	20.41				
10	64QAM	50	0	20.47	20.63	20.44	25	0		
Channel										
Frequency (MHz)										
5	QPSK	1	0	23.53	23.83	23.65	25	0		
5	QPSK	1	12	23.50	23.58	23.49				
5	QPSK	1	24	23.47	23.52	23.44				
5	QPSK	12	0	22.29	22.69	22.47				
5	QPSK	12	7	22.34	22.54	22.43	24	1		
5	QPSK	12	13	22.31	22.55	22.38				
5	QPSK	25	0	22.13	22.50	22.44				
5	16QAM	1	0	22.49	22.79	22.65				
5	16QAM	1	12	22.51	22.74	22.57	24	1		
5	16QAM	1	24	22.51	22.67	22.59				
5	16QAM	12	0	21.40	21.50	21.55				
5	16QAM	12	7	21.40	21.54	21.43				
5	16QAM	12	13	21.24	21.50	21.50	23	2		
5	16QAM	25	0	21.21	21.47	21.48				
5	64QAM	1	0	21.50	21.79	21.40				
5	64QAM	1	12	21.50	21.59	21.46				
5	64QAM	1	24	21.59	21.55	21.61	22	3		
5	64QAM	12	0	20.50	20.67	20.40				
5	64QAM	12	7	20.61	20.42	20.49				
5	64QAM	12	13	20.29	20.63	20.46				
5	64QAM	15	0	20.36	20.55	20.50	25	0		
Channel										
Frequency (MHz)										
3	QPSK	1	0	23.51	23.73	23.67	25	0		
3	QPSK	1	8	23.62	23.67	23.59				
3	QPSK	1	14	23.38	23.59	23.52				
3	QPSK	8	0	22.33	22.67	22.44				
3	QPSK	8	4	22.31	22.58	22.43	24	1		
3	QPSK	8	7	22.24	22.56	22.32				
3	QPSK	15	0	22.08	22.51	22.37				
3	16QAM	1	0	22.45	22.80	22.59				
3	16QAM	1	8	22.49	22.78	22.53	24	1		
3	16QAM	1	14	22.51	22.69	22.62				
3	16QAM	8	0	21.40	21.56	21.52				
3	16QAM	8	4	21.41	21.55	21.52				
3	16QAM	8	7	21.30	21.58	21.60	23	2		
3	16QAM	15	0	21.19	21.43	21.52				
3	64QAM	1	0	21.41	21.73	21.38				
3	64QAM	1	8	21.42	21.57	21.43				
3	64QAM	1	14	21.58	21.49	21.52	22	3		
3	64QAM	8	0	20.51	20.70	20.37				
3	64QAM	8	4	20.51	20.40	20.47				
3	64QAM	8	7	20.24	20.61	20.50				
3	64QAM	15	0	20.44	20.61	20.30	25	0		
Channel										
Frequency (MHz)										
1.4	QPSK	1	0	23.59	23.80	23.85	25	0		
1.4	QPSK	1	3	23.53	23.49	23.65				
1.4	QPSK	1	6	23.48	23.59	23.47				
1.4	QPSK	3	0	23.47	23.65	23.72				
1.4	QPSK	3	1	23.55	23.55	23.71	24	1		
1.4	QPSK	3	3	23.60	23.58	23.78				
1.4	QPSK	6	0	22.60	22.73	22.82				
1.4	QPSK	6	0	22.13	22.14	22.82				
1.4	16QAM	1	0	22.92	23.22	23.23	24	1		
1.4	16QAM	1	5	22.60	22.92	23.24				
1.4	16QAM	3	0	22.69	22.88	22.97				
1.4	16QAM	3	1	22.83	22.96	22.98				
1.4	16QAM	3	3	22.86	22.92	23.00	23	2		
1.4	16QAM	6	0	21.81	21.81	23.23				
1.4	64QAM	1	0	21.97	22.02	21.96				
1.4	64QAM	1	3	21.97	22.21	22.20				
1.4	64QAM	1	5	21.61	22.01	21.99	23	2		
1.4	64QAM	3	0	21.73	21.88	21.59				
1.4	64QAM	3	1	21.63	21.97	22.07				
1.4	64QAM	3	3	21.85	21.79	22.00				
1.4	64QAM	5	0	20.77	21.03	20.80	22	3		

Band 5_Ant 41											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				20450	20525	20590					
Frequency (MHz)				820	836.5	844					
10	QPSK	1	0	23.80	23.95	23.82	25	0			
10	QPSK	1	25	23.79	23.75	23.77					
10	QPSK	1	49	23.73	23.62	23.71					
10	QPSK	25	0	22.93	22.98	22.88	24	1			
10	QPSK	25	12	22.91	22.88	22.87					
10	QPSK	25	25	22.84	22.88	22.79					
10	QPSK	50	0	22.92	22.93	22.83	24	1			
10	16QAM	1	0	23.24	23.02	23.16					
10	16QAM	1	25	22.75	23.16	23.30					
10	16QAM	1	49	22.76	22.91	23.32	23	2			
10	16QAM	25	0	21.81	21.89	21.87					
10	16QAM	25	12	22.02	21.95	21.82					
10	16QAM	25	25	21.97	21.94	21.83	22	3			
10	16QAM	50	0	21.87	21.82	21.76					
10	64QAM	1	0	21.85	22.15	21.73					
10	64QAM	1	25	22.23	21.81	22.00					
10	64QAM	1	49	21.73	22.00	21.88					
10	64QAM	25	0	20.80	20.80	20.70	23	2			
10	64QAM	25	12	20.88	20.83	20.90					
10	64QAM	25	25	20.98	20.85	20.74					
10	64QAM	50	0	20.90	20.89	20.84	22	3			
Channel				20425	20505	20525					
Frequency (MHz)				826.5	836.5	846.5					
5	QPSK	1	0	23.82	23.78	23.70	25		0		
5	QPSK	1	12	23.75	23.66	23.80					
5	QPSK	1	24	23.74	23.83	23.67					
5	QPSK	12	0	22.72	22.79	22.70	24	1			
5	QPSK	12	7	22.72	22.80	22.73					
5	QPSK	12	13	22.87	22.86	22.79					
5	QPSK	25	0	22.87	22.80	22.70	24	1			
5	16QAM	1	0	22.90	23.01	23.41					
5	16QAM	1	12	23.26	23.50	23.02					
5	16QAM	1	24	23.06	23.49	23.06	23	2			
5	16QAM	12	0	21.75	21.86	21.86					
5	16QAM	12	7	21.90	21.87	21.90					
5	16QAM	12	13	21.87	21.85	21.90	23	2			
5	16QAM	25	0	21.79	21.79	21.79					
5	64QAM	1	0	22.01	22.36	21.76					
5	64QAM	1	12	22.02	21.86	21.85	23	2			
5	64QAM	1	24	21.79	21.84	21.77					
5	64QAM	12	0	20.92	20.86	20.88					
5	64QAM	12	7	21.02	20.84	20.82	22	3			
5	64QAM	12	13	20.98	20.82	20.82					
5	64QAM	15	0	20.92	20.79	20.81					
Channel				20415	20525	20543					
Frequency (MHz)				825.5	836.5	847.5					
3	QPSK	1	0	23.74	23.83	23.64	25	0			
3	QPSK	1	8	23.59	23.68	23.67					
3	QPSK	1	14	23.60	23.76	23.58					
3	QPSK	8	0	22.81	22.71	22.62	24	1			
3	QPSK	8	4	22.78	22.80	22.73					
3	QPSK	8	7	22.84	22.82	22.79					
3	QPSK	15	0	22.86	22.85	22.73	24	1			
3	16QAM	1	0	23.17	23.21	23.09					
3	16QAM	1	8	23.14	22.96	23.23					
3	16QAM	1	14	23.05	22.88	22.53	23	2			
3	16QAM	8	0	21.89	21.84	21.70					
3	16QAM	8	4	21.93	21.90	21.91					
3	16QAM	8	7	21.86	21.89	21.91	23	2			
3	16QAM	15	0	21.82	21.67	21.91					
3	64QAM	1	0	22.06	21.93	21.76					
3	64QAM	1	8	22.11	22.14	21.66	23	2			
3	64QAM	1	14	21.73	22.18	22.14					
3	64QAM	8	0	20.88	20.78	20.76					
3	64QAM	8	4	20.90	20.90	20.76	22	3			
3	64QAM	8	7	20.77	20.93	20.79					
3	64QAM	15	0	20.84	20.75	20.72					
Channel				20407	20525	20543					
Frequency (MHz)				824.7	836.5	848.3					
1.4	QPSK	1	0	23.64	23.68	23.67	25	0			
1.4	QPSK	1	3	23.66	23.68	23.61					
1.4	QPSK	1	5	23.49	23.64	23.67					
1.4	QPSK	3	0	23.79	23.69	23.62	24	1			
1.4	QPSK	3	1	23.71	23.74	23.59					
1.4	QPSK	3	3	23.72	23.79	23.66					
1.4	QPSK	6	0	22.80	22.72	22.65	24	1			
1.4	16QAM	1	0	22.97	23.23	23.17					
1.4	16QAM	1	3	23.24	23.13	23.00					
1.4	16QAM	1	5	23.00	22.96	23.02	24	1			
1.4	16QAM	3	0	22.89	22.69	22.86					
1.4	16QAM	3	1	22.99	23.01	22.97					
1.4	16QAM	3	3	22.72	22.85	22.88	23	2			
1.4	16QAM	6	0	21.74	21.80	21.75					
1.4	64QAM	1	0	21.96	22.26	21.82					
1.4	64QAM	1	3	21.83	21.91	21.95	23	2			
1.4	64QAM	1	5	21.78	21.90	21.68					
1.4	64QAM	3	0	21.83	21.80	21.94					
1.4	64QAM	3	1	21.67	21.89	21.74	22	3			
1.4	64QAM	3	3	21.77	21.88	21.74					
1.4	64QAM	6	0	20.82	20.77	20.90					

Band 7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				20650	21100	21550			
Frequency (MHz)				2510	2535	2550			
20	QPSK	1	0	23.13	23.35	23.24	24	0	
20	QPSK	1	49	23.11	23.22	23.19			
20	QPSK	1	99	23.10	23.20	23.13			
20	QPSK	50	0	22.28	22.46	22.36	23	1	
20	QPSK	50	24	22.28	22.38	22.34			
20	QPSK	50	50	22.25	22.46	22.34			
20	QPSK	100	0	22.23	22.38	22.29	23	1	
20	16QAM	1	49	22.52	22.62	22.50			
20	16QAM	1	99	22.42	22.57	22.46			
20	16QAM	50	0	21.35	21.58	21.53	22	2	
20	16QAM	50	24	21.47	21.61	21.51			
20	16QAM	50	50	21.45	21.68	21.53			
20	16QAM	100	0	21.45	21.80	21.50	22	2	
20	64QAM	1	0	21.45	21.55	21.62			
20	64QAM	1	49	21.49	21.85	21.75			
20	64QAM	1	99	21.70	21.77	21.71	22	2	
20	64QAM	50	0	20.34	20.56	20.50			
20	64QAM	50	24	20.47	20.59	20.50			
20	64QAM	50	50	20.48	20.68	20.52	21	3	
20	64QAM	50	24	20.47	20.59	20.50			
20	64QAM	100	0	20.44	20.51	20.49			
Channel				20650	21100	21575	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	0	23.02	23.24	23.18	24	0	
15	QPSK	1	37	23.18	23.31	23.24			
15	QPSK	1	74	23.13	23.32	23.18			
15	QPSK	36	0	22.13	22.33	22.30	23	1	
15	QPSK	36	18	22.25	22.38	22.27			
15	QPSK	36	39	22.26	22.47	22.33			
15	QPSK	75	0	22.27	22.37	22.27	23	1	
15	16QAM	1	0	22.32	22.42	22.56			
15	16QAM	1	37	22.38	22.56	22.52			
15	16QAM	1	74	22.39	22.63	22.45	22	2	
15	16QAM	36	0	21.39	21.58	21.48			
15	16QAM	36	20	21.47	21.61	21.51			
15	16QAM	36	39	21.45	21.68	21.56	22	2	
15	16QAM	75	0	21.48	21.59	21.50			
15	64QAM	1	0	21.41	21.59	21.62			
15	64QAM	1	37	21.41	21.74	21.64	22	2	
15	64QAM	1	74	21.51	21.72	21.65			
15	64QAM	36	0	20.45	20.57	20.50			
15	64QAM	36	20	20.45	20.57	20.49	22	2	
15	64QAM	36	39	20.47	20.67	20.51			
15	64QAM	75	0	20.44	20.61	20.49			
Channel				20600	21100	21600	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2505	2555	2595			
10	QPSK	1	0	23.24	23.32	23.32	24	0	
10	QPSK	1	25	23.31	23.39	23.34			
10	QPSK	25	0	22.21	22.52	22.41			
10	QPSK	25	12	22.37	22.52	22.42	23	1	
10	QPSK	25	25	22.38	22.59	22.46			
10	QPSK	50	0	22.44	22.59	22.49			
10	16QAM	1	0	22.44	22.46	22.73	23	1	
10	16QAM	1	25	22.61	22.78	22.67			
10	16QAM	1	49	22.71	22.76	22.62			
10	16QAM	25	0	21.46	21.89	21.62	22	2	
10	16QAM	25	12	21.61	21.77	21.61			
10	16QAM	25	25	21.59	21.74	21.68			
10	16QAM	50	0	21.54	21.72	21.68	22	2	
10	64QAM	1	0	21.45	21.75	21.66			
10	64QAM	1	25	21.66	21.73	21.74			
10	64QAM	1	49	21.52	21.86	21.73	22	2	
10	64QAM	25	0	20.43	20.73	20.62			
10	64QAM	25	12	20.56	20.74	20.59			
10	64QAM	25	25	20.58	20.82	20.65	21	3	
10	64QAM	50	0	20.55	20.72	20.68			
Channel				20775	21100	21425			Tune-up limit (dBm)
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	0	23.23	23.34	23.12	24	0	
5	QPSK	1	12	23.33	23.32	23.31			
5	QPSK	1	23	23.33	23.32	23.31			
5	QPSK	12	0	22.27	22.42	22.24	23	1	
5	QPSK	12	7	22.33	22.55	22.54			
5	QPSK	12	13	22.41	22.65	22.50			
5	QPSK	25	0	22.35	22.50	22.50	23	1	
5	16QAM	1	0	22.44	22.46	22.73			
5	16QAM	1	12	22.44	22.72	22.68			
5	16QAM	1	24	22.45	22.55	22.66	22	2	
5	16QAM	12	0	21.25	21.48	21.46			
5	16QAM	12	7	21.36	21.51	21.64			
5	16QAM	12	13	21.44	21.72	21.67	22	2	
5	16QAM	25	0	21.21	21.48	21.44			
5	64QAM	1	0	21.73	21.74	21.97			
5	64QAM	1	12	21.70	21.76	21.50	22	2	
5	64QAM	1	24	21.71	21.76	21.98			
5	64QAM	12	0	20.57	20.56	20.64			
5	64QAM	12	7	20.65	20.74	20.69	21	3	
5	64QAM	12	13	20.70	20.69	20.67			
5	64QAM	25	0	20.50	20.63	20.62			

Band 7_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)				20650	21002	21350						
20	QPSK	1	0	22.85	23.02	22.93	24	0				
20	QPSK	1	49	22.65	22.74	22.70						
20	QPSK	1	99	22.67	22.79	22.83						
20	QPSK	50	0	21.99	22.15	22.02	23	1				
20	QPSK	50	24	21.89	22.04	21.97						
20	QPSK	50	50	21.83	22.00	21.96						
20	QPSK	100	0	21.83	22.06	21.98	23	1				
20	16QAM	1	0	22.05	22.50	22.36						
20	16QAM	1	49	22.41	22.72	22.64						
20	16QAM	1	99	22.59	22.69	22.63	22	2				
20	16QAM	50	0	21.14	21.37	21.28						
20	16QAM	50	24	21.29	21.34	21.45						
20	16QAM	50	50	21.38	21.49	21.49	22	2				
20	16QAM	100	0	21.26	21.42	21.46						
20	64QAM	1	0	21.35	21.39	21.26						
20	64QAM	1	49	21.38	21.65	21.52	22	2				
20	64QAM	1	99	21.38	21.86	21.45						
20	64QAM	50	0	20.23	20.46	20.30						
20	64QAM	50	24	20.26	20.31	20.44	21	3				
20	64QAM	50	50	20.21	20.41	20.51						
20	64QAM	100	0	20.19	20.40	20.38						
Channel												
Frequency (MHz)				20625	21100	21575	Tune-up limit (dBm)	MPR (dB)				
15	QPSK	1	0	22.55	22.79	22.71	24	0				
15	QPSK	1	37	22.78	22.95	22.74						
15	QPSK	1	74	22.71	22.79	22.71						
15	QPSK	36	0	21.75	21.86	21.81	23	1				
15	QPSK	36	24	21.75	21.92	21.84						
15	QPSK	36	39	21.82	21.99	22.02						
15	16QAM	1	0	22.54	22.77	22.14	23	1				
15	16QAM	1	37	22.66	22.51	22.30						
15	16QAM	1	74	22.54	22.54	22.57						
15	16QAM	36	0	21.13	21.29	21.41	22	2				
15	16QAM	36	20	21.29	21.33	21.46						
15	16QAM	36	39	21.30	21.38	21.43						
15	16QAM	75	0	21.29	21.34	21.41	22	2				
15	64QAM	1	0	21.44	21.50	21.43						
15	64QAM	1	37	21.62	21.20	21.55						
15	64QAM	1	74	21.05	21.53	21.65	21	3				
15	64QAM	36	0	20.19	20.28	20.40						
15	64QAM	36	20	20.24	20.28	20.39						
15	64QAM	36	39	20.32	20.35	20.46	21	3				
15	64QAM	75	0	20.26	20.39	20.33						
Channel												
Frequency (MHz)				20600	21000	21400			Tune-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	22.73	22.89	22.99	24	0				
10	QPSK	1	25	22.95	22.96	23.00						
10	QPSK	1	49	22.93	23.00	23.01						
10	QPSK	25	0	21.87	21.88	22.10	23	1				
10	QPSK	25	12	21.87	21.94	22.03						
10	QPSK	25	25	22.00	22.17	22.03						
10	QPSK	50	0	21.99	21.96	22.10	23	1				
10	16QAM	1	0	22.25	22.84	22.91						
10	16QAM	1	25	22.95	22.77	22.82						
10	16QAM	1	49	22.89	22.23	22.72	22	2				
10	16QAM	25	0	21.36	21.33	21.47						
10	16QAM	25	12	21.30	21.36	21.60						
10	16QAM	25	25	21.37	21.46	21.45	22	2				
10	16QAM	50	0	21.35	21.42	21.55						
10	84QAM	1	0	21.43	21.54	21.31						
10	84QAM	1	25	21.69	21.55	21.82	22	2				
10	84QAM	1	49	21.35	21.74	21.61						
10	84QAM	25	0	20.27	20.33	20.38						
10	84QAM	25	12	20.45	20.49	20.59	21	3				
10	84QAM	25	25	20.37	20.61	20.51						
10	84QAM	50	0	20.47	20.35	20.53						
Channel												
Frequency (MHz)				20775	21100	21425	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	22.80	22.94	22.86	24	0				
5	QPSK	1	12	22.86	23.01	23.01						
5	QPSK	1	24	22.85	23.01	22.90						
5	QPSK	12	0	21.82	21.94	21.95	23	1				
5	QPSK	12	7	21.93	22.06	22.20						
5	QPSK	12	13	21.97	22.18	22.10						
5	QPSK	25	0	21.93	21.95	22.09	23	1				
5	16QAM	1	0	22.66	22.76	22.68						
5	16QAM	1	12	22.76	22.97	22.93						
5	16QAM	1	24	22.62	22.64	23.00	22	2				
5	16QAM	12	0	21.21	21.27	21.46						
5	16QAM	12	7	21.37	21.60	21.75						
5	16QAM	12	13	21.44	21.62	21.69	22	2				
5	16QAM	25	0	21.46	21.45	21.41						
5	64QAM	1	0	21.53	21.53	21.77						
5	64QAM	1	12	21.50	21.50	21.89	22	2				
5	64QAM	1	24	21.58	21.45	21.77						
5	64QAM	12	0	20.35	20.34	20.41						
5	64QAM	12	7	20.50	20.41	20.61	21	3				
5	64QAM	12	13	20.33	20.58	20.63						
5	64QAM	25	0	20.34	20.44	20.50						

Band 12_Ant 11												
BW (MHz)	Modulation	RB Size	RB Offset	Power Level Ch./Freq.	Power Level Ch./Freq.	Power Level Ch./Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)				706.5	707.5	711.5						
10	QPSK	1	0	23.43	23.63	23.52	25	0				
10	QPSK	1	25	23.51	23.61	23.56						
10	QPSK	1	49	23.50	23.38	23.53						
10	QPSK	25	0	22.50	22.66	22.54	24	1				
10	QPSK	25	12	22.65	22.48	22.50						
10	QPSK	25	25	22.52	22.48	22.63						
10	QPSK	50	0	22.53	22.84	22.63	24	1				
10	16QAM	1	0	22.98	22.88	23.07						
10	16QAM	1	25	23.07	22.94	22.97						
10	16QAM	1	49	23.14	22.96	23.01	23	1				
10	16QAM	25	0	21.72	21.86	21.67						
10	16QAM	25	12	21.76	21.70	21.89						
10	16QAM	25	25	21.58	21.72	21.58	23	2				
10	16QAM	50	0	21.76	21.58	21.73						
10	84QAM	1	0	21.83	21.75	21.89						
10	84QAM	1	25	21.82	21.84	21.90	23	2				
10	84QAM	1	49	21.75	21.85	22.02						
10	84QAM	25	0	20.57	20.53	20.62	22	3				
10	84QAM	25	12	20.83	20.62	20.69						
10	84QAM	25	25	20.66	20.56	20.70						
10	84QAM	50	0	20.64	20.54	20.65	22	3				
Channel												
Frequency (MHz)				720.5	720.5	719.5						
5	QPSK	1	0	23.41	23.58	23.48	25	0				
5	QPSK	1	12	23.51	23.48	23.44						
5	QPSK	1	24	23.34	23.52	23.34						
5	QPSK	12	0	22.50	22.54	22.51	24	1				
5	QPSK	12	7	22.59	22.61	22.55						
5	QPSK	12	13	22.59	22.54	22.50						
5	QPSK	25	0	22.02	22.02	22.00	23	2				
5	16QAM	1	0	23.04	22.84	22.77						
5	16QAM	1	12	23.02	22.85	22.76						
5	16QAM	1	24	22.99	22.96	22.92	23	2				
5	16QAM	12	0	21.65	21.60	21.62						
5	16QAM	12	7	21.71	21.65	21.64						
5	16QAM	12	13	21.63	21.68	21.62	22	3				
5	16QAM	25	0	21.67	21.66	21.72						
5	84QAM	1	0	22.16	21.61	21.65						
5	84QAM	1	12	21.91	21.90	21.64	23	2				
5	84QAM	1	24	22.12	22.08	21.56						
5	84QAM	12	0	20.70	20.68	20.45	22	3				
5	84QAM	12	7	20.88	20.77	20.70						
5	84QAM	12	13	20.61	20.80	20.63						
5	84QAM	25	0	20.68	20.62	20.63	22	3				
Channel												
Frequency (MHz)				730.25	730.25	731.65						
3	QPSK	1	0	23.32	23.42	23.30	25	0				
3	QPSK	1	8	23.34	23.52	23.53						
3	QPSK	1	14	23.34	23.34	23.30						
3	QPSK	8	0	22.60	22.52	22.54	24	1				
3	QPSK	8	4	22.58	22.57	22.55						
3	QPSK	8	7	22.57	22.49	22.50						
3	16QAM	1	0	22.52	22.46	22.43	24	1				
3	16QAM	1	8	22.70	23.17	23.05						
3	16QAM	1	14	23.30	22.91	22.84						
3	16QAM	8	0	21.74	21.54	21.77	23	2				
3	16QAM	8	4	21.82	21.92	21.98						
3	16QAM	8	7	21.71	21.70	21.88						
3	16QAM	16	0	21.75	21.53	21.52	23	2				
3	84QAM	1	0	21.66	21.85	21.88						
3	84QAM	1	8	22.02	22.08	21.84						
3	84QAM	1	14	21.72	21.64	21.75	22	3				
3	84QAM	8	0	20.81	20.95	20.60						
3	84QAM	8	4	20.81	20.70	20.53						
3	84QAM	15	0	20.73	20.55	20.52	23	2				
Channel												
Frequency (MHz)				769.7 <th>770.5<th>775.3<th></th><th></th><th colspan="2"></th></th></th>	770.5 <th>775.3<th></th><th></th><th colspan="2"></th></th>	775.3 <th></th> <th></th> <th colspan="2"></th>						
1.4	QPSK	1	0	23.45	23.56	23.55	25	0				
1.4	QPSK	1	3	23.41	23.55	23.58						
1.4	QPSK	1	5	23.41	23.46	23.47						
1.4	QPSK	3	0	23.41	23.47	23.43	24	1				
1.4	QPSK	3	1	23.40	23.43	23.51						
1.4	QPSK	6	0	22.46	22.42	22.51						
1.4	16QAM	1	0	22.84	22.84	23.00	24	1				
1.4	16QAM	1	3	22.72	22.78	23.17						
1.4	16QAM	1	5	22.87	22.70	23.23						
1.4	16QAM	3	0	22.66	22.96	22.72	23	2				
1.4	16QAM	3	1	22.69	22.46	22.98						
1.4	16QAM	3	2	22.69	22.62	22.56						
1.4	16QAM	6	0	21.73	21.66	21.68	23	2				
1.4	84QAM	1	0	21.48	21.85	21.64						
1.4	84QAM	1	3	21.59	21.71	21.91						
1.4	84QAM	1	5	21.77	21.62	21.94	23	2				
1.4	84QAM	3	0	21.77	21.76	21.51						
1.4	84QAM	3	1	21.58	21.74	21.94						
1.4	84QAM	3	3	21.55	21.87	21.52	22	3				
1.4	84QAM	6	0	20.51	20.52	20.48						

Band 13_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23200			25	0		
Frequency (MHz)				782						
10	QPSK	1	0	23.77			24	1		
10	QPSK	1	25	23.67						
10	QPSK	1	49	23.58						
10	QPSK	25	0	22.71			24	1		
10	QPSK	25	12	22.68						
10	QPSK	25	25	22.60						
10	QPSK	50	0	22.63			24	1		
10	16QAM	1	0	22.77						
10	16QAM	1	25	22.88						
10	16QAM	1	49	22.99			23	2		
10	16QAM	25	0	21.59						
10	16QAM	25	12	21.78						
10	16QAM	25	25	21.67			23	2		
10	16QAM	50	0	21.73						
10	64QAM	1	0	21.77						
10	64QAM	1	25	22.09			23	2		
10	64QAM	1	49	22.06						
10	64QAM	25	0	20.83						
10	64QAM	25	12	20.75			22	3		
10	64QAM	25	25	20.67						
10	64QAM	50	0	20.70						
Channel				23205	23200	23255	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				779.5	782	784.5				
5	QPSK	1	0	23.65	23.66	23.67	25	0		
5	QPSK	1	12	23.74	23.70	23.72				
5	QPSK	1	24	23.64	23.68	23.69				
5	QPSK	12	0	22.82	22.82	22.87	24	1		
5	QPSK	12	7	22.74	22.67	22.82				
5	QPSK	12	13	22.82	22.72	22.84				
5	QPSK	25	0	22.75	22.66	22.83	24	1		
5	16QAM	1	0	23.24	23.02	23.18				
5	16QAM	1	12	23.17	23.08	23.11				
5	16QAM	1	24	23.12	23.06	23.15	23	2		
5	16QAM	12	0	21.60	21.73	21.78				
5	16QAM	12	7	21.73	21.83	21.75				
5	16QAM	12	13	21.74	21.63	21.81	23	2		
5	16QAM	25	0	21.81	21.58	21.68				
5	84QAM	1	0	22.11	21.91	21.73				
5	84QAM	1	12	21.65	22.12	22.01	22	2		
5	84QAM	1	24	21.90	21.75	21.97				
5	84QAM	12	0	20.61	20.61	20.78				
5	84QAM	12	7	20.69	20.82	20.81	22	3		
5	84QAM	12	13	20.71	20.68	20.77				
5	84QAM	25	0	20.67	20.66	20.70				

Band 13_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23230			25.3	0		
Frequency (MHz)				785						
10	QPSK	1	0		23.94		24.3	1		
10	QPSK	1	25		23.86					
10	QPSK	1	49		23.75					
10	QPSK	25	0		22.82		24.3	1		
10	QPSK	25	12		22.78					
10	QPSK	25	25		22.76					
10	QPSK	50	0		22.78		24.3	1		
10	16QAM	1	0		22.95					
10	16QAM	1	25		23.13					
10	16QAM	1	49		22.93		23.3	2		
10	16QAM	25	0		21.69					
10	16QAM	25	12		21.78					
10	16QAM	25	25		21.81		23.3	2		
10	16QAM	50	0		21.82					
10	64QAM	1	0		22.13					
10	64QAM	1	25		21.76		23.3	2		
10	64QAM	1	49		22.25					
10	64QAM	25	0		20.85					
10	64QAM	25	12		20.89		22.3	3		
10	64QAM	25	25		20.87					
10	64QAM	50	0		20.83					
Channel				23205	23230	23255	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				779.5	782	784.5				
5	QPSK	1	0	23.69	23.74	23.89	25.3	0		
5	QPSK	1	12	23.89	23.86	23.86				
5	QPSK	1	24	23.80	23.86	23.82				
5	QPSK	12	0	22.82	22.73	22.78	24.3	1		
5	QPSK	12	7	22.75	22.78	22.88				
5	QPSK	12	13	22.76	22.74	22.83				
5	QPSK	25	0	22.79	22.72	22.89	24.3	1		
5	16QAM	1	0	23.10	23.10	22.89				
5	16QAM	1	12	23.09	23.51	23.00				
5	16QAM	1	24	22.96	23.37	23.33	23.3	2		
5	16QAM	12	0	21.82	21.85	21.91				
5	16QAM	12	7	21.85	21.88	21.94				
5	16QAM	12	13	21.74	21.68	21.74	23.3	2		
5	16QAM	25	0	21.79	21.75	21.76				
5	64QAM	1	0	22.10	22.22	21.79				
5	64QAM	1	12	22.31	22.15	22.35	22.3	2		
5	64QAM	1	24	22.12	21.72	21.93				
5	64QAM	12	0	20.72	20.78	20.83				
5	64QAM	12	7	20.83	20.80	20.91	22.3	3		
5	64QAM	12	13	20.93	20.80	20.73				
5	64QAM	25	0	20.80	20.79	20.87				

Band 17_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tuneup limit (dBm)	MPR (dB)		
Channel				23760	23790	23800				
Frequency (MHz)				709	710	711				
10	QPSK	1	0	23.54	23.62	23.52	25	0		
10	QPSK	1	25	23.60	23.54	23.51				
10	QPSK	1	49	23.55	23.44	23.58				
10	QPSK	25	0	22.65	22.77	22.59	24	1		
10	QPSK	25	12	22.74	22.69	22.64				
10	QPSK	25	25	22.60	22.66	22.68				
10	QPSK	50	0	22.73	22.74	22.69	24	1		
10	16QAM	1	0	22.61	22.54	23.09				
10	16QAM	1	25	22.57	22.75	23.28				
10	16QAM	1	49	22.91	22.71	23.04	23	2		
10	16QAM	25	0	21.60	21.52	21.83				
10	16QAM	25	12	21.75	21.57	21.72				
10	16QAM	25	25	21.54	21.62	21.56	22	3		
10	16QAM	50	0	21.67	21.66	21.55				
10	84QAM	1	0	21.67	21.55	21.60				
10	84QAM	1	25	22.20	21.75	21.71	23	2		
10	84QAM	1	49	21.65	21.79	21.71				
10	84QAM	25	0	20.65	20.52	20.56				
10	84QAM	25	12	20.82	20.60	20.75	22	3		
10	84QAM	25	25	20.59	20.79	20.53				
10	84QAM	50	0	20.68	20.51	20.63				
Channel				23765	23790	23825	Tuneup limit (dBm)	MPR (dB)		
Frequency (MHz)				706.5	710	713.5				
5	QPSK	1	0	23.60	23.61	23.56	25	0		
5	QPSK	1	24	23.60	23.61	23.58				
5	QPSK	1	24	23.58	23.50	23.46				
5	QPSK	12	0	22.60	22.69	22.63	24	1		
5	QPSK	12	7	22.63	22.63	22.68				
5	QPSK	12	13	22.57	22.63	22.61				
5	QPSK	25	0	22.62	22.54	22.59	23	2		
5	16QAM	1	24	22.91	22.90	22.72				
5	16QAM	1	12	22.97	22.92	23.00				
5	16QAM	1	24	22.77	22.71	22.69	23	2		
5	16QAM	12	0	21.54	21.63	21.52				
5	16QAM	12	7	21.85	21.66	21.59				
5	16QAM	12	13	21.73	21.65	21.72	22	3		
5	16QAM	25	0	21.98	21.60	21.62				
5	84QAM	1	0	21.96	21.94	21.75				
5	84QAM	1	12	21.81	21.77	21.74	23	2		
5	84QAM	1	24	21.58	21.23	21.88				
5	84QAM	12	0	20.58	20.73	20.76				
5	84QAM	12	7	20.59	20.53	20.71	22	3		
5	84QAM	12	13	20.59	20.53	20.62				
5	84QAM	25	0	20.67	20.59	20.57				

Band 17_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23760	23790	23800	25	0		
Frequency (MHz)				709	710	711				
10	QPSK	1	0	23.63	23.75	23.65				
10	QPSK	1	25	23.57	23.60	23.73	24	1		
10	QPSK	1	49	23.73	23.62	23.64				
10	QPSK	25	0	22.71	22.68	22.65				
10	QPSK	25	12	22.76	22.74	22.62	24	1		
10	QPSK	25	25	22.64	22.79	22.70				
10	QPSK	50	0	22.79	22.83	22.80				
10	16QAM	1	0	22.64	22.87	22.94	24	1		
10	16QAM	1	25	23.21	23.04	23.10				
10	16QAM	1	49	22.72	23.23	22.82				
10	16QAM	25	0	21.74	21.80	21.67	23	2		
10	16QAM	25	12	21.72	21.70	21.85				
10	16QAM	25	25	21.73	21.75	21.69				
10	16QAM	50	0	21.77	21.69	21.53	23	2		
10	16QAM	1	0	21.93	21.63	21.74				
10	16QAM	1	25	21.85	22.16	21.94				
10	16QAM	1	49	21.65	22.06	22.21	22	3		
10	16QAM	25	0	20.56	20.61	20.79				
10	16QAM	25	12	20.84	20.74	20.73				
10	16QAM	25	25	20.69	20.61	20.71	22	3		
10	16QAM	50	0	20.70	20.73	20.74				
Channel				23765	23790	23802				
Frequency (MHz)				709.5	710	713.5	25	0		
5	QPSK	1	0	23.72	23.74	23.65				
5	QPSK	1	12	23.69	23.69	23.70	24	1		
5	QPSK	1	24	23.58	23.68	23.69				
5	QPSK	12	0	22.68	22.73	22.72				
5	QPSK	12	7	22.76	22.71	22.73	24	1		
5	QPSK	12	13	22.70	22.63	22.64				
5	QPSK	25	0	22.76	22.64	22.60				
5	16QAM	1	0	23.29	23.34	23.21	24	1		
5	16QAM	1	12	23.00	23.23	23.18				
5	16QAM	1	24	22.90	23.01	22.69				
5	16QAM	12	0	21.79	21.62	21.79	23	2		
5	16QAM	12	7	21.66	21.69	21.69				
5	16QAM	12	13	21.59	21.79	21.69				
5	16QAM	25	0	21.76	21.67	21.69	23	2		
5	16QAM	1	0	21.93	22.01	21.67				
5	16QAM	1	12	21.80	21.71	21.67				
5	16QAM	1	24	21.74	21.83	22.10	22	3		
5	16QAM	12	0	20.69	20.71	20.77				
5	16QAM	12	7	20.67	20.68	20.74				
5	16QAM	12	13	20.66	20.79	20.65	22	3		
5	16QAM	25	0	20.84	20.70	20.66				
5	16QAM	25	0	20.84	20.70	20.66				

Band 18_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23900	23925	23950	25	0		
Frequency (MHz)				820	822.5	825				
10	QPSK	1	0	23.44	23.32	23.55				
10	QPSK	1	25	23.47	23.50	23.58	24	1		
10	QPSK	1	49	23.54	23.45	23.34				
10	QPSK	25	0	22.48	22.54	22.62				
10	QPSK	25	12	22.61	22.54	22.59	24	1		
10	QPSK	25	25	22.54	22.52	22.53				
10	QPSK	50	0	22.64	22.84	22.64				
10	16QAM	1	0	22.70	22.88	22.95	24	1		
10	16QAM	1	25	22.75	23.21	23.04				
10	16QAM	1	49	23.04	22.89	22.79				
10	16QAM	25	0	21.56	21.84	21.62	23	2		
10	16QAM	25	12	21.63	21.54	21.73				
10	16QAM	25	25	21.58	21.57	21.66				
10	16QAM	50	0	21.58	21.44	21.62	23	2		
10	16QAM	1	0	21.80	22.02	21.59				
10	16QAM	1	25	21.74	22.03	21.59				
10	16QAM	1	49	21.61	21.85	21.70	22	3		
10	16QAM	25	0	20.49	20.84	20.57				
10	16QAM	25	12	20.62	20.59	20.66				
10	16QAM	25	25	20.58	20.84	20.56	22	3		
10	16QAM	50	0	20.65	20.56	20.64				
Channel				23910	23925	23975				
Frequency (MHz)				817.5	822.5	827.5	25	0		
5	QPSK	1	0	23.51	23.51	23.61				
5	QPSK	1	12	23.53	23.47	23.55	24	1		
5	QPSK	1	24	23.51	23.50	23.57				
5	QPSK	12	0	22.50	22.53	22.53				
5	QPSK	12	7	22.59	22.59	22.64	24	1		
5	QPSK	12	13	22.56	22.63	22.54				
5	QPSK	25	0	22.57	22.52	22.55				
5	16QAM	1	0	22.35	22.77	22.59	24	1		
5	16QAM	1	12	22.83	23.00	23.03				
5	16QAM	1	24	22.55	23.11	22.98				
5	16QAM	12	0	21.62	21.45	21.50	23	2		
5	16QAM	12	7	21.57	21.69	21.68				
5	16QAM	12	13	21.59	21.67	21.70				
5	16QAM	25	0	21.58	21.53	21.52	23	2		
5	16QAM	1	0	21.60	21.83	21.82				
5	16QAM	1	12	21.73	21.44	21.99				
5	16QAM	1	24	21.40	21.71	22.04	22	3		
5	16QAM	12	0	20.67	20.84	20.43				
5	16QAM	12	7	20.66	20.62	20.73				
5	16QAM	12	13	20.60	20.64	20.69	22	3		
5	16QAM	25	0	20.60	20.66	20.62				
5	16QAM	25	0	20.60	20.66	20.62				

Band 18_Ant 41												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)				
Channel				23900	23925	23950	25	0				
Frequency (MHz)				820	822.5	825						
15	QPSK	1	0	23.86	23.86	23.86			24	1		
15	QPSK	1	74	23.56	23.56	23.56	24	1				
15	QPSK	36	0	22.71	22.71	22.71					23	2
15	QPSK	36	20	22.66	22.66	22.66			23	2		
15	QPSK	36	39	22.60	22.60	22.60	22	3				
15	QPSK	75	0	22.54	22.54	22.54					23	2
15	16QAM	1	0	22.69	22.69	22.69			23	2		
15	16QAM	1	74	22.69	22.69	22.69	22	3				
15	16QAM	36	0	21.63	21.63	21.63					23	2
15	16QAM	36	20	21.76	21.76	21.76			22	3		
15	16QAM	36	39	21.76	21.76	21.76	23	2				
15	16QAM	75	0	21.45	21.45	21.45					22	3
15	16QAM	1	0	22.04	22.04	22.04			23	2		
15	16QAM	1	37	21.93	21.93	21.93	22	3				
15	16QAM	1	74	21.99	21.99	21.99					23	2
15	16QAM	36	0	20.77	20.77	20.77			22	3		
15	16QAM	36	20	20.71	20.71	20.71	23	2				
15	16QAM	36	39	20.68	20.68	20.68					22	3
15	16QAM	75	0	20.62	20.62	20.62			23	2		
Channel				23900	23925	23950	25	0				
Frequency (MHz)				820	822.5	825						
10	QPSK	1	0	23.75	23.62	23.69			25	0		
10	QPSK	1	25	23.75	23.63	23.68	24	1				
10	QPSK	1	49	23.62	23.67	23.55					23	2
10	QPSK	25	0	22.72	22.73	22.67			24	1		
10	QPSK	25	12	22.68	22.67	22.62	24	1				
10	QPSK	25	25	22.65	22.75	22.73					23	2
10	QPSK	50	0	22.79	22.71	22.82			23	2		
10	16QAM	1	0	23.12	23.01	23.13	22	3				
10	16QAM	1	25	23.02	22.95	23.20					23	2
10	16QAM	1	49	23.44	23.18	23.20			22	3		
10	16QAM	25	0	21.72	21.77	21.65	23	2				
10	16QAM	25	12	21.81	21.75	21.80					22	3
10	16QAM	25	25	21.71	21.75	21.81			23	2		
10	16QAM	50	0	21.70	21.84	21.74	22	3				
10	16QAM	1	0	21.89	21.52	22.16					23	2
10	16QAM	1	25	21.89	21.63	21.96			22	3		
10	16QAM	1	49	21.60	21.39	22.28	23	2				
10	16QAM	25	0	20.77	20.60	20.66					22	3
10	16QAM	25	12	20.80	20.77	20.83			23	2		
10	16QAM	25	25	20.76	20.83	20.74	22	3				
10	16QAM	50	0	20.75	20.70	20.84					23	2
Channel				23900	23925	23950			25	0		
Frequency (MHz)				820	822.5	825						
5	QPSK	1	0	23.61	23.58	23.70	26	0				
5	QPSK	1	12	23.84	23.80	23.78			24	1		
5	QPSK	1	24	23.75	23.63	23.61					23	2
5	QPSK	12	0	22.65	22.61	22.71	24	1				
5	QPSK	12	7	22.75	22.76	22.72			23	2		
5	QPSK	12	14	22.74	22.75	22.71					24	1
5	QPSK	25	0	22.67	22.66	22.64	23	2				
5	16QAM	1	0	22.89	23.36	23.13			24	1		
5	16QAM	1	12	23.11	23.32	23.22					23	2
5	16QAM	1	24	23.03	22.94	23.09	22	3				
5	16QAM	12	0	21.67	21.62	21.69			23	2		
5	16QAM	12	7	21.84	21.78	21.86					23	2
5	16QAM	12	13	21.72	21.82	21.74	22	3				
5	16QAM	25	0	21.72	21.70	21.66			23	2		
5	16QAM	1	0	22.16	21.98	22.18					22	3
5	16QAM	1	12	21.96	21.89	22.00	23	2				
5	16QAM	1	24	21.74	22.21	22.37			22	3		
5	16QAM	12	0	20.59	20.73	20.61					23	2
5	16QAM	12	7	20.72	20.89	20.87	22	3				
5	16QAM	12	13	20.73	20.80	20.72			23	2		
5	16QAM	25	0	20.65	20.77	20.70					22	3

Band 19_Ant 11														
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)						
Channel														
Frequency (MHz)														
24075														
15	QPSK	1	0	23.61	837.5		25	0						
15	QPSK	1	37	23.53										
15	QPSK	1	74	23.33										
15	QPSK	36	0	22.40			24	1						
15	QPSK	36	20	22.36										
15	QPSK	36	39	22.37										
15	QPSK	75	0	22.35			24	1						
15	16QAM	1	0	22.52										
15	16QAM	1	37	22.53										
15	16QAM	1	74	22.20			23	2						
15	16QAM	36	0	21.55										
15	16QAM	36	20	21.39										
15	16QAM	36	39	21.39			23	2						
15	16QAM	75	0	21.41										
15	84QAM	1	0	21.50			23	2						
15	84QAM	1	37	21.87										
15	84QAM	1	74	21.54										
15	84QAM	36	0	20.32			22	3						
15	84QAM	36	20	20.47										
15	84QAM	36	39	20.44										
15	84QAM	75	0	20.33			25	0						
Channel														
Frequency (MHz)														
24050 24075 24100														
835 837.5 840														
10	QPSK	1	0	23.48	23.60	23.38	25	0						
10	QPSK	1	25	23.55	23.50	23.54								
10	QPSK	1	49	23.36	23.45	23.49								
10	QPSK	25	0	22.51	22.54	22.54	24	1						
10	QPSK	25	12	22.84	22.82	22.82								
10	QPSK	25	25	22.64	22.58	22.56								
10	QPSK	50	0	22.61	22.59	22.46	24	1						
10	16QAM	1	0	23.06	23.28	23.01								
10	16QAM	1	25	22.92	22.87	23.18								
10	16QAM	1	49	22.92	22.86	23.21	23	2						
10	16QAM	25	0	21.60	21.57	21.61								
10	16QAM	25	12	21.70	21.64	21.53								
10	16QAM	25	25	21.71	21.63	21.61	23	2						
10	16QAM	50	0	21.61	21.53	21.45								
10	84QAM	1	0	21.89	21.86	21.64								
10	84QAM	1	25	21.58	21.94	21.59	22	3						
10	84QAM	1	49	21.99	21.67	21.89								
10	84QAM	25	0	20.53	20.51	20.81								
10	84QAM	25	12	20.62	20.50	20.59	22	3						
10	84QAM	25	25	20.61	20.66	20.62								
10	84QAM	50	0	20.62	20.63	20.55								
Channel														
Frequency (MHz)														
832.5 837.5 842.5														
5	QPSK	1	0	23.57	23.52	23.53	25	0						
5	QPSK	1	12	23.53	23.48	23.52								
5	QPSK	1	24	23.40	23.35	23.57								
5	QPSK	12	0	22.50	22.51	22.50	24	1						
5	QPSK	12	7	22.53	22.65	22.58								
5	QPSK	12	13	22.55	22.59	22.57								
5	QPSK	25	0	22.68	22.55	22.50	24	1						
5	16QAM	1	0	22.70	22.63	23.09								
5	16QAM	1	12	22.83	22.94	23.16								
5	16QAM	1	24	22.66	22.95	23.15	23	2						
5	16QAM	12	0	21.45	21.53	21.56								
5	16QAM	12	7	21.58	21.70	21.58								
5	16QAM	12	13	21.63	21.68	21.69	23	2						
5	16QAM	25	0	21.59	21.53	21.55								
5	84QAM	1	0	21.70	21.68	21.62								
5	84QAM	1	12	21.34	21.50	21.91	23	2						
5	84QAM	1	24	21.83	21.82	21.70								
5	84QAM	12	0	20.39	20.65	20.81								
5	84QAM	12	7	20.66	20.68	20.55	22	3						
5	84QAM	12	13	20.52	20.57	20.55								
5	84QAM	25	0	20.63	20.60	20.51								

Band 19_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
24075										
15	QPSK	1	0	23.70	837.5		25	0		
15	QPSK	1	37	23.50	23.60					
15	QPSK	1	74	23.34	23.74					
15	QPSK	36	0	22.64	22.64		24	1		
15	QPSK	36	20	22.51	22.61					
15	QPSK	36	39	22.63	22.63					
15	QPSK	75	0	22.52	22.52		24	1		
15	16QAM	1	0	23.00	23.00					
15	16QAM	1	37	22.68	22.68					
15	16QAM	1	74	22.81	22.81		23	2		
15	16QAM	36	0	21.56	21.56					
15	16QAM	36	20	21.67	21.67					
15	16QAM	36	39	21.57	21.57		23	2		
15	16QAM	75	0	21.61	21.61					
15	84QAM	1	0	21.87	21.87					
15	84QAM	1	37	21.46	21.46		23	2		
15	84QAM	1	74	21.18	21.18					
15	84QAM	36	0	20.51	20.51					
15	84QAM	36	20	20.62	20.62		22	3		
15	84QAM	36	39	20.61	20.61					
15	84QAM	75	0	20.43	20.43					
Channel										
Frequency (MHz)										
24050 24075 24100										
835 837.5 840										
10	QPSK	1	0	23.62	23.65	23.53	25	0		
10	QPSK	1	25	23.54	23.63	23.62				
10	QPSK	1	49	23.60	23.57	23.53				
10	QPSK	25	0	22.76	22.68	22.71	24	1		
10	QPSK	25	12	22.78	22.66	22.74				
10	QPSK	25	25	22.85	22.79	22.79				
10	QPSK	50	0	22.76	22.71	22.70	24	1		
10	16QAM	1	0	23.27	23.44	23.15				
10	16QAM	1	25	23.18	23.29	22.80				
10	16QAM	1	49	23.01	23.03	23.01	23	2		
10	16QAM	25	0	21.73	21.80	21.70				
10	16QAM	25	12	21.82	21.83	21.68				
10	16QAM	25	25	21.88	21.72	21.77	23	2		
10	16QAM	50	0	21.76	21.70	21.62				
10	84QAM	1	0	22.25	22.07	21.16				
10	84QAM	1	25	22.10	22.22	21.71	23	2		
10	84QAM	1	49	21.62	21.95	21.48				
10	84QAM	25	0	20.65	20.89	20.64				
10	84QAM	25	12	20.78	20.75	20.68	22	3		
10	84QAM	25	25	20.86	20.78	20.79				
10	84QAM	50	0	20.78	20.67	20.55				
Channel										
Frequency (MHz)										
832.5 835 837.5 840.5										
5	QPSK	1	0	23.60	23.55	23.64	25	0		
5	QPSK	1	12	23.67	23.69	23.61				
5	QPSK	1	24	23.61	23.65	23.62				
5	QPSK	12	0	22.63	22.70	22.66	24	1		
5	QPSK	12	7	22.69	22.63	22.78				
5	QPSK	12	13	22.63	22.73	22.71				
5	QPSK	25	0	22.68	22.75	22.72	24	1		
5	16QAM	1	0	22.88	22.44	22.98				
5	16QAM	1	12	22.55	23.22	22.88				
5	16QAM	1	24	22.62	22.98	22.56	23	2		
5	16QAM	12	0	21.74	21.73	21.68				
5	16QAM	12	7	21.78	21.67	21.90				
5	16QAM	12	13	21.67	21.87	21.82	23	2		
5	16QAM	25	0	21.71	21.67	21.73				
5	84QAM	1	0	21.80	21.69	21.86				
5	84QAM	1	12	22.25	22.13	22.08	22	2		
5	84QAM	1	24	21.77	21.62	22.11				
5	84QAM	12	0	20.68	20.68	20.19				
5	84QAM	12	7	20.75	20.58	20.88	22	3		
5	84QAM	12	13	20.69	20.63	20.77				
5	84QAM	25	0	20.71	20.67	20.67				

Band 26_Ant 41											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				20165	20165	20165					
Frequency (MHz)				831.5	831.5	841.5					
15	QPSK	1	0	22.80	22.80	22.75	24	0			
15	QPSK	1	37	22.67	22.74	22.64					
15	QPSK	1	74	22.77	22.40	22.56					
15	QPSK	36	0	21.78	21.88	21.76	23	1			
15	QPSK	36	20	21.77	21.76	21.58					
15	QPSK	36	39	21.64	21.75	21.68					
15	QPSK	75	0	21.80	21.83	21.71	23	1			
15	16QAM	1	0	22.13	21.94	22.15					
15	16QAM	1	37	21.99	21.76	21.88					
15	16QAM	1	74	22.03	21.63	22.23	23	1			
15	16QAM	36	0	20.85	20.80	20.73					
15	16QAM	36	20	20.82	20.69	20.64					
15	16QAM	36	39	20.76	20.87	20.78	22	2			
15	16QAM	75	0	20.84	20.65	20.79					
15	64QAM	1	0	20.72	20.70	21.11					
15	64QAM	1	37	21.11	20.90	20.81	22	2			
15	64QAM	1	74	20.79	20.70	20.94					
15	64QAM	36	0	19.70	19.79	19.65					
15	64QAM	36	20	19.86	19.67	19.68	21	3			
15	64QAM	36	39	19.83	19.81	19.62					
15	64QAM	75	0	19.87	19.73	19.73					
Channel				20740	20740	20740					
Frequency (MHz)				819	831.5	844					
10	QPSK	1	0	22.61	22.75	22.61	24	0			
10	QPSK	1	25	22.80	22.79	22.80					
10	QPSK	1	49	22.68	22.79	22.55					
10	QPSK	25	0	21.79	21.88	21.80	23	1			
10	QPSK	25	12	21.83	21.88	21.78					
10	QPSK	25	25	21.94	21.92	21.83					
10	QPSK	50	0	21.83	21.90	21.82	23	1			
10	16QAM	1	0	22.63	22.31	22.36					
10	16QAM	1	25	22.28	22.48	22.35					
10	16QAM	1	49	22.32	22.31	22.19	22	2			
10	16QAM	25	0	20.85	20.88	20.81					
10	16QAM	25	12	20.97	20.96	20.80					
10	16QAM	25	25	20.97	20.85	20.89	22	2			
10	16QAM	50	0	20.97	20.91	20.82					
10	64QAM	1	0	21.14	21.29	21.32					
10	64QAM	1	25	20.94	20.93	20.78	22	2			
10	64QAM	1	49	20.95	21.01	20.92					
10	64QAM	25	0	19.82	19.87	19.78					
10	64QAM	25	12	19.95	19.94	19.83	21	3			
10	64QAM	25	25	19.80	19.95	19.85					
10	64QAM	75	0	19.87	19.84	19.74					
Channel				20715	20805	22015					
Frequency (MHz)				810.5	831.5	840.5					
5	QPSK	1	0	22.58	22.71	22.76	24	0			
5	QPSK	1	12	22.74	22.79	22.64					
5	QPSK	1	24	22.60	22.75	22.66					
5	QPSK	12	0	21.72	21.85	21.74	23	1			
5	QPSK	12	7	21.83	21.83	21.81					
5	QPSK	12	13	21.90	21.87	21.80					
5	QPSK	25	0	21.80	21.78	21.76	23	1			
5	16QAM	1	0	22.37	22.44	22.35					
5	16QAM	1	12	22.16	22.08	22.26					
5	16QAM	1	24	22.15	22.45	22.19	22	2			
5	16QAM	12	0	20.87	20.84	20.85					
5	16QAM	12	7	20.92	20.90	20.84					
5	16QAM	12	13	20.89	20.88	20.88	22	2			
5	16QAM	25	0	20.93	20.71	20.80					
5	64QAM	1	0	21.38	21.02	21.03					
5	64QAM	1	12	21.06	21.16	21.05	22	2			
5	64QAM	1	24	21.09	20.87	21.28					
5	64QAM	12	0	19.82	19.93	19.74					
5	64QAM	12	7	19.92	20.00	19.91	21	3			
5	64QAM	12	13	19.80	19.90	19.91					
5	64QAM	25	0	19.88	19.81	19.74					
Channel				20705	20805	22025					
Frequency (MHz)				810.5	831.5	840.3					
3	QPSK	1	0	22.46	22.59	22.62	24	0			
3	QPSK	1	8	22.75	22.76	22.55					
3	QPSK	1	14	22.62	22.86	22.55					
3	QPSK	8	0	21.75	21.79	21.65	23	1			
3	QPSK	8	4	21.95	21.84	21.80					
3	QPSK	8	7	21.87	21.89	21.81					
3	QPSK	15	0	21.79	21.79	21.80	23	1			
3	16QAM	1	0	21.74	22.21	21.92					
3	16QAM	1	8	22.06	22.20	21.84					
3	16QAM	1	14	22.33	22.09	21.82	22	2			
3	16QAM	8	0	20.75	20.74	20.80					
3	16QAM	8	4	21.08	20.91	20.95					
3	16QAM	8	7	20.92	20.98	20.90	22	2			
3	16QAM	15	0	20.83	20.97	20.85					
3	64QAM	1	0	20.75	20.92	20.92					
3	64QAM	1	8	21.06	20.71	20.93	22	2			
3	64QAM	1	14	20.71	20.87	20.74					
3	64QAM	8	0	19.80	19.89	19.64					
3	64QAM	8	4	20.00	20.04	19.80	21	3			
3	64QAM	8	7	19.67	19.85	19.76					
3	64QAM	15	0	19.88	19.81	19.67					
Channel				20697	20805	22033					
Frequency (MHz)				814.7	831.5	840.3					
1.4	QPSK	1	0	22.60	22.82	22.58	24	0			
1.4	QPSK	1	3	22.71	22.80	22.63					
1.4	QPSK	1	5	22.74	22.76	22.64					
1.4	QPSK	3	0	22.65	22.69	22.67	23	1			
1.4	QPSK	3	1	22.76	22.75	22.60					
1.4	QPSK	3	3	22.68	22.76	22.62					
1.4	QPSK	6	0	21.86	21.82	21.76	23	1			
1.4	16QAM	1	0	22.42	21.95	22.27					
1.4	16QAM	1	3	22.21	22.45	22.15					
1.4	16QAM	1	5	22.06	22.17	22.15	23	1			
1.4	16QAM	3	0	21.86	22.00	22.00					
1.4	16QAM	3	1	22.06	21.97	22.02					
1.4	16QAM	3	3	22.26	22.02	21.90	22	2			
1.4	16QAM	6	0	20.68	20.97	20.81					
1.4	64QAM	1	0	21.03	21.10	20.87					
1.4	64QAM	1	3	20.77	21.10	21.12	22	2			
1.4	64QAM	1	5	21.15	21.02	20.96					
1.4	64QAM	3	0	20.96	20.86	20.67					
1.4	64QAM	3	1	20.90	20.79	21.07	21	3			
1.4	64QAM	3	3	20.94	20.95	20.73	21	3			
1.4	64QAM	6	0	19.94	20.04	19.85	21	3			

Band 66_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				130072	133232	135072				
Frequency (MHz)				1720	1745	1772.5				
20	QPSK	1	0	23.65	23.89	23.72	25	0		
20	QPSK	1	49	23.68	23.70	23.65				
20	QPSK	1	99	23.42	23.65	23.52				
20	QPSK	50	0	22.70	22.72	22.65	24	1		
20	QPSK	50	24	22.66	22.53	22.54				
20	QPSK	50	50	22.61	22.59	22.55				
20	16QAM	1	0	23.00	22.66	22.97	24	1		
20	16QAM	1	49	22.68	22.85	22.88				
20	16QAM	1	99	22.42	22.52	22.51				
20	16QAM	50	0	21.64	21.68	21.49	23	2		
20	16QAM	50	24	21.65	21.48	21.73				
20	16QAM	50	50	21.45	21.58	21.63				
20	16QAM	100	0	21.72	21.80	21.72	23	2		
20	64QAM	1	0	21.73	21.62	21.65				
20	64QAM	1	49	21.90	21.90	21.59				
20	64QAM	1	99	21.38	21.35	21.82	23	2		
20	64QAM	50	0	20.85	20.64	20.62				
20	64QAM	50	24	20.67	20.71	20.71				
20	64QAM	50	50	20.58	20.67	20.76	22	3		
20	64QAM	100	0	20.67	20.42	20.76				
Channel				130047	133232	132597			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5				
15	QPSK	1	0	23.22	23.45	23.48	25	0		
15	QPSK	1	37	23.33	23.31	23.79				
15	QPSK	1	74	23.25	23.35	23.68				
15	QPSK	36	0	22.48	22.67	22.62	24	1		
15	QPSK	36	20	22.48	22.67	22.62				
15	QPSK	36	39	22.51	22.72	22.70				
15	QPSK	75	0	22.51	22.67	22.67	24	1		
15	16QAM	1	0	22.65	22.70	22.84				
15	16QAM	1	37	22.66	22.70	22.99				
15	16QAM	1	74	22.93	22.73	23.02	23	2		
15	16QAM	36	0	21.40	21.64	21.68				
15	16QAM	36	20	21.39	21.54	21.67				
15	16QAM	36	39	21.50	21.60	21.66	23	2		
15	16QAM	75	0	21.54	21.85	21.88				
15	64QAM	1	0	21.60	21.54	21.55				
15	64QAM	1	37	21.61	21.78	22.04	23	2		
15	64QAM	1	74	21.42	21.40	21.96				
15	64QAM	36	0	20.90	20.80	20.65				
15	64QAM	36	20	20.61	20.71	20.62	22	3		
15	64QAM	36	39	20.52	20.64	20.80				
15	64QAM	75	0	20.97	20.58	20.68				
Channel				130022	133232	132692	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1715	1745	1775				
10	QPSK	1	0	23.32	23.46	23.38	25	0		
10	QPSK	1	25	23.45	23.45	23.46				
10	QPSK	1	49	23.44	23.35	23.45				
10	QPSK	25	0	22.67	22.67	22.63	24	1		
10	QPSK	25	12	22.62	22.65	22.56				
10	QPSK	25	25	22.58	22.61	22.59				
10	QPSK	50	0	22.66	22.64	22.63	24	1		
10	16QAM	1	0	22.75	22.97	22.94				
10	16QAM	1	25	22.54	22.86	22.97				
10	16QAM	1	49	22.75	22.79	23.00	23	2		
10	16QAM	25	0	21.70	21.55	21.63				
10	16QAM	25	12	21.64	21.64	21.61				
10	16QAM	25	25	21.60	21.54	21.75	23	2		
10	16QAM	50	0	21.62	21.66	21.55				
10	64QAM	1	0	21.53	21.70	21.57				
10	64QAM	1	25	21.58	21.69	21.39	23	2		
10	64QAM	1	49	21.72	21.48	22.04				
10	64QAM	25	0	20.76	20.59	20.63				
10	64QAM	25	12	20.63	20.63	20.65	22	3		
10	64QAM	25	25	20.63	20.67	20.68				
10	64QAM	50	0	20.94	20.65	20.68				
Channel				131597	133232	132647	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1712.5	1745	1777.5				
5	QPSK	1	0	23.41	23.41	23.73	25	0		
5	QPSK	1	12	23.49	23.39	23.66				
5	QPSK	1	24	23.32	23.26	23.50				
5	QPSK	12	0	22.43	22.56	22.70	24	1		
5	QPSK	12	7	22.48	22.61	22.72				
5	QPSK	12	13	22.40	22.49	22.70				
5	QPSK	25	0	22.49	22.56	22.75	24	1		
5	16QAM	1	0	22.72	22.63	23.10				
5	16QAM	1	12	22.85	23.08	23.11				
5	16QAM	1	24	22.77	23.25	23.06	23	2		
5	16QAM	12	0	21.51	21.62	21.79				
5	16QAM	12	7	21.46	21.77	21.80				
5	16QAM	12	13	21.38	21.80	21.76	23	2		
5	16QAM	25	0	21.37	21.78	21.68				
5	64QAM	1	0	21.97	21.93	21.61				
5	64QAM	1	12	21.59	21.74	21.62	23	2		
5	64QAM	1	24	21.59	21.90	22.02				
5	64QAM	12	0	20.41	20.79	20.65				
5	64QAM	12	7	20.51	20.80	20.67	22	3		
5	64QAM	12	13	20.45	20.78	20.77				
5	64QAM	25	0	20.90	20.74	20.83				
Channel				131597	133232	132697	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1711.5	1745	1778.5				
3	QPSK	1	0	23.40	23.47	23.46	25	0		
3	QPSK	1	8	23.49	23.54	23.54				
3	QPSK	1	14	23.38	23.39	23.39				
3	QPSK	8	0	22.59	22.55	22.50	24	1		
3	QPSK	8	4	22.54	22.62	22.56				
3	QPSK	8	7	22.52	22.51	22.50				
3	QPSK	15	0	22.84	22.54	22.46	24	1		
3	16QAM	1	0	22.60	22.82	22.82				
3	16QAM	1	8	22.59	22.62	23.09				
3	16QAM	1	14	23.01	23.00	22.54	23	2		
3	16QAM	8	0	21.47	21.70	21.69				
3	16QAM	8	4	21.53	21.65	21.63				
3	16QAM	8	7	21.67	21.63	21.75	23	2		
3	16QAM	15	0	21.48	21.47	21.62				
3	64QAM	1	0	21.68	21.62	21.86				
3	64QAM	1	8	21.54	21.60	21.84	23	2		
3	64QAM	1	14	21.37	21.84	21.58				
3	64QAM	8	0	20.53	20.56	20.67				
3	64QAM	8	4	20.62	20.53	20.74	22	3		
3	64QAM	8	7	20.73	20.57	20.66				
3	64QAM	15	0	20.56	20.55	20.60				
Channel				131979	133232	133695	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1710.7	1745	1779.3				
1.4	QPSK	1	0	23.21	23.49	23.50	25	0		
1.4	QPSK	1	8	23.29	23.39	23.54				
1.4	QPSK	1	5	23.12	23.39	23.56				
1.4	QPSK	3	0	23.23	23.39	23.65	24	1		
1.4	QPSK	3	1	23.25	23.47	23.84				
1.4	QPSK	3	3	23.38	23.54	23.87				
1.4	QPSK	6	0	22.42	22.58	22.75	24	1		
1.4	16QAM	1	0	22.60	22.82	22.82				
1.4	16QAM	1	3	22.69	22.63	22.90				
1.4	16QAM	1	5	22.81	22.67	22.80	24	1		
1.4	16QAM	3	0	22.73	22.74	22.88				
1.4	16QAM	3	1	22.46	22.89	22.87				
1.4	16QAM	3	2	22.56	22.86	22.99	23	2		
1.4	16QAM	6	0	21.61	21.84	21.84				
1.4	64QAM	1	0	21.75	21.63	21.62				
1.4	64QAM	1	3	21.77	21.55	21.50	23	2		
1.4	64QAM	1	5	21.28	21.61	21.42				
1.4	64QAM	3	0	21.52	21.75	21.91				
1.4	64QAM	3	1	21.74	21.71	21.77	23	2		
1.4	64QAM	3	2	21.71	21.58	21.52				
1.4	64QAM	6	0	20.44	20.72	20.81				

Band 38_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				37850	38000	38150			
Frequency (MHz)				2580	2595	2610			
20	QPSK	1	0	23.25	23.34	23.31	24.2	0	
20	QPSK	1	49	23.21	23.32	23.28			
20	QPSK	1	99	23.12	23.28	23.21			
20	QPSK	50	0	22.37	22.39	22.35	23.2	1	
20	QPSK	50	24	22.21	22.28	22.32			
20	QPSK	50	50	22.32	22.31	22.28			
20	QPSK	100	0	22.25	22.30	22.28	23.2	1	
20	16QAM	1	0	22.21	22.22	22.23			
20	16QAM	1	49	22.27	22.28	22.31			
20	16QAM	50	0	22.26	22.31	22.10	22.2	2	
20	16QAM	50	24	21.39	21.34	21.33			
20	16QAM	50	24	21.39	21.44	21.50			
20	16QAM	50	50	21.49	21.44	21.55	22.2	2	
20	16QAM	100	0	21.28	21.42	21.55			
20	84QAM	1	0	21.65	21.49	21.28			
20	84QAM	1	49	21.66	21.20	21.14	22.2	2	
20	84QAM	1	99	21.23	21.29	21.59			
20	84QAM	50	0	20.31	20.32	20.40			
20	84QAM	50	24	20.53	20.39	20.59	21.2	3	
20	84QAM	50	50	20.47	20.47	20.50			
20	84QAM	100	0	20.33	20.28	20.38			
Channel				37825	38000	38175	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2577.5	2595	2612.5			
15	QPSK	1	0	23.12	23.06	23.00	24.2	0	
15	QPSK	1	37	23.27	23.32	23.19			
15	QPSK	1	74	23.20	23.14	23.08			
15	QPSK	36	0	22.23	22.10	22.24	23.2	1	
15	QPSK	36	20	22.22	22.27	22.31			
15	QPSK	36	39	22.31	22.26	22.28			
15	QPSK	75	0	22.21	22.21	22.24	23.2	1	
15	16QAM	1	0	22.04	22.21	22.01			
15	16QAM	1	37	22.30	22.30	22.27			
15	16QAM	1	74	22.63	22.02	22.27	22.2	2	
15	16QAM	36	0	21.36	21.44	21.27			
15	16QAM	36	20	21.67	21.40	21.58			
15	16QAM	36	39	21.44	21.40	21.32	22.2	2	
15	16QAM	75	0	21.36	21.35	21.39			
15	84QAM	1	0	21.25	21.43	21.41			
15	84QAM	1	37	21.26	21.62	21.21	22.2	2	
15	84QAM	1	74	21.05	21.15	21.43			
15	84QAM	36	0	20.34	20.34	20.44			
15	84QAM	36	20	20.48	20.36	20.46	21.2	3	
15	84QAM	36	39	20.37	20.47	20.43			
15	84QAM	75	0	20.37	20.33	20.42			
Channel				37800	38000	38200	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2575	2595	2615			
10	QPSK	1	0	23.09	23.00	23.12	24.2	0	
10	QPSK	1	25	23.22	23.31	23.21			
10	QPSK	1	49	23.26	23.21	23.32			
10	QPSK	25	0	22.27	22.32	22.31	23.2	1	
10	QPSK	25	12	22.15	22.29	22.38			
10	QPSK	25	25	22.30	22.37	22.41			
10	QPSK	50	0	22.19	22.35	22.40	23.2	1	
10	16QAM	1	0	22.32	22.11	22.49			
10	16QAM	1	25	22.29	22.43	22.17			
10	16QAM	1	49	22.60	22.70	22.48	23.2	1	
10	16QAM	25	0	21.39	21.48	21.42			
10	16QAM	25	12	21.40	21.48	21.42			
10	16QAM	25	25	21.48	21.60	21.61	22.2	2	
10	16QAM	50	0	21.34	21.42	21.58			
10	84QAM	1	0	21.73	21.79	21.24			
10	84QAM	1	25	21.63	21.73	21.40	22.2	2	
10	84QAM	1	49	21.18	21.12	21.13			
10	84QAM	25	0	20.32	20.40	20.50			
10	84QAM	25	12	20.45	20.58	20.64	21.2	3	
10	84QAM	25	25	20.41	20.56	20.64			
10	84QAM	50	0	20.42	20.49	20.63			
Channel				37800	38000	38200	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2575.5	2595	2617.5			
5	QPSK	1	0	23.32	23.27	23.21	24.2	0	
5	QPSK	1	12	23.21	23.28	23.30			
5	QPSK	1	24	23.25	23.26	23.25			
5	QPSK	12	0	22.41	22.26	22.33	23.2	1	
5	QPSK	12	7	22.53	22.23	22.40			
5	QPSK	12	13	22.42	22.37	22.43			
5	QPSK	25	0	22.42	22.25	22.32	23.2	1	
5	16QAM	1	0	22.29	22.38	22.11			
5	16QAM	1	12	22.44	22.28	22.53			
5	16QAM	1	24	22.47	22.56	22.24	23.2	1	
5	16QAM	12	0	21.55	21.39	21.48			
5	16QAM	12	7	21.70	21.57	21.74			
5	16QAM	12	13	21.59	21.54	21.54	22.2	2	
5	16QAM	25	0	21.54	21.41	21.46			
5	84QAM	1	0	21.16	21.62	21.28			
5	84QAM	1	12	21.74	21.56	21.68	22.2	2	
5	84QAM	1	24	21.48	21.25	21.56			
5	84QAM	12	0	20.60	20.54	20.55			
5	84QAM	12	7	20.64	20.55	20.64	21.2	3	
5	84QAM	12	13	20.63	20.51	20.54			
5	84QAM	25	0	20.57	20.48	20.54			

Band 38_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				37850	38000	38150			
Frequency (MHz)				2580	2595	2610			
20	QPSK	1	0	23.52	23.79	23.61	25	0	
20	QPSK	1	49	23.42	23.48	23.53			
20	QPSK	1	99	23.41	23.37	23.53			
20	QPSK	50	0	22.65	22.77	22.71	24	1	
20	QPSK	50	24	22.55	22.50	22.68			
20	QPSK	50	50	22.54	22.54	22.65			
20	QPSK	100	0	22.61	22.73	22.65	24	1	
20	16QAM	1	0	22.45	22.62	22.44			
20	16QAM	1	49	22.63	22.61	22.52			
20	16QAM	1	99	22.42	22.57	22.86	23	2	
20	16QAM	50	0	21.53	21.51	21.50			
20	16QAM	50	24	21.54	21.54	21.70			
20	16QAM	50	50	21.54	21.64	21.74	23	2	
20	16QAM	100	0	21.55	21.54	21.65			
20	84QAM	1	0	21.54	21.31	21.61			
20	84QAM	1	49	21.65	21.54	21.79	23	2	
20	84QAM	1	99	21.48	21.58	21.41			
20	84QAM	50	0	20.38	20.56	20.61			
20	84QAM	50	24	20.56	20.55	20.78	22	3	
20	84QAM	50	50	20.67	20.72	20.77			
20	84QAM	100	0	20.67	20.62	20.72			
Channel				37825	38000	38175	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2577.5	2595	2612.5			
15	QPSK	1	0	23.36	23.25	23.35	25	0	
15	QPSK	1	37	23.39	23.40	23.32			
15	QPSK	1	74	23.32	23.32	23.70			
15	QPSK	36	0	22.32	22.45	22.54	24	1	
15	QPSK	36	20	22.60	22.55	22.62			
15	QPSK	36	39	22.54	22.58	22.58			
15	QPSK	75	0	22.58	22.52	22.57	24	1	
15	16QAM	1	0	22.58	22.16	22.49			
15	16QAM	1	37	22.37	22.35	22.22			
15	16QAM	1	74	22.60	22.58	22.59	23	2	
15	16QAM	36	0	21.49	21.40	21.46			
15	16QAM	36	20	21.69	21.52	21.64			
15	16QAM	36	39	21.68	21.68	21.63	23	2	
15	16QAM	75	0	21.63	21.48	21.64			
15	84QAM	1	0	21.07	21.48	21.41			
15	84QAM	1	37	21.42	21.09	21.11	23	2	
15	84QAM	1	74	21.45	21.45	21.19			
15	84QAM	36	0	20.42	20.49	20.54			
15	84QAM	36	20	20.75	20.64	20.72	22	3	
15	84QAM	36	39	20.67	20.64	20.66			
15	84QAM	75	0	20.60	20.43	20.58			
Channel				37800	38000	38200	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2575 <th>2595<th>2615<th></th><th></th><th></th></th></th>	2595 <th>2615<th></th><th></th><th></th></th>	2615 <th></th> <th></th> <th></th>			
10	QPSK	1	0	23.32	23.40	23.49	25	0	
10	QPSK	1	24	23.35	23.38	23.53			
10	QPSK	1	49	23.33	23.29	23.39			
10	QPSK	25	0	22.47	22.48	22.45	24	1	
10	QPSK	25	12	22.44	22.50	22.68			
10	QPSK	25	25	22.47	22.47	22.52			
10	QPSK	50	0	22.56	22.56	22.69	24	1	
10	16QAM	1	0	22.60	22.23	22.34			
10	16QAM	1	25	22.61	22.27	22.26			
10	16QAM	1	49	22.35	22.47	22.47	24	1	
10	16QAM	25	0	21.20	21.51	21.49			
10	16QAM	25	12	21.58	21.52	21.70			
10	16QAM	25	25	21.44	21.61	21.57	23	2	
10	16QAM	50	0	21.52	21.57	21.57			
10	84QAM	1	0	21.56	21.36	21.37			
10	84QAM	1	25	21.39	21.47	21.23	23	2	
10	84QAM	1	49	21.69	21.49	21.40			
10	84QAM	25	0	20.44	20.59	20.50			
10	84QAM	25	12	20.50	20.57	20.65	22	3	
10	84QAM	25	25	20.51	20.81	20.78			
10	84QAM	50	0	20.52	20.55	20.88			
Channel				37775	38000	38225	Time-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2572.5 <th>2595<th>2617.5<th></th><th></th><th></th></th></th>	2595 <th>2617.5<th></th><th></th><th></th></th>	2617.5 <th></th> <th></th> <th></th>			
5	QPSK	1	0	23.25	23.28	23.40	25	0	
5	QPSK	1	12	23.29	23.27	23.30			
5	QPSK	1	24	23.35	23.53	23.51			
5	QPSK	12	9	22.30	22.38	22.53	24	1	
5	QPSK	12	7	22.36	22.43	22.49			
5	QPSK	12	13	22.38	22.55	22.45			
5	QPSK	25	0	22.40	22.47	22.48	24	1	
5	16QAM	1	0	22.32	22.12	22.34			
5	16QAM	1	12	22.42	22.41	22.83			
5	16QAM	1	24	22.42	22.50	22.26	24	1	
5	16QAM	12	9	21.35	21.52	21.26			
5	16QAM	12	13	21.36	21.45	21.77			
5	16QAM	12	13	21.45	21.56	21.76	23	2	
5	16QAM	25	0	21.39	21.58	21.81			
5	84QAM	1	0	21.27	21.23	21.89			
5	84QAM	1	12	21.25	21.45	21.84	23	2	
5	84QAM	1	24	21.40	21.25	21.71			
5	84QAM	12	0	20.39	20.42	20.77			
5	84QAM	12	7	20.44	20.53	20.93	22	3	
5	84QAM	12	13	20.54	20.55	20.88			
5	84QAM	25	0	20.45	20.46	20.86			

Band 41_Ant 13															
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low-Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High-Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				39750	40185	40620	41055	41490							
Frequency (MHz)				2506	2549.5	2593	2636.5	2680							
20	QPSK	1	0	23.26	23.38	23.40	23.28	23.31	24	0					
20	QPSK	1	49	23.21	23.31	23.32	23.28	23.28							
20	QPSK	1	99	23.21	23.31	23.32	23.28	23.28							
20	QPSK	50	0	22.08	22.23	22.27	22.18	22.12	23	1					
20	QPSK	50	24	22.20	22.22	22.02	22.09	21.92							
20	QPSK	50	50	22.15	22.16	22.11	22.05	21.95							
20	QPSK	100	0	22.14	22.25	22.32	22.21	22.19	23	1					
20	16QAM	1	0	22.87	22.09	22.17	22.14	22.15							
20	16QAM	1	49	22.41	22.47	22.65	22.40	22.39	23	1					
20	16QAM	1	99	22.24	22.48	22.70	22.45	22.05							
20	16QAM	50	0	21.47	21.34	21.36	21.32	21.25	22	2					
20	16QAM	50	24	21.52	21.50	21.39	21.39	21.23							
20	16QAM	50	50	21.42	21.61	21.33	21.30	21.28							
20	16QAM	100	0	21.41	21.52	21.31	21.28	21.18	22	2					
20	64QAM	1	0	21.09	21.13	21.20	21.10	21.28							
20	64QAM	1	49	21.26	21.03	21.39	21.29	21.46	22	2					
20	64QAM	1	99	21.51	21.13	21.21	21.16	21.03							
20	64QAM	50	0	20.27	20.52	20.33	20.26	20.24	21	3					
20	64QAM	50	24	20.48	20.50	20.33	20.31	20.29							
20	64QAM	50	50	20.37	20.54	20.35	20.38	20.33							
20	64QAM	100	0	20.47	20.40	20.46	20.31	20.25							
Channel				39725	40173	40620	41066	41515							
Frequency (MHz)				2504.5	2548.3	2593	2637.8	2682.5							
15	QPSK	1	0	23.18	23.33	23.28	23.15	23.17	24	0					
15	QPSK	1	37	23.16	23.23	23.23	23.14	23.16							
15	QPSK	1	74	23.12	23.17	23.27	23.13	23.15							
15	QPSK	36	0	22.03	22.15	21.92	21.95	21.94	23	1					
15	QPSK	36	20	22.20	22.22	21.99	21.99	21.88							
15	QPSK	36	39	22.10	22.25	22.11	22.02	21.96	23	1					
15	QPSK	75	0	22.23	22.29	21.96	21.94	21.98							
15	16QAM	1	0	22.34	22.57	22.57	22.23	22.12	23	1					
15	16QAM	1	37	22.31	22.52	22.50	22.49	22.04							
15	16QAM	1	74	22.59	22.45	22.48	22.65	22.59	22	2					
15	16QAM	36	0	21.23	21.45	21.35	21.34	21.28							
15	16QAM	36	20	21.55	21.38	21.36	21.28	21.22	22	2					
15	16QAM	36	39	21.39	21.59	21.37	21.25	21.42							
15	16QAM	75	0	21.60	21.51	21.30	21.26	21.27	22	2					
15	64QAM	1	0	21.38	21.19	21.45	21.23	21.29							
15	64QAM	1	37	21.58	21.45	21.30	21.28	21.65	21	3					
15	64QAM	1	74	21.45	21.45	21.33	21.28	21.28							
15	64QAM	36	0	20.35	20.41	20.28	20.30	20.16	21	3					
15	64QAM	36	20	20.40	20.50	20.26	20.35	20.24							
15	64QAM	36	39	20.43	20.55	20.34	20.38	20.30							
15	64QAM	75	0	20.42	20.57	20.36	20.27	20.18							
Channel				39700	40160	40620	41080	41540							
Frequency (MHz)				22.11	22.17	22.53	23.03	23.52							
10	QPSK	1	0	22.15	22.12	22.24	23.14	23.61	24	0					
10	QPSK	1	25	23.14	23.18	23.20	23.22	23.15							
10	QPSK	1	49	23.13	23.16	23.17	23.23	23.20	23	1					
10	QPSK	25	0	22.14	22.27	22.21	22.05	22.08							
10	QPSK	25	12	22.29	22.53	22.18	22.22	22.06							
10	QPSK	25	25	22.28	22.46	22.20	22.11	22.11	23	1					
10	QPSK	50	0	22.25	22.35	22.12	22.17	22.11							
10	16QAM	1	0	22.35	22.69	22.28	22.43	22.31	23	1					
10	16QAM	1	25	22.81	22.55	22.28	22.28	22.28							
10	16QAM	1	49	22.30	22.48	22.53	22.37	22.52	22	2					
10	16QAM	25	0	21.56	21.56	21.46	21.35	21.40							
10	16QAM	25	12	21.63	21.68	21.42	21.61	21.44	22	2					
10	16QAM	25	25	21.63	21.70	21.59	21.49	21.45							
10	16QAM	50	0	21.56	21.68	21.42	21.58	21.37	22	2					
10	64QAM	1	0	21.25	21.32	21.52	21.53	21.48							
10	64QAM	1	25	21.34	21.36	21.35	21.61	21.15	22	2					
10	64QAM	1	49	21.79	21.67	21.10	21.27	21.31							
10	64QAM	25	0	20.45	20.56	20.49	20.41	20.45	21	3					
10	64QAM	25	12	20.50	20.60	20.45	20.45	20.40							
10	64QAM	25	25	20.41	20.66	20.52	20.46	20.40							
10	64QAM	50	0	20.60	20.58	20.50	20.41	20.30							
Channel				2498.5	2545.5	2593	2640.30	2687.5							
Frequency (MHz)				2498.5	2545.5	2593	2640.30	2687.5							
5	QPSK	1	0	23.11	23.30	23.28	23.18	23.25	24	0					
5	QPSK	1	12	23.12	23.27	23.29	23.18	23.14							
5	QPSK	1	24	23.07	23.17	23.20	23.17	23.17	23	1					
5	QPSK	12	0	22.26	22.34	22.15	22.10	22.15							
5	QPSK	12	7	22.33	22.39	22.24	22.15	22.14	23	1					
5	QPSK	12	13	22.31	22.31	22.14	22.12	22.09							
5	QPSK	25	0	22.21	22.38	22.14	22.13	22.07	23	1					
5	QPSK	25	0	22.28	22.46	22.57	22.28	22.48							
5	16QAM	1	12	22.44	22.90	22.24	22.49	22.46	23	1					
5	16QAM	1	24	22.52	22.47	22.52	22.42	22.48							
5	16QAM	12	0	21.81	21.69	21.36	21.49	21.41	22	2					
5	16QAM	12	7	21.60	21.61	21.46	21.43	21.48							
5	16QAM	12	13	21.53	21.76	21.65	21.37	21.36	22	2					
5	16QAM	25	0	21.44	21.68	21.43	21.29	21.41							
5	64QAM	1	0	21.58	21.50	21.08	21.41	21.42	22	2					
5	64QAM	1	12	21.53	21.73	21.49	21.45	21.38							
5	64QAM	1	24	21.52	21.66	21.42	21.34	21.27	21	3					
5	64QAM	12	0	20.59	20.60	20.51	20.46	20.40							
5	64QAM	12	7	20.84	20.75	20.54	20.49	20.53							
5	64QAM	12	13	20.70	20.62	20.47	20.41	20.37							
5	64QAM	25	0	20.49	20.66	20.42	20.48	20.39							

Band 41_Ant 31														
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low-Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High-Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				39750	40185	40620	41055	41490						
Frequency (MHz)				2506	2549	2593	2636	2680						
20	QPSK	1	0	23.58	23.52	23.62	23.72	23.62			25	0		
20	QPSK	1	89	23.49	23.43	23.53	23.63	23.53						
20	QPSK	1	99	23.41	23.35	23.45	23.55	23.45						
20	QPSK	50	0	22.28	22.60	22.70	22.74	22.28						
20	QPSK	50	24	22.27	22.58	22.49	22.71	22.28						
20	QPSK	50	24	22.32	22.38	22.38	22.64	22.72			24	1		
20	QPSK	100	0	22.26	22.40	22.70	22.73	22.26						
20	16QAM	1	0	22.30	22.09	22.42	22.62	22.38						
20	16QAM	1	49	22.09	22.27	22.38	22.46	22.20						
20	16QAM	1	99	22.11	22.36	22.41	22.60	22.20						
20	16QAM	50	0	21.35	21.35	21.37	21.56	21.45			23	2		
20	16QAM	50	24	21.48	21.57	21.61	21.63	21.60						
20	16QAM	50	24	21.45	21.50	21.67	21.74	21.55						
20	16QAM	100	0	21.49	21.42	21.54	21.71	21.45						
20	64QAM	1	0	21.43	21.43	21.52	21.52	21.40						
20	64QAM	1	49	21.73	21.50	21.74	21.51	21.46			23	2		
20	64QAM	1	99	21.67	21.50	21.80	21.53	21.36						
20	64QAM	50	0	20.46	20.28	20.56	20.72	20.41						
20	64QAM	50	24	20.60	20.49	20.54	20.80	20.54						
20	64QAM	50	60	20.48	20.38	20.77	20.71	20.51						
20	64QAM	100	0	20.47	20.83	20.58	20.70	20.63			22	3		
Channel				39725	40175	40605	41008	41515						
Frequency (MHz)				26025	26475	26905	27343	27795						
15	QPSK	1	0	23.52	23.42	23.67	23.62	23.55					25	0
15	QPSK	1	37	23.33	23.36	23.69	23.57	23.43						
15	QPSK	1	74	23.31	23.32	23.60	23.54	23.43						
15	QPSK	36	0	22.34	22.37	22.48	22.48	22.48						
15	QPSK	36	20	22.35	22.45	22.39	22.47	22.43						
15	QPSK	36	39	22.33	22.53	22.59	22.58	22.53			24	1		
15	QPSK	75	0	22.39	22.50	22.40	22.49	22.42						
15	16QAM	1	0	22.59	22.62	22.66	22.66	22.60						
15	16QAM	1	37	22.37	22.93	22.64	22.74	22.69						
15	16QAM	1	74	22.34	22.65	23.17	23.12	22.63						
15	16QAM	36	0	21.19	21.45	21.57	21.51	21.39			23	2		
15	16QAM	36	20	21.37	21.52	21.64	21.62	21.44						
15	16QAM	36	39	21.28	21.63	21.63	21.67	21.41						
15	16QAM	75	0	21.37	21.55	21.45	21.52	21.41						
15	64QAM	1	0	21.32	21.31	21.35	21.36	21.31						
15	64QAM	1	21	21.58	21.37	21.59	21.38	21.32			23	2		
15	64QAM	1	74	21.55	21.45	21.71	21.41	21.25						
15	64QAM	36	0	20.28	20.51	20.59	20.45	20.51						
15	64QAM	36	20	20.31	20.57	20.57	20.49	20.51						
15	64QAM	36	39	20.23	20.59	20.69	20.58	20.64						
15	64QAM	75	0	20.37	20.60	20.68	20.68	20.68			22	3		
Channel				39700	40160	40620	41088	41548						
Frequency (MHz)				25021	25471	25933	26339	26855						
10	QPSK	1	0	23.49	23.43	23.74	23.61	23.65					25	0
10	QPSK	1	25	23.34	23.29	23.59	23.60	23.45						
10	QPSK	1	49	23.32	23.33	23.29	23.49	23.35						
10	QPSK	25	0	22.28	22.54	22.63	22.67	22.59						
10	QPSK	25	12	22.35	22.65	22.71	22.78	22.56						
10	QPSK	25	12	22.37	22.73	22.78	22.74	22.74			24	1		
10	QPSK	50	0	22.42	22.62	22.70	22.69	22.59						
10	16QAM	1	0	22.09	22.62	22.37	22.67	22.37						
10	16QAM	1	25	22.41	22.66	22.52	22.61	22.41						
10	16QAM	49	22.40	22.40	22.46	22.73	22.58	22.43						
10	16QAM	25	0	21.39	21.55	21.59	21.64	21.45			23	2		
10	16QAM	25	12	21.41	21.77	21.68	21.66	21.54						
10	16QAM	25	25	21.38	21.66	21.66	21.70	21.70						
10	16QAM	50	0	21.37	21.71	21.54	21.71	21.63						
10	64QAM	1	0	21.30	21.29	21.45	21.44	21.36						
10	64QAM	1	25	21.64	21.38	21.66	21.39	21.41			23	2		
10	64QAM	1	49	21.57	21.42	21.67	21.48	21.33						
10	64QAM	25	0	20.49	20.46	20.58	20.58	20.67						
10	64QAM	25	12	20.50	20.71	20.64	20.72	20.56						
10	64QAM	25	25	20.46	20.71	20.81	20.79	20.69						
10	64QAM	50	0	20.54	20.67	20.69	20.73	20.59			22	3		
Channel				39675	40135	40605	41070	41535						
Frequency (MHz)				24985	25445	25933	26340	26875						
5	QPSK	1	0	23.45	23.38	23.67	23.66	23.46					25	0
5	QPSK	1	12	23.41	23.26	23.70	23.63	23.46						
5	QPSK	1	24	23.29	23.29	23.61	23.61	23.38						
5	QPSK	12	0	22.46	22.61	22.43	22.49	22.45						
5	QPSK	12	7	22.57	22.59	22.62	22.45	22.55						
5	QPSK	12	13	22.41	22.56	22.59	22.50	22.60			24	1		
5	QPSK	25	0	22.45	22.60	22.56	22.45	22.59						
5	16QAM	1	0	22.21	22.46	22.45	22.74	22.53						
5	16QAM	1	12	22.06	22.48	22.53	22.85	22.06						
5	16QAM	1	24	22.56	22.54	22.72	22.31	22.39						
5	16QAM	12	0	21.63	21.66	21.53	21.63	21.58			24	2		
5	16QAM	12	13	21.62	21.43	21.61	21.43	21.48						
5	16QAM	12	13	21.53	21.66	21.40	21.59	21.63						
5	16QAM	25	0	21.64	21.64	21.53	21.50	21.61						
5	64QAM	1	0	21.35	21.36	21.37	21.45	21.35						
5	64QAM	1	12	21.68	21.35	21.59	21.43	21.35			22	3		
5	64QAM	1	24	21.53	21.40	21.66	21.38	21.24						
5	64QAM	12	0	20.36	20.74	20.42	20.40	20.69						
5	64QAM	12	7	20.49	20.71	20.58	20.63	20.63						
5	64QAM	12	13	20.50	20.57	20.54	20.54	20.61						
5	64QAM	25	0	20.43	20.50	20.49	20.52	20.64						

Band 41_Ant 25										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				39750	40185	40620	41055	41490		
Frequency (MHz)				2506	2549.5	2593	2636.5	2680		
20	QPSK	1	0	23.26	23.30	23.38	23.18	23.21	24.5	0
20	QPSK	1	49	23.14	23.18	23.21	23.06	23.07		
20	QPSK	1	99	23.16	23.17	23.24	23.10	23.14		
20	QPSK	50	0	22.29	22.23	22.30	22.28	22.23		
20	QPSK	50	24	22.23	22.21	22.11	22.27	22.22	23.5	1
20	QPSK	50	50	22.22	22.19	22.17	22.24	22.17		
20	QPSK	100	0	22.21	22.20	22.23	22.22	22.15		
20	16QAM	1	0	22.03	22.08	22.13	22.08	22.22		
20	16QAM	1	49	22.37	22.20	22.23	22.56	22.70	23.5	1
20	16QAM	1	99	22.26	22.22	22.47	22.30	22.35		
20	16QAM	50	0	21.32	21.17	21.25	21.30	21.33		
20	16QAM	50	24	21.39	21.37	21.43	21.40	21.41		
20	16QAM	50	50	21.39	21.24	21.37	21.44	21.49	22.5	2
20	16QAM	100	0	21.37	21.36	21.38	21.47	21.39		
20	64QAM	1	0	22.10	22.00	22.54	22.47	22.39		
20	64QAM	1	49	22.21	22.05	22.17	21.99	22.20		
20	64QAM	1	99	22.14	22.22	22.45	21.94	22.04	23.5	1
20	64QAM	50	0	21.37	21.17	21.29	21.42	21.29		
20	64QAM	50	24	21.44	21.37	21.18	21.48	21.37		
20	64QAM	50	50	21.29	21.41	21.46	21.39	21.44		
20	64QAM	100	0	21.38	21.33	21.32	21.40	21.40	22.5	2
Channel				39725	40173	40620	41068	41515		
Frequency (MHz)				2506.5	2549.5	2593	2637.8	2682.5		
15	QPSK	1	0	23.23	23.14	23.22	23.11	23.09	24.50	0
15	QPSK	1	37	23.02	23.07	23.11	22.98	22.98		
15	QPSK	1	74	23.04	23.11	23.13	22.95	23.09		
15	QPSK	36	0	21.99	22.12	22.16	22.16	21.99		
15	QPSK	36	20	22.08	22.16	22.13	22.10	22.28	23.5	1
15	QPSK	36	39	22.16	22.15	22.23	22.24	22.21		
15	QPSK	75	0	22.19	22.21	22.15	22.20	22.21		
15	16QAM	1	0	22.43	22.34	22.03	22.34	22.56		
15	16QAM	1	37	22.58	22.25	22.34	22.21	22.43	23.5	1
15	16QAM	1	74	22.53	22.22	22.28	22.44	22.14		
15	16QAM	36	0	21.27	21.29	21.17	21.38	21.36		
15	16QAM	36	20	21.42	21.32	21.40	21.36	21.30		
15	16QAM	36	39	21.39	21.42	21.42	21.49	21.35	22.5	2
15	16QAM	75	0	21.30	21.35	21.38	21.44	21.31		
15	64QAM	1	0	22.15	22.26	22.12	22.35	22.41		
15	64QAM	1	37	22.39	22.28	22.32	22.51	22.41		
15	64QAM	1	74	22.26	21.75	21.91	22.40	22.23	23.5	1
15	64QAM	36	0	21.28	21.29	21.41	21.36	21.39		
15	64QAM	36	20	21.46	21.40	21.44	21.37	21.44		
15	64QAM	36	39	21.33	21.42	21.45	21.43	21.46		
15	64QAM	75	0	21.36	21.32	21.34	21.43	21.42	22.5	2
Channel				39700	40160	40620	41080	41540		
Frequency (MHz)				2501	2547	2593	2639	2685		
10	QPSK	1	0	23.18	23.22	23.21	23.03	23.05	24.50	0
10	QPSK	1	25	23.05	23.02	23.07	22.90	22.99		
10	QPSK	1	49	23.06	23.03	23.17	23.05	23.04		
10	QPSK	25	0	22.29	22.21	22.19	22.22	22.19		
10	QPSK	25	12	22.35	22.28	22.26	22.33	22.34	23.5	1
10	QPSK	25	25	22.32	22.22	22.35	22.30	22.30		
10	QPSK	50	0	22.28	22.28	22.27	22.39	22.32		
10	16QAM	1	0	22.52	22.51	22.46	22.70	22.84		
10	16QAM	1	25	22.69	22.51	22.33	22.80	22.75	23.5	1
10	16QAM	1	49	22.50	22.59	22.35	22.41	22.66		
10	16QAM	25	0	21.39	21.44	21.44	21.55	21.50		
10	16QAM	25	12	21.57	21.60	21.39	21.58	21.60		
10	16QAM	25	25	21.38	21.50	21.58	21.47	21.59	22.5	2
10	16QAM	50	0	21.55	21.50	21.60	21.54	21.56		
10	64QAM	1	0	22.42	22.65	22.12	22.48	22.43		
10	64QAM	1	25	22.28	22.58	22.61	22.46	22.43		
10	64QAM	1	49	22.23	22.41	22.13	22.27	22.31	23.5	1
10	64QAM	25	0	21.30	21.38	21.36	21.51	21.44		
10	64QAM	25	12	21.52	21.45	21.39	21.55	21.56		
10	64QAM	25	25	21.43	21.50	21.51	21.56	21.52		
10	64QAM	50	0	21.43	21.43	21.50	21.53	21.59	22.5	2
Channel				40620	41119	41620	42100	42585		
Frequency (MHz)				2496.5	2543.8	2593	2640.3	2687.5		
5	QPSK	1	0	23.14	23.19	23.23	23.07	23.16	24.50	0
5	QPSK	1	12	22.36	23.11	23.16	22.98	22.93		
5	QPSK	1	24	23.01	23.04	23.17	22.94	23.07		
5	QPSK	12	0	22.25	22.29	22.21	22.27	22.27		
5	QPSK	12	7	22.30	22.29	22.30	22.28	22.35	23.5	1
5	QPSK	12	13	22.30	22.22	22.28	22.31	22.25		
5	QPSK	25	0	22.31	22.26	22.14	22.27	22.32		
5	16QAM	1	0	22.59	22.30	22.33	22.65	22.48		
5	16QAM	1	12	22.62	22.54	22.55	22.72	22.57	23.5	1
5	16QAM	1	24	22.32	22.32	22.43	22.89	22.55		
5	16QAM	12	0	21.37	21.40	21.52	21.51	21.50		
5	16QAM	12	7	21.49	21.39	21.52	21.46	21.60		
5	16QAM	12	13	21.83	21.48	21.37	21.50	21.55	22.5	2
5	16QAM	25	0	21.54	21.42	21.38	21.49	21.53		
5	64QAM	1	0	22.52	22.23	22.83	22.36	22.58		
5	64QAM	1	12	22.55	22.59	22.60	22.52	22.70		
5	64QAM	1	24	22.43	22.24	22.21	22.77	22.37	23.5	1
5	64QAM	12	0	21.44	21.38	21.46	21.40	21.54		
5	64QAM	12	7	21.29	21.42	21.83	21.81	21.54		
5	64QAM	12	13	21.50	21.52	21.42	21.51	21.33		
5	64QAM	25	0	21.83	21.40	21.41	21.24	21.45	22.5	2
Channel				42585	43119	43620	44100	44585		
Frequency (MHz)				42585	43119	43620	44100	44585		

Band 42 Part27Q_Ant 12													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)				
Channel				42190	42590	42990	43390						
Frequency (MHz)				3460	3500	3540	3580						
20	QPSK	1	0	24.12	24.30	24.21	24.12	25	0				
20	QPSK	1	49	24.08	24.25	24.16	24.08						
20	QPSK	1	99	24.02	24.22	24.09	24.02						
20	QPSK	50	0	23.20	23.26	23.19	23.20						
20	QPSK	50	24	23.18	23.14	23.16	23.18	24	1				
20	QPSK	50	50	23.18	23.14	23.01	23.18						
20	QPSK	100	0	23.16	23.18	23.09	23.16						
20	16QAM	1	0	22.92	22.91	22.92	22.93						
20	16QAM	1	49	22.90	22.92	22.90	22.90	24	1				
20	16QAM	1	99	23.35	23.35	22.83	23.35						
20	16QAM	50	0	22.39	22.48	22.35	22.39						
20	16QAM	50	24	22.40	22.51	22.36	22.40						
20	16QAM	50	50	22.38	22.36	22.22	22.38	23	2				
20	16QAM	100	0	22.45	22.54	22.32	22.45						
20	64QAM	1	0	23.33	23.32	23.07	23.33						
20	64QAM	1	49	23.69	23.30	23.38	23.69						
20	64QAM	1	99	23.25	23.04	23.39	23.25	24	1				
20	64QAM	50	0	22.45	22.49	22.36	22.45						
20	64QAM	50	24	22.47	22.37	22.32	22.47						
20	64QAM	50	50	22.40	22.40	22.32	22.40						
20	64QAM	100	0	22.39	22.39	22.32	22.39	23	2				
Channel				42195	42590	43015	43415						
Frequency (MHz)				3465	3505	3545.5	3585.5						
15	QPSK	1	0	23.96	24.25	24.09	23.96				25	0	
15	QPSK	37	24.00	24.12	24.22	24.03	24.00						
15	QPSK	74	23.96	24.08	23.98	24.09	23.96						
15	QPSK	36	0	23.98	23.17	23.07	23.98						
15	QPSK	36	20	23.15	23.25	23.05	23.15	24	1				
15	QPSK	36	36	23.12	23.15	23.04	23.12						
15	QPSK	75	0	23.03	23.14	23.03	23.03						
15	QPSK	0	0	23.30	23.56	23.18	23.30						
15	QPSK	15	37	23.60	23.60	23.56	23.60	24	1				
15	16QAM	1	74	23.07	23.07	23.16	23.07						
15	16QAM	36	0	22.48	22.40	22.31	22.48						
15	16QAM	36	20	22.40	22.45	22.32	22.40						
15	16QAM	36	39	22.39	22.36	22.29	22.39	23	2				
15	16QAM	75	0	22.34	22.30	22.37	22.34						
15	64QAM	0	0	23.32	23.31	22.94	23.32						
15	64QAM	37	24.34	23.34	23.20	23.21	24.34						
15	64QAM	74	74	23.64	23.64	23.53	23.64	24	1				
15	64QAM	36	0	22.34	22.28	22.24	22.34						
15	64QAM	36	20	22.53	22.39	22.26	22.53						
15	64QAM	36	39	22.39	22.41	22.37	22.39						
15	64QAM	75	0	22.48	22.41	23.01	22.48	23	2				
Channel				42140	42590	43040	43540						
Frequency (MHz)				3455	3490	3545	3605						
10	QPSK	1	0	23.97	24.24	24.08	23.97				25	0	
10	QPSK	25	24.04	24.10	24.10	24.10	24.04						
10	QPSK	49	23.89	24.16	24.00	24.00	23.89						
10	QPSK	25	0	23.37	23.14	23.22	23.37						
10	QPSK	25	12	23.39	23.40	23.25	23.39	24	1				
10	QPSK	25	24	23.30	23.27	23.08	23.30						
10	QPSK	50	0	23.30	23.20	23.22	23.30						
10	16QAM	1	0	23.59	23.81	23.41	23.59						
10	16QAM	25	23	23.33	23.74	23.39	23.33	24	1				
10	16QAM	49	49	23.22	23.27	23.28	23.22						
10	16QAM	25	0	22.60	22.40	22.53	22.60						
10	16QAM	25	12	22.56	22.53	22.40	22.56						
10	16QAM	25	23	22.58	22.66	22.36	22.58	23	2				
10	16QAM	50	0	22.61	22.67	22.43	22.61						
10	64QAM	1	0	23.15	23.83	23.45	23.15						
10	64QAM	25	23	23.37	23.64	23.33	23.37						
10	64QAM	49	49	23.26	23.36	23.30	23.26	24	1				
10	64QAM	25	0	22.80	22.53	22.49	22.80						
10	64QAM	25	12	22.60	22.63	22.45	22.60						
10	64QAM	25	25	22.59	22.46	22.41	22.59						
10	64QAM	50	0	22.19	22.44	22.42	22.19	23	2				
Channel				42215	42590	43050	43550						
Frequency (MHz)				3462.5	3500	3557.5	3607.5						
5	QPSK	1	0	23.96	24.16	24.05	23.96				25	0	
5	QPSK	12	23.96	24.12	24.02	24.02	23.96						
5	QPSK	24	23.97	24.16	24.03	24.03	23.97						
5	QPSK	12	0	23.34	23.37	23.15	23.34						
5	QPSK	12	7	23.33	23.33	23.24	23.33	24	1				
5	QPSK	12	13	23.29	23.26	23.07	23.29						
5	QPSK	25	0	23.74	23.27	23.16	23.74						
5	16QAM	12	0	23.32	23.23	23.11	23.32						
5	16QAM	12	23.32	23.27	23.27	23.69	23.32	24	1				
5	16QAM	12	49	23.68	23.29	23.29	23.68						
5	16QAM	12	7	22.48	22.54	22.54	22.48						
5	16QAM	12	13	22.57	22.51	22.51	22.57						
5	16QAM	25	0	22.53	22.60	22.39	22.53	23	2				
5	64QAM	0	0	23.84	23.53	23.37	23.84						
5	64QAM	12	0	23.66	23.74	23.64	23.66						
5	64QAM	24	24	23.34	23.50	23.06	23.34						
5	64QAM	12	0	22.58	22.55	22.51	22.58	24	1				
5	64QAM	12	7	22.60	22.51	22.50	22.60						
5	64QAM	12	13	22.62	22.53	22.36	22.62						
5	64QAM	25	0	22.60	22.57	22.50	22.60						

Band 42 Part27Q_Ant 24										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up (mHz)	MPR (dB)		
Channel				42100	42500	42900				
Frequency (MHz)				3400	3500	3540				
20	QPSK	0	0	23.73	23.99	23.85	24.8	0		
20	QPSK	50	49	23.60	23.72	23.70				
20	QPSK	50	99	23.52	23.55	23.62				
20	QPSK	50	0	22.81	22.89	22.83	23.8			
20	QPSK	50	24	22.77	22.76	22.76				
20	QPSK	50	50	22.66	22.78	22.64				
20	QPSK	100	0	22.61	22.75	22.64	23.8			
20	16QAM	50	49	22.71	22.49	22.65				
20	16QAM	50	99	22.55	22.72	22.65				
20	16QAM	50	99	22.75	22.44	22.68	22.8	2		
20	16QAM	50	0	21.68	21.81	21.75				
20	16QAM	50	24	21.80	21.70	21.75				
20	16QAM	50	50	21.81	21.69	21.71	22.8	2		
20	16QAM	100	0	21.68	21.70	21.73				
20	64QAM	50	0	21.44	21.68	21.83				
20	64QAM	50	49	21.27	21.32	21.46	22.8	2		
20	64QAM	50	99	21.54	21.59	21.53				
20	64QAM	50	0	20.72	20.75	20.75				
20	64QAM	50	24	20.85	20.74	20.77	21.8	3		
20	64QAM	50	50	20.75	20.70	20.67				
20	64QAM	100	0	20.71	20.68	20.73				
Channel				42105	42505	43005				
Frequency (MHz)				3457.5	3500	3542.5	Tune-up (mHz)	MPR (dB)		
15	QPSK	0	0	23.60	23.62	23.49	24.8	0		
15	QPSK	36	37	23.76	23.66	23.47				
15	QPSK	36	74	23.59	23.58	23.51				
15	QPSK	36	0	22.81	22.70	22.75	23.8			
15	QPSK	36	20	22.78	22.72	22.60				
15	QPSK	36	39	22.75	22.69	22.68				
15	QPSK	75	0	22.72	22.70	22.73	23.8			
15	16QAM	36	0	22.69	22.37	22.41				
15	16QAM	36	37	22.70	22.75	22.67				
15	16QAM	36	74	22.09	22.62	22.48	22.8	2		
15	16QAM	36	0	21.83	21.75	21.66				
15	16QAM	36	20	21.72	21.75	21.75				
15	16QAM	36	39	21.71	21.74	21.70	22.8	2		
15	16QAM	75	0	21.72	21.63	21.66				
15	64QAM	36	0	21.51	21.39	21.51				
15	64QAM	36	37	21.75	21.89	21.64	21.8	3		
15	64QAM	36	74	21.53	21.62	21.54				
15	64QAM	36	0	20.73	20.74	20.71				
15	64QAM	36	20	20.73	20.64	20.72	21.8	3		
15	64QAM	36	39	20.72	20.71	20.63				
15	64QAM	75	0	20.62	20.67	20.73				
Channel				42110	42510	43010				
Frequency (MHz)				3455	3500	3545	Tune-up (mHz)	MPR (dB)		
10	QPSK	0	0	23.71	23.96	23.89	24.8	0		
10	QPSK	25	25	23.90	23.84	23.94				
10	QPSK	25	49	23.80	23.70	23.71				
10	QPSK	25	0	22.92	22.75	22.84	23.8			
10	QPSK	25	12	22.91	22.80	22.96				
10	QPSK	25	25	22.88	22.97	22.71				
10	QPSK	50	0	22.93	22.86	22.85	23.8			
10	16QAM	0	0	23.23	23.16	23.12				
10	16QAM	25	25	23.14	22.94	23.23				
10	16QAM	50	49	23.14	22.89	22.66	22.8	2		
10	16QAM	25	0	21.89	21.88	21.84				
10	16QAM	25	12	21.95	21.89	21.82				
10	16QAM	25	25	21.82	22.00	21.74	22.8	2		
10	16QAM	50	0	21.97	21.83	21.81				
10	64QAM	0	0	21.69	21.73	21.80				
10	64QAM	25	25	22.05	21.79	21.41	22.8	2		
10	64QAM	49	21.49	21.83	21.71					
10	64QAM	25	0	20.86	20.82	20.77				
10	64QAM	25	12	20.92	20.84	20.78	21.8	3		
10	64QAM	25	25	20.91	20.87	20.86				
10	64QAM	50	0	20.98	20.84	20.80				
Channel				42115	42515	43015				
Frequency (MHz)				3452.5	3500	3547.5	Tune-up (mHz)	MPR (dB)		
5	QPSK	0	0	23.83	23.91	23.75	24.8	0		
5	QPSK	12	26	23.96	23.98	23.62				
5	QPSK	24	23.80	23.85	23.58					
5	QPSK	12	0	22.86	22.89	22.83	23.8			
5	QPSK	12	7	22.93	22.84	22.83				
5	QPSK	12	13	22.85	22.81	22.80				
5	QPSK	25	0	22.90	22.95	22.94	23.8			
5	16QAM	0	0	22.94	22.85	22.82				
5	16QAM	0	12	22.67	22.87	22.84				
5	16QAM	24	23.08	23.07	22.87	22.8	2			
5	16QAM	12	0	21.87	21.94				21.85	
5	16QAM	12	7	22.03	21.88				21.87	
5	16QAM	12	13	21.85	21.86	21.73	22.8	2		
5	16QAM	25	0	21.80	21.85	21.76				
5	64QAM	0	0	21.60	21.73	21.86				
5	64QAM	12	21.88	21.70	21.84	22.8	2			
5	64QAM	24	22.08	21.89	21.44					
5	64QAM	12	0	20.92	21.01				20.90	
5	64QAM	12	7	20.86	20.82	20.83	21.8	3		
5	64QAM	12	13	20.79	20.84	20.82				
5	64QAM	25	0	20.84	20.82	20.82				

Reduced Power for DSI 2

OSM850_Ant 11	Burst Average Power (dbm)			Tune-up Limit	Frame-Average Power (dbm)			Tune-up Limit
TX Channel	128	189	251	TX Channel	128	189	251	Tune-up Limit
Frequency (MHz)	52.12	530.4	543.3	Frequency (MHz)	52.12	530.4	543.3	543.3
GSM 1 Tx slot	29.58	29.63	29.51	GSM 1 Tx slot	20.58	20.63	20.51	22.50
GPRS 1 Tx slot	29.54	29.59	29.50	GPRS 1 Tx slot	20.54	20.59	20.50	22.50
GPRS 2 Tx slots	25.56	25.51	25.61	GPRS 2 Tx slots	19.56	19.51	19.61	21.50
GPRS 3 Tx slots	23.68	23.63	23.68	GPRS 3 Tx slots	19.42	19.37	19.42	21.24
GPRS 4 Tx slots	22.65	22.63	22.56	GPRS 4 Tx slots	19.20	19.65	19.63	19.56
EDGE 1 Tx slot	26.12	26.05	26.07	EDGE 1 Tx slot	17.12	17.05	17.07	18.50
EDGE 2 Tx slots	24.98	24.93	24.94	EDGE 2 Tx slots	18.98	18.93	18.94	20.50
EDGE 3 Tx slots	23.82	23.75	23.74	EDGE 3 Tx slots	19.56	19.49	19.48	21.24
EDGE 4 Tx slots	22.54	22.56	22.58	EDGE 4 Tx slots	19.54	19.56	19.58	21.50

GSM1900_Ant 13	Burst Average Power (dBm)			Tune-up Limit	Frame-Average Power (dBm)			Tune-up Limit
	TX Channel	512	661		810	512	661	
Frequency (MHz)	1850.2	1880	1909.8	(dBm)	1850.2	1880	1909.8	(dBm)
GSM 1 Tx slot	21.45	21.11	21.34	23.00	12.45	12.11	12.34	14.00
GPRS 1 Tx slot	21.30	21.03	21.33	23.00	12.30	12.03	12.33	14.00
GPRS 2 Tx slots	19.16	18.84	19.16	20.50	13.16	12.84	13.16	14.50
GPRS 3 Tx slots	17.79	17.96	17.84	19.50	13.53	13.70	13.58	15.24
GPRS 4 Tx slots	17.57	17.43	17.46	18.00	14.57	14.43	14.46	15.00
EDGE 1 Tx slot	21.37	21.39	21.29	22.50	12.37	12.39	12.29	13.50
EDGE 2 Tx slots	19.23	19.28	19.19	21.00	13.23	13.28	13.19	15.00
EDGE 3 Tx slots	18.08	18.02	17.92	19.50	13.82	13.76	13.68	15.24
EDGE 4 Tx slots	17.13	17.31	17.08	18.50	14.13	14.31	14.08	15.50

Band	WCDMA II_Ant 13				Tune-up Limit (dBm)	WCDMA II_Ant 31				Tune-up Limit (dBm)
	TX Channel	9262	9400	9538		9262	9400	9538		
Rx Channel		9662	9800	9938		9662	9800	9938		
Frequency (MHz)		1852.4	1880	1907.6		1852.4	1880	1907.6		
3GPP Rel 99	AMR 12.2Kbps	13.04	13.21	13.18	15.00	24.00	24.15	24.10	25.30	
3GPP Rel 99	RMC 12.2Kbps	13.06	13.23	13.22	15.00	24.02	24.20	24.13	25.30	
3GPP Rel 6	HSDPA Subtest-1	12.03	12.09	12.08	14.00	23.07	23.16	23.26	24.30	
3GPP Rel 6	HSDPA Subtest-2	12.03	12.11	12.08	14.00	23.05	23.13	23.27	24.30	
3GPP Rel 6	HSDPA Subtest-3	11.53	11.53	11.54	13.50	22.54	22.61	22.77	23.80	
3GPP Rel 6	HSDPA Subtest-4	11.57	11.61	11.55	13.50	22.52	22.61	22.79	23.80	
3GPP Rel 8	DC-HSDPA Subtest-1	12.08	12.21	12.21	14.00	23.46	23.54	23.63	24.30	
3GPP Rel 8	DC-HSDPA Subtest-2	12.12	12.21	12.17	14.00	23.45	23.46	23.57	24.30	
3GPP Rel 8	DC-HSDPA Subtest-3	11.63	11.69	11.63	13.50	22.86	22.91	22.99	23.80	
3GPP Rel 8	DC-HSDPA Subtest-4	11.62	11.70	11.70	13.50	22.83	22.91	23.09	23.80	
3GPP Rel 6	HSUPA Subtest-1	12.29	12.46	12.44	14.00	23.01	23.14	23.24	24.30	
3GPP Rel 6	HSUPA Subtest-2	10.25	10.42	10.44	12.00	21.00	21.12	21.29	22.30	
3GPP Rel 6	HSUPA Subtest-3	11.27	11.40	11.47	13.00	22.00	22.15	22.28	23.30	
3GPP Rel 6	HSUPA Subtest-4	10.23	10.43	10.45	12.00	21.04	21.14	21.30	22.30	
3GPP Rel 6	HSUPA Subtest-5	12.19	12.34	12.39	14.00	23.10	23.20	23.30	24.30	

Band	WCDMA V_Ant 11				Tune-up Limit (dBm)	WCDMA V_Ant 41				Tune-up Limit (dBm)
	TX Channel	4132	4182	4233		4132	4182	4233		
Rx Channel	4357	4407	4458			4357	4407	4458		
Frequency (MHz)	826.4	836.4	846.6			826.4	836.4	846.6		
3GPP Rel 99	AMR 12.2Kbps	20.03	20.04	19.98	21.50	24.16	24.11	24.03	25.50	
3GPP Rel 99	RMC 12.2Kbps	20.04	20.05	19.99	21.50	24.17	24.22	24.05	25.50	
3GPP Rel 6	HSDPA Subtest-1	18.70	18.73	18.77	20.50	23.33	23.26	23.14	24.50	
3GPP Rel 6	HSDPA Subtest-2	18.75	18.81	18.77	20.50	23.34	23.24	23.15	24.50	
3GPP Rel 6	HSDPA Subtest-3	18.26	18.29	18.28	20.00	22.82	22.80	22.84	24.00	
3GPP Rel 6	HSDPA Subtest-4	18.23	18.25	18.27	20.00	22.82	22.69	22.64	24.00	
3GPP Rel 8	DC-HSDPA Subtest-1	18.79	18.80	18.83	20.50	23.97	23.94	23.80	24.50	
3GPP Rel 8	DC-HSDPA Subtest-2	18.83	18.97	18.88	20.50	23.98	23.92	23.85	24.50	
3GPP Rel 8	DC-HSDPA Subtest-3	18.42	18.38	18.40	20.00	23.48	23.40	23.25	24.00	
3GPP Rel 8	DC-HSDPA Subtest-4	18.38	18.36	18.43	20.00	23.44	23.37	23.30	24.00	
3GPP Rel 6	HSUPA Subtest-1	18.84	18.84	18.83	20.50	23.30	23.24	23.16	24.50	
3GPP Rel 6	HSUPA Subtest-2	16.84	16.91	16.79	18.50	21.27	21.23	21.11	22.50	
3GPP Rel 6	HSUPA Subtest-3	17.85	17.84	17.77	19.50	22.28	22.23	22.11	23.50	
3GPP Rel 6	HSUPA Subtest-4	16.81	16.84	16.76	18.50	21.29	21.27	21.10	22.50	
3GPP Rel 6	HSUPA Subtest-5	18.87	18.87	18.77	20.50	23.30	23.20	23.10	24.50	

GSM1900_Ant_31	Burst Average Power (dBm)				Tune-up	Frame-Average Power (dBm)				Tune-up
TX Channel	512	661	810		Limit	512	661	810	Limit	
Frequency (MHz)	1850.2	1880	1909.8		(dBm)	1850.2	1880	1909.8	(dBm)	
GSM 1 Tx slot	29.60	29.92	29.89		31.00	20.60	20.92	20.89	22.00	
GPRS 1 Tx slot	29.57	29.79	29.81		31.00	20.57	20.79	20.81	22.00	
GPRS 2 Tx slots	27.28	27.41	27.49		29.00	21.28	21.41	21.49	23.00	
GPRS 3 Tx slots	26.26	26.42	26.35		28.00	22.00	22.16	22.09	23.74	
GPRS 4 Tx slots	25.00	25.13	25.01		26.50	22.00	22.13	22.01	23.50	
EDGE 1 Tx slot	25.12	25.31	25.48		26.50	16.12	16.31	16.48	17.50	
EDGE 2 Tx slots	24.11	24.38	24.32		25.50	18.11	18.38	18.32	19.50	
EDGE 3 Tx slots	22.96	23.06	23.16		24.50	18.70	18.80	18.90	20.24	
EDGE 4 Tx slots	22.03	22.10	22.27		23.50	19.03	19.10	19.27	20.50	

Band	WCDMA IV_Ant 13				Tune-up Limit (dBm)	WCDMA IV_Ant 31				Tune-up Limit (dBm)
	TX Channel	1312	1413	1513		1312	1413	1513		
	Rx Channel	1537	1638	1738		1537	1638	1738		
	Frequency (MHz)	1712.4	1732.6	1752.6		1712.4	1732.6	1752.6		
3GPP Rel 99	AMR 12.2Kbps	13.54	13.56	13.48	15.00	24.02	24.11	24.08	25.50	
3GPP Rel 99	RMC 12.2Kbps	13.56	13.59	13.51	15.00	24.09	24.16	24.13	25.50	
3GPP Rel 6	HSDPA Subtest-1	12.43	12.36	12.41	14.00	22.96	23.20	23.29	24.50	
3GPP Rel 6	HSDPA Subtest-2	12.40	12.37	12.43	14.00	23.01	23.20	23.30	24.50	
3GPP Rel 6	HSDPA Subtest-3	11.96	11.87	11.96	13.50	22.54	22.67	22.78	24.00	
3GPP Rel 6	HSDPA Subtest-4	11.86	11.83	11.95	13.50	22.53	22.68	22.75	24.00	
3GPP Rel 8	DC-HSDPA Subtest-1	12.53	12.52	12.57	14.00	23.31	23.60	23.65	24.50	
3GPP Rel 8	DC-HSDPA Subtest-2	12.48	12.53	12.51	14.00	23.39	23.56	23.59	24.50	
3GPP Rel 8	DC-HSDPA Subtest-3	12.11	11.96	12.06	13.50	22.86	23.01	23.13	24.00	
3GPP Rel 8	DC-HSDPA Subtest-4	11.96	11.91	12.10	13.50	22.86	23.00	23.13	24.00	
3GPP Rel 6	HSUPA Subtest-1	12.46	12.31	12.37	14.00	23.06	22.90	22.90	24.50	
3GPP Rel 6	HSUPA Subtest-2	10.41	10.34	10.25	12.00	21.04	20.91	20.98	22.50	
3GPP Rel 6	HSUPA Subtest-3	11.44	11.33	11.33	13.00	22.04	21.90	21.97	23.50	
3GPP Rel 6	HSUPA Subtest-4	10.43	10.36	10.31	12.00	21.03	20.88	20.91	22.50	
3GPP Rel 6	HSUPA Subtest-5	12.49	12.41	12.34	14.00	23.00	22.88	22.93	24.50	

Band	CDMA BC0_Ant 11			Tune-up Limit	CDMA BC0_Ant 41			Tune-up Limit
TX Channel	1013	384	777	Limit (dBm)	1013	384	777	Limit (dBm)
Frequency (MHz)	824.7	836.52	848.31		824.7	836.52	848.31	
RC1 S0S5	19.98	20.05	20.05	21.00	23.92	23.95	23.85	25.00
RC3 S0S5	20.06	20.21	20.17	21.00	23.92	23.97	23.85	25.00
RC3 S0S2 (F+SCH)	20.06	20.09	20.06	21.00	23.92	23.94	23.85	25.00
RC3 S0S2 (+SCH)	20.00	20.01	19.96	21.00	23.79	23.88	23.84	25.00

Band 2_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MFR (dB)	
Channel									
Frequency (MHz)				18700	18900	19100			
20	QPSK	1	0	13.19	13.29	13.21	14.5	0	
20	QPSK	1	49	13.18	13.15	13.21			
20	QPSK	1	99	13.05	13.02	13.05			
20	QPSK	50	0	13.27	13.35	13.26	14.5	0	
20	QPSK	50	24	13.26	13.26	13.21			
20	QPSK	50	50	13.18	13.17	13.24			
20	QPSK	100	0	13.23	13.29	13.21	14.5	0	
20	16QAM	1	0	13.33	13.30	13.30			
20	16QAM	1	49	13.19	13.22	13.35			
20	16QAM	1	99	13.23	13.17	13.16	14.5	0	
20	16QAM	50	0	13.10	13.07	13.06			
20	16QAM	50	24	13.07	13.07	13.03			
20	16QAM	50	50	13.02	13.01	13.05	14.5	0	
20	16QAM	100	0	13.05	13.04	13.03			
20	84QAM	1	0	13.13	13.22	13.24			
20	84QAM	1	49	13.19	13.35	13.28	14.5	0	
20	84QAM	1	99	13.10	13.16	13.22			
20	84QAM	50	0	13.07	13.10	13.15			
20	84QAM	50	24	13.08	13.14	13.20	14.5	0	
20	84QAM	50	50	13.03	13.11	13.15			
20	84QAM	100	0	13.08	13.12	13.12			
Channel									
Frequency (MHz)				18675	18900	19125			
15	QPSK	1	0	13.06	13.25	13.09	14.5	0	
15	QPSK	1	37	13.05	13.00	13.09			
15	QPSK	1	74	12.93	12.87	12.90			
15	QPSK	36	0	13.21	13.25	13.19	14.5	0	
15	QPSK	36	20	13.10	13.21	13.12			
15	QPSK	36	39	13.13	13.06	13.09			
15	QPSK	75	0	13.17	13.24	13.15	14.5	0	
15	16QAM	1	0	13.23	13.24	13.19			
15	16QAM	1	37	13.13	13.09	13.22			
15	16QAM	1	74	13.17	13.07	13.08	14.5	0	
15	16QAM	36	0	12.97	12.92	12.96			
15	16QAM	36	20	12.98	12.94	12.91			
15	16QAM	36	39	12.94	12.93	12.98	14.5	0	
15	16QAM	75	0	12.97	12.96	12.87			
15	84QAM	1	0	13.01	13.14	13.08			
15	84QAM	1	37	13.06	13.25	13.18	14.5	0	
15	84QAM	1	74	13.05	13.09	13.16			
15	84QAM	36	0	13.02	13.04	13.02			
15	84QAM	36	20	13.01	13.01	13.14	14.5	0	
15	84QAM	36	39	12.90	12.86	13.06			
15	84QAM	75	0	12.85	13.02	13.09			
15	84QAM	75	0	12.85	13.06	13.09			
15	84QAM	75	0	12.85	13.06	13.09			
Channel									
Frequency (MHz)				18650	18900	19150			
10	QPSK	1	0	13.08	13.29	13.14	14.5	0	
10	QPSK	1	25	13.03	13.00	13.05			
10	QPSK	1	49	12.93	12.96	12.90			
10	QPSK	25	0	13.11	13.26	13.20	14.5	0	
10	QPSK	25	12	13.15	13.13	13.11			
10	QPSK	25	25	13.11	13.03	13.13			
10	QPSK	50	0	13.13	13.23	13.07	14.5	0	
10	16QAM	1	0	13.28	13.16	13.18			
10	16QAM	1	25	13.04	13.08	13.28			
10	16QAM	1	49	13.07	13.05	13.06	14.5	0	
10	16QAM	25	0	12.99	13.01	12.96			
10	16QAM	25	12	12.94	13.02	12.98			
10	16QAM	25	25	12.94	12.94	12.96	14.5	0	
10	16QAM	50	0	12.98	12.93	12.98			
10	84QAM	1	0	12.96	13.09	13.09			
10	84QAM	1	25	13.14	13.28	13.13	14.5	0	
10	84QAM	1	49	12.96	13.01	13.15			
10	84QAM	25	0	12.99	12.97	13.08			
10	84QAM	25	12	12.93	13.07	13.15	14.5	0	
10	84QAM	25	25	12.90	12.99	13.08			
10	84QAM	50	0	12.92	13.03	13.09			
10	84QAM	50	0	12.92	13.03	13.09			
10	84QAM	50	0	12.92	13.03	13.09			
Channel									
Frequency (MHz)				18625	18900	19175			
5	QPSK	1	0	13.06	13.34	13.14	14.5	0	
5	QPSK	1	12	13.09	13.05	13.12			
5	QPSK	1	24	12.89	12.94	12.91			
5	QPSK	12	0	13.22	13.25	13.20	14.5	0	
5	QPSK	12	7	13.20	13.16	13.11			
5	QPSK	12	13	13.11	13.02	13.09			
5	QPSK	25	0	13.14	13.21	13.05	14.5	0	
5	16QAM	1	0	13.19	13.17	13.21			
5	16QAM	1	12	13.06	13.10	13.25			
5	16QAM	1	24	13.15	13.02	13.05	14.5	0	
5	16QAM	12	0	13.03	13.01	12.94			
5	16QAM	12	7	12.93	12.98	12.94			
5	16QAM	12	13	12.86	12.86	13.00	14.5	0	
5	16QAM	25	0	13.00	12.90	12.95			
5	84QAM	1	0	12.96	13.06	13.13			
5	84QAM	1	12	13.10	13.22	13.22	14.5	0	
5	84QAM	1	24	12.94	13.04	13.14			
5	84QAM	12	0	13.02	12.98	13.01			
5	84QAM	12	7	12.99	13.02	13.13	14.5	0	
5	84QAM	12	13	12.91	13.05	12.99			
5	84QAM	25	0	12.96	13.01	13.13			
5	84QAM	25	0	12.96	13.01	13.13			
5	84QAM	25	0	12.96	13.01	13.13			
Channel									
Frequency (MHz)				18615	18900	19185			
3	QPSK	1	0	13.10	13.32	13.10	14.5	0	
3	QPSK	1	8	13.12	13.05	13.07			
3	QPSK	1	14	12.92	12.92	12.97			
3	QPSK	8	0	13.21	13.23	13.19	14.5	0	
3	QPSK	8	4	13.14	13.20	13.09			
3	QPSK	8	7	13.06	13.03	13.14			
3	QPSK	15	0	13.10	13.24	13.10	14.5	0	
3	16QAM	1	0	13.18	13.16	13.20			
3	16QAM	1	8	13.07	13.07	13.19			
3	16QAM	1	14	13.11	13.03	13.08	14.5	0	
3	16QAM	8	0	12.95	12.96	13.00			
3	16QAM	8	4	12.97	12.99	12.98			
3	16QAM	15	0	12.93	12.89	12.90	14.5	0	
3	16QAM	15	7	12.93	12.93	12.91			
3	84QAM	1	0	13.00	13.06	13.13			
3	84QAM	1	8	13.14	13.26	13.12	14.5	0	
3	84QAM	1	14	12.96	13.08	13.07			
3	84QAM	8	0	12.93	12.99	13.06			
3	84QAM	8	4	12.96	13.02	13.09	14.5	0	
3	84QAM	8	7	12.98	13.03	12.99			
3	84QAM	15	0	12.93	12.98	13.13			
3	84QAM	15	0	12.93	12.98	13.13			
3	84QAM	15	0	12.93	12.98	13.13			
Channel									
Frequency (MHz)				18607	18900	19193			
1.4	QPSK	1	0	13.10	13.24	13.16	14.5	0	
1.4	QPSK	1	8	13.12	13.05	13.08			
1.4	QPSK	1	5	13.00	12.95	12.94			
1.4	QPSK	3	0	13.22	13.26	13.13	14.5	0	
1.4	QPSK	3	1	13.17	13.13	13.07			
1.4	QPSK	3	3	13.08	13.02	13.08			
1.4	QPSK	6	0	13.14	13.15	13.07	14.5	0	
1.4	16QAM	1	0	13.18	13.16	13.20			
1.4	16QAM	1	3	13.13	13.13	13.28			
1.4	16QAM	1	5	13.10	13.06	13.05	14.5	0	
1.4	16QAM	3	0	12.97	12.99	12.94			
1.4	16QAM	3	1	13.01	12.91	12.93			
1.4	16QAM	3	1	12.99	12.89	12.90	14.5	0	
1.4	16QAM	3	7	12.88	12.92	12.88			
1.4	16QAM	3	13	13.06	13.05	13.06			
1.4	84QAM	1	0	13.03	13.16	13.09	14.5	0	
1.4	84QAM	3	3	12.87	13.04	13.00			
1.4	84QAM	6	0	12.92	12.98	13.07			

Band 4_Ant 31											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Turn-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
20	QPSK	1	0	23.65	23.88	23.74	25	0			
20	QPSK	1	49	23.62	23.73	23.64					
20	QPSK	1	99	23.62	23.66	23.58					
20	QPSK	50	0	22.53	22.79	22.65	24	1			
20	QPSK	50	24	22.41	22.70	22.52					
20	QPSK	50	50	22.38	22.64	22.44					
20	QPSK	100	0	22.42	22.65	22.53	24	1			
20	16QAM	1	0	22.61	22.90	22.71					
20	16QAM	1	49	22.58	22.85	22.67					
20	16QAM	1	99	22.60	22.81	22.67	23	2			
20	16QAM	50	0	21.52	21.63	21.62					
20	16QAM	50	24	21.50	21.63	21.53					
20	16QAM	50	50	21.38	21.65	21.58	23	2			
20	16QAM	100	0	21.35	21.58	21.60					
20	64QAM	1	0	21.56	21.85	21.49					
20	64QAM	1	49	21.56	21.72	21.59	23	2			
20	64QAM	1	99	21.73	21.64	21.66					
20	64QAM	50	0	20.61	20.81	20.53					
20	64QAM	50	24	20.66	20.56	20.58	22	3			
20	64QAM	50	50	20.38	20.75	20.56					
20	64QAM	100	0	20.52	20.71	20.55					
Channel											
Frequency (MHz)											
15	QPSK	1	0	23.56	23.83	23.62	25	0			
15	QPSK	1	37	23.46	23.57	23.54					
15	QPSK	1	74	23.38	23.50	23.53					
15	QPSK	36	0	22.36	22.63	22.37	24	1			
15	QPSK	36	39	22.27	22.57	22.31					
15	QPSK	75	0	22.15	22.49	22.37					
15	16QAM	1	0	22.50	22.79	22.56	24	1			
15	16QAM	1	37	22.42	22.70	22.60					
15	16QAM	1	74	22.49	22.69	22.61					
15	16QAM	36	0	21.44	21.53	21.55	23	2			
15	16QAM	36	20	21.35	21.56	21.52					
15	16QAM	36	39	21.22	21.57	21.59					
15	16QAM	75	0	21.20	21.53	21.55	22	3			
15	64QAM	1	0	21.48	21.76	21.40					
15	64QAM	1	37	21.40	21.50	21.51					
15	64QAM	1	74	21.67	21.49	21.57	23	2			
15	64QAM	36	0	20.50	20.85	20.41					
15	64QAM	36	20	20.61	20.48	20.48					
15	64QAM	36	39	20.31	20.70	20.48	22	3			
15	64QAM	75	0	20.42	20.57	20.45					
Channel											
Frequency (MHz)											
10	QPSK	1	0	23.59	23.82	23.65	25	0			
10	QPSK	1	25	23.64	23.59	23.50					
10	QPSK	1	49	23.39	23.58	23.46					
10	QPSK	25	0	22.36	22.66	22.40	24	1			
10	QPSK	25	12	22.35	22.59	22.40					
10	QPSK	25	25	22.24	22.49	22.29					
10	QPSK	50	0	22.10	22.51	22.42	24	1			
10	16QAM	1	0	22.53	22.81	22.56					
10	16QAM	1	25	22.43	22.71	22.57					
10	16QAM	1	49	22.55	22.70	22.59	23	2			
10	16QAM	25	0	21.41	21.53	21.54					
10	16QAM	25	12	21.38	21.50	21.45					
10	16QAM	25	25	21.23	21.50	21.51	23	2			
10	16QAM	50	0	21.25	21.46	21.46					
10	64QAM	1	0	21.48	21.76	21.42					
10	64QAM	1	25	21.47	21.63	21.44	22	3			
10	64QAM	1	49	21.64	21.53	21.56					
10	64QAM	25	0	20.55	20.73	20.45					
10	64QAM	25	12	20.60	20.45	20.51	22	3			
10	64QAM	25	25	20.27	20.63	20.41					
10	64QAM	50	0	20.47	20.63	20.44					
Channel											
Frequency (MHz)											
5	QPSK	1	0	23.53	23.83	23.65	25	0			
5	QPSK	1	12	23.50	23.69	23.49					
5	QPSK	1	24	23.47	23.58	23.44					
5	QPSK	12	0	22.29	22.69	22.47	24	1			
5	QPSK	12	7	22.34	22.54	22.43					
5	QPSK	12	13	22.31	22.55	22.38					
5	QPSK	25	0	22.13	22.50	22.44	23	2			
5	16QAM	1	0	22.49	22.79	22.65					
5	16QAM	1	12	22.51	22.74	22.57					
5	16QAM	1	24	22.51	22.67	22.59	23	2			
5	16QAM	12	0	21.40	21.50	21.55					
5	16QAM	12	7	21.40	21.54	21.43					
5	16QAM	12	13	21.24	21.51	21.50	22	3			
5	16QAM	25	0	21.21	21.47	21.48					
5	64QAM	1	0	21.50	21.79	21.40					
5	64QAM	1	12	21.50	21.59	21.46	22	3			
5	64QAM	1	24	21.59	21.55	21.61					
5	64QAM	12	0	20.50	20.87	20.40					
5	64QAM	12	7	20.61	20.42	20.49	22	3			
5	64QAM	12	13	20.29	20.63	20.46					
5	64QAM	15	0	20.36	20.55	20.50					
Channel											
Frequency (MHz)											
3	QPSK	1	0	23.51	23.73	23.67	25	0			
3	QPSK	1	8	23.62	23.67	23.59					
3	QPSK	1	14	23.38	23.59	23.52					
3	QPSK	8	0	22.33	22.67	22.44	24	1			
3	QPSK	8	4	22.34	22.58	22.41					
3	QPSK	8	7	22.24	22.56	22.32					
3	QPSK	15	0	22.08	22.51	22.37	24	1			
3	16QAM	1	0	22.45	22.80	22.59					
3	16QAM	1	8	22.49	22.78	22.53					
3	16QAM	1	14	22.51	22.69	22.62	23	2			
3	16QAM	8	0	21.40	21.56	21.52					
3	16QAM	8	4	21.41	21.55	21.52					
3	16QAM	8	7	21.30	21.58	21.60	23	2			
3	16QAM	15	0	21.43	21.52	21.52					
3	64QAM	1	0	21.41	21.73	21.38					
3	64QAM	1	8	21.42	21.57	21.43	23	2			
3	64QAM	1	14	21.58	21.49	21.52					
3	64QAM	8	0	20.51	20.70	20.37					
3	64QAM	8	4	20.52	20.40	20.47	22	3			
3	64QAM	8	7	20.24	20.61	20.50					
3	64QAM	15	0	20.44	20.61	20.52					
Channel											
Frequency (MHz)											
1.4	QPSK	1	0	23.59	23.82	23.85	25	0			
1.4	QPSK	1	3	23.53	23.49	23.65					
1.4	QPSK	1	6	23.48	23.59	23.62					
1.4	QPSK	3	0	23.47	23.65	23.72	25	0			
1.4	QPSK	3	1	23.55	23.55	23.71					
1.4	QPSK	3	3	23.60	23.58	23.78					
1.4	QPSK	6	0	22.60	22.73	22.82	25	0			
1.4	QPSK	6	0	22.13	22.14	22.25					
1.4	QPSK	6	0	22.62	22.62	23.23					
1.4	16QAM	1	5	22.60	22.92	23.24	25	0			
1.4	16QAM	3	0	22.69	22.88	22.97					
1.4	16QAM	3	1	22.83	22.96	22.98					
1.4	16QAM	3	3	22.86	22.92	23.00	25	0			
1.4	16QAM	6	0	21.81	21.81	23.23					
1.4	64QAM	1	0	21.97	22.02	21.96					
1.4	64QAM	1	3	21.98	22.21	22.20	25	0			
1.4	64QAM	1	5	21.61	22.01	21.99					
1.4	64QAM	3	0	21.73	21.88	21.59					
1.4	64QAM	3	1	21.63	21.97	22.07	25	0			
1.4	64QAM	3	3	21.85	21.93	22.00					
1.4	64QAM	5	0	20.77	21.03	20.80					

Band 5_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				20450	20525	20580				
Frequency (MHz)				820	836.5	844				
10	QPSK	1	0	23.80	23.95	23.82	25	0		
10	QPSK	1	25	23.79	23.75	23.77				
10	QPSK	1	49	23.73	23.62	23.71				
10	QPSK	25	0	22.93	22.98	22.88	24	1		
10	QPSK	25	12	22.91	22.88	22.87				
10	QPSK	25	25	22.84	22.88	22.79				
10	QPSK	50	0	22.92	22.93	22.83	24	1		
10	16QAM	1	0	23.24	23.02	23.16				
10	16QAM	1	25	22.75	23.16	23.30				
10	16QAM	1	49	22.76	22.91	23.32	23	2		
10	16QAM	25	0	21.81	21.89	21.87				
10	16QAM	25	12	22.02	21.95	21.82				
10	16QAM	25	25	21.98	21.94	21.83	23	2		
10	16QAM	50	0	21.87	21.82	21.76				
10	64QAM	1	0	21.85	22.15	21.73				
10	64QAM	1	25	22.23	21.81	22.00	23	2		
10	64QAM	1	49	21.73	22.00	21.88				
10	64QAM	25	0	20.80	20.80	20.70				
10	64QAM	25	12	20.88	20.83	20.90	22	3		
10	64QAM	25	25	20.98	20.85	20.74				
10	64QAM	50	0	20.90	20.89	20.81				
Channel				20425	20525	20525	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				826.5	836.5	846.5				
5	QPSK	1	0	23.82	23.75	23.70	25	0		
5	QPSK	1	12	23.75	23.66	23.80				
5	QPSK	1	24	23.74	23.83	23.67				
5	QPSK	12	0	22.72	22.79	22.70	24	1		
5	QPSK	12	7	22.92	22.87	22.75				
5	QPSK	12	13	22.87	22.86	22.79				
5	QPSK	25	0	22.87	22.80	22.70	24	1		
5	16QAM	1	0	22.90	23.01	23.41				
5	16QAM	1	12	23.26	23.50	23.02				
5	16QAM	1	24	23.06	23.49	23.06	24	1		
5	16QAM	12	0	21.75	21.86	21.86				
5	16QAM	12	7	21.90	21.87	21.90				
5	16QAM	12	13	21.87	21.85	21.90	23	2		
5	16QAM	25	0	21.79	21.79	21.79				
5	64QAM	1	0	22.01	22.36	21.78				
5	64QAM	1	12	22.02	21.86	21.85	23	2		
5	64QAM	1	24	21.79	21.84	21.77				
5	64QAM	12	0	20.92	20.86	20.88				
5	64QAM	12	7	21.02	20.84	20.82	22	3		
5	64QAM	12	13	20.98	20.82	20.92				
5	64QAM	25	0	20.92	20.79	20.81				
Channel				20415	20525	20635	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				825.5	836.5	848.5				
3	QPSK	1	0	23.74	23.83	23.64	25	0		
3	QPSK	1	8	23.59	23.76	23.74				
3	QPSK	1	14	23.69	23.76	23.58				
3	QPSK	8	0	22.81	22.71	22.62	24	1		
3	QPSK	8	4	22.78	22.80	22.73				
3	QPSK	8	7	22.84	22.82	22.79				
3	QPSK	15	0	22.86	22.65	22.73	24	1		
3	16QAM	1	0	23.17	23.21	23.26				
3	16QAM	1	8	23.14	22.96	23.23				
3	16QAM	1	14	23.05	22.96	22.93	24	1		
3	16QAM	8	0	21.89	21.84	21.70				
3	16QAM	8	4	21.93	21.90	21.91				
3	16QAM	8	7	21.88	21.94	21.83	23	2		
3	16QAM	15	0	21.82	21.67	21.91				
3	64QAM	1	0	22.06	21.93	21.76				
3	64QAM	1	8	22.11	22.14	21.66	23	2		
3	64QAM	1	14	21.73	22.18	22.14				
3	64QAM	8	0	20.88	20.78	20.76				
3	64QAM	8	4	20.99	20.90	20.79	22	3		
3	64QAM	8	7	20.77	20.93	20.79				
3	64QAM	15	0	20.84	20.75	20.72				
Channel				20407	20525	20643	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				824.7	836.5	848.3				
1.4	QPSK	1	0	23.64	23.68	23.67	25	0		
1.4	QPSK	1	3	23.66	23.68	23.61				
1.4	QPSK	1	5	23.49	23.64	23.67				
1.4	QPSK	3	0	23.79	23.69	23.62	24	1		
1.4	QPSK	3	1	23.71	23.74	23.59				
1.4	QPSK	3	3	23.72	23.79	23.66				
1.4	QPSK	6	0	22.80	22.72	22.65	24	1		
1.4	16QAM	1	0	22.97	23.23	23.17				
1.4	16QAM	1	3	23.24	23.13	23.00				
1.4	16QAM	1	5	23.00	22.95	23.02	24	1		
1.4	16QAM	3	0	22.89	22.69	22.86				
1.4	16QAM	3	1	22.99	23.01	22.97				
1.4	16QAM	3	3	22.72	22.85	22.88	23	2		
1.4	16QAM	6	0	21.74	21.80	21.75				
1.4	64QAM	1	0	21.99	22.26	21.82				
1.4	64QAM	1	3	21.83	21.91	21.95	23	2		
1.4	64QAM	1	5	21.78	21.90	21.68				
1.4	64QAM	3	0	21.83	21.80	21.94				
1.4	64QAM	3	1	21.67	21.89	21.74	22	3		
1.4	64QAM	3	3	21.77	21.88	21.74				
1.4	64QAM	6	0	20.82	20.77	20.90				

Band 7_Ant 13										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				20650	21100	21550				
Frequency (MHz)				2510	2535	2550				
20	QPSK	1	0	13.30	13.58	13.37	14	0		
20	QPSK	1	49	13.21	13.38	13.36				
20	QPSK	1	99	13.22	13.38	13.34				
20	QPSK	50	0	13.38	13.56	13.55	14	0		
20	QPSK	50	24	13.34	13.42	13.40				
20	QPSK	50	50	13.27	13.54	13.53				
20	QPSK	100	0	13.34	13.43	13.42	14	0		
20	16QAM	1	0	13.15	13.33	13.26				
20	16QAM	1	49	13.21	13.51	13.37				
20	16QAM	50	0	13.03	13.13	13.16	14	0		
20	16QAM	50	24	13.09	13.18	13.24				
20	16QAM	50	50	13.05	13.25	13.22				
20	16QAM	100	0	13.05	13.13	13.15	14	0		
20	64QAM	1	0	13.07	13.20	13.27				
20	64QAM	1	49	13.12	13.30	13.31				
20	64QAM	1	99	13.15	13.35	13.35	14	0		
20	64QAM	50	0	13.04	13.14	13.13				
20	64QAM	50	24	13.04	13.19	13.20				
20	64QAM	50	50	13.05	13.22	13.21	14	0		
20	64QAM	100	0	13.05	13.11	13.14				
Channel				20625	21100	21575				
Frequency (MHz)				2507.5	2535	2562.5				
15	QPSK	1	0	13.25	13.47	13.27	14	0		
15	QPSK	1	37	13.20	13.32	13.30				
15	QPSK	1	74	13.11	13.27	13.22				
15	QPSK	36	0	13.24	13.47	13.40	14	0		
15	QPSK	36	30	13.23	13.47	13.42				
15	QPSK	75	0	13.20	13.30	13.37				
15	16QAM	1	0	13.05	13.19	13.10	14	0		
15	16QAM	1	37	13.14	13.40	13.31				
15	16QAM	1	74	13.10	13.30	13.27				
15	16QAM	36	0	13.18	13.23	13.29	14	0		
15	16QAM	36	20	13.20	13.31	13.37				
15	16QAM	36	39	13.17	13.32	13.34				
15	16QAM	75	0	13.12	13.20	13.25	14	0		
15	64QAM	1	0	13.22	13.25	13.38				
15	64QAM	1	37	13.19	13.41	13.45				
15	64QAM	1	74	13.29	13.48	13.47	14	0		
15	64QAM	36	0	13.19	13.19	13.28				
15	64QAM	36	20	13.19	13.23	13.29				
15	64QAM	36	39	13.17	13.34	13.38	14	0		
15	64QAM	75	0	13.16	13.16	13.18				
Channel				20600	21100	21600				
Frequency (MHz)				2505	2535	2565				
10	QPSK	1	0	13.23	13.45	13.31	14	0		
10	QPSK	1	49	13.13	13.28	13.31				
10	QPSK	1	49	13.11	13.27	13.18				
10	QPSK	25	0	13.27	13.49	13.42	14	0		
10	QPSK	25	12	13.28	13.37	13.44				
10	QPSK	25	25	13.22	13.48	13.46				
10	QPSK	50	0	13.25	13.28	13.30	14	0		
10	16QAM	1	0	13.08	13.27	13.20				
10	16QAM	1	25	13.05	13.45	13.30				
10	16QAM	1	49	13.07	13.33	13.29	14	0		
10	16QAM	25	0	13.09	13.28	13.32				
10	16QAM	25	12	13.14	13.25	13.36				
10	16QAM	50	0	13.15	13.35	13.36	14	0		
10	16QAM	50	0	13.12	13.28	13.19				
10	16QAM	1	0	13.19	13.33	13.35				
10	64QAM	1	0	13.17	13.44	13.46	14	0		
10	64QAM	1	49	13.30	13.39	13.47				
10	64QAM	25	0	13.11	13.18	13.28				
10	64QAM	25	12	13.08	13.25	13.30	14	0		
10	64QAM	25	25	13.11	13.29	13.33				
10	64QAM	50	0	13.11	13.20	13.29				
Channel				20775	21100	21425				
Frequency (MHz)				2502.5	2535	2567.5				
5	QPSK	1	0	13.21	13.50	13.22	14	0		
5	QPSK	1	12	13.12	13.25	13.21				
5	QPSK	1	25	13.07	13.24	13.20				
5	QPSK	12	0	13.22	13.51	13.43	14	0		
5	QPSK	12	7	13.26	13.37	13.37				
5	QPSK	12	13	13.22	13.48	13.37				
5	QPSK	25	0	13.22	13.34	13.28	14	0		
5	16QAM	1	0	13.07	13.22	13.12				
5	16QAM	1	12	13.11	13.36	13.28				
5	16QAM	1	24	13.08	13.40	13.27	14	0		
5	16QAM	12	0	13.11	13.17	13.26				
5	16QAM	12	7	13.23	13.25	13.30				
5	16QAM	12	13	13.19	13.33	13.29	14	0		
5	16QAM	25	0	13.20	13.20	13.20				
5	64QAM	1	0	13.19	13.28	13.36				
5	64QAM	1	12	13.23	13.40	13.46	14	0		
5	64QAM	1	24	13.27	13.47	13.50				
5	64QAM	12	0	13.19	13.25	13.23				
5	64QAM	12	7	13.22	13.25	13.30	14	0		
5	64QAM	12	13	13.09	13.35	13.36				
5	64QAM	25	0	13.15	13.26	13.31				

Band 7_Ant 25										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				20850	21100	21350				
20	QPSK	1	0	17.18	17.49	17.37	18.5	0		
20	QPSK	1	49	17.12	17.29	17.24				
20	QPSK	1	99	17.07	17.28	17.29				
20	QPSK	50	0	17.25	17.45	17.36	18.5	0		
20	QPSK	50	24	17.23	17.34	17.31				
20	QPSK	50	50	17.22	17.37	17.27				
20	QPSK	100	0	17.22	17.34	17.31	18.5	0		
20	16QAM	1	0	17.14	17.23	17.32				
20	16QAM	1	49	17.39	17.40	17.44				
20	16QAM	1	99	17.23	17.46	17.41	18.5	0		
20	16QAM	50	0	16.93	17.07	17.18				
20	16QAM	50	24	17.06	17.11	17.22				
20	16QAM	50	50	17.05	17.19	17.29	18.5	0		
20	16QAM	100	0	17.04	17.11	17.21				
20	64QAM	1	0	17.13	17.19	17.26				
20	64QAM	1	49	17.16	17.37	17.33	18.5	0		
20	64QAM	1	99	17.11	17.35	17.38				
20	64QAM	50	0	16.96	17.09	17.16				
20	64QAM	50	24	17.07	17.14	17.22	18.5	0		
20	64QAM	50	50	17.05	17.23	17.29				
20	64QAM	100	0	17.05	17.22	17.22				
Channel										
Frequency (MHz)				20825	21100	21375	Turn-up limit (dBm)	MPR (dB)		
				2507.5	2535	2562.5				
15	QPSK	1	0	17.03	17.38	17.28	18.5	0		
15	QPSK	1	37	17.02	17.20	17.19				
15	QPSK	1	74	16.94	17.17	17.23				
15	QPSK	36	0	17.14	17.39	17.23	18.5	0		
15	QPSK	36	20	17.17	17.28	17.15				
15	QPSK	36	39	17.13	17.26	17.16				
15	QPSK	75	0	17.15	17.20	17.15	18.5	0		
15	16QAM	1	0	17.01	17.18	17.28				
15	16QAM	1	37	17.33	17.28	17.29				
15	16QAM	1	74	17.14	17.36	17.29	18.5	0		
15	16QAM	36	0	16.83	16.95	17.06				
15	16QAM	36	20	16.90	17.01	17.12				
15	16QAM	36	39	16.96	17.10	17.14	18.5	0		
15	16QAM	75	0	16.97	16.98	17.11				
15	64QAM	1	0	17.03	17.08	17.13				
15	64QAM	1	37	17.12	17.32	17.25	18.5	0		
15	64QAM	1	74	16.99	17.23	17.26				
15	64QAM	36	0	16.89	17.04	17.07				
15	64QAM	36	20	16.97	17.08	17.08	18.5	0		
15	64QAM	36	39	16.94	17.08	17.17				
15	64QAM	75	0	16.99	17.07	17.07				
Channel										
Frequency (MHz)				20800	21100	21400	Turn-up limit (dBm)	MPR (dB)		
				2505	2535	2565				
10	QPSK	1	0	17.10	17.34	17.25	18.5	0		
10	QPSK	1	25	16.99	17.16	17.17				
10	QPSK	1	49	16.93	17.22	17.18				
10	QPSK	25	0	17.11	17.37	17.20	18.5	0		
10	QPSK	25	12	17.07	17.24	17.20				
10	QPSK	25	25	17.14	17.23	17.13				
10	QPSK	50	0	17.12	17.18	17.16	18.5	0		
10	16QAM	1	0	17.08	17.13	17.27				
10	16QAM	1	25	17.32	17.25	17.28				
10	16QAM	1	49	17.15	17.33	17.32	18.5	0		
10	16QAM	25	0	16.80	16.93	17.06				
10	16QAM	25	12	17.00	16.98	17.07				
10	16QAM	25	25	17.00	17.13	17.17	18.5	0		
10	16QAM	50	0	16.97	17.05	17.06				
10	64QAM	1	0	16.96	17.06	17.11				
10	64QAM	1	25	17.12	17.32	17.25	18.5	0		
10	64QAM	1	49	17.05	17.23	17.29				
10	64QAM	25	0	16.90	16.94	17.09				
10	64QAM	25	12	16.99	17.04	17.15	18.5	0		
10	64QAM	25	25	16.97	17.07	17.24				
10	64QAM	50	0	16.99	17.07	17.15				
Channel										
Frequency (MHz)				20775	21100	21425	Turn-up limit (dBm)	MPR (dB)		
				2502.5	2535	2567.5				
5	QPSK	1	0	17.13	17.41	17.24	18.5	0		
5	QPSK	1	12	16.99	17.20	17.11				
5	QPSK	1	24	16.91	17.16	17.19				
5	QPSK	12	0	17.14	17.30	17.20	18.5	0		
5	QPSK	12	7	17.17	17.24	17.23				
5	QPSK	12	13	17.15	17.26	17.19				
5	QPSK	25	0	17.13	17.27	17.20	18.5	0		
5	16QAM	1	0	17.05	17.11	17.24				
5	16QAM	1	12	17.24	17.34	17.39				
5	16QAM	1	24	17.07	17.31	17.26	18.5	0		
5	16QAM	12	0	16.83	16.91	17.11				
5	16QAM	12	7	16.95	16.99	17.09				
5	16QAM	12	13	16.89	17.10	17.23	18.5	0		
5	16QAM	25	0	16.90	16.97	17.13				
5	64QAM	1	0	17.06	17.04	17.16				
5	64QAM	1	12	17.07	17.30	17.29	18.5	0		
5	64QAM	1	24	17.05	17.23	17.27				
5	64QAM	12	0	16.85	16.95	17.00				
5	64QAM	12	7	16.98	17.07	17.07	18.5	0		
5	64QAM	12	13	16.91	17.08	17.21				
5	64QAM	25	0	16.99	17.09	17.10				

Band 12_Ant 11												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)												
10	QPSK	1	0	22.82	22.86	22.84	24	0				
10	QPSK	1	25	22.76	22.84	22.75						
10	QPSK	1	49	22.72	22.80	22.76						
10	QPSK	25	0	22.73	22.78	22.65	24	0				
10	QPSK	25	12	22.71	22.69	22.61						
10	QPSK	25	25	22.68	22.75	22.62						
10	QPSK	50	0	22.81	22.83	22.73	23	1				
10	16QAM	1	0	22.85	22.34	22.51						
10	16QAM	1	25	22.81	22.80	22.28						
10	16QAM	1	49	22.53	22.54	22.27	23	1				
10	16QAM	25	0	21.72	21.69	21.72						
10	16QAM	25	12	21.73	21.67	21.63						
10	16QAM	25	25	21.67	21.67	21.70	23	1				
10	16QAM	50	0	21.68	21.60	21.82						
10	64QAM	1	0	21.62	21.71	21.70						
10	64QAM	1	25	21.92	21.36	22.21	23	1				
10	64QAM	1	49	21.98	21.47	21.98						
10	64QAM	25		20.67	20.89	20.62	22	2				
10	64QAM	25	12	20.70	20.87	20.64						
10	64QAM	25	25	20.85	20.93	20.70						
10	64QAM	50	0	20.75	20.74	20.85	23	1				
Channel												
Frequency (MHz)												
5	QPSK	1	0	22.76	22.77	22.75	24	0				
5	QPSK	1	25	22.70	22.78	22.68						
5	QPSK	1	49	22.62	22.75	22.68						
5	QPSK	12	0	22.63	22.68	22.55	24	0				
5	QPSK	12	7	22.55	22.55	22.49						
5	QPSK	12	13	22.57	22.67	22.49						
5	QPSK	25	0	22.68	22.71	22.67	23	1				
5	16QAM	1	0	22.70	22.29	22.46						
5	16QAM	1	12	22.75	22.31	22.21						
5	16QAM	1	24	22.43	22.54	22.17	23	1				
5	16QAM	12	0	21.61	21.59	21.57						
5	16QAM	12	7	21.60	21.55	21.48						
5	16QAM	12	13	21.62	21.57	21.50	23	1				
5	16QAM	25	0	21.53	21.54	21.73						
5	64QAM	1	0	21.56	21.57	21.63						
5	64QAM	1	12	21.86	21.30	22.05	23	1				
5	64QAM	1	24	21.83	21.42	21.82						
5	64QAM	12	0	20.52	20.61	20.53	22	2				
5	64QAM	12	7	20.79	20.79	20.56						
5	64QAM	12	13	20.77	20.84	20.58						
5	64QAM	25	0	20.61	20.66	20.69	23	1				
Channel												
Frequency (MHz)												
3	QPSK	1	0	22.75	22.71	22.72	24	0				
3	QPSK	1	8	22.60	22.78	22.66						
3	QPSK	1	14	22.62	22.75	22.68						
3	QPSK	8	0	22.64	22.68	22.58	24	0				
3	QPSK	8	4	22.55	22.57	22.50						
3	QPSK	8	7	22.56	22.62	22.57						
3	QPSK	15	0	22.70	22.67	22.66	24	0				
3	16QAM	1	0	22.72	22.18	22.34						
3	16QAM	8	8	22.68	22.71	22.18						
3	16QAM	1	14	22.44	22.57	22.11	23	1				
3	16QAM	8	0	21.67	21.58	21.61						
3	16QAM	8	4	21.61	21.54	21.48						
3	16QAM	8	7	21.58	21.38	21.65	23	1				
3	16QAM	15	0	21.61	21.48	21.06						
3	64QAM	1	0	21.57	21.56	21.64						
3	64QAM	1	8	21.78	21.27	22.15	23	1				
3	64QAM	1	14	21.85	21.38	21.90						
3	64QAM	8	0	20.54	20.54	20.57	22	2				
3	64QAM	8	4	20.56	20.56	20.53						
3	64QAM	8	7	20.76	20.81	20.54						
3	64QAM	15	0	20.64	20.68	20.69	23	1				
Channel												
Frequency (MHz)												
1.4	QPSK	1	0	22.76	22.78	22.71	24	0				
1.4	QPSK	1	3	22.60	22.79	22.64						
1.4	QPSK	1	22	22.66	22.66	22.63						
1.4	QPSK	3	0	22.64	22.68	22.51	24	0				
1.4	QPSK	3	1	22.64	22.57	22.54						
1.4	QPSK	3	3	22.62	22.67	22.49						
1.4	QPSK	6	0	22.67	22.70	22.58	24	0				
1.4	QPSK	6	4	22.68	22.64	22.46						
1.4	QPSK	6	3	22.72	22.71	22.21						
1.4	16QAM	1	0	22.38	22.53	22.12	24	0				
1.4	16QAM	3	0	22.71	22.14	22.31						
1.4	16QAM	3	1	22.65	22.58	22.10						
1.4	16QAM	3	3	22.25	22.41	22.05	23	1				
1.4	16QAM	6	0	21.81	21.55	21.76						
1.4	64QAM	1	0	21.47	21.60	21.64						
1.4	64QAM	1	3	21.85	21.26	22.11	23	1				
1.4	64QAM	1	5	21.88	21.40	21.84						
1.4	64QAM	3	0	21.38	21.46	21.51						
1.4	64QAM	3	1	21.70	21.11	21.95	23	1				
1.4	64QAM	3	2	21.81	21.29	21.74						
1.4	64QAM	6	0	20.66	20.60	20.70						

Band 13_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				2320			24	0		
Frequency (MHz)				782						
10	QPSK	1	0	22.88			24	0		
10	QPSK	1	25	22.78						
10	QPSK	1	49	22.74						
10	QPSK	25	0	22.80						
10	QPSK	25	12	22.71			24	0		
10	QPSK	25	25	22.73						
10	QPSK	50	0	22.86						
10	16QAM	1	0	22.84						
10	16QAM	1	25	22.81			24	0		
10	16QAM	1	49	22.85						
10	16QAM	25	0	21.89						
10	16QAM	25	12	21.82						
10	16QAM	25	25	21.88			23	1		
10	16QAM	50	0	21.77						
10	64QAM	1	0	21.88						
10	64QAM	1	25	22.03						
10	64QAM	1	49	21.75			23	1		
10	64QAM	25	0	20.73						
10	64QAM	25	12	20.83						
10	64QAM	25	25	20.76						
10	64QAM	50	0	20.72			22	2		
Channel				23205						
Frequency (MHz)				779.5 782 784.5			24	0		
5	QPSK	1	0	22.80	22.77	22.77				
5	QPSK	1	12	22.73	22.73	22.62	24	0		
5	QPSK	1	24	22.67	22.69	22.69				
5	QPSK	12	0	22.72	22.69	22.64				
5	QPSK	12	7	22.65	22.57	22.60				
5	QPSK	12	13	22.68	22.60	22.62	24	0		
5	QPSK	25	0	22.76	22.73	22.71				
5	16QAM	1	0	22.69	22.73	22.74				
5	16QAM	1	12	22.76	22.66	22.76				
5	16QAM	1	24	22.72	22.76	22.79	24	0		
5	16QAM	12	0	21.53	21.53	21.64				
5	16QAM	12	7	21.74	21.68	21.74				
5	16QAM	12	13	21.77	21.72	21.72				
5	16QAM	25	0	21.71	21.61	21.67	23	1		
5	64QAM	1	0	21.81	21.76	21.80				
5	64QAM	1	12	21.90	21.94	21.94				
5	64QAM	1	24	21.62	21.61	21.59				
5	64QAM	12	0	20.64	20.61	20.59	22	2		
5	64QAM	12	7	20.71	20.69	20.70				
5	64QAM	12	13	20.63	20.60	20.65				
5	64QAM	25	0	20.67	20.67	20.66				

Band 13_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23230			25.3	0		
Frequency (MHz)				765						
10	QPSK	1	0	23.94			25.3	0		
10	QPSK	1	25	23.86						
10	QPSK	1	49	23.75						
10	QPSK	25	0	22.82						
10	QPSK	25	12	22.78			24.3	1		
10	QPSK	25	25	22.76						
10	QPSK	50	0	22.78						
10	16QAM	1	0	22.95						
10	16QAM	1	25	23.13			24.3	1		
10	16QAM	1	49	22.93						
10	16QAM	25	0	21.89						
10	16QAM	25	12	21.78						
10	16QAM	25	25	21.81			23.3	2		
10	16QAM	50	0	21.82						
10	64QAM	1	0	22.13						
10	64QAM	1	25	21.76						
10	64QAM	1	49	22.25			23.3	2		
10	64QAM	25	0	20.85						
10	64QAM	25	12	20.89						
10	64QAM	25	25	20.87						
10	64QAM	50	0	20.83			22.3	3		
Channel				23205 23230 23255						
Frequency (MHz)				779.5 782 784.5			25.3	0		
5	QPSK	1	0	23.69	23.74	23.89				
5	QPSK	1	12	23.89	23.86	23.86	25.3	0		
5	QPSK	1	24	23.80	23.86	23.82				
5	QPSK	12	0	22.62	22.73	22.78				
5	QPSK	12	7	22.75	22.78	22.88				
5	QPSK	12	13	22.76	22.74	22.83	24.3	1		
5	QPSK	25	0	22.79	22.72	22.89				
5	16QAM	1	0	23.10	23.10	22.89				
5	16QAM	1	12	23.09	23.51	23.00				
5	16QAM	1	24	22.96	23.37	23.33	24.3	1		
5	16QAM	12	0	21.82	21.85	21.91				
5	16QAM	12	7	21.85	21.88	21.94				
5	16QAM	12	13	21.74	21.68	21.74				
5	16QAM	25	0	21.79	21.75	21.76	23.3	2		
5	84QAM	1	0	22.10	22.22	21.79				
5	84QAM	1	12	22.31	22.15	22.35				
5	84QAM	1	24	22.12	21.72	21.93				
5	84QAM	12	0	20.72	20.78	20.83	22.3	3		
5	84QAM	12	7	20.83	20.80	20.91				
5	84QAM	12	13	20.93	20.80	20.73				
5	84QAM	25	0	20.80	20.79	20.87				

Band 17_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23760	23760	23800	24	0		
Frequency (MHz)				709	710	711				
10	QPSK	1	0	22.44	22.77	22.59	24	0		
10	QPSK	1	25	22.60	22.69	22.71				
10	QPSK	1	49	22.69	22.65	22.63				
10	QPSK	25	0	22.72	22.76	22.65				
10	QPSK	25	12	22.73	22.72	22.71	24	0		
10	QPSK	25	25	22.72	22.75	22.72				
10	QPSK	50	0	22.73	22.75	22.72				
10	16QAM	1	0	22.76	22.16	22.46				
10	16QAM	1	25	22.59	22.40	22.61	24	0		
10	16QAM	1	49	22.67	22.29	22.31				
10	16QAM	25	0	21.71	21.70	21.72				
10	16QAM	25	12	21.70	21.75	21.76				
10	16QAM	25	25	21.75	21.70	21.74	23	1		
10	16QAM	50	0	21.65	21.61	21.54				
10	84QAM	1	0	22.25	21.29	21.74				
10	84QAM	1	25	22.08	21.65	21.61				
10	84QAM	1	49	21.94	21.72	21.70	23	1		
10	84QAM	25	0	20.87	20.57	20.59				
10	84QAM	25	12	20.84	20.60	20.83				
10	84QAM	25	25	20.83	20.70	20.83	22	2		
10	84QAM	50	0	20.85	20.68	20.68				
10	84QAM	50	0	20.80	20.68	20.68				
10	84QAM	50	0	20.75	20.68	20.68				
Channel				23765	23760	23825	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				706.5	710	713.5	24 <td rowspan="2">0</td> <th colspan="2"></th>	0		
5	QPSK	1	0	22.28	22.70	22.53				
5	QPSK	1	24	22.44	22.61	22.44	24	0		
5	QPSK	1	24	22.56	22.54	22.52				
5	QPSK	12	0	22.60	22.67	22.61				
5	QPSK	12	7	22.62	22.61	22.64				
5	QPSK	12	13	22.62	22.60	22.64	24	0		
5	QPSK	25	0	22.67	22.65	22.61				
5	16QAM	1	0	22.70	22.10	22.34				
5	16QAM	1	12	22.52	22.27	22.52				
5	16QAM	1	24	22.58	22.13	22.25	24	0		
5	16QAM	12	0	21.63	21.61	21.59				
5	16QAM	12	7	21.55	21.66	21.73				
5	16QAM	12	13	21.60	21.63	21.58				
5	16QAM	25	0	21.59	21.51	21.43	23	1		
5	84QAM	1	0	22.10	21.20	21.68				
5	84QAM	1	12	22.01	21.56	21.71				
5	84QAM	1	24	21.76	21.62	21.63				
5	84QAM	12	0	20.51	20.51	20.50	22	2		
5	84QAM	12	0	20.75	20.63	20.70				
5	84QAM	12	13	20.54	20.67	20.61				
5	84QAM	25	0	20.75	20.52	20.65				

Band 17_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				237.62	237.90	238.80			
Frequency (MHz)				709	710	711			
10	QPSK	1	0	23.63	23.75	23.55	25	0	
10	QPSK	1	25	23.57	23.60	23.73			
10	QPSK	1	49	23.73	23.62	23.64			
10	QPSK	25	0	22.71	22.68	22.65	24	1	
10	QPSK	25	12	22.75	22.74	22.82			
10	QPSK	25	25	22.64	22.79	22.70			
10	QPSK	50	0	22.79	22.83	22.80	24	1	
10	16QAM	1	0	22.64	22.87	22.94			
10	16QAM	1	25	23.21	23.04	23.10			
10	16QAM	1	49	22.73	23.23	22.82	23	2	
10	16QAM	25	0	21.74	21.80	21.67			
10	16QAM	25	12	21.72	21.70	21.85			
10	16QAM	25	25	21.73	21.75	21.69	22	3	
10	16QAM	50	0	21.77	21.69	21.53			
10	64QAM	1	0	21.93	21.63	21.74			
10	64QAM	1	25	21.85	22.16	21.94	23	2	
10	64QAM	1	49	21.65	22.06	22.21			
10	64QAM	25	0	20.56	20.61	20.79			
10	64QAM	25	12	20.84	20.74	20.73	22	3	
10	64QAM	25	25	20.69	20.61	20.71			
10	64QAM	50	0	20.70	20.73	20.74			
Channel				237.62	237.90	238.80	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				706.5	710	713.5			
5	QPSK	1	0	23.72	23.74	23.65	25	0	
5	QPSK	1	12	23.69	23.69	23.70			
5	QPSK	1	24	23.58	23.68	23.69			
5	QPSK	12	0	22.68	22.73	22.72	24	1	
5	QPSK	12	7	22.76	22.71	22.73			
5	QPSK	12	13	22.70	22.63	22.64			
5	QPSK	25	0	22.76	22.64	22.80	24	1	
5	16QAM	1	0	23.29	23.34	23.21			
5	16QAM	1	12	23.00	23.23	23.18			
5	16QAM	1	24	22.90	23.01	22.69	23	2	
5	16QAM	12	0	21.79	21.62	21.79			
5	16QAM	12	7	21.66	21.69	21.69			
5	16QAM	12	13	21.59	21.79	21.69	23	2	
5	16QAM	25	0	21.76	21.67	21.69			
5	64QAM	1	0	21.93	22.01	21.87			
5	64QAM	1	12	21.89	21.71	21.97	23	2	
5	64QAM	1	24	21.74	21.83	22.10			
5	64QAM	12	0	20.69	20.71	20.77			
5	64QAM	12	7	20.67	20.68	20.74	22	3	
5	64QAM	12	13	20.66	20.79	20.65			
5	64QAM	25	0	20.84	20.70	20.66			

Band 18_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				239.90	239.95	239.95	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				822.5	825.5	828.5				
15	QPSK	1	0		20.36		21.5	0		
15	QPSK	1	37		20.05					
15	QPSK	1	74		19.99					
15	QPSK	36	0		20.33		21.5	0		
15	QPSK	36	20		20.29					
15	QPSK	36	39		20.12					
15	QPSK	75	0		20.04		21.5	0		
15	16QAM	1	0		20.08					
15	16QAM	1	37		20.29					
15	16QAM	1	74		20.14		21.5	0		
15	16QAM	36	0		20.23					
15	16QAM	36	20		20.27					
15	16QAM	36	39		20.12		21.5	0		
15	16QAM	75	0		20.13					
15	84QAM	1	0		19.94		21.5	0		
15	84QAM	1	37		20.27					
15	84QAM	1	74		20.24					
15	84QAM	36	0		20.26		21.5	0		
15	84QAM	36	20		20.35					
15	84QAM	36	39		20.17					
15	84QAM	75	0		20.13					
Channel				239.90	239.95	239.95	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				820	822.5	825				
10	QPSK	1	0	20.26	20.25	20.28	21.5	0		
10	QPSK	1	25	19.96	19.91	19.94				
10	QPSK	1	49	19.91	19.92	19.90				
10	QPSK	25	0	20.19	20.20	20.27	21.5	0		
10	QPSK	25	12	20.21	20.17	20.24				
10	QPSK	25	25	20.03	20.02	20.06				
10	QPSK	50	0	19.97	19.93	19.99	21.5	0		
10	16QAM	1	0	19.97	19.92	19.97				
10	16QAM	1	25	20.20	20.13	20.14				
10	16QAM	1	49	20.05	20.09	20.02	21.5	0		
10	16QAM	25	0	20.08	20.08	20.09				
10	16QAM	25	12	20.16	20.21	20.22				
10	16QAM	25	25	20.06	20.04	19.99	21.5	0		
10	16QAM	50	0	20.04	20.05	19.98				
10	84QAM	1	0	19.55	19.51	19.51				
10	84QAM	1	25	20.16	20.16	20.20	21.5	0		
10	84QAM	1	49	20.14	20.19	20.14				
10	84QAM	25	0	20.18	20.14	20.10				
10	84QAM	25	12	20.29	20.26	20.22	21.5	0		
10	84QAM	25	25	20.12	20.02	20.08				
10	84QAM	50	0	20.08	20.00	20.01				
Channel				239.90	239.95	239.95	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				817.5	822.5	827.5				
5	QPSK	1	0	20.30	20.31	20.27	21.5	0		
5	QPSK	1	12	19.90	19.98	20.00				
5	QPSK	1	24	19.85	19.89	19.93				
5	QPSK	12	0	20.22	20.21	20.28	21.5	0		
5	QPSK	12	7	20.23	20.18	20.15				
5	QPSK	12	13	19.99	20.02	19.96				
5	QPSK	25	0	19.91	19.94	19.98	21.5	0		
5	16QAM	1	0	19.99	19.90	19.98				
5	16QAM	1	12	20.20	20.17	20.23				
5	16QAM	1	24	20.08	19.99	20.05	21.5	0		
5	16QAM	12	0	20.14	20.16	20.13				
5	16QAM	12	7	20.11	20.12	20.16				
5	16QAM	12	13	19.99	20.05	19.97	21.5	0		
5	16QAM	25	0	19.97	19.99	20.08				
5	84QAM	1	0	19.59	19.53	19.54				
5	84QAM	1	12	20.12	20.15	20.16	21.5	0		
5	84QAM	1	24	20.18	20.14	20.18				
5	84QAM	12	0	20.10	20.16	20.16				
5	84QAM	12	7	20.28	20.29	20.20	21.5	0		
5	84QAM	12	13	20.08	20.04	20.05				
5	84QAM	25	0	20.06	20.07	20.07				

Band 18_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)	
Channel				239.95					
Frequency (MHz)				822.5					
15	QPSK	1	0		23.86		25	0	
15	QPSK	1	37		23.58				
15	QPSK	1	74		23.58				
15	QPSK	36	0		22.71		24	1	
15	QPSK	36	20		22.68				
15	QPSK	36	39		22.60				
15	QPSK	75	0		22.54		24	1	
15	16QAM	1	0		22.89				
15	16QAM	1	37		22.89		23	2	
15	16QAM	1	74		22.81				
15	16QAM	36	0		21.63		23	2	
15	16QAM	36	20		21.76				
15	16QAM	36	39		21.76				
15	16QAM	75	0		21.45		23	2	
15	16QAM	1	0		22.04				
15	64QAM	1	37		21.93		22	3	
15	64QAM	1	74		21.99				
15	64QAM	36	0		20.77		22	3	
15	64QAM	36	20		20.71				
15	64QAM	36	39		20.68				
15	64QAM	75	0		20.62				
Channel				239.90	239.95	239.95	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				820	822.5	825			
10	QPSK	1	0	23.75	23.62	23.69	25	0	
10	QPSK	1	25	23.75	23.63	23.68			
10	QPSK	1	49	23.62	23.67	23.55			
10	QPSK	25	0	22.72	22.73	22.67	24	1	
10	QPSK	25	12	22.86	22.67	22.82			
10	QPSK	25	25	22.65	22.75	22.73			
10	QPSK	50	0	22.79	22.71	22.82	24	1	
10	16QAM	1	0	23.12	23.01	23.13			
10	16QAM	1	25	23.02	22.85	23.20			
10	16QAM	1	49	23.44	23.18	23.20	23	2	
10	16QAM	25	0	21.72	21.77	21.65			
10	16QAM	25	12	21.81	21.75	21.80			
10	16QAM	25	25	21.71	21.75	21.81	22	3	
10	16QAM	50	0	21.70	21.84	21.74			
10	64QAM	1	0	21.89	21.52	22.16			
10	64QAM	1	25	21.89	21.53	21.96	22	3	
10	64QAM	1	49	21.60	21.39	22.28			
10	64QAM	25	0	20.77	20.80	20.66			
10	64QAM	25	12	20.80	20.77	20.83	22	3	
10	64QAM	25	25	20.76	20.83	20.74			
10	64QAM	50	0	20.75	20.70	20.84			
Channel				239.90	239.95	239.95	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				817.5	822.5	827.5			
5	QPSK	1	0	23.61	23.58	23.70	25	0	
5	QPSK	1	12	23.84	23.69	23.78			
5	QPSK	1	24	23.75	23.63	23.61			
5	QPSK	12	0	22.65	22.61	22.71	24	1	
5	QPSK	12	7	22.75	22.78	22.72			
5	QPSK	12	14	22.74	22.75	22.71			
5	QPSK	25	0	22.67	22.66	22.64	24	1	
5	16QAM	1	0	22.89	23.36	23.13			
5	16QAM	1	12	23.11	23.32	23.22			
5	16QAM	1	24	23.03	22.94	23.09	23	2	
5	16QAM	12	0	21.67	21.62	21.69			
5	16QAM	12	7	21.84	21.78	21.86			
5	16QAM	12	13	21.72	21.82	21.74	22	3	
5	16QAM	25	0	21.72	21.70	21.66			
5	64QAM	1	0	22.16	21.98	22.18			
5	64QAM	1	12	21.96	21.89	22.00	22	3	
5	64QAM	1	24	21.74	22.21	22.37			
5	64QAM	12	0	20.59	20.73	20.61			
5	64QAM	12	7	20.72	20.89	20.89	22	3	
5	64QAM	12	13	20.73	20.80	20.72			
5	64QAM	25	0	20.65	20.77	20.70			

Band 19_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MFR (dB)		
Channel				24075						
Frequency (MHz)				837.5						
15	QPSK	1	0		20.63		21.5	0		
15	QPSK	1	37		20.47					
15	QPSK	1	74		20.24					
15	QPSK	36	0		20.53					
15	QPSK	36	20		20.41		21.5	0		
15	QPSK	36	39		20.35					
15	QPSK	75	0		20.37					
15	16QAM	1	0		20.59		21.5	0		
15	16QAM	1	37		20.51					
15	16QAM	1	74		20.56					
15	16QAM	36	0		20.38					
15	16QAM	36	20		20.52		21.5	0		
15	16QAM	36	39		20.52					
15	16QAM	75	0		20.33					
15	84QAM	1	0		20.18		21.5	0		
15	84QAM	1	37		20.44					
15	84QAM	1	74		20.06					
15	84QAM	36	0		20.35					
15	84QAM	36	20		20.48		21.5	0		
15	84QAM	36	39		20.39					
15	84QAM	75	0		20.46					
Channel				24050	24075	24100	Tune-up limit (dBm)	MFR (dB)		
Frequency (MHz)				835	837.5	840				
10	QPSK	1	0	20.21	20.19	20.26	21.5	0		
10	QPSK	1	25	20.06	20.05	20.09				
10	QPSK	1	49	19.87	19.87	19.85				
10	QPSK	25	0	20.11	20.04	20.10				
10	QPSK	25	12	20.05	20.05	19.95	21.5	0		
10	QPSK	25	25	19.94	19.98	19.98				
10	QPSK	50	0	20.01	19.99	20.00				
10	16QAM	1	0	20.22	20.21	20.16				
10	16QAM	1	25	20.11	20.10	20.13	21.5	0		
10	16QAM	1	49	20.11	20.20	20.11				
10	16QAM	25	0	20.01	19.99	20.02				
10	16QAM	25	12	20.12	20.12	20.12				
10	16QAM	25	25	20.12	20.17	20.09	21.5	0		
10	16QAM	50	0	19.97	19.90	19.92				
10	84QAM	1	0	19.83	19.79	19.76				
10	84QAM	1	25	19.98	20.06	20.06	21.5	0		
10	84QAM	1	49	19.70	19.65	19.60				
10	84QAM	25	0	19.93	19.95	19.91				
10	84QAM	25	12	20.11	20.06	20.08				
10	84QAM	25	25	19.99	19.99	19.95	21.5	0		
10	84QAM	50	0	20.08	20.09	20.03				
Channel				24025	24075	24125				
Frequency (MHz)				832.5	837.5	842.5				
5	QPSK	1	0	20.18	20.19	20.23	21.5	0		
5	QPSK	1	12	20.12	20.09	20.07				
5	QPSK	1	24	19.78	19.81	19.84				
5	QPSK	12	0	20.12	20.03	20.09				
5	QPSK	12	7	19.95	20.05	20.05	21.5	0		
5	QPSK	12	13	19.96	19.99	19.99				
5	QPSK	25	0	19.93	19.91	19.98				
5	16QAM	1	0	20.15	20.17	20.23				
5	16QAM	1	12	20.07	20.07	20.10	21.5	0		
5	16QAM	1	24	20.13	20.13	20.14				
5	16QAM	12	0	19.92	19.98	19.96				
5	16QAM	12	7	20.13	20.09	20.09				
5	16QAM	12	13	20.09	20.15	20.08	21.5	0		
5	16QAM	25	0	19.89	19.96	19.90				
5	84QAM	1	0	19.79	19.76	19.81				
5	84QAM	1	12	20.03	20.06	20.02	21.5	0		
5	84QAM	1	24	19.65	19.69	19.63				
5	84QAM	12	0	19.90	19.95	19.96				
5	84QAM	12	7	20.02	20.13	20.13				
5	84QAM	12	13	20.01	20.01	19.98	21.5	0		
5	84QAM	25	0	20.06	20.01	20.10				

Band 19_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel					24075				
Frequency (MHz)					837.5				
15	QPSK	1	0		23.70		25	0	
15	QPSK	1	37		23.50				
15	QPSK	1	74		23.34				
15	QPSK	36	0		22.64		24	1	
15	QPSK	36	20		22.51				
15	QPSK	36	39		22.63				
15	QPSK	75	0		22.52		24	1	
15	16QAM	1	0		23.00				
15	16QAM	1	37		22.68				
15	16QAM	1	74		22.81		23	2	
15	16QAM	36	0		21.56				
15	16QAM	36	20		21.67				
15	16QAM	36	39		21.57		23	2	
15	16QAM	75	0		21.61				
15	84QAM	1	0		21.87				
15	84QAM	1	37		21.46		22	3	
15	84QAM	1	74		21.18				
15	84QAM	36	0		20.51				
15	84QAM	36	20		20.62		22	3	
15	84QAM	36	39		20.61				
15	84QAM	75	0		20.43				
Channel					24050	24075	24100	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)					835	837.5	840		
10	QPSK	1	0	23.62	23.65	23.53	25	0	
10	QPSK	1	25	23.54	23.63	23.62			
10	QPSK	1	49	23.60	23.57	23.53			
10	QPSK	25	0	22.76	22.68	22.71	24	1	
10	QPSK	25	12	22.78	22.86	22.74			
10	QPSK	25	25	22.85	22.79	22.79			
10	QPSK	50	0	22.76	22.71	22.70	24	1	
10	16QAM	1	0	23.27	23.44	23.15			
10	16QAM	1	25	23.18	23.29	22.80			
10	16QAM	1	49	23.01	23.03	23.01	23	2	
10	16QAM	25	0	21.73	21.80	21.70			
10	16QAM	25	12	21.82	21.83	21.68			
10	16QAM	25	25	21.88	21.72	21.77	22	3	
10	16QAM	50	0	21.76	21.70	21.62			
10	84QAM	1	0	22.25	22.07	21.16			
10	84QAM	1	25	22.10	22.22	21.71	23	2	
10	84QAM	1	49	21.62	21.95	21.48			
10	84QAM	25	0	20.65	20.89	20.64			
10	84QAM	25	12	20.78	20.75	20.68	22	3	
10	84QAM	25	25	20.86	20.78	20.79			
10	84QAM	50	0	20.78	20.67	20.71			
Channel					24025	24075	24125	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)					832.5	837.5	842.5		
5	QPSK	1	0	23.60	23.55	23.64	25	0	
5	QPSK	1	12	23.67	23.69	23.61			
5	QPSK	1	24	23.61	23.65	23.62			
5	QPSK	12	0	22.63	22.70	22.66	24	1	
5	QPSK	12	7	22.69	22.63	22.78			
5	QPSK	12	13	22.63	22.73	22.71			
5	QPSK	25	0	22.68	22.75	22.72	23	1	
5	16QAM	1	0	22.88	22.44	22.98			
5	16QAM	1	12	22.55	23.22	22.88			
5	16QAM	1	24	22.62	22.98	22.56	23	2	
5	16QAM	12	0	21.74	21.73	21.68			
5	16QAM	12	7	21.78	21.67	21.80			
5	16QAM	12	13	21.67	21.87	21.82	22	3	
5	16QAM	25	0	21.71	21.67	21.73			
5	84QAM	1	0	21.80	21.69	21.86			
5	84QAM	1	12	22.25	22.13	22.08	23	2	
5	84QAM	1	24	21.77	21.62	22.11			
5	84QAM	12	0	20.68	20.62	20.19			
5	84QAM	12	7	20.75	20.68	20.88	22	3	
5	84QAM	12	13	20.69	20.63	20.77			
5	84QAM	25	0	20.71	20.67	20.67			

Band 26_Ant 41													
BW (MHz)	Modulatio n	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				20965	20965	20965							
Frequency (MHz)				831.5	831.5	841.5							
15	QPSK	1	0	22.80	22.80	22.75	24	0					
15	QPSK	1	37	22.67	22.74	22.64							
15	QPSK	1	74	22.77	22.40	22.56							
15	QPSK	36	0	21.78	21.85	21.76	23	1					
15	QPSK	36	39	21.77	21.76	21.58							
15	QPSK	36	39	21.64	21.75	21.68							
15	QPSK	75	0	21.80	21.83	21.71	23	1					
15	16QAM	1	0	22.13	21.94	22.15							
15	16QAM	1	37	21.89	21.75	21.88							
15	16QAM	1	74	22.03	21.63	22.23	22	2					
15	16QAM	36	0	20.85	20.80	20.73							
15	16QAM	36	20	20.82	20.89	20.64							
15	16QAM	36	39	20.76	20.87	20.76	22	2					
15	16QAM	75	0	20.84	20.85	20.79							
15	64QAM	1	0	20.72	20.70	21.11							
15	64QAM	1	37	21.11	20.90	20.81	22	2					
15	64QAM	1	74	20.79	20.70	20.94							
15	64QAM	36	0	19.70	19.79	19.65							
15	64QAM	36	20	19.88	19.67	19.88	21	3					
15	64QAM	36	39	19.83	19.81	19.62							
15	64QAM	75	0	19.87	19.73	19.73							
Channel				20740	20740	20740							
Frequency (MHz)				819	831.5	844							
10	QPSK	1	0	22.61	22.75	22.61	24	0					
10	QPSK	1	25	22.80	22.79	22.80							
10	QPSK	1	49	22.68	22.79	22.55							
10	QPSK	25	0	21.79	21.89	21.80	23	1					
10	QPSK	25	12	21.83	21.81	21.78							
10	QPSK	25	25	21.94	21.92	21.83							
10	QPSK	50	0	21.83	21.90	21.82	23	1					
10	16QAM	1	0	22.63	22.31	22.36							
10	16QAM	1	25	22.28	22.48	22.35							
10	16QAM	1	49	22.32	22.31	22.19	22	2					
10	16QAM	25	0	20.85	20.88	20.81							
10	16QAM	25	12	20.97	20.96	20.80							
10	16QAM	25	25	20.97	20.85	20.89	22	2					
10	16QAM	50	0	20.97	20.91	20.82							
10	64QAM	1	0	21.14	21.25	21.32							
10	64QAM	1	25	20.94	20.93	20.78	22	2					
10	64QAM	1	49	20.95	21.01	20.92							
10	64QAM	25	0	19.82	19.87	19.78							
10	64QAM	25	12	19.95	19.94	19.83	21	3					
10	64QAM	25	25	19.80	19.95	19.85							
10	64QAM	50	0	19.87	19.84	19.74							
Channel				20715	20805	22015							
Frequency (MHz)				818.5	831.5	848.5							
5	QPSK	1	0	22.58	22.71	22.76	24	0					
5	QPSK	1	12	22.74	22.79	22.64							
5	QPSK	1	24	22.60	22.75	22.66							
5	QPSK	12	0	21.72	21.85	21.80	23	1					
5	QPSK	12	7	21.83	21.83	21.81							
5	QPSK	12	13	21.90	21.87	21.80							
5	QPSK	25	0	21.80	21.78	21.76	23	1					
5	16QAM	1	0	22.37	22.44	22.35							
5	16QAM	1	12	22.16	22.08	22.26							
5	16QAM	1	24	22.15	22.45	22.19	22	2					
5	16QAM	12	0	20.87	20.84	20.85							
5	16QAM	12	7	20.92	20.90	20.84							
5	16QAM	12	13	20.89	20.88	20.88	22	2					
5	16QAM	25	0	20.93	20.71	20.80							
5	64QAM	1	0	21.38	21.02	21.03							
5	64QAM	1	12	21.06	21.16	21.05	22	2					
5	64QAM	1	24	21.09	20.87	21.28							
5	64QAM	12	0	19.82	19.93	19.74							
5	64QAM	12	7	19.92	20.00	19.91	21	3					
5	64QAM	12	13	19.80	19.90	19.91							
5	64QAM	25	0	19.88	19.85	19.91							
Channel				20705	20805	22035							
Frequency (MHz)				818.5	831.5	848.3							
3	QPSK	1	0	22.48	22.59	22.62	24	0					
3	QPSK	1	8	22.75	22.76	22.55							
3	QPSK	1	14	22.62	22.86	22.55							
3	QPSK	8	0	21.75	21.79	21.65	23	1					
3	QPSK	8	4	21.85	21.84	21.80							
3	QPSK	8	7	21.87	21.89	21.81							
3	QPSK	15	0	21.79	21.79	21.80	23	1					
3	16QAM	1	0	21.74	22.21	21.92							
3	16QAM	1	8	22.06	22.20	21.84							
3	16QAM	1	14	22.33	22.09	21.82	22	2					
3	16QAM	8	0	20.75	20.74	20.80							
3	16QAM	8	4	21.08	20.91	20.95							
3	16QAM	8	7	20.92	20.98	20.90	22	2					
3	16QAM	15	0	20.83	20.97	20.85							
3	64QAM	1	0	20.75	20.92	20.92							
3	64QAM	1	8	21.06	20.71	20.93	22	2					
3	64QAM	1	14	20.71	20.87	20.74							
3	64QAM	8	0	19.80	19.89	19.64							
3	64QAM	8	4	20.00	20.04	19.80	21	3					
3	64QAM	8	7	19.97	19.85	19.76							
3	64QAM	15	0	19.88	19.81	19.67							
Channel				20697	20805	22033							
Frequency (MHz)				814.7	831.5	848.3							
1.4	QPSK	1	0	22.60	22.82	22.58	24	0					
1.4	QPSK	1	3	22.71	22.80	22.63							
1.4	QPSK	1	5	22.74	22.76	22.84							
1.4	QPSK	3	0	22.65	22.69	22.67	23	1					
1.4	QPSK	3	1	22.76	22.75	22.60							
1.4	QPSK	3	3	22.68	22.79	22.62							
1.4	QPSK	6	0	21.86	21.82	21.76	23	1					
1.4	16QAM	1	0	22.42	21.95	22.27							
1.4	16QAM	1	3	22.21	22.45	22.15							
1.4	16QAM	1	5	22.26	22.17	22.15	23	1					
1.4	16QAM	3	0	21.86	22.00	22.00							
1.4	16QAM	3	1	22.06	21.97	22.02							
1.4	16QAM	3	3	22.26	22.02	21.90	22	2					
1.4	16QAM	6	0	20.88	20.97	20.81							
1.4	64QAM	1	0	21.03	21.07	20.87							
1.4	64QAM	1	3	20.77	21.10	21.12	22	2					
1.4	64QAM	1	5	21.15	21.02	20.96							
1.4	64QAM	3	0	20.96	20.86	20.67							
1.4	64QAM	3	1	20.90	20.79	21.07	21	3					
1.4	64QAM	3	3</										

Band 66_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				130072	133032	135072				
Frequency (MHz)				1720	1745	1770				
20	QPSK	1	0	23.65	23.89	23.72	25	0		
20	QPSK	1	49	23.68	23.70	23.65				
20	QPSK	1	99	23.42	23.65	23.52				
20	QPSK	50	0	22.70	22.72	22.65	24	1		
20	QPSK	50	24	22.66	22.53	22.54				
20	QPSK	50	50	22.61	22.59	22.55				
20	QPSK	100	0	22.66	22.71	22.70	24	1		
20	16QAM	1	0	23.00	22.48	22.97				
20	16QAM	1	49	22.68	22.85	22.88				
20	16QAM	1	99	22.42	22.52	22.51	23	2		
20	16QAM	50	0	21.64	21.68	21.49				
20	16QAM	50	24	21.65	21.49	21.73				
20	16QAM	50	50	21.45	21.58	21.63	23	2		
20	16QAM	100	0	21.72	21.80	21.72				
20	64QAM	1	0	21.73	21.62	21.65				
20	64QAM	1	49	21.90	21.90	21.59	23	2		
20	64QAM	1	99	21.38	21.35	21.82				
20	64QAM	50	0	20.65	20.64	20.62				
20	64QAM	50	24	20.67	20.71	20.71	22	3		
20	64QAM	50	50	20.58	20.67	20.76				
20	64QAM	100	0	20.67	20.42	20.76				
Channel				130047	133032	135097	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1717.5	1745	1772.5				
15	QPSK	1	0	23.22	23.45	23.48	25	0		
15	QPSK	1	37	23.33	23.31	23.79				
15	QPSK	1	74	23.25	23.35	23.68				
15	QPSK	36	0	22.48	22.67	22.67	24	1		
15	QPSK	36	20	22.48	22.67	22.62				
15	QPSK	36	39	22.51	22.72	22.70				
15	QPSK	75	0	22.51	22.67	22.67	24	1		
15	16QAM	1	0	22.65	22.70	22.84				
15	16QAM	1	37	22.96	22.70	22.99				
15	16QAM	1	74	22.93	22.73	23.02	23	2		
15	16QAM	36	0	21.40	21.64	21.68				
15	16QAM	36	20	21.39	21.54	21.67				
15	16QAM	36	39	21.50	21.60	21.66	23	2		
15	16QAM	75	0	21.54	21.85	21.88				
15	64QAM	1	0	21.60	21.54	21.55				
15	64QAM	1	37	21.61	21.78	22.04	23	2		
15	64QAM	1	74	21.42	21.40	21.96				
15	64QAM	36	0	20.90	20.80	20.65				
15	64QAM	36	20	20.61	20.71	20.82	22	3		
15	64QAM	36	39	20.52	20.64	20.62				
15	64QAM	75	0	20.57	20.58	20.68				
Channel				130022	133032	135092	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1715	1745	1775				
10	QPSK	1	0	23.32	23.46	23.38	25	0		
10	QPSK	1	25	23.45	23.45	23.46				
10	QPSK	1	49	23.44	23.35	23.45				
10	QPSK	25	0	22.67	22.67	22.63	24	1		
10	QPSK	25	12	22.62	22.65	22.56				
10	QPSK	25	25	22.58	22.61	22.59				
10	QPSK	50	0	22.66	22.64	22.63	24	1		
10	16QAM	1	0	22.75	22.97	22.94				
10	16QAM	1	25	22.54	22.86	22.97				
10	16QAM	1	49	22.75	22.79	23.00	23	2		
10	16QAM	25	0	21.70	21.55	21.63				
10	16QAM	25	12	21.64	21.64	21.61				
10	16QAM	25	25	21.60	21.54	21.75	23	2		
10	16QAM	50	0	21.62	21.66	21.55				
10	64QAM	1	0	21.53	21.70	21.57				
10	64QAM	1	25	21.58	21.69	21.39	23	2		
10	64QAM	1	49	21.72	21.48	22.04				
10	64QAM	25	0	20.76	20.59	20.63				
10	64QAM	25	12	20.63	20.63	20.65	22	3		
10	64QAM	25	25	20.63	20.67	20.68				
10	64QAM	50	0	20.64	20.65	20.68				
Channel				131597	133032	135047	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1712.5	1745	1772.5				
5	QPSK	1	0	23.41	23.41	23.73	25	0		
5	QPSK	1	12	23.49	23.39	23.66				
5	QPSK	1	24	23.32	23.26	23.50				
5	QPSK	12	0	22.43	22.56	22.70	24	1		
5	QPSK	12	7	22.48	22.67	22.72				
5	QPSK	12	13	22.40	22.49	22.70				
5	QPSK	25	0	22.49	22.56	22.75	24	1		
5	16QAM	1	0	22.72	22.63	23.10				
5	16QAM	1	12	22.85	23.08	23.11				
5	16QAM	1	24	22.77	23.25	23.06	23	2		
5	16QAM	12	0	21.51	21.62	21.79				
5	16QAM	12	7	21.46	21.77	21.80				
5	16QAM	12	13	21.38	21.80	21.76	23	2		
5	16QAM	25	0	21.37	21.78	21.68				
5	64QAM	1	0	21.97	21.93	21.61				
5	64QAM	1	12	21.59	21.74	21.62	23	2		
5	64QAM	1	24	21.59	21.90	22.02				
5	64QAM	12	0	20.41	20.79	20.65				
5	64QAM	12	7	20.51	20.80	20.67	22	3		
5	64QAM	12	13	20.45	20.78	20.77				
5	64QAM	25	0	20.59	20.74	20.83				
Channel				131597	133032	135097	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1711.5	1745	1778.5				
3	QPSK	1	0	23.40	23.47	23.46	25	0		
3	QPSK	1	8	23.49	23.54	23.54				
3	QPSK	1	14	23.38	23.39	23.39				
3	QPSK	8	0	22.59	22.55	22.50	24	1		
3	QPSK	8	4	22.54	22.62	22.56				
3	QPSK	8	7	22.52	22.51	22.50				
3	QPSK	15	0	22.84	22.54	22.46	24	1		
3	16QAM	1	0	22.60	22.82	22.82				
3	16QAM	1	8	22.59	22.92	23.09				
3	16QAM	1	14	23.01	23.00	22.54	23	2		
3	16QAM	8	0	21.47	21.70	21.69				
3	16QAM	8	4	21.53	21.65	21.63				
3	16QAM	8	7	21.67	21.63	21.75	23	2		
3	16QAM	15	0	21.48	21.47	21.62				
3	64QAM	1	0	21.68	21.62	21.86				
3	64QAM	1	8	21.54	21.60	21.84	23	2		
3	64QAM	1	14	21.37	21.84	21.58				
3	64QAM	8	0	20.53	20.56	20.67				
3	64QAM	8	4	20.62	20.53	20.74	22	3		
3	64QAM	8	7	20.73	20.57	20.66				
3	64QAM	15	0	20.56	20.55	20.60				
Channel				131979	133032	135095	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1710.7	1745	1779.3				
1.4	QPSK	1	0	23.21	23.49	23.50	25	0		
1.4	QPSK	1	8	23.29	23.39	23.54				
1.4	QPSK	1	5	23.12	23.39	23.56				
1.4	QPSK	3	0	23.23	23.39	23.65	25	0		
1.4	QPSK	3	1	23.25	23.47	23.84				
1.4	QPSK	3	3	23.38	23.54	23.87				
1.4	QPSK	6	0	22.42	22.58	22.75	25	0		
1.4	QPSK	6	1	22.45	22.60	22.82				
1.4	QPSK	3	3	22.69	22.63	22.90				
1.4	16QAM	1	5	22.81	22.67	22.80	25	0		
1.4	16QAM	3	0	22.73	22.74	22.88				
1.4	16QAM	3	1	22.40	22.89	22.87				
1.4	16QAM	3	2	22.56	22.86	22.99	25	0		
1.4	16QAM	3	0	21.61	21.84	21.84				
1.4	64QAM	1	0	21.75	21.63	21.62				
1.4	64QAM	1	0	21.77	21.55	21.50	25	0		
1.4	64QAM	1	5	21.28	21.61	21.42				
1.4	64QAM	3	0	21.52	21.75	21.91				
1.4	64QAM	3	1	21.74	21.71	21.77	25	0		
1.4	64QAM	3	3	21.70	21.58	21.92				
1.4	64QAM	6	0	20.44	20.72	20.81				

Band 38_Ant 13										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MPR (dB)		
Channel				37850	38000	38150				
Frequency (MHz)				2590	2595	2610				
20	QPSK	1	0	14.88	15.13	14.98	15.7	0		
20	QPSK	1	49	14.87	14.90	14.85				
20	QPSK	1	99	14.85	15.10	14.73				
20	QPSK	50	0	14.84	14.92	14.90	15.7	0		
20	QPSK	50	24	14.69	14.84	14.92				
20	QPSK	50	50	14.80	14.79	14.71				
20	QPSK	100	0	14.99	15.04	15.01	15.7	0		
20	16QAM	1	0	14.95	14.91	15.00				
20	16QAM	1	49	14.93	14.84	14.96				
20	16QAM	1	99	15.07	15.07	14.96	15.7	0		
20	16QAM	50	0	15.05	14.92	15.03				
20	16QAM	50	24	14.96	15.02	15.03				
20	16QAM	50	50	14.86	14.85	14.85	15.7	0		
20	16QAM	100	0	14.91	14.82	14.87				
20	84QAM	1	0	14.99	14.99	14.88				
20	84QAM	1	49	14.81	14.69	14.68	15.7	0		
20	84QAM	1	99	14.80	14.72	14.75				
20	84QAM	50	0	15.08	15.08	14.65				
20	84QAM	50	24	15.09	15.07	14.95	15.7	0		
20	84QAM	50	50	14.95	14.70	14.79				
20	84QAM	100	0	14.89	14.79	14.92				
Channel				37625	38000	38175	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2577.5	2595	2612.5				
15	QPSK	1	0	14.75	15.02	14.81	15.7	0		
15	QPSK	1	37	14.80	14.81	14.77				
15	QPSK	1	74	14.77	15.04	14.68				
15	QPSK	36	0	14.70	14.82	14.85	15.7	0		
15	QPSK	36	20	14.62	14.69	14.71				
15	QPSK	36	39	14.75	14.63	14.96				
15	QPSK	75	0	14.83	14.92	14.85	15.7	0		
15	16QAM	1	0	14.80	14.84	14.88				
15	16QAM	1	37	14.83	14.68	14.84				
15	16QAM	1	74	14.91	14.91	14.54	15.7	0		
15	16QAM	36	0	14.96	14.85	14.68				
15	16QAM	36	20	14.85	14.91	14.95				
15	16QAM	36	39	14.73	14.73	14.77	15.7	0		
15	16QAM	75	0	14.83	14.72	14.72				
15	84QAM	1	0	14.93	14.84	14.79				
15	84QAM	1	37	14.85	14.84	14.62	15.7	0		
15	84QAM	1	74	14.75	14.67	14.67				
15	84QAM	36	0	14.95	15.03	14.50				
15	84QAM	36	20	15.02	14.92	14.78	15.7	0		
15	84QAM	36	39	14.81	14.73	14.86				
15	84QAM	75	0	14.73	14.84	14.80				
Channel				37800	38000	38200	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2575	2595	2615				
10	QPSK	1	0	14.74	15.04	14.79	15.7	0		
10	QPSK	1	25	14.72	14.79	14.70				
10	QPSK	1	49	14.72	14.94	14.68				
10	QPSK	25	0	14.74	14.80	14.81	15.7	0		
10	QPSK	25	12	14.59	14.69	14.75				
10	QPSK	25	25	14.68	14.71	14.65				
10	QPSK	50	0	14.87	14.88	14.90	15.7	0		
10	16QAM	1	0	14.80	14.76	14.92				
10	16QAM	1	25	14.77	14.72	14.90				
10	16QAM	1	49	14.99	14.99	14.55	15.7	0		
10	16QAM	25	0	14.98	14.83	14.73				
10	16QAM	25	12	14.86	14.90	14.97				
10	16QAM	25	25	14.74	14.80	14.71	15.7	0		
10	16QAM	50	0	14.76	14.70	14.82				
10	84QAM	1	0	14.84	14.84	14.78				
10	84QAM	1	25	14.75	14.58	14.57	15.7	0		
10	84QAM	1	49	14.79	14.58	14.62				
10	84QAM	25	0	14.83	15.03	14.59				
10	84QAM	25	12	14.96	14.95	14.88	15.7	0		
10	84QAM	25	25	14.88	14.57	14.67				
10	84QAM	50	0	14.82	14.73	14.86				
Channel				37775	38000	38225	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2572.5	2595	2617.5				
5	QPSK	1	0	14.77	15.01	14.82	15.7	0		
5	QPSK	1	12	14.71	14.84	14.78				
5	QPSK	1	24	14.74	15.03	14.68				
5	QPSK	12	0	14.70	14.83	14.82	15.7	0		
5	QPSK	12	7	14.58	14.76	14.75				
5	QPSK	12	13	14.69	14.67	14.82				
5	QPSK	25	0	14.83	14.96	14.88	15.7	0		
5	16QAM	1	0	14.80	14.77	14.92				
5	16QAM	1	12	14.87	14.76	14.84				
5	16QAM	1	24	14.99	14.92	14.56	15.7	0		
5	16QAM	12	0	14.89	14.80	14.70				
5	16QAM	12	7	14.81	14.88	14.95				
5	16QAM	12	13	14.72	14.78	14.72	15.7	0		
5	16QAM	25	0	14.76	14.77	14.73				
5	84QAM	1	0	14.80	14.83	14.78				
5	84QAM	1	12	14.69	14.54	14.52	15.7	0		
5	84QAM	1	24	14.74	14.57	14.68				
5	84QAM	12	0	14.99	14.96	14.50				
5	84QAM	12	7	14.89	14.84	14.96	15.7	0		
5	84QAM	12	13	14.90	14.59	14.73				
5	84QAM	25	0	14.81	14.69	14.76				

Band 38_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MPR (dB)		
Channel				37850	38000	38150				
Frequency (MHz)				2590	2595	2610				
20	QPSK	1	0	23.52	23.79	23.61	25	0		
20	QPSK	1	49	23.42	23.48	23.53				
20	QPSK	1	99	23.41	23.37	23.53				
20	QPSK	50	0	22.65	22.77	22.71	24	1		
20	QPSK	50	24	22.55	22.50	22.68				
20	QPSK	50	50	22.54	22.54	22.65				
20	QPSK	100	0	22.81	22.73	22.85	24	1		
20	16QAM	1	0	22.45	22.62	22.44				
20	16QAM	1	49	22.83	22.81	22.52				
20	16QAM	1	99	22.44	22.57	22.86	23	2		
20	16QAM	50	0	21.53	21.51	21.50				
20	16QAM	50	24	21.54	21.54	21.70				
20	16QAM	50	50	21.54	21.64	21.74	23	2		
20	84QAM	1	0	21.55	21.54	21.65				
20	84QAM	1	49	21.65	21.54	21.79				
20	84QAM	1	99	21.48	21.58	21.41	22	3		
20	84QAM	50	0	20.38	20.56	20.61				
20	84QAM	50	24	20.56	20.55	20.76				
20	84QAM	50	50	20.57	20.72	20.77	22	3		
20	84QAM	100	0	20.67	20.62	20.72				
Channel				37825	38000	38175				
Frequency (MHz)				2597.5	2597.5	2617.5				
15	QPSK	1	0	23.36	23.25	23.35	25	0		
15	QPSK	1	37	23.39	23.40	23.32				
15	QPSK	1	74	23.42	23.32	23.70				
15	QPSK	36	0	22.32	22.45	22.54	24	1		
15	QPSK	36	20	22.40	22.25	22.82				
15	QPSK	36	39	22.54	22.58	22.58				
15	QPSK	75	0	22.51	22.52	22.57	24	1		
15	16QAM	1	0	22.58	22.16	22.49				
15	16QAM	1	37	22.37	22.35	22.22				
15	16QAM	1	74	22.60	22.58	22.59	23	2		
15	16QAM	36	0	21.49	21.40	21.46				
15	16QAM	36	20	21.69	21.52	21.64				
15	16QAM	36	39	21.68	21.68	21.63	22	3		
15	16QAM	75	0	21.63	21.48	21.64				
15	84QAM	1	0	21.07	21.48	21.41				
15	84QAM	1	37	21.42	21.09	21.11	23	2		
15	84QAM	1	74	21.45	21.45	21.19				
15	84QAM	36	0	20.42	20.49	20.54				
15	84QAM	36	20	20.75	20.64	20.72	22	3		
15	84QAM	36	39	20.57	20.60	20.66				
15	84QAM	75	0	20.60	20.43	20.58				
Channel				37800	38000	38200				
Frequency (MHz)				2592.5 <th>2595<th>2615<th colspan="4"></th></th></th>	2595 <th>2615<th colspan="4"></th></th>	2615 <th colspan="4"></th>				
10	QPSK	1	0	23.32	23.40	23.45	25	0		
10	QPSK	1	24	23.35	23.38	23.53				
10	QPSK	1	49	23.33	23.29	23.39				
10	QPSK	25	0	22.47	22.48	22.45	24	1		
10	QPSK	25	12	22.44	22.50	22.68				
10	QPSK	25	25	22.47	22.47	22.52				
10	QPSK	50	0	22.56	22.56	22.69	24	1		
10	16QAM	1	0	22.60	22.23	22.34				
10	16QAM	1	25	22.61	22.27	22.26				
10	16QAM	1	49	22.35	22.47	22.45	24	1		
10	16QAM	25	0	21.20	21.51	21.49				
10	16QAM	25	12	21.58	21.52	21.70				
10	16QAM	25	25	21.44	21.61	21.57	23	2		
10	84QAM	50	0	21.52	21.57	21.57				
10	84QAM	1	0	21.56	21.36	21.37				
10	84QAM	1	25	21.39	21.47	21.23	22	2		
10	84QAM	1	49	21.69	21.49	21.40				
10	84QAM	25	0	20.44	20.59	20.50				
10	84QAM	25	12	20.50	20.57	20.75	22	3		
10	84QAM	25	25	20.51	20.81	20.85				
10	84QAM	50	0	20.52	20.55	20.88				
Channel				37875	38000	38225				
Frequency (MHz)				2597.5	2596	2617.5				
5	QPSK	1	0	23.25	23.28	23.40	25	0		
5	QPSK	1	12	23.29	23.27	23.30				
5	QPSK	1	24	23.35	23.53	23.51				
5	QPSK	12	9	22.30	22.38	22.53	24	1		
5	QPSK	12	7	22.36	22.43	22.49				
5	QPSK	12	13	22.38	22.55	22.45				
5	QPSK	25	0	22.40	22.47	22.48	24	1		
5	16QAM	1	0	22.32	22.12	22.34				
5	16QAM	1	12	22.42	22.41	22.83				
5	16QAM	1	24	22.42	22.50	22.26	23	2		
5	16QAM	12	0	21.35	21.52	21.26				
5	16QAM	12	12	21.36	21.45	21.77				
5	16QAM	12	13	21.45	21.56	21.76	23	2		
5	16QAM	25	0	21.39	21.58	21.81				
5	84QAM	1	0	21.27	21.23	21.89				
5	84QAM	1	12	21.25	21.25	21.45	23	2		
5	84QAM	1	24	21.40	21.25	21.71				
5	84QAM	12	0	20.39	20.42	20.77				
5	84QAM	12	7	20.44	20.53	20.93	22	3		
5	84QAM	12	13	20.54	20.55	20.88				
5	84QAM	25	0	20.45	20.46	20.86				

Band 41_Ant 13											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				39750	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	14.90	14.90	14.90	14.90	14.90	15.5	0	
20	QPSK	1	49	14.76	14.87	14.95	14.83	14.64			
20	QPSK	1	99	14.71	14.83	14.71	14.68	14.66			
20	QPSK	50	0	14.81	14.69	14.67	14.69	14.65			
20	QPSK	50	24	14.75	14.61	14.64	14.65	14.60			
20	QPSK	50	50	14.79	14.65	14.61	14.67	14.55	15.5	0	
20	QPSK	100	0	14.70	14.77	14.75	14.70	14.52			
20	16QAM	1	0	14.74	14.73	14.80	14.92	14.59			
20	16QAM	1	49	14.69	14.80	15.03	15.01	14.77			
20	16QAM	1	99	15.04	15.04	14.72	14.71	15.06			
20	16QAM	50	0	14.70	14.67	14.52	14.61	14.45	15.5	0	
20	16QAM	50	24	14.71	14.79	14.57	14.67	14.56			
20	16QAM	50	50	14.81	14.72	14.68	14.62	14.62			
20	16QAM	100	0	14.85	14.75	14.28	14.68	14.54			
20	64QAM	1	0	14.71	14.73	14.63	14.59	14.62			
20	64QAM	1	49	14.87	14.52	14.68	14.53	14.49	15.5	0	
20	64QAM	1	99	14.64	14.41	14.75	14.92	14.78			
20	64QAM	50	0	14.75	14.69	14.54	14.74	14.43			
20	64QAM	50	24	14.72	14.81	14.59	14.62	14.60			
20	64QAM	50	50	14.72	14.69	14.63	14.63	14.72			
20	64QAM	100	0	14.62	14.76	14.55	14.73	14.58	Turn-up limit (dBm)	MPR (dB)	
Channel				39750	40185	40620	41055	41490			
Frequency (MHz)				2553.5	2548.3	2593	2637.8	2682.5			
15	QPSK	1	0	14.78	14.89	14.97	14.81	14.84	15.5	0	
15	QPSK	1	37	14.71	14.81	14.52	14.69	14.59			
15	16QAM	1	74	14.56	14.75	14.65	14.62	14.58			
15	QPSK	36	0	14.65	14.57	14.80	14.62	14.57			
15	QPSK	36	20	14.66	14.50	14.59	14.51	14.51			
15	QPSK	36	39	14.73	14.50	14.47	14.55	14.44	15.5	0	
15	QPSK	75	0	14.55	14.69	14.64	14.61	14.44			
15	16QAM	1	0	14.69	14.59	14.66	14.80	14.46			
15	16QAM	1	37	14.55	14.75	14.89	14.96	14.67			
15	16QAM	1	74	14.97	14.88	14.65	14.55	14.93			
15	16QAM	36	0	14.56	14.59	14.67	14.47	14.40	15.5	0	
15	16QAM	36	20	14.63	14.73	14.45	14.55	14.59			
15	16QAM	36	39	14.73	14.59	14.60	14.54	14.46			
15	16QAM	75	0	14.79	14.68	14.45	14.53	14.44			
15	64QAM	1	0	14.58	14.66	14.71	14.84	14.54			
15	64QAM	1	37	14.72	14.35	14.72	14.35	14.38	15.5	0	
15	64QAM	1	74	14.57	14.34	14.67	14.83	14.67			
15	64QAM	36	0	14.68	14.64	14.49	14.59	14.38			
15	64QAM	36	20	14.61	14.74	14.54	14.54	14.51			
15	64QAM	36	39	14.67	14.55	14.39	14.50	14.50			
15	64QAM	75	0	14.52	14.65	14.41	14.60	14.42	Turn-up limit (dBm)	MPR (dB)	
Channel				39700	40160	40620	41080	41540			
Frequency (MHz)				2521	2547	2593	2639	2685			
10	QPSK	1	0	14.52	14.65	14.81	14.83	14.70	15.5	0	
10	QPSK	1	25	14.67	14.76	14.58	14.68	14.48			
10	QPSK	1	49	14.62	14.72	14.59	14.60	14.60			
10	QPSK	25	0	14.74	14.58	14.77	14.60	14.59			
10	QPSK	25	12	14.60	14.63	14.57	14.50	14.52			
10	QPSK	25	25	14.73	14.54	14.49	14.58	14.45	15.5	0	
10	QPSK	50	0	14.59	14.63	14.70	14.56	14.42			
10	16QAM	1	0	14.63	14.64	14.68	14.83	14.44			
10	16QAM	1	25	14.62	14.78	14.88	14.66	14.67			
10	16QAM	1	49	14.88	14.88	14.60	14.62	14.89			
10	16QAM	25	0	14.61	14.55	14.39	14.45	14.34	15.5	0	
10	16QAM	25	12	14.56	14.73	14.43	14.57	14.50			
10	16QAM	25	25	14.75	14.67	14.54	14.51	14.53			
10	16QAM	50	0	14.73	14.64	14.45	14.63	14.46			
10	64QAM	1	0	14.58	14.64	14.76	14.67	14.52			
10	64QAM	1	25	14.77	14.39	14.80	14.46	14.38	15.5	0	
10	64QAM	1	49	14.57	14.52	14.66	14.63	14.63			
10	64QAM	25	0	14.63	14.53	14.62	14.58	14.35			
10	64QAM	25	12	14.58	14.66	14.49	14.52	14.46			
10	64QAM	25	25	14.67	14.58	14.46	14.57	14.63			
10	64QAM	50	0	14.56	14.71	14.45	14.63	14.53	Turn-up limit (dBm)	MPR (dB)	
Channel				39700	40160	40620	41080	41540			
Frequency (MHz)				2498.5	2546.5	2593	2640.30	2687.5			
5	QPSK	1	0	14.80	14.92	14.96	14.90	14.77	15.5	0	
5	QPSK	1	12	14.62	14.75	14.49	14.78	14.56			
5	QPSK	12	0	14.67	14.58	14.73	14.61	14.54			
5	QPSK	12	7	14.66	14.49	14.57	14.52	14.54			
5	QPSK	12	13	14.68	14.51	14.46	14.61	14.36			
5	QPSK	25	0	14.65	14.70	14.68	14.56	14.39	15.5	0	
5	16QAM	1	0	14.64	14.65	14.74	14.78	14.49			
5	16QAM	1	12	14.63	14.81	14.67	14.90	14.66			
5	16QAM	1	24	14.65	14.80	14.60	14.59	14.63			
5	16QAM	12	0	14.65	14.67	14.41	14.47	14.39			
5	16QAM	12	7	14.56	14.65	14.45	14.55	14.40	15.5	0	
5	16QAM	12	13	14.65	14.58	14.54	14.57	14.46			
5	16QAM	25	0	14.78	14.69	14.46	14.61	14.48			
5	64QAM	1	0	14.60	14.66	14.73	14.65	14.47			
5	64QAM	1	12	14.77	14.37	14.75	14.46	14.39			
5	64QAM	1	24	14.59	14.30	14.70	14.83	14.64	15.5	0	
5	64QAM	12	0	14.68	14.61	14.46	14.68	14.33			
5	64QAM	12	7	14.60	14.76	14.45	14.57	14.54			
5	64QAM	12	13	14.60	14.58	14.40	14.58	14.63			
5	64QAM	25	0	14.52	14.65	14.45	14.63	14.50			

Band 41_Ant 31														
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				39750	40185	40620	41055	41490						
Frequency (MHz)				2506	2549.5	2593	2636.5	2680						
20	QPSK	1	0	23.58	23.52	23.62	23.72	23.62	25	0				
20	QPSK	1	49	23.48	23.42	23.75	23.70	23.58						
20	QPSK	1	99	23.41	23.38	23.71	23.65	23.51						
20	QPSK	50	0	22.28	22.80	22.79	22.74	22.45						
20	QPSK	50	24	22.27	22.58	22.49	22.71	22.28						
20	QPSK	50	50	22.32	22.39	22.64	22.72	22.38	24	1				
20	QPSK	100	0	22.26	22.40	22.76	22.73	22.38						
20	16QAM	1	0	22.30	22.09	22.42	22.62	22.63						
20	16QAM	1	49	22.09	22.47	22.38	22.46	22.20						
20	16QAM	1	99	22.11	22.35	22.41	22.60	22.46						
20	16QAM	50	0	21.35	21.35	21.57	21.57	21.45	23	2				
20	16QAM	50	24	21.49	21.57	21.61	21.63	21.60						
20	16QAM	50	50	21.45	21.50	21.67	21.74	21.55						
20	16QAM	100	0	21.49	21.42	21.54	21.71	21.44						
20	16QAM	1	21.43	21.42	21.52	21.52	21.62	21.45						
20	64QAM	1	49	21.73	21.50	21.74	21.51	21.45	23	2				
20	64QAM	1	99	21.67	21.50	21.80	21.53	21.36						
20	64QAM	50	0	20.46	20.28	20.56	20.72	20.41						
20	64QAM	50	24	20.60	20.49	20.56	20.80	20.54						
20	64QAM	50	50	20.49	20.38	20.77	20.71	20.51						
20	64QAM	100	0	20.47	20.63	20.58	20.73	20.63	22	3				
Channel				39725	40173	40620	41068	41515						
Frequency (MHz)				2504.5	2548.5	2592.5	2636.5	2680.5						
15	QPSK	1	0	23.62	23.42	23.67	23.62	23.55				Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	37	23.33	23.36	23.69	23.57	23.43						
15	QPSK	1	74	23.31	23.32	23.60	23.54	23.43						
15	QPSK	36	0	22.34	22.37	22.48	22.49	22.45						
15	QPSK	36	20	22.35	22.45	22.39	22.47	22.43						
15	QPSK	36	39	22.33	22.53	22.59	22.58	22.45	24	1				
15	QPSK	75	0	22.39	22.50	22.40	22.49	22.42						
15	16QAM	1	0	22.59	22.62	22.96	22.37	22.90						
15	16QAM	1	37	22.37	22.37	22.84	22.68	22.74						
15	16QAM	1	74	22.34	22.65	23.17	23.12	22.63						
15	16QAM	36	0	21.19	21.45	21.57	21.51	21.39	23	2				
15	16QAM	36	20	21.37	21.52	21.64	21.42	21.44						
15	16QAM	36	39	21.28	21.63	21.63	21.67	21.47						
15	16QAM	75	0	21.37	21.55	21.45	21.42	21.41						
15	64QAM	1	0	21.32	21.31	21.36	21.36	21.30						
15	64QAM	1	37	21.58	21.37	21.59	21.36	21.32	23	2				
15	64QAM	1	74	21.55	21.45	21.61	21.41	21.25						
15	64QAM	36	0	20.28	20.51	20.38	20.49	20.45						
15	64QAM	36	20	20.31	20.57	20.57	20.45	20.51						
15	64QAM	36	39	20.27	20.59	20.69	20.59	20.64						
15	64QAM	75	0	20.37	20.50	20.44	20.56	20.45	Tune-up limit (dBm)	MPR (dB)				
Channel				39700	40160	40620	41080	41540						
Frequency (MHz)				2501	2547	2593	2639	2685						
10	QPSK	1	0	23.49	23.43	23.74	23.61	23.54				25	0	
10	QPSK	1	25	23.34	23.29	23.59	23.60	23.45						
10	QPSK	1	49	23.32	23.33	23.59	23.49	23.35						
10	QPSK	25	0	22.28	22.54	22.63	22.67	22.59						
10	QPSK	25	12	22.35	22.65	22.71	22.79	22.56						
10	QPSK	25	25	22.37	22.62	22.70	22.78	22.54	24	1				
10	QPSK	50	0	22.42	22.62	22.70	22.69	22.59						
10	16QAM	1	0	22.09	22.62	22.37	22.57	22.37						
10	16QAM	1	25	22.41	22.66	22.52	22.61	22.41						
10	16QAM	1	49	22.40	22.46	22.46	22.73	22.58						
10	16QAM	25	0	21.39	21.55	21.59	21.64	21.46	23	2				
10	16QAM	25	12	21.41	21.77	21.68	21.66	21.54						
10	16QAM	25	25	21.36	21.68	21.66	21.70	21.70						
10	16QAM	50	0	21.67	21.71	21.54	21.67	21.54						
10	16QAM	50	0	21.30	21.29	21.45	21.44	21.36						
10	64QAM	1	25	21.64	21.38	21.68	21.39	21.34	23	2				
10	64QAM	1	49	21.57	21.42	21.67	21.48	21.23						
10	64QAM	25	0	20.49	20.46	20.58	20.69	20.58						
10	64QAM	25	12	20.50	20.71	20.64	20.72	20.56						
10	64QAM	25	25	20.46	20.71	20.81	20.79	20.69						
10	64QAM	50	0	20.54	20.67	20.69	20.73	20.59	Tune-up limit (dBm)	MPR (dB)				
Channel				39675	40166	40620	41083	41543						
Frequency (MHz)				2500.5	2546.5	2592	2638.5	2687.5						
5	QPSK	1	0	23.45	23.38	23.67	23.66	23.46				25	0	
5	QPSK	1	12	23.41	23.26	23.70	23.63	23.47						
5	QPSK	1	24	23.28	23.29	23.61	23.60	23.35						
5	QPSK	12	0	22.46	22.61	22.43	22.49	22.61						
5	QPSK	12	7	22.57	22.59	22.62	22.45	22.55						
5	QPSK	12	13	22.41	22.56	22.59	22.50	22.60	24	1				
5	QPSK	25	0	22.45	22.60	22.56	22.45	22.59						
5	16QAM	1	0	22.21	22.46	22.45	22.45	22.35						
5	16QAM	1	12	22.06	22.24	22.53	22.85	22.26						
5	16QAM	1	24	22.56	22.54	22.72	22.31	22.39						
5	16QAM	12	0	21.63	21.66	21.53	21.33	21.56	23	2				
5	16QAM	12	7	21.62	21.43	21.61	21.43	21.48						
5	16QAM	12	13	21.53	21.66	21.40	21.59	21.63						
5	16QAM	25	0	21.64	21.64	21.53	21.50	21.61						
5	64QAM	1	0	21.35	21.36	21.37	21.45	21.35						
5	64QAM	1	12	21.68	21.33	21.59	21.41	21.35	23	2				
5	64QAM	1	24	21.53	21.40	21.66	21.38	21.24						
5	64QAM	12	0	20.36	20.74	20.42	20.40	20.69						
5	64QAM	12	7	20.48	20.71	20.58	20.53	20.63						
5	64QAM	12	13	20.50	20.77	20.54	20.57	20.57						
5	64QAM	25	0	20.43	20.50	20.49	20.52	20.64	22	3				

Band 41_Ant 25											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel											
Frequency (MHz)				39700	40185	40620	41095	41490			
				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	20.36	20.06	20.49	20.16	20.12	21.5	0	
20	QPSK	1	49	20.04	20.01	20.17	20.05	20.09			
20	QPSK	1	99	19.95	19.96	20.19	20.11	20.04			
20	QPSK	50	0	20.17	20.16	20.30	20.18	20.15	21.5	0	
20	QPSK	50	24	20.16	20.08	20.14	20.11	20.06			
20	QPSK	50	50	20.01	20.14	20.20	20.17	20.13			
20	QPSK	100	0	20.11	20.21	20.32	20.29	20.04	21.5	0	
20	16QAM	1	0	20.25	20.11	20.17	20.05	19.79			
20	16QAM	1	49	20.07	20.02	20.25	20.22	19.77			
20	16QAM	1	99	19.95	20.42	19.91	19.85	20.11	21.5	0	
20	16QAM	50	0	20.12	20.11	20.20	20.23	20.13			
20	16QAM	50	24	20.22	20.22	20.13	20.33	20.09			
20	16QAM	50	50	20.14	20.24	20.12	20.26	20.19	21.5	0	
20	16QAM	100	0	19.95	20.13	20.10	20.23	19.88			
20	84QAM	1	0	20.26	19.99	20.04	20.06	20.33			
20	84QAM	1	49	20.13	19.84	19.97	20.04	20.04	21.5	0	
20	84QAM	1	99	19.97	20.10	20.16	20.22	20.02			
20	84QAM	1	99	19.95	20.09	20.04	20.16	20.14			
20	84QAM	50	24	20.06	20.08	20.18	20.15	19.95	21.5	0	
20	84QAM	50	50	20.13	20.22	20.20	20.37	20.17			
20	84QAM	100	0	20.19	20.12	19.98	20.22	20.06			
Channel											
Frequency (MHz)				2503.5	2548.3	2593	2637.5	2682.5	time-up limit (dBm)		
15	QPSK	1	0	20.22	19.91	20.40	20.08	20.07	21.5	0	
15	QPSK	1	37	19.88	19.88	20.07	19.98	19.98			
15	QPSK	1	74	19.83	19.84	20.03	20.05	19.93			
15	QPSK	36	0	20.03	20.08	20.16	20.09	20.10	21.5	0	
15	QPSK	36	20	20.05	19.99	19.99	20.00	19.97			
15	QPSK	36	39	19.85	20.00	20.05	20.11	20.01			
15	QPSK	75	0	20.01	20.12	20.25	20.16	19.97	21.5	0	
15	16QAM	1	0	20.13	20.05	20.09	19.95	19.95			
15	16QAM	1	37	19.96	19.95	20.12	20.09	19.65			
15	16QAM	1	74	19.89	20.33	19.84	19.70	20.05	21.5	0	
15	16QAM	36	0	20.02	20.02	20.11	20.18	20.01			
15	16QAM	36	20	20.09	20.10	19.98	20.25	19.99			
15	16QAM	36	39	19.99	20.08	20.05	20.13	20.10	21.5	0	
15	16QAM	75	0	19.86	19.99	20.03	20.14	19.92			
15	84QAM	1	0	20.17	19.92	19.99	20.01	20.23			
15	84QAM	1	37	20.00	19.71	19.83	19.89	19.97	21.5	0	
15	84QAM	1	74	19.81	20.04	20.09	20.09	19.86			
15	84QAM	36	0	19.87	20.03	19.95	20.03	20.08			
15	84QAM	36	20	19.97	19.99	20.03	19.99	19.82	21.5	0	
15	84QAM	36	39	20.06	20.13	20.10	20.21	20.06			
15	84QAM	75	0	20.03	20.01	19.87	20.07	19.91			
Channel											
Frequency (MHz)				39700	40160	40620	41080	41540	time-up limit (dBm)		
10	QPSK	1	0	20.21	19.81	20.40	20.08	20.05	21.5	0	
10	QPSK	1	25	19.97	19.85	20.11	19.91	19.97			
10	QPSK	1	49	19.89	19.85	20.08	19.96	19.97			
10	QPSK	25	0	20.07	20.07	20.24	20.10	20.06	21.5	0	
10	QPSK	25	12	20.11	20.02	20.07	19.99	20.00			
10	QPSK	25	25	19.95	20.00	20.09	20.07	20.04			
10	QPSK	50	0	19.99	20.16	20.18	20.13	19.93	21.5	0	
10	16QAM	1	0	20.11	19.99	20.06	19.95	19.68			
10	16QAM	1	25	20.01	19.88	20.11	20.09	19.68			
10	16QAM	1	49	19.84	20.35	19.85	19.77	20.06	21.5	0	
10	16QAM	25	0	19.97	20.05	20.11	20.07	20.08			
10	16QAM	25	12	20.12	20.16	19.97	20.21	20.01			
10	16QAM	25	25	20.00	20.09	19.96	20.17	20.11	21.5	0	
10	16QAM	50	0	19.90	20.06	20.03	20.17	19.89			
10	84QAM	1	0	20.19	19.91	19.99	19.92	20.24			
10	84QAM	1	25	20.06	19.73	19.87	19.88	19.98	21.5	0	
10	84QAM	1	49	19.81	20.04	20.04	20.19	19.97			
10	84QAM	25	0	19.80	20.02	19.91	20.11	20.04			
10	84QAM	25	12	19.92	20.02	20.13	20.04	19.85	21.5	0	
10	84QAM	25	25	20.07	20.15	20.14	20.31	20.11			
10	84QAM	50	0	20.09	20.02	19.99	20.12	19.94			
Channel											
Frequency (MHz)				2486.5	2545.8	2593	2640.30	2687.5	time-up limit (dBm)		
5	QPSK	1	0	20.23	19.99	20.38	20.03	20.07	21.5	0	
5	QPSK	1	12	19.94	19.91	20.03	19.92	19.94			
5	QPSK	1	24	19.88	19.90	20.14	20.06	19.88			
5	QPSK	12	0	20.02	20.07	20.21	20.04	20.06	21.5	0	
5	QPSK	12	7	20.04	19.92	20.04	20.05	19.95			
5	QPSK	12	13	19.89	20.08	20.10	20.03	20.06			
5	QPSK	25	0	19.97	20.10	20.24	20.23	19.91	21.5	0	
5	16QAM	1	0	20.12	19.97	20.06	19.90	19.83			
5	16QAM	1	12	19.92	19.97	20.14	20.07	19.81			
5	16QAM	1	24	19.87	20.37	19.79	19.70	19.85	21.5	0	
5	16QAM	12	0	20.05	20.01	20.05	20.14	20.04			
5	16QAM	12	7	20.06	20.14	20.01	20.24	20.04			
5	16QAM	12	13	20.02	20.16	19.97	20.10	20.07	21.5	0	
5	16QAM	25	0	19.88	19.98	20.00	20.08	19.90			
5	84QAM	1	0	20.19	19.92	19.88	19.90	20.23			
5	84QAM	1	12	19.97	19.73	19.83	19.89	19.88	21.5	0	
5	84QAM	1	24	19.81	19.96	20.10	20.06	19.94			
5	84QAM	12	0	19.82	20.03	19.90	20.10	20.08			
5	84QAM	12	7	19.97	19.99	20.02	20.04	19.88	21.5	0	
5	84QAM	12	13	20.03	20.17	20.06	20.32	20.11			
5	84QAM	25	0	20.13	20.00	19.92	20.09	19.98			

Band 42 Part27Q_Ant 12										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				42190	42590	42990				
				3480	3500	3540				
20	QPSK	1	0	15.94	16.18	15.80	16.5	0		
20	QPSK	1	49	15.93	16.03	15.85				
20	QPSK	1	99	15.86	15.92	15.88				
20	QPSK	50	0	15.95	16.14	16.13	16.5	0		
20	QPSK	50	24	15.87	16.07	16.06				
20	QPSK	50	50	15.91	16.00	16.11				
20	QPSK	100	0	15.96	16.02	16.00	16.5	0		
20	16QAM	1	0	16.02	16.13	16.10				
20	16QAM	1	49	15.97	16.16	16.03				
20	16QAM	50	0	15.86	16.09	16.08	16.5	0		
20	16QAM	50	24	15.84	15.91	16.11				
20	16QAM	50	50	16.01	16.08	16.07				
20	16QAM	50	24	16.01	16.08	16.07	16.5	0		
20	16QAM	50	50	16.02	16.10	16.04				
20	16QAM	100	0	15.96	15.95	16.06				
20	84QAM	100	0	16.14	16.09	16.14	16.5	0		
20	84QAM	50	0	16.07	16.10	16.12				
20	84QAM	50	99	16.11	16.14	16.09				
20	84QAM	50	0	15.79	16.13	16.04	16.5	0		
20	84QAM	50	24	15.99	16.00	16.12				
20	84QAM	50	50	15.89	16.17	16.10				
20	84QAM	100	0	15.96	16.02	16.01				
Channel										
Frequency (MHz)				42195	42595	43005				
15	QPSK	1	0	15.83	16.10	15.75	16.5	0		
15	QPSK	1	37	15.83	15.93	15.79				
15	QPSK	1	74	15.71	15.86	15.78				
15	QPSK	36	0	15.86	15.90	15.86	16.5	0		
15	QPSK	36	20	15.73	15.83	16.00				
15	QPSK	36	36	15.86	15.84	16.01				
15	QPSK	75	0	15.93	15.93	15.88	16.5	0		
15	16QAM	1	0	15.86	15.97	15.95				
15	16QAM	1	37	15.88	16.09	15.97				
15	16QAM	36	0	15.83	16.09	15.97	16.5	0		
15	16QAM	36	74	15.92	16.01	16.01				
15	16QAM	36	99	15.81	15.90	15.91				
15	84QAM	1	0	16.03	15.97	16.09	16.5	0		
15	84QAM	37	0	16.02	15.94	16.07				
15	84QAM	74	0	15.98	16.01	16.01				
15	84QAM	36	0	15.74	16.07	16.03	16.5	0		
15	84QAM	36	20	15.93	15.90	15.98				
15	84QAM	36	50	15.74	16.01	16.02				
15	84QAM	75	0	15.83	15.96	15.90	16.5	0		
15	84QAM	75	0	15.83	15.96	15.90				
15	84QAM	75	0	15.83	15.96	15.90				
Channel										
Frequency (MHz)				3455	3500	3545				
10	QPSK	1	0	15.87	16.06	15.83	16.5	0		
10	QPSK	1	24	15.79	15.93	15.78				
10	QPSK	1	49	15.81	15.79	15.70				
10	QPSK	25	0	15.87	16.05	16.05	16.5	0		
10	QPSK	25	12	15.73	15.93	16.01				
10	QPSK	25	24	15.82	15.84	15.98				
10	QPSK	50	0	15.83	15.93	15.88	16.5	0		
10	16QAM	1	0	15.91	15.99	15.94				
10	16QAM	1	24	15.81	16.09	15.98				
10	16QAM	49	0	15.88	15.97	15.98	16.5	0		
10	16QAM	25	0	15.87	15.99	15.93				
10	16QAM	25	12	15.70	15.77	16.03				
10	16QAM	25	12	16.07	15.99	15.93	16.5	0		
10	16QAM	25	25	15.89	15.99	15.93				
10	16QAM	50	0	15.81	15.96	15.92				
10	84QAM	25	0	16.02	15.96	16.06	16.5	0		
10	84QAM	25	25	16.01	16.04	15.97				
10	84QAM	49	0	16.06	16.07	15.94				
10	84QAM	25	0	15.67	15.99	16.01	16.5	0		
10	84QAM	25	12	15.91	15.89	16.05				
10	84QAM	50	0	15.88	15.89	15.95				
Channel										
Frequency (MHz)				3452.5	3500	3547.5				
5	QPSK	1	0	16.82	16.13	15.85	16.5	0		
5	QPSK	12	16	16.83	15.96	15.73				
5	QPSK	24	32	15.72	15.75	15.80				
5	QPSK	12	0	15.79	15.99	16.05	16.5	0		
5	QPSK	12	7	15.82	15.91	15.95				
5	QPSK	12	13	15.75	15.85	16.01				
5	QPSK	25	0	15.89	15.95	15.89	16.5	0		
5	16QAM	1	0	15.88	16.03	16.00				
5	16QAM	12	12	15.66	16.11	15.94				
5	16QAM	24	15.90	16.02	15.98		16.5	0		
5	16QAM	12	7	15.73	15.85	16.01				
5	16QAM	12	7	15.91	16.02	16.02				
5	16QAM	25	0	15.85	16.03	15.97	16.5	0		
5	16QAM	25	0	16.04	15.96	16.00				
5	16QAM	50	12	15.97	15.97	16.02				
5	84QAM	24	16.00	16.03	15.93		16.5	0		
5	84QAM	25	15.70	16.04	16.06					
5	84QAM	12	7	15.89	15.87	15.96				
5	84QAM	12	13	15.84	16.04	16.00	16.5	0		
5	84QAM	25	0	15.82	15.91	15.88				

Band 42 Part27Q_Ant 24									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				42190	42500	42990			
Frequency (MHz)				3460	3500	3540	16.8	0	
20	QPSK		0	15.66	15.82	15.77			
20	QPSK		49	15.48	15.37	15.54			
20	QPSK		99	15.50	15.38	15.75			
20	QPSK	50	0	15.63	15.73	15.64			
20	QPSK	50	24	15.62	15.66	15.57	16.8	0	
20	QPSK	50	50	15.54	15.58	15.50			
20	QPSK	100	0	15.64	15.78	15.70			
20	16QAM		0	15.72	15.77	15.69			
20	16QAM		49	15.68	15.80	15.79	16.8	0	
20	16QAM		99	15.27	15.22	15.39			
20	16QAM	50	0	15.49	15.38	15.47			
20	16QAM	50	24	15.50	15.44	15.42			
20	16QAM	50	50	15.48	15.54	15.39			
20	16QAM	100	0	15.48	15.54	15.35	16.8	0	
20	64QAM		0	15.69	15.56	15.02			
20	64QAM		49	15.50	15.36	15.62			
20	64QAM		99	15.42	15.44	15.21			
20	64QAM	50	0	15.46	15.47	15.44			
20	64QAM	50	24	15.44	15.28	15.42	16.8	0	
20	64QAM	50	50	15.48	15.49	15.33			
20	64QAM	100	0	15.47	15.48	15.47			
Channel				3467.5	3500	3542.5	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3467.5	3500	3542.5			
15	QPSK		0	15.47	15.75	15.62	16.8	0	
15	QPSK		37	15.42	15.43	15.52			
15	QPSK		74	15.36	15.22	15.99			
15	QPSK	36	0	15.55	15.38	15.51			
15	QPSK	36	20	15.53	15.50	15.48			
15	QPSK	36	39	15.45	15.56	15.54	16.8	0	
15	QPSK	75	0	15.59	15.62	15.55			
15	16QAM		0	15.68	15.65	15.62			
15	16QAM		37	15.53	15.69	15.70			
15	16QAM		74	15.17	15.12	15.33			
15	16QAM	36	0	15.35	15.23	15.33	16.8	0	
15	16QAM	36	20	15.40	15.29	15.35			
15	16QAM	36	39	15.39	15.41	15.34			
15	16QAM	75	0	15.36	15.45	15.25			
15	64QAM		0	15.62	15.46	14.90	16.8	0	
15	64QAM		37	15.43	15.20	15.49			
15	64QAM		74	15.30	15.35	15.07			
15	64QAM	36	0	15.34	15.38	15.32			
15	64QAM	36	20	15.28	15.17	15.37			
15	64QAM	36	39	15.43	15.35	15.22	16.8	0	
15	64QAM	36	75	15.32	15.43	15.33			
Channel				42140	42500	42860	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3453.5	3500	3546.5			
10	QPSK		0	15.48	15.74	15.66	16.8	0	
10	QPSK		25	15.33	15.42	15.56			
10	QPSK		49	15.38	15.28	15.67			
10	QPSK	25	0	15.50	15.63	15.48			
10	QPSK	25	12	15.51	15.53	15.50			
10	QPSK	25	25	15.47	15.54	15.46	16.8	0	
10	QPSK	50	0	15.49	15.68	15.57			
10	16QAM		0	15.60	15.65	15.58			
10	16QAM		25	15.52	15.66	15.64			
10	16QAM		49	15.14	15.15	15.24			
10	16QAM	25	0	15.40	15.31	15.41	16.8	0	
10	16QAM	25	12	15.42	15.28	15.30			
10	16QAM	25	25	15.39	15.48	15.33			
10	16QAM	50	0	15.40	15.43	15.30			
10	64QAM		0	15.58	15.45	14.92	16.8	0	
10	64QAM		25	15.36	15.21	15.48			
10	64QAM		49	15.27	15.34	15.12			
10	64QAM	25	0	15.35	15.33	15.36			
10	64QAM	25	12	15.28	15.14	15.29	16.8	0	
10	64QAM	25	25	15.33	15.39	15.23			
10	64QAM	50	0	15.32	15.32	15.35			
Channel				42110	42500	42890	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3492.5	3500	3507.5			
5	QPSK		0	15.45	15.66	15.69	16.8	0	
5	QPSK		12	15.42	15.44	15.58			
5	QPSK		24	15.40	15.31	15.59			
5	QPSK	12	0	15.58	15.68	15.53			
5	QPSK	12	7	15.57	15.59	15.46			
5	QPSK	12	13	15.38	15.53	15.48	16.8	0	
5	QPSK	25	0	15.57	15.53	15.65			
5	16QAM		0	15.66	15.70	15.62			
5	16QAM		12	15.59	15.75	15.69			
5	16QAM		24	15.11	15.07	15.24			
5	16QAM	12	0	15.36	15.32	15.37	16.8	0	
5	16QAM	12	7	15.36	15.37	15.29			
5	16QAM	12	13	15.43	15.46	15.33			
5	16QAM	25	0	15.43	15.46	15.20			
5	64QAM		0	15.60	15.40	14.94	16.8	0	
5	64QAM		12	15.34	15.23	15.53			
5	64QAM		24	15.37	15.35	15.13			
5	64QAM	12	0	15.35	15.34	15.31			
5	64QAM	12	7	15.28	15.22	15.31	16.8	0	
5	64QAM	12	13	15.37	15.43	15.16			
5	64QAM	25	0	15.35	15.41	15.34			

Reduced Power for DSI 3

GSM850_Ant 11	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	52.12	59.4	64.3		52.12	59.4	64.3	
Frequency (MHz)	28.58	28.65	28.55	30.50	19.53	19.65	19.55	21.50
GSM 1 Tx slot	28.57	28.62	28.52	30.50	19.57	19.62	19.52	21.50
GPRS 1 Tx slot	25.16	25.12	25.22	27.00	19.16	19.12	19.22	21.00
GPRS 2 Tx slots	23.29	23.25	23.22	25.00	19.03	18.99	18.96	20.74
GPRS 3 Tx slots	22.28	22.28	22.15	23.70	19.28	19.28	19.15	20.70
GPRS 4 Tx slots	26.04	26.00	25.92	27.50	17.04	17.00	16.92	18.50
EDGE 1 Tx slot	24.83	24.84	24.84	26.50	18.83	18.84	18.84	20.50
EDGE 2 Tx slots	23.76	23.60	23.63	25.00	19.50	19.34	19.37	20.74
EDGE 3 Tx slots	22.46	22.45	22.51	24.00	19.46	19.45	19.51	21.00
EDGE 4 Tx slots								

GSM1900_Ant 13	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)	20.84	20.45	20.75	22.00	11.84	11.45	11.75	13.00
GSM 1 Tx slot	20.85	20.45	20.74	22.00	11.85	11.45	11.74	13.00
GPRS 1 Tx slot	18.58	18.27	18.55	19.50	12.58	12.27	12.55	13.50
GPRS 2 Tx slots	17.24	17.32	17.18	18.50	12.98	13.06	12.92	14.24
GPRS 3 Tx slots	16.43	16.34	16.41	17.00	13.43	13.34	13.41	14.00
GPRS 4 Tx slots	20.21	20.27	20.16	21.50	11.21	11.27	11.16	12.50
EDGE 1 Tx slot	18.60	18.67	18.61	20.00	12.60	12.67	12.61	14.00
EDGE 2 Tx slots	17.51	17.38	17.34	18.50	13.25	13.12	13.08	14.24
EDGE 3 Tx slots	16.56	16.73	16.53	17.50	13.56	13.73	13.53	14.50
EDGE 4 Tx slots								

Band	WCDMA II_Ant 13			Tune-up Limit (dBm)	WCDMA II_Ant 31			Tune-up Limit (dBm)
	9262	9400	9538		9262	9400	9538	
TX Channel	9662	9800	9938		9662	9800	9938	
Rx Channel	1852.4	1880	1907.6		1852.4	1880	1907.6	
Frequency (MHz)	13.04	13.21	13.18	15.00	24.00	24.15	24.10	25.30
3GPP Rel 99	13.06	13.23	13.22	15.00	24.02	24.20	24.13	25.30
3GPP Rel 99	12.03	12.09	12.08	14.00	23.07	23.16	23.26	24.30
3GPP Rel 6	12.03	12.11	12.08	14.00	23.05	23.13	23.27	24.30
3GPP Rel 6	11.53	11.53	11.54	13.50	22.54	22.61	22.77	23.80
3GPP Rel 6	11.57	11.61	11.55	13.50	22.52	22.61	22.79	23.80
3GPP Rel 8	12.08	12.21	12.21	14.00	23.46	23.54	23.63	24.30
3GPP Rel 8	12.12	12.21	12.17	14.00	23.45	23.46	23.57	24.30
3GPP Rel 8	11.63	11.69	11.63	13.50	22.86	22.91	23.09	23.80
3GPP Rel 8	11.62	11.70	11.70	13.50	22.83	22.91	23.09	23.80
3GPP Rel 6	12.29	12.46	12.44	14.00	23.01	23.14	23.24	24.30
3GPP Rel 6	10.25	10.42	10.44	12.00	21.00	21.12	21.29	22.30
3GPP Rel 6	11.27	11.40	11.47	13.00	22.00	22.15	22.28	23.30
3GPP Rel 6	10.23	10.43	10.45	12.00	21.04	21.14	21.30	22.30
3GPP Rel 6	12.19	12.34	12.39	14.00	23.10	23.20	23.30	24.30

Band	WCDMA V_Ant 11			Tune-up Limit (dBm)	WCDMA V_Ant 41			Tune-up Limit (dBm)
	4132	4182	4233		4132	4182	4233	
TX Channel	4357	4407	4458		4357	4407	4458	
Rx Channel	826.4	836.4	846.6		826.4	836.4	846.6	
Frequency (MHz)	20.03	20.04	19.98	21.50	24.16	24.11	24.03	25.50
3GPP Rel 99	20.04	20.05	19.99	21.50	24.17	24.22	24.05	25.50
3GPP Rel 6	18.70	18.73	18.77	20.50	23.33	23.26	23.14	24.50
3GPP Rel 6	18.75	18.81	18.77	20.50	23.34	23.24	23.15	24.50
3GPP Rel 6	18.26	18.29	18.28	20.00	22.82	22.80	22.84	24.00
3GPP Rel 6	18.23	18.25	18.27	20.00	22.82	22.69	22.64	24.00
3GPP Rel 8	18.79	18.80	18.93	20.50	23.97	23.94	23.80	24.50
3GPP Rel 8	18.83	18.97	18.88	20.50	23.98	23.92	23.85	24.50
3GPP Rel 8	18.42	18.38	18.40	20.00	23.48	23.40	23.25	24.00
3GPP Rel 8	18.38	18.36	18.43	20.00	23.44	23.37	23.30	24.00
3GPP Rel 6	18.84	18.84	18.83	20.50	23.30	23.24	23.16	24.50
3GPP Rel 6	18.84	18.91	18.79	18.50	21.27	21.23	21.11	22.50
3GPP Rel 6	17.85	17.84	17.77	19.50	22.28	22.23	22.11	23.50
3GPP Rel 6	16.81	16.84	16.76	18.50	21.29	21.27	21.10	22.50
3GPP Rel 6	18.87	18.87	18.77	20.50	23.30	23.20	23.10	24.50

GSM1900_Ant 31	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)	29.60	29.92	29.89	31.00	20.60	20.92	20.89	22.00
GSM 1 Tx slot	29.57	29.79	29.81	31.00	20.57	20.79	20.81	22.00
GPRS 1 Tx slot	27.28	27.41	27.49	29.00	21.28	21.41	21.49	23.00
GPRS 2 Tx slots	26.26	26.42	26.35	28.00	22.00	22.16	22.09	23.74
GPRS 3 Tx slots	25.00	25.13	25.01	26.50	22.00	22.13	22.01	23.50
GPRS 4 Tx slots	25.12	25.31	25.48	26.50	16.12	16.31	16.48	17.50
EDGE 1 Tx slot	24.11	24.38	24.32	25.50	18.11	18.38	18.32	19.50
EDGE 2 Tx slots	22.96	23.06	23.16	24.50	18.70	18.80	18.90	20.24
EDGE 3 Tx slots	22.03	22.10	22.27	23.50	19.03	19.10	19.27	20.50
EDGE 4 Tx slots								

Band	WCDMA IV_Ant 13			Tune-up Limit (dBm)	WCDMA IV_Ant 31			Tune-up Limit (dBm)
	1312	1413	1513		1312	1413	1513	
TX Channel	1537	1638	1738		1537	1638	1738	
Rx Channel	1712.4	1732.6	1752.6		1712.4	1732.6	1752.6	
Frequency (MHz)	13.54	13.56	13.48	15.00	24.02	24.11	24.08	25.50
3GPP Rel 99	13.56	13.59	13.51	15.00	24.09	24.16	24.13	25.50
3GPP Rel 6	12.43	12.36	12.41	14.00	22.96	23.20	23.29	24.50
3GPP Rel 6	12.40	12.37	12.43	14.00	23.01	23.20	23.30	24.50
3GPP Rel 6	11.96	11.87	11.96	13.50	22.54	22.67	22.78	24.00
3GPP Rel 6	11.86	11.83	11.95	13.50	22.53	22.68	22.75	24.00
3GPP Rel 8	12.53	12.52	12.57	14.00	23.31	23.60	23.65	24.50
3GPP Rel 8	12.48	12.53	12.51	14.00	23.39	23.56	23.59	24.50
3GPP Rel 8	12.11	11.96	12.06	13.50	22.86	23.01	23.13	24.00
3GPP Rel 8	11.96	11.91	12.10	13.50	22.86	23.00	23.13	24.00
3GPP Rel 6	12.46	12.31	12.37	14.00	23.06	22.90	22.90	24.50
3GPP Rel 6	10.41	10.34	10.25	12.00	21.04	20.91	20.98	22.50
3GPP Rel 6	11.44	11.33	11.33	13.00	22.04	21.90	21.97	23.50
3GPP Rel 6	10.43	10.36	10.31	12.00	21.03	20.88	20.91	22.50
3GPP Rel 6	12.49	12.41	12.34	14.00	23.00	22.88	22.93	24.50

Band	CDMA BC0_Ant 11			Tune-up Limit (dBm)	CDMA BC0_Ant 41			Tune-up Limit (dBm)
	1013	384	777		1013	384	777	
TX Channel	624.7	836.52	848.31		624.7	836.52	848.31	
Frequency (MHz)	19.98	20.05	20.05	21.00	23.92	23.95	23.85	25.00
RC1 S0S5	20.06	20.21	20.17	21.00	23.92	23.97	23.85	25.00
RC3 S0S2 (+SCH)	20.06	20.09	20.06	21.00	23.92	23.94	23.85	25.00
RC3 S0S2 (+SCH)	20.00	20.01	19.96	21.00	23.79	23.88	23.84	25.00

Band 2_Ant 13											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MFR (dB)			
Channel											
Frequency (MHz)				18700	18900	19100					
20	QPSK	1	0	13.19	13.29	13.21	14.5	0			
20	QPSK	1	49	13.18	13.15	13.21					
20	QPSK	1	99	13.05	13.02	13.05					
20	QPSK	50	0	13.27	13.35	13.26	14.5	0			
20	QPSK	50	24	13.26	13.26	13.21					
20	QPSK	50	50	13.18	13.17	13.24					
20	QPSK	100	0	13.23	13.29	13.21	14.5	0			
20	16QAM	1	0	13.33	13.30	13.30					
20	16QAM	1	49	13.19	13.22	13.35					
20	16QAM	1	99	13.23	13.17	13.16	14.5	0			
20	16QAM	50	0	13.10	13.07	13.06					
20	16QAM	50	24	13.07	13.07	13.03					
20	16QAM	50	50	13.02	13.01	13.05	14.5	0			
20	16QAM	100	0	13.05	13.04	13.03					
20	84QAM	1	0	13.13	13.22	13.24					
20	84QAM	1	49	13.19	13.35	13.28	14.5	0			
20	84QAM	1	99	13.10	13.16	13.22					
20	84QAM	50	0	13.07	13.10	13.15					
20	84QAM	50	24	13.08	13.14	13.20	14.5	0			
20	84QAM	50	50	13.03	13.11	13.15					
20	84QAM	100	0	13.08	13.12	13.12					
Channel											
Frequency (MHz)				18675	18900	19125					
15	QPSK	1	0	13.06	13.25	13.09	14.5	0			
15	QPSK	1	37	13.05	13.00	13.09					
15	QPSK	1	74	12.93	12.87	12.90					
15	QPSK	36	0	13.21	13.25	13.19	14.5	0			
15	QPSK	36	20	13.10	13.21	13.12					
15	QPSK	36	39	13.13	13.06	13.09					
15	QPSK	75	0	13.17	13.24	13.15	14.5	0			
15	16QAM	1	0	13.23	13.24	13.19					
15	16QAM	1	37	13.13	13.09	13.22					
15	16QAM	1	74	13.17	13.07	13.08	14.5	0			
15	16QAM	36	0	12.97	12.92	12.96					
15	16QAM	36	20	12.98	12.94	12.91					
15	16QAM	36	39	12.94	12.93	12.98	14.5	0			
15	16QAM	75	0	12.97	12.96	12.87					
15	84QAM	1	0	13.01	13.14	13.08					
15	84QAM	1	37	13.06	13.25	13.18	14.5	0			
15	84QAM	1	74	13.05	13.09	13.16					
15	84QAM	36	0	13.02	13.04	13.02					
15	84QAM	36	20	13.01	13.01	13.14	14.5	0			
15	84QAM	36	39	12.90	12.86	13.06					
15	84QAM	75	0	12.85	13.02	13.09					
Channel											
Frequency (MHz)				18650 <th>18900</th> <th>19150</th> <th></th> <th></th> <th></th>	18900	19150					
10	QPSK	1	0	13.08	13.29	13.14	14.5	0			
10	QPSK	1	25	13.03	13.00	13.05					
10	QPSK	1	49	12.93	12.96	12.90					
10	QPSK	25	0	13.21	13.26	13.20	14.5	0			
10	QPSK	25	12	13.15	13.13	13.11					
10	QPSK	25	25	13.11	13.03	13.13					
10	QPSK	50	0	13.13	13.23	13.07	14.5	0			
10	16QAM	1	0	13.28	13.16	13.18					
10	16QAM	1	25	13.04	13.08	13.28					
10	16QAM	1	49	13.07	13.05	13.09	14.5	0			
10	16QAM	25	0	12.99	13.01	12.96					
10	16QAM	25	12	12.94	13.02	12.98					
10	16QAM	25	25	12.94	12.94	12.96	14.5	0			
10	16QAM	50	0	12.98	12.93	12.98					
10	84QAM	1	0	12.96	13.09	13.09					
10	84QAM	1	25	13.14	13.28	13.13	14.5	0			
10	84QAM	1	49	12.96	13.01	13.15					
10	84QAM	25	0	12.99	12.97	13.08					
10	84QAM	25	12	12.93	13.07	13.15	14.5	0			
10	84QAM	25	25	12.90	12.99	13.08					
10	84QAM	50	0	12.92	13.03	13.09					
Channel											
Frequency (MHz)				18625	18900	19175					
5	QPSK	1	0	13.06	13.34	13.14	14.5	0			
5	QPSK	1	12	13.09	13.05	13.12					
5	QPSK	1	24	12.89	12.94	12.91					
5	QPSK	12	0	13.22	13.25	13.20	14.5	0			
5	QPSK	12	7	13.20	13.16	13.11					
5	QPSK	12	13	13.11	13.02	13.09					
5	QPSK	25	0	13.14	13.21	13.05	14.5	0			
5	16QAM	1	0	13.19	13.17	13.21					
5	16QAM	1	12	13.06	13.10	13.25					
5	16QAM	12	0	13.03	13.01	12.94	14.5	0			
5	16QAM	12	7	12.93	12.98	12.94					
5	16QAM	12	13	12.86	12.86	13.00					
5	16QAM	25	0	13.00	12.90	12.95	14.5	0			
5	84QAM	1	0	12.96	13.06	13.13					
5	84QAM	1	12	13.10	13.22	13.22					
5	84QAM	1	24	12.94	13.04	13.14	14.5	0			
5	84QAM	12	0	13.02	12.98	13.01					
5	84QAM	12	7	12.99	13.02	13.13					
5	84QAM	12	13	12.91	13.05	12.99	14.5	0			
5	84QAM	25	0	12.92	13.01	13.13					
5	84QAM	25	0	12.92	12.98	13.13					
Channel											
Frequency (MHz)				18615 <th>18900</th> <th>19185</th> <th></th> <th></th> <th></th>	18900	19185					
3	QPSK	1	0	13.10	13.32	13.10	14.5	0			
3	QPSK	1	8	13.12	13.05	13.07					
3	QPSK	1	14	12.92	12.92	12.97					
3	QPSK	8	0	13.21	13.23	13.19	14.5	0			
3	QPSK	8	4	13.14	13.20	13.09					
3	QPSK	8	7	13.06	13.03	13.14	14.5	0			
3	QPSK	15	0	13.10	13.24	13.10					
3	16QAM	1	0	13.18	13.16	13.20					
3	16QAM	1	8	13.07	13.07	13.19	14.5	0			
3	16QAM	1	14	13.11	13.03	13.08					
3	16QAM	8	0	12.95	12.96	13.00					
3	16QAM	8	4	12.97	12.99	12.98	14.5	0			
3	16QAM	15	0	12.93	12.89	12.90					
3	16QAM	15	7	12.93	12.93	12.91					
3	84QAM	1	0	13.00	13.06	13.13	14.5	0			
3	84QAM	1	8	13.14	13.26	13.12					
3	84QAM	1	14	12.96	13.08	13.07					
3	84QAM	8	0	12.93	12.99	13.06	14.5	0			
3	84QAM	8	4	12.96	13.02	13.09					
3	84QAM	8	7	12.88	13.03	12.99					
3	84QAM	15	0	12.93	12.98	13.13	14.5	0			
Channel											
Frequency (MHz)				18607 <th>18900</th> <th>19193</th> <th></th> <th></th> <th></th>	18900	19193					
1.4	QPSK	1	0	13.10	13.24	13.16			14.5	0	
1.4	QPSK	1	8	13.07	13.02	13.05					
1.4	QPSK	1	5	13.00	12.95	12.94					
1.4	QPSK	3	0	13.22	13.26	13.13	14.5	0			
1.4	QPSK	3	1	13.17	13.13	13.07					
1.4	QPSK	3	3	13.08	13.02	13.08					
1.4	QPSK	6	0	13.14	13.15	13.07	14.5	0			
1.4	16QAM	1	0	13.18	13.15	13.20					
1.4	16QAM	1	3	13.13	13.13	13.28					
1.4	16QAM	1	5	13.10	13.06	13.05	14.5	0			
1.4	16QAM	3	0	12.97	12.99	12.94					
1.4	16QAM	3	1	13.01	12.91	12.93					
1.4	16QAM	3	1	12.89	12.89	12.90	14.5	0			
1.4	16QAM	3	7	12.92	12.92	12.88					
1.4	16QAM	3	10	13.00	13.17	13.08					
1.4	84QAM	1	3	13.05	13.23	13.21	14.5	0			
1.4	84QAM	1	5	12.98	13.09	13.16					
1.4	84QAM	3	0	12.94	13.02	13.02					
1.4	84QAM	3	1	13.03	13.05	13.08	14.5	0			
1.4	84QAM	3	3	12.87	13.04	13.00					
1.4	84QAM	6	0	12.92	12.98	13.07					

Band 4_Ant 31																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Turn-up limit (dBm)	MFR (dB)								
Channel																
Frequency (MHz)																
20	QPSK	1	0	23.65	23.88	23.74	25	0								
20	QPSK	1	49	23.62	23.73	23.64										
20	QPSK	1	99	23.62	23.66	23.58										
20	QPSK	50	0	22.53	22.79	22.65	24	1								
20	QPSK	50	24	22.41	22.70	22.52										
20	QPSK	50	50	22.38	22.64	22.44										
20	QPSK	100	0	22.42	22.65	22.53	24	1								
20	16QAM	1	0	22.61	22.80	22.71										
20	16QAM	1	49	22.58	22.85	22.67										
20	16QAM	1	99	22.60	22.81	22.67	23	2								
20	16QAM	50	0	21.52	21.63	21.62										
20	16QAM	50	24	21.50	21.63	21.53										
20	16QAM	50	50	21.38	21.65	21.58	23	2								
20	16QAM	100	0	21.35	21.58	21.60										
20	64QAM	1	0	21.56	21.85	21.49										
20	64QAM	1	49	21.56	21.72	21.59	23	2								
20	64QAM	1	99	21.73	21.64	21.66										
20	64QAM	50	0	20.61	20.81	20.53										
20	64QAM	50	24	20.66	20.56	20.58	22	3								
20	64QAM	50	50	20.38	20.75	20.56										
20	64QAM	100	0	20.52	20.71	20.47										
Channel																
Frequency (MHz)																
15	QPSK	1	0	23.56	23.83	23.62	25	0								
15	QPSK	1	37	23.46	23.57	23.54										
15	QPSK	1	74	23.38	23.50	23.53										
15	QPSK	36	0	22.38	22.63	22.37	24	1								
15	QPSK	36	12	22.31	22.59	22.41										
15	QPSK	36	39	22.27	22.57	22.31										
15	QPSK	75	0	22.15	22.49	22.37	23	2								
15	16QAM	1	0	22.50	22.79	22.56										
15	16QAM	1	37	22.42	22.70	22.60										
15	16QAM	1	74	22.49	22.69	22.61	23	2								
15	16QAM	36	0	21.44	21.53	21.55										
15	16QAM	36	20	21.35	21.56	21.52										
15	16QAM	36	39	21.22	21.57	21.59	22	3								
15	16QAM	75	0	21.20	21.53	21.55										
15	64QAM	1	0	21.48	21.76	21.40										
15	64QAM	1	37	21.40	21.50	21.51	23	2								
15	64QAM	1	74	21.67	21.49	21.57										
15	64QAM	36	0	20.50	20.65	20.41										
15	64QAM	36	20	20.61	20.48	20.48	22	3								
15	64QAM	36	39	20.31	20.70	20.48										
15	64QAM	75	0	20.42	20.57	20.45										
Channel																
Frequency (MHz)																
10	QPSK	1	0	23.59	23.82	23.65	25	0								
10	QPSK	1	25	23.64	23.59	23.50										
10	QPSK	1	49	23.39	23.58	23.46										
10	QPSK	25	0	22.36	22.66	22.40	24	1								
10	QPSK	25	12	22.35	22.59	22.40										
10	QPSK	25	25	22.24	22.49	22.29										
10	QPSK	50	0	22.10	22.51	22.42	24	1								
10	16QAM	1	0	22.53	22.81	22.56										
10	16QAM	1	25	22.43	22.71	22.57										
10	16QAM	1	49	22.55	22.72	22.59	23	2								
10	16QAM	25	0	21.41	21.53	21.54										
10	16QAM	25	12	21.38	21.50	21.45										
10	16QAM	25	25	21.23	21.50	21.51	23	2								
10	16QAM	50	0	21.25	21.46	21.46										
10	64QAM	1	0	21.48	21.76	21.42										
10	64QAM	1	25	21.47	21.63	21.44	23	2								
10	64QAM	1	49	21.64	21.53	21.56										
10	64QAM	25	0	20.55	20.73	20.45										
10	64QAM	25	12	20.60	20.45	20.51	22	3								
10	64QAM	25	25	20.27	20.63	20.41										
10	64QAM	50	0	20.47	20.63	20.44										
Channel																
Frequency (MHz)																
5	QPSK	1	0	23.53	23.83	23.65	25	0								
5	QPSK	1	12	23.50	23.58	23.49										
5	QPSK	1	24	23.47	23.52	23.44										
5	QPSK	12	0	22.29	22.69	22.47	24	1								
5	QPSK	12	7	22.34	22.54	22.43										
5	QPSK	12	13	22.31	22.55	22.38										
5	QPSK	25	0	22.13	22.50	22.44	24	1								
5	16QAM	1	0	22.49	22.79	22.65										
5	16QAM	1	12	22.51	22.74	22.57										
5	16QAM	1	24	22.51	22.67	22.59	23	2								
5	16QAM	12	0	21.40	21.50	21.55										
5	16QAM	12	7	21.40	21.54	21.43										
5	16QAM	12	13	21.24	21.51	21.50	23	2								
5	16QAM	25	0	21.21	21.47	21.48										
5	64QAM	1	0	21.50	21.79	21.40										
5	64QAM	1	12	21.50	21.59	21.46	23	2								
5	64QAM	1	24	21.59	21.55	21.61										
5	64QAM	12	0	20.50	20.67	20.40										
5	64QAM	12	7	20.61	20.42	20.49	22	3								
5	64QAM	12	13	20.29	20.63	20.46										
5	64QAM	15	0	20.36	20.55	20.50										
Channel																
Frequency (MHz)																
3	QPSK	1	0	23.51	23.73	23.67	25	0								
3	QPSK	1	8	23.62	23.67	23.59										
3	QPSK	1	14	23.38	23.59	23.52										
3	QPSK	8	0	22.33	22.67	22.44	24	1								
3	QPSK	8	4	22.34	22.58	22.41										
3	QPSK	8	7	22.24	22.56	22.32										
3	QPSK	15	0	22.08	22.51	22.37	24	1								
3	16QAM	1	0	22.45	22.80	22.59										
3	16QAM	1	8	22.49	22.78	22.53										
3	16QAM	1	14	22.51	22.69	22.62	24	1								
3	16QAM	8	0	21.40	21.56	21.52										
3	16QAM	8	4	21.41	21.55	21.52										
3	16QAM	8	7	21.30	21.58	21.60	23	2								
3	16QAM	15	0	21.43	21.53	21.52										
3	64QAM	1	0	21.41	21.73	21.38										
3	64QAM	1	8	21.42	21.57	21.43	23	2								
3	64QAM	1	14	21.58	21.49	21.52										
3	64QAM	8	0	20.51	20.70	20.37										
3	64QAM	8	4	20.61	20.40	20.47	22	3								
3	64QAM	8	7	20.24	20.61	20.50										
3	64QAM	15	0	20.44	20.61	20.52										
Channel																
Frequency (MHz)																
1.4	QPSK	1	0	23.59	23.82	23.85	25	0								
1.4	QPSK	1	3	23.53	23.49	23.65										
1.4	QPSK	1	6	23.48	23.59	23.62										
1.4	QPSK	3	0	23.47	23.65	23.72	25	0								
1.4	QPSK	3	1	23.55	23.55	23.71										
1.4	QPSK	3	3	23.60	23.58	23.78										
1.4	QPSK	6	0	22.60	22.73	22.82	25	0								
1.4	QPSK	6	0	22.13	22.14	22.25										
1.4	QPSK	6	2	22.62	22.62	23.23										
1.4	16QAM	1	5	22.60	22.92	23.24	25	0								
1.4	16QAM	3	0	22.69	22.88	22.97										
1.4	16QAM	3	1	22.83	22.96	22.98										
1.4	16QAM	3	3	22.86	22.92	23.00	25	0								
1.4	16QAM	6	0	21.81	21.81	23.23										
1.4	64QAM	1	0	21.97	22.02	21.96										
1.4	64QAM	1	3	21.97	22.21	22.20	25	0								
1.4	64QAM	1	5	21.61	22.01	21.99										
1.4	64QAM	3	0	21.73	21.88	21.59										
1.4	64QAM	3	1	21.63	21.97	22.07	25	0								
1.4	64QAM	3	3	21.85	21.93	22.00										
1.4	64QAM	5	0	20.77	21.03	20.80										

Band 5_Ant 41													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				20450	20525	20580							
Frequency (MHz)				820	836.5	844							
10	QPSK	1	0	23.80	23.95	23.82	25	0					
10	QPSK	1	25	23.79	23.75	23.77							
10	QPSK	1	49	23.73	23.62	23.71							
10	QPSK	25	0	22.93	22.98	22.88	24	1					
10	QPSK	25	12	22.91	22.88	22.87							
10	QPSK	25	25	22.84	22.88	22.79							
10	QPSK	50	0	22.92	22.92	22.83	24	1					
10	16QAM	0	0	23.24	23.02	23.16							
10	16QAM	1	25	22.75	23.16	23.30							
10	16QAM	1	49	22.78	22.91	23.32	23	2					
10	16QAM	25	0	21.81	21.89	21.87							
10	16QAM	25	12	22.02	21.95	21.82							
10	16QAM	25	25	21.96	21.94	21.83	23	2					
10	16QAM	50	0	21.87	21.82	21.76							
10	64QAM	1	0	21.85	22.15	21.73							
10	64QAM	1	25	22.23	21.81	22.00	23	2					
10	64QAM	1	49	21.73	22.00	21.88							
10	64QAM	25	0	20.80	20.81	20.70							
10	64QAM	25	12	20.88	20.83	20.90	22	3					
10	64QAM	25	25	20.98	20.85	20.74							
10	64QAM	50	0	20.90	20.89	20.84							
Channel				20425	20525	20525							
Frequency (MHz)				820.5	836.5	846.5							
5	QPSK	1	0	23.82	23.78	23.70	25	0					
5	QPSK	1	12	23.75	23.66	23.62							
5	QPSK	1	24	23.74	23.63	23.67							
5	QPSK	12	0	22.72	22.79	22.70	24	1					
5	QPSK	12	7	22.82	22.82	22.75							
5	QPSK	12	13	22.87	22.86	22.79							
5	QPSK	25	0	22.87	22.80	22.70	24	1					
5	16QAM	1	0	22.90	23.01	23.41							
5	16QAM	1	12	23.26	23.50	23.02							
5	16QAM	1	24	23.06	23.49	23.06	24	1					
5	16QAM	12	0	21.75	21.86	21.86							
5	16QAM	12	7	21.90	21.87	21.90							
5	16QAM	12	13	21.87	21.85	21.90	23	2					
5	16QAM	25	0	21.79	21.79	21.79							
5	64QAM	1	0	22.01	22.36	21.76							
5	64QAM	1	12	22.02	21.86	21.85	23	2					
5	64QAM	1	24	21.79	21.84	21.77							
5	64QAM	12	0	20.92	20.86	20.88							
5	64QAM	12	7	21.02	20.84	20.82	22	3					
5	64QAM	12	13	20.98	20.82	20.82							
5	64QAM	25	0	20.92	20.79	20.81							
Channel				20415	20525	20525							
Frequency (MHz)				820.5	836.5	847.5							
3	QPSK	1	0	23.74	23.63	23.64	25	0					
3	QPSK	1	8	23.59	23.76	23.74							
3	QPSK	1	14	23.69	23.76	23.58							
3	QPSK	8	0	22.81	22.71	22.62	24	1					
3	QPSK	8	4	22.78	22.80	22.73							
3	QPSK	8	7	22.84	22.82	22.79							
3	QPSK	15	0	22.86	22.65	22.73	24	1					
3	16QAM	1	0	23.17	23.21	23.26							
3	16QAM	1	8	23.14	22.96	23.23							
3	16QAM	1	14	23.05	22.96	22.93	23	2					
3	16QAM	8	0	21.89	21.84	21.70							
3	16QAM	8	4	21.93	21.90	21.91							
3	16QAM	8	7	21.88	21.94	21.83	23	2					
3	16QAM	15	0	21.82	21.67	21.91							
3	64QAM	1	0	22.06	21.93	21.76							
3	64QAM	1	8	22.11	22.14	21.66	23	2					
3	64QAM	1	14	21.73	22.18	22.14							
3	64QAM	8	0	20.88	20.78	20.76							
3	64QAM	8	4	20.99	20.90	20.79	22	3					
3	64QAM	8	7	20.77	20.93	20.79							
3	64QAM	15	0	20.84	20.76	20.72							
Channel				20407 <th>20525</th> <th>20543</th> <th colspan="4"></th>	20525	20543							
Frequency (MHz)				824.7	836.5	848.3							
1.4	QPSK	1	0	23.64	23.68	23.67	25	0					
1.4	QPSK	1	3	23.66	23.68	23.61							
1.4	QPSK	1	5	23.49	23.64	23.67							
1.4	QPSK	3	0	23.79	23.69	23.62	24	1					
1.4	QPSK	3	1	23.71	23.74	23.59							
1.4	QPSK	3	3	23.72	23.79	23.66							
1.4	QPSK	6	0	22.80	22.72	22.65	24	1					
1.4	16QAM	1	0	22.97	23.23	23.17							
1.4	16QAM	1	3	23.24	23.13	23.00							
1.4	16QAM	1	5	23.00	22.96	23.02	24	1					
1.4	16QAM	3	0	22.89	22.69	22.86							
1.4	16QAM	3	1	22.99	23.01	22.97							
1.4	16QAM	3	3	22.72	22.85	22.88	23	2					
1.4	16QAM	6	0	21.74	21.80	21.75							
1.4	64QAM	1	0	21.96	22.26	21.82							
1.4	64QAM	1	3	21.83	21.90	21.95	23	2					
1.4	64QAM	1	5	21.78	21.90	21.68							
1.4	64QAM	3	0	21.83	21.80	21.94							
1.4	64QAM	3	1	21.67	21.89	21.74	22	3					
1.4	64QAM	3	3	21.77	21.88	21.74							
1.4	64QAM	6	0	20.82	20.77	20.90							

Band 7_Ant 13												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				20650	21100	21550						
Frequency (MHz)				2510	2535	2550						
20	QPSK	1	0	13.30	13.58	13.37	14	0				
20	QPSK	1	49	13.21	13.38	13.36						
20	QPSK	1	99	13.22	13.38	13.34						
20	QPSK	50	0	13.38	13.56	13.55	14	0				
20	QPSK	50	24	13.34	13.42	13.40						
20	QPSK	50	50	13.27	13.54	13.53						
20	QPSK	100	0	13.34	13.43	13.42	14	0				
20	16QAM	1	0	13.15	13.33	13.26						
20	16QAM	1	49	13.21	13.51	13.37						
20	16QAM	1	99	13.17	13.45	13.34	14	0				
20	16QAM	50	0	13.03	13.13	13.16						
20	16QAM	50	24	13.09	13.18	13.24						
20	16QAM	50	50	13.04	13.14	13.13	14	0				
20	16QAM	100	0	13.05	13.13	13.15						
20	64QAM	1	0	13.07	13.20	13.27						
20	64QAM	1	49	13.12	13.30	13.31	14	0				
20	64QAM	1	99	13.15	13.35	13.35						
20	64QAM	50	0	13.04	13.14	13.13	14	0				
20	64QAM	50	24	13.04	13.19	13.20						
20	64QAM	50	50	13.05	13.22	13.21						
20	64QAM	100	0	13.05	13.13	13.14	14	0				
Channel				20625	21100	21575						
Frequency (MHz)				2507.5	2535	2562.5						
15	QPSK	1	0	13.25	13.47	13.37	14	0				
15	QPSK	1	37	13.09	13.32	13.30						
15	QPSK	1	74	13.11	13.27	13.22						
15	QPSK	36	0	13.24	13.47	13.40	14	0				
15	QPSK	36	20	13.23	13.38	13.42						
15	QPSK	36	39	13.22	13.37	13.47						
15	QPSK	75	0	13.20	13.40	13.30	14	0				
15	16QAM	1	0	13.05	13.19	13.10						
15	16QAM	1	37	13.14	13.40	13.31						
15	16QAM	1	74	13.10	13.30	13.27	14	0				
15	16QAM	36	0	13.18	13.23	13.29						
15	16QAM	36	20	13.20	13.31	13.37						
15	16QAM	36	39	13.17	13.32	13.35	14	0				
15	16QAM	75	0	13.12	13.20	13.25						
15	64QAM	1	0	13.22	13.25	13.38						
15	64QAM	1	37	13.19	13.41	13.45	14	0				
15	64QAM	1	74	13.29	13.48	13.47						
15	64QAM	36	0	13.19	13.19	13.28						
15	64QAM	36	20	13.19	13.23	13.29	14	0				
15	64QAM	36	39	13.17	13.34	13.38						
15	64QAM	75	0	13.16	13.16	13.18						
Channel				20600	21100	21600						
Frequency (MHz)				2505	2535	2565						
10	QPSK	1	0	13.23	13.45	13.31	14	0				
10	QPSK	1	12	13.13	13.28	13.31						
10	QPSK	1	49	13.11	13.27	13.18						
10	QPSK	25	0	13.27	13.49	13.42	14	0				
10	QPSK	25	12	13.28	13.37	13.44						
10	QPSK	25	25	13.22	13.48	13.46						
10	QPSK	50	0	13.25	13.48	13.37	14	0				
10	16QAM	1	0	13.06	13.27	13.20						
10	16QAM	1	25	13.05	13.45	13.30						
10	16QAM	1	49	13.07	13.35	13.29	14	0				
10	16QAM	25	0	13.09	13.28	13.22						
10	16QAM	25	12	13.14	13.25	13.36						
10	16QAM	25	25	13.16	13.36	13.38	14	0				
10	16QAM	50	0	13.12	13.28	13.19						
10	64QAM	1	0	13.19	13.33	13.35						
10	64QAM	1	25	13.27	13.44	13.44	14	0				
10	64QAM	1	49	13.30	13.39	13.47						
10	64QAM	25	0	13.11	13.18	13.28						
10	64QAM	25	12	13.08	13.27	13.32	14	0				
10	64QAM	25	25	13.11	13.29	13.32						
10	64QAM	50	0	13.20	13.21	13.26						
Channel				20775	21100	21425						
Frequency (MHz)				2502.5	2535	2567.5						
5	QPSK	1	0	13.21	13.50	13.22	14	0				
5	QPSK	1	12	13.12	13.25	13.21						
5	QPSK	1	12	13.24	13.24	13.23						
5	QPSK	12	0	13.22	13.51	13.43	14	0				
5	QPSK	12	7	13.26	13.37	13.37						
5	QPSK	12	13	13.22	13.44	13.37						
5	QPSK	25	0	13.22	13.34	13.28	14	0				
5	16QAM	1	0	13.07	13.22	13.12						
5	16QAM	1	12	13.11	13.36	13.26						
5	16QAM	1	24	13.08	13.40	13.27	14	0				
5	16QAM	12	0	13.11	13.17	13.26						
5	16QAM	12	7	13.23	13.25	13.30						
5	16QAM	12	13	13.19	13.33	13.29	14	0				
5	16QAM	25	0	13.19	13.22	13.30						
5	64QAM	1	0	13.19	13.28	13.36						
5	64QAM	1	12	13.23	13.40	13.46	14	0				
5	64QAM	1	24	13.27	13.47	13.50						
5	64QAM	12	0	13.19	13.25	13.23						
5	64QAM	12	13	13.17	13.25	13.30	14	0				
5	64QAM	25	0	13.19	13.25	13.36						
5	64QAM	25	13	13.09	13.30	13.36						
5	64QAM	25	0	13.15	13.26	13.21	14	0				

Band 7_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)												
20	QPSK	1	0	17.18	17.49	17.37	18.5	0				
20	QPSK	1	49	17.09	17.30	17.24						
20	QPSK	1	99	17.07	17.28	17.29						
20	QPSK	50	0	17.25	17.45	17.36	18.5	0				
20	QPSK	50	24	17.23	17.34	17.31						
20	QPSK	50	50	17.22	17.37	17.27						
20	QPSK	100	0	17.22	17.34	17.31	18.5	0				
20	16QAM	1	0	17.14	17.23	17.32						
20	16QAM	1	49	17.39	17.40	17.44						
20	16QAM	1	99	17.23	17.46	17.41	18.5	0				
20	16QAM	50	0	16.93	17.07	17.18						
20	16QAM	50	24	17.06	17.11	17.22						
20	16QAM	50	50	17.05	17.19	17.29	18.5	0				
20	16QAM	100	0	17.04	17.11	17.21						
20	64QAM	1	0	17.13	17.19	17.26						
20	64QAM	1	49	17.16	17.37	17.33	18.5	0				
20	64QAM	1	99	17.11	17.35	17.38						
20	64QAM	50	0	16.96	17.09	17.16						
20	64QAM	50	24	17.07	17.14	17.22	18.5	0				
20	64QAM	50	50	17.05	17.23	17.29						
20	64QAM	100	0	17.06	17.22	17.22						
Channel												
Frequency (MHz)												
15	QPSK	1	0	17.03	17.38	17.28	18.5	0				
15	QPSK	1	37	17.02	17.20	17.19						
15	QPSK	1	74	16.94	17.17	17.23						
15	QPSK	36	0	17.14	17.39	17.23	18.5	0				
15	QPSK	36	12	17.17	17.28	17.15						
15	QPSK	36	39	17.13	17.26	17.16						
15	QPSK	75	0	17.15	17.20	17.15	18.5	0				
15	16QAM	1	0	17.01	17.18	17.28						
15	16QAM	1	37	17.33	17.28	17.29						
15	16QAM	1	74	17.14	17.36	17.29	18.5	0				
15	16QAM	36	0	16.83	16.95	17.06						
15	16QAM	36	20	16.90	17.01	17.12						
15	16QAM	36	39	16.96	17.10	17.14	18.5	0				
15	16QAM	75	0	16.97	16.98	17.11						
15	64QAM	1	0	17.03	17.08	17.13						
15	64QAM	1	37	17.12	17.32	17.25	18.5	0				
15	64QAM	1	74	16.99	17.23	17.26						
15	64QAM	36	0	16.89	17.04	17.07						
15	64QAM	36	20	16.97	17.08	17.08	18.5	0				
15	64QAM	36	39	16.94	17.08	17.17						
15	64QAM	75	0	16.98	17.07	17.07						
Channel												
Frequency (MHz)												
10	QPSK	1	0	17.10	17.34	17.25	18.5	0				
10	QPSK	1	25	16.99	17.16	17.17						
10	QPSK	1	49	16.93	17.22	17.18						
10	QPSK	25	0	17.11	17.37	17.20	18.5	0				
10	QPSK	25	12	17.07	17.24	17.20						
10	QPSK	25	25	17.14	17.23	17.13						
10	QPSK	50	0	17.12	17.18	17.16	18.5	0				
10	16QAM	1	0	17.08	17.13	17.27						
10	16QAM	1	25	17.32	17.25	17.28						
10	16QAM	1	49	17.16	17.33	17.32	18.5	0				
10	16QAM	25	0	16.80	16.93	17.06						
10	16QAM	25	12	17.00	16.98	17.07						
10	16QAM	25	25	17.00	17.13	17.17	18.5	0				
10	16QAM	50	0	16.97	17.05	17.06						
10	64QAM	1	0	16.96	17.06	17.11						
10	64QAM	1	25	17.12	17.32	17.25	18.5	0				
10	64QAM	1	49	17.05	17.26	17.29						
10	64QAM	25	0	16.90	16.94	17.09						
10	64QAM	25	12	16.99	17.04	17.15	18.5	0				
10	64QAM	25	25	16.97	17.07	17.24						
10	64QAM	50	0	16.99	17.07	17.15						
Channel												
Frequency (MHz)												
5	QPSK	1	0	17.13	17.41	17.24	18.5	0				
5	QPSK	1	12	16.99	17.20	17.11						
5	QPSK	1	24	16.91	17.16	17.19						
5	QPSK	12	0	17.14	17.30	17.20	18.5	0				
5	QPSK	12	7	17.17	17.24	17.23						
5	QPSK	12	13	17.15	17.26	17.19						
5	QPSK	25	0	17.13	17.27	17.20	18.5	0				
5	16QAM	1	0	17.05	17.11	17.24						
5	16QAM	1	12	17.24	17.34	17.39						
5	16QAM	1	24	17.07	17.31	17.26	18.5	0				
5	16QAM	12	0	16.83	16.91	17.11						
5	16QAM	12	7	16.95	16.99	17.09						
5	16QAM	12	13	16.89	17.10	17.23	18.5	0				
5	16QAM	25	0	16.90	16.97	17.13						
5	64QAM	1	0	17.06	17.04	17.16						
5	64QAM	1	12	17.07	17.30	17.28	18.5	0				
5	64QAM	1	24	17.05	17.23	17.27						
5	64QAM	12	0	16.85	16.95	17.00						
5	64QAM	12	7	16.98	17.07	17.07	18.5	0				
5	64QAM	12	13	16.91	17.08	17.21						
5	64QAM	25	0	16.99	17.09	17.10						

Band 12_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				23000	23005	23150				
Frequency (MHz)				704	707.5	711				
10	QPSK	1	0	22.82	22.86	22.84	24	0		
10	QPSK	1	25	22.76	22.84	22.75				
10	QPSK	1	49	22.72	22.80	22.76				
10	QPSK	25	0	22.73	22.78	22.65	24	0		
10	QPSK	25	12	22.71	22.69	22.61				
10	QPSK	25	25	22.68	22.75	22.62				
10	QPSK	50	0	22.81	22.83	22.73	23	1		
10	16QAM	1	0	22.85	22.34	22.51				
10	16QAM	1	25	22.81	22.80	22.28				
10	16QAM	1	49	22.53	22.84	22.23	24	0		
10	16QAM	25	0	21.72	21.69	21.72				
10	16QAM	25	12	21.73	21.67	21.63				
10	16QAM	25	25	21.67	21.67	21.70	23	1		
10	16QAM	50	0	21.68	21.60	21.82				
10	64QAM	1	0	21.62	21.71	21.70				
10	64QAM	1	25	21.92	21.36	22.21	23	1		
10	64QAM	1	49	21.98	21.47	21.98				
10	64QAM	25					22	2		
10	64QAM	25	12	20.94	20.89	20.84				
10	64QAM	25	25	20.85	20.93	20.70				
10	64QAM	50	0	20.75	20.74	20.85				
Channel				23005	23006	23155	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				701.5	707.5	713.5				
5	QPSK	1	0	22.76	22.77	22.75	24	0		
5	QPSK	1	12	22.70	22.72	22.70				
5	QPSK	1	24	22.62	22.72	22.68				
5	QPSK	12	0	22.63	22.68	22.55	24	0		
5	QPSK	12	7	22.55	22.55	22.49				
5	QPSK	12	13	22.57	22.67	22.49				
5	QPSK	25	0	22.68	22.71	22.67	23	1		
5	16QAM	1	0	22.70	22.70	22.38				
5	16QAM	1	12	22.75	22.71	22.31				
5	16QAM	1	24	22.43	22.54	22.17	24	0		
5	16QAM	12	0	21.61	21.59	21.57				
5	16QAM	12	7	21.60	21.55	21.45				
5	16QAM	12	13	21.51	21.52	21.43	23	1		
5	16QAM	25	0	21.53	21.54	21.73				
5	64QAM	1	0	21.56	21.57	21.63				
5	64QAM	1	12	21.86	21.30	22.05	23	1		
5	64QAM	1	24	21.83	21.42	21.53				
5	64QAM	12	0	20.52	20.61	20.52	22	2		
5	64QAM	12	7	20.76	20.76	20.16				
5	64QAM	12	13	20.77	20.84	20.58				
5	64QAM	25	0	20.61	20.66	20.69				
Channel				23005	23005	23155	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				700.5	707.5	714.5				
3	QPSK	1	0	22.75	22.71	22.72	24	0		
3	QPSK	1	8	22.60	22.78	22.66				
3	QPSK	1	14	22.57	22.78	22.66				
3	QPSK	8	0	22.64	22.68	22.58	24	0		
3	QPSK	8	4	22.55	22.57	22.50				
3	QPSK	8	7	22.56	22.62	22.57				
3	QPSK	15	0	22.70	22.67	22.66	24	0		
3	16QAM	1	0	22.72	22.18	22.22				
3	16QAM	1	7	22.72	22.17	22.18				
3	16QAM	1	14	22.44	22.57	22.11	23	1		
3	16QAM	8	0	21.67	21.58	21.61				
3	16QAM	8	4	21.61	21.54	21.48				
3	16QAM	8	7	21.58	21.58	21.65	23	1		
3	16QAM	15	0	21.51	21.48	21.56				
3	64QAM	1	0	21.57	21.56	21.64				
3	64QAM	1	8	21.78	21.27	22.15	23	1		
3	64QAM	1	14	21.85	21.38	21.90				
3	64QAM	8	0	20.54	20.54	20.57	22	2		
3	64QAM	8	4	20.86	20.63	20.20				
3	64QAM	8	7	20.76	20.54	20.54				
3	64QAM	15	0	20.64	20.68	20.69				
Channel				23017	23005	23173	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				699.7	707.5	715.3				
1.4	QPSK	1	0	22.76	22.78	22.71	24	0		
1.4	QPSK	1	3	22.60	22.79	22.64				
1.4	QPSK	1	6	22.57	22.68	22.65				
1.4	QPSK	3	0	22.64	22.67	22.51	24	0		
1.4	QPSK	3	1	22.64	22.57	22.54				
1.4	QPSK	3	3	22.62	22.67	22.49				
1.4	QPSK	6	0	22.67	22.70	22.58	24	0		
1.4	16QAM	1	0	22.76	22.28	22.46				
1.4	16QAM	1	3	22.72	22.71	22.31				
1.4	16QAM	1	5	22.38	22.53	22.16	24	0		
1.4	16QAM	3	0	22.71	22.14	22.31				
1.4	16QAM	3	1	22.65	22.58	22.10				
1.4	16QAM	3	3	22.25	22.41	22.05	23	1		
1.4	16QAM	6	0	21.43	21.55	21.16				
1.4	64QAM	1	0	21.47	21.60	21.64				
1.4	64QAM	1	3	21.85	21.26	22.11	23	1		
1.4	64QAM	1	5	21.88	21.40	21.84				
1.4	64QAM	3	0	21.38	21.46	21.55				
1.4	64QAM	3	1	21.30	21.11	21.96	24	0		
1.4	64QAM	3	2	21.31	21.14	21.74				
1.4	64QAM	3	5	20.68	20.60	20.70				

Band 13_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				2320			24	0		
Frequency (MHz)				782						
10	QPSK	1	0	22.88			24	0		
10	QPSK	1	25	22.78						
10	QPSK	1	49	22.74						
10	QPSK	25	0	22.80						
10	QPSK	25	12	22.71			24	0		
10	QPSK	25	25	22.73						
10	QPSK	50	0	22.86						
10	16QAM	1	0	22.84						
10	16QAM	1	25	22.81			24	0		
10	16QAM	1	49	22.85						
10	16QAM	25	0	21.89						
10	16QAM	25	12	21.82						
10	16QAM	25	25	21.88			23	1		
10	16QAM	50	0	21.77						
10	64QAM	1	0	21.88						
10	64QAM	1	25	22.03						
10	64QAM	1	49	21.75			23	1		
10	64QAM	25	0	20.73						
10	64QAM	25	12	20.83						
10	64QAM	25	25	20.76						
10	64QAM	50	0	20.72			22	2		
Channel				23205						
Frequency (MHz)				779.5 782 784.5			24	0		
5	QPSK	1	0	22.80	22.77	22.77				
5	QPSK	1	12	22.73	22.73	22.62	24	0		
5	QPSK	1	24	22.67	22.69	22.69				
5	QPSK	12	0	22.72	22.69	22.64				
5	QPSK	12	7	22.65	22.57	22.60				
5	QPSK	12	13	22.68	22.60	22.62	24	0		
5	QPSK	25	0	22.76	22.73	22.71				
5	16QAM	1	0	22.69	22.73	22.74				
5	16QAM	1	12	22.76	22.66	22.76				
5	16QAM	1	24	22.72	22.76	22.79	24	0		
5	16QAM	12	0	21.53	21.53	21.64				
5	16QAM	12	7	21.74	21.68	21.74				
5	16QAM	12	13	21.77	21.72	21.72				
5	16QAM	25	0	21.71	21.61	21.67	23	1		
5	64QAM	1	0	21.81	21.76	21.80				
5	64QAM	1	12	21.90	21.94	21.94				
5	64QAM	1	24	21.62	21.61	21.59				
5	64QAM	12	0	20.64	20.61	20.59	22	2		
5	64QAM	12	7	20.71	20.69	20.70				
5	64QAM	12	13	20.63	20.60	20.65				
5	64QAM	25	0	20.67	20.67	20.66				

Band 13_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23230			25.3	0		
Frequency (MHz)				765						
10	QPSK	1	0	23.94			25.3	0		
10	QPSK	1	25	23.86						
10	QPSK	1	49	23.75						
10	QPSK	25	0	22.82						
10	QPSK	25	12	22.78			24.3	1		
10	QPSK	25	25	22.76						
10	QPSK	50	0	22.78						
10	16QAM	1	0	22.95						
10	16QAM	1	25	23.13			24.3	1		
10	16QAM	1	49	22.93						
10	16QAM	25	0	21.89						
10	16QAM	25	12	21.78						
10	16QAM	25	25	21.81			23.3	2		
10	16QAM	50	0	21.82						
10	64QAM	1	0	22.13						
10	64QAM	1	25	21.76						
10	64QAM	1	49	22.25			23.3	2		
10	64QAM	25	0	20.85						
10	64QAM	25	12	20.89						
10	64QAM	25	25	20.87						
10	64QAM	50	0	20.83			22.3	3		
Channel				23205					23230	
Frequency (MHz)				779.5 782 784.5			25.3	0		
5	QPSK	1	0	23.69	762 764	23.89				
5	QPSK	1	12	23.89	763	23.86	25.3	0		
5	QPSK	1	24	23.80	23.86	23.82				
5	QPSK	12	0	22.62	22.73	22.78				
5	QPSK	12	7	22.75	22.78	22.88				
5	QPSK	12	13	22.76	22.74	22.83	24.3	1		
5	QPSK	25	0	22.79	22.72	22.89				
5	16QAM	1	0	23.10	23.10	22.89				
5	16QAM	1	12	23.09	23.51	23.00				
5	16QAM	1	24	22.96	23.37	23.33	24.3	1		
5	16QAM	12	0	21.82	21.85	21.91				
5	16QAM	12	7	21.85	21.88	21.94				
5	16QAM	12	13	21.74	21.74	21.74				
5	16QAM	25	0	21.79	21.75	21.76	23.3	2		
5	64QAM	1	0	22.10	22.22	21.79				
5	64QAM	1	12	22.31	22.15	22.35				
5	64QAM	1	24	22.12	21.72	21.93				
5	64QAM	12	0	20.72	20.78	20.83	22.3	3		
5	64QAM	12	7	20.83	20.80	20.91				
5	64QAM	12	13	20.93	20.80	20.73				
5	64QAM	25	0	20.80	20.79	20.87				

Band 17_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23760	23760	23800	24	0		
Frequency (MHz)				709	710	711				
10	QPSK	1	0	22.44	22.77	22.59	24	0		
10	QPSK	1	25	22.60	22.69	22.71				
10	QPSK	1	49	22.69	22.65	22.63				
10	QPSK	25	0	22.72	22.76	22.65				
10	QPSK	25	12	22.73	22.72	22.71	24	0		
10	QPSK	25	25	22.72	22.75	22.72				
10	QPSK	50	0	22.73	22.75	22.72				
10	16QAM	1	0	22.76	22.16	22.46				
10	16QAM	1	25	22.59	22.40	22.61	24	0		
10	16QAM	1	49	22.67	22.29	22.31				
10	16QAM	25	0	21.71	21.70	21.72				
10	16QAM	25	12	21.70	21.75	21.76				
10	16QAM	25	25	21.75	21.70	21.74	23	1		
10	16QAM	50	0	21.65	21.61	21.54				
10	84QAM	1	0	22.25	21.29	21.74				
10	84QAM	1	25	22.08	21.65	21.61				
10	84QAM	1	49	21.94	21.72	21.70	23	1		
10	84QAM	25	0	20.87	20.57	20.59				
10	84QAM	25	12	20.84	20.60	20.83				
10	84QAM	25	25	20.83	20.70	20.83	22	2		
10	84QAM	50	0	20.85	20.68	20.68				
10	84QAM	50	0	20.80	20.68	20.68				
10	84QAM	50	0	20.75	20.68	20.68				
Channel				23765	23760	23825	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				706.5	710	713.5	24 <td rowspan="2">0</td> <th colspan="2"></th>	0		
5	QPSK	1	0	22.28	22.70	22.53				
5	QPSK	1	24	22.44	22.61	22.44	24	0		
5	QPSK	1	24	22.56	22.54	22.52				
5	QPSK	12	0	22.60	22.67	22.61				
5	QPSK	12	7	22.62	22.61	22.64				
5	QPSK	12	13	22.62	22.60	22.64	24	0		
5	QPSK	25	0	22.67	22.65	22.61				
5	16QAM	1	0	22.70	22.25	22.34				
5	16QAM	1	12	22.52	22.27	22.52				
5	16QAM	1	24	22.58	22.13	22.25	24	0		
5	16QAM	12	0	21.63	21.61	21.59				
5	16QAM	12	7	21.55	21.66	21.73				
5	16QAM	12	13	21.60	21.63	21.58				
5	16QAM	25	0	21.59	21.51	21.43	23	1		
5	84QAM	1	0	22.10	21.20	21.68				
5	84QAM	1	12	22.01	21.56	21.71				
5	84QAM	1	24	21.76	21.62	21.63				
5	84QAM	12	0	20.51	20.51	20.50	22	2		
5	84QAM	12	0	20.75	20.63	20.70				
5	84QAM	12	13	20.54	20.67	20.61				
5	84QAM	25	0	20.75	20.52	20.65				

Band 17_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				237.60	237.90	238.80				
Frequency (MHz)				709	710	711				
10	QPSK	1	0	23.63	23.75	23.55	25	0		
10	QPSK	1	25	23.57	23.60	23.73				
10	QPSK	1	49	23.73	23.62	23.64				
10	QPSK	25	0	22.71	22.68	22.65	24	1		
10	QPSK	25	12	22.76	22.74	22.82				
10	QPSK	25	25	22.64	22.79	22.70				
10	QPSK	50	0	22.79	22.83	22.80	24	1		
10	16QAM	1	0	22.64	22.87	22.94				
10	16QAM	1	25	23.21	23.04	23.10				
10	16QAM	1	49	22.72	23.23	22.82	23	2		
10	16QAM	25	0	21.74	21.80	21.57				
10	16QAM	25	12	21.72	21.70	21.85				
10	16QAM	25	25	21.73	21.75	21.69	22	3		
10	16QAM	50	0	21.77	21.69	21.53				
10	16QAM	1	0	21.93	21.63	21.74				
10	64QAM	1	25	21.85	22.16	21.94	23	2		
10	64QAM	1	49	21.65	22.06	22.21				
10	64QAM	25	0	20.56	20.61	20.79				
10	64QAM	25	12	20.84	20.74	20.73	22	3		
10	64QAM	25	25	20.69	20.61	20.71				
10	64QAM	50	0	20.70	20.73	20.74				
Channel				237.65	237.90	238.52	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				706.5	710	713.5				
5	QPSK	1	0	23.72	23.74	23.65	25	0		
5	QPSK	1	12	23.69	23.69	23.70				
5	QPSK	1	24	23.58	23.68	23.69				
5	QPSK	12	0	22.68	22.73	22.72	24	1		
5	QPSK	12	7	22.76	22.71	22.73				
5	QPSK	12	13	22.70	22.63	22.64				
5	QPSK	25	0	22.76	22.64	22.80	24	1		
5	16QAM	1	0	23.29	23.34	23.21				
5	16QAM	1	12	23.00	23.23	23.18				
5	16QAM	1	24	22.90	23.01	22.69	23	2		
5	16QAM	12	0	21.79	21.62	21.79				
5	16QAM	12	7	21.66	21.69	21.69				
5	16QAM	12	13	21.59	21.79	21.69	23	2		
5	16QAM	25	0	21.76	21.67	21.69				
5	16QAM	1	0	21.93	22.01	21.87				
5	64QAM	1	12	21.80	21.71	21.57	23	2		
5	64QAM	1	24	21.74	21.83	22.10				
5	64QAM	12	0	20.69	20.71	20.77				
5	64QAM	12	7	20.67	20.68	20.74	22	3		
5	64QAM	12	13	20.66	20.79	20.65				
5	64QAM	25	0	20.94	20.70	20.66				

Band 18_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				239.00	239.25	239.50				
Frequency (MHz)				820	822.5	825				
15	QPSK	1	0		20.36		21.5	0		
15	QPSK	1	37		20.05					
15	QPSK	1	74		19.99					
15	QPSK	36	0		20.33		21.5	0		
15	QPSK	36	20		20.29					
15	QPSK	36	39		20.12					
15	QPSK	75	0		20.04		21.5	0		
15	16QAM	1	0		20.08					
15	16QAM	1	37		20.29					
15	16QAM	1	74		20.14		21.5	0		
15	16QAM	36	0		20.23					
15	16QAM	36	20		20.27					
15	16QAM	36	39		20.12		21.5	0		
15	16QAM	75	0		20.13					
15	64QAM	1	0		19.94		21.5	0		
15	64QAM	1	37		20.27					
15	64QAM	1	74		20.24					
15	64QAM	36	0		20.26		21.5	0		
15	64QAM	36	20		20.35					
15	64QAM	36	39		20.17					
15	64QAM	75	0		20.13					
Channel				239.00	239.25	239.50	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				820	822.5	825				
10	QPSK	1	0	20.26	20.25	20.28	21.5	0		
10	QPSK	1	25	19.96	19.91	19.94				
10	QPSK	1	49	19.91	19.92	19.90				
10	QPSK	25	0	20.19	20.20	20.27	21.5	0		
10	QPSK	25	12	20.21	20.17	20.24				
10	QPSK	25	25	20.03	20.02	20.06				
10	QPSK	50	0	19.97	19.93	19.99	21.5	0		
10	16QAM	1	0	19.97	19.92	19.97				
10	16QAM	1	25	20.20	20.13	20.14				
10	16QAM	1	49	20.05	20.09	20.02	21.5	0		
10	16QAM	25	0	20.08	20.08	20.09				
10	16QAM	25	12	20.16	20.21	20.22				
10	16QAM	25	25	20.06	20.04	19.99	21.5	0		
10	16QAM	50	0	20.04	20.05	19.98				
10	64QAM	1	0	19.55	19.51	19.51				
10	64QAM	1	25	20.16	20.16	20.20	21.5	0		
10	64QAM	1	49	20.14	20.19	20.14				
10	64QAM	25	0	20.18	20.14	20.10				
10	64QAM	25	12	20.29	20.26	20.22	21.5	0		
10	64QAM	25	25	20.12	20.02	20.08				
10	64QAM	50	0	20.08	20.00	20.01				
Channel				239.75	239.50	239.75	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				817.5	822.5	827.5				
5	QPSK	1	0	20.30	20.31	20.27	21.5	0		
5	QPSK	1	12	19.90	19.98	20.00				
5	QPSK	1	24	19.85	19.89	19.93				
5	QPSK	12	0	20.22	20.21	20.28	21.5	0		
5	QPSK	12	7	20.23	20.18	20.15				
5	QPSK	12	13	19.99	20.02	19.96				
5	QPSK	25	0	19.91	19.94	19.98	21.5	0		
5	16QAM	1	0	19.99	19.90	19.98				
5	16QAM	1	12	20.20	20.17	20.23				
5	16QAM	1	24	20.08	19.99	20.05	21.5	0		
5	16QAM	12	0	20.14	20.16	20.13				
5	16QAM	12	7	20.11	20.12	20.16				
5	16QAM	12	13	19.99	20.05	19.97	21.5	0		
5	16QAM	25	0	19.97	19.99	20.08				
5	64QAM	1	0	19.59	19.53	19.54				
5	64QAM	1	12	20.12	20.15	20.16	21.5	0		
5	64QAM	1	24	20.18	20.14	20.18				
5	64QAM	12	0	20.10	20.16	20.16				
5	64QAM	12	7	20.28	20.29	20.30	21.5	0		
5	64QAM	12	13	20.08	20.04	20.05				
5	64QAM	25	0	20.06	20.07	20.07				

Band 19_Ant 11														
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MFR (dB)						
Channel				24075										
Frequency (MHz)				837.5										
15	QPSK	1	0		20.63		21.5	0						
15	QPSK	1	37		20.47									
15	QPSK	1	74		20.24									
15	QPSK	36	0		20.53									
15	QPSK	36	20		20.41		21.5	0						
15	QPSK	36	39		20.35									
15	QPSK	75	0		20.37									
15	16QAM	1	0		20.59		21.5	0						
15	16QAM	1	37		20.51									
15	16QAM	1	74		20.56									
15	16QAM	36	0		20.38									
15	16QAM	36	20		20.52		21.5	0						
15	16QAM	36	39		20.52									
15	16QAM	75	0		20.33									
15	84QAM	1	0		20.18		21.5	0						
15	84QAM	1	37		20.44									
15	84QAM	1	74		20.06									
15	84QAM	36	0		20.35									
15	84QAM	36	20		20.48		21.5	0						
15	84QAM	36	39		20.39									
15	84QAM	75	0		20.46									
Channel				24050	24075	24100	Tune-up limit (dBm)	MFR (dB)						
Frequency (MHz)				835	837.5	840								
10	QPSK	1	0	20.21	20.19	20.26	21.5	0						
10	QPSK	1	25	20.06	20.05	20.09								
10	QPSK	1	49	19.87	19.87	19.85								
10	QPSK	25	0	20.11	20.04	20.10								
10	QPSK	25	12	20.05	20.05	19.95	21.5	0						
10	QPSK	25	25	19.94	19.98	19.98								
10	QPSK	50	0	20.01	19.99	20.00								
10	16QAM	1	0	20.22	20.21	20.16								
10	16QAM	1	25	20.11	20.10	20.13	21.5	0						
10	16QAM	1	49	20.11	20.20	20.11								
10	16QAM	25	0	20.01	19.99	20.02								
10	16QAM	25	12	20.12	20.12	20.12								
10	16QAM	25	25	20.12	20.17	20.09	21.5	0						
10	16QAM	50	0	19.97	19.90	19.92								
10	84QAM	1	0	19.83	19.79	19.76								
10	84QAM	1	25	19.98	20.06	20.06								
10	84QAM	1	49	19.70	19.65	19.60	21.5	0						
10	84QAM	25	0	19.93	19.95	19.91								
10	84QAM	25	12	20.11	20.06	20.08								
10	84QAM	25	25	19.99	19.99	19.95								
10	84QAM	50	0	20.08	20.09	20.03	21.5	0						
Channel				24025	24075	24125					Tune-up limit (dBm)	MFR (dB)		
Frequency (MHz)				832.5	837.5	842.5								
5	QPSK	1	0	20.18	20.19	20.23					21.5	0		
5	QPSK	1	12	20.12	20.09	20.07								
5	QPSK	1	24	19.78	19.81	19.84								
5	QPSK	12	0	20.12	20.03	20.09								
5	QPSK	12	7	19.95	20.05	20.05	21.5	0						
5	QPSK	12	13	19.96	19.99	19.99								
5	QPSK	25	0	19.93	19.91	19.98								
5	16QAM	1	0	20.15	20.17	20.23								
5	16QAM	1	12	20.07	20.07	20.10	21.5	0						
5	16QAM	1	24	20.13	20.13	20.14								
5	16QAM	12	0	19.92	19.98	19.96								
5	16QAM	12	7	20.13	20.09	20.09								
5	16QAM	12	13	20.09	20.15	20.08	21.5	0						
5	16QAM	25	0	19.89	19.96	19.90								
5	84QAM	1	0	19.79	19.76	19.81								
5	84QAM	1	12	20.03	20.06	20.02								
5	84QAM	1	24	19.65	19.69	19.63	21.5	0						
5	84QAM	12	0	19.90	19.95	19.96								
5	84QAM	12	7	20.02	20.13	20.13								
5	84QAM	12	13	20.01	20.01	19.98								
5	84QAM	25	0	20.06	20.01	20.10	21.5	0						

Band 19_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel					24075				
Frequency (MHz)					837.5				
15	QPSK	1	0		23.70		25	0	
15	QPSK	1	37		23.50				
15	QPSK	1	74		23.34				
15	QPSK	36	0		22.64		24	1	
15	QPSK	36	20		22.51				
15	QPSK	36	39		22.63				
15	QPSK	75	0		22.52		24	1	
15	16QAM	1	0		23.00				
15	16QAM	1	37		22.68				
15	16QAM	1	74		22.81		23	2	
15	16QAM	36	0		21.56				
15	16QAM	36	20		21.67				
15	16QAM	36	39		21.57		23	2	
15	16QAM	75	0		21.61				
15	84QAM	1	0		21.87				
15	84QAM	1	37		21.46		22	3	
15	84QAM	1	74		21.18				
15	84QAM	36	0		20.51				
15	84QAM	36	20		20.62		22	3	
15	84QAM	36	39		20.61				
15	84QAM	75	0		20.43				
Channel					24050	24075	24100	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)					835	837.5	840		
10	QPSK	1	0	23.62	23.65	23.53	25	0	
10	QPSK	1	25	23.54	23.63	23.62			
10	QPSK	1	49	23.60	23.57	23.53			
10	QPSK	25	0	22.76	22.68	22.71	24	1	
10	QPSK	25	12	22.78	22.86	22.74			
10	QPSK	25	25	22.85	22.79	22.79			
10	QPSK	50	0	22.76	22.71	22.70	24	1	
10	16QAM	1	0	23.27	23.44	23.15			
10	16QAM	1	25	23.18	23.29	22.80			
10	16QAM	1	49	23.01	23.03	23.01	23	2	
10	16QAM	25	0	21.73	21.80	21.70			
10	16QAM	25	12	21.82	21.83	21.68			
10	16QAM	25	25	21.88	21.72	21.77	22	3	
10	16QAM	50	0	21.76	21.70	21.62			
10	84QAM	1	0	22.25	22.07	21.16			
10	84QAM	1	25	22.10	22.22	21.71	23	2	
10	84QAM	1	49	21.62	21.95	21.48			
10	84QAM	25	0	20.65	20.89	20.64			
10	84QAM	25	12	20.78	20.75	20.68	22	3	
10	84QAM	25	25	20.86	20.78	20.79			
10	84QAM	50	0	20.78	20.67	20.71			
Channel					24025	24075	24125	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)					832.5	837.5	842.5		
5	QPSK	1	0	23.60	23.55	23.64	25	0	
5	QPSK	1	12	23.67	23.69	23.61			
5	QPSK	1	24	23.61	23.65	23.62			
5	QPSK	12	0	22.63	22.70	22.66	24	1	
5	QPSK	12	7	22.69	22.63	22.78			
5	QPSK	12	13	22.63	22.73	22.71			
5	QPSK	25	0	22.68	22.75	22.72	23	1	
5	16QAM	1	0	22.88	22.44	22.98			
5	16QAM	1	12	22.55	23.22	22.88			
5	16QAM	1	24	22.62	22.98	22.56	23	2	
5	16QAM	12	0	21.74	21.73	21.68			
5	16QAM	12	7	21.78	21.67	21.80			
5	16QAM	12	13	21.67	21.87	21.82	22	3	
5	16QAM	25	0	21.71	21.67	21.73			
5	84QAM	1	0	21.80	21.69	21.86			
5	84QAM	1	12	22.25	22.13	22.08	23	2	
5	84QAM	1	24	21.77	21.62	22.11			
5	84QAM	12	0	20.68	20.62	20.19			
5	84QAM	12	7	20.75	20.68	20.88	22	3	
5	84QAM	12	13	20.69	20.63	20.77			
5	84QAM	25	0	20.71	20.67	20.67			

Band 26_Ant 41											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)			
Channel				26765	26865	26965					
Frequency (MHz)				831.5	831.5	831.5					
15	QPSK	1	37	22.67	22.74	22.64	24	0			
15	QPSK	1	74	22.77	22.40	22.56					
15	QPSK	36	0	21.78	21.88	21.76					
15	QPSK	36	39	21.77	21.76	21.58	23	1			
15	QPSK	36	75	21.70	21.82	21.68					
15	QPSK	75	0	21.80	21.83	21.71					
15	16QAM	1	0	22.13	21.94	22.15	23	1			
15	16QAM	1	37	21.99	21.76	21.88					
15	16QAM	1	74	22.03	21.63	22.23					
15	16QAM	36	0	20.85	20.80	20.81	22	2			
15	16QAM	36	20	20.82	20.89	20.64					
15	16QAM	36	39	20.76	20.87	20.78					
15	16QAM	75	0	20.84	20.85	20.79	22	2			
15	64QAM	1	0	20.72	20.70	21.11					
15	64QAM	1	37	21.11	20.90	20.81					
15	64QAM	1	74	20.79	20.70	20.94	22	2			
15	64QAM	36	0	19.70	19.79	19.65					
15	64QAM	36	20	19.86	19.67	19.68					
15	64QAM	36	39	19.83	19.81	19.62	21	3			
15	64QAM	75	0	19.87	19.73	19.73					
Channel				26979	26979	26979					
Frequency (MHz)				819	831.5	844	Turn-up limit (dBm)	MPR (dB)			
10	QPSK	1	0	22.61	22.75	22.61	24	0			
10	QPSK	1	25	22.80	22.79	22.80					
10	QPSK	1	49	22.68	22.79	22.55					
10	QPSK	25	0	21.79	21.89	21.80	23	1			
10	QPSK	25	12	21.83	21.88	21.78					
10	QPSK	25	25	21.94	21.92	21.83					
10	QPSK	50	0	21.83	21.90	21.82	23	1			
10	16QAM	1	0	22.63	22.31	22.36					
10	16QAM	1	25	22.28	22.48	22.35					
10	16QAM	1	49	22.32	22.31	22.19	22	2			
10	16QAM	25	0	20.97	20.96	20.80					
10	16QAM	25	25	20.97	20.85	20.89					
10	16QAM	50	0	20.97	20.91	20.82	22	2			
10	64QAM	1	0	21.14	21.25	21.32					
10	64QAM	1	25	20.94	20.93	20.78					
10	64QAM	1	49	20.95	21.01	20.92	22	2			
10	64QAM	25	0	19.82	19.87	19.78					
10	64QAM	25	12	19.95	19.94	19.83					
10	64QAM	25	25	19.80	19.95	19.85	21	3			
10	64QAM	50	0	19.87	19.84	19.74					
Channel				26715	26805	27015			Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				818.5	831.5	848.5					
5	QPSK	1	0	22.58	22.71	22.76	24		0		
5	QPSK	1	12	22.74	22.79	22.64					
5	QPSK	1	24	22.60	22.75	22.66					
5	QPSK	12	0	21.72	21.85	21.80	23	1			
5	QPSK	12	7	21.83	21.83	21.81					
5	QPSK	12	13	21.90	21.87	21.80					
5	QPSK	25	0	21.80	21.78	21.76	23	1			
5	16QAM	1	0	22.37	22.44	22.35					
5	16QAM	1	12	22.16	22.08	22.26					
5	16QAM	1	24	22.15	22.45	22.19	22	2			
5	16QAM	12	0	20.87	20.84	20.85					
5	16QAM	12	7	20.92	20.90	20.84					
5	16QAM	12	13	20.89	20.88	20.88	22	2			
5	16QAM	25	0	20.93	20.71	20.80					
5	64QAM	1	0	21.38	21.02	21.03					
5	64QAM	1	12	21.06	21.16	21.05	22	2			
5	64QAM	1	24	21.09	20.87	21.28					
5	64QAM	12	0	19.82	19.93	19.74					
5	64QAM	12	7	19.92	20.00	19.91	21	3			
5	64QAM	12	13	19.80	19.90	19.91					
5	64QAM	25	0	19.88	19.85	19.91					
Channel				26705	26805	27025	Turn-up limit (dBm)		MPR (dB)		
Frequency (MHz)				818.5	831.5	848.3					
3	QPSK	1	0	22.48	22.59	22.62	24	0			
3	QPSK	1	8	22.75	22.76	22.55					
3	QPSK	1	14	22.62	22.86	22.55					
3	QPSK	8	0	21.75	21.79	21.65	23	1			
3	QPSK	8	4	21.85	21.84	21.80					
3	QPSK	8	7	21.87	21.89	21.81					
3	QPSK	15	0	21.79	21.79	21.80	23	1			
3	16QAM	1	0	21.74	22.21	21.92					
3	16QAM	1	8	22.06	22.20	21.84					
3	16QAM	1	14	22.33	22.09	21.82	22	2			
3	16QAM	8	0	20.75	20.74	20.80					
3	16QAM	8	4	21.08	20.91	20.95					
3	16QAM	8	7	20.92	20.98	20.90	22	2			
3	16QAM	15	0	20.83	20.97	20.85					
3	64QAM	1	0	20.75	20.92	20.92					
3	64QAM	1	8	21.06	20.71	20.93	22	2			
3	64QAM	1	14	20.71	20.87	20.74					
3	64QAM	8	0	19.80	19.89	19.64					
3	64QAM	8	4	20.00	20.04	19.80	21	3			
3	64QAM	8	7	19.97	19.85	19.76					
3	64QAM	15	0	19.88	19.81	19.67					
Channel				26997	26985	27033	Turn-up limit (dBm)		MPR (dB)		
Frequency (MHz)				814.7	831.5	848.3					
1.4	QPSK	1	0	22.60	22.82	22.58	24	0			
1.4	QPSK	1	3	22.71	22.80	22.63					
1.4	QPSK	1	5	22.74	22.76	22.84					
1.4	QPSK	3	0	22.65	22.69	22.67	23	1			
1.4	QPSK	3	1	22.76	22.75	22.60					
1.4	QPSK	3	3	22.68	22.79	22.62					
1.4	QPSK	6	0	21.86	21.82	21.76	23	1			
1.4	16QAM	1	0	22.42	21.95	22.27					
1.4	16QAM	1	3	22.21	22.45	22.15					
1.4	16QAM	1	5	22.26	22.17	22.15	23	1			
1.4	16QAM	3	0	21.86	22.00	22.00					
1.4	16QAM	3	1	22.06	21.97	22.02					
1.4	16QAM	3	3	22.26	22.02	21.90	22	2			
1.4	16QAM	6	0	20.88	20.97	20.81					
1.4	64QAM	1	0	21.03	21.07	20.87					
1.4	64QAM	1	3	20.77	21.10	21.12	22	2			
1.4	64QAM	1	5	21.15	21.02	20.96					
1.4	64QAM	3	0	20.96	20.86	20.67					
1.4	64QAM	3	1	20.90	20.79	21.07	21	3			
1.4	64QAM	3	3	20.94	20.95	20.73					
1.4	64QAM	6	0	19.94	20.04	19.85					

Band 66_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				130072	133032	135072				
Frequency (MHz)				1720	1745	1770				
20	QPSK	1	0	23.65	23.89	23.72	25	0		
20	QPSK	1	49	23.68	23.70	23.65				
20	QPSK	1	99	23.42	23.65	23.52				
20	QPSK	50	0	22.70	22.72	22.65	24	1		
20	QPSK	50	24	22.66	22.53	22.54				
20	QPSK	50	50	22.61	22.59	22.55				
20	16QAM	1	0	23.00	22.52	22.97	24	1		
20	16QAM	1	49	22.68	22.85	22.88				
20	16QAM	1	99	22.42	22.52	22.91				
20	16QAM	50	0	21.64	21.68	21.49	23	2		
20	16QAM	50	24	21.65	21.48	21.73				
20	16QAM	50	50	21.45	21.58	21.63				
20	16QAM	100	0	21.72	21.80	21.72	23	2		
20	64QAM	1	0	21.73	21.62	21.65				
20	64QAM	1	49	21.90	21.90	21.59				
20	64QAM	1	99	21.38	21.35	21.82	23	2		
20	64QAM	50	0	20.65	20.64	20.62				
20	64QAM	50	24	20.67	20.71	20.71				
20	64QAM	50	50	20.58	20.67	20.76	22	3		
20	64QAM	100	0	20.67	20.42	20.76				
Channel				130047	133022	135097			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5				
15	QPSK	1	0	23.22	23.45	23.48	25	0		
15	QPSK	1	37	23.33	23.33	23.17				
15	QPSK	1	74	23.25	23.35	23.68				
15	QPSK	36	0	22.48	22.57	22.67	24	1		
15	QPSK	36	20	22.48	22.67	22.62				
15	QPSK	36	39	22.51	22.72	22.70				
15	QPSK	75	0	22.51	22.67	22.67	24	1		
15	16QAM	1	0	22.65	22.70	22.84				
15	16QAM	1	37	22.66	22.70	22.99				
15	16QAM	1	74	22.83	22.73	23.02	23	2		
15	16QAM	36	0	21.40	21.64	21.68				
15	16QAM	36	20	21.39	21.54	21.67				
15	16QAM	36	39	21.50	21.60	21.66	23	2		
15	16QAM	75	0	21.54	21.85	21.88				
15	64QAM	1	0	21.60	21.54	21.55				
15	64QAM	1	37	21.61	21.78	22.04	23	2		
15	64QAM	1	74	21.42	21.40	21.96				
15	64QAM	36	0	20.90	20.80	20.65				
15	64QAM	36	20	20.61	20.71	20.82	22	3		
15	64QAM	36	39	20.52	20.64	20.60				
15	64QAM	75	0	20.57	20.58	20.68				
Channel				130022	133032	135092	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1715	1745	1775				
10	QPSK	1	0	23.32	23.46	23.38	25	0		
10	QPSK	1	25	23.45	23.45	23.46				
10	QPSK	1	49	23.44	23.35	23.45				
10	QPSK	25	0	22.67	22.67	22.63	24	1		
10	QPSK	25	12	22.62	22.65	22.56				
10	QPSK	25	25	22.58	22.61	22.59				
10	QPSK	50	0	22.66	22.64	22.63	24	1		
10	16QAM	1	0	22.75	22.97	22.94				
10	16QAM	1	25	22.54	22.86	22.97				
10	16QAM	1	49	22.75	22.79	23.00	23	2		
10	16QAM	25	0	21.70	21.55	21.63				
10	16QAM	25	12	21.64	21.64	21.61				
10	16QAM	25	25	21.60	21.54	21.75	23	2		
10	16QAM	50	0	21.62	21.66	21.55				
10	64QAM	1	0	21.53	21.70	21.57				
10	64QAM	1	25	21.58	21.69	21.39	23	2		
10	64QAM	1	49	21.72	21.48	22.04				
10	64QAM	25	0	20.76	20.59	20.63				
10	64QAM	25	12	20.63	20.63	20.65	22	3		
10	64QAM	25	25	20.63	20.67	20.68				
10	64QAM	50	0	20.64	20.65	20.68				
Channel				131597	133032	135047	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1712.5	1745	1777.5				
5	QPSK	1	0	23.41	23.41	23.73	25	0		
5	QPSK	1	12	23.49	23.39	23.66				
5	QPSK	1	24	23.32	23.26	23.50				
5	QPSK	12	0	22.43	22.56	22.70	24	1		
5	QPSK	12	7	22.48	22.67	22.72				
5	QPSK	12	13	22.40	22.49	22.70				
5	QPSK	25	0	22.49	22.56	22.75	24	1		
5	16QAM	1	0	22.72	22.63	23.10				
5	16QAM	1	12	22.85	23.08	23.11				
5	16QAM	1	24	22.77	23.25	23.06	23	2		
5	16QAM	12	0	21.51	21.62	21.79				
5	16QAM	12	7	21.46	21.77	21.80				
5	16QAM	12	13	21.38	21.80	21.76	23	2		
5	16QAM	25	0	21.37	21.78	21.68				
5	64QAM	1	0	21.67	21.93	21.61				
5	64QAM	1	12	21.59	21.74	21.62	23	2		
5	64QAM	1	24	21.59	21.90	22.02				
5	64QAM	12	0	20.41	20.79	20.65				
5	64QAM	12	7	20.51	20.80	20.67	22	3		
5	64QAM	12	13	20.45	20.78	20.77				
5	64QAM	25	0	20.59	20.74	20.83				
Channel				131597	133032	135097	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1711.5	1745	1778.5				
3	QPSK	1	0	23.40	23.47	23.46	25	0		
3	QPSK	1	8	23.49	23.54	23.54				
3	QPSK	1	14	23.38	23.39	23.39				
3	QPSK	8	0	22.59	22.55	22.50	24	1		
3	QPSK	8	4	22.54	22.62	22.56				
3	QPSK	8	7	22.52	22.51	22.50				
3	QPSK	15	0	22.84	22.54	22.46	24	1		
3	16QAM	1	0	22.60	22.82	22.82				
3	16QAM	1	8	22.59	22.92	23.09				
3	16QAM	1	14	23.01	23.00	22.54	23	2		
3	16QAM	8	0	21.47	21.70	21.68				
3	16QAM	8	4	21.53	21.65	21.63				
3	16QAM	8	7	21.67	21.63	21.75	23	2		
3	16QAM	15	0	21.48	21.47	21.62				
3	64QAM	1	0	21.68	21.62	21.86				
3	64QAM	1	8	21.54	21.60	21.84	23	2		
3	64QAM	1	14	21.37	21.84	21.58				
3	64QAM	8	0	20.53	20.56	20.67				
3	64QAM	8	4	20.62	20.53	20.74	22	3		
3	64QAM	8	7	20.73	20.57	20.66				
3	64QAM	15	0	20.56	20.55	20.60				
Channel				131979	133032	135095	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				1710.7	1745	1779.3				
1.4	QPSK	1	0	23.21	23.49	23.50	25	0		
1.4	QPSK	1	8	23.29	23.39	23.54				
1.4	QPSK	1	5	23.12	23.39	23.56				
1.4	QPSK	3	0	23.23	23.39	23.65	25	0		
1.4	QPSK	3	1	23.25	23.47	23.84				
1.4	QPSK	3	3	23.38	23.54	23.87				
1.4	QPSK	6	0	22.42	22.58	22.75	25	0		
1.4	QPSK	6	1	22.45	22.58	22.75				
1.4	QPSK	3	3	22.69	22.63	22.90				
1.4	16QAM	1	5	22.81	22.67	22.80	25	0		
1.4	16QAM	3	0	22.73	22.74	22.88				
1.4	16QAM	3	1	22.42	22.89	22.87				
1.4	16QAM	3	2	22.56	22.86	22.99	25	0		
1.4	16QAM	3	0	21.61	21.84	21.84				
1.4	64QAM	1	0	21.75	21.63	21.62				
1.4	64QAM	1	0	21.77	21.55	21.50	25	0		
1.4	64QAM	1	5	21.28	21.61	21.42				
1.4	64QAM	3	0	21.52	21.75	21.91				
1.4	64QAM	3	1	21.74	21.71	21.77	25	0		
1.4	64QAM	3	3	21.70	21.58	21.92				
1.4	64QAM	6	0	20.44	20.72	20.81				

Band 38_Ant 13										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mid Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MPR (dB)		
Channel				37850	38000	38150				
Frequency (MHz)				2590	2595	2610				
20	QPSK	1	0	14.88	15.13	14.98	15.7	0		
20	QPSK	1	49	14.87	14.90	14.85				
20	QPSK	1	99	14.85	15.10	14.73				
20	QPSK	50	0	14.84	14.92	14.90	15.7	0		
20	QPSK	50	24	14.89	14.84	14.82				
20	QPSK	50	50	14.80	14.79	14.71				
20	QPSK	100	0	14.99	15.04	15.01	15.7	0		
20	16QAM	1	0	14.95	14.91	15.00				
20	16QAM	1	49	14.93	14.84	14.96				
20	16QAM	1	99	15.07	15.07	14.96	15.7	0		
20	16QAM	50	0	15.05	14.92	14.81				
20	16QAM	50	24	14.96	15.02	15.03				
20	16QAM	50	50	14.86	14.85	14.85	15.7	0		
20	16QAM	100	0	14.91	14.82	14.87				
20	84QAM	1	0	14.99	14.99	14.88				
20	84QAM	1	49	14.81	14.69	14.68	15.7	0		
20	84QAM	1	99	14.80	14.72	14.75				
20	84QAM	50	0	15.06	15.06	14.96				
20	84QAM	50	24	15.09	15.07	14.95	15.7	0		
20	84QAM	50	50	14.95	14.70	14.78				
20	84QAM	100	0	14.89	14.79	14.92				
Channel				37425	38000	38175	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2592.5	2595	2612.5				
15	QPSK	1	0	14.75	15.02	14.81	15.7	0		
15	QPSK	1	37	14.80	14.81	14.77				
15	QPSK	1	74	14.77	15.04	14.68				
15	QPSK	36	0	14.70	14.82	14.85	15.7	0		
15	QPSK	36	20	14.62	14.69	14.71				
15	QPSK	36	39	14.75	14.63	14.96				
15	QPSK	75	0	14.83	14.82	14.85	15.7	0		
15	16QAM	1	0	14.80	14.84	14.88				
15	16QAM	1	37	14.83	14.68	14.84				
15	16QAM	1	74	14.91	14.91	14.54	15.7	0		
15	16QAM	36	0	14.86	14.85	14.68				
15	16QAM	36	20	14.85	14.81	14.95				
15	16QAM	36	39	14.73	14.73	14.77	15.7	0		
15	16QAM	75	0	14.83	14.72	14.72				
15	84QAM	1	0	14.93	14.84	14.79				
15	84QAM	1	37	14.85	14.85	14.62	15.7	0		
15	84QAM	1	74	14.75	14.67	14.67				
15	84QAM	36	0	14.95	15.03	14.50				
15	84QAM	36	20	15.02	14.92	14.78	15.7	0		
15	84QAM	36	39	14.81	14.73	14.86				
15	84QAM	75	0	14.73	14.84	14.80				
Channel				37800	38000	38200	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2575	2595	2615				
10	QPSK	1	0	14.74	14.70	14.70	15.7	0		
10	QPSK	1	25	14.72	14.79	14.70				
10	QPSK	1	49	14.72	14.94	14.68				
10	QPSK	25	0	14.74	14.80	14.81	15.7	0		
10	QPSK	25	12	14.59	14.69	14.75				
10	QPSK	25	25	14.68	14.71	14.65				
10	QPSK	50	0	14.87	14.88	14.90	15.7	0		
10	16QAM	1	0	14.80	14.76	14.92				
10	16QAM	1	25	14.77	14.72	14.90				
10	16QAM	1	49	14.99	14.99	14.55	15.7	0		
10	16QAM	25	0	14.98	14.83	14.73				
10	16QAM	25	12	14.86	14.90	14.97				
10	16QAM	25	25	14.74	14.80	14.71	15.7	0		
10	16QAM	50	0	14.76	14.70	14.82				
10	84QAM	1	0	14.84	14.84	14.78				
10	84QAM	1	25	14.75	14.58	14.57	15.7	0		
10	84QAM	1	49	14.79	14.58	14.62				
10	84QAM	25	0	14.83	15.03	14.59				
10	84QAM	25	12	14.96	14.95	14.88	15.7	0		
10	84QAM	25	25	14.88	14.57	14.67				
10	84QAM	50	0	14.82	14.73	14.86				
Channel				2572.5	2595	2617.5	Turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2572.5	2595	2617.5				
5	QPSK	1	0	14.77	15.01	14.82	15.7	0		
5	QPSK	1	12	14.71	14.84	14.79				
5	QPSK	1	24	14.74	15.03	14.68				
5	QPSK	12	0	14.70	14.83	14.82	15.7	0		
5	QPSK	12	7	14.58	14.76	14.75				
5	QPSK	12	13	14.69	14.67	14.82				
5	QPSK	25	0	14.83	14.96	14.88	15.7	0		
5	16QAM	1	0	14.80	14.77	14.92				
5	16QAM	1	12	14.87	14.76	14.84				
5	16QAM	1	24	14.99	14.92	14.56	15.7	0		
5	16QAM	12	0	14.89	14.80	14.70				
5	16QAM	12	7	14.81	14.88	14.95				
5	16QAM	12	13	14.72	14.78	14.72	15.7	0		
5	16QAM	25	0	14.76	14.77	14.73				
5	84QAM	1	0	14.80	14.83	14.78				
5	84QAM	1	12	14.69	14.54	14.52	15.7	0		
5	84QAM	1	24	14.74	14.57	14.68				
5	84QAM	12	0	14.99	14.96	14.50				
5	84QAM	12	7	14.89	14.84	14.98	15.7	0		
5	84QAM	12	13	14.90	14.59	14.73				
5	84QAM	25	0	14.81	14.69	14.76				

Band 38_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dbm)	MPR (dB)		
Channel				37850	38000	38150				
Frequency (MHz)				2590	2595	2610				
20	QPSK	1	0	23.62	23.79	23.61	25	0		
20	QPSK	1	49	23.42	23.48	23.53				
20	QPSK	1	99	23.41	23.37	23.53				
20	QPSK	50	0	22.85	22.77	22.71	24	1		
20	QPSK	50	24	22.55	22.50	22.68				
20	QPSK	50	50	22.54	22.54	22.65				
20	QPSK	100	0	22.81	22.73	22.85	24	1		
20	16QAM	1	0	22.45	22.62	22.44				
20	16QAM	1	49	22.83	22.81	22.52				
20	16QAM	1	99	22.37	22.37	22.86	23	2		
20	16QAM	50	0	21.53	21.51	21.50				
20	16QAM	50	24	21.54	21.54	21.70				
20	16QAM	50	50	21.54	21.64	21.74	23	2		
20	16QAM	100	0	21.55	21.54	21.65				
20	84QAM	1	0	21.54	21.31	21.61				
20	84QAM	1	49	21.65	21.54	21.79	23	2		
20	84QAM	1	99	21.48	21.58	21.41				
20	84QAM	50	0	20.38	20.56	20.61				
20	84QAM	50	24	20.56	20.55	20.78	22	3		
20	84QAM	50	50	20.57	20.72	20.77				
20	84QAM	100	0	20.67	20.62	20.72				
Channel				37825	38000	38175	Turn-up limit (dbm)	MPR (dB)		
Frequency (MHz)				2597.5	2597.5	2617.5				
16	QPSK	1	0	23.38	23.25	23.34	25	0		
16	QPSK	1	74	23.39	23.40	23.32				
16	QPSK	1	147	23.42	23.32	23.70				
16	QPSK	36	0	22.32	22.32	22.54	24	1		
16	QPSK	36	20	22.60	22.55	22.82				
16	QPSK	36	39	22.54	22.58	22.58				
16	QPSK	1	0	22.51	22.52	22.57	24	1		
16	16QAM	1	0	22.58	22.62	22.48				
16	16QAM	1	37	22.37	22.25	22.22				
16	16QAM	1	74	22.80	22.58	22.59	23	2		
16	16QAM	36	0	21.49	21.40	21.49				
16	16QAM	36	20	21.69	21.62	21.54				
16	16QAM	36	39	21.68	21.61	21.63	23	2		
16	16QAM	75	0	21.63	21.48	21.64				
16	84QAM	1	0	21.07	21.48	21.41				
16	84QAM	1	74	21.42	21.49	21.15	23	2		
16	84QAM	1	147	21.45	21.14	21.09				
16	84QAM	36	0	20.42	20.49	20.54				
16	84QAM	36	20	20.75	20.64	20.72	22	3		
16	84QAM	36	39	20.57	20.64	20.68				
16	84QAM	75	0	20.80	20.43	20.58				
Channel				37860	38000	38200	Turn-up limit (dbm)	MPR (dB)		
Frequency (MHz)				2597.5	2595	2615				
10	QPSK	1	0	23.32	23.43	23.48	25	0		
10	QPSK	1	25	23.35	23.58	23.53				
10	QPSK	1	49	23.33	23.29	23.39				
10	QPSK	25	0	22.47	22.48	22.45	24	1		
10	QPSK	25	12	22.44	22.50	22.68				
10	QPSK	25	25	22.47	22.62	22.89				
10	QPSK	50	0	22.56	22.56	22.89	24	1		
10	QPSK	50	0	22.60	22.23	22.39				
10	16QAM	1	25	22.61	22.27	22.84				
10	16QAM	1	49	22.35	22.47	22.68	23	2		
10	16QAM	50	0	21.20	21.51	21.49				
10	16QAM	25	12	21.58	21.52	21.70				
10	16QAM	25	25	21.44	21.61	21.57	23	2		
10	84QAM	50	0	21.52	21.57	21.63				
10	84QAM	1	0	21.56	21.36	21.37				
10	84QAM	1	25	21.39	21.47	21.23	22	3		
10	84QAM	1	49	21.69	21.49	21.40				
10	84QAM	25	0	20.44	20.29	20.50				
10	84QAM	25	12	20.50	20.57	20.76	22	3		
10	84QAM	25	25	20.51	20.61	20.65				
10	84QAM	50	0	20.99	20.55	20.68				
Channel				37875	38164	38175	Turn-up limit (dbm)	MPR (dB)		
Frequency (MHz)				2597.5	2595	2617.5				
5	QPSK	1	0	23.25	23.28	23.40	25	0		
5	QPSK	1	12	23.29	23.27	23.30				
5	QPSK	1	24	23.35	23.33	23.41				
5	QPSK	12	0	22.30	22.36	22.53	24	1		
5	QPSK	12	7	22.36	22.43	22.59				
5	QPSK	12	13	22.38	22.55	22.84				
5	QPSK	25	0	22.40	22.40	22.48	24	1		
5	16QAM	1	0	22.32	22.42	22.24				
5	16QAM	1	12	22.42	22.41	22.83				
5	16QAM	1	24	22.42	22.50	22.50	23	2		
5	16QAM	12	0	21.35	21.35	21.26				
5	16QAM	12	7	21.36	21.54	21.77				
5	16QAM	12	13	21.45	21.56	21.76	22	3		
5	16QAM	25	0	21.39	21.58	21.81				
5	84QAM	1	0	21.27	21.21	21.39				
5	84QAM	1	12	21.25	21.45	21.84	23	2		
5	84QAM	1	24	21.40	21.25	21.71				
5	84QAM	12	0	20.39	20.42	20.77				
5	84QAM	12	7	20.44	20.53	20.86	22	3		
5	84QAM	12	13	20.45	20.65	20.88				
5	84QAM	25	0	20.45	20.46	20.93				

Band 41_Ant 13											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				39750	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	14.90	14.90	14.90	14.90	14.90	15.5	0	
20	QPSK	1	49	14.76	14.87	14.95	14.83	14.64			
20	QPSK	1	99	14.71	14.83	14.71	14.68	14.66			
20	QPSK	50	0	14.81	14.69	14.67	14.69	14.65			
20	QPSK	50	24	14.75	14.61	14.64	14.65	14.60			
20	QPSK	50	50	14.79	14.65	14.61	14.67	14.55	15.5	0	
20	QPSK	100	0	14.70	14.77	14.75	14.70	14.52			
20	16QAM	1	0	14.74	14.73	14.80	14.92	14.59			
20	16QAM	1	49	14.69	14.80	15.03	15.01	14.77			
20	16QAM	1	99	15.04	15.04	14.72	14.71	15.06			
20	16QAM	50	0	14.70	14.67	14.52	14.61	14.45	15.5	0	
20	16QAM	50	24	14.71	14.79	14.57	14.67	14.56			
20	16QAM	50	50	14.81	14.72	14.68	14.62	14.62			
20	16QAM	100	0	14.85	14.75	14.28	14.68	14.54			
20	64QAM	1	0	14.71	14.73	14.63	14.59	14.62			
20	64QAM	1	49	14.87	14.52	14.68	14.53	14.49	15.5	0	
20	64QAM	1	99	14.64	14.41	14.75	14.92	14.78			
20	64QAM	50	0	14.75	14.69	14.54	14.74	14.43			
20	64QAM	50	24	14.72	14.81	14.59	14.62	14.60			
20	64QAM	50	50	14.72	14.69	14.63	14.63	14.72			
20	64QAM	100	0	14.62	14.76	14.55	14.73	14.58	Turn-up limit (dBm)	MPR (dB)	
Channel				2506.5	2548.3	2593	2637.8	2682.5			
Frequency (MHz)				2506.5	2548.3	2593	2637.8	2682.5			
15	QPSK	1	0	14.78	14.89	14.97	14.81	14.84	15.5	0	
15	QPSK	1	37	14.71	14.81	14.52	14.69	14.59			
15	16QAM	1	74	14.56	14.75	14.65	14.62	14.58			
15	QPSK	36	0	14.65	14.57	14.80	14.62	14.57			
15	QPSK	36	20	14.66	14.50	14.59	14.51	14.51			
15	QPSK	36	39	14.73	14.50	14.47	14.55	14.44	15.5	0	
15	QPSK	75	0	14.55	14.69	14.64	14.61	14.44			
15	16QAM	1	0	14.69	14.59	14.66	14.80	14.46			
15	16QAM	1	37	14.55	14.75	14.89	14.96	14.67			
15	16QAM	1	74	14.97	14.88	14.65	14.55	14.93			
15	16QAM	36	0	14.56	14.59	14.67	14.47	14.40	15.5	0	
15	16QAM	36	20	14.63	14.73	14.65	14.55	14.59			
15	16QAM	36	39	14.73	14.59	14.60	14.54	14.46			
15	16QAM	75	0	14.79	14.68	14.45	14.53	14.44			
15	64QAM	1	0	14.58	14.66	14.71	14.84	14.54			
15	64QAM	1	49	14.72	14.35	14.72	14.35	14.38	15.5	0	
15	64QAM	1	74	14.57	14.34	14.67	14.83	14.67			
15	64QAM	36	0	14.68	14.64	14.49	14.59	14.38			
15	64QAM	36	20	14.61	14.74	14.54	14.54	14.51			
15	64QAM	36	39	14.67	14.55	14.35	14.55	14.53			
15	64QAM	75	0	14.52	14.65	14.41	14.60	14.42	Turn-up limit (dBm)	MPR (dB)	
Channel				39700	40160	40620	41080	41540			
Frequency (MHz)				2521	2567	2593	2639	2685			
10	QPSK	1	0	14.82	14.85	14.81	14.83	14.79	15.5	0	
10	QPSK	1	25	14.67	14.76	14.58	14.68	14.48			
10	QPSK	1	49	14.62	14.72	14.59	14.60	14.60			
10	QPSK	25	0	14.74	14.58	14.77	14.60	14.59			
10	QPSK	25	12	14.80	14.63	14.57	14.50	14.52			
10	QPSK	25	25	14.73	14.54	14.49	14.58	14.45	15.5	0	
10	QPSK	50	0	14.59	14.63	14.70	14.56	14.42			
10	16QAM	1	0	14.63	14.64	14.68	14.83	14.44			
10	16QAM	1	25	14.62	14.78	14.88	14.66	14.67			
10	16QAM	1	49	14.88	14.88	14.60	14.62	14.89			
10	16QAM	25	0	14.61	14.55	14.39	14.45	14.34	15.5	0	
10	16QAM	25	12	14.56	14.73	14.43	14.57	14.50			
10	16QAM	25	25	14.75	14.67	14.54	14.51	14.53			
10	16QAM	50	0	14.73	14.64	14.45	14.63	14.46			
10	64QAM	1	0	14.58	14.64	14.76	14.67	14.52			
10	64QAM	1	25	14.77	14.39	14.80	14.46	14.38	15.5	0	
10	64QAM	1	49	14.57	14.52	14.66	14.63	14.63			
10	64QAM	25	0	14.63	14.53	14.62	14.58	14.35			
10	64QAM	25	12	14.58	14.66	14.49	14.52	14.46			
10	64QAM	25	25	14.67	14.58	14.46	14.57	14.63			
10	64QAM	50	0	14.56	14.71	14.45	14.63	14.53	Turn-up limit (dBm)	MPR (dB)	
Channel				39715	40145	40620	41055	41555			
Frequency (MHz)				2498.5	2546.5	2593	2640.30	2687.5			
5	QPSK	1	0	14.80	14.92	14.96	14.90	14.77	15.5	0	
5	QPSK	1	12	14.62	14.75	14.49	14.78	14.56			
5	QPSK	1	24	14.55	14.69	14.63	14.61	14.59			
5	QPSK	12	0	14.67	14.58	14.73	14.61	14.54			
5	QPSK	12	7	14.66	14.49	14.57	14.52	14.54			
5	QPSK	12	13	14.68	14.51	14.46	14.61	14.36	15.5	0	
5	QPSK	25	0	14.65	14.70	14.68	14.56	14.39			
5	16QAM	1	0	14.64	14.65	14.74	14.78	14.49			
5	16QAM	1	12	14.63	14.81	14.67	14.90	14.66			
5	16QAM	1	24	14.65	14.80	14.60	14.59	14.63			
5	16QAM	12	0	14.65	14.67	14.41	14.47	14.39	15.5	0	
5	16QAM	12	7	14.56	14.65	14.45	14.55	14.40			
5	16QAM	12	13	14.65	14.58	14.54	14.57	14.46			
5	16QAM	25	0	14.78	14.69	14.46	14.61	14.48			
5	64QAM	1	0	14.60	14.66	14.73	14.65	14.47			
5	64QAM	1	12	14.77	14.37	14.75	14.46	14.39	15.5	0	
5	64QAM	1	24	14.59	14.30	14.70	14.83	14.64			
5	64QAM	12	0	14.68	14.61	14.46	14.68	14.33			
5	64QAM	12	7	14.60	14.76	14.45	14.57	14.54			
5	64QAM	12	13	14.60	14.58	14.40	14.58	14.63			
5	64QAM	25	0	14.52	14.65	14.45	14.63	14.50	Turn-up limit (dBm)	MPR (dB)	

Band 41_Ant 31														
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				39750	40185	40620	41055	41490						
Frequency (MHz)				2506	2549.5	2593	2636.5	2680						
20	QPSK	1	0	23.58	23.52	23.62	23.72	23.62	25	0				
20	QPSK	1	49	23.48	23.42	23.75	23.70	23.58						
20	QPSK	1	99	23.41	23.38	23.71	23.65	23.51						
20	QPSK	50	0	22.28	22.80	22.79	22.74	22.45						
20	QPSK	50	24	22.27	22.56	22.49	22.71	22.28						
20	QPSK	50	50	22.32	22.39	22.54	22.72	22.38	24	1				
20	QPSK	100	0	22.26	22.40	22.76	22.73	22.38						
20	16QAM	1	0	22.30	22.09	22.42	22.62	22.63						
20	16QAM	1	49	22.09	22.47	22.36	22.46	22.20						
20	16QAM	1	99	22.11	22.35	22.41	22.60	22.46						
20	16QAM	50	0	21.35	21.35	21.57	21.56	21.45	23	2				
20	16QAM	50	24	21.48	21.57	21.61	21.63	21.60						
20	16QAM	50	50	21.45	21.50	21.67	21.74	21.55						
20	16QAM	100	0	21.49	21.42	21.54	21.71	21.46						
20	64QAM	1	0	21.43	21.43	21.52	21.52	21.40						
20	64QAM	1	49	21.73	21.50	21.74	21.51	21.45	23	2				
20	64QAM	1	99	21.67	21.50	21.80	21.53	21.36						
20	64QAM	50	0	20.46	20.28	20.56	20.72	20.41						
20	64QAM	50	24	20.60	20.49	20.54	20.80	20.54						
20	64QAM	50	50	20.48	20.38	20.77	20.71	20.51						
20	64QAM	100	0	20.47	20.83	20.58	20.73	20.63	22	3				
Channel				39755	40175	40625	41068	41515						
Frequency (MHz)				26025	26445	26893	27343	27795						
15	QPSK	1	0	23.52	23.42	23.67	23.62	23.55				25	0	
15	QPSK	1	37	23.33	23.36	23.69	23.57	23.43						
15	QPSK	1	74	23.31	23.32	23.60	23.54	23.43						
15	QPSK	36	0	22.34	22.37	22.48	22.48	22.48						
15	QPSK	36	20	22.35	22.45	22.39	22.47	22.43						
15	QPSK	36	39	22.33	22.53	22.59	22.58	22.53	24	1				
15	QPSK	75	0	22.39	22.50	22.40	22.49	22.42						
15	16QAM	1	0	22.59	22.62	22.66	22.66	22.66						
15	16QAM	1	37	22.37	22.93	22.64	22.74	22.69						
15	16QAM	1	74	22.34	22.65	23.17	23.12	22.63						
15	16QAM	36	0	21.19	21.45	21.57	21.51	21.39	23	2				
15	16QAM	36	20	21.37	21.52	21.64	21.62	21.44						
15	16QAM	36	39	21.28	21.63	21.63	21.57	21.41						
15	16QAM	75	0	21.37	21.55	21.45	21.42	21.41						
15	64QAM	1	0	21.32	21.31	21.35	21.36	21.31						
15	64QAM	1	37	21.58	21.37	21.59	21.38	21.32	23	2				
15	64QAM	1	74	21.55	21.45	21.71	21.41	21.25						
15	64QAM	36	0	20.28	20.51	20.59	20.45	20.51						
15	64QAM	36	20	20.31	20.57	20.57	20.49	20.51						
15	64QAM	36	39	20.23	20.59	20.69	20.58	20.64						
15	64QAM	75	0	20.37	20.60	20.48	20.68	20.48	22	3				
Channel				39700	40160	40620	41058	41540						
Frequency (MHz)				25051	25471	2593	2639	2685						
10	QPSK	1	0	23.49	23.43	23.74	23.61	23.54				25	0	
10	QPSK	1	25	23.34	23.29	23.59	23.60	23.45						
10	QPSK	1	49	23.32	23.33	23.59	23.49	23.35						
10	QPSK	25	0	22.28	22.54	22.63	22.67	22.59						
10	QPSK	25	12	22.35	22.65	22.71	22.78	22.56						
10	QPSK	25	25	22.37	22.73	22.78	22.74	22.57	24	1				
10	QPSK	50	0	22.42	22.82	22.70	22.69	22.59						
10	16QAM	1	0	22.09	22.62	22.37	22.67	22.37						
10	16QAM	1	25	22.41	22.66	22.52	22.61	22.41						
10	16QAM	49	22.40	22.40	22.46	22.73	22.58	22.43						
10	16QAM	25	0	21.39	21.55	21.59	21.64	21.45	23	2				
10	16QAM	25	12	21.41	21.77	21.68	21.66	21.54						
10	16QAM	25	25	21.38	21.66	21.66	21.70	21.70						
10	16QAM	50	0	21.37	21.71	21.54	21.43	21.63						
10	64QAM	1	0	21.30	21.29	21.45	21.44	21.36						
10	64QAM	1	25	21.64	21.38	21.66	21.39	21.24	23	2				
10	64QAM	1	49	21.57	21.42	21.67	21.48	21.31						
10	64QAM	25	0	20.49	20.46	20.58	20.56	20.47						
10	64QAM	25	12	20.50	20.71	20.64	20.72	20.56						
10	64QAM	25	25	20.46	20.71	20.81	20.79	20.69						
10	64QAM	50	0	20.54	20.67	20.69	20.73	20.59	22	3				
Channel				39675	40155	40620	41043	41505						
Frequency (MHz)				24985	25455	2593	26430	26875						
5	QPSK	1	0	23.45	23.38	23.67	23.66	23.46				25	0	
5	QPSK	1	12	23.41	23.26	23.70	23.63	23.41						
5	QPSK	1	24	23.29	23.29	23.61	23.61	23.38						
5	QPSK	12	0	22.46	22.61	22.43	22.49	22.45						
5	QPSK	12	7	22.57	22.59	22.62	22.45	22.55						
5	QPSK	12	13	22.41	22.56	22.59	22.50	22.60	24	1				
5	QPSK	25	0	22.45	22.60	22.56	22.45	22.59						
5	16QAM	1	0	22.21	22.46	22.45	22.74	22.53						
5	16QAM	1	12	22.06	22.48	22.53	22.85	22.06						
5	16QAM	1	24	22.56	22.54	22.72	22.31	22.39						
5	16QAM	12	0	21.63	21.66	21.53	21.63	21.58	24	2				
5	16QAM	12	13	21.62	21.43	21.61	21.43	21.48						
5	16QAM	12	13	21.53	21.66	21.40	21.59	21.63						
5	16QAM	25	0	21.64	21.64	21.53	21.50	21.61						
5	64QAM	1	0	21.35	21.36	21.37	21.45	21.35						
5	64QAM	1	12	21.68	21.35	21.59	21.43	21.35	23	2				
5	64QAM	1	24	21.53	21.40	21.66	21.38	21.24						
5	64QAM	12	0	20.36	20.74	20.42	20.40	20.69						
5	64QAM	12	7	20.48	20.71	20.58	20.53	20.63						
5	64QAM	12	13	20.50	20.57	20.54	20.54	20.61						
5	64QAM	25	0	20.43	20.50	20.49	20.52	20.64	22	3				

Band 41_Ant 25										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				39750	40185	40620	41055	41490		
Frequency (MHz)				25.00	25.32	25.93	26.54	27.15		
20	QPSK	1	0	20.35	20.84	20.43	20.18	20.12	21.5	0
20	QPSK	1	49	20.04	20.01	20.17	20.05	20.09		
20	QPSK	1	99	19.95	19.96	20.19	20.11	20.04		
20	QPSK	50	0	20.17	20.16	20.30	20.18	20.15		
20	QPSK	50	24	20.35	20.07	20.14	20.11	20.06		
20	QPSK	50	50	20.01	20.14	20.20	20.17	20.13	21.5	0
20	QPSK	100	0	20.11	20.21	20.32	20.29	20.04		
20	16QAM	1	0	20.25	20.11	20.17	20.05	19.79		
20	16QAM	1	99	20.07	20.02	20.25	20.22	19.93		
20	16QAM	1	99	19.98	20.43	19.91	19.85	20.11		
20	16QAM	50	0	20.12	20.11	20.20	20.23	20.13	21.5	0
20	16QAM	50	24	20.22	20.22	20.13	20.33	20.09		
20	16QAM	50	50	20.14	20.24	20.12	20.26	20.19		
20	16QAM	100	0	19.95	20.13	20.10	20.23	19.98		
20	16QAM	1	0	20.26	19.99	20.04	20.06	20.33		
20	16QAM	1	49	20.13	19.84	19.97	20.04	20.04	21.5	0
20	16QAM	1	74	19.93	19.84	20.03	19.98	19.98		
20	16QAM	50	0	19.95	20.09	20.04	20.16	20.14		
20	16QAM	50	24	20.06	20.08	20.18	20.15	19.95		
20	16QAM	50	50	20.13	20.22	20.20	20.37	20.17		
20	16QAM	100	0	20.16	20.12	19.98	20.22	20.06	21.5	0
Channel				41225	41115	41005	40895	40785		
Frequency (MHz)				25.03	25.48	25.93	26.37	26.82		
15	QPSK	1	0	20.22	19.91	20.40	20.08	20.07	21.5	0
15	QPSK	1	37	19.88	19.88	20.07	19.98	19.98		
15	QPSK	1	74	19.93	19.84	20.03	20.05	19.93		
15	QPSK	36	0	20.03	20.08	20.16	20.09	20.10		
15	QPSK	36	20	20.05	19.99	19.99	20.00	19.97		
15	QPSK	36	39	19.95	20.05	20.05	20.11	20.01	21.5	0
15	QPSK	75	0	20.01	20.12	20.25	20.16	19.97		
15	16QAM	1	0	20.13	20.05	20.09	19.95	19.74		
15	16QAM	1	37	19.98	19.95	20.12	20.09	19.85		
15	16QAM	1	74	19.89	20.33	19.84	19.70	20.05		
15	16QAM	36	0	20.05	20.02	20.11	20.18	20.01	21.5	0
15	16QAM	36	20	20.09	20.10	19.98	20.25	19.99		
15	16QAM	36	39	19.99	20.06	20.05	20.13	20.10		
15	16QAM	75	0	19.86	19.99	20.03	20.14	19.92		
15	16QAM	1	6	20.07	20.02	19.93	20.01	19.98		
15	16QAM	1	37	20.00	19.71	19.83	19.89	19.97	21.5	0
15	16QAM	1	74	19.91	20.04	20.09	20.09	19.86		
15	16QAM	36	0	19.87	20.03	19.95	20.03	20.08		
15	16QAM	36	20	19.97	19.99	20.03	19.99	19.83		
15	16QAM	36	39	20.08	20.13	20.10	20.21	20.06		
15	16QAM	75	0	20.03	20.01	19.87	20.07	19.91	21.5	0
Channel				39700	40180	40620	41080	41540		
Frequency (MHz)				25.01	25.35	25.93	26.53	27.13		
10	QPSK	1	0	20.21	19.91	20.40	20.08	20.05	21.5	0
10	QPSK	1	25	19.97	19.85	20.11	19.91	19.97		
10	QPSK	1	49	19.89	19.85	20.08	19.96	19.97		
10	QPSK	1	74	20.07	20.02	20.24	20.10	20.06		
10	QPSK	25	12	20.11	20.02	20.07	19.99	20.00		
10	QPSK	25	25	19.95	20.00	20.09	20.07	20.04	21.5	0
10	QPSK	50	0	19.99	20.16	20.18	20.13	19.93		
10	16QAM	1	0	20.11	19.99	20.06	19.95	19.88		
10	16QAM	1	25	20.01	19.88	20.11	20.09	19.88		
10	16QAM	1	49	19.84	20.35	19.85	19.77	20.06		
10	16QAM	25	0	19.97	20.05	20.11	20.07	20.08	21.5	0
10	16QAM	25	12	20.12	20.16	19.97	20.21	20.01		
10	16QAM	25	25	20.00	20.09	19.98	20.17	20.11		
10	16QAM	50	0	19.90	20.06	20.03	20.17	19.93		
10	16QAM	1	0	20.19	19.91	19.99	19.92	20.24		
10	16QAM	1	25	20.06	19.73	19.87	19.88	19.98	21.5	0
10	16QAM	1	49	19.91	20.04	20.04	20.13	19.97		
10	16QAM	25	0	19.80	20.02	19.91	20.11	20.04		
10	16QAM	25	12	19.92	20.02	20.13	20.04	19.85		
10	16QAM	25	25	20.07	20.15	20.14	20.31	20.11		
10	16QAM	50	0	20.09	20.02	19.89	20.12	19.94	21.5	0
Channel				39675	40145	40620	41093	41565		
Frequency (MHz)				24.96	25.45	25.93	26.40	26.87		
5	QPSK	1	0	20.23	19.99	20.38	20.03	20.07	21.5	0
5	QPSK	1	12	19.94	19.91	20.03	19.92	19.94		
5	QPSK	1	24	19.88	19.90	20.14	20.06	19.88		
5	QPSK	12	0	20.02	20.07	20.21	20.04	20.06		
5	QPSK	12	7	20.04	19.92	20.04	20.05	19.95		
5	QPSK	12	13	19.89	20.06	20.10	20.03	20.06	21.5	0
5	QPSK	25	0	19.97	20.10	20.24	20.23	19.91		
5	16QAM	1	0	20.12	19.97	20.06	19.90	19.83		
5	16QAM	1	12	19.92	19.97	20.14	20.07	19.61		
5	16QAM	1	24	19.95	20.37	19.79	19.70	19.95		
5	16QAM	12	0	20.06	20.01	20.05	20.14	20.04	21.5	0
5	16QAM	12	7	20.06	20.14	20.01	20.24	20.04		
5	16QAM	12	13	20.02	20.16	19.97	20.10	20.07		
5	16QAM	25	0	19.96	19.96	20.00	20.08	19.90		
5	16QAM	1	0	20.18	19.92	19.88	19.90	20.23		
5	16QAM	1	12	19.97	19.73	19.83	19.89	19.88	21.5	0
5	16QAM	1	24	19.81	19.96	20.10	20.06	19.94		
5	16QAM	12	0	19.92	20.03	19.90	20.10	20.08		
5	16QAM	12	7	19.97	19.99	20.02	20.04	19.88		
5	16QAM	12	13	20.03	20.17	20.06	20.32	20.11		
5	16QAM	25	0	20.13	20.00	19.92	20.09	19.98	21.5	0

Band 42 Part27Q_Ant 12										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				42190	42590	42990				
Frequency (MHz)				16.60	16.95	17.30				
20	QPSK	1	0	15.94	16.13	15.90	16.5	0		
20	QPSK	1	49	15.93	16.03	15.85				
20	QPSK	1	99	15.88	15.92	15.85				
20	QPSK	50	0	15.95	16.14	16.13				
20	QPSK	50	24	15.87	16.07	16.08				
20	QPSK	50	50	15.91	16.00	16.11	16.5	0		
20	QPSK	100	0	15.99	16.02	16.00				
20	16QAM	1	0	16.02	16.13	16.10				
20	16QAM	1	99	15.71	15.76	15.69				
20	16QAM	1	99	15.98	16.09	16.08				
20	16QAM	50	0	15.84	15.91	16.11	16.5	0		
20	16QAM	50	24	16.01	16.08	16.07				
20	16QAM	50	50	16.02	16.10	16.04				
20	16QAM	100	0	15.96	15.95	16.06				
20	16QAM	1	0	16.14	16.09	16.14				
20	16QAM	1	49	16.07	16.10	16.12	16.5	0		
20	16QAM	1	74	16.11	16.06	15.78				
20	16QAM	50	0	15.79	16.13	16.14				
20	16QAM	50	24	15.99	16.00	16.12				
20	16QAM	50	50	15.89	16.17	16.10				
20	16QAM	100	0	15.96	16.02	16.01	16.5	0		
Channel				42115	42590	43065				
Frequency (MHz)				16.52	16.90	17.28				
15	QPSK	1	0	15.93	16.10	15.75	16.5	0		
15	QPSK	1	37	15.83	15.93	15.79				
15	QPSK	1	74	15.71	15.86	15.78				
15	QPSK	36	0	15.89	16.07	15.93				
15	QPSK	36	20	15.73	15.93	16.00				
15	QPSK	36	36	15.86	15.94	16.01	16.5	0		
15	QPSK	75	0	15.93	15.93	15.88				
15	16QAM	1	0	15.86	15.97	15.95				
15	16QAM	1	37	15.58	16.09	15.97				
15	16QAM	1	74	16.02	15.93	16.01				
15	16QAM	36	0	15.71	15.76	16.04	16.5	0		
15	16QAM	36	20	15.98	15.93	16.07				
15	16QAM	36	36	15.90	15.95	15.93				
15	16QAM	75	0	15.81	15.90	15.91				
15	16QAM	1	0	16.03	15.97	16.09				
15	16QAM	1	37	16.02	16.04	16.07	16.5	0		
15	16QAM	1	74	15.99	16.01	16.01				
15	16QAM	36	0	15.74	16.07	16.03				
15	16QAM	36	20	15.93	15.90	15.98				
15	16QAM	36	36	15.74	16.01	16.02				
15	16QAM	75	0	15.89	15.95	15.90	16.5	0		
Channel				42140	42590	43065				
Frequency (MHz)				16.55	16.90	17.28				
10	QPSK	1	0	15.87	16.06	15.85	16.5	0		
10	QPSK	1	25	15.79	15.79	15.78				
10	QPSK	1	49	15.81	15.79	15.70				
10	QPSK	25	0	15.87	16.05	16.05				
10	QPSK	25	12	15.73	15.93	16.01				
10	QPSK	25	12	15.82	15.94	15.98	16.5	0		
10	QPSK	25	12	15.83	15.93	15.88				
10	16QAM	1	0	15.91	15.99	15.94				
10	16QAM	1	49	15.81	16.09	15.98				
10	16QAM	1	49	15.89	15.97	15.96				
10	16QAM	25	0	15.70	15.77	16.03	16.5	0		
10	16QAM	25	12	15.87	15.99	15.93				
10	16QAM	25	0	15.89	15.99	15.93				
10	16QAM	50	0	15.81	15.86	15.82				
10	16QAM	50	25	16.02	15.96	15.96				
10	16QAM	25	12	16.01	16.04	15.97	16.5	0		
10	16QAM	49	0	16.06	16.07	15.94				
10	16QAM	25	0	15.97	15.99	16.01				
10	16QAM	25	12	15.91	15.88	15.85				
10	16QAM	25	25	15.75	16.09	15.94				
10	16QAM	50	0	15.88	15.89	15.95	16.5	0		
Channel				42115	42590	43065				
Frequency (MHz)				16.52	16.90	17.28				
5	QPSK	1	0	15.82	16.13	15.85	16.5	0		
5	QPSK	12	15	15.83	15.96	15.73				
5	QPSK	24	15	15.72	15.86	15.80				
5	QPSK	12	0	15.79	15.99	16.05				
5	QPSK	12	15	15.82	15.91	15.95				
5	QPSK	12	13	15.75	15.85	16.01	16.5	0		
5	QPSK	25	0	15.89	15.88	15.89				
5	16QAM	1	0	15.89	16.03	16.00				
5	16QAM	12	15	15.68	16.11	15.94				
5	16QAM	24	15	15.96	16.02	15.98				
5	16QAM	12	0	15.73	15.85	16.01	16.5	0		
5	16QAM	12	7	15.91	15.97	16.02				
5	16QAM	12	13	15.95	16.03	15.95				
5	16QAM	25	0	15.85	15.90	15.97				
5	16QAM	1	0	16.04	15.96	16.00				
5	16QAM	50	12	15.97	15.97	16.02	16.5	0		
5	16QAM	24	16	16.00	16.03	15.93				
5	16QAM	12	25	16.70	16.04	16.00				
5	16QAM	12	7	15.89	15.87	15.96				
5	16QAM	12	12	15.84	16.04	16.00				
5	16QAM	25	0	15.82	15.91	15.98	16.5	0		

Band 42 Part27Q_Ant 24								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				42190	42690	42990		
Frequency (MHz)				3400	3500	3590		
20	QPSK		0	15.58	15.82	15.77	16.8	0
20	QPSK		49	15.48	15.57	15.64		
20	QPSK		99	15.50	15.38	15.75		
20	QPSK	50	0	15.63	15.73	15.64	16.8	0
20	QPSK	50	24	15.62	15.66	15.57		
20	QPSK	50	50	15.54	15.68	15.60		
20	QPSK	100	0	15.64	15.78	15.70	16.8	0
20	16QAM		0	15.72	15.77	15.69		
20	16QAM		49	15.68	15.80	15.76		
20	16QAM		99	15.27	15.22	15.38	16.8	0
20	16QAM	50	0	15.49	15.38	15.47		
20	16QAM	50	24	15.50	15.44	15.42		
20	16QAM	50	50	15.48	15.54	15.36	16.8	0
20	16QAM	100	0	15.48	15.54	15.35		
20	64QAM		0	15.89	15.56	15.02		
20	64QAM		49	15.50	15.36	15.62	16.8	0
20	64QAM		99	15.42	15.44	15.21		
20	64QAM	50	0	15.46	15.47	15.44		
20	64QAM	50	24	15.44	15.28	15.42	16.8	0
20	64QAM	50	50	15.48	15.49	15.33		
20	64QAM	100	0	15.47	15.48	15.47		
Channel				42115	42590	43015	16.8 dBm (dBm)	MPR (dB)
Frequency (MHz)				3497.5	3500	3542.5		
15	QPSK		0	15.47	15.75	15.62	16.8	0
15	QPSK		37	15.42	15.43	15.52		
15	QPSK		74	15.36	15.22	15.59		
15	QPSK	36	0	15.55	15.58	15.51	16.8	0
15	QPSK	36	20	15.53	15.50	15.48		
15	QPSK	36	39	15.45	15.56	15.54		
15	QPSK	75	0	15.69	15.62	15.65	16.8	0
15	16QAM		0	15.66	15.65	15.62		
15	16QAM		37	15.53	15.69	15.70		
15	16QAM		74	15.17	15.12	15.33	16.8	0
15	16QAM	36	0	15.35	15.23	15.33		
15	16QAM	36	20	15.40	15.29	15.35		
15	16QAM	36	39	15.39	15.41	15.34	16.8	0
15	16QAM	75	0	15.36	15.45	15.25		
15	64QAM		0	15.62	15.46	14.90		
15	64QAM		37	15.43	15.20	15.49	16.8	0
15	64QAM		74	15.30	15.35	15.07		
15	64QAM	36	0	15.34	15.38	15.32		
15	64QAM	36	20	15.28	15.17	15.37	16.8	0
15	64QAM	36	39	15.43	15.35	15.22		
15	64QAM	75	0	15.32	15.43	15.33		
Channel				42140	42590	43040	16.8 dBm (dBm)	MPR (dB)
Frequency (MHz)				4255	4300	4355		
10	QPSK		0	15.48	15.74	15.68	16.8	0
10	QPSK		25	15.33	15.42	15.66		
10	QPSK		49	15.38	15.28	15.67		
10	QPSK	25	0	15.50	15.63	15.48	16.8	0
10	QPSK	25	12	15.51	15.53	15.50		
10	QPSK	25	25	15.47	15.54	15.46		
10	QPSK	50	0	15.49	15.68	15.57	16.8	0
10	16QAM		0	15.60	15.65	15.56		
10	16QAM		25	15.52	15.66	15.64		
10	16QAM		49	15.14	15.15	15.24	16.8	0
10	16QAM	25	0	15.40	15.31	15.41		
10	16QAM	25	12	15.42	15.28	15.30		
10	16QAM	25	25	15.39	15.48	15.33	16.8	0
10	16QAM	50	0	15.40	15.43	15.30		
10	64QAM		0	15.58	15.45	14.92		
10	64QAM		25	15.36	15.21	15.48	16.8	0
10	64QAM		49	15.27	15.34	15.12		
10	64QAM	25	0	15.35	15.33	15.36		
10	64QAM	25	12	15.28	15.14	15.29	16.8	0
10	64QAM	25	25	15.33	15.39	15.23		
10	64QAM	50	0	15.32	15.32	15.35		
Channel				42115	42590	43065	16.8 dBm (dBm)	MPR (dB)
Frequency (MHz)				3452.5	3500	3547.5		
5	QPSK		0	15.45	15.69	15.69	16.8	0
5	QPSK		12	15.42	15.44	15.58		
5	QPSK		24	15.40	15.31	15.59		
5	QPSK	12	0	15.58	15.56	15.53	16.8	0
5	QPSK	12	7	15.57	15.59	15.46		
5	QPSK	12	13	15.39	15.53	15.48		
5	QPSK	25	0	15.57	15.63	15.65	16.8	0
5	16QAM		0	15.68	15.70	15.62		
5	16QAM		12	15.59	15.75	15.69		
5	16QAM		24	15.11	15.07	15.24	16.8	0
5	16QAM	12	0	15.36	15.32	15.37		
5	16QAM	12	7	15.36	15.37	15.29		
5	16QAM	12	13	15.43	15.46	15.33	16.8	0
5	16QAM	25	0	15.43	15.46	15.20		
5	64QAM		0	15.60	15.40	14.94		
5	64QAM		12	15.34	15.23	15.53	16.8	0
5	64QAM		24	15.37	15.35	15.13		
5	64QAM	12	0	15.35	15.34	15.31		
5	64QAM	12	7	15.29	15.22	15.31	16.8	0
5	64QAM	12	13	15.37	15.43	15.18		
5	64QAM	25	0	15.35	15.41	15.34		

Reduced Power for DSI 4

Band	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	128	188	251		128	188	251	
TX Channel	512	561	510	Limit	512	561	510	Limit
Frequency (MHz)	1852.2	1860.2	1869.8	1852.2	1852.2	1860.2	1869.8	1852.2
GSM 1 Tx slot	30.02	20.96	29.92	31.50	21.02	20.96	20.92	22.50
GPRS 1 Tx slot	29.94	29.95	29.91	31.50	20.94	20.95	20.91	22.50
GPRS 2 Tx slot	28.40	28.42	28.41	30.00	22.40	22.42	22.41	24.00
GPRS 3 Tx slot	27.12	27.06	26.96	28.00	22.66	22.60	22.70	23.74
GPRS 4 Tx slot	25.92	25.40	25.25	26.79	22.52	22.40	22.25	23.70
EDGE 1 Tx slot	26.91	26.24	26.18	27.50	18.91	17.24	17.18	18.50
EDGE 2 Tx slot	26.06	25.04	25.06	26.50	19.06	18.04	18.06	20.50
EDGE 3 Tx slot	23.63	23.85	23.91	25.00	19.57	19.59	19.60	21.24
EDGE 4 Tx slot	22.81	23.05	22.88	24.50	19.81	20.05	19.85	21.50

Band	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	512	561	510		512	561	510	
TX Channel	1850.2	1860	1869.8	1850.2	1850.2	1860	1869.8	1850.2
Frequency (MHz)	27.76	27.42	27.88	29.00	18.76	18.42	18.88	20.00
GSM 1 Tx slot	27.71	27.36	27.91	29.00	18.71	18.36	18.91	20.00
GPRS 1 Tx slot	26.31	26.29	26.46	26.50	19.31	19.29	19.46	20.50
GPRS 2 Tx slot	23.50	23.57	23.56	25.90	19.24	19.31	19.30	21.24
GPRS 3 Tx slot	23.33	23.09	23.28	24.00	20.23	20.09	20.28	21.00
EDGE 1 Tx slot	24.63	24.25	24.47	26.00	15.63	15.25	15.47	17.00
EDGE 2 Tx slot	23.13	23.11	23.34	25.00	17.13	17.11	17.34	19.00
EDGE 3 Tx slot	21.84	21.77	22.12	23.50	17.58	17.51	17.88	19.24
EDGE 4 Tx slot	21.22	21.25	21.21	22.50	18.22	18.25	18.21	19.50

Band	WCDMA II, Arit 13			Tune-up Limit (dBm)	WCDMA II, Arit 31			Tune-up Limit (dBm)
	9582	9580	9598		9582	9580	9598	
TX Channel	9602	9600	9608	Limit	9602	9600	9608	Limit
Frequency (MHz)	1852.4	1860	1867.6	1852.4	1860	1867.6	1860	1867.6
3GPP Rel 99 AMR 12.2Kbps	20.01	20.34	20.44	22.00	21.01	21.13	21.24	22.30
3GPP Rel 99 RMC 12.2Kbps	20.02	20.47	20.46	23.00	21.07	21.28	21.26	22.50
3GPP Rel 6 HSDPA Subtest 1	19.07	19.17	19.09	21.00	19.84	19.85	19.90	21.30
3GPP Rel 6 HSDPA Subtest 2	19.10	19.13	19.07	21.00	19.83	19.87	19.93	21.30
3GPP Rel 6 HSDPA Subtest 3	18.61	18.66	18.60	20.50	18.67	18.39	18.36	20.80
3GPP Rel 6 HSDPA Subtest 4	18.58	18.65	18.57	20.50	18.30	18.38	18.36	20.80
3GPP Rel 6 DC-HSDPA Subtest 1	19.12	19.32	19.23	21.00	19.99	19.98	19.97	21.30
3GPP Rel 6 DC-HSDPA Subtest 2	19.16	19.19	19.17	21.00	19.89	19.99	20.01	21.30
3GPP Rel 6 DC-HSDPA Subtest 3	18.77	18.72	18.74	20.80	19.07	19.44	19.43	20.80
3GPP Rel 6 DC-HSDPA Subtest 4	18.68	18.74	18.72	20.80	19.42	19.42	19.41	20.80
3GPP Rel 6 HSUPA Subtest 1	18.13	19.19	19.11	21.00	18.82	18.93	19.92	21.30
3GPP Rel 6 HSUPA Subtest 2	17.05	17.19	17.07	19.00	17.63	17.94	17.82	19.30
3GPP Rel 6 HSUPA Subtest 3	18.08	18.17	18.08	20.00	18.84	18.90	18.92	20.30
3GPP Rel 6 HSUPA Subtest 4	17.09	17.11	17.09	19.00	17.81	17.91	17.88	19.30
3GPP Rel 6 HSUPA Subtest 5	19.10	19.20	19.20	21.00	19.90	19.90	19.90	21.30

Band	WCDMA V, Arit 13			Tune-up Limit (dBm)	WCDMA V, Arit 41			Tune-up Limit (dBm)
	4152	4162	4233		4152	4162	4233	
TX Channel	4357	4407	4458	Limit	4357	4407	4458	Limit
Frequency (MHz)	846.2	846.2	846.6	846.2	846.2	846.2	846.2	846.2
3GPP Rel 99 AMR 12.2Kbps	22.41	22.48	22.43	24.00	22.86	22.96	22.92	24.50
3GPP Rel 99 RMC 12.2Kbps	22.48	22.48	22.44	24.00	22.91	23.01	22.96	24.50
3GPP Rel 6 HSDPA Subtest 1	21.30	21.35	21.33	23.00	21.99	21.99	21.94	23.50
3GPP Rel 6 HSDPA Subtest 2	21.32	21.33	21.32	23.00	21.95	21.93	21.95	23.00
3GPP Rel 6 HSDPA Subtest 3	20.80	20.82	20.83	22.50	21.44	21.48	21.46	23.00
3GPP Rel 6 HSDPA Subtest 4	20.76	20.81	20.83	22.50	21.46	21.49	21.44	23.00
3GPP Rel 6 DC-HSDPA Subtest 1	21.39	21.50	21.49	23.00	22.11	22.13	22.00	23.50
3GPP Rel 6 DC-HSDPA Subtest 2	21.39	21.39	21.48	23.00	22.04	22.07	22.02	23.50
3GPP Rel 6 DC-HSDPA Subtest 3	20.95	20.87	20.89	22.50	21.55	21.57	21.56	23.00
3GPP Rel 6 DC-HSDPA Subtest 4	20.85	20.92	20.88	22.50	21.58	21.59	21.53	23.00
3GPP Rel 6 HSUPA Subtest 1	21.32	21.37	21.34	23.00	21.82	21.86	21.86	23.50
3GPP Rel 6 HSUPA Subtest 2	18.27	19.36	18.33	21.00	18.87	19.97	19.95	21.60
3GPP Rel 6 HSUPA Subtest 3	20.27	20.30	20.31	22.00	20.88	20.97	20.92	22.50
3GPP Rel 6 HSUPA Subtest 4	19.30	19.35	19.30	21.00	19.85	19.99	19.95	21.60
3GPP Rel 6 HSUPA Subtest 5	21.30	21.40	21.40	23.00	21.80	22.00	22.00	23.50

Band	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame Average Power (dBm)			Tune-up Limit (dBm)
	512	561	510		512	561	510	
TX Channel	1850.2	1860	1869.8	1850.2	1850.2	1860	1869.8	1850.2
Frequency (MHz)	27.40	27.81	27.74	29.00	18.40	18.81	18.74	20.00
GSM 1 Tx slot	27.35	27.81	27.56	29.00	18.35	18.81	18.56	20.00
GPRS 1 Tx slot	26.03	26.24	26.23	27.00	19.03	19.24	19.23	21.00
GPRS 2 Tx slot	24.00	24.25	24.21	26.00	19.74	19.99	19.95	21.74
GPRS 3 Tx slot	22.76	22.89	22.83	24.50	19.75	19.89	19.83	21.50
EDGE 1 Tx slot	25.70	25.41	25.71	26.00	18.70	18.41	18.71	17.50
EDGE 2 Tx slot	24.27	24.32	24.52	26.00	18.27	18.32	18.52	19.50
EDGE 3 Tx slot	23.11	23.07	23.24	24.50	18.85	18.81	18.98	20.24
EDGE 4 Tx slot	21.75	22.11	22.31	23.50	18.75	18.11	19.31	20.55

Band	WCDMA IV, Arit 13			Tune-up Limit (dBm)	WCDMA IV, Arit 31			Tune-up Limit (dBm)
	1312	1413	1513		1312	1413	1513	
TX Channel	1507	1508	1508	Limit	1507	1508	1508	Limit
Frequency (MHz)	1712.4	1732.6	1752.6	1712.4	1732.6	1752.6	1752.6	1712.4
3GPP Rel 99 AMR 12.2Kbps	20.67	20.79	20.81	22.50	21.16	21.24	21.26	22.50
3GPP Rel 99 RMC 12.2Kbps	20.71	20.80	20.86	22.50	21.20	21.30	21.28	22.50
3GPP Rel 6 HSDPA Subtest 1	19.68	19.85	19.91	21.50	19.97	20.05	20.06	21.50
3GPP Rel 6 HSDPA Subtest 2	19.69	19.85	19.91	21.50	19.96	20.10	20.13	21.50
3GPP Rel 6 HSDPA Subtest 3	19.20	19.36	19.40	21.00	19.47	19.58	19.61	21.00
3GPP Rel 6 HSDPA Subtest 4	19.19	19.34	19.34	21.00	19.43	19.54	19.54	21.00
3GPP Rel 6 DC-HSDPA Subtest 1	19.82	19.99	19.96	21.50	20.09	20.16	20.11	21.50
3GPP Rel 6 DC-HSDPA Subtest 2	19.79	20.00	20.06	21.50	20.05	20.15	20.22	21.50
3GPP Rel 6 DC-HSDPA Subtest 3	19.36	19.41	19.48	21.00	19.63	19.73	19.77	21.00
3GPP Rel 6 DC-HSDPA Subtest 4	19.28	19.49	19.48	21.00	19.59	19.68	19.63	21.00
3GPP Rel 6 HSUPA Subtest 1	19.72	19.90	19.94	21.50	19.93	20.13	20.10	21.50
3GPP Rel 6 HSUPA Subtest 2	17.76	17.89	17.95	19.50	17.94	18.05	18.11	19.50
3GPP Rel 6 HSUPA Subtest 3	19.72	19.85	19.86	20.50	19.84	19.10	19.09	20.50
3GPP Rel 6 HSUPA Subtest 4	17.76	17.87	17.90	19.50	17.98	18.09	18.07	19.50
3GPP Rel 6 HSUPA Subtest 5	19.80	19.90	20.00	21.50	20.00	20.10	20.10	21.50

Band	CDMA BCS, Arit 11			Tune-up Limit (dBm)	CDMA BCS, Arit 41			Tune-up Limit (dBm)
	1013	384	777		1013	384	777	
TX Channel	848.2	848.2	848.13	Limit	848.2	848.2	848.13	Limit
Frequency (MHz)	22.12	22.13	22.09	23.00	22.92	22.95	22.85	24.00
RCI S056	22.14	22.16	22.13	23.00	22.92	22.97	22.85	24.00
RCI S056 (FSSW)	22.07	22.16	22.10	23.00	22.96	22.94	22.85	24.00
RCI S052 (FSSW)	22.10	22.11	22.08	23.00	22.79	22.88	22.84	24.00

Band 2_Ant 13											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)				18700	18800	19100					
20	QPSK	1	0	20.12	20.67	20.27	21.5	0			
20	QPSK	1	49	19.94	20.26	20.21					
20	QPSK	1	99	19.89	20.00	20.20					
20	QPSK	50	0	20.18	20.43	20.40	21.5	0			
20	QPSK	50	24	20.16	20.26	20.30					
20	QPSK	50	50	20.10	20.22	20.26					
20	QPSK	100	0	20.13	20.31	20.26	21.5	0			
20	16QAM	1	0	20.28	20.54	20.25					
20	16QAM	1	49	20.63	20.55	20.53					
20	16QAM	1	99	20.26	20.30	20.32	21.5	0			
20	16QAM	50	0	20.25	20.29	20.27					
20	16QAM	50	24	20.14	20.26	20.25					
20	16QAM	50	50	20.11	20.12	20.23	21.5	0			
20	16QAM	100	0	20.20	20.22	20.28					
20	84QAM	1	0	20.22	20.44	20.28	21.5	0			
20	84QAM	1	49	20.29	20.37	20.61					
20	84QAM	1	99	20.16	20.51	20.38					
20	84QAM	50	0	19.65	19.70	19.76	21	0.5			
20	84QAM	50	24	19.62	19.73	19.69					
20	84QAM	50	50	19.72	19.68	19.74					
20	84QAM	100	0	19.67	19.64	19.75	21	0.5			
Channel											
Frequency (MHz)				18675	18800	19125			Turn-up limit (dBm)	MPR (dB)	
15	QPSK	1	0	19.97	20.52	20.01	21.5	0			
15	QPSK	1	37	19.81	20.20	20.06					
15	QPSK	1	74	19.78	19.88	20.06					
15	QPSK	36	0	20.03	20.17	20.06	21.5	0			
15	QPSK	36	20	20.09	20.15	20.16					
15	QPSK	36	39	19.94	20.15	20.21					
15	QPSK	75	0	20.00	20.19	20.18	21.5	0			
15	16QAM	1	0	20.19	20.38	20.16					
15	16QAM	1	37	20.55	20.43	20.46					
15	16QAM	1	74	20.15	20.25	20.16	21.5	0			
15	16QAM	36	0	20.17	20.21	20.16					
15	16QAM	36	20	20.04	20.12	20.16					
15	16QAM	36	39	20.03	20.06	20.11	21.5	0			
15	16QAM	75	0	20.12	20.06	20.16					
15	84QAM	1	0	20.07	20.26	20.12	21.5	0			
15	84QAM	1	37	20.13	20.28	20.40					
15	84QAM	1	74	20.10	20.37	20.23					
15	84QAM	36	0	19.57	19.55	19.64	21	0.5			
15	84QAM	36	20	19.50	19.63	19.63					
15	84QAM	36	39	19.64	19.57	19.60					
15	84QAM	75	0	19.56	19.62	19.59	21	0.5			
Channel											
Frequency (MHz)				18655	18800	19150			Turn-up limit (dBm)	MPR (dB)	
10	QPSK	1	0	20.07	20.61	19.94	21.5	0			
10	QPSK	1	25	19.76	20.10	20.11					
10	QPSK	1	49	19.78	19.84	20.03					
10	QPSK	25	0	20.03	20.23	20.06	21.5	0			
10	QPSK	25	12	20.01	20.15	20.17					
10	QPSK	25	25	20.03	20.07	20.16					
10	QPSK	50	0	20.00	20.24	20.16	21.5	0			
10	16QAM	1	0	20.18	20.44	20.20					
10	16QAM	1	25	20.50	20.48	20.44					
10	16QAM	1	49	20.15	20.25	20.24	21.5	0			
10	16QAM	25	0	20.10	20.18	20.22					
10	16QAM	25	12	20.04	20.17	20.19					
10	16QAM	25	25	20.02	20.06	20.18	21.5	0			
10	16QAM	50	0	20.05	20.10	20.21					
10	84QAM	1	0	20.09	20.39	20.19	21.5	0			
10	84QAM	1	25	20.20	20.22	20.50					
10	84QAM	1	49	20.09	20.39	20.25					
10	84QAM	25	0	19.50	19.61	19.65	21	0.5			
10	84QAM	25	12	19.55	19.62	19.59					
10	84QAM	25	25	19.66	19.60	19.69					
10	84QAM	50	0	19.55	19.55	19.67	21	0.5			
Channel											
Frequency (MHz)				18625	18800	19175			Turn-up limit (dBm)	MPR (dB)	
5	QPSK	1	0	19.97	20.55	19.99	21.5	0			
5	QPSK	1	12	19.84	20.20	20.15					
5	QPSK	1	24	19.73	19.90	20.11					
5	QPSK	12	0	20.02	20.24	20.04	21.5	0			
5	QPSK	12	7	20.02	20.15	20.14					
5	QPSK	12	13	20.01	20.12	20.13					
5	QPSK	25	0	20.03	20.24	20.14	21.5	0			
5	16QAM	1	0	20.19	20.42	20.19					
5	16QAM	1	12	20.55	20.40	20.46					
5	16QAM	1	24	20.21	20.18	20.25	21.5	0			
5	16QAM	12	0	20.12	20.13	20.22					
5	16QAM	12	7	20.03	20.10	20.19					
5	16QAM	12	13	19.96	19.99	20.07	21.5	0			
5	16QAM	25	0	20.12	20.06	20.15					
5	84QAM	1	0	20.16	20.28	20.16	21.5	0			
5	84QAM	1	12	20.24	20.22	20.49					
5	84QAM	1	24	20.03	20.39	20.31					
5	84QAM	12	0	19.59	19.65	19.60	21	0.5			
5	84QAM	12	7	19.57	19.62	19.54					
5	84QAM	12	13	19.62	19.53	19.61					
5	84QAM	25	0	19.56	19.57	19.63	21	0.5			
Channel											
Frequency (MHz)				18615	18800	19185			Turn-up limit (dBm)	MPR (dB)	
3	QPSK	1	0	19.99	20.55	19.95	21.5	0			
3	QPSK	1	4	19.84	20.20	20.12					
3	QPSK	1	14	19.77	19.91	20.06					
3	QPSK	8	0	20.04	20.28	20.10	21.5	0			
3	QPSK	8	4	20.11	20.21	20.25					
3	QPSK	8	7	20.00	20.13	20.14					
3	QPSK	15	0	20.02	20.17	20.19	21.5	0			
3	16QAM	1	0	20.19	20.42	20.19					
3	16QAM	1	8	20.49	20.44	20.48					
3	16QAM	1	14	20.20	20.23	20.19	21.5	0			
3	16QAM	8	0	20.11	20.23	20.19					
3	16QAM	8	4	20.05	20.14	20.14					
3	16QAM	8	7	20.00	20.03	20.12	21.5	0			
3	16QAM	15	0	20.11	20.17	20.17					
3	16QAM	15	0	20.17	20.39	20.18					
3	84QAM	1	8	20.13	20.30	20.55	21.5	0			
3	84QAM	1	14	20.04	20.40	20.23					
3	84QAM	8	0	19.60	19.64	19.61					
3	84QAM	8	4	19.56	19.66	19.68	21	0.5			
3	84QAM	8	7	19.62	19.61	19.69					
3	84QAM	15	0	19.55	19.55	19.65					
Channel											
Frequency (MHz)				18607	18800	19193	Turn-up limit (dBm)	MPR (dB)			
1.4	QPSK	1	0	19.98	20.55	19.93	21.5	0			
1.4	QPSK	1	3	19.87	20.15	20.16					
1.4	QPSK	1	14	19.76	19.95	20.38					
1.4	QPSK	3	0	19.98	20.24	20.15	21.5	0			
1.4	QPSK	3	1	20.07	20.13	20.20					
1.4	QPSK	3	3	20.04	20.15	20.17					
1.4	QPSK	6	0	19.97	20.25	20.16	21.5	0			
1.4	16QAM	1	0	20.19	20.40	20.19					
1.4	16QAM	1	3	20.47	20.39	20.38					
1.4	16QAM	1	5	20.18	20.15	20.24	21.5	0			
1.4	16QAM	3	0	20.18	20.15	20.20					
1.4	16QAM	3	1	20.06	20.20	20.13					
1.4	16QAM	3	3	19.99	19.99	20.11	21.5	0			
1.4	16QAM	6	0	20.16	20.16	20.20					
1.4	16QAM	6	0	20.16	20.37	20.18					
1.4	84QAM	1	3	20.13	20.28	20.49	21.5	0			
1.4	84QAM	1	5	20.11	20.37	20.23					
1.4	84QAM	3	0	19.56	19.59	19.70					
1.4	84QAM	3	1	19.61	19.67	19.69	21.5	0			
1.4	84QAM	3	1	19.63	19.59	19.61					
1.4	84QAM	6	0	19.60	19.59	19.61					

Band 4_Ant 31											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Turn-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)				20500	20775	20300					
20	QPSK	1	0	20.80	20.99	20.95	21.5	0			
20	QPSK	1	49	20.53	20.56	20.52					
20	QPSK	1	99	20.44	20.68	20.59					
20	QPSK	50	0	20.65	20.88	20.79	21.5	0			
20	QPSK	50	24	20.64	20.57	20.70					
20	QPSK	50	50	20.56	20.63	20.66					
20	QPSK	100	0	20.60	20.72	20.83	21.5	0			
20	16QAM	1	0	20.71	20.85	20.58					
20	16QAM	1	49	20.75	20.64	20.18					
20	16QAM	1	99	20.48	20.46	20.46	21.5	0			
20	16QAM	50	0	20.38	20.32	20.45					
20	16QAM	50	24	20.27	20.37	20.43					
20	16QAM	50	50	20.23	20.33	20.39	21.5	0			
20	16QAM	100	0	20.34	20.38	20.37					
20	64QAM	1	0	20.47	20.51	20.70					
20	64QAM	1	49	20.36	20.59	20.87	21.5	0			
20	64QAM	1	99	20.41	20.40	20.39					
20	64QAM	50	0	20.24	20.27	20.41					
20	64QAM	50	24	20.41	20.25	20.36	21.5	0			
20	64QAM	50	50	20.17	20.30	20.28					
20	64QAM	100	0	20.29	20.39	20.38					
Channel				20025	20175	20325					
Frequency (MHz)				1717.5	1732.5	1747.5					
15	QPSK	1	0	20.72	20.87	20.79	21.5	0			
15	QPSK	1	37	20.37	20.48	20.46					
15	QPSK	1	74	20.35	20.52	20.45					
15	QPSK	36	0	20.53	20.83	20.74	21.5	0			
15	QPSK	36	20	20.51	20.63	20.64					
15	QPSK	75	0	20.49	20.58	20.50					
15	16QAM	1	0	20.59	20.52	20.52	21.5	0			
15	16QAM	1	37	20.59	20.50	20.07					
15	16QAM	1	74	20.34	20.41	20.35					
15	16QAM	36	0	20.22	20.26	20.33	21.5	0			
15	16QAM	36	20	20.13	20.23	20.32					
15	16QAM	36	39	20.13	20.14	20.27					
15	16QAM	75	0	20.21	20.32	20.22	21.5	0			
15	64QAM	1	0	20.31	20.44	20.61					
15	64QAM	1	37	20.38	20.58	20.77					
15	64QAM	1	74	20.28	20.27	20.31	21.5	0			
15	64QAM	36	0	20.14	20.15	20.26					
15	64QAM	36	20	20.32	20.15	20.29					
15	64QAM	36	39	20.01	20.23	20.22	21.5	0			
15	64QAM	75	0	20.22	20.33	20.28					
Channel				20000	20175	20350					
Frequency (MHz)				1715	1732.5	1750					
10	QPSK	1	0	20.71	20.86	20.88			21.5	0	
10	QPSK	1	25	20.44	20.51	20.47					
10	QPSK	1	49	20.30	20.60	20.52					
10	QPSK	25	0	20.60	20.80	20.74	21.5	0			
10	QPSK	25	12	20.51	20.43	20.59					
10	QPSK	25	25	20.47	20.68	20.53					
10	QPSK	50	0	20.48	20.80	20.52	21.5	0			
10	16QAM	1	0	20.60	20.57	20.53					
10	16QAM	1	25	20.59	20.51	20.07					
10	16QAM	1	49	20.34	20.41	20.41	21.5	0			
10	16QAM	25	0	20.26	20.23	20.31					
10	16QAM	25	12	20.19	20.24	20.34					
10	16QAM	25	25	20.12	20.25	20.30	21.5	0			
10	16QAM	50	0	20.18	20.30	20.25					
10	64QAM	1	0	20.35	20.41	20.55					
10	64QAM	1	25	20.22	20.58	20.76	21.5	0			
10	64QAM	1	49	20.34	20.34	20.29					
10	64QAM	25	0	20.13	20.13	20.36					
10	64QAM	25	12	20.31	20.19	20.23	21.5	0			
10	64QAM	25	25	20.03	20.17	20.15					
10	64QAM	50	0	20.23	20.27	20.23					
Channel				19975	20175	20375					
Frequency (MHz)				1712.5	1732.5	1752.5					
5	QPSK	1	0	20.65	20.92	20.80	21.5	0			
5	QPSK	1	12	20.37	20.49	20.47					
5	QPSK	1	24	20.33	20.61	20.47					
5	QPSK	12	0	20.55	20.75	20.72	21.5	0			
5	QPSK	12	7	20.51	20.43	20.55					
5	QPSK	12	13	20.42	20.53	20.59					
5	QPSK	25	0	20.51	20.62	20.51	21.5	0			
5	16QAM	1	0	20.65	20.51	20.50					
5	16QAM	1	12	20.70	20.55	20.02					
5	16QAM	1	24	20.37	20.36	20.38	21.5	0			
5	16QAM	12	0	20.24	20.21	20.32					
5	16QAM	12	7	20.17	20.27	20.34					
5	16QAM	12	13	20.12	20.17	20.23	21.5	0			
5	16QAM	25	0	20.20	20.25	20.22					
5	64QAM	1	0	20.34	20.58	20.86					
5	64QAM	1	12	20.23	20.58	20.73	21.5	0			
5	64QAM	1	24	20.26	20.26	20.27					
5	64QAM	12	0	20.12	20.17	20.27					
5	64QAM	12	7	20.32	20.20	20.26	21.5	0			
5	64QAM	12	13	20.04	20.15	20.15					
5	64QAM	25	0	20.13	20.27	20.28					
Channel				19967	20175	20363					
Frequency (MHz)				1710.7	1732.5	1754.3					
3	QPSK	1	0	20.71	20.94	20.89	21.5	0			
3	QPSK	1	8	20.39	20.43	20.37					
3	QPSK	1	14	20.37	20.53	20.51					
3	QPSK	8	0	20.55	20.80	20.70	21.5	0			
3	QPSK	8	4	20.51	20.43	20.56					
3	QPSK	15	0	20.41	20.58	20.57	21.5	0			
3	16QAM	1	0	20.46	20.67	20.54					
3	16QAM	1	8	20.61	20.49	20.02					
3	16QAM	1	14	20.32	20.31	20.34	21.5	0			
3	16QAM	8	0	20.31	20.17	20.35					
3	16QAM	8	4	20.17	20.29	20.29					
3	16QAM	8	7	20.07	20.24	20.28	21.5	0			
3	16QAM	15	0	20.26	20.28	20.31					
3	64QAM	1	0	20.38	20.42	20.58					
3	64QAM	1	8	20.29	20.56	20.79					
3	64QAM	1	14	20.33	20.35	20.26					
3	64QAM	8	0	20.12	20.17	20.36	21.5	0			
3	64QAM	8	4	20.27	20.11	20.20					
3	64QAM	8	7	20.02	20.15	20.15					
3	64QAM	8	7	20.02	20.15	20.15					
3	64QAM	15	0	20.13	20.33	20.32					
Channel				19967	20175	20363					
Frequency (MHz)				1710.7	1732.5	1754.3					
1.4	QPSK	1	0	20.71	20.85	20.79	21.5	0			
1.4	QPSK	1	3	20.46	20.44	20.47					
1.4	QPSK	1	6	20.43	20.53	20.48					
1.4	QPSK	3	0	20.60	20.82	20.66	21.5	0			
1.4	QPSK	3	1	20.62	20.49	20.57					
1.4	QPSK	3	3	20.51	20.54	20.57					
1.4	QPSK	6	0	20.55	20.58	20.53	21.5	0			
1.4	QPSK	6	1	20.64	20.58	20.42					
1.4	16QAM	1	0	20.87	20.52	20.06					
1.4	16QAM	1	5	20.39	20.31	20.41	21.5	0			
1.4	16QAM	3	0	20.27	20.20	20.32					
1.4	16QAM	3	1	20.16	20.28	20.36					
1.4	16QAM	3	3	20.08	20.23	20.32	21.5	0			
1.4	64QAM	6	0	20.32	20.32	20.31					
1.4	64QAM	6	0	20.33	20.36	20.80					
1.4	64QAM	1	3	20.25	20.55	20.82					
1.4	64QAM	1	5	20.29	20.30	20.30					
1.4	64QAM	3	0	20.09	20.22	20.25	21.5	0			
1.4	64QAM	3	1	20.35	20.19	20.23					
1.4	64QAM	3	2	20.10	20.23	20.22					
1.4	64QAM	5	0	20.22	20.28	20.31					
1.4	64QAM	5	0	20.22	20.28	20.31			21	0	0.0

Band 5_Ant 41											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				2045.0	2052.5	2060.0					
Frequency (MHz)				824.0	836.5	844.0					
10	QPSK	1	0	23.86	23.95	23.82	25	0			
10	QPSK	1	25	23.79	23.75	23.77					
10	QPSK	1	49	23.73	23.62	23.71					
10	QPSK	25	0	22.93	22.98	22.88	24	1			
10	QPSK	25	12	22.91	22.88	22.87					
10	QPSK	25	25	22.84	22.84	22.78					
10	QPSK	50	0	22.92	22.93	22.83	24	1			
10	16QAM	1	0	23.24	23.02	23.16					
10	16QAM	1	25	22.75	23.16	23.30					
10	16QAM	1	49	22.78	22.91	23.32	23	2			
10	16QAM	25	0	21.81	21.89	21.87					
10	16QAM	25	12	22.02	21.95	21.82					
10	16QAM	25	25	21.98	21.94	21.83	22	3			
10	16QAM	50	0	21.87	21.82	21.76					
10	64QAM	1	0	21.85	22.15	21.73					
10	64QAM	1	25	22.23	21.81	22.00	23	2			
10	64QAM	1	49	21.73	22.00	21.88					
10	64QAM	25	0	20.80	20.81	20.70					
10	64QAM	25	12	20.88	20.83	20.90	22	3			
10	64QAM	25	25	20.98	20.85	20.74					
10	64QAM	50	0	20.90	20.89	20.84					
Channel				2042.5	2052.5	2062.5	Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				820.5	836.5	846.5					
5	QPSK	1	0	23.82	23.78	23.70	25	0			
5	QPSK	1	12	23.75	23.66	23.80					
5	QPSK	1	24	23.74	23.83	23.67					
5	QPSK	12	0	22.72	22.79	22.70	24	1			
5	QPSK	12	7	22.82	22.87	22.75					
5	QPSK	12	13	22.87	22.86	22.79					
5	QPSK	25	0	22.87	22.80	22.70	24	1			
5	16QAM	1	0	22.90	23.01	23.41					
5	16QAM	1	12	23.26	23.50	23.02					
5	16QAM	1	24	23.06	23.49	23.06	23	2			
5	16QAM	12	0	21.75	21.86	21.86					
5	16QAM	12	7	21.90	21.87	21.90					
5	16QAM	12	13	21.87	21.85	21.90	23	2			
5	16QAM	25	0	21.79	21.79	21.79					
5	64QAM	1	0	22.01	22.36	21.78					
5	64QAM	1	12	22.02	21.86	21.85	23	2			
5	64QAM	1	24	21.79	21.84	21.77					
5	64QAM	12	0	20.92	20.86	20.88					
5	64QAM	12	7	21.02	20.84	20.82	22	3			
5	64QAM	12	13	20.98	20.82	20.82					
5	64QAM	15	0	20.92	20.79	20.81					
Channel				2044.5	2054.5	2063.5	Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				824.5	835.5	845.5					
3	QPSK	1	0	23.74	23.83	23.64	25	0			
3	QPSK	1	8	23.59	23.76	23.74					
3	QPSK	1	14	23.69	23.76	23.58					
3	QPSK	8	0	22.81	22.71	22.62	24	1			
3	QPSK	8	7	22.84	22.82	22.79					
3	QPSK	8	14	22.86	22.85	22.73					
3	16QAM	1	0	23.17	23.21	23.26	24	1			
3	16QAM	1	8	23.14	22.96	23.23					
3	16QAM	1	14	23.05	22.96	22.93					
3	16QAM	8	0	21.89	21.84	21.70	23	2			
3	16QAM	8	4	21.93	21.90	21.91					
3	16QAM	8	7	21.88	21.94	21.83					
3	16QAM	15	0	21.82	21.67	21.91	23	2			
3	64QAM	1	0	22.06	21.93	21.76					
3	64QAM	1	8	22.11	22.14	21.66					
3	64QAM	1	14	21.73	22.18	22.14	22	3			
3	64QAM	8	0	20.88	20.78	20.76					
3	64QAM	8	4	20.99	20.90	20.79					
3	64QAM	8	7	20.77	20.93	20.79	22	3			
3	64QAM	15	0	20.84	20.75	20.72					
Channel				2040.7 <th>2050.5</th> <th>2064.3</th> <th>Tune-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="3"></th>	2050.5	2064.3			Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				824.7	836.5	848.3					
1.4	QPSK	1	0	23.64	23.68	23.67	25	0			
1.4	QPSK	1	3	23.66	23.68	23.61					
1.4	QPSK	1	5	23.49	23.64	23.67					
1.4	QPSK	3	0	23.79	23.69	23.62	24	1			
1.4	QPSK	3	1	23.71	23.74	23.59					
1.4	QPSK	3	3	23.72	23.79	23.66					
1.4	QPSK	6	0	22.80	22.72	22.65	24	1			
1.4	16QAM	1	0	22.97	23.23	23.17					
1.4	16QAM	1	3	23.24	23.13	23.00					
1.4	16QAM	1	5	23.00	22.95	23.02	24	1			
1.4	16QAM	3	0	22.89	22.69	22.86					
1.4	16QAM	3	1	22.99	23.01	22.97					
1.4	16QAM	3	3	22.72	22.85	22.88	23	2			
1.4	16QAM	6	0	21.74	21.80	21.75					
1.4	64QAM	1	0	21.99	22.28	21.82					
1.4	64QAM	1	3	21.83	21.91	21.95	23	2			
1.4	64QAM	1	5	21.78	21.90	21.68					
1.4	64QAM	3	0	21.83	21.80	21.94					
1.4	64QAM	3	1	21.67	21.89	21.74	22	3			
1.4	64QAM	3	3	21.77	21.88	21.74					
1.4	64QAM	6	0	20.82	20.77	20.90					

Band 7_Ant 13													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				20650	21100	21550							
Frequency (MHz)				2510	2535	2550							
20	QPSK	1	0	22.36	22.05	22.37	23	0					
20	QPSK	1	49	22.11	22.34	22.36							
20	QPSK	1	99	22.30	22.47	22.21							
20	QPSK	50	0	22.27	22.59	22.36	23	0					
20	QPSK	50	24	22.22	22.32	22.29							
20	QPSK	50	50	22.26	22.53	22.30							
20	QPSK	100	0	22.27	22.44	22.38	23	0					
20	16QAM	1	0	22.50	22.51	22.30							
20	16QAM	1	49	22.48	22.57	22.57							
20	16QAM	1	99	22.56	22.63	22.53	23	0					
20	16QAM	50	0	21.10	21.37	21.46							
20	16QAM	50	24	21.28	21.32	21.44							
20	16QAM	50	50	21.19	21.40	21.61	22	1					
20	16QAM	100	0	21.30	21.32	21.48							
20	64QAM	1	0	21.43	21.22	21.38							
20	64QAM	1	49	21.40	21.18	21.48	22	1					
20	64QAM	50	0	21.24	21.24	21.74							
20	64QAM	50	0	20.13	20.43	20.43							
20	64QAM	50	24	20.39	20.40	20.46	21	2					
20	64QAM	50	50	20.30	20.55	20.43							
20	64QAM	100	0	20.34	20.42	20.39							
Channel				20625	21400	21575							
Frequency (MHz)				2507.5	2535	2557.5							
15	QPSK	1	0	22.27	22.49	22.23	23	0					
15	QPSK	1	37	22.03	22.26	22.30							
15	QPSK	1	74	22.15	22.39	22.11							
15	QPSK	36	0	22.20	22.47	22.28	23	0					
15	QPSK	36	20	22.08	22.32	22.23							
15	QPSK	36	39	22.13	22.38	22.27							
15	16QAM	1	0	22.44	22.44	22.16	22	1					
15	16QAM	1	37	22.42	22.44	22.45							
15	16QAM	1	74	22.42	22.54	22.45							
15	16QAM	36	0	21.14	21.32	21.35	21	2					
15	16QAM	36	10	21.14	21.24	21.34							
15	16QAM	36	39	21.09	21.29	21.47							
15	16QAM	75	0	21.16	21.20	21.38	21	2					
15	64QAM	1	0	21.35	21.10	21.26							
15	64QAM	1	37	21.31	21.05	21.41							
15	64QAM	1	74	21.09	21.68	21.66	22	1					
15	64QAM	36	0	20.34	20.34	20.34							
15	64QAM	36	20	20.27	20.36	20.38							
15	64QAM	36	39	20.20	20.44	20.35	21	2					
15	64QAM	75	0	20.21	20.38	20.23							
Channel				20600	21400	21400							
Frequency (MHz)				2505	2530	2555							
10	QPSK	1	0	22.38	22.49	22.21	23	0					
10	QPSK	1	25	22.04	22.29	22.21							
10	QPSK	1	49	22.21	22.42	22.07							
10	QPSK	25	0	22.05	22.34	22.22	23	0					
10	QPSK	25	12	21.10	22.37	22.18							
10	QPSK	25	25	22.17	22.38	22.29							
10	16QAM	1	0	22.34	22.45	22.20	23	0					
10	16QAM	1	49	22.50	22.51	22.39							
10	16QAM	25	0	21.07	21.33	21.33							
10	16QAM	25	12	21.14	21.18	21.26	22	1					
10	16QAM	25	25	21.03	21.33	21.48							
10	16QAM	50	0	21.21	21.16	21.42							
10	64QAM	1	0	21.27	21.08	21.22	22	1					
10	64QAM	1	25	21.24	21.12	21.39							
10	64QAM	1	49	21.08	21.06	21.68							
10	64QAM	25	0	20.28	20.28	20.31	21	2					
10	64QAM	25	12	20.27	20.26	20.31							
10	64QAM	25	12	20.25	20.48	20.33							
10	64QAM	50	0	20.28	20.34	20.33	21	2					
Channel				20775	21400	21425							
Frequency (MHz)				2502.5	2535	2567.5							
5	QPSK	1	0	22.24	22.51	22.24	23	0					
5	QPSK	1	12	22.06	22.20	22.20							
5	QPSK	1	24	22.20	22.33	22.14							
5	QPSK	12	0	22.19	22.44	22.24	23	0					
5	QPSK	12	7	22.16	22.32	22.14							
5	QPSK	12	13	22.19	22.48	22.17							
5	QPSK	25	0	22.17	22.37	22.18	22	1					
5	16QAM	1	0	22.40	22.37	22.18							
5	16QAM	1	12	22.32	22.50	22.50							
5	16QAM	1	24	22.48	22.57	22.45	22	1					
5	16QAM	12	0	21.08	21.32	21.37							
5	16QAM	12	7	21.12	21.22	21.29							
5	16QAM	12	13	21.07	21.27	21.27	21	2					
5	64QAM	1	0	21.25	21.21	21.38							
5	64QAM	1	0	21.27	21.15	21.26							
5	64QAM	1	12	21.25	21.07	21.36	22	1					
5	64QAM	1	24	21.13	21.65	21.59							
5	64QAM	12	0	20.03	20.37	20.30							
5	64QAM	12	7	20.33	20.37	20.37	21	2					
5	64QAM	12	13	20.25	20.47	20.38							
5	64QAM	25	0	20.22	20.31	20.23							

Band 7_Ant 25													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel													
Frequency (MHz)													
20	QPSK	1	0	20.54	20.82	20.66	21.5	0					
20	QPSK	1	49	20.48	20.38	20.62							
20	QPSK	1	99	20.39	20.50	20.62							
20	QPSK	50	0	20.44	20.71	20.67	21.5	0					
20	QPSK	50	24	20.38	20.55	20.60							
20	QPSK	50	50	20.43	20.63	20.60							
20	QPSK	100	0	20.37	20.57	20.48	21.5	0					
20	16QAM	1	0	20.51	20.52	20.89							
20	16QAM	1	49	20.56	20.75	20.76							
20	16QAM	1	99	20.73	20.57	20.71	21.5	0					
20	16QAM	50	0	20.32	20.48	20.66							
20	16QAM	50	24	20.44	20.59	20.62							
20	16QAM	50	50	20.46	20.69	20.73	21.5	0					
20	16QAM	100	0	20.32	20.52	20.62							
20	64QAM	1	0	20.45	20.80	20.75							
20	64QAM	1	49	20.20	20.62	20.74	21.5	0					
20	64QAM	1	99	20.17	20.39	20.38							
20	64QAM	50	0	19.75	20.06	20.16							
20	64QAM	50	24	19.92	19.95	20.14	21	0.5					
20	64QAM	50	50	19.98	20.10	20.15							
20	64QAM	100	0	19.84	20.02	20.08							
Channel													
Frequency (MHz)													
15	QPSK	1	0	20.41	20.71	20.52	21.5	0					
15	QPSK	1	37	20.43	20.22	20.46							
15	QPSK	1	74	20.33	20.39	20.47							
15	QPSK	36	0	20.36	20.59	20.56	21.5	0					
15	QPSK	36	20	20.32	20.40	20.50							
15	QPSK	36	39	20.30	20.55	20.46							
15	QPSK	75	0	20.29	20.42	20.33	21.5	0					
15	16QAM	1	0	20.35	20.43	20.60							
15	16QAM	1	37	20.46	20.64	20.65							
15	16QAM	1	74	20.58	20.45	20.55	21.5	0					
15	16QAM	36	0	20.26	20.42	20.56							
15	16QAM	36	20	20.35	20.53	20.52							
15	16QAM	36	39	20.32	20.63	20.65	21.5	0					
15	16QAM	75	0	20.27	20.39	20.48							
15	64QAM	1	0	20.29	20.73	20.62							
15	64QAM	1	37	20.38	20.52	20.62	21.5	0					
15	64QAM	1	74	20.03	20.29	20.22							
15	64QAM	36	0	19.67	20.01	20.05							
15	64QAM	36	20	19.79	19.86	20.08	21	0.5					
15	64QAM	36	39	19.93	20.04	20.10							
15	64QAM	75	0	19.79	19.86	19.93							
Channel													
Frequency (MHz)													
10	QPSK	1	0	20.39	20.72	20.61	21.5	0					
10	QPSK	1	25	20.33	20.27	20.46							
10	QPSK	1	49	20.25	20.37	20.50							
10	QPSK	25	0	20.38	20.55	20.59	21.5	0					
10	QPSK	25	12	20.37	20.40	20.44							
10	QPSK	25	25	20.34	20.50	20.50							
10	QPSK	50	0	20.27	20.43	20.37	21.5	0					
10	16QAM	1	0	20.43	20.38	20.60							
10	16QAM	1	25	20.46	20.67	20.65							
10	16QAM	1	49	20.60	20.46	20.61	21.5	0					
10	16QAM	25	0	20.23	20.38	20.54							
10	16QAM	25	12	20.31	20.48	20.50							
10	16QAM	25	25	20.33	20.62	20.58	21.5	0					
10	16QAM	50	0	20.25	20.43	20.54							
10	64QAM	1	0	20.32	20.64	20.61							
10	64QAM	1	25	20.05	20.51	20.69	21.5	0					
10	64QAM	1	49	20.04	20.33	20.27							
10	64QAM	25	0	19.61	19.90	20.06							
10	64QAM	25	12	19.80	19.80	20.03	21	0.5					
10	64QAM	25	25	19.88	20.03	20.09							
10	64QAM	50	0	19.71	19.86	19.97							
Channel													
Frequency (MHz)													
5	QPSK	1	0	20.41	20.66	20.61	21.5	0					
5	QPSK	1	12	20.42	20.29	20.47							
5	QPSK	1	24	20.28	20.34	20.49							
5	QPSK	12	0	20.31	20.65	20.55	21.5	0					
5	QPSK	12	7	20.28	20.47	20.54							
5	QPSK	12	13	20.33	20.57	20.50							
5	QPSK	25	0	20.24	20.51	20.40	21.5	0					
5	16QAM	1	0	20.37	20.42	20.53							
5	16QAM	1	12	20.42	20.59	20.63							
5	16QAM	1	24	20.57	20.48	20.64	21.5	0					
5	16QAM	12	0	20.21	20.34	20.51							
5	16QAM	12	7	20.31	20.48	20.54							
5	16QAM	12	13	20.32	20.54	20.68	21.5	0					
5	16QAM	25	0	20.25	20.46	20.57							
5	64QAM	1	0	20.33	20.70	20.64							
5	64QAM	1	12	20.08	20.48	20.67	21.5	0					
5	64QAM	1	24	20.11	20.32	20.26							
5	64QAM	12	0	19.62	19.92	20.03							
5	64QAM	12	7	19.76	19.86	20.04	21	0.5					
5	64QAM	12	13	19.82	20.04	20.07							
5	64QAM	25	0	19.76	19.90	20.00							

Band 12_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				704	709.5	711			
10	QPSK	1	0	23.43	23.63	23.52	25	0	
10	QPSK	1	25	23.51	23.61	23.56			
10	QPSK	1	49	23.50	23.38	23.53			
10	QPSK	25	0	22.50	22.86	22.54	24	1	
10	QPSK	25	12	22.65	22.49	22.50			
10	QPSK	25	25	22.51	22.48	22.63			
10	QPSK	50	0	22.53	22.84	22.63	24	1	
10	16QAM	1	0	22.98	22.88	23.07			
10	16QAM	1	25	23.07	22.94	22.97			
10	16QAM	1	49	23.14	22.96	23.01	23	2	
10	16QAM	25	0	21.72	21.68	21.67			
10	16QAM	25	12	21.76	21.70	21.69			
10	16QAM	25	25	21.63	21.72	21.58	22	3	
10	16QAM	50	0	21.76	21.58	21.73			
10	64QAM	1	0	21.83	21.75	21.89			
10	64QAM	1	25	21.82	21.84	21.90	23	2	
10	64QAM	1	49	21.75	21.85	22.02			
10	64QAM	1	25	20.57	20.57	20.62			
10	64QAM	25	12	20.83	20.62	20.89	22	3	
10	64QAM	25	25	20.66	20.56	20.70			
10	64QAM	50	0	20.64	20.54	20.67			
Channel				23005	23095	23155	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				701.5	707.5	713.5			
5	QPSK	1	0	23.41	23.58	23.46	25	0	
5	QPSK	1	12	23.34	23.48	23.44			
5	QPSK	1	24	23.34	23.52	23.34			
5	QPSK	12	0	22.50	22.54	22.51	24	1	
5	QPSK	12	7	22.59	22.61	22.55			
5	QPSK	12	13	22.59	22.54	22.50			
5	QPSK	25	0	22.50	22.50	22.50	24	1	
5	16QAM	1	0	23.04	22.94	22.77			
5	16QAM	1	12	23.02	22.85	22.76			
5	16QAM	1	24	22.99	22.96	22.52	23	2	
5	16QAM	12	0	21.65	21.60	21.62			
5	16QAM	12	7	21.67	21.73	21.64			
5	16QAM	12	13	21.43	21.43	21.62	22	3	
5	16QAM	25	0	21.81	21.86	21.72			
5	64QAM	1	0	22.16	21.81	21.85			
5	64QAM	1	12	21.91	21.90	21.64	23	2	
5	64QAM	1	24	22.12	22.06	21.56			
5	64QAM	12	0	20.45	20.68	20.46			
5	64QAM	12	7	20.72	20.77	20.70	22	3	
5	64QAM	12	13	20.61	20.80	20.63			
5	64QAM	25	0	20.68	20.62	20.60			
Channel				23025	23095	23165	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				706.5	707.5	714.5			
3	QPSK	1	0	23.32	23.44	23.50	25	0	
3	QPSK	1	8	23.36	23.36	23.36			
3	QPSK	1	14	23.34	23.34	23.38			
3	QPSK	8	0	22.60	22.52	22.54	24	1	
3	QPSK	8	7	22.57	22.49	22.50			
3	QPSK	15	0	22.52	22.46	22.43			
3	16QAM	1	0	22.87	22.87	23.04	24	1	
3	16QAM	1	8	22.70	23.17	23.05			
3	16QAM	1	14	23.30	22.91	22.84			
3	16QAM	8	0	21.74	21.54	21.77	23	2	
3	16QAM	8	4	21.68	21.62	21.80			
3	16QAM	8	7	21.71	21.71	21.71			
3	16QAM	15	0	21.75	21.53	21.52	22	3	
3	64QAM	1	0	21.66	21.85	21.68			
3	64QAM	1	8	22.02	22.08	21.84			
3	64QAM	1	14	21.72	21.64	21.75	23	2	
3	64QAM	8	0	20.81	20.65	20.60			
3	64QAM	8	4	20.81	20.65	20.65			
3	64QAM	15	0	20.77	20.65	20.53	22	3	
3	64QAM	8	7	20.65	20.70	20.53			
3	64QAM	15	0	20.73	20.85	20.52			
Channel				23017	23095	23173	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				699.7 <th>707.5<th>715.3<th></th><th></th><th></th></th></th>	707.5 <th>715.3<th></th><th></th><th></th></th>	715.3 <th></th> <th></th> <th></th>			
1.4	QPSK	1	0	23.45	23.56	23.50	25	0	
1.4	QPSK	1	3	23.54	23.39	23.49			
1.4	QPSK	1	24	23.46	23.46	23.47			
1.4	QPSK	3	0	23.41	23.47	23.43	24	1	
1.4	QPSK	3	1	23.40	23.43	23.51			
1.4	QPSK	3	3	23.45	23.48	23.43			
1.4	QPSK	6	0	22.84	22.41	22.51	24	1	
1.4	QPSK	6	2	22.84	23.04	23.00			
1.4	16QAM	3	3	22.72	22.78	22.71			
1.4	16QAM	1	5	22.87	22.70	23.23	24	1	
1.4	16QAM	3	0	22.66	22.96	22.72			
1.4	16QAM	3	1	22.69	22.46	22.96			
1.4	16QAM	3	3	22.63	22.60	22.58	23	2	
1.4	16QAM	6	1	21.69	21.68	21.68			
1.4	64QAM	1	0	21.48	21.85	21.64			
1.4	64QAM	1	3	21.59	21.71	21.91	23	2	
1.4	64QAM	1	5	21.77	21.62	21.94			
1.4	64QAM	3	0	21.77	21.76	21.51			
1.4	64QAM	3	1	21.74	21.76	21.68	22	3	
1.4	64QAM	3	3	21.55	21.87	21.52			
1.4	64QAM	6	0	20.51	20.52	20.48			

Band 13_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23205			25	0		
Frequency (MHz)				782						
10	QPSK	1	0	23.77			24	1		
10	QPSK	1	25	23.67						
10	QPSK	1	49	23.58						
10	QPSK	25	0	22.71			24	1		
10	QPSK	25	12	22.68						
10	QPSK	25	25	22.60						
10	QPSK	50	0	22.63			24	1		
10	16QAM	1	0	22.77						
10	16QAM	1	25	22.88						
10	16QAM	1	49	22.99			23	2		
10	16QAM	25	0	21.59						
10	16QAM	25	12	21.78						
10	16QAM	25	25	21.67			23	2		
10	16QAM	50	0	21.73						
10	64QAM	1	0	21.77						
10	64QAM	1	25	22.09			23	2		
10	64QAM	1	49	22.06						
10	64QAM	25	0	20.83						
10	64QAM	25	12	20.75			22	3		
10	64QAM	25	25	20.67						
10	64QAM	50	0	20.70						
Channel				23205	23230	23255	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				779.5	782	784.5				
5	QPSK	1	0	23.65	23.66	23.67	25	0		
5	QPSK	1	12	23.74	23.70	23.72				
5	QPSK	1	24	23.64	23.68	23.69				
5	QPSK	12	0	22.82	22.80	22.87	24	1		
5	QPSK	12	7	22.74	22.67	22.82				
5	QPSK	12	13	22.82	22.72	22.84				
5	QPSK	25	0	22.75	22.66	22.83	24	1		
5	16QAM	1	0	23.24	23.02	23.18				
5	16QAM	1	12	23.17	23.08	23.11				
5	16QAM	1	24	23.12	23.06	23.16	23	2		
5	16QAM	12	0	21.60	21.73	21.78				
5	16QAM	12	7	21.73	21.83	21.75				
5	16QAM	12	13	21.74	21.63	21.81	23	2		
5	16QAM	25	0	21.81	21.58	21.68				
5	84QAM	1	0	22.11	21.91	21.73				
5	84QAM	1	12	21.65	22.12	22.01	22	2		
5	84QAM	1	24	21.90	21.75	21.97				
5	84QAM	12	0	20.61	20.61	20.78				
5	84QAM	12	7	20.69	20.82	20.81	22	3		
5	84QAM	12	13	20.71	20.68	20.77				
5	84QAM	25	0	20.67	20.66	20.70				

Band 13_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				23230			25.3	0		
Frequency (MHz)				765						
10	QPSK	1	0		23.94		24.3	1		
10	QPSK	1	25		23.86					
10	QPSK	1	49		23.75					
10	QPSK	25	0		22.82		24.3	1		
10	QPSK	25	12		22.78					
10	QPSK	25	25		22.76					
10	QPSK	50	0		22.78		24.3	1		
10	16QAM	1	0		22.95					
10	16QAM	1	25		23.13					
10	16QAM	1	49		22.93		23.3	2		
10	16QAM	25	0		21.69					
10	16QAM	25	12		21.78					
10	16QAM	25	25		21.81		23.3	2		
10	16QAM	50	0		21.82					
10	64QAM	1	0		22.13					
10	64QAM	1	25		21.76		23.3	2		
10	64QAM	1	49		22.25					
10	64QAM	25	0		20.85					
10	64QAM	25	12		20.89		22.3	3		
10	64QAM	25	25		20.87					
10	64QAM	50	0		20.83					
Channel				23205	23230	23255	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				779.5	782	784.5				
5	QPSK	1	0	23.69	23.74	23.89	25.3	0		
5	QPSK	1	12	23.89	23.86	23.86				
5	QPSK	1	24	23.80	23.86	23.82				
5	QPSK	12	0	22.82	22.73	22.78	24.3	1		
5	QPSK	12	7	22.75	22.78	22.88				
5	QPSK	12	13	22.76	22.74	22.83				
5	QPSK	25	0	22.79	22.72	22.89	24.3	1		
5	16QAM	1	0	23.10	23.10	22.89				
5	16QAM	1	12	23.09	23.51	23.00				
5	16QAM	1	24	22.96	23.37	23.33	23.3	2		
5	16QAM	12	0	21.82	21.85	21.91				
5	16QAM	12	7	21.85	21.88	21.94				
5	16QAM	12	13	21.74	21.68	21.74	23.3	2		
5	16QAM	25	0	21.79	21.75	21.76				
5	64QAM	1	0	22.10	22.22	21.79				
5	64QAM	1	12	22.31	22.15	22.35	22.3	2		
5	64QAM	1	24	22.12	21.72	21.93				
5	64QAM	12	0	20.72	20.78	20.85				
5	64QAM	12	7	20.83	20.80	20.91	22.3	3		
5	64QAM	12	13	20.93	20.80	20.73				
5	64QAM	25	0	20.80	20.79	20.87				

Band 17_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				23760	23760	23800			
Frequency (MHz)				710	710	711			
10	QPSK	1	0	23.54	23.62	23.52	25	0	
10	QPSK	1	25	23.60	23.54	23.51			
10	QPSK	1	49	23.55	23.44	23.58			
10	QPSK	25	0	22.65	22.77	22.59	24	1	
10	QPSK	25	12	22.74	22.69	22.64			
10	QPSK	25	25	22.60	22.66	22.68			
10	QPSK	50	0	22.73	22.74	22.69	23	2	
10	16QAM	1	0	22.61	22.54	23.09			
10	16QAM	1	25	22.57	22.75	23.28			
10	16QAM	1	49	22.91	22.71	23.04	24	1	
10	16QAM	25	0	21.60	21.62	21.83			
10	16QAM	25	12	21.75	21.57	21.72			
10	16QAM	25	25	21.54	21.62	21.56	23	2	
10	16QAM	50	0	21.67	21.66	21.55			
10	84QAM	1	0	21.67	21.55	21.60			
10	84QAM	1	25	22.20	21.75	21.71	23	2	
10	84QAM	1	49	21.65	21.79	21.71			
10	84QAM	25	0	20.65	20.52				
10	84QAM	25	12	20.82	20.68	20.75	22	3	
10	84QAM	25	25	20.59	20.79	20.53			
10	84QAM	50	0	20.68	20.51	20.63			
Channel				23765 <th>23760</th> <th>23825</th> <th>Tune-up limit (dBm)</th> <th>MPR (dB)</th> <th></th>	23760	23825	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				706.5 <th>710</th> <th>713.5</th> <th></th> <th></th> <th></th>	710	713.5			
5	QPSK	1	0	23.60	23.61	23.56	25	0	
5	QPSK	1	24	23.60	23.61	23.58			
5	QPSK	1	24	23.58	23.59	23.46			
5	QPSK	12	0	22.60	22.60	22.63	24	1	
5	QPSK	12	7	22.63	22.61	22.68			
5	QPSK	12	13	22.57	22.63	22.63			
5	QPSK	25	0	22.62	22.54	22.56	23	2	
5	16QAM	1	0	22.51	22.51	22.73			
5	16QAM	1	12	22.97	22.99	23.00			
5	16QAM	1	24	22.77	22.71	22.69	24	2	
5	16QAM	12	0	21.54	21.63	21.52			
5	16QAM	12	7	21.85	21.66	21.69			
5	16QAM	12	13	21.73	21.55	21.72	23	2	
5	16QAM	25	0	21.66	21.60	21.52			
5	84QAM	1	0	21.96	21.94	21.78			
5	84QAM	1	12	21.81	21.77	21.74	23	2	
5	84QAM	1	24	21.58	21.23	21.88			
5	84QAM	12	0	20.58	20.73	20.78			
5	84QAM	12	7	20.71	20.70	20.71	22	3	
5	84QAM	12	13	20.59	20.53	20.62			
5	84QAM	25	0	20.67	20.59	20.57			

Band 17_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				237.60	237.90	238.80				
Frequency (MHz)				709	710	711				
10	QPSK	1	0	23.63	23.75	23.55	25	0		
10	QPSK	1	25	23.57	23.60	23.73				
10	QPSK	1	49	23.73	23.62	23.64				
10	QPSK	25	0	22.71	22.88	22.65	24	1		
10	QPSK	25	12	22.75	22.74	22.82				
10	QPSK	25	25	22.84	22.79	22.70				
10	QPSK	50	0	22.79	22.83	22.80	24	1		
10	16QAM	1	0	22.64	22.87	22.94				
10	16QAM	1	25	23.21	23.04	23.10				
10	16QAM	1	49	22.73	23.23	22.82	23	2		
10	16QAM	25	0	21.74	21.80	21.67				
10	16QAM	25	12	21.72	21.70	21.85				
10	16QAM	25	25	21.73	21.75	21.69	22	3		
10	16QAM	50	0	21.77	21.69	21.53				
10	64QAM	1	0	21.93	21.63	21.74				
10	64QAM	1	25	21.85	22.16	21.94	23	2		
10	64QAM	1	49	21.65	22.06	22.21				
10	64QAM	25	0	20.56	20.61	20.79				
10	64QAM	25	12	20.84	20.74	20.73	22	3		
10	64QAM	25	25	20.69	20.61	20.71				
10	64QAM	50	0	20.70	20.73	20.74				
Channel				237.65	237.90	238.52	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				709.5	710	713.5				
5	QPSK	1	0	23.72	23.74	23.65	25	0		
5	QPSK	1	12	23.69	23.69	23.70				
5	QPSK	1	24	23.58	23.68	23.69				
5	QPSK	12	0	22.68	22.73	22.72	24	1		
5	QPSK	12	7	22.76	22.71	22.73				
5	QPSK	12	13	22.70	22.63	22.64				
5	QPSK	25	0	22.76	22.64	22.60	24	1		
5	16QAM	1	0	23.29	23.34	23.21				
5	16QAM	1	12	23.00	23.23	23.18				
5	16QAM	1	24	22.90	23.01	22.89	23	2		
5	16QAM	12	0	21.79	21.62	21.79				
5	16QAM	12	7	21.66	21.69	21.69				
5	16QAM	12	13	21.59	21.79	21.69	23	2		
5	16QAM	25	0	21.76	21.67	21.69				
5	64QAM	1	0	21.93	22.01	21.87				
5	64QAM	1	12	21.80	21.71	21.57	23	2		
5	64QAM	1	24	21.74	21.83	22.10				
5	64QAM	12	0	20.69	20.71	20.77				
5	64QAM	12	7	20.67	20.68	20.74	22	3		
5	64QAM	12	13	20.66	20.79	20.65				
5	64QAM	25	0	20.84	20.70	20.66				

Band 18_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				239.05						
Frequency (MHz)				822.5						
15	QPSK	1	0		22.79		24	0		
15	QPSK	1	37		22.63					
15	QPSK	1	74		22.46					
15	QPSK	36	0		22.89		24	0		
15	QPSK	36	20		22.68					
15	QPSK	36	39		22.55					
15	QPSK	75	0		22.52		24	0		
15	16QAM	1	0		22.89					
15	16QAM	1	37		22.77					
15	16QAM	1	74		22.76		23	1		
15	16QAM	36	0		21.48					
15	16QAM	36	20		21.73					
15	16QAM	36	39		21.57		23	1		
15	16QAM	75	0		21.58					
15	64QAM	1	0		21.80					
15	64QAM	1	37		21.83		23	1		
15	64QAM	1	74		21.90					
15	64QAM	36	0		20.84					
15	64QAM	36	20		20.67		22	2		
15	64QAM	36	39		20.63					
15	64QAM	75	0		20.83					
Channel				239.00	239.05	239.50	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				820	822.5	825				
10	QPSK	1	0	22.72	22.69	22.66	24	0		
10	QPSK	1	25	22.58	22.49	22.57				
10	QPSK	1	49	22.35	22.33	22.41				
10	QPSK	25	0	22.56	22.55	22.62	24	0		
10	QPSK	25	12	22.58	22.61	22.60				
10	QPSK	25	25	22.47	22.40	22.49				
10	QPSK	50	0	22.42	22.43	22.44	24	0		
10	16QAM	1	0	22.58	22.63	22.59				
10	16QAM	1	25	22.68	22.66	22.64				
10	16QAM	1	49	22.62	22.86	22.67	24	0		
10	16QAM	25	0	21.36	21.41	21.34				
10	16QAM	25	12	21.57	21.62	21.65				
10	16QAM	25	25	21.50	21.44	21.43	23	1		
10	16QAM	50	0	21.47	21.42	21.46				
10	64QAM	1	0	21.74	21.70	21.64				
10	64QAM	1	25	21.68	21.71	21.65	23	1		
10	64QAM	1	49	21.79	21.80	21.74				
10	64QAM	25	0	20.57	20.55	20.51				
10	64QAM	25	12	20.62	20.62	20.54	22	2		
10	64QAM	25	25	20.47	20.50	20.48				
10	64QAM	50	0	20.57	20.55	20.54				
Channel				239.15	239.25	239.75	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				817.5	822.5	827.5				
5	QPSK	1	0	22.70	22.65	22.70	24	0		
5	QPSK	1	12	22.49	22.54	22.53				
5	QPSK	1	24	22.37	22.32	22.39				
5	QPSK	12	0	22.56	22.60	22.56	24	0		
5	QPSK	12	7	22.63	22.52	22.61				
5	QPSK	12	13	22.46	22.48	22.45				
5	QPSK	25	0	22.45	22.39	22.37	24	0		
5	16QAM	1	0	22.60	22.60	22.54				
5	16QAM	1	12	22.67	22.67	22.62				
5	16QAM	1	24	22.71	22.86	22.67	23	1		
5	16QAM	12	0	21.40	21.32	21.35				
5	16QAM	12	7	21.68	21.58	21.67				
5	16QAM	12	13	21.43	21.44	21.52	23	1		
5	16QAM	25	0	21.49	21.42	21.51				
5	64QAM	1	0	21.73	21.75	21.74				
5	64QAM	1	12	21.67	21.72	21.67	23	1		
5	64QAM	1	24	21.75	21.83	21.76				
5	64QAM	12	0	20.50	20.57	20.55				
5	64QAM	12	7	20.54	20.59	20.61	22	2		
5	64QAM	12	13	20.56	20.55	20.47				
5	64QAM	25	0	20.47	20.49	20.56				

Band 18_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (db)		
Channel				23625						
Frequency (MHz)				822.5						
15	QPSK	1	0	23.86	23.86		25	0		
15	QPSK	1	74	23.86	23.86					
15	QPSK	1	74	23.86	23.86					
15	QPSK	36	0	22.71	22.71		24	1		
15	QPSK	36	20	22.66	22.66					
15	QPSK	36	39	22.60	22.60					
15	QPSK	75	0	22.54	22.54		24	1		
15	16QAM	1	0	22.69	22.69					
15	16QAM	1	74	22.69	22.69					
15	16QAM	1	74	22.91	22.91		23	2		
15	16QAM	36	0	21.63	21.63					
15	16QAM	36	20	21.76	21.76					
15	16QAM	36	39	21.76	21.76		23	2		
15	16QAM	75	0	21.45	21.45					
15	16QAM	1	0	22.04	22.04					
15	64QAM	1	37	21.93	21.93		22	3		
15	64QAM	1	74	21.99	21.99					
15	64QAM	36	0	20.77	20.77					
15	64QAM	36	20	20.71	20.71		22	3		
15	64QAM	36	39	20.68	20.68					
15	64QAM	75	0	20.62	20.62					
Channel				23600	23625	23650	Tune-up limit (dbm)	MPR (db)		
Frequency (MHz)				820	822.5	825				
10	QPSK	1	0	23.75	23.82	23.85	25	0		
10	QPSK	1	25	23.75	23.83	23.68				
10	QPSK	1	49	23.62	23.67	23.55				
10	QPSK	25	0	22.86	22.86	22.86	24	1		
10	QPSK	25	12	22.86	22.67	22.82				
10	QPSK	25	25	22.65	22.75	22.73				
10	QPSK	50	0	22.79	22.71	22.82	24	1		
10	16QAM	1	0	23.12	23.01	23.13				
10	16QAM	1	25	23.02	22.85	23.20				
10	16QAM	1	49	23.44	23.18	23.20	23	2		
10	16QAM	25	0	21.72	21.77	21.65				
10	16QAM	25	12	21.81	21.75	21.80				
10	16QAM	25	25	21.71	21.75	21.81	22	3		
10	16QAM	50	0	21.70	21.84	21.74				
10	64QAM	1	0	21.89	21.52	22.16				
10	64QAM	1	25	21.89	21.52	21.96	22	3		
10	64QAM	1	49	21.60	21.39	22.28				
10	64QAM	25	0	20.77	20.60	20.66				
10	64QAM	25	12	20.80	20.77	20.83	22	3		
10	64QAM	25	25	20.76	20.83	20.74				
10	64QAM	50	0	20.75	20.70	20.84				
Channel				23615	23625	23635	Tune-up limit (dbm)	MPR (db)		
Frequency (MHz)				817.5	822.5	827.5				
5	QPSK	1	0	23.61	23.68	23.70	25	0		
5	QPSK	1	12	23.84	23.88	23.78				
5	QPSK	1	24	23.75	23.63	23.61				
5	QPSK	12	0	22.65	22.61	22.71	24	1		
5	QPSK	12	7	22.75	22.76	22.62				
5	QPSK	12	14	22.74	22.75	22.71				
5	QPSK	25	0	22.67	22.66	22.64	24	1		
5	16QAM	1	0	22.89	23.36	23.13				
5	16QAM	1	12	23.11	23.32	23.22				
5	16QAM	1	24	23.03	22.94	23.09	23	2		
5	16QAM	12	0	21.67	21.62	21.69				
5	16QAM	12	7	21.84	21.78	21.86				
5	16QAM	12	13	21.72	21.82	21.74	22	3		
5	16QAM	25	0	21.72	21.70	21.66				
5	64QAM	1	0	22.16	21.98	22.18				
5	64QAM	1	12	21.96	21.89	22.00	22	2		
5	64QAM	1	24	21.74	22.21	22.37				
5	64QAM	12	0	20.59	20.73	20.61				
5	64QAM	12	7	20.72	20.89	20.89	22	3		
5	64QAM	12	13	20.73	20.80	20.72				
5	64QAM	25	0	20.65	20.77	20.70				

Band 19_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
15	QPSK	1	0	22.73	837.5		24	0		
15	QPSK	1	37	22.47						
15	QPSK	1	74	22.31						
15	QPSK	36	0	22.61	837.5		24	0		
15	QPSK	36	20	22.46						
15	QPSK	36	39	22.47						
15	QPSK	75	0	22.47			24	0		
15	16QAM	1	0	22.61						
15	16QAM	1	37	22.68						
15	16QAM	1	74	22.62			23	1		
15	16QAM	36	0	21.59						
15	16QAM	36	20	21.60						
15	16QAM	36	39	21.67			23	1		
15	16QAM	75	0	21.61						
15	84QAM	1	0	21.49			23	1		
15	84QAM	1	37	21.68						
15	84QAM	1	74	21.44						
15	84QAM	36	0	20.49			22	2		
15	84QAM	36	20	20.44						
15	84QAM	36	39	20.57						
15	84QAM	75	0	20.36			24	0		
Channel				24050	24075	24100				
Frequency (MHz)				835	837.5	840				
10	QPSK	1	0	22.61	837.5	840	24	0		
10	QPSK	1	25	22.31	22.40	22.37				
10	QPSK	1	49	22.22	22.22	22.16				
10	QPSK	25	0	22.53	22.46	22.53	24	0		
10	QPSK	25	12	22.30	22.31	22.37				
10	QPSK	25	25	22.45	22.44	22.46				
10	QPSK	50	0	22.36	22.36	22.33	24	0		
10	16QAM	1	0	22.51	22.51	22.50				
10	16QAM	1	25	22.62	22.63	22.54				
10	16QAM	1	49	22.47	22.53	22.52	23	1		
10	16QAM	25	0	21.47	21.53	21.48				
10	16QAM	25	12	21.52	21.45	21.51				
10	16QAM	25	25	21.59	21.56	21.54	23	1		
10	16QAM	50	0	21.53	21.56	21.47				
10	84QAM	1	0	21.35	21.39	21.33	23	1		
10	84QAM	1	25	21.52	21.57	21.62				
10	84QAM	1	49	21.31	21.31	21.28				
10	84QAM	25	0	20.35	20.43	20.44	22	2		
10	84QAM	25	12	20.34	20.35	20.31				
10	84QAM	25	25	20.41	20.50	20.41				
10	84QAM	50	0	20.33	20.29	20.23	24	0		
Channel				24025	24075	24125				
Frequency (MHz)				832.5	837.5	842.5				
5	QPSK	1	0	22.61	22.58	22.65	24	0		
5	QPSK	1	12	22.31	22.33	22.37				
5	QPSK	1	24	22.22	22.23	22.15				
5	QPSK	12	0	22.56	22.52	22.54	24	0		
5	QPSK	12	7	22.37	22.36	22.32				
5	QPSK	12	13	22.44	22.43	22.44				
5	QPSK	25	0	22.36	22.32	22.31	24	0		
5	16QAM	1	0	22.46	22.49	22.48				
5	16QAM	1	12	22.54	22.62	22.61				
5	16QAM	1	24	22.46	22.52	22.56	23	1		
5	16QAM	12	0	21.53	21.54	21.49				
5	16QAM	12	7	21.46	21.48	21.44				
5	16QAM	12	13	21.56	21.52	21.53	23	1		
5	16QAM	25	0	21.56	21.47	21.45				
5	84QAM	1	0	21.41	21.53	21.43	23	1		
5	84QAM	1	12	21.56	21.58	21.58				
5	84QAM	1	24	21.39	21.31	21.36				
5	84QAM	12	0	20.33	20.43	20.40	22	2		
5	84QAM	12	7	20.34	20.29	20.39				
5	84QAM	12	13	20.44	20.48	20.48				
5	84QAM	25	0	20.25	20.33	20.22	24	0		

Band 19_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				24075						
Frequency (MHz)				837.5						
15	QPSK	1	0	23.70			25	0		
15	QPSK	1	37	23.50						
15	QPSK	1	74	23.34						
15	QPSK	36	0	22.84			24	1		
15	QPSK	36	20	22.51						
15	QPSK	36	39	22.63						
15	QPSK	75	0	22.52			24	1		
15	16QAM	1	0	23.00						
15	16QAM	1	37	22.68						
15	16QAM	1	74	22.81			23	2		
15	16QAM	36	0	21.56						
15	16QAM	36	20	21.67						
15	16QAM	36	39	21.57			23	2		
15	16QAM	75	0	21.61						
15	84QAM	1	0	21.87			23	2		
15	84QAM	1	37	21.46						
15	84QAM	1	74	21.18						
15	84QAM	36	0	20.51			22	3		
15	84QAM	36	20	20.62						
15	84QAM	36	39	20.61						
15	84QAM	75	0	20.43						
Channel				24050	24075	24100	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				835	837.5	840				
10	QPSK	1	0	23.62	23.65	23.53	25	0		
10	QPSK	1	25	23.54	23.63	23.62				
10	QPSK	1	49	23.60	23.57	23.53				
10	QPSK	25	0	22.76	22.68	22.71	24	1		
10	QPSK	25	12	22.78	22.66	22.74				
10	QPSK	25	25	22.85	22.79	22.79				
10	QPSK	50	0	22.76	22.71	22.70	24	1		
10	16QAM	1	0	23.27	23.44	23.15				
10	16QAM	1	25	23.18	23.29	22.80				
10	16QAM	1	49	23.01	23.03	23.01	23	2		
10	16QAM	25	0	21.73	21.80	21.70				
10	16QAM	25	12	21.82	21.83	21.68				
10	16QAM	25	25	21.88	21.72	21.77	23	2		
10	16QAM	50	0	21.76	21.70	21.62				
10	84QAM	1	0	22.25	22.07	21.16	23	2		
10	84QAM	1	25	22.10	22.22	21.71				
10	84QAM	1	49	21.62	21.95	21.48				
10	84QAM	25	0	20.65	20.89	20.64	22	3		
10	84QAM	25	12	20.78	20.75	20.68				
10	84QAM	25	25	20.86	20.78	20.79				
10	84QAM	50	0	20.78	20.67	20.71				
Channel				24050	24075	24100	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				832.5	835	842.5				
5	QPSK	1	0	23.60	23.55	23.64	25	0		
5	QPSK	1	12	23.67	23.69	23.61				
5	QPSK	1	24	23.61	23.65	23.62				
5	QPSK	12	0	22.63	22.70	22.66	24	1		
5	QPSK	12	7	22.69	22.63	22.78				
5	QPSK	12	13	22.63	22.73	22.71				
5	QPSK	25	0	22.68	22.75	22.72	24	1		
5	16QAM	1	0	22.88	22.44	22.98				
5	16QAM	1	12	22.55	23.22	22.88				
5	16QAM	1	24	22.62	22.98	22.56	23	2		
5	16QAM	12	0	21.74	21.73	21.68				
5	16QAM	12	7	21.78	21.67	21.80				
5	16QAM	12	13	21.67	21.87	21.82	22	3		
5	16QAM	25	0	21.71	21.67	21.73				
5	84QAM	1	0	21.80	21.69	21.86				
5	84QAM	1	12	22.25	22.13	22.08	22	2		
5	84QAM	1	24	21.77	21.62	22.11				
5	84QAM	12	0	20.68	20.62	20.19				
5	84QAM	12	7	20.75	20.68	20.88	22	3		
5	84QAM	12	13	20.69	20.63	20.77				
5	84QAM	25	0	20.71	20.67	20.67				

Band 26_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				26765	26865	26965				
Frequency (MHz)				821.5	831.5	841.5				
15	QPSK	1	0	22.80	22.86	22.88	24	0		
15	QPSK	1	37	22.67	22.74	22.64				
15	QPSK	1	74	22.77	22.40	22.56				
15	QPSK	36	0	21.78	21.85	21.76	23	1		
15	QPSK	36	39	21.77	21.76	21.58				
15	QPSK	36	39	21.65	21.75	21.68				
15	QPSK	75	0	21.80	21.83	21.71	23	1		
15	16QAM	1	0	22.13	21.94	22.15				
15	16QAM	1	37	21.99	21.75	21.88				
15	16QAM	1	74	22.03	21.63	22.23	22	2		
15	16QAM	36	0	20.85	20.80	20.73				
15	16QAM	36	20	20.82	20.69	20.64				
15	16QAM	36	39	20.76	20.87	20.76	22	2		
15	16QAM	75	0	20.84	20.85	20.79				
15	64QAM	1	0	20.72	20.70	21.11				
15	64QAM	1	37	21.11	20.90	20.81	22	2		
15	64QAM	1	74	20.79	20.70	20.94				
15	64QAM	36	0	19.70	19.79	19.65				
15	64QAM	36	20	19.88	19.67	19.68	21	3		
15	64QAM	36	39	19.83	19.81	19.62				
15	64QAM	75	0	19.87	19.73	19.73				
Channel				26897	26995	27093				
Frequency (MHz)				819	831.5	844				
10	QPSK	1	0	22.61	22.75	22.61	24	0		
10	QPSK	1	25	22.80	22.79	22.80				
10	QPSK	1	49	22.68	22.79	22.55				
10	QPSK	25	0	21.79	21.89	21.80	23	1		
10	QPSK	25	12	21.88	21.88	21.78				
10	QPSK	25	25	21.94	21.92	21.83				
10	QPSK	50	0	21.83	21.90	21.82	23	1		
10	16QAM	1	0	22.63	22.31	22.36				
10	16QAM	1	25	22.28	22.48	22.35				
10	16QAM	1	49	22.32	22.31	22.19	22	2		
10	16QAM	25	0	20.85	20.88	20.80				
10	16QAM	25	25	20.97	20.85	20.89				
10	16QAM	50	0	20.97	20.91	20.82	22	2		
10	64QAM	1	0	21.14	21.25	21.32				
10	64QAM	1	25	20.94	20.93	20.78				
10	64QAM	1	49	20.95	21.01	20.92	22	2		
10	64QAM	25	0	19.82	19.87	19.78				
10	64QAM	25	12	19.95	19.94	19.83				
10	64QAM	25	25	19.80	19.95	19.85	21	3		
10	64QAM	50	0	19.87	19.84	19.74				
10	64QAM	50	0	19.85	19.84	19.74				
Channel				27015	27115	27215				
Frequency (MHz)				816.5	831.5	846.5				
5	QPSK	1	0	22.58	22.71	22.76	24	0		
5	QPSK	1	12	22.74	22.79	22.64				
5	QPSK	1	24	22.60	22.75	22.66				
5	QPSK	12	0	21.72	21.85	21.80	23	1		
5	QPSK	12	7	21.83	21.83	21.81				
5	QPSK	12	13	21.90	21.87	21.80				
5	QPSK	25	0	21.80	21.78	21.76	23	1		
5	16QAM	1	0	22.37	22.44	22.35				
5	16QAM	1	12	22.16	22.08	22.26				
5	16QAM	1	24	22.15	22.45	22.19	22	2		
5	16QAM	12	0	20.87	20.84	20.85				
5	16QAM	12	7	20.92	20.90	20.84				
5	16QAM	12	13	20.89	20.88	20.88	22	2		
5	16QAM	25	0	20.93	20.71	20.80				
5	64QAM	1	0	21.28	21.02	21.03				
5	64QAM	1	12	21.06	21.16	21.05	22	2		
5	64QAM	1	24	21.09	20.87	21.28				
5	64QAM	12	0	19.82	19.93	19.74				
5	64QAM	12	7	19.92	20.00	19.91	21	3		
5	64QAM	12	13	19.80	19.95	19.91				
5	64QAM	25	0	19.88	19.81	19.91				
Channel				26705	26805	26905				
Frequency (MHz)				816.5	831.5	846.5				
3	QPSK	1	0	22.48	22.59	22.62	24	0		
3	QPSK	1	8	22.75	22.76	22.55				
3	QPSK	1	14	22.62	22.86	22.55				
3	QPSK	8	0	21.75	21.79	21.65	23	1		
3	QPSK	8	4	21.85	21.84	21.80				
3	QPSK	8	7	21.87	21.89	21.81				
3	QPSK	15	0	21.79	21.79	21.80	23	1		
3	16QAM	1	0	21.74	22.21	21.92				
3	16QAM	1	8	22.06	22.20	21.84				
3	16QAM	1	14	22.33	22.09	21.82	22	2		
3	16QAM	8	0	20.75	20.74	20.80				
3	16QAM	8	4	21.08	20.91	20.95				
3	16QAM	8	7	20.92	20.98	20.90	22	2		
3	16QAM	15	0	20.83	20.97	20.85				
3	64QAM	1	0	20.75	20.92	20.92				
3	64QAM	1	8	21.06	20.71	20.93	22	2		
3	64QAM	1	14	20.71	20.87	20.74				
3	64QAM	8	0	19.80	19.89	19.64				
3	64QAM	8	4	20.00	20.04	19.80	21	3		
3	64QAM	8	7	19.97	19.85	19.76				
3	64QAM	15	0	19.88	19.81	19.87				
Channel				26897	26985	27073				
Frequency (MHz)				814.7	831.5	846.3				
1.4	QPSK	1	0	22.60	22.82	22.58	24	0		
1.4	QPSK	1	3	22.71	22.86	22.63				
1.4	QPSK	1	5	22.74	22.76	22.84				
1.4	QPSK	3	0	22.65	22.69	22.67	23	1		
1.4	QPSK	3	1	22.76	22.75	22.60				
1.4	QPSK	3	3	22.68	22.76	22.62				
1.4	QPSK	6	0	21.86	21.82	21.76	23	1		
1.4	16QAM	1	0	22.42	21.95	22.27				
1.4	16QAM	1	3	22.21	22.45	22.15				
1.4	16QAM	1	5	22.08	22.17	22.15	23	1		
1.4	16QAM	3	0	21.86	22.00	22.00				
1.4	16QAM	3	1	22.06	21.97	22.02				
1.4	16QAM	3	3	22.26	22.02	21.90	22	2		
1.4	16QAM	6	0	20.68	20.97	20.81				
1.4	64QAM	1	0	21.03	21.07	20.87				
1.4	64QAM	1	3	20.77	21.10	21.12	22	2		
1.4	64QAM	1	5	21.15	21.02	20.96				
1.4	64QAM	3	0	20.96	20.86	20.67				
1.4	64QAM	3	1	20.90	20.79	21.07	21	3		
1.4	64QAM	3	3	20.94	20.95	20.73				
1.4	64QAM	6	0	19.94	20.04	19.85				

Band 66_Ant 13

Band 66_Ant 31													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				130070	130232	130572							
Frequency (MHz)				1720	1745	1770							
20	QPSK	1	0	21.18	21.35	21.20	22	0					
20	QPSK	1	49	21.17	20.87	21.16							
20	QPSK	1	99	21.00	21.13	21.03							
20	QPSK	50	0	21.18	21.26	21.19	22	0					
20	QPSK	50	24	21.04	21.10	21.16							
20	QPSK	50	50	21.13	21.09	21.08							
20	QPSK	100	0	21.13	21.10	21.13	22	0					
20	16QAM	1	0	21.26	21.27	21.30							
20	16QAM	1	49	21.13	21.34	21.27							
20	16QAM	1	99	21.29	21.25	21.27	22	0					
20	16QAM	50	0	21.11	21.15	21.11							
20	16QAM	50	24	21.12	21.18	21.08							
20	16QAM	50	50	21.14	21.12	20.99	22	0					
20	16QAM	100	0	21.22	21.13	21.22							
20	64QAM	1	0	21.28	21.24	21.11							
20	64QAM	1	49	21.25	21.18	21.12	22	0					
20	64QAM	1	99	21.14	21.27	21.10							
20	64QAM	50	0	21.12	21.23	21.22							
20	64QAM	50	24	21.02	21.13	21.22	22	0					
20	64QAM	50	50	21.09	21.14	21.01							
20	64QAM	100	0	21.14	20.98	21.10							
Channel				130047	130322	130597	Tune-up limit (dBm)						
Frequency (MHz)				1717.5	1745	1772.5							
15	QPSK	1	0	21.10	21.25	21.15	22	0					
15	QPSK	1	37	21.08	20.75	21.07							
15	QPSK	1	74	20.85	21.03	20.93							
15	QPSK	36	0	21.07	21.11	21.08	22	0					
15	QPSK	36	20	20.88	20.98	21.03							
15	QPSK	36	39	21.05	21.02	20.92							
15	QPSK	75	0	20.95	21.10	21.07	22	0					
15	16QAM	1	0	21.19	21.22	21.23							
15	16QAM	1	37	21.06	21.23	21.15							
15	16QAM	1	74	21.14	21.19	21.14	22	0					
15	16QAM	36	0	20.95	21.09	20.98							
15	16QAM	36	20	21.05	21.02	20.98							
15	16QAM	36	39	20.98	20.97	20.84	22	0					
15	16QAM	75	0	21.14	21.07	21.01							
15	64QAM	1	0	21.16	21.08	21.02							
15	64QAM	1	37	21.20	21.04	20.98	22	0					
15	64QAM	1	74	21.07	21.13	21.03							
15	64QAM	36	0	21.00	21.13	20.75							
15	64QAM	36	20	20.91	21.00	21.08	22	0					
15	64QAM	36	39	20.88	21.08	20.95							
15	64QAM	75	0	20.98	20.98	21.03							
Channel				130022	130322	130597	Tune-up limit (dBm)						
Frequency (MHz)				1715	1745	1775							
10	QPSK	1	0	21.05	21.21	21.04	22	0					
10	QPSK	1	25	21.11	20.74	21.01							
10	QPSK	1	49	20.84	20.99	20.87							
10	QPSK	25	0	21.08	21.16	21.09	22	0					
10	QPSK	25	12	20.93	21.07	21.11							
10	QPSK	25	25	20.98	20.97	20.97							
10	QPSK	50	0	20.96	21.04	21.03	22	0					
10	16QAM	1	0	21.11	21.20	21.14							
10	16QAM	1	25	21.07	21.18	21.12							
10	16QAM	1	49	21.21	21.09	21.18	22	0					
10	16QAM	25	0	21.00	21.04	21.00							
10	16QAM	25	12	21.06	21.13	20.93							
10	16QAM	25	25	20.98	20.98	20.94	22	0					
10	16QAM	50	0	21.16	21.04	21.10							
10	64QAM	1	0	21.18	21.16	21.03							
10	64QAM	1	25	21.16	21.06	21.05	22	0					
10	64QAM	1	49	21.03	21.19	20.94							
10	64QAM	25	0	20.98	21.09	20.86							
10	64QAM	25	12	20.88	21.02	21.17	22	0					
10	64QAM	25	25	20.86	20.99	20.94							
10	64QAM	50	0	21.08	20.87	20.98							
Channel				131597	132322	132597	Tune-up limit (dBm)						
Frequency (MHz)				1712.5	1745	1777.5							
5	QPSK	1	0	21.07	21.26	21.15	22	0					
5	QPSK	1	12	21.02	20.78	21.01							
5	QPSK	1	24	20.84	21.04	20.98							
5	QPSK	12	0	21.13	21.10	21.04	22	0					
5	QPSK	12	7	20.93	20.95	21.06							
5	QPSK	12	13	21.08	21.04	21.03							
5	QPSK	25	0	20.95	21.05	21.00	22	0					
5	16QAM	1	0	21.13	21.13	21.20							
5	16QAM	1	12	21.04	21.28	21.16							
5	16QAM	1	24	21.24	21.13	21.20	22	0					
5	16QAM	12	0	21.06	21.07	21.03							
5	16QAM	12	7	21.02	21.13	20.99							
5	16QAM	12	13	21.07	21.05	20.90	22	0					
5	16QAM	25	0	21.14	21.02	20.99							
5	64QAM	1	0	21.18	21.14	21.04							
5	64QAM	1	12	21.15	21.04	21.05	22	0					
5	64QAM	1	24	20.99	21.20	20.99							
5	64QAM	12	0	21.02	21.08	20.83							
5	64QAM	12	7	20.88	21.08	21.11	22	0					
5	64QAM	12	13	21.00	20.98	20.96							
5	64QAM	25	0	20.98	20.85	21.01							
Channel				131597	132322	132597	Tune-up limit (dBm)						
Frequency (MHz)				1711.5	1745	1778.5							
3	QPSK	1	0	21.08	21.24	21.04	22	0					
3	QPSK	1	8	21.03	20.71	21.11							
3	QPSK	1	14	20.92	21.01	20.89							
3	QPSK	8	0	21.05	21.18	21.03	22	0					
3	QPSK	8	4	20.94	20.94	21.05							
3	QPSK	8	7	21.05	20.99	20.99							
3	QPSK	15	0	21.02	21.11	21.08	22	0					
3	16QAM	1	0	21.14	21.20	21.24							
3	16QAM	1	8	20.88	21.28	21.15							
3	16QAM	1	14	21.17	21.19	21.17	22	0					
3	16QAM	8	0	21.06	21.07	20.97							
3	16QAM	8	4	21.00	21.05	20.94							
3	16QAM	8	7	21.06	21.01	20.93	22	0					
3	16QAM	15	0	21.08	21.02	21.05							
3	64QAM	1	0	21.21	21.17	20.98							
3	64QAM	1	8	21.12	21.10	20.99	22	0					
3	64QAM	1	14	20.99	21.18	21.02							
3	64QAM	8	0	21.04	21.18	20.83							
3	64QAM	8	4	20.96	21.05	21.12	22	0					
3	64QAM	8	7	20.99	21.08	20.93							
3	64QAM	15	0	21.08	20.93	20.97							
Channel				131579	132322	132595	Tune-up limit (dBm)						
Frequency (MHz)				1710.7	1745	1779.3							
1.4	QPSK	1	0	21.03	21.21	21.15	22	0					
1.4	QPSK	1	3	21.09	20.79	21.09							
1.4	QPSK	1	6	21.05	21.07	21.07							
1.4	QPSK	3	0	21.13	21.11	21.09	22	0					
1.4	QPSK	3	1	20.95	21.05	21.08							
1.4	QPSK	3	3	21.01	21.01	20.99							
1.4	QPSK	6	0	21.02	21.08	21.08	22	0					
1.4	16QAM	1	0	21.17	21.11	21.23							
1.4	16QAM	1	3	21.07	21.12	21.12							
1.4	16QAM	1	5	21.20	21.19	21.13	22	0					
1.4	16QAM	3	0	20.97	21.02	20.97							
1.4	16QAM	3	1	21.05	21.09	20.96							
1.4	16QAM	3	3	21.05	21.03	20.89	22	0					
1.4	16QAM	6	0	21.12	21.14	21.12							
1.4	16QAM	6	1	21.21	21.08	21.03							
1.4	64QAM	1	3	21.12	21.05	20.97	22	0					
1.4	64QAM	1	5	21.03	21.13	21.00							
1.4	64QAM	3	0	21.00	21.18	20.77							
1.4	64QAM	3	1	21.04	21.06	21.01	22	0					
1.4	64QAM	3	3	20.95	21.09	20.85							
1.4	64QAM	6	0	21.04	20.88	21.04							

Band 38_Ant 13											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)			
Channel				37850	38000	38150					
Frequency (MHz)				2580	2595	2610					
20	QPSK	1	0	22.84	22.86	22.88	23.7	0			
20	QPSK	1	49	22.83	22.85	22.89					
20	QPSK	1	99	22.80	22.77	22.73					
20	QPSK	50	0	22.37	22.45	22.36	23.2	0.5			
20	QPSK	50	24	22.36	22.31	22.34					
20	QPSK	50	50	21.99	21.90	21.76					
20	QPSK	100	0	22.00	22.01	21.95	23.2	0.5			
20	16QAM	1	0	22.17	22.10	21.98					
20	16QAM	1	49	22.42	22.29	22.24					
20	16QAM	50	0	19.88	19.88	19.75	22.2	1.5			
20	16QAM	50	24	21.07	20.97	20.92					
20	16QAM	50	50	21.02	20.99	20.92					
20	16QAM	100	0	21.01	21.05	20.95	22.2	1.5			
20	84QAM	1	0	21.18	20.82	21.21					
20	84QAM	1	49	21.25	21.30	20.98					
20	84QAM	1	99	21.61	21.00	21.01	21.2	2.5			
20	84QAM	50	0	19.88	19.88	19.78					
20	84QAM	50	24	19.99	19.92	19.88					
20	84QAM	50	50	20.08	20.06	19.87	21.2	2.5			
20	84QAM	100	0	19.96	19.76	19.92					
Channel				37825	38000	38175	Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				2577.5	2595	2612.5					
15	QPSK	1	0	22.80	22.83	22.77	23.7	0			
15	QPSK	1	37	22.81	22.79	22.78					
15	QPSK	1	74	22.74	22.63	22.57					
15	QPSK	36	0	22.79	22.81	22.73	23.2	0.5			
15	QPSK	36	20	22.79	22.69	22.79					
15	QPSK	36	39	21.83	21.82	21.63					
15	QPSK	75	0	21.88	21.89	21.90	23.2	0.5			
15	16QAM	1	0	22.03	22.04	21.83					
15	16QAM	1	37	22.31	22.13	22.17					
15	16QAM	1	74	21.93	22.23	21.87	22.2	1.5			
15	16QAM	36	0	20.85	20.72	20.82					
15	16QAM	36	20	21.02	20.87	20.95					
15	16QAM	36	39	20.95	20.87	20.78	22.2	1.5			
15	16QAM	75	0	20.96	20.85	20.80					
15	84QAM	1	0	21.12	20.76	21.12	22.2	1.5			
15	84QAM	1	37	21.02	21.17	20.95					
15	84QAM	1	74	21.48	20.91	20.91	21.2	2.5			
15	84QAM	36	0	19.80	19.80	19.68					
15	84QAM	36	20	19.92	19.83	19.75					
15	84QAM	36	39	20.00	19.88	19.83	21.2	2.5			
15	84QAM	75	0	19.87	19.87	19.76					
Channel				37800	38000	38200	Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				2575	2595	2615					
10	QPSK	1	0	22.89	22.82	22.79	23.7	0			
10	QPSK	1	25	22.81	22.81	22.82					
10	QPSK	1	49	22.85	22.82	22.66					
10	QPSK	25	0	22.79	22.79	22.73	23.2	0.5			
10	QPSK	25	12	22.77	22.76	22.70					
10	QPSK	25	25	21.90	21.75	21.60					
10	QPSK	50	0	21.91	21.91	21.83	23.2	0.5			
10	16QAM	1	0	22.08	22.02	21.87					
10	16QAM	1	25	22.28	22.24	22.08					
10	16QAM	1	49	22.03	22.27	21.96	22.2	1.5			
10	16QAM	25	0	20.78	20.73	20.63					
10	16QAM	25	12	21.01	20.87	20.83					
10	16QAM	25	25	20.92	20.86	20.77	22.2	1.5			
10	16QAM	50	0	20.92	20.84	20.81					
10	84QAM	1	0	21.11	20.70	21.07	22.2	1.5			
10	84QAM	1	25	21.11	21.15	20.82					
10	84QAM	1	49	21.46	20.89	20.95					
10	84QAM	25	0	19.75	19.76	19.70	21.2	2.5			
10	84QAM	25	12	19.91	19.80	19.70					
10	84QAM	25	25	19.92	19.93	19.71					
10	84QAM	50	0	19.83	19.66	19.83	21.2	2.5			
Channel				37775	38000	38225	Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				2572.5	2595	2617.5					
5	QPSK	1	0	22.89	22.80	22.76	23.7	0			
5	QPSK	1	12	22.78	22.75	22.76					
5	QPSK	1	24	22.75	22.70	22.60					
5	QPSK	12	0	22.82	22.87	22.78	23.2	0.5			
5	QPSK	12	7	22.76	22.66	22.75					
5	QPSK	12	13	21.91	21.78	21.71					
5	QPSK	25	0	21.86	21.85	21.82	23.2	0.5			
5	16QAM	1	0	22.08	22.03	21.91					
5	16QAM	1	12	22.36	22.16	22.13					
5	16QAM	1	24	21.95	22.23	21.88	22.2	1.5			
5	16QAM	12	0	20.77	20.74	20.66					
5	16QAM	12	7	21.02	20.87	20.84					
5	16QAM	12	13	20.91	20.83	20.78	22.2	1.5			
5	16QAM	25	0	20.96	20.86	20.78					
5	84QAM	1	0	21.11	20.70	21.07					
5	84QAM	1	12	21.10	21.22	20.90	22.2	1.5			
5	84QAM	1	24	21.54	20.95	20.91					
5	84QAM	12	0	19.72	19.82	19.71					
5	84QAM	12	7	19.88	19.83	19.76	21.2	2.5			
5	84QAM	12	13	19.94	20.01	19.75					
5	84QAM	25	0	19.81	19.62	19.84					

Band 38_Ant 31										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				37850	38000	38150				
Frequency (MHz)				2580	2595	2610				
20	QPSK	1	0	22.85	22.99	22.92	24	0		
20	QPSK	1	49	22.82	22.75	22.87				
20	QPSK	1	99	22.87	22.67	22.77				
20	QPSK	50	0	22.80	22.87	22.84	24	0		
20	QPSK	50	24	22.72	22.63	22.63				
20	QPSK	50	50	22.70	22.66	22.75				
20	QPSK	100	0	22.89	22.90	22.92	24	0		
20	16QAM	1	0	22.87	22.90	22.95				
20	16QAM	1	49	22.84	22.77	22.98				
20	16QAM	1	99	22.80	22.75	22.98	23	1		
20	16QAM	50	0	21.85	21.76	21.69				
20	16QAM	50	24	21.88	21.71	21.88				
20	16QAM	50	50	21.84	21.91	21.87	23	1		
20	16QAM	100	0	21.78	21.71	21.80				
20	84QAM	1	0	21.92	21.95	21.92				
20	84QAM	1	49	22.19	22.21	22.30	23	1		
20	84QAM	1	99	22.17	21.92	22.07				
20	84QAM	50	0	20.87	20.72	20.73				
20	84QAM	50	24	20.78	20.64	20.88	22	2		
20	84QAM	50	50	20.84	20.83	20.88				
20	84QAM	100	0	20.71	20.67	20.89				
Channel				37825	38000	38175				
Frequency (MHz)				2587.5	2595	2602.5				
15	QPSK	1	0	22.50	22.83	22.76	24	0		
15	QPSK	1	37	22.48	22.65	22.75				
15	QPSK	1	74	22.43	22.60	22.61				
15	QPSK	36	0	22.68	22.76	22.75	24	0		
15	QPSK	36	20	22.58	22.68	22.78				
15	QPSK	36	39	22.66	22.51	22.65				
15	QPSK	75	0	22.75	22.91	22.81	24	0		
15	16QAM	1	0	22.81	22.62	22.68				
15	16QAM	1	37	22.34	22.48	22.84				
15	16QAM	1	74	22.52	22.68	22.90	23	1		
15	16QAM	36	0	21.50	21.69	21.61				
15	16QAM	36	20	21.63	21.57	21.61				
15	16QAM	36	39	21.79	21.78	21.78	23	1		
15	16QAM	75	0	21.63	21.57	21.73				
15	84QAM	1	0	21.81	21.84	21.82				
15	84QAM	1	37	22.03	22.12	22.14	23	1		
15	84QAM	1	74	22.09	22.09	21.98				
15	84QAM	36	0	20.62	20.58	20.84				
15	84QAM	36	20	20.73	20.68	20.81	22	2		
15	84QAM	36	39	20.71	20.73	20.81				
15	84QAM	75	0	20.63	20.53	20.79				
Channel				37800	38000	38200				
Frequency (MHz)				2575 <th>2595<th>2615</th><th></th><th></th><th></th></th>	2595 <th>2615</th> <th></th> <th></th> <th></th>	2615				
10	QPSK	1	0	22.60	22.93	22.79	24	0		
10	QPSK	1	24	22.50	22.48	22.71				
10	QPSK	1	49	22.46	22.55	22.70				
10	QPSK	25	0	22.73	22.78	22.77	24	0		
10	QPSK	25	12	22.58	22.67	22.69				
10	QPSK	25	25	22.43	22.56	22.68				
10	QPSK	50	0	22.82	22.91	22.92	24	0		
10	16QAM	1	0	22.82	22.78	22.83				
10	16QAM	1	25	22.30	22.66	22.69				
10	16QAM	1	49	22.45	22.45	22.84	24	0		
10	16QAM	25	0	21.59	21.60	21.59				
10	16QAM	25	12	21.79	21.63	21.79				
10	16QAM	25	25	21.80	21.78	21.74	23	1		
10	16QAM	50	0	21.72	21.63	21.63				
10	84QAM	1	0	21.82	21.87	21.87				
10	84QAM	1	25	22.09	22.07	22.14	23	1		
10	84QAM	1	49	22.11	21.77	21.94				
10	84QAM	25	0	20.58	20.58	20.80				
10	84QAM	25	12	20.70	20.72	20.82	22	2		
10	84QAM	25	25	20.68	20.74	20.72				
10	84QAM	50	0	20.61	20.55	20.73				
Channel				37875	38000	38225				
Frequency (MHz)				2572.5 <th>2595<th>2617.5<th></th><th></th><th></th></th></th>	2595 <th>2617.5<th></th><th></th><th></th></th>	2617.5 <th></th> <th></th> <th></th>				
5	QPSK	1	0	22.51	22.92	22.85	24	0		
5	QPSK	1	12	22.52	22.67	22.81				
5	QPSK	1	24	22.47	22.61	22.72				
5	QPSK	12	0	22.74	22.78	22.70	24	0		
5	QPSK	12	7	22.65	22.75	22.87				
5	QPSK	12	13	22.62	22.53	22.81				
5	QPSK	25	0	22.76	22.87	22.84	24	0		
5	16QAM	1	0	22.81	22.79	22.81				
5	16QAM	1	12	22.32	22.65	22.90				
5	16QAM	1	24	22.55	22.67	22.89	23	1		
5	16QAM	12	0	21.49	21.71	21.81				
5	16QAM	12	13	21.82	21.63	21.74				
5	16QAM	12	13	21.79	21.76	21.78	23	1		
5	16QAM	25	0	21.84	21.57	21.87				
5	84QAM	1	0	21.86	21.86	21.87				
5	84QAM	1	12	22.07	22.07	22.22	23	1		
5	84QAM	1	24	22.05	21.82	21.94				
5	84QAM	12	0	20.51	20.57	20.61				
5	84QAM	12	7	20.73	20.68	20.81	22	2		
5	84QAM	12	13	20.76	20.70	20.72				
5	84QAM	25	0	20.57	20.52	20.77				

Band 41_Ant 13															
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Mod Ch / Freq	Power Low-Middle Ch / Freq	Power Middle Ch / Freq	Power High-Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)					
Channel				39750	40185	40620	41055	41490							
Frequency (MHz)				2506	2549.5	2593	2636.5	2680							
20	QPSK	1	0	22.81	22.74	22.64	22.66	22.78	23.5	0					
20	QPSK	1	49	22.74	22.82	22.72	22.82	22.93							
20	QPSK	1	99	22.76	22.84	22.77	22.84	22.77	23	0.5					
20	QPSK	50	0	22.36	22.43	22.45	22.39	22.40							
20	QPSK	50	24	22.32	22.35	22.21	22.36	22.22	23	0.5					
20	QPSK	50	99	22.32	22.36	22.29	22.33	22.34							
20	QPSK	100	0	22.33	22.37	22.41	22.33	22.19	23	0.5					
20	16QAM	1	0	22.42	22.54	22.72	22.76	22.87							
20	16QAM	1	49	22.54	22.73	22.55	22.20	22.63	23	0.5					
20	16QAM	1	99	22.26	22.58	22.29	22.85	22.43							
20	16QAM	50	0	21.41	21.31	21.29	21.31	21.25	22	1.5					
20	16QAM	50	24	21.30	21.42	21.24	21.35	21.23							
20	16QAM	50	50	21.45	21.48	21.29	21.31	21.24	22	1.5					
20	16QAM	100	0	21.26	21.48	21.20	21.35	21.09							
20	64QAM	1	0	21.29	21.37	21.60	21.44	21.43	22	1.5					
20	64QAM	1	49	21.58	21.29	20.88	21.51	21.60							
20	64QAM	1	99	21.19	21.64	21.41	21.31	21.60	21	2.5					
20	64QAM	50	0	20.17	20.30	20.22	20.23	20.22							
20	64QAM	50	24	20.31	20.36	20.26	20.35	20.12	20	2.5					
20	64QAM	50	50	20.45	20.34	20.30	20.31	20.26							
20	64QAM	100	0	20.38	20.32	20.21	20.39	20.17							
Channel				39725	40173	40620	41066	41515							
Frequency (MHz)				2544.3	2544.3	2593	2637.8	2682.5	Tune-up limit (dBm)	MPR (dB)					
15	QPSK	1	0	22.72	22.68	22.77	22.51	22.64	23.5	0					
15	QPSK	1	37	22.64	22.53	22.64	22.54	22.39							
15	QPSK	1	74	22.62	22.54	22.67	22.51	22.68	23	0.5					
15	QPSK	36	0	22.30	22.28	22.33	22.23	22.34							
15	QPSK	36	20	22.27	22.27	22.08	22.31	22.13	23	0.5					
15	QPSK	36	39	22.20	22.22	22.13	22.20	22.24							
15	QPSK	75	0	22.28	22.24	22.34	22.26	22.03	23	0.5					
15	16QAM	1	0	22.36	22.45	22.56	22.67	22.53							
15	16QAM	1	37	22.46	22.80	22.46	22.20	22.82	23	0.5					
15	16QAM	1	74	22.13	22.47	22.22	22.50	22.30							
15	16QAM	36	0	21.33	21.23	21.14	21.17	21.20	22	1.5					
15	16QAM	36	20	21.19	21.27	21.16	21.24	21.08							
15	16QAM	36	39	21.40	21.42	21.23	21.18	21.14	22	1.5					
15	16QAM	75	0	21.18	21.36	21.04	21.20	20.95							
15	64QAM	1	0	21.17	21.26	21.44	21.32	21.31	22	1.5					
15	64QAM	1	37	21.46	21.21	20.78	21.45	21.47							
15	64QAM	1	74	21.12	21.57	21.32	21.17	21.46	21	2.5					
15	64QAM	36	0	20.11	20.22	20.17	20.17	20.11							
15	64QAM	36	20	20.23	20.29	20.10	20.22	20.05	21	2.5					
15	64QAM	36	39	20.34	20.18	20.22	20.22	20.09							
15	64QAM	75	0	20.29	20.18	20.15	20.34	20.09							
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)					
Frequency (MHz)				2521	2547	2593	2639	2685							
10	QPSK	1	0	22.12	22.53	22.70	22.50	22.52	23.5	0					
10	QPSK	1	25	22.58	22.52	22.56	22.50	22.48							
10	QPSK	1	49	22.61	22.56	22.68	22.56	22.67	23	0.5					
10	QPSK	25	0	22.23	22.27	22.32	22.26	22.29							
10	QPSK	25	12	22.20	22.26	22.05	22.26	22.17	23	0.5					
10	QPSK	25	25	22.26	22.20	22.14	22.22	22.19							
10	QPSK	50	0	22.19	22.29	22.27	22.17	22.03	23	0.5					
10	16QAM	1	0	22.32	22.47	22.57	22.64	22.58							
10	16QAM	1	25	22.45	22.80	22.44	22.14	22.55	23	0.5					
10	16QAM	1	49	22.17	22.49	22.23	22.57	22.26							
10	16QAM	25	0	21.35	21.25	21.19	21.15	21.18	22	1.5					
10	16QAM	25	12	21.16	21.27	21.19	21.29	21.10							
10	16QAM	25	25	21.31	21.35	21.20	21.18	21.16	22	1.5					
10	16QAM	50	0	21.25	21.34	21.10	21.26	21.04							
10	64QAM	1	0	21.14	21.32	21.55	21.33	21.31	22	1.5					
10	64QAM	1	25	21.43	21.23	20.79	21.41	21.44							
10	64QAM	1	49	21.09	21.59	21.33	21.15	21.59	22	1.5					
10	64QAM	25	0	20.02	20.19	20.13	20.18	20.14							
10	64QAM	25	12	20.20	20.24	20.16	20.28	20.07	21	2.5					
10	64QAM	25	25	20.35	20.19	20.23	20.22	20.18							
10	64QAM	50	0	20.32	20.23	20.15	20.23	20.01	20	2.5					
Channel				39700	40160	40620	41080	41540			Tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				2498.5	2546.5	2593	2640.30	2687.5							
5	QPSK	1	0	22.72	22.68	22.77	22.54	22.68	23.5	0					
5	QPSK	1	12	22.62	22.53	22.58	22.48	22.40							
5	QPSK	1	24	22.59	22.50	22.56	22.46	22.34	23	0.5					
5	QPSK	12	0	22.24	22.31	22.37	22.32	22.35							
5	QPSK	12	7	22.21	22.24	22.06	22.28	22.17	23	0.5					
5	QPSK	12	13	22.18	22.25	22.16	22.27	22.22							
5	QPSK	25	0	22.26	22.25	22.28	22.20	22.04	23	0.5					
5	16QAM	1	0	22.27	22.38	22.60	22.62	22.59							
5	16QAM	1	12	22.44	22.63	22.50	22.15	22.56	23	0.5					
5	16QAM	1	24	22.12	22.50	22.23	22.52	22.32							
5	16QAM	12	0	21.33	21.19	21.19	21.17	21.09	22	1.5					
5	16QAM	12	7	21.23	21.32	21.14	21.27	21.14							
5	16QAM	12	13	21.37	21.32	21.14	21.25	21.09	22	1.5					
5	16QAM	25	0	21.19	21.43	21.09	21.23	20.96							
5	64QAM	1	0	21.24	21.24	21.45	21.28	21.29	22	1.5					
5	64QAM	1	12	21.50	21.24	20.79	21.46	21.50							
5	64QAM	1	24	21.11	21.57	21.26	21.22	21.46	22	1.5					
5	64QAM	12	0	20.07	20.24	20.15	20.07	20.07							
5	64QAM	12	7	20.17	20.25	20.16	20.30	20.05	21	2.5					
5	64QAM	12	13	20.40	20.29	20.21	20.20	20.16							
5	64QAM	25	0	20.22	20.27	20.16	20.25	20.09							

Band 41_Ant 31												
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low-Middle Ch / Freq	Power Middle Ch / Freq	Power High-Middle Ch / Freq	Power High Ch / Freq	Turn-up time (s/min)	MPR (dB)		
Channel												
Frequency (MHz)				39750	40185	40620	41055	41490				
20	QPSK	1	0	22.74	22.72	23.18	22.69	22.68				
20	QPSK	1	49	22.84	22.81	23.27	22.78	22.68	24	0		
20	QPSK	1	99	22.73	22.66	22.72	22.62	22.64				
20	QPSK	50	0	22.62	22.59	22.96	22.91	22.68				
20	QPSK	50	24	22.67	22.69	22.74	22.72	22.64	24	0		
20	QPSK	50	50	22.59	22.56	22.81	22.69	22.68				
20	QPSK	100	0	22.80	22.62	22.84	22.70	22.72				
20	16QAM	1	0	22.80	22.82	22.78	22.90	22.62				
20	16QAM	1	49	22.95	22.90	23.00	22.80	22.72	24	0		
20	16QAM	1	99	22.54	22.91	23.02	23.12	22.83				
20	16QAM	50	0	21.81	21.65	21.86	21.75	21.71				
20	16QAM	50	24	21.82	22.11	21.77	21.92	21.71	23	1		
20	16QAM	100	0	21.76	21.90	21.88	21.82	21.78				
20	64QAM	1	0	21.71	21.88	21.84	21.76	22.05				
20	64QAM	1	49	22.25	21.87	22.05	21.87	21.87	23	1		
20	64QAM	1	99	21.77	21.77	21.73	22.28	22.00				
20	64QAM	50	0	20.74	20.85	21.07	21.31	20.75				
20	64QAM	50	24	20.73	20.93	20.91	21.01	20.74				
20	64QAM	50	50	20.85	20.79	20.67	20.89	20.76				
20	64QAM	100	0	20.80	20.93	20.88	20.85	20.68				
Channel				39725	40173	40620	41068	41515				
Frequency (MHz)				39693	40143	40603	41055	41508	Turn-up time (s/min)	MPR (dB)		
15	QPSK	1	0	22.66	22.58	23.06	22.56	22.58				
15	QPSK	1	37	22.52	22.60	22.63	22.55	22.52	24	0		
15	QPSK	1	74	22.60	22.51	22.61	22.51	22.59				
15	QPSK	36	0	22.55	22.46	22.46	22.48	22.48	24	0		
15	QPSK	36	20	22.41	22.60	22.65	22.60	22.53				
15	QPSK	36	39	22.48	22.75	22.46	22.57	22.48				
15	QPSK	75	0	22.75	22.51	22.68	22.58	22.67				
15	16QAM	1	0	22.74	22.75	22.69	22.78	22.68				
15	16QAM	1	37	22.81	22.69	22.46	22.73	22.62	24	0		
15	16QAM	1	74	22.46	22.86	22.91	23.02	22.68				
15	16QAM	36	0	21.74	21.60	21.85	22.02	21.63				
15	16QAM	36	20	21.72	22.03	21.68	21.78	21.68	23	1		
15	16QAM	36	39	21.82	21.75	21.70	21.74	21.76				
15	16QAM	75	0	21.62	21.76	21.81	21.70	21.64				
15	64QAM	1	0	21.63	21.67	21.49	21.68	21.95				
15	64QAM	1	37	22.10	21.86	21.58	21.77	21.95	23	1		
15	64QAM	1	74	21.61	21.68	22.08	22.27	21.50				
15	64QAM	36	0	20.59	20.91	20.93	21.15	20.60				
15	64QAM	36	20	20.68	20.83	20.77	20.84	20.64	22	2		
15	64QAM	36	39	20.78	20.63	20.54	20.77	20.59				
15	64QAM	75	0	20.72	20.78	20.76	20.83	20.54	Turn-up time (s/min)	MPR (dB)		
Channel				39700	40160	40620	41068	41549				
Frequency (MHz)				22501	22547	22593	22638	22685				
10	QPSK	1	0	22.58	22.59	23.08	22.55	22.52				
10	QPSK	1	25	22.53	22.57	22.84	22.58	22.58	24	0		
10	QPSK	1	49	22.58	22.59	22.82	22.52	22.48				
10	QPSK	25	0	22.56	22.89	22.83	22.75	22.58				
10	QPSK	26	12	22.48	22.83	22.80	22.60	22.48	24	0		
10	QPSK	25	25	22.51	22.70	22.49	22.49	22.54				
10	QPSK	50	0	22.68	22.59	22.70	22.56	22.64				
10	16QAM	1	0	22.65	22.69	22.71	22.83	22.54				
10	16QAM	1	25	22.86	22.71	22.50	22.68	22.63	24	0		
10	16QAM	25	49	22.46	22.85	22.87	22.62	22.74				
10	16QAM	25	0	21.75	21.53	21.84	22.08	21.67				
10	16QAM	25	12	21.75	21.99	21.71	21.81	21.81	23	1		
10	16QAM	25	25	21.74	21.89	21.72	21.81	21.67				
10	16QAM	50	0	21.62	21.83	21.81	21.83	21.64				
10	64QAM	1	0	21.62	21.79	21.50	21.64	21.61				
10	64QAM	1	25	22.13	21.78	21.92	21.73	21.78	23	1		
10	64QAM	1	49	21.72	21.61	22.03	22.16	21.84				
10	64QAM	35	0	20.82	20.74	20.97	21.16	20.72				
10	64QAM	25	12	20.64	20.82	20.83	20.82	20.66				
10	64QAM	25	25	20.72	20.72	20.57	20.79	20.65	22	2		
10	64QAM	50	0	20.72	20.84	20.78	20.80	20.54	Turn-up time (s/min)	MPR (dB)		
Channel				24993	25443	25993	26493	26975				
5	QPSK	1	0	22.62	22.64	23.00	22.61	22.59				
5	QPSK	1	12	22.51	22.63	22.59	22.49	22.58	24	0		
5	QPSK	1	24	22.68	22.51	22.57	22.62	22.55				
5	QPSK	12	0	22.46	22.80	22.81	22.86	22.56				
5	QPSK	12	7	22.48	22.54	22.83	22.67	22.57				
5	QPSK	12	13	22.44	22.78	22.50	22.63	22.51	24	0		
5	QPSK	25	0	22.67	22.58	22.70	22.68	22.26				
5	16QAM	1	0	22.68	22.72	22.68	22.84	22.68				
5	16QAM	1	12	22.82	22.72	22.45	22.67	22.27	24	0		
5	16QAM	1	24	22.41	22.78	22.90	23.06	22.61				
5	16QAM	12	0	21.75	21.52	21.90	22.09	21.93				
5	16QAM	12	13	21.77	21.85	21.62	21.84	21.72	23	1		
5	16QAM	12	13	21.82	21.72	21.75	21.76	21.76				
5	16QAM	25	0	21.67	21.84	21.72	21.71	21.70				
5	64QAM	1	0	21.65	21.73	21.50	21.64	21.94				
5	64QAM	1	12	22.20	21.71	21.81	21.78	21.78	23	1		
5	64QAM	1	24	21.69	21.65	22.08	22.14	21.94				
5	64QAM	12	0	20.58	20.77	20.98	21.25	20.66				
5	64QAM	12	7	20.60	20.81	20.84	20.83	20.59	22	2		
5	64QAM	12	13	20.79	20.74	20.59	20.61	20.63				
5	64QAM	25	0	20.64	20.80	20.77	20.73	20.54				

Band 41_Ant 25												
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				39750	40185	40620	41055	41490				
Frequency (MHz)				2605	2549.5	2593	2636.5	2680				
20	QPSK	1	0	21.83	21.93	22.37	21.92	21.96	23.5	0		
20	QPSK	1	49	21.74	21.92	21.99	21.87	21.91				
20	QPSK	1	99	21.81	21.89	22.06	22.12	21.83				
20	QPSK	50	0	21.85	22.10	22.26	22.15	21.78				
20	QPSK	50	24	21.80	21.81	22.02	21.99	21.70				
20	QPSK	50	50	21.84	22.01	22.12	22.09	21.77	23.5	0		
20	16QAM	1	0	22.28	22.04	21.95	22.17	22.13				
20	16QAM	1	49	21.94	22.01	21.96	22.13	21.91				
20	16QAM	1	99	21.98	22.05	22.25	22.19	22.12				
20	16QAM	50	0	21.83	21.10	21.02	21.13	21.06				
20	16QAM	50	24	21.01	22.12	21.04	21.55	21.10	22.5	1		
20	16QAM	50	50	21.04	21.05	21.11	21.07	20.94				
20	16QAM	100	0	21.01	21.18	21.17	21.07	20.94				
20	84QAM	1	0	21.23	21.10	21.02	21.13	21.06				
20	84QAM	1	49	21.34	21.08	21.53	21.14	20.82				
20	84QAM	1	99	21.10	21.18	21.29	21.20	21.24	21.5	2		
20	84QAM	50	0	19.78	21.27	21.44	21.15	19.99				
20	84QAM	50	24	20.06	20.94	20.13	21.14	19.96				
20	84QAM	50	50	20.00	19.87	20.08	20.09	20.00				
20	84QAM	100	0	19.84	20.10	20.13	20.16	19.94				
Channel				39725	40173	40620	41068	41515				
Frequency (MHz)				2541.3	2547.3	2593	2640.3	2687.3				
15	QPSK	1	0	21.76	21.81	22.22	21.83	21.80	23.5	0		
15	QPSK	1	37	21.65	21.80	21.85	21.74	21.83				
15	QPSK	1	74	21.70	21.78	21.93	21.97	21.69				
15	QPSK	36	0	21.73	22.03	22.19	22.02	21.84				
15	QPSK	36	39	21.68	21.70	21.95	21.90	21.69				
15	QPSK	36	39	21.73	21.88	22.02	22.02	21.84	23.5	0		
15	QPSK	75	0	21.89	22.14	22.10	21.93	21.85				
15	16QAM	1	0	22.16	21.98	21.86	22.03	22.02				
15	16QAM	1	74	21.83	21.45	21.34	22.14	20.95				
15	16QAM	1	74	21.88	21.95	22.20	22.13	22.04				
15	16QAM	36	0	20.82	21.46	21.40	22.15	20.91	22.5	1		
15	16QAM	36	20	20.92	22.05	20.93	21.48	21.80				
15	16QAM	36	39	20.90	20.98	21.04	21.01	20.98				
15	16QAM	75	0	20.88	21.08	21.05	21.02	20.86				
15	84QAM	1	0	21.09	20.95	20.97	20.99	21.03				
15	84QAM	1	37	21.19	21.01	21.48	21.02	20.72	22.5	1		
15	84QAM	1	74	20.99	21.11	21.36	21.10	21.10				
15	84QAM	36	0	19.71	21.13	21.36	21.10	19.93				
15	84QAM	36	20	19.94	20.86	20.03	21.00	19.90				
15	84QAM	36	39	19.87	19.71	19.96	20.03	19.93				
15	84QAM	75	0	19.70	20.01	20.00	20.11	19.83	21.5	2		
Channel				39700	40160	40620	41080	41540				
Frequency (MHz)				2601	2547	2593	2639	2685				
10	QPSK	1	0	21.77	21.80	22.28	21.81	21.87	23.5	0		
10	QPSK	1	25	21.59	21.76	21.82	21.72	21.85				
10	QPSK	1	49	21.74	21.74	21.96	21.98	21.69				
10	QPSK	25	0	21.70	21.96	22.12	21.99	21.86				
10	QPSK	25	12	21.73	21.74	21.86	21.92	21.64				
10	QPSK	25	6	21.68	21.90	22.02	22.00	21.72	23.5	0		
10	QPSK	50	0	21.99	22.15	22.09	21.90	21.83				
10	16QAM	1	0	22.13	21.93	21.81	22.01	22.01				
10	16QAM	1	25	21.89	21.88	21.83	21.97	21.76				
10	16QAM	1	49	21.85	21.90	22.20	22.09	22.06				
10	16QAM	25	0	20.89	21.45	21.34	22.14	20.95	22.5	1		
10	16QAM	25	12	20.86	21.99	20.95	21.39	20.96				
10	16QAM	25	25	20.99	20.98	21.03	21.00	20.84				
10	16QAM	50	0	20.89	21.04	21.07	20.92	20.83				
10	84QAM	1	0	21.15	21.05	20.93	21.06	20.94				
10	84QAM	1	25	21.25	21.02	21.39	20.99	20.69	22.5	1		
10	84QAM	1	49	20.99	21.09	21.18	21.11	21.13				
10	84QAM	25	0	19.66	21.19	21.34	21.01	19.83				
10	84QAM	25	12	19.93	20.75	19.97	21.06	19.89				
10	84QAM	25	25	19.91	19.75	19.94	20.04	19.95				
10	84QAM	50	0	19.68	19.99	20.06	20.07	19.87	21.5	2		
Channel				39675	40148	40620	41093	41565				
Frequency (MHz)				2540.5	2545.9	2593	2640.30	2687.5				
5	QPSK	1	0	21.72	21.84	22.30	21.83	21.89	23.5	0		
5	QPSK	1	12	21.66	21.76	21.93	21.81	21.79				
5	QPSK	1	24	21.65	21.74	21.93	22.04	21.74				
5	QPSK	12	0	21.77	21.96	22.11	22.06	21.72				
5	QPSK	12	7	21.74	21.87	21.95	21.88	21.64				
5	QPSK	12	13	21.72	21.94	21.99	21.97	21.84	23.5	0		
5	QPSK	25	0	21.92	22.10	22.15	21.87	21.89				
5	16QAM	1	0	22.20	21.97	21.89	22.06	22.00				
5	16QAM	1	12	21.86	21.89	21.88	22.03	21.75				
5	16QAM	1	24	21.87	21.91	22.19	22.08	22.04				
5	16QAM	12	0	20.85	21.52	21.41	22.11	20.90	22.5	1		
5	16QAM	12	7	20.91	21.99	20.86	21.43	20.94				
5	16QAM	12	13	20.89	20.97	20.96	20.94	20.81				
5	16QAM	25	0	20.86	21.11	21.06	20.94	20.78				
5	84QAM	1	0	21.14	20.98	20.91	20.86	20.93				
5	84QAM	1	12	21.19	20.99	21.47	20.96	20.86	22.5	1		
5	84QAM	1	24	20.96	21.07	21.24	21.15	21.16				
5	84QAM	12	0	19.66	21.22	21.33	21.01	19.87				
5	84QAM	12	7	19.91	20.88	20.08	21.08	19.86				
5	84QAM	12	13	19.93	19.71	19.93	19.98	19.92				
5	84QAM	24	0	19.68	20.00	20.06	20.04	19.79	21.5	2		

Band 42 Part27Q_Ant 12									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. (F1)	Power Middle Ch. (F2)	Power High Ch. (F3)	Tune-up limit (dBm)	MPR (dB)	
Channel				42190	42590	42990			
Frequency (MHz)				3460	3600	3540			
20	QPSK	0	0	24.12	24.30	24.21			
20	QPSK	49	24	24.08	24.25	24.16			
20	QPSK	50	24	24.02	24.22	24.09			25
20	QPSK	50	0	23.20	23.25	23.19			
20	QPSK	50	24	23.18	23.14	23.16			
20	QPSK	100	0	23.16	23.16	23.09			
20	16QAM	0	0	22.92	22.91	22.91			
20	16QAM	49	22.90	22.92	22.90				
20	16QAM	50	23	23.35	23.95	22.93			24
20	16QAM	50	0	22.39	22.40	22.35			
20	16QAM	50	24	22.40	22.51	22.39			
20	16QAM	50	50	22.38	22.36	22.22			23
20	16QAM	100	0	22.48	22.54	22.32			
20	16QAM	50	0	23.33	23.35	23.07			
20	16QAM	49	23.69	23.30	23.38				24
20	16QAM	99	23.25	23.04	23.39				
20	16QAM	50	0	22.45	22.49	22.35			
20	16QAM	50	24	22.47	22.37	22.32			
20	16QAM	50	50	22.39	22.40	22.32			23
20	16QAM	100	0	22.39	22.39	22.39			
Channel				42168	42590	43015			
Frequency (MHz)				3460	3600	3540			
15	QPSK	0	0	23.95	24.25	24.00			
15	QPSK	37	24.00	24.12	24.03				25
15	QPSK	37	23.96	24.08	23.99				
15	QPSK	36	0	23.16	23.17	23.07			
15	QPSK	36	20	23.14	23.25	23.06			
15	QPSK	36	59	23.12	23.15	23.04			24
15	QPSK	75	0	23.03	23.14	23.03			
15	QPSK	0	0	23.58	23.56	23.18			
15	16QAM	37	23.60	23.60	23.56				24
15	16QAM	74	23.07	23.12	23.16				
15	16QAM	36	0	22.48	22.40	22.35			
15	16QAM	36	20	22.48	22.45	22.36			
15	16QAM	36	59	22.39	22.38	22.39			23
15	16QAM	75	0	22.34	22.30	22.37			
15	16QAM	0	0	23.32	23.31	22.91			
15	16QAM	37	23.34	23.20	23.24				24
15	16QAM	37	23.64	23.15	23.53				
15	16QAM	36	0	22.34	22.28	22.24			
15	16QAM	36	20	22.53	22.39	22.26			23
15	16QAM	36	59	22.35	22.41	22.37			
15	16QAM	75	0	22.40	22.31	22.32			
Channel				42140	42590	43040			
Frequency (MHz)				3465	3500	3545			
10	QPSK	0	0	23.97	24.24	24.00			
10	QPSK	25	24	23.94	24.16	24.10			25
10	QPSK	25	49	23.89	24.16	24.00			
10	QPSK	25	0	23.37	23.14	23.22			
10	QPSK	25	12	23.39	23.40	23.25			24
10	QPSK	25	24	23.30	23.27	23.08			
10	QPSK	25	0	23.30	23.20	23.08			
10	16QAM	0	0	23.59	23.81	23.31			
10	16QAM	25	23	23.33	23.74	23.49			24
10	16QAM	48	23.22	23.48	23.56	23.29			
10	16QAM	25	0	22.60	22.60	22.53			
10	16QAM	25	12	22.56	22.53	22.40			23
10	16QAM	25	25	22.58	22.67	22.36			
10	16QAM	50	0	22.57	22.63	22.43			
10	16QAM	50	0	23.15	23.63	23.50			
10	16QAM	25	25	23.37	23.64	23.33			24
10	16QAM	49	23.26	23.36	23.30				
10	16QAM	25	0	22.60	22.52	22.49			
10	16QAM	25	12	22.60	22.63	22.45			23
10	16QAM	25	25	22.58	22.46	22.41			
10	16QAM	50	0	22.59	22.44	22.42			
Channel				42115 <th>42590</th> <th>43020</th> <th></th> <th></th> <th></th>	42590	43020			
Frequency (MHz)				3462.5 <th>3500</th> <th>3547.5</th> <th></th> <th></th> <th></th>	3500	3547.5			
5	QPSK	0	0	23.96	24.16	24.05			
5	QPSK	12	23.96	24.12	24.02				25
5	QPSK	24	23.97	24.19	24.03				
5	QPSK	12	0	23.33	23.33	23.15			
5	QPSK	12	7	23.33	23.33	23.24			24
5	QPSK	12	13	23.29	23.26	23.07			
5	QPSK	25	0	23.30	23.27	23.16			
5	16QAM	0	0	23.74	23.74	23.41			
5	16QAM	12	23.62	23.77	23.69				24
5	16QAM	24	23.68	23.29	23.42				
5	16QAM	12	0	22.58	22.54	22.46			
5	16QAM	12	13	22.57	22.54	22.41			23
5	16QAM	25	0	22.53	22.60	22.39			
5	16QAM	12	13	22.56	22.56	22.38			24
5	16QAM	75	24	23.34	23.50	23.06			
5	16QAM	12	0	22.58	22.55	22.51			
5	16QAM	12	7	22.60	22.51	22.40			23
5	16QAM	12	13	22.53	22.53	22.38			
5	16QAM	25	0	22.60	22.57	22.40			2

Band 42 Part27Q_Ant 24									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up lim1 (dBm)	MPR (dB)	
Channel				42190	42590	42990	21.8	0	
Frequency (MHz)				1460	1500	1540			
20	QPSK		0	20.66	20.87	20.48	21.8	0	
20	QPSK		49	20.58	20.51	20.46			
20	QPSK		99	20.59	20.47	20.37			
20	QPSK	50	0	20.67	20.68	20.68	21.8	0	
20	QPSK	50	24	20.66	20.60	20.51			
20	QPSK	50	51	20.68	20.56	20.54			
20	QPSK	100	0	20.64	20.70	20.52	21.8	0	
20	16QAM		0	20.74	20.67	20.83			
20	16QAM		49	20.73	20.71	20.72			
20	16QAM		99	20.58	20.83	20.58	21.8	0	
20	16QAM	50	0	20.64	20.61	20.63			
20	16QAM	50	24	20.61	20.58	20.63			
20	16QAM	50	50	20.67	20.59	20.59	21.8	0	
20	16QAM	100	0	20.70	20.56	20.54			
20	64QAM		0	20.82	20.79	20.85			
20	64QAM		49	20.79	20.46	20.83	21.8	0	
20	64QAM		99	20.32	20.66	20.29			
20	64QAM	50	0	20.68	20.60	20.48			
20	64QAM	50	24	20.61	20.54	20.58	21.8	0	
20	64QAM	50	50	20.55	20.72	20.61			
20	64QAM	100	0	20.60	20.55	20.56			
Channel				42195	42590	43040	lim1 (dBm)	MPR (dB)	
Frequency (MHz)				1492.5	1500	1542.5			
15	QPSK		0	20.52	20.80	20.33	21.8	0	
15	QPSK		37	20.43	20.40	20.41			
15	QPSK		74	20.48	20.34	20.32			
15	QPSK	36	0	20.11	20.58	20.52	21.8	0	
15	QPSK	36	20	20.57	20.50	20.45			
15	QPSK	36	39	20.57	20.48	20.54			
15	QPSK	75	0	20.51	20.58	20.42	21.8	0	
15	16QAM		0	20.68	20.58	20.67			
15	16QAM		37	20.61	20.60	20.60			
15	16QAM		74	20.53	20.67	20.51	21.8	0	
15	16QAM	36	0	20.56	20.56	20.58			
15	16QAM	36	20	20.49	20.51	20.56			
15	16QAM	36	39	20.57	20.48	20.51	21.8	0	
15	16QAM	75	0	20.65	20.40	20.40			
15	64QAM		0	20.75	20.71	20.49			
15	64QAM		37	20.67	20.32	20.67	21.8	0	
15	64QAM		74	20.23	20.59	20.22			
15	64QAM	36	0	20.58	20.49	20.32			
15	64QAM	36	20	20.46	20.40	20.52	21.8	0	
15	64QAM	36	39	20.43	20.61	20.54			
15	64QAM	75	0	20.46	20.39	20.48			
Channel				42140	42590	43040	lim1 (dBm)	MPR (dB)	
Frequency (MHz)				1452	1500	1545			
10	QPSK		0	20.58	20.73	20.40	21.8	0	
10	QPSK		25	20.49	20.35	20.38			
10	QPSK		49	20.47	20.35	20.31			
10	QPSK	25	0	20.58	20.57	20.51	21.8	0	
10	QPSK	25	12	20.58	20.49	20.40			
10	QPSK	25	25	20.59	20.50	20.51			
10	QPSK	50	0	20.58	20.61	20.46	21.8	0	
10	16QAM		0	20.59	20.56	20.71			
10	16QAM		25	20.61	20.66	20.67			
10	16QAM		49	20.53	20.73	20.51	21.8	0	
10	16QAM	25	0	20.54	20.55	20.58			
10	16QAM	25	12	20.52	20.45	20.56			
10	16QAM	25	25	20.61	20.48	20.43	21.8	0	
10	16QAM	50	0	20.55	20.48	20.48			
10	64QAM		0	20.76	20.71	20.50			
10	64QAM		25	20.64	20.39	20.74	21.8	0	
10	64QAM		49	20.20	20.52	20.20			
10	64QAM	25	0	20.63	20.54	20.34			
10	64QAM	25	12	20.51	20.43	20.47	21.8	0	
10	64QAM	25	25	20.48	20.61	20.49			
10	64QAM	50	0	20.48	20.45	20.44			
Channel				42115	42590	43095	lim1 (dBm)	MPR (dB)	
Frequency (MHz)				1402.5	1500	1547.5			
5	QPSK		0	20.56	20.79	20.32	21.8	0	
5	QPSK		12	20.51	20.44	20.39			
5	QPSK		24	20.53	20.33	20.26			
5	QPSK	12	0	20.52	20.97	20.53	21.8	0	
5	QPSK	12	7	20.51	20.54	20.37			
5	QPSK	12	13	20.58	20.44	20.56			
5	QPSK	25	0	20.56	20.63	20.42	21.8	0	
5	16QAM		0	20.60	20.51	20.73			
5	16QAM		12	20.65	20.85	20.67			
5	16QAM		24	20.48	20.76	20.53	21.8	0	
5	16QAM	12	0	20.51	20.55	20.51			
5	16QAM	12	7	20.54	20.43	20.53			
5	16QAM	12	13	20.56	20.50	20.43	21.8	0	
5	16QAM	25	0	20.59	20.44	20.39			
5	64QAM		0	20.72	20.70	20.52			
5	64QAM		12	20.69	20.38	20.71	21.8	0	
5	64QAM		24	20.24	20.60	20.15			
5	64QAM	12	0	20.52	20.47	20.36			
5	64QAM	12	7	20.49	20.43	20.47	21.8	0	
5	64QAM	12	13	20.41	20.61	20.47			
5	64QAM	25	0	20.45	20.50	20.49			

Reduced Power for DSI 5

GSM850_Ant 11	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	TX Channel	512	861		512	861	810	
Frequency (MHz)	924.2	835.4	846.8		824.2	835.4	846.8	
GSM 1 Tx slot	29.85	29.54	29.79	31.50	20.85	20.54	20.79	22.50
GPRS 1 Tx slot	29.83	29.52	29.76	31.50	20.83	20.52	20.76	22.50
GPRS 2 Tx slots	28.00	28.03	28.01	30.00	22.00	22.03	22.01	24.00
GPRS 3 Tx slots	26.41	26.34	26.53	28.00	22.15	22.08	22.27	23.74
GPRS 4 Tx slots	25.32	25.37	25.38	26.70	22.32	22.37	22.38	23.70
EDGE 1 Tx slot	25.82	25.71	26.04	27.50	16.82	16.71	17.04	18.50
EDGE 2 Tx slots	24.72	24.88	24.78	26.50	18.72	18.88	18.78	20.50
EDGE 3 Tx slots	23.53	23.71	23.57	25.50	19.27	19.45	19.31	21.24
EDGE 4 Tx slots	22.65	22.56	22.72	24.50	19.65	19.56	19.72	21.50

GSM1900_Ant 13	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	TX Channel	512	861		512	861	810	
Frequency (MHz)	1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM 1 Tx slot	23.76	23.57	23.81	25.50	14.76	14.57	14.81	16.50
GPRS 1 Tx slot	23.75	23.55	23.79	25.50	14.75	14.55	14.79	16.50
GPRS 2 Tx slots	21.89	21.56	21.48	23.00	15.89	15.56	15.48	17.00
GPRS 3 Tx slots	20.46	20.21	20.28	22.00	16.20	15.95	16.02	17.74
GPRS 4 Tx slots	19.72	19.56	19.58	20.50	16.72	16.56	16.58	17.50
EDGE 1 Tx slot	23.55	23.47	23.65	25.00	14.55	14.47	14.65	16.00
EDGE 2 Tx slots	21.68	21.75	21.66	23.50	15.68	15.75	15.66	17.50
EDGE 3 Tx slots	20.45	20.52	20.47	22.00	16.19	16.26	16.21	17.74
EDGE 4 Tx slots	19.57	19.69	19.68	21.00	16.57	16.69	16.68	18.00

Band	WCDMA II_Ant 13			Tune-up Limit (dBm)	WCDMA II_Ant 31			Tune-up Limit (dBm)
	TX Channel	9262	9400		9262	9400	9538	
Frequency (MHz)	9662	9800	9938		9662	9800	9938	
3GPP Rel 99	AMR 12.2Kbps	15.53	15.60	15.51	17.50	20.76	20.91	20.85
3GPP Rel 99	RMC 12.2Kbps	15.54	15.62	15.55	17.50	20.84	20.93	20.88
3GPP Rel 6	HSDPA Subtest-1	14.53	14.59	14.55	16.50	19.80	19.92	19.93
3GPP Rel 6	HSDPA Subtest-2	14.56	14.66	14.56	16.50	19.81	19.89	19.90
3GPP Rel 6	HSDPA Subtest-3	14.05	14.15	14.05	16.00	19.42	19.40	19.40
3GPP Rel 6	HSDPA Subtest-4	14.07	14.19	14.01	16.00	19.36	19.41	19.41
3GPP Rel 8	DC-HSDPA Subtest-1	14.67	14.73	14.65	16.50	19.94	20.01	19.98
3GPP Rel 8	DC-HSDPA Subtest-2	14.62	14.75	14.68	16.50	19.94	20.02	20.00
3GPP Rel 8	DC-HSDPA Subtest-3	14.21	14.29	14.12	16.00	19.49	19.49	19.45
3GPP Rel 8	DC-HSDPA Subtest-4	14.19	14.31	14.09	16.00	19.41	19.55	19.52
3GPP Rel 6	HSUPA Subtest-1	14.62	14.74	14.58	16.50	19.82	19.89	19.91
3GPP Rel 6	HSUPA Subtest-2	12.54	12.71	12.56	14.50	17.51	17.38	17.94
3GPP Rel 6	HSUPA Subtest-3	13.74	13.82	13.65	15.50	18.81	18.81	18.90
3GPP Rel 6	HSUPA Subtest-4	12.50	12.63	12.58	14.50	17.82	17.86	17.90
3GPP Rel 6	HSUPA Subtest-5	14.60	14.70	14.60	16.50	19.80	19.90	19.90

Band	WCDMA V_Ant 11			Tune-up Limit (dBm)	WCDMA V_Ant 41			Tune-up Limit (dBm)
	TX Channel	4132	4182		4132	4182	4233	
Frequency (MHz)	4357	4407	4458		4357	4407	4458	
3GPP Rel 99	AMR 12.2Kbps	22.21	22.24	22.25	24.00	22.87	22.97	22.95
3GPP Rel 99	RMC 12.2Kbps	22.22	22.28	22.27	24.00	22.89	22.98	22.96
3GPP Rel 6	HSDPA Subtest-1	21.25	21.31	21.15	23.00	21.90	21.95	21.95
3GPP Rel 6	HSDPA Subtest-2	21.21	21.23	21.14	23.00	21.90	21.97	21.97
3GPP Rel 6	HSDPA Subtest-3	20.71	20.80	20.69	22.50	21.38	21.46	21.43
3GPP Rel 6	HSDPA Subtest-4	20.51	20.77	20.68	22.50	21.40	21.47	21.46
3GPP Rel 8	DC-HSDPA Subtest-1	21.61	21.78	21.63	23.00	21.98	22.02	22.11
3GPP Rel 8	DC-HSDPA Subtest-2	21.72	21.77	21.66	23.00	21.96	22.06	22.13
3GPP Rel 8	DC-HSDPA Subtest-3	21.18	21.26	21.12	22.50	21.52	21.62	21.52
3GPP Rel 8	DC-HSDPA Subtest-4	21.31	21.27	21.13	22.50	21.47	21.60	21.56
3GPP Rel 6	HSUPA Subtest-1	21.27	21.30	21.24	23.00	21.91	21.88	21.80
3GPP Rel 6	HSUPA Subtest-2	19.27	19.37	19.21	21.00	19.82	19.87	19.75
3GPP Rel 6	HSUPA Subtest-3	20.23	20.25	20.19	22.00	20.82	20.87	20.75
3GPP Rel 6	HSUPA Subtest-4	19.20	19.29	19.15	21.00	19.88	19.91	19.74
3GPP Rel 6	HSUPA Subtest-5	21.34	21.28	21.14	23.00	21.80	21.84	21.74

GSM1900_Ant 31	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	TX Channel	512	861		512	861	810	
Frequency (MHz)	1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM 1 Tx slot	27.10	27.41	27.34	29.00	18.10	18.41	18.34	20.00
GPRS 1 Tx slot	27.05	27.31	27.26	29.00	18.05	18.31	18.26	20.00
GPRS 2 Tx slots	25.03	25.24	25.23	27.00	19.03	19.24	19.23	21.00
GPRS 3 Tx slots	24.00	24.15	24.11	26.00	19.74	19.89	19.85	21.74
GPRS 4 Tx slots	22.75	22.89	22.83	24.50	19.75	19.89	19.83	21.50
EDGE 1 Tx slot	25.70	25.41	25.71	26.50	16.70	16.41	16.71	17.50
EDGE 2 Tx slots	24.27	24.32	24.52	25.50	18.27	18.32	18.52	19.50
EDGE 3 Tx slots	23.11	23.07	23.24	24.50	18.85	18.81	18.98	20.24
EDGE 4 Tx slots	21.75	22.11	22.31	23.50	18.75	19.11	19.31	20.50

Band	WCDMA IV_Ant 13			Tune-up Limit (dBm)	WCDMA IV_Ant 31			Tune-up Limit (dBm)
	TX Channel	1312	1413		1312	1413	1513	
Frequency (MHz)	1537	1638	1738		1537	1638	1738	
3GPP Rel 99	AMR 12.2Kbps	15.67	15.85	15.84	17.50	20.96	21.18	21.06
3GPP Rel 99	RMC 12.2Kbps	15.72	15.97	15.89	17.50	20.98	21.19	21.08
3GPP Rel 6	HSDPA Subtest-1	14.70	14.85	14.89	16.50	19.94	20.08	20.07
3GPP Rel 6	HSDPA Subtest-2	14.71	14.87	14.90	16.50	20.01	20.03	20.06
3GPP Rel 6	HSDPA Subtest-3	14.19	14.33	14.41	16.00	19.46	19.57	19.57
3GPP Rel 6	HSDPA Subtest-4	14.19	14.34	14.43	16.00	19.46	19.55	19.56
3GPP Rel 8	DC-HSDPA Subtest-1	14.78	15.03	14.98	16.50	20.07	20.13	20.17
3GPP Rel 8	DC-HSDPA Subtest-2	14.80	15.01	14.97	16.50	20.14	20.18	20.16
3GPP Rel 8	DC-HSDPA Subtest-3	14.31	14.47	14.46	16.00	19.62	19.69	19.65
3GPP Rel 8	DC-HSDPA Subtest-4	14.32	14.40	14.54	16.00	19.60	19.62	19.70
3GPP Rel 6	HSUPA Subtest-1	14.75	14.89	14.63	16.50	19.95	20.08	20.14
3GPP Rel 6	HSUPA Subtest-2	12.72	12.89	12.88	14.50	17.94	18.03	18.10
3GPP Rel 6	HSUPA Subtest-3	13.65	13.57	13.77	15.50	18.93	19.02	19.03
3GPP Rel 6	HSUPA Subtest-4	12.70	12.88	12.86	14.50	17.96	18.08	18.04
3GPP Rel 6	HSUPA Subtest-5	14.80	15.00	14.90	16.50	20.00	20.20	20.10

Band	CDMA BC0_Ant 11			Tune-up Limit (dBm)	CDMA BC0_Ant 41			Tune-up Limit (dBm)
	TX Channel	1013	384		1013	384	777	
Frequency (MHz)	824.7	835.32	846.31		824.7	835.32	846.31	
RC1 SO55	22.12	22.13	22.09	23.50	22.58	22.65	22.64	24.00
RC3 SO55	22.14	22.16	22.13	23.50	22.78	22.83	22.75	24.00
RC3 SO32 (F+SCH)	22.07	22.16	22.10	23.50	22.89	22.81	22.81	24.00
RC3 SO32 (+SCH)	22.10	22.11	22.06	23.50	22.66	22.73	22.64	24.00

Band 2_Ant 13																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Time-up limit (dBm)	MPR (dB)								
Channel																
Frequency (MHz)																
20	QPSK	1	0	17.31	17.51	17.24	18.5	0								
20	QPSK	1	49	17.07	17.14	17.16										
20	QPSK	1	99	16.97	17.08	17.15										
20	QPSK	50	0	17.23	17.42	17.37	18.5	0								
20	QPSK	24	24	17.21	17.26	17.36										
20	QPSK	50	50	17.21	17.29	17.35										
20	QPSK	100	0	17.22	17.29	17.27	18.5	0								
20	16QAM	1	0	16.78	17.48	17.24										
20	16QAM	1	49	17.06	17.22	17.28										
20	16QAM	1	99	16.76	17.00	17.29	18.5	0								
20	16QAM	50	0	17.27	17.24	17.27										
20	16QAM	50	24	17.31	17.27	17.39										
20	16QAM	50	50	17.21	17.27	17.33	18.5	0								
20	16QAM	100	0	17.23	17.25	17.31										
20	84QAM	1	0	17.35	17.41	17.35	18.5	0								
20	84QAM	1	49	17.21	17.23	16.55										
20	84QAM	1	99	17.22	16.86	17.01										
20	84QAM	50	0	17.28	17.24	17.47	18.5	0								
20	84QAM	50	24	17.33	17.33	17.28										
20	84QAM	50	50	17.22	17.30	17.27										
20	84QAM	100	0	17.22	17.21	17.23	18.5	0								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
Frequency (MHz) <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
15	QPSK	1	0	17.22	17.39	17.18	18.5	0								
15	QPSK	1	37	16.93	17.00	17.01										
15	QPSK	1	74	16.89	16.92	17.05										
15	QPSK	36	0	17.15	17.26	17.25	18.5	0								
15	QPSK	36	20	17.16	17.15	17.27										
15	QPSK	36	39	17.13	17.15	17.27										
15	QPSK	75	0	17.11	17.24	17.12	18.5	0								
15	16QAM	1	0	16.70	17.39	17.08										
15	16QAM	1	37	16.96	17.11	17.23										
15	16QAM	1	74	16.63	16.92	17.17	18.5	0								
15	16QAM	36	0	17.13	17.13	17.15										
15	16QAM	36	20	17.21	17.12	17.34										
15	16QAM	36	39	17.09	17.17	17.18	18.5	0								
15	16QAM	75	0	17.14	17.14	17.15										
15	84QAM	1	0	17.27	17.35	17.30	18.5	0								
15	84QAM	1	37	17.11	17.03	16.56										
15	84QAM	1	74	17.06	16.71	16.90										
15	84QAM	36	0	17.20	17.09	17.36	18.5	0								
15	84QAM	36	20	17.17	17.17	17.17										
15	84QAM	36	39	17.10	17.15	17.21										
15	84QAM	75	0	17.22	17.21	17.23	18.5	0								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
Frequency (MHz) <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
10	QPSK	1	0	17.16	17.36	17.10	18.5	0								
10	QPSK	1	25	16.94	17.04	17.04										
10	QPSK	1	49	16.89	17.02	17.09										
10	QPSK	25	0	17.15	17.26	17.22	18.5	0								
10	QPSK	25	12	17.16	17.15	17.27										
10	QPSK	25	25	17.09	17.15	17.23										
10	QPSK	50	0	17.09	17.21	17.19	18.5	0								
10	16QAM	1	0	16.72	17.43	17.15										
10	16QAM	1	25	16.96	17.16	17.15										
10	16QAM	1	49	16.63	16.92	17.17	18.5	0								
10	16QAM	25	0	17.15	17.19	17.18										
10	16QAM	25	12	17.20	17.19	17.33										
10	16QAM	25	25	17.13	17.17	17.21	18.5	0								
10	16QAM	50	0	17.12	17.16	17.17										
10	84QAM	1	0	17.26	17.36	17.26	18.5	0								
10	84QAM	1	25	17.08	17.12	16.59										
10	84QAM	1	49	17.11	16.81	16.90										
10	84QAM	25	0	17.18	17.19	17.34	18.5	0								
10	84QAM	25	12	17.28	17.23	17.12										
10	84QAM	25	25	17.13	17.23	17.13										
10	84QAM	50	0	17.21	17.21	17.23	18.5	0								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
Frequency (MHz) <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
5	QPSK	1	0	17.23	17.41	17.09	18.5	0								
5	QPSK	1	12	17.00	17.09	17.05										
5	QPSK	1	24	16.87	16.99	17.03										
5	QPSK	12	0	17.17	17.28	17.27	18.5	0								
5	QPSK	12	7	17.16	17.20	17.29										
5	QPSK	12	13	17.16	17.23	17.24										
5	QPSK	25	0	17.08	17.14	17.15	18.5	0								
5	16QAM	1	0	16.69	17.35	17.15										
5	16QAM	1	12	16.93	17.16	17.15										
5	16QAM	1	24	16.72	16.84	17.21	18.5	0								
5	16QAM	12	0	17.15	17.17	17.11										
5	16QAM	12	7	17.23	17.22	17.26										
5	16QAM	12	13	17.16	17.17	17.23	18.5	0								
5	16QAM	25	0	17.15	17.15	17.26										
5	84QAM	1	0	17.20	17.34	17.22	18.5	0								
5	84QAM	1	12	17.10	17.16	16.55										
5	84QAM	1	24	17.07	16.75	16.91										
5	84QAM	12	0	17.17	17.14	17.38	18.5	0								
5	84QAM	12	7	17.26	17.22	17.27										
5	84QAM	12	13	17.12	17.21	17.12										
5	84QAM	25	0	17.31	17.15	17.23	18.5	0								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
Frequency (MHz) <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>																
3	QPSK	1	0	17.21	17.39	17.15	18.5	0								
3	QPSK	1	8	16.98	16.99	17.01										
3	QPSK	1	14	16.90	17.00	17.07										
3	QPSK	8	0	17.12	17.32	17.26	18.5	0								

Band 4_Ant 31																		
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)										
Channel																		
Frequency (MHz)																		
20	QPSK	1	0	20.65	20.94	20.66	21.5	0										
20	QPSK	1	49	20.63	20.92	20.36												
20	QPSK	1	99	20.34	20.50	20.43												
20	QPSK	50	0	20.66	20.92	20.64	21.5	0										
20	QPSK	50	24	20.58	20.66	20.43												
20	QPSK	50	50	20.53	20.64	20.63												
20	QPSK	100	0	20.56	20.86	20.84	21.5	0										
20	16QAM	1	0	20.59	20.78	19.87												
20	16QAM	1	49	20.60	20.35	20.31												
20	16QAM	1	99	20.31	20.23	20.32	21.5	0										
20	16QAM	50	0	20.19	20.21	20.18												
20	16QAM	50	24	20.23	20.24	20.25												
20	16QAM	50	50	20.16	20.16	20.19	21.5	0										
20	16QAM	100	0	20.20	20.19	20.28												
20	64QAM	1	0	20.64	20.20	20.15												
20	64QAM	1	49	20.21	20.41	20.30	21.5	0										
20	64QAM	1	99	20.47	19.85	19.81												
20	64QAM	50	0	20.14	20.12	20.29												
20	64QAM	50	24	20.19	20.15	20.28	21.5	0										
20	64QAM	50	50	20.23	20.19	20.24												
20	64QAM	100	0	20.23	20.18	20.18												
Channel																		
Frequency (MHz)																		
15	QPSK	1	0	20.53	17.32	17.55	21.5	0										
15	QPSK	1	37	20.58	20.83	20.23												
15	QPSK	1	74	20.24	20.40	20.34												
15	QPSK	36	0	20.59	20.66	20.32	21.5	0										
15	QPSK	36	12	20.44	20.50	20.49												
15	QPSK	36	39	20.42	20.40	20.58												
15	QPSK	75	0	20.51	20.50	20.57	21.5	0										
15	16QAM	1	0	20.49	20.66	19.81												
15	16QAM	1	37	20.44	20.20	20.20												
15	16QAM	1	74	20.23	20.07	20.07	21.5	0										
15	16QAM	36	0	20.09	20.10	20.02												
15	16QAM	36	20	20.14	20.08	20.10												
15	16QAM	36	39	20.10	20.13	20.09	21.5	0										
15	16QAM	75	0	20.14	20.14	20.14												
15	64QAM	1	0	20.53	20.13	20.07												
15	64QAM	1	37	20.12	20.36	20.19	21.5	0										
15	64QAM	1	74	20.42	19.77	19.85												
15	64QAM	36	0	19.98	19.98	20.21												
15	64QAM	36	20	20.07	20.02	20.21	21.5	0										
15	64QAM	36	39	20.16	20.12	20.19												
15	64QAM	75	0	20.10	20.08	20.12												
Channel																		
Frequency (MHz)																		
10	QPSK	1	0	20.60	20.84	20.55	21.5	0										
10	QPSK	1	25	20.53	20.85	20.28												
10	QPSK	1	49	20.23	20.40	20.31												
10	QPSK	25	0	20.59	20.73	20.48	21.5	0										
10	QPSK	25	12	20.51	20.59	20.47												
10	QPSK	25	25	20.38	20.45	20.56												
10	QPSK	50	0	20.45	20.50	20.56	21.5	0										
10	16QAM	1	0	20.45	20.64	19.71												
10	16QAM	1	25	20.60	20.29	20.15												
10	16QAM	1	49	20.19	20.17	20.39	21.5	0										
10	16QAM	25	0	20.14	20.08	20.02												
10	16QAM	25	12	20.18	20.19	20.10												
10	16QAM	25	25	20.09	20.08	20.13	21.5	0										
10	16QAM	50	0	20.11	20.05	20.16												
10	64QAM	1	0	20.58	20.16	19.81												
10	64QAM	1	25	20.12	20.35	20.14	21.5	0										
10	64QAM	1	49	20.37	19.80	19.86												
10	64QAM	25	0	20.05	19.96	20.15												
10	64QAM	25	12	20.04	20.06	20.20	21.5	0										
10	64QAM	25	25	20.10	20.13	20.09												
10	64QAM	50	0	20.12	20.06	20.12												
Channel																		
Frequency (MHz)																		
5	QPSK	1	0	20.54	20.80	20.56	21.5	0										
5	QPSK	1	12	20.54	20.80	20.24												
5	QPSK	1	24	20.20	20.43	20.32												
5	QPSK	12	0	20.51	20.69	20.48	21.5	0										
5	QPSK	12	7	20.46	20.51	20.49												
5	QPSK	12	13	20.47	20.48	20.51												
5	QPSK	25	0	20.40	20.60	20.56	21.5	0										
5	16QAM	1	0	20.53	20.65	19.78												
5	16QAM	1	12	20.62	20.22	20.16												
5	16QAM	1	24	20.17	20.17	20.42	21.5	0										
5	16QAM	12	0	20.10	20.11	20.08												
5	16QAM	12	7	20.07	20.08	20.17												
5	16QAM	12	13	20.10	20.04	20.14	21.5	0										
5	16QAM	25	0	20.07	20.03	20.18												
5	64QAM	1	0	20.53	20.05	19.99												
5	64QAM	1	12	20.11	20.33	20.23	21.5	0										
5	64QAM	1	24	20.36	19.75	19.73												
5	64QAM	12	0	20.09	20.01	20.23												
5	64QAM	12	7	20.14	20.02	20.13	21.5	0										
5	64QAM	12	13	20.11	20.09	20.11												
5	64QAM	25	0	20.10	20.03	20.18												
Channel																		
Frequency (MHz)																		
3	QPSK	1	0	20.55	20.80	20.59	21.5	0										
3	QPSK	1	8	20.49	20.84	20.28												
3	QPSK	1	14	20.29	20.45	20.27												
3	QPSK	8	0	20.57	20.76	20.57	21.5	0										
3	QPSK	8	4	20.58	20.58	20.54												

Band 42 Part27Q_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				42190	42590	42990			
Frequency (MHz)				3460	3500	3540			
20	QPSK		0	20.74	20.86	20.67	21.8	0	
20	QPSK		46	20.45	20.44	20.59			
20	QPSK		90	20.69	20.42	20.46			
20	QPSK	50	0	20.61	20.68	20.63	21.8	0	
20	QPSK	50	24	20.64	20.57	20.57			
20	QPSK	50	50	20.58	20.67	20.55			
20	QPSK	100	0	20.73	20.77	20.55	21.8	0	
20	16QAM		0	20.83	20.72	20.72			
20	16QAM		46	20.76	20.85	20.74			
20	16QAM		90	20.67	20.68	20.63	21.8	0	
20	16QAM	50	0	20.58	20.63	20.59			
20	16QAM	50	24	20.59	20.62	20.59			
20	16QAM	50	50	20.67	20.54	20.64	21.8	0	
20	16QAM	100	0	20.67	20.50	20.53			
20	64QAM		0	20.74	20.75	20.81			
20	64QAM		46	20.81	20.76	20.71	21.8	0	
20	64QAM		90	20.54	20.36	20.79			
20	64QAM	50	0	20.70	20.60	20.63			
20	64QAM	50	24	20.64	20.54	20.64	21.8	0	
20	64QAM	50	50	20.69	20.60	20.69			
20	64QAM	100	0	20.71	20.56	20.55			
Channel				42105	42505	43015			
Frequency (MHz)				3467.5	3500	3542.5	Intermod limit (dBm)	MPR (dB)	
15	QPSK		0	20.60	20.79	20.54	21.8	0	
15	QPSK		37	20.39	20.38	20.53			
15	QPSK		74	20.64	20.32	20.32			
15	QPSK	36	0	20.49	20.55	20.54	21.8	0	
15	QPSK	36	20	20.38	20.52	20.46			
15	QPSK	36	36	20.53	20.55	20.41			
15	QPSK	75	0	20.60	20.63	20.39	21.8	0	
15	16QAM		0	20.74	20.61	20.61			
15	16QAM		37	20.65	20.77	20.65			
15	16QAM		74	20.54	20.54	20.48	21.8	0	
15	16QAM	36	0	20.45	20.53	20.51			
15	16QAM	36	20	20.46	20.55	20.44			
15	16QAM	36	36	20.61	20.45	20.55	21.8	0	
15	16QAM	75	0	20.58	20.38	20.47			
15	64QAM		0	20.69	20.69	20.76			
15	64QAM		37	20.71	20.67	20.59	21.8	0	
15	64QAM		74	20.49	20.21	20.72			
15	64QAM	36	0	20.64	20.50	20.50			
15	64QAM	36	20	20.54	20.53	20.56	21.8	0	
15	64QAM	36	36	20.61	20.46	20.64			
15	64QAM	75	0	20.55	20.43	20.41			
Channel				42140	42690	43040	Intermod limit (dBm)	MPR (dB)	
Frequency (MHz)				3555	3590	3625			
10	QPSK		0	20.67	20.19	20.57	21.8	0	
10	QPSK		25	20.39	20.36	20.46			
10	QPSK		46	20.58	20.36	20.39			
10	QPSK	25	0	20.46	20.55	20.56	21.8	0	
10	QPSK	25	12	20.41	20.51	20.43			
10	QPSK	25	24	20.50	20.58	20.43			
10	QPSK	50	0	20.64	20.68	20.44	21.8	0	
10	16QAM		0	20.67	20.66	20.59			
10	16QAM		26	20.66	20.69	20.62			
10	16QAM		46	20.52	20.57	20.55	21.8	0	
10	16QAM	25	0	20.46	20.52	20.51			
10	16QAM	25	12	20.44	20.49	20.52			
10	16QAM	25	26	20.53	20.42	20.56	21.8	0	
10	16QAM	50	0	20.56	20.43	20.43			
10	64QAM		0	20.60	20.59	20.74			
10	64QAM		25	20.65	20.66	20.55	21.8	0	
10	64QAM		46	20.43	20.24	20.67			
10	64QAM	25	0	20.69	20.49	20.60			
10	64QAM	25	12	20.48	20.52	20.53	21.8	0	
10	64QAM	25	26	20.55	20.48	20.63			
10	64QAM	50	0	20.56	20.48	20.46			
Channel				43115	43215	43315	Intermod limit (dBm)	MPR (dB)	
Frequency (MHz)				3622.5	3650	3687.5			
5	QPSK		0	20.61	20.76	20.59	21.8	0	
5	QPSK		12	20.36	20.36	20.47			
5	QPSK		24	20.57	20.27	20.34			
5	QPSK	12	0	20.55	20.58	20.50	21.8	0	
5	QPSK	12	7	20.39	20.43	20.41			
5	QPSK	12	13	20.50	20.52	20.50			
5	QPSK	25	0	20.58	20.66	20.41	21.8	0	
5	16QAM		0	20.74	20.57	20.65			
5	16QAM		12	20.69	20.73	20.62			
5	16QAM		24	20.52	20.52	20.53	21.8	0	
5	16QAM	12	0	20.50	20.51	20.43			
5	16QAM	12	7	20.54	20.48	20.51			
5	16QAM	12	13	20.57	20.43	20.49	21.8	0	
5	16QAM	25	0	20.52	20.42	20.41			
5	64QAM		0	20.68	20.65	20.70			
5	64QAM		12	20.74	20.69	20.61	21.8	0	
5	64QAM		24	20.44	20.20	20.67			
5	64QAM	12	0	20.60	20.49	20.57			
5	64QAM	12	7	20.55	20.57	20.38	21.8	0	
5	64QAM	12	13	20.61	20.55	20.61			
5	64QAM	25	0	20.58	20.49	20.39			



Reduced Power for DSI 8

GSM850_Ant 11	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	824.2	836.4	848.8		824.2	836.4	848.8	
Frequency (MHz)	28.66	28.67	28.64	30.50	19.66	19.67	19.64	21.50
GSM 1 Tx slot	28.61	28.59	28.54	30.50	19.61	19.59	19.54	21.50
GPRS 1 Tx slot	27.03	27.04	27.02	29.00	21.03	21.04	21.02	23.00
GPRS 2 Tx slot	25.35	25.42	25.36	27.00	21.09	21.16	21.10	22.74
GPRS 3 Tx slot	24.61	23.96	23.91	25.70	21.61	20.96	20.91	22.70
GPRS 4 Tx slot	25.61	25.97	25.88	27.50	16.61	16.97	16.88	18.50
EDGE 1 Tx slot	24.64	24.94	24.76	26.50	18.64	18.94	18.76	20.50
EDGE 2 Tx slot	23.53	23.81	23.61	25.50	19.27	19.55	19.35	21.24
EDGE 3 Tx slot	22.63	22.80	22.65	24.50	19.63	19.80	19.65	21.50
EDGE 4 Tx slot								

GSM1900_Ant 13	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)	22.96	22.54	22.82	24.50	13.96	13.54	13.82	15.50
GSM 1 Tx slot	22.71	22.53	22.57	24.50	13.71	13.53	13.57	15.50
GPRS 1 Tx slot	20.56	20.38	20.47	22.00	14.56	14.38	14.47	16.00
GPRS 2 Tx slot	19.43	19.41	19.61	21.00	15.17	15.15	15.35	16.74
GPRS 3 Tx slot	18.21	17.93	18.17	19.50	15.21	14.93	15.17	16.50
GPRS 4 Tx slot	22.72	22.47	22.78	24.00	13.72	13.47	13.78	15.00
EDGE 1 Tx slot	20.61	20.71	20.58	22.50	14.61	14.71	14.58	16.50
EDGE 2 Tx slot	19.61	19.81	19.54	21.00	15.35	15.55	15.28	16.74
EDGE 3 Tx slot	18.34	18.45	18.26	20.00	15.34	15.45	15.26	17.00
EDGE 4 Tx slot								

Band	WCDMA II_Ant 13			Tune-up Limit (dBm)	WCDMA II_Ant 31			Tune-up Limit (dBm)
	9262	9400	9538		9262	9400	9538	
TX Channel	9662	9800	9938		9662	9800	9938	
Rx Channel	1852.4	1880	1907.6		1852.4	1880	1907.6	
Frequency (MHz)	14.51	14.58	14.55	16.50	18.23	18.37	18.24	19.80
3GPP Rel 99 RMC 12.2Kbps	14.53	14.62	14.56	16.50	18.26	18.39	18.31	19.80
3GPP Rel 99 RMC 12.2Kbps	13.82	13.75	13.67	15.50	17.37	17.49	17.50	18.80
3GPP Rel 6 HSDPA Subtest-1	13.64	13.75	13.65	15.50	17.37	17.46	17.45	18.80
3GPP Rel 6 HSDPA Subtest-2	13.17	13.26	13.18	15.00	17.01	16.99	16.99	18.30
3GPP Rel 6 HSDPA Subtest-3	13.20	13.25	13.13	15.00	17.00	17.04	17.02	18.30
3GPP Rel 6 HSDPA Subtest-4	13.75	13.83	13.78	15.50	17.59	17.57	17.56	18.80
3GPP Rel 8 DC-HSDPA Subtest-1	13.78	13.86	13.83	15.50	17.57	17.66	17.61	18.80
3GPP Rel 8 DC-HSDPA Subtest-2	13.28	13.40	13.19	15.00	17.07	17.14	17.04	18.30
3GPP Rel 8 DC-HSDPA Subtest-3	13.27	13.44	13.18	15.00	16.99	17.12	17.18	18.30
3GPP Rel 8 DC-HSDPA Subtest-4	13.76	13.79	13.71	15.50	17.47	17.55	17.48	18.80
3GPP Rel 6 HSUPA Subtest-1	11.61	11.85	11.71	13.50	15.44	15.52	15.56	16.80
3GPP Rel 6 HSUPA Subtest-2	12.87	12.87	12.73	14.50	16.41	16.37	16.49	17.80
3GPP Rel 6 HSUPA Subtest-3	11.57	11.70	11.63	13.50	15.39	15.52	15.53	16.80
3GPP Rel 6 HSUPA Subtest-4	13.67	13.85	13.73	15.50	17.43	17.50	17.56	18.80
3GPP Rel 6 HSUPA Subtest-5								

Band	WCDMA V_Ant 11			Tune-up Limit (dBm)	WCDMA V_Ant 41			Tune-up Limit (dBm)
	4132	4182	4233		4132	4182	4233	
TX Channel	4367	4407	4458		4367	4407	4458	
Rx Channel	525.4	530.4	535.5		526.4	530.4	535.5	
Frequency (MHz)	21.22	21.31	21.22	23.00	21.79	21.93	21.92	23.50
3GPP Rel 99 RMC 12.2Kbps	21.23	21.30	21.29	23.00	21.86	21.99	21.98	23.50
3GPP Rel 6 HSDPA Subtest-1	20.39	20.37	20.26	22.00	21.05	21.10	21.08	22.50
3GPP Rel 6 HSDPA Subtest-2	20.26	20.28	20.27	22.00	21.04	21.13	21.05	22.50
3GPP Rel 6 HSDPA Subtest-3	19.86	19.86	19.77	21.50	20.46	20.56	20.54	22.00
3GPP Rel 6 HSDPA Subtest-4	19.60	19.92	19.84	21.50	20.47	20.53	20.54	22.00
3GPP Rel 8 DC-HSDPA Subtest-1	20.71	20.93	20.70	22.00	21.13	21.15	21.25	22.50
3GPP Rel 8 DC-HSDPA Subtest-2	20.86	20.89	20.81	22.00	21.07	21.14	21.25	22.50
3GPP Rel 8 DC-HSDPA Subtest-3	20.28	20.33	20.25	21.50	20.63	20.78	20.67	22.00
3GPP Rel 8 DC-HSDPA Subtest-4	20.38	20.38	20.29	21.50	20.53	20.66	20.67	22.00
3GPP Rel 6 HSUPA Subtest-1	20.42	20.45	20.40	22.00	20.99	21.04	20.90	22.50
3GPP Rel 6 HSUPA Subtest-2	18.38	18.53	18.26	20.00	18.95	18.94	18.89	20.50
3GPP Rel 6 HSUPA Subtest-3	19.33	19.41	19.31	21.00	19.97	19.92	19.88	21.50
3GPP Rel 6 HSUPA Subtest-4	18.29	18.40	18.28	20.00	18.97	19.05	18.86	20.50
3GPP Rel 6 HSUPA Subtest-5	20.40	20.36	20.21	22.00	20.91	20.96	20.90	22.50

GSM1900_Ant 31	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8	
Frequency (MHz)	26.24	26.59	26.25	28.00	17.24	17.59	17.25	19.00
GSM 1 Tx slot	26.23	26.58	26.24	28.00	17.23	17.58	17.24	19.00
GPRS 1 Tx slot	24.15	24.24	24.34	26.00	18.15	18.24	18.34	20.00
GPRS 2 Tx slot	23.02	23.09	23.32	25.00	18.76	18.83	19.06	20.74
GPRS 3 Tx slot	22.13	22.12	21.91	23.50	18.13	18.12	18.91	20.50
GPRS 4 Tx slot	24.59	24.83	25.03	26.50	15.89	15.83	16.03	17.50
EDGE 1 Tx slot	23.61	23.76	23.62	25.50	17.61	17.76	17.62	19.50
EDGE 2 Tx slot	22.51	22.52	22.53	24.50	18.25	18.26	18.27	20.24
EDGE 3 Tx slot	21.67	21.71	21.65	23.50	18.67	18.71	18.65	20.50
EDGE 4 Tx slot								

Band	WCDMA IV_Ant 13			Tune-up Limit (dBm)	WCDMA IV_Ant 31			Tune-up Limit (dBm)
	1312	1413	1513		1312	1413	1513	
TX Channel	1537	1638	1738		1537	1638	1738	
Rx Channel	1712.4	1732.6	1752.6		1712.4	1732.6	1752.6	
Frequency (MHz)	14.69	14.91	14.78	16.50	18.42	18.54	18.46	20.00
3GPP Rel 99 RMC 12.2Kbps	14.71	14.92	14.87	16.50	18.43	18.65	18.52	20.00
3GPP Rel 99 RMC 12.2Kbps	13.78	13.95	13.94	15.50	17.49	17.74	17.68	19.00
3GPP Rel 6 HSDPA Subtest-1	13.86	13.96	13.97	15.50	17.58	17.60	17.69	19.00
3GPP Rel 6 HSDPA Subtest-2	13.25	13.49	13.48	15.00	17.09	17.18	17.23	18.50
3GPP Rel 6 HSDPA Subtest-3	13.31	13.43	13.51	15.00	17.12	17.19	17.19	18.50
3GPP Rel 6 HSDPA Subtest-4	13.87	14.12	14.11	15.50	17.64	17.79	17.80	19.00
3GPP Rel 8 DC-HSDPA Subtest-1	13.93	14.10	14.10	15.50	17.69	17.80	17.78	19.00
3GPP Rel 8 DC-HSDPA Subtest-2	13.46	13.54	13.62	15.00	17.26	17.30	17.21	18.50
3GPP Rel 8 DC-HSDPA Subtest-3	13.39	13.46	13.60	15.00	17.15	17.26	17.26	18.50
3GPP Rel 8 DC-HSDPA Subtest-4	13.84	14.01	13.76	15.50	17.53	17.68	17.70	19.00
3GPP Rel 6 HSUPA Subtest-1	11.84	11.94	11.95	13.50	15.60	15.62	15.75	17.00
3GPP Rel 6 HSUPA Subtest-2	12.74	12.65	12.87	14.50	16.54	16.67	16.68	18.00
3GPP Rel 6 HSUPA Subtest-3	11.83	11.97	11.92	13.50	15.62	15.73	15.59	17.00
3GPP Rel 6 HSUPA Subtest-4	13.91	14.15	14.00	15.50	17.65	17.75	17.65	19.00
3GPP Rel 6 HSUPA Subtest-5								

Band	CDMA BC0_Ant 11			Tune-up Limit (dBm)	CDMA BC0_Ant 41			Tune-up Limit (dBm)
	1013	384	777		1013	384	777	
TX Channel	824.7	836.32	848.31		824.7	836.32	848.31	
Frequency (MHz)	21.07	21.01	21.01	22.50	21.71	21.70	21.74	23.00
RC1 SO5S	21.05	21.01	20.97	22.50	21.92	21.89	21.82	23.00
RC3 SO32 (F+SCH)	20.97	21.12	21.04	22.50	21.78	21.87	21.75	23.00
RC3 SO32 (F+SCH)	21.00	21.02	20.92	22.50	21.81	21.86	21.79	23.00

Band 42 Part27Q_Ant 24									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				42160	42560	42960	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				4460	4500	4540			
20	QPSK		0	19.11	19.17	19.03	20.3	0	
20	QPSK		49	19.03	18.97	18.84			
20	QPSK		99	18.90	18.81	18.84			
20	QPSK	50	0	19.13	19.14	19.07	20.3	0	
20	QPSK	50	24	19.12	19.01	19.05			
20	QPSK	50	50	19.05	19.04	19.01			
20	QPSK	100	0	19.03	19.04	19.03	20.3	0	
20	16QAM		0	18.81	19.07	18.85			
20	16QAM		49	18.98	18.93	19.03			
20	16QAM		99	18.54	18.41	19.00	20.3	0	
20	16QAM	50	0	18.64	18.75	18.63			
20	16QAM	50	24	18.68	18.99	18.72			
20	16QAM	50	50	18.75	18.72	18.65	20.3	0	
20	16QAM	100	0	18.60	18.53	18.61			
20	64QAM		0	18.58	18.67	18.70	20.3	0	
20	64QAM		49	18.71	18.81	18.77			
20	64QAM		99	18.84	18.78	18.79			
20	64QAM	50	0	18.64	18.62	18.77	20.3	0	
20	64QAM	50	24	18.58	18.58	18.58			
20	64QAM	50	50	18.67	18.68	18.68			
20	64QAM	100	0	18.65	18.64	18.61	Channel	MPR (dB)	
Frequency (MHz)				4457.5	4500	4542.5			
15	QPSK		0	19.03	19.03	18.95	20.3	0	
15	QPSK		37	18.98	18.91	18.74			
15	QPSK		74	18.80	18.71	18.79			
15	QPSK	36	0	19.01	19.06	19.00	20.3	0	
15	QPSK	36	20	19.03	18.91	19.00			
15	QPSK	36	36	18.93	18.93	18.97			
15	QPSK	75	0	18.89	18.90	18.95	20.3	0	
15	16QAM		0	18.68	19.01	18.80			
15	16QAM		37	18.88	18.85	18.91			
15	16QAM		74	18.39	18.38	18.90	20.3	0	
15	16QAM	36	0	18.52	18.70	18.56			
15	16QAM	36	20	18.58	18.43	18.56			
15	16QAM	36	39	18.60	18.67	18.50	20.3	0	
15	16QAM	75	0	18.48	18.43	18.96			
15	64QAM		0	18.49	18.58	18.62			
15	64QAM		37	18.55	18.71	18.71	20.3	0	
15	64QAM		74	18.76	18.69	18.86			
15	64QAM	36	0	18.52	18.46	18.66	20.3	0	
15	64QAM	36	20	18.43	18.45	18.48			
15	64QAM	36	39	18.57	18.51	18.59			
15	64QAM	75	0	18.57	18.53	18.55	Channel	MPR (dB)	
Frequency (MHz)				4454.0	4500	4546.0			
10	QPSK		0	18.98	19.06	18.98	20.3	0	
10	QPSK		25	18.99	18.92	18.72			
10	QPSK		49	18.78	18.68	18.70			
10	QPSK	25	0	19.05	19.05	19.01	20.3	0	
10	QPSK	25	12	19.06	18.87	18.92			
10	QPSK	25	25	18.95	18.89	18.92			
10	QPSK	50	0	18.91	18.97	18.96	20.3	0	
10	16QAM		0	18.65	18.97	18.70			
10	16QAM		25	18.87	18.77	18.98			
10	16QAM		49	18.47	18.38	18.86	20.3	0	
10	16QAM	25	0	18.50	18.70	18.48			
10	16QAM	25	12	18.55	18.46	18.57			
10	16QAM	25	25	18.66	18.56	18.56	20.3	0	
10	16QAM	50	0	18.45	18.43	18.52			
10	64QAM		0	18.51	18.58	18.55			
10	64QAM		25	18.55	18.75	18.72	20.3	0	
10	64QAM		49	18.79	18.71	18.70			
10	64QAM	25	0	18.59	18.46	18.71			
10	64QAM	25	12	18.43	18.44	18.47	20.3	0	
10	64QAM	25	25	18.51	18.61	18.60			
10	64QAM	50	0	18.56	18.49	18.50	Channel	MPR (dB)	
Frequency (MHz)				4421.6	4500	4500.8			
5	QPSK		0	18.84	19.07	18.94	20.3	0	
5	QPSK		12	18.89	18.88	18.71			
5	QPSK		24	18.80	18.85	18.78			
5	QPSK	12	0	19.05	19.05	19.02	20.3	0	
5	QPSK	12	7	19.06	18.95	18.98			
5	QPSK	12	13	18.95	18.92	18.95			
5	QPSK	25	0	18.93	18.92	18.90	20.3	0	
5	16QAM		0	18.75	18.94	18.79			
5	16QAM		12	18.91	18.77	18.66			
5	16QAM		24	18.43	18.34	18.85	20.3	0	
5	16QAM	12	0	18.48	18.67	18.58			
5	16QAM	12	7	18.57	18.43	18.63			
5	16QAM	12	13	18.66	18.61	18.51	20.3	0	
5	16QAM	25	0	18.55	18.37	18.48			
5	64QAM		0	18.50	18.56	18.63	20.3	0	
5	64QAM		12	18.56	18.73	18.70			
5	64QAM		24	18.72	18.64	18.67			
5	64QAM	12	0	18.51	18.57	18.65	20.3	0	
5	64QAM	12	7	18.43	18.53	18.53			
5	64QAM	12	13	18.51	18.57	18.61			
5	64QAM	25	0	18.59	18.59	18.51			

Conducted Default Power for 5G NR SA

n2_Ant 13										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				372000	376000	380000				
Frequency (MHz)				1890	1890	1890				
20	Pl2 BPSK	1	1	21.89	21.93	21.74	22.8	0.0		
20	Pl2 BPSK	1	53	21.86	21.89	21.73				
20	Pl2 BPSK	1	104	21.82	21.83	21.67				
20	Pl2 BPSK	50	0	21.25	21.32	21.21				22.3
20	Pl2 BPSK	50	28	21.75	21.81	21.73	22.3	0.5		
20	Pl2 BPSK	50	56	21.20	21.28	21.21				
20	Pl2 BPSK	100	0	21.25	21.31	21.23				
20	QPSK	1	1	21.74	21.92	21.63				
20	QPSK	1	53	21.85	21.90	21.78	22.8			
20	QPSK	1	104	21.84	21.88	21.80				
20	QPSK	50	0	20.58	20.83	20.73				21.8
20	QPSK	50	28	21.83	21.86	21.71				22.8
20	QPSK	50	56	20.85	20.74	20.72	21.8	1.0		
20	QPSK	100	0	20.94	20.79	20.68				
20	16QAM	1	1	20.63	20.79	20.86				21.8
20	64QAM	1	1	19.07	19.53	19.26				20.3
20	256QAM	1	1	17.38	17.42	17.31	18.3	4.5		
Channel				371500	376000	380500				limit
Frequency (MHz)				1897.5	1890	1902.5				(dB)
15	Pl2 BPSK	1	1	21.80	21.83	21.60				22.8
Channel				371000	376000	381000	limit		MPR	
Frequency (MHz)				1895	1890	1900	(dB)			
10	Pl2 BPSK	1	1	21.79	21.82	21.61	22.8	0.0		
Channel				370500	376000	381500				limit
Frequency (MHz)				1892.5	1890	1907.5				(dB)
5	Pl2 BPSK	1	1	21.74	21.82	21.65				22.8

n2_Ant 31										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				372000	376000	380000				
Frequency (MHz)				1890	1890	1890				
20	Pl2 BPSK	1	1	22.68	22.71	22.53		23.5	0.0	
20	Pl2 BPSK	1	53	22.66	22.67	22.46				
20	Pl2 BPSK	1	104	22.57	22.65	22.42				
20	Pl2 BPSK	50	0	22.14	22.16	21.96	23.0			
20	Pl2 BPSK	50	28	22.80	22.83	22.49	23.5	0.0	0.5	
20	Pl2 BPSK	50	56	22.00	22.03	21.93	23.0			
20	Pl2 BPSK	100	0	22.02	22.05	21.95				
20	QPSK	1	1	22.66	22.70	22.65				
20	QPSK	1	53	22.64	22.65	22.55		23.5	0.0	
20	QPSK	1	104	22.58	22.61	22.56				
20	QPSK	50	0	21.59	21.53	21.58	22.5			
20	QPSK	50	28	22.17	22.56	22.51	23.5			
20	QPSK	50	56	21.35	21.53	21.41	22.5	1.0	1.0	
20	QPSK	100	0	21.47	21.48	21.43				
20	16QAM	1	1	21.72	21.54	21.73	22.5			
20	64QAM	1	1	20.24	20.28	20.26	21.0			
20	256QAM	1	1	18.27	18.23	17.97	19.0	4.5		
Channel				371500	376000	380500	limit	MPR		
Frequency (MHz)				1897.5	1890	1902.5	(dB)			
15	Pl2 BPSK	1	1	22.53	22.61	22.48	23.5	0.0		
Channel				371000	376000	381000	limit	MPR		
Frequency (MHz)				1895	1890	1900	(dB)			
10	Pl2 BPSK	1	1	22.54	22.65	22.48	23.5	0.0		
Channel				370500	376000	381500	limit	MPR		
Frequency (MHz)				1892.5	1890	1907.5	(dB)			
5	Pl2 BPSK	1	1	22.59	22.63	22.38	23.5	0.0		

n5_Ant 11										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				166800	167300	167800				
Frequency (MHz)				834	834.5	835				
20	Pl2 BPSK	1	1	23.54	23.58	23.51		24.5	0.0	
20	Pl2 BPSK	1	53	23.52	23.56	23.42				
20	Pl2 BPSK	1	104	23.37	23.39	23.35				
20	Pl2 BPSK	50	0	23.10	23.12	23.08	24.0			
20	Pl2 BPSK	50	28	23.54	23.56	23.53	24.5	0.0	0.5	
20	Pl2 BPSK	50	56	22.94	22.42	22.93	24.0			
20	Pl2 BPSK	100	0	23.05	23.07	23.01				
20	QPSK	1	1	23.55	23.57	23.33				
20	QPSK	1	53	23.51	23.53	23.45		24.5	0.0	
20	QPSK	1	104	23.41	23.45	23.39				
20	QPSK	50	0	22.58	22.47	22.59	23.5			
20	QPSK	50	28	23.57	23.46	23.49	24.5			
20	QPSK	50	56	22.48	22.47	22.44	23.5	1.0	1.0	
20	QPSK	100	0	22.57	22.51	22.49				
20	16QAM	1	1	22.76	22.68	22.84	23.5			
20	64QAM	1	1	21.27	21.25	21.25	22.0			
20	256QAM	1	1	19.06	19.01	19.14	20.0	4.5		
Channel				166300	167300	168300	limit	MPR		
Frequency (MHz)				831.5	834.5	841.5	(dB)			
15	Pl2 BPSK	1	1	23.45	23.50	23.43	24.5	0.0		
Channel				166800	167300	168800	limit	MPR		
Frequency (MHz)				834	834.5	841.5	(dB)			
10	Pl2 BPSK	1	1	23.45	23.44	23.45	24.5	0.0		
Channel				166300	167300	168300	limit	MPR		
Frequency (MHz)				836.5	836.5	846.5	(dB)			
5	Pl2 BPSK	1	1	23.49	23.47	23.40	24.5	0.0		

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	836.5	838			
20	PV2 BPSK	1	1	23.70	23.74	23.72			
20	PV2 BPSK	1	53	23.82	23.87	23.81	24.5	0.0	
20	PV2 BPSK	1	104	23.51	23.56	23.52			
20	PV2 BPSK	50	0	23.20	23.22	23.18	24.0	0.5	
20	PV2 BPSK	50	28	23.82	23.87	23.80	24.5	0.0	
20	PV2 BPSK	50	56	23.15	23.17	23.11			
20	PV2 BPSK	100	0	23.20	23.23	23.19	24.0	0.5	
20	QPSK	1	1	23.82	23.71	23.53			
20	QPSK	1	53	23.80	23.72	23.81	24.5	0.0	
20	QPSK	1	104	23.50	23.55	23.50			
20	QPSK	50	0	22.72	22.69	22.74	23.5	1.0	
20	QPSK	50	28	23.88	23.88	23.83	24.5	0.0	
20	QPSK	50	56	22.83	22.84	22.84	23.5	1.0	
20	QPSK	100	0	22.75	22.85	22.83			
20	16QAM	1	1	22.95	22.87	22.91	23.5	1.0	
20	64QAM	1	1	21.43	21.41	21.45	22.0	2.5	
20	256QAM	1	1	19.24	19.23	19.22	20.0	4.5	
Channel				166300	167300	168300	10.1, 10.1	MPR	
Frequency (MHz)				831.5	836.5	841.5	limit (dBm)		
15	PV2 BPSK	1	1	23.64	23.61	23.58	24.5	0.0	
Channel				165800	167300	168800	tune-up limit (dBm)	MPR	
Frequency (MHz)				831	836.5	842	24.5	0.0	
10	PV2 BPSK	1	1	23.54	23.59	23.63	24.5	0.0	
Channel				165300	167300	169300	tune-up limit (dBm)	MPR	
Frequency (MHz)				826.5	836.5	846.5	limit (dBm)		
5	PV2 BPSK	1	1	23.59	23.60	23.66	24.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2514	2518			
20	PV2 BPSK	1	1	22.45	22.57	22.43			
20	PV2 BPSK	1	53	22.39	22.53	22.34	23.7	0.0	
20	PV2 BPSK	1	104	22.35	22.49	22.31			
20	PV2 BPSK	50	0	22.46	22.51	22.44	23.2	0.5	
20	PV2 BPSK	50	28	22.48	22.52	22.45	23.7	0.0	
20	PV2 BPSK	50	56	22.38	22.42	22.31			
20	PV2 BPSK	100	0	22.42	22.56	22.38	23.2	0.5	
20	QPSK	1	1	22.38	22.49	22.47			
20	QPSK	1	53	22.46	22.51	22.38	23.7	0.0	
20	QPSK	1	104	22.53	22.53	22.29			
20	QPSK	50	0	21.82	22.05	21.91	22.7	1.0	
20	QPSK	50	28	22.38	22.53	22.39	23.7	0.0	
20	QPSK	50	56	21.85	22.05	21.78	22.7	1.0	
20	QPSK	100	0	21.85	22.02	21.85			
20	16QAM	1	1	21.48	22.26	22.17	22.7	1.0	
20	64QAM	1	1	19.83	20.73	20.68	21.2	2.5	
20	256QAM	1	1	18.04	18.48	18.47	19.2	4.5	
Channel				501500	507000	512500	10.1, 10.1	MPR	
Frequency (MHz)				2507.5	2515	2522.5	limit (dBm)		
15	PV2 BPSK	1	1	22.48	22.52	22.41	23.7	0.0	
Channel				501000	507000	513000	tune-up limit (dBm)	MPR	
Frequency (MHz)				2505	2514	2524	23.7	0.0	
10	PV2 BPSK	1	1	22.25	22.29	22.19	23.7	0.0	
Channel				500500	507000	513500	tune-up limit (dBm)	MPR	
Frequency (MHz)				2502.5	2515	2527.5	limit (dBm)		
5	PV2 BPSK	1	1	22.32	22.38	22.31	23.7	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2514	2518			
20	PV2 BPSK	1	1	23.08	23.36	22.95			
20	PV2 BPSK	1	53	23.03	23.07	22.85	24.3	0.0	
20	PV2 BPSK	1	104	22.98	22.96	22.89			
20	PV2 BPSK	50	0	22.84	23.06	22.82	23.8	0.5	
20	PV2 BPSK	50	28	23.02	23.05	22.96	24.3	0.0	
20	PV2 BPSK	50	56	22.98	23.02	22.77			
20	PV2 BPSK	100	0	22.97	23.06	22.83	23.8	0.5	
20	QPSK	1	1	22.78	23.15	22.67			
20	QPSK	1	53	22.46	23.07	22.92	24.3	0.0	
20	QPSK	1	104	22.42	23.02	22.98			
20	QPSK	50	0	22.37	22.56	22.33	23.3	1.0	
20	QPSK	50	28	22.48	22.58	22.84	24.3	0.0	
20	QPSK	50	56	22.45	22.51	22.34	23.3	1.0	
20	QPSK	100	0	22.29	22.52	22.28			
20	16QAM	1	1	22.42	22.80	22.60	23.3	1.0	
20	64QAM	1	1	20.72	21.24	20.84	21.8	2.5	
20	256QAM	1	1	18.42	19.03	18.76	18.8	4.5	
Channel				501500	507000	512500	10.1, 10.1	MPR	
Frequency (MHz)				2507.5	2515	2522.5	limit (dBm)		
15	PV2 BPSK	1	1	23.01	23.06	22.98	24.3	0.0	
Channel				501000	507000	513000	tune-up limit (dBm)	MPR	
Frequency (MHz)				2505	2514	2524	24.3	0.0	
10	PV2 BPSK	1	1	22.72	22.74	22.70	24.3	0.0	
Channel				500500	507000	513500	tune-up limit (dBm)	MPR	
Frequency (MHz)				2502.5	2515	2527.5	limit (dBm)		
5	PV2 BPSK	1	1	22.78	22.81	22.75	24.3	0.0	

n7_Ant 25								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				500000	507000	512000		
Frequency (MHz)				2510	2530	2550		
20	PV2 BPSK	1	1	22.75	22.87	22.73		
20	PV2 BPSK	1	83	22.87	22.76	22.65	23.7	0.0
20	PV2 BPSK	1	104	22.82	22.71	22.60		
20	PV2 BPSK	50	0	22.17	22.22	22.15	23.2	0.5
20	PV2 BPSK	50	28	22.65	22.65	22.63	23.7	0.0
20	PV2 BPSK	50	55	22.11	22.18	22.10		
20	PV2 BPSK	100	0	22.20	22.21	22.18	23.2	0.5
20	QPSK	1	1	22.79	22.85	22.69	23.7	0.0
20	QPSK	1	53	22.96	22.93	22.65		
20	QPSK	1	104	22.75	22.75	22.68		
20	QPSK	50	0	21.85	21.79	21.68	22.7	1.0
20	QPSK	50	28	22.64	22.76	22.65	23.7	0.0
20	QPSK	50	56	21.60	21.70	21.62	22.7	1.0
20	QPSK	100	0	21.59	21.64	21.64		
20	16QAM	1	1	21.88	22.08	21.91	22.7	1.0
20	64QAM	1	1	20.40	20.42	20.43	21.2	2.5
20	256QAM	1	1	18.20	18.24	18.18	19.2	4.5
Channel				501000	507000	512000	17.47	MPR
Frequency (MHz)				2507.5	2535	2562.5	limit (dB)	(dB)
15	PV2 BPSK	1	1	22.60	22.66	22.55	23.7	0.0
Channel				501000	507000	513000	tune-up limit	MPR
Frequency (MHz)				2507.5	2535	2562.5	(dB)	(dB)
10	PV2 BPSK	1	1	22.42	22.44	22.45	23.7	0.0
Channel				500500	507000	513500	tune-up limit	MPR
Frequency (MHz)				2502.5	2535	2567.5	(dB)	(dB)
5	PV2 BPSK	1	1	22.43	22.48	22.41	23.7	0.0

n66_Ant 13								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1725	1745	1765		
30	PV2 BPSK	1	1	22.71	22.75	22.65		
30	PV2 BPSK	1	80	22.70	22.72	22.63	23.8	0.0
30	PV2 BPSK	1	158	22.68	22.69	22.61		
30	PV2 BPSK	80	0	22.62	22.67	22.60	23.3	0.5
30	PV2 BPSK	80	40	22.65	22.68	22.62	23.8	0.0
30	PV2 BPSK	80	80	22.63	22.65	22.64		
30	PV2 BPSK	160	0	22.68	22.70	22.63	23.3	0.5
30	QPSK	1	1	22.64	22.73	22.50	23.8	0.0
30	QPSK	1	80	22.98	22.70	22.48		
30	QPSK	1	158	22.51	22.64	22.40		
30	QPSK	80	0	22.07	22.22	22.00	22.8	1.0
30	QPSK	80	40	22.96	22.72	22.49	23.8	0.0
30	QPSK	80	80	22.05	22.18	21.82	22.8	1.0
30	QPSK	160	0	22.03	22.15	22.01		
30	16QAM	1	1	22.34	22.41	22.17	22.8	1.0
30	64QAM	1	1	20.72	20.88	20.64	21.3	2.5
30	256QAM	1	1	18.65	18.75	18.54	19.3	4.5
Channel				348000	349000	350000	17.51	MPR
Frequency (MHz)				1720	1745	1770	limit (dB)	(dB)
20	PV2 BPSK	1	1	22.70	22.73	22.68	23.8	0.0
Channel				343500	349000	354500	tune-up limit	MPR
Frequency (MHz)				1717.5	1745	1772.5	(dB)	(dB)
15	PV2 BPSK	1	1	22.62	22.68	22.54	23.8	0.0
Channel				343000	349000	355000	tune-up limit	MPR
Frequency (MHz)				1715	1745	1775	(dB)	(dB)
10	PV2 BPSK	1	1	22.60	22.62	22.58	23.8	0.0
Channel				342500	349000	355500	tune-up limit	MPR
Frequency (MHz)				1712.5	1745	1777.5	(dB)	(dB)
5	PV2 BPSK	1	1	22.57	22.59	22.53	23.8	0.0

n66_Ant 31								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1724	1744	1764		
30	PV2 BPSK	1	1	23.27	23.35	23.31	24.5	0.0
30	PV2 BPSK	1	80	23.21	23.25	23.23		
30	PV2 BPSK	1	158	23.15	23.21	23.20		
30	PV2 BPSK	80	0	23.15	23.22	23.20	24.0	0.5
30	PV2 BPSK	80	40	23.20	23.25	23.22	24.5	0.0
30	PV2 BPSK	80	80	23.15	23.21	23.18	24.0	0.5
30	PV2 BPSK	160	0	23.25	23.32	23.30		
30	QPSK	1	1	23.01	23.18	23.08	24.5	0.0
30	QPSK	1	80	22.95	23.17	23.03		
30	QPSK	1	158	23.07	23.21	23.13		
30	QPSK	80	0	22.18	22.44	22.34	23.5	1.0
30	QPSK	80	40	22.89	23.07	22.95	24.5	0.0
30	QPSK	80	80	22.28	22.56	22.41	23.5	1.0
30	QPSK	160	0	22.28	22.55	22.50	23.5	1.0
30	16QAM	1	1	22.43	22.64	22.55		
30	64QAM	1	1	21.13	21.39	21.27		
30	256QAM	1	1	19.15	19.33	19.22	20.0	4.5
Channel				340500	340500	340500	17.15	MPR
Frequency (MHz)				1720	1745	1770	limit (dBm)	(dB)
20	PV2 BPSK	1	1	23.21	23.37	23.32	24.5	0.0
Channel				343500	349000	354500	tune-up limit	MPR
Frequency (MHz)				1717.5	1742	1772.5	(dBm)	(dB)
15	PV2 BPSK	1	1	23.15	23.35	23.30	24.5	0.0
Channel				343000	349000	355000	tune-up limit	MPR
Frequency (MHz)				1715	1745	1775	(dBm)	(dB)
10	PV2 BPSK	1	1	23.10	23.23	23.15	24.5	0.0
Channel				342500	349000	355500	tune-up limit	MPR
Frequency (MHz)				1712.5	1745	1777.5	(dBm)	(dB)
5	PV2 BPSK	1	1	23.08	23.26	23.16	24.5	0.0

n66_Ant 25								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1724	1744	1764		
30	PV2 BPSK	1	1	22.85	22.95	22.71	23.8	0.0
30	PV2 BPSK	1	80	22.83	22.95	22.65		
30	PV2 BPSK	1	158	22.87	22.88	22.57		
30	PV2 BPSK	80	0	22.52	22.58	22.48	23.3	0.5
30	PV2 BPSK	80	40	22.83	22.88	22.75	23.8	0.0
30	PV2 BPSK	80	80	22.32	22.35	22.28	23.3	0.5
30	PV2 BPSK	160	0	22.42	22.45	22.38	23.8	0.0
30	QPSK	1	1	22.71	22.83	22.81		
30	QPSK	1	80	22.76	22.81	22.60		
30	QPSK	1	158	22.85	22.87	22.74	22.8	1.0
30	QPSK	80	0	21.58	21.54	21.39		
30	QPSK	80	40	22.84	22.85	22.80		
30	QPSK	80	80	21.83	21.82	21.75	22.8	1.0
30	QPSK	160	0	21.85	21.85	21.73	22.8	1.0
30	16QAM	1	1	22.08	22.05	22.03		
30	64QAM	1	1	20.47	20.53	20.45		
30	256QAM	1	1	18.43	18.38	18.44	19.3	4.5
Channel				340500	340500	340500	17.15	MPR
Frequency (MHz)				1720	1745	1770	limit (dBm)	(dB)
20	PV2 BPSK	1	1	22.80	22.83	22.79	23.8	0.0
Channel				343500	349000	354500	tune-up limit	MPR
Frequency (MHz)				1717.5	1742	1772.5	(dBm)	(dB)
15	PV2 BPSK	1	1	22.75	22.84	22.70	23.8	0.0
Channel				343000	349000	355000	tune-up limit	MPR
Frequency (MHz)				1715	1745	1775	(dBm)	(dB)
10	PV2 BPSK	1	1	22.72	22.64	22.60	23.8	0.0
Channel				342500	349000	355500	tune-up limit	MPR
Frequency (MHz)				1712.5	1745	1777.5	(dBm)	(dB)
5	PV2 BPSK	1	1	22.70	22.64	22.58	23.8	0.0



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	23.27	23.35	23.29	24.2	0.0	
40	Pl2 BPSK	1	53	23.11	23.17	23.15			
40	Pl2 BPSK	1	104	23.08	23.18	23.13			
40	Pl2 BPSK	50	0	23.10	23.15	23.12	23.7	0.5	
40	Pl2 BPSK	50	28	23.12	23.18	23.15	24.2	0.0	
40	Pl2 BPSK	50	56	23.05	23.12	23.10	23.7	0.5	
40	Pl2 BPSK	100	0	23.11	23.17	23.14			
40	QPSK	1	1	23.30	23.33	23.32			
40	QPSK	1	53	23.22	23.28	23.26	24.2	0.0	
40	QPSK	1	104	23.15	23.27	23.21			
40	QPSK	50	0	22.88	22.84	22.73			
40	QPSK	50	28	23.14	23.06	23.18	24.2	0.0	
40	QPSK	50	56	22.81	22.85	22.86			
40	QPSK	100	0	22.81	22.82	22.85			
40	16QAM	1	1	22.90	22.95	22.92	23.2	1.0	
40	64QAM	1	1	21.25	21.32	21.30	21.7	2.5	
40	256QAM	1	1	19.25	19.27	19.25	19.7	4.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	23.15	23.26	23.21	24.2	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	23.13	23.18	23.15	24.2	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	23.76	23.99	23.80	25.0	0.0	
40	Pl2 BPSK	1	53	23.69	23.85	23.75			
40	Pl2 BPSK	1	104	23.70	23.82	23.71			
40	Pl2 BPSK	50	0	23.80	23.70	23.62	24.5	0.5	
40	Pl2 BPSK	50	28	23.67	23.78	23.68	25.0	0.0	
40	Pl2 BPSK	50	56	23.58	23.65	23.61	24.5	0.5	
40	Pl2 BPSK	100	0	23.65	23.76	23.67			
40	QPSK	1	1	23.78	23.82	23.80			
40	QPSK	1	53	23.76	23.81	23.78	25.0	0.0	
40	QPSK	1	104	23.73	23.75	23.74			
40	QPSK	50	0	23.21	23.25	23.26			
40	QPSK	50	28	23.69	23.72	23.67	25.0	0.0	
40	QPSK	50	56	23.17	23.26	23.25			
40	QPSK	100	0	23.23	23.24	23.23			
40	16QAM	1	1	23.59	23.68	23.62	24.0	1.0	
40	64QAM	1	1	22.09	22.10	22.04	22.5	2.5	
40	256QAM	1	1	19.76	19.83	19.82	20.5	4.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	23.51	23.62	23.58	25.0	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	23.50	23.57	23.54	25.0	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	22.87	23.01	22.91	24.0	0.0	
40	Pl2 BPSK	1	53	22.82	22.85	22.83			
40	Pl2 BPSK	1	104	22.80	22.83	22.81			
40	Pl2 BPSK	50	0	22.75	22.81	22.78	23.5	0.5	
40	Pl2 BPSK	50	28	22.82	22.85	22.83	24.0	0.0	
40	Pl2 BPSK	50	56	22.76	22.83	22.80	23.5	0.5	
40	Pl2 BPSK	100	0	22.81	22.87	22.85			
40	QPSK	1	1	22.93	22.97	22.95			
40	QPSK	1	53	22.89	22.95	22.93	24.0	0.0	
40	QPSK	1	104	22.93	22.94	22.91			
40	QPSK	50	0	22.37	22.36	22.37			
40	QPSK	50	28	22.83	22.76	22.81	24.0	0.0	
40	QPSK	50	56	22.32	22.36	22.40			
40	QPSK	100	0	22.38	22.27	22.31			
40	16QAM	1	1	22.79	22.89	22.72	23.0	1.0	
40	64QAM	1	1	21.12	21.16	21.21	21.5	2.5	
40	256QAM	1	1	18.96	18.89	18.88	19.5	4.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	22.83	22.89	22.85	24.0	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	22.81	22.86	22.84	24.0	0.0	

n41_Ant 13										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				506202	518598	530990				
Frequency (MHz)				2546.01	2592.99	2640				
100	PV2 BPSK	1	1	22.92	23.08	22.98				
100	PV2 BPSK	1	137	22.90	22.98	22.95	24.0	0.0		
100	PV2 BPSK	1	271	22.85	22.96	22.93				
100	PV2 BPSK	135	0	22.91	22.96	22.93	23.5	0.5		
100	PV2 BPSK	135	69	22.98	23.04	23.01	24.0	0.0		
100	PV2 BPSK	135	138	22.99	23.02	23.01				
100	PV2 BPSK	270	0	22.93	22.96	22.94	23.5	0.5		
100	QPSK	1	1	23.01	23.06	23.01				
100	QPSK	1	137	23.00	23.02	23.00	24.0	0.0		
100	QPSK	1	271	23.01	23.05	23.03				
100	QPSK	135	0	22.54	22.49	22.55				
100	QPSK	135	69	22.96	22.93	23.04	24.0	0.0		
100	QPSK	135	138	22.47	22.45	22.51				
100	QPSK	270	0	22.45	22.47	22.48	23.0	1.0		
100	16QAM	1	1	21.12	21.22	21.18	21.5	2.5		
100	64QAM	1	1	21.12	21.22	21.18	21.5	2.5		
100	256QAM	1	1	18.94	18.97	18.94	19.5	4.5		
Channel				506200	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2541	2592.99	2644.98				
90	PV2 BPSK	1	1	22.80	22.96	22.83	24.0	0.0		
Channel				507204	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2638.02	2692.99	2644.99				
80	PV2 BPSK	1	1	22.76	22.97	22.87	24.0	0.0		
Channel				506202	518598	531000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2531.01	2592.99	2655				
70	PV2 BPSK	1	1	22.85	22.93	22.93	24.0	0.0		
Channel				505200	518598	531096	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2528	2592.99	2658.98				
60	PV2 BPSK	1	1	22.80	23.03	22.88	24.0	0.0		
Channel				504204	518598	532098	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2631.02	2692.99	2664.99				
50	PV2 BPSK	1	1	22.86	23.01	22.83	24.0	0.0		
Channel				503202	518598	534000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2516.01	2592.99	2670				
40	PV2 BPSK	1	1	22.76	22.49	22.90	24.0	0.0		
Channel				502200	518598	534996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2511	2592.99	2674.98				
30	PV2 BPSK	1	1	22.82	22.94	22.90	24.0	0.0		
Channel				501204	518598	535998	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2638.02	2692.99	2678.99				
20	PV2 BPSK	1	1	22.86	22.93	22.87	24.0	0.0		

n41_Ant 31										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				506202	518598	530990				
Frequency (MHz)				2546.01	2592.99	2640				
100	PV2 BPSK	1	1	23.61	23.85	23.85				
100	PV2 BPSK	1	137	23.50	23.69	23.55	24.8	0.0		
100	PV2 BPSK	1	271	23.56	23.65	23.63				
100	PV2 BPSK	135	0	23.51	23.58	23.52	24.3	0.5		
100	PV2 BPSK	135	69	23.55	23.62	23.58	24.8	0.0		
100	PV2 BPSK	135	138	23.51	23.56	23.52				
100	PV2 BPSK	270	0	23.54	23.57	23.55	24.3	0.5		
100	QPSK	1	1	23.64	23.73	23.68				
100	QPSK	1	137	23.44	23.72	23.61	24.8	0.0		
100	QPSK	1	271	23.60	23.71	23.62				
100	QPSK	135	0	22.94	23.12	22.98				
100	QPSK	135	69	23.35	23.58	23.50	24.8	0.0		
100	QPSK	135	138	22.92	23.10	23.03				
100	QPSK	270	0	22.82	23.06	22.98	23.8	1.0		
100	16QAM	1	1	22.93	23.11	23.06	23.6	1.0		
100	64QAM	1	1	21.65	21.89	21.81	22.3	2.5		
100	256QAM	1	1	19.42	19.68	19.58	20.3	4.5		
Channel				506200	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2541	2592.99	2644.98				
90	PV2 BPSK	1	1	23.51	23.68	23.50	24.8	0.0		
Channel				507204	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2638.02	2692.99	2644.99				
80	PV2 BPSK	1	1	23.51	23.68	23.50	24.8	0.0		
Channel				506202	518598	531000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2531.01	2592.99	2655				
70	PV2 BPSK	1	1	23.53	23.70	23.55	24.8	0.0		
Channel				505200	518598	531096	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2528	2592.99	2658.98				
60	PV2 BPSK	1	1	23.55	23.61	23.59	24.8	0.0		
Channel				504204	518598	532098	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2631.02	2692.99	2664.99				
50	PV2 BPSK	1	1	23.52	23.62	23.55	24.8	0.0		
Channel				503202	518598	534000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2516.01	2592.99	2670				
40	PV2 BPSK	1	1	23.54	23.70	23.49	24.8	0.0		
Channel				502200	518598	534996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2511	2592.99	2674.98				
30	PV2 BPSK	1	1	23.55	23.64	23.59	24.8	0.0		
Channel				501204	518598	535998	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2638.02	2692.99	2678.99				
20	PV2 BPSK	1	1	23.45	23.69	23.54	24.8	0.0		

n41_Ant 25										
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				506202	518598	530990				
Frequency (MHz)				2546.01	2592.99	2640				
100	PV2 BPSK	1	1	22.93	23.08	23.01				
100	PV2 BPSK	1	137	22.88	23.05	23.00	24.0	0.0		
100	PV2 BPSK	1	271	22.91	23.03	22.95				
100	PV2 BPSK	135	0	22.96	23.01	22.98	23.5	0.5		
100	PV2 BPSK	135	69	22.97	23.05	23.00	24.0	0.0		
100	PV2 BPSK	135	138	23.01	22.95	22.93				
100	PV2 BPSK	270	0	22.91	22.99	22.95	23.5	0.5		
100	QPSK	1	1	22.82	22.87	22.83				
100	QPSK	1	137	22.82	22.87	22.75	24.0	0.0		
100	QPSK	1	271	23.02	22.92	23.06				
100	QPSK	135	0	22.35	22.33	22.42				
100	QPSK	135	69	22.79	22.77	22.96	24.0	0.0		
100	QPSK	135	138	22.35	22.33	22.35				
100	QPSK	270	0	22.30	22.27	22.48	23.0	1.0		
100	16QAM	1	1	22.48	22.58	22.63	23.0	1.0		
100	64QAM	1	1	21.26	20.98	21.13	21.5	2.5		
100	256QAM	1	1	18.96	18.76	18.86	19.5	4.5		
Channel				506200	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2541	2592.99	2644.58				
90	PV2 BPSK	1	1	22.85	22.90	22.86	24.0	0.0		
Channel				506204	518598	530996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2536.02	2592.99	2646.99				
80	PV2 BPSK	1	1	22.79	22.98	22.85	24.0	0.0		
Channel				506202	518598	531000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2531.01	2592.99	2648.99				
70	PV2 BPSK	1	1	22.83	22.92	22.88	24.0	0.0		
Channel				506200	518598	531096	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2526.01	2592.99	2650.99				
60	PV2 BPSK	1	1	22.80	22.90	22.85	24.0	0.0		
Channel				504204	518698	532998	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2531.02	2592.99	2664.99				
50	PV2 BPSK	1	1	22.81	22.95	22.84	24.0	0.0		
Channel				507202	518598	534000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2516.01	2592.99	2670.99				
40	PV2 BPSK	1	1	22.87	23.01	22.82	24.0	0.0		
Channel				502200	518698	533996	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2511	2592.99	2674.58				
30	PV2 BPSK	1	1	22.87	22.98	22.91	24.0	0.0		
Channel				501204	518598	533998	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2502.02	2592.99	2670.99				
20	PV2 BPSK	1	1	22.84	22.99	22.83	24.0	0.0		

Par27Q n77_Ant 12											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				633334	3500.01						
Frequency (MHz)				23.27							
100	PI2 BPSK	1	1	23.16			24.3	0.0			
100	PI2 BPSK	1	137	23.18							
100	PI2 BPSK	1	271	23.06							
100	PI2 BPSK	135	0	23.10			23.8 0.5				
100	PI2 BPSK	135	69	23.12			24.3 0.0				
100	PI2 BPSK	135	138	22.54			23.8	0.5			
100	PI2 BPSK	270	0	22.56							
100	QPSK	1	1	23.16							
100	QPSK	1	137	23.20			24.3	0.0			
100	QPSK	1	271	23.06							
100	QPSK	135	0	23.01							
100	QPSK	135	69	23.02			24.3	0.0			
100	QPSK	135	138	23.00							
100	QPSK	270	0	21.99							
100	16QAM	1	1	22.03			23.3 1.0				
100	64QAM	1	1	20.75			23.3 1.0				
100	256QAM	1	1	20.75			21.8 2.5				
Channel				632608	633334	634000	18.73	19.8 4.5			
Frequency (MHz)				3490.02	3500.01	3510					
80	PI2 BPSK	1	1	23.05	23.14	23.10	24.3 0.0				
Channel				632000	633334	634666					
Frequency (MHz)				3485	3600.01	3619.99					
60	PI2 BPSK	1	1	22.98	23.07	23.01	24.3 0.0				
Channel				631334	633334	635332					
Frequency (MHz)				3470.01	3500.01	3529.98					
40	PI2 BPSK	1	1	22.94	23.09	23.05	24.3 0.0				
Channel				631000	633334	635666					
Frequency (MHz)				3465	3600.01	3634.99					
30	PI2 BPSK	1	1	22.93	23.09	23.05	24.3 0.0				
Channel				630666	633334	636000					
Frequency (MHz)				3460.02	3600.01	3640					
20	PI2 BPSK	1	1	22.92	23.08	23.04	24.3 0.0				

Par27Q n77_Ant 12										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				660000	656600	662000				
Frequency (MHz)				3750	3640	3630				
100	PI2 BPSK	1	1	23.15	23.21	23.05	24.3	0.0		
100	PI2 BPSK	1	137	23.11	23.13	23.03				
100	PI2 BPSK	1	271	23.08	23.11	23.01				
100	PI2 BPSK	135	0	22.86	22.87	22.54	23.8			0.5
100	PI2 BPSK	135	69	23.01	23.03	23.00	24.3			0.0
100	PI2 BPSK	135	138	22.69	22.73	22.58	23.8	0.5		
100	PI2 BPSK	270	0	22.72	22.67	22.63				
100	QPSK	1	1	23.00	23.07	22.90				
100	QPSK	1	137	22.84	22.93	22.78	24.3	0.0		
100	QPSK	1	271	22.85	22.96	22.71				
100	QPSK	135	0	22.36	22.52	22.34				
100	QPSK	135	69	22.78	22.81	22.75	24.3	0.0		
100	QPSK	135	138	22.43	22.48	22.40				
100	QPSK	270	0	21.74	21.88	21.60				
100	16QAM	1	1	22.17	22.30	22.08	23.3	1.0		
100	64QAM	1	1	20.68	20.83	20.66	21.8	2.5		
100	256QAM	1	1	18.40	18.54	18.28	19.8	4.5		
Channel				649334	656000	662666				
Frequency (MHz)				3740.01	3640	3639.99				
80	PI2 BPSK	1	1	23.01	23.10	22.93	24.3	0.0		
Channel				648666	656000	663332				
Frequency (MHz)				3730.02	3640	3639.98				
60	PI2 BPSK	1	1	23.03	23.10	22.90	24.3	0.0		
Channel				648000	656000	664000				
Frequency (MHz)				3720	3640	3640				
40	PI2 BPSK	1	1	23.09	23.16	22.99	24.3	0.0		
Channel				647666	656000	664332				
Frequency (MHz)				3715.02	3640.00	3643.98				
30	PI2 BPSK	1	1	23.07	23.08	22.89	24.3	0.0		
Channel				647334	656000	664666				
Frequency (MHz)				3710.01	3640	3646.99				
20	PI2 BPSK	1	1	23.10	23.07	22.94	24.3	0.0		

Par27Q n77_Ant 24											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				633334	3500.01						
Frequency (MHz)				23.11							
100	PI2 BPSK	1	1	23.06			23.8	0.0			
100	PI2 BPSK	1	137	23.06							
100	PI2 BPSK	1	271	23.02							
100	PI2 BPSK	135	0	22.52			23.3 0.5				
100	PI2 BPSK	135	69	22.96			23.8 0.0				
100	PI2 BPSK	135	138	22.39			23.3	0.5			
100	PI2 BPSK	270	0	22.47							
100	QPSK	1	1	23.10							
100	QPSK	1	137	22.95			23.8	0.0			
100	QPSK	1	271	23.05							
100	QPSK	135	0	22.85							
100	QPSK	135	69	22.87			23.8	0.0			
100	QPSK	135	138	22.81							
100	QPSK	270	0	21.88							
100	16QAM	1	1	22.31			22.8 1.0				
100	64QAM	1	1	20.75			21.3 2.5				
100	256QAM	1	1	18.53			18.3 4.5				
Channel				632608	633334	634000	18.53	18.3 4.5			
Frequency (MHz)				3490.02	3500.01	3510					
80	PI2 BPSK	1	1	23.01	23.02	23.05	23.8 0.0				
Channel				632000	633334	634666					
Frequency (MHz)				3485	3600.01	3619.99					
60	PI2 BPSK	1	1	22.87	22.95	22.91	23.8 0.0				
Channel				631334	633334	635332					
Frequency (MHz)				3470.01	3500.01	3529.98					
40	PI2 BPSK	1	1	22.83	22.96	22.95	23.8 0.0				
Channel				631000	633334	635666					
Frequency (MHz)				3465	3600.01	3634.99					
30	PI2 BPSK	1	1	22.83	22.95	22.95	23.8 0.0				
Channel				630666	633334	636000					
Frequency (MHz)				3460.02	3600.01	3640					
20	PI2 BPSK	1	1	22.85	22.97	22.98	23.8 0.0				



Reduced Power for DSI 2

n2_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1860	1880	1900			
20	Pl2 BPSK	1	1	13.12	13.25	13.11		14.3	0.0
20	Pl2 BPSK	1	53	13.11	13.14	13.04			
20	Pl2 BPSK	1	104	13.10	13.16	13.02			
20	Pl2 BPSK	50	0	13.06	13.08	13.02	14.3		
20	Pl2 BPSK	50	28	13.08	13.12	13.05	14.3	0.0	0.0
20	Pl2 BPSK	50	56	13.02	13.04	13.03			
20	Pl2 BPSK	100	0	13.08	13.12	13.07			
20	QPSK	1	1	13.05	13.16	12.87			
20	QPSK	1	53	13.10	13.16	12.94		14.3	0.0
20	QPSK	1	104	13.02	13.18	12.91			
20	QPSK	50	0	13.04	13.13	12.87	14.3		
20	QPSK	50	28	13.04	13.11	12.91	14.3		
20	QPSK	50	56	12.94	13.07	12.85	14.3	0.0	0.0
20	QPSK	100	0	13.01	13.08	12.86			
20	16QAM	1	1	12.99	13.11	12.87	14.3		
20	64QAM	1	1	13.13	13.21	13.08	14.3		
20	256QAM	1	1	13.04	13.20	13.06	14.3	0.0	0.0
Channel				371500	376000	380500	11.1 dB limit		
Frequency (MHz)				1857.5	1890	1902.5			
15	Pl2 BPSK	1	1	13.12	13.17	13.08	14.3	0.0	0.0
Channel				371000	376000	381000	11.1 dB limit		
Frequency (MHz)				1855	1880	1900			
10	Pl2 BPSK	1	1	13.03	13.05	12.95	14.3		
Channel				370500	376000	381500	11.1 dB limit	0.0	0.0
Frequency (MHz)				1862.5	1890	1907.5			
5	Pl2 BPSK	1	1	13.00	13.03	12.86	14.3		

n2_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1860	1880	1900			
20	Pl2 BPSK	1	1	22.68	22.71	22.53		23.5	0.0
20	Pl2 BPSK	1	53	22.66	22.67	22.46			
20	Pl2 BPSK	1	104	22.57	22.65	22.42			
20	Pl2 BPSK	50	0	22.14	22.16	21.96	23.0		
20	Pl2 BPSK	50	28	22.60	22.63	22.43	23.5	0.5	0.0
20	Pl2 BPSK	50	56	22.00	22.03	21.83			
20	Pl2 BPSK	100	0	22.02	22.05	21.95			
20	QPSK	1	1	22.66	22.70	22.65			
20	QPSK	1	53	22.64	22.65	22.55		23.5	0.0
20	QPSK	1	104	22.58	22.61	22.56			
20	QPSK	50	0	21.59	21.53	21.58	23.5		
20	QPSK	50	28	22.17	22.56	22.51	23.5		
20	QPSK	50	56	21.35	21.53	21.41	23.5	0.0	0.0
20	QPSK	100	0	21.47	21.48	21.43			
20	16QAM	1	1	21.72	21.54	21.73	22.5		
20	64QAM	1	1	20.24	20.28	20.26	21.0		
20	256QAM	1	1	18.27	18.23	17.97	19.0	4.5	0.0
Channel				371500	376000	380500	11.1 dB limit		
Frequency (MHz)				1857.5	1890	1902.5			
15	Pl2 BPSK	1	1	22.53	22.61	22.48	23.5	0.0	0.0
Channel				371000	376000	381000	11.1 dB limit		
Frequency (MHz)				1855	1880	1900			
10	Pl2 BPSK	1	1	22.54	22.65	22.48	23.5		
Channel				370500	376000	381500	11.1 dB limit	0.0	0.0
Frequency (MHz)				1862.5	1890	1907.5			
5	Pl2 BPSK	1	1	22.59	22.63	22.38	23.5		

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				166000	167300	167600			
Frequency (MHz)				834	841.5	849			
20	Pl2 BPSK	1	1	20.15	20.31	20.16		21.0	0.0
20	Pl2 BPSK	1	53	20.02	20.01	19.99			
20	Pl2 BPSK	1	104	19.95	19.96	19.88			
20	Pl2 BPSK	50	0	20.09	20.06	20.02	21.0		
20	Pl2 BPSK	50	28	20.16	20.16	20.17	21.0	0.0	0.0
20	Pl2 BPSK	50	56	20.04	19.98	19.98			
20	Pl2 BPSK	100	0	20.12	20.17	20.03			
20	QPSK	1	1	20.02	20.12	19.99			
20	QPSK	1	53	19.96	20.01	19.98		21.0	0.0
20	QPSK	1	104	19.89	20.02	19.91			
20	QPSK	50	0	20.06	20.16	20.04	21.0		
20	QPSK	50	28	20.00	20.05	19.98	21.0		
20	QPSK	50	56	19.91	19.96	19.80	21.0	0.0	0.0
20	QPSK	100	0	19.98	20.03	19.92			
20	16QAM	1	1	20.08	20.15	20.06	21.0		
20	64QAM	1	1	20.06	20.13	20.08	21.0		
20	256QAM	1	1	19.91	19.11	18.98	20.0	1.0	0.0
Channel				166300	167300	168300	11.1 dB limit		
Frequency (MHz)				831.5	838.5	841.5			
15	Pl2 BPSK	1	1	20.09	20.25	20.02	21.0	0.0	0.0
Channel				166800	167300	168800	11.1 dB limit		
Frequency (MHz)				837.5	838.5	841.5			
10	Pl2 BPSK	1	1	20.07	20.19	20.04	21.0		
Channel				166300	167300	168300	11.1 dB limit	0.0	0.0
Frequency (MHz)				836.5	836.5	846.5			
5	Pl2 BPSK	1	1	20.05	20.17	20.03	21.0		

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	836.5	838			
20	P12 BPSK	1	1	23.70	23.74	23.72			
20	P12 BPSK	1	53	23.82	23.87	23.81	24.5	0.0	
20	P12 BPSK	1	104	23.51	23.55	23.52			
20	P12 BPSK	50	0	23.20	23.22	23.18	24.0	0.5	
20	P12 BPSK	50	28	23.82	23.87	23.80	24.5	0.0	
20	P12 BPSK	50	56	23.15	23.17	23.11			
20	P12 BPSK	100	0	23.20	23.23	23.19	24.0	0.5	
20	QPSK	1	1	23.82	23.71	23.53			
20	QPSK	1	53	23.80	23.72	23.81	24.5	0.0	
20	QPSK	1	104	23.50	23.55	23.50			
20	QPSK	50	0	22.72	22.89	22.74	23.5	1.0	
20	QPSK	50	28	23.88	23.88	23.83	24.5	0.0	
20	QPSK	50	56	22.83	22.84	22.84	23.5	1.0	
20	QPSK	100	0	22.75	22.85	22.83			
20	16QAM	1	1	22.95	22.87	22.91	23.5	1.0	
20	64QAM	1	1	21.43	21.41	21.45	22.0	2.5	
20	256QAM	1	1	19.24	19.23	19.22	20.0	4.5	
Channel				165300	167300	168300	100.1% limit	MPR	
Frequency (MHz)				831.5	836.5	841.5			
15	P12 BPSK	1	1	23.64	23.61	23.58	24.5	0.0	
Channel				165800	167300	168800	100.1% limit	MPR	
Frequency (MHz)				831	836.5	844			
10	P12 BPSK	1	1	23.54	23.59	23.63	24.5	0.0	
Channel				165300	167300	169300	100.1% limit	MPR	
Frequency (MHz)				836.5	836.5	846.5			
5	P12 BPSK	1	1	23.59	23.60	23.66	24.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	P12 BPSK	1	1	13.68	13.83	13.89			
20	P12 BPSK	1	53	13.57	13.58	13.64	14.7	0.0	
20	P12 BPSK	1	104	13.65	13.57	13.53			
20	P12 BPSK	50	0	13.60	13.59	13.67	14.7	0.0	
20	P12 BPSK	50	28	13.67	13.65	13.68	14.7	0.0	
20	P12 BPSK	50	56	13.65	13.62	13.66	14.7	0.0	
20	P12 BPSK	100	0	13.66	13.74	13.65			
20	QPSK	1	1	13.57	13.68	13.58			
20	QPSK	1	53	13.48	13.64	13.50	14.7	0.0	
20	QPSK	1	104	13.49	13.61	13.47			
20	QPSK	50	0	13.51	13.64	13.55	14.7	0.0	
20	QPSK	50	28	13.51	13.66	13.52	14.7	0.0	
20	QPSK	50	56	13.41	13.57	13.50	14.7	0.0	
20	QPSK	100	0	13.55	13.62	13.51			
20	16QAM	1	1	13.60	13.76	13.60	14.7	0.0	
20	64QAM	1	1	13.69	13.75	13.66	14.7	0.0	
20	256QAM	1	1	13.64	13.70	13.54	14.7	0.0	
Channel				501500	507000	512500	100.1% limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	13.59	13.68	13.56	14.7	0.0	
Channel				501000	507000	513000	100.1% limit	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	13.61	13.77	13.53	14.7	0.0	
Channel				500500	507000	513500	100.1% limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	13.62	13.73	13.54	14.7	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	P12 BPSK	1	1	23.08	23.30	22.95			
20	P12 BPSK	1	53	23.03	23.07	22.85	24.3	0.0	
20	P12 BPSK	1	104	22.98	22.96	22.89			
20	P12 BPSK	50	0	22.84	23.06	22.82	23.8	0.5	
20	P12 BPSK	50	28	23.02	23.05	22.96	24.3	0.0	
20	P12 BPSK	50	56	22.98	23.02	22.77			
20	P12 BPSK	100	0	22.97	23.06	22.83	23.8	0.5	
20	QPSK	1	1	22.78	23.15	22.87			
20	QPSK	1	53	22.46	23.07	22.92	24.3	0.0	
20	QPSK	1	104	22.42	23.02	22.96			
20	QPSK	50	0	22.37	22.56	22.33	24.3	0.0	
20	QPSK	50	28	22.48	22.58	22.84	24.3	0.0	
20	QPSK	50	56	22.45	22.51	22.34	24.3	0.0	
20	QPSK	100	0	22.29	22.52	22.28			
20	16QAM	1	1	22.42	22.80	22.60	23.3	1.0	
20	64QAM	1	1	20.72	21.24	20.84	21.8	2.5	
20	256QAM	1	1	18.42	19.03	18.76	18.8	4.5	
Channel				501500	507000	512500	100.1% limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	23.01	23.06	22.98	24.3	0.0	
Channel				501000	507000	513000	100.1% limit	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	22.72	22.74	22.70	24.3	0.0	
Channel				500500	507000	513500	100.1% limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	22.78	22.81	22.75	24.3	0.0	

n7_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000	17.2	0.0
Frequency (MHz)				2410	2435	2460		
20	Pl2 BPSK	1	1	16.22	16.42	16.21		
20	Pl2 BPSK	1	53	16.07	16.23	16.16		
20	Pl2 BPSK	1	104	16.13	16.23	16.15	17.2	0.0
20	Pl2 BPSK	50	0	16.09	16.19	16.18		
20	Pl2 BPSK	50	26	16.16	16.26	16.19		
20	Pl2 BPSK	50	56	16.13	16.17	16.14		
20	Pl2 BPSK	100	0	16.07	16.25	16.17	17.2	0.0
20	QPSK	1	1	16.11	16.27	16.20		
20	QPSK	1	53	16.06	16.24	16.15		
20	QPSK	1	104	16.13	16.25	16.16		
20	QPSK	50	0	16.14	16.19	16.09	17.2	0.0
20	QPSK	50	26	16.08	16.21	16.11		
20	QPSK	50	56	16.17	16.22	16.12		
20	QPSK	100	0	16.04	16.16	16.10		
20	16QAM	1	1	16.27	16.33	16.23	17.2	0.0
20	64QAM	1	1	16.06	16.23	16.16		
20	256QAM	1	1	16.19	16.24	16.09		
Channel				501500	507000	512500		
Frequency (MHz)				2507.5	2535	2562.5	limit (dB)	MPR (dB)
15	Pl2 BPSK	1	1	16.09	16.33	16.08	17.2	0.0
Channel				501000	507000	513000	time-up limit (dBm)	MPR (dB)
Frequency (MHz)				2505	2535	2565	17.2	0.0
10	Pl2 BPSK	1	1	16.10	16.37	16.07	17.2	0.0
Channel				500500	507000	513500	time-up limit (dBm)	MPR (dB)
Frequency (MHz)				2502.5	2535	2567.5	17.2	0.0
5	Pl2 BPSK	1	1	16.17	16.34	16.07	17.2	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	15.8	0.0
Frequency (MHz)				1425	1445	1465		
30	Pl2 BPSK	1	1	14.86	14.92	14.76		
30	Pl2 BPSK	1	80	14.83	14.79	14.65		
30	Pl2 BPSK	1	158	14.79	14.62	14.71	15.8	0.0
30	Pl2 BPSK	80	0	14.85	14.76	14.66		
30	Pl2 BPSK	80	40	14.86	14.63	14.74		
30	Pl2 BPSK	80	80	14.83	14.81	14.72		
30	Pl2 BPSK	160	0	14.90	14.91	14.71	15.8	0.0
30	QPSK	1	1	14.71	14.82	14.77		
30	QPSK	1	80	14.67	14.80	14.64		
30	QPSK	1	158	14.59	14.66	14.55		
30	QPSK	80	0	14.71	14.82	14.75	15.8	0.0
30	QPSK	80	40	14.56	14.89	14.57		
30	QPSK	80	80	14.66	14.74	14.68		
30	QPSK	160	0	14.66	14.74	14.59		
30	16QAM	1	1	14.80	14.89	14.83	15.8	0.0
30	64QAM	1	1	14.82	14.91	14.82		
30	256QAM	1	1	14.68	14.83	14.67		
Channel				344000	349000	354000	limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770	17.2	0.0
20	Pl2 BPSK	1	1	14.80	14.87	14.67	15.8	0.0
Channel				343500	349000	354500	time-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1743	1772.5	17.2	0.0
15	Pl2 BPSK	1	1	14.76	14.77	14.61	15.8	0.0
Channel				343000	349000	355000	time-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	17.2	0.0
10	Pl2 BPSK	1	1	14.75	14.78	14.65	15.8	0.0
Channel				342500	349000	355500	time-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	17.2	0.0
5	Pl2 BPSK	1	1	14.74	14.86	14.64	15.8	0.0

n66_Ant 31								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	24.5	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	23.27	23.38	23.31		
30	Pl2 BPSK	1	80	23.21	23.25	23.23		
30	Pl2 BPSK	1	158	23.15	23.21	23.20	24.0	0.5
30	Pl2 BPSK	80	0	23.15	23.22	23.20		
30	Pl2 BPSK	80	40	23.20	23.25	23.22		
30	Pl2 BPSK	80	80	23.15	23.21	23.18		
30	Pl2 BPSK	160	0	23.25	23.32	23.30	24.0	0.5
30	QPSK	1	1	23.01	23.18	23.08		
30	QPSK	1	80	22.89	23.17	23.03		
30	QPSK	1	158	23.07	23.21	23.13		
30	QPSK	80	0	22.18	22.44	22.34	24.5	0.0
30	QPSK	80	40	22.89	23.07	22.95		
30	QPSK	80	80	22.28	22.56	22.41		
30	QPSK	160	0	22.28	22.55	22.50		
30	16QAM	1	1	22.43	22.64	22.55	23.5	1.0
30	16QAM	1	1	21.13	21.39	21.27		
30	256QAM	1	1	19.15	19.33	19.22		
30	256QAM	1	1	19.15	19.33	19.22		
Channel				348000	349000	350000	17.00	17.45
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	23.21	23.37	23.32		
Channel				343500	349000	354500	17.00	17.45
Frequency (MHz)				1717.5	1745	1772.5		
15	Pl2 BPSK	1	1	23.18	23.35	23.30		
Channel				343000	349000	355000	17.00	17.45
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	23.10	23.23	23.15	17.00	17.45
Channel				342500	349000	355500		
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	23.08	23.26	23.16		

n66_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	18.8	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	18.03	18.12	17.86		
30	Pl2 BPSK	1	80	17.96	17.96	17.78		
30	Pl2 BPSK	1	158	17.89	17.83	17.79	18.8	0.0
30	Pl2 BPSK	80	0	17.81	17.84	17.82		
30	Pl2 BPSK	80	40	17.87	18.04	17.86		
30	Pl2 BPSK	80	80	17.82	17.89	17.85		
30	Pl2 BPSK	160	0	18.04	18.09	17.87	18.8	0.0
30	QPSK	1	1	17.97	18.02	17.96		
30	QPSK	1	80	17.78	17.94	17.89		
30	QPSK	1	158	17.72	17.85	17.77		
30	QPSK	80	0	17.81	17.96	17.90	18.8	0.0
30	QPSK	80	40	17.80	17.93	17.79		
30	QPSK	80	80	17.75	17.91	17.86		
30	QPSK	160	0	17.86	17.91	17.78		
30	16QAM	1	1	18.03	18.09	17.98	18.8	0.0
30	16QAM	1	1	17.98	18.05	17.86		
30	256QAM	1	1	18.01	18.06	17.99		
30	256QAM	1	1	18.01	18.06	17.99		
Channel				348000	349000	350000	17.00	17.45
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	17.82	17.99	17.79		
Channel				343500	349000	354500	17.00	17.45
Frequency (MHz)				1717.5	1745	1772.5		
15	Pl2 BPSK	1	1	17.90	18.06	17.79		
Channel				343000	349000	355000	17.00	17.45
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	17.96	17.99	17.72	17.00	17.45
Channel				342500	349000	355500		
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	17.88	18.02	17.70		



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	13.56	13.65	13.42			
40	Pl2 BPSK	1	53	13.32	13.29	13.23	14.7	0.0	
40	Pl2 BPSK	1	104	13.30	13.24	13.21			
40	Pl2 BPSK	50	0	13.33	13.24	13.20	14.7	0.0	
40	Pl2 BPSK	50	28	13.39	13.46	13.34	14.7	0.0	
40	Pl2 BPSK	50	56	13.27	13.21	13.18			
40	Pl2 BPSK	100	0	13.33	13.42	13.25	14.7	0.0	
40	QPSK	1	1	13.39	13.62	13.47			
40	QPSK	1	53	13.26	13.32	13.20	14.7	0.0	
40	QPSK	1	104	13.16	13.31	13.21			
40	QPSK	50	0	13.33	13.38	13.24			
40	QPSK	50	28	13.13	13.27	13.17	14.7	0.0	
40	QPSK	50	56	13.16	13.27	13.17			
40	QPSK	100	0	13.29	13.34	13.24	14.7	0.0	
40	16QAM	1	1	13.42	13.56	13.49	14.7	0.0	
40	64QAM	1	1	13.41	13.53	13.45	14.7	0.0	
40	256QAM	1	1	13.47	13.54	13.47	14.7	0.0	
Channel				517002	516000	520998			
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	13.48	13.58	13.35	14.7	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	13.49	13.49	13.37	14.7	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	23.76	23.99	23.80			
40	Pl2 BPSK	1	53	23.69	23.85	23.75	25.0	0.0	
40	Pl2 BPSK	1	104	23.70	23.62	23.71			
40	Pl2 BPSK	50	0	23.80	23.70	23.62	24.5	0.5	
40	Pl2 BPSK	50	28	23.67	23.78	23.68	25.0	0.0	
40	Pl2 BPSK	50	56	23.58	23.65	23.61			
40	Pl2 BPSK	100	0	23.65	23.76	23.67	24.5	0.5	
40	QPSK	1	1	23.76	23.62	23.80			
40	QPSK	1	53	23.76	23.81	23.76	25.0	0.0	
40	QPSK	1	104	23.73	23.75	23.74			
40	QPSK	50	0	23.21	23.25	23.26			
40	QPSK	50	28	23.69	23.72	23.67	25.0	0.0	
40	QPSK	50	56	23.17	23.26	23.25			
40	QPSK	100	0	23.23	23.24	23.23	24.0	1.0	
40	16QAM	1	1	23.59	23.68	23.62	24.0	1.0	
40	64QAM	1	1	22.09	22.10	22.04	22.5	2.5	
40	256QAM	1	1	19.76	19.83	19.82	20.5	4.5	
Channel				517002	516000	520998			
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	23.51	23.62	23.58	25.0	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	23.50	23.57	23.54	25.0	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	15.54	15.78	15.63			
40	Pl2 BPSK	1	53	15.38	15.56	15.46	17.0	0.0	
40	Pl2 BPSK	1	104	15.64	15.55	15.59			
40	Pl2 BPSK	50	0	15.39	15.48	15.41	17.0	0.0	
40	Pl2 BPSK	50	28	15.49	15.57	15.56	17.0	0.0	
40	Pl2 BPSK	50	56	15.44	15.51	15.47			
40	Pl2 BPSK	100	0	15.56	15.60	15.41	17.0	0.0	
40	QPSK	1	1	15.49	15.63	15.48			
40	QPSK	1	53	15.62	15.67	15.56	17.0	0.0	
40	QPSK	1	104	15.49	15.64	15.49			
40	QPSK	50	0	15.38	15.48	15.35			
40	QPSK	50	28	15.37	15.49	15.35	17.0	0.0	
40	QPSK	50	56	15.41	15.57	15.45			
40	QPSK	100	0	15.40	15.52	15.37	17.0	0.0	
40	16QAM	1	1	15.30	15.45	15.32	17.0	0.0	
40	64QAM	1	1	15.55	15.64	15.56	17.0	0.0	
40	256QAM	1	1	15.50	15.64	15.50	17.0	0.0	
Channel				517002	516000	520998			
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	15.49	15.63	15.50	17.0	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	15.38	15.64	15.49	17.0	0.0	

Par27Q n77_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334	633334	3500.01			
Frequency (MHz)				14.68					
100	P22 BPSK	1	1		14.43		15.3	0.0	
100	P22 BPSK	1	137		14.63				
100	P22 BPSK	1	271		14.63		15.3	0.0	
100	P22 BPSK	135	0	14.51					
100	P22 BPSK	135	69	14.59			15.3	0.0	
100	P22 BPSK	135	138	14.43			15.3	0.0	
100	P22 BPSK	270	0	14.52					
100	QPSK	1	1	14.48					
100	QPSK	1	137	14.41			15.3	0.0	
100	QPSK	1	271	14.68					
100	QPSK	135	0	14.52					
100	QPSK	135	69	14.47			15.3	0.0	
100	QPSK	135	138	14.50					
100	QPSK	270	0	14.58			15.3	0.0	
100	16QAM	1	1	14.53			15.3	0.0	
100	64QAM	1	1	14.66			15.3	0.0	
100	256QAM	1	1	14.50			15.3	0.0	
Channel				632608	633334	634000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	P22 BPSK	1	1	14.35	14.01	14.01	15.3	0.0	
Channel				632000	633334	634000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3519.99			
60	P22 BPSK	1	1	14.22	13.85	13.80	15.3	0.0	
Channel				631334	633334	635332	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	P22 BPSK	1	1	14.24	13.65	13.68	15.3	0.0	
Channel				631000	633334	635666	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	P22 BPSK	1	1	14.19	13.67	13.66	15.3	0.0	
Channel				630966	633334	636000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	P22 BPSK	1	1	14.24	13.92	13.92	15.3	0.0	

Par27Q n77_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				660000	656600	662000			
Frequency (MHz)				3750	3640	3630			
100	P22 BPSK	1	1	13.99	14.05	13.91			
100	P22 BPSK	1	137	13.79	13.93	13.83	15.3	0.0	
100	P22 BPSK	1	271	13.90	14.01	13.83			
100	P22 BPSK	135	0	13.67	13.77	13.64	15.3	0.0	
100	P22 BPSK	135	69	13.77	13.91	13.80	15.3	0.0	
100	P22 BPSK	135	138	13.76	13.88	13.78	15.3	0.0	
100	P22 BPSK	270	0	13.73	13.89	13.83			
100	QPSK	1	1	13.74	13.83	13.71			
100	QPSK	1	137	13.75	13.84	13.78	15.3	0.0	
100	QPSK	1	271	13.95	14.01	13.95			
100	QPSK	135	0	13.68	13.81	13.67			
100	QPSK	135	69	13.77	13.83	13.75	15.3	0.0	
100	QPSK	135	138	13.89	13.94	13.84			
100	QPSK	270	0	13.88	13.93	13.78	15.3	0.0	
100	16QAM	1	1	13.92	14.03	13.96	15.3	0.0	
100	64QAM	1	1	13.89	14.01	13.89	15.3	0.0	
100	256QAM	1	1	13.73	13.82	13.78	15.3	0.0	
Channel				649334	656000	662666	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3740.01	3640	3639.99			
80	P22 BPSK	1	1	13.92	13.94	13.85	15.3	0.0	
Channel				648666	656000	663332	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3730.02	3640	3649.98			
60	P22 BPSK	1	1	13.84	14.00	13.75	15.3	0.0	
Channel				648000	656000	664000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3720	3640	3640			
40	P22 BPSK	1	1	13.94	13.95	13.84	15.3	0.0	
Channel				647666	656000	664332	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3715.02	3640.00	3644.98			
30	P22 BPSK	1	1	13.86	13.96	13.83	15.3	0.0	
Channel				647334	656000	664666	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3710.01	3640	3649.99			
20	P22 BPSK	1	1	13.83	13.96	13.84	15.3	0.0	

Par27Q n77_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334	633334	3500.01			
Frequency (MHz)				16.15					
100	P22 BPSK	1	1		15.94		16.8	0.0	
100	P22 BPSK	1	137		15.94				
100	P22 BPSK	1	271		15.98		16.8	0.0	
100	P22 BPSK	135	0	16.01					
100	P22 BPSK	135	69	16.07			16.8	0.0	
100	P22 BPSK	135	138	15.80			16.8	0.0	
100	P22 BPSK	270	0	15.86					
100	QPSK	1	1	16.12					
100	QPSK	1	137	15.90			16.8	0.0	
100	QPSK	1	271	15.97					
100	QPSK	135	0	15.94					
100	QPSK	135	69	15.84			16.8	0.0	
100	QPSK	135	138	15.85					
100	QPSK	270	0	15.91			16.8	0.0	
100	16QAM	1	1	16.13			16.8	0.0	
100	64QAM	1	1	16.03			16.8	0.0	
100	256QAM	1	1	15.94			16.8	0.0	
Channel				632608	633334	634000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	P22 BPSK	1	1	16.06	16.08	16.09	16.8	0.0	
Channel				632000	633334	635666	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3519.99			
60	P22 BPSK	1	1	16.09	16.05	16.06	16.8	0.0	
Channel				631334	633334	635332	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	P22 BPSK	1	1	16.07	16.02	16.08	16.8	0.0	
Channel				631000	633334	635666	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	P22 BPSK	1	1	16.09	16.10	16.08	16.8	0.0	
Channel				630966	633334	636000	turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	P22 BPSK	1	1	16.06	16.04	16.04	16.8	0.0	

Reduced Power for DSI 3

n2_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	12.12	12.25	12.11		13.3	0.0
20	PI2 BPSK	1	53	12.11	12.14	12.04			
20	PI2 BPSK	1	104	12.10	12.16	12.02			
20	PI2 BPSK	50	0	12.08	12.12	12.06	13.3	0.0	
20	PI2 BPSK	50	28	12.11	12.16	12.06	13.3	0.0	
20	PI2 BPSK	50	56	12.02	12.04	12.03		13.3	0.0
20	PI2 BPSK	100	0	12.08	12.12	12.07			
20	QPSK	1	1	12.05	12.16	11.87			
20	QPSK	1	53	12.10	12.16	11.94		13.3	0.0
20	QPSK	1	104	12.02	12.18	11.91			
20	QPSK	50	0	12.04	12.13	11.87	13.3	0.0	
20	QPSK	50	28	12.04	12.11	11.91	13.3	0.0	
20	QPSK	50	56	11.94	12.07	11.85		13.3	0.0
20	QPSK	100	0	12.01	12.08	11.86			
20	16QAM	1	1	11.99	12.11	11.87	13.3	0.0	
20	64QAM	1	1	12.13	12.21	12.08	13.3	0.0	
20	256QAM	1	1	12.04	12.20	12.06	13.3	0.0	
Channel				371500	376000	380500	11.85	MPR limit (dB)	
Frequency (MHz)				1857.5	1890	1902.5			
15	PI2 BPSK	1	1	11.96	12.09	12.04	13.3	0.0	
Channel				371000	376000	381000	11.85	MPR limit (dB)	
Frequency (MHz)				1855	1890	1900			
10	PI2 BPSK	1	1	12.04	12.14	12.00	13.3	0.0	
Channel				370500	376000	381500	11.85	MPR limit (dB)	
Frequency (MHz)				1862.5	1890	1907.5			
5	PI2 BPSK	1	1	12.00	12.11	11.99	13.3	0.0	

n2_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1860	1880	1900			
20	PI2 BPSK	1	1	22.68	22.71	22.53		23.5	0.0
20	PI2 BPSK	1	53	22.66	22.67	22.46			
20	PI2 BPSK	1	104	22.57	22.65	22.42			
20	PI2 BPSK	50	0	22.14	22.16	21.96	23.0	0.5	
20	PI2 BPSK	50	28	22.60	22.63	22.43	23.5	0.0	
20	PI2 BPSK	50	56	22.00	22.03	21.83		23.0	0.5
20	PI2 BPSK	100	0	22.02	22.05	21.95			
20	QPSK	1	1	22.66	22.70	22.65			
20	QPSK	1	53	22.64	22.65	22.55		23.5	0.0
20	QPSK	1	104	22.58	22.61	22.56			
20	QPSK	50	0	21.59	21.53	21.58	23.5	0.0	
20	QPSK	50	28	22.17	22.56	22.51	23.5	0.0	
20	QPSK	50	56	21.35	21.53	21.41		23.5	0.0
20	QPSK	100	0	21.47	21.48	21.43			
20	16QAM	1	1	21.72	21.54	21.73	22.5	1.0	
20	64QAM	1	1	20.24	20.28	20.26	21.0	2.5	
20	256QAM	1	1	18.27	18.23	17.97	19.0	4.5	
Channel				371500	376000	380500	11.85	MPR limit (dB)	
Frequency (MHz)				1857.5	1890	1902.5			
15	PI2 BPSK	1	1	22.53	22.61	22.48	23.5	0.0	
Channel				371000	376000	381000	11.85	MPR limit (dB)	
Frequency (MHz)				1855	1890	1900			
10	PI2 BPSK	1	1	22.54	22.65	22.48	23.5	0.0	
Channel				370500	376000	381500	11.85	MPR limit (dB)	
Frequency (MHz)				1862.5	1890	1907.5			
5	PI2 BPSK	1	1	22.59	22.63	22.38	23.5	0.0	

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800			
Frequency (MHz)				834	841.5	849			
20	PI2 BPSK	1	1	19.58	19.71	19.53		20.5	0.0
20	PI2 BPSK	1	53	19.54	19.45	19.42			
20	PI2 BPSK	1	104	19.33	19.38	19.35			
20	PI2 BPSK	50	0	19.55	19.58	19.53	20.5	0.0	
20	PI2 BPSK	50	28	19.53	19.64	19.57	20.5	0.0	
20	PI2 BPSK	50	56	19.46	19.44	19.41		20.5	0.0
20	PI2 BPSK	100	0	19.57	19.62	19.52			
20	QPSK	1	1	19.51	19.56	19.42			
20	QPSK	1	53	19.40	19.52	19.44		20.5	0.0
20	QPSK	1	104	19.31	19.45	19.37			
20	QPSK	50	0	19.44	19.58	19.47	20.5	0.0	
20	QPSK	50	28	19.42	19.51	19.46	20.5	0.0	
20	QPSK	50	56	19.34	19.41	19.30		20.5	0.0
20	QPSK	100	0	19.41	19.54	19.43			
20	16QAM	1	1	19.64	19.69	19.61	20.5	0.0	
20	64QAM	1	1	19.58	19.63	19.56	20.5	0.0	
20	256QAM	1	1	18.98	19.13	18.99	20.0	0.5	
Channel				166300	167300	168300	11.85	MPR limit (dB)	
Frequency (MHz)				831.5	838.5	841.5			
15	PI2 BPSK	1	1	19.46	19.66	19.45	20.5	0.0	
Channel				166800	167300	168800	11.85	MPR limit (dB)	
Frequency (MHz)				834	841.5	844			
10	PI2 BPSK	1	1	19.49	19.58	19.48	20.5	0.0	
Channel				166300	167300	168300	11.85	MPR limit (dB)	
Frequency (MHz)				836.5	838.5	846.5			
5	PI2 BPSK	1	1	19.45	19.57	19.48	20.5	0.0	

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	836.5	836			
20	P12 BPSK	1	1	23.70	23.74	23.72			
20	P12 BPSK	1	53	23.62	23.67	23.61	24.5	0.0	
20	P12 BPSK	1	104	23.51	23.56	23.52			
20	P12 BPSK	50	0	23.20	23.22	23.18	24.0	0.5	
20	P12 BPSK	50	28	23.62	23.67	23.60	24.5	0.0	
20	P12 BPSK	50	56	23.15	23.17	23.11			
20	P12 BPSK	100	0	23.20	23.23	23.19	24.0	0.5	
20	QPSK	1	1	23.62	23.71	23.53			
20	QPSK	1	53	23.60	23.72	23.61	24.5	0.0	
20	QPSK	1	104	23.50	23.55	23.50			
20	QPSK	50	0	22.72	22.69	22.74	23.5	1.0	
20	QPSK	50	28	23.68	23.68	23.63	24.5	0.0	
20	QPSK	50	56	22.63	22.64	22.64	23.5	1.0	
20	QPSK	100	0	22.75	22.65	22.63			
20	16QAM	1	1	22.95	22.87	22.91	23.5	1.0	
20	64QAM	1	1	21.43	21.41	21.45	22.0	2.5	
20	256QAM	1	1	19.24	19.23	19.22	20.0	4.5	
Channel				165300	167300	168300	10.1	MPR	
Frequency (MHz)				831.5	836.5	841.5			
15	P12 BPSK	1	1	23.64	23.61	23.58	24.5	0.0	
Channel				165800	167300	168800	10.1	MPR	
Frequency (MHz)				831	836.5	841			
10	P12 BPSK	1	1	23.54	23.59	23.63	24.5	0.0	
Channel				165300	167300	169300	10.1	MPR	
Frequency (MHz)				836.5	836.5	846.5			
5	P12 BPSK	1	1	23.59	23.60	23.66	24.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2534	2560			
20	P12 BPSK	1	1	13.16	13.23	13.19			
20	P12 BPSK	1	53	13.07	13.08	13.14	14.2	0.0	
20	P12 BPSK	1	104	13.15	13.07	13.03			
20	P12 BPSK	50	0	13.07	13.08	13.08	14.2	0.0	
20	P12 BPSK	50	28	13.20	13.21	13.17	14.2	0.0	
20	P12 BPSK	50	56	13.15	13.12	13.16	14.2	0.0	
20	P12 BPSK	100	0	13.16	13.17	13.15			
20	QPSK	1	1	13.04	13.18	13.01			
20	QPSK	1	53	13.08	13.14	12.99	14.2	0.0	
20	QPSK	1	104	13.06	13.11	13.04			
20	QPSK	50	0	13.03	13.14	12.98	14.2	0.0	
20	QPSK	50	28	13.01	13.16	13.01	14.2	0.0	
20	QPSK	50	56	12.94	13.07	12.91	14.2	0.0	
20	QPSK	100	0	12.97	13.12	13.05			
20	16QAM	1	1	13.02	13.16	13.05	14.2	0.0	
20	64QAM	1	1	13.02	13.15	13.01	14.2	0.0	
20	256QAM	1	1	13.12	13.20	13.05	14.2	0.0	
Channel				501500	507000	512500	10.1	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	13.11	13.16	13.03	14.2	0.0	
Channel				501000	507000	513000	10.1	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	13.10	13.18	13.06	14.2	0.0	
Channel				500500	507000	513500	10.1	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	13.11	13.18	13.05	14.2	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2534	2560			
20	P12 BPSK	1	1	23.08	23.30	22.95			
20	P12 BPSK	1	53	23.03	23.07	22.85	24.3	0.0	
20	P12 BPSK	1	104	22.98	22.96	22.89			
20	P12 BPSK	50	0	22.84	23.08	22.82	23.8	0.5	
20	P12 BPSK	50	28	23.02	23.05	22.96	24.3	0.0	
20	P12 BPSK	50	56	22.98	23.02	22.77			
20	P12 BPSK	100	0	22.97	23.06	22.83	23.8	0.5	
20	QPSK	1	1	22.78	23.15	22.67			
20	QPSK	1	53	22.46	23.07	22.92	24.3	0.0	
20	QPSK	1	104	22.42	23.02	22.96			
20	QPSK	50	0	22.37	22.56	22.33	24.3	0.0	
20	QPSK	50	28	22.48	22.58	22.84	24.3	0.0	
20	QPSK	50	56	22.45	22.51	22.34	24.3	0.0	
20	QPSK	100	0	22.29	22.52	22.28			
20	16QAM	1	1	22.42	22.80	22.60	23.3	1.0	
20	64QAM	1	1	20.72	21.24	20.94	21.8	2.5	
20	256QAM	1	1	18.42	19.03	18.76	18.8	4.5	
Channel				501500	507000	512500	10.1	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	23.01	23.06	22.98	24.3	0.0	
Channel				501000	507000	513000	10.1	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	22.72	22.74	22.70	24.3	0.0	
Channel				500500	507000	513500	10.1	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	22.78	22.81	22.75	24.3	0.0	

n7_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000	16.7	0.0
Frequency (MHz)				2419	2435	2469		
20	PI/2 BPSK	1	1	15.73	15.82	15.71		
20	PI/2 BPSK	1	53	15.55	15.63	15.56	16.7	0.0
20	PI/2 BPSK	1	104	15.50	15.63	15.49		
20	PI/2 BPSK	50	0	15.48	15.56	15.51		
20	PI/2 BPSK	50	26	15.46	15.56	15.54	16.7	0.0
20	PI/2 BPSK	50	56	15.42	15.57	15.48		
20	PI/2 BPSK	100	0	15.52	15.65	15.60		
20	QPSK	1	1	15.52	15.67	15.61	16.7	0.0
20	QPSK	1	53	15.49	15.64	15.57		
20	QPSK	1	104	15.56	15.65	15.54		
20	QPSK	50	0	15.47	15.59	15.54	16.7	0.0
20	QPSK	50	26	15.45	15.61	15.55		
20	QPSK	50	56	15.56	15.62	15.50		
20	QPSK	100	0	15.46	15.56	15.44	16.7	0.0
20	16QAM	1	1	15.61	15.73	15.64		
20	16QAM	1	1	15.57	15.73	15.66		
20	256QAM	1	1	15.51	15.64	15.48	16.7	0.0
Channel				507500	507000	512500		
Frequency (MHz)				2507.5	2535	2562.5		
15	PI/2 BPSK	1	1	15.61	15.69	15.66	16.7	0.0
Channel				501000	507000	513000	16.7	MPR
Frequency (MHz)				2245	2235	2265	16.7	0.0
10	PI/2 BPSK	1	1	15.58	15.69	15.63	16.7	0.0
Channel				500500	507000	510500	16.7	MPR
Frequency (MHz)				2502.5	2535	2567.5	16.7	0.0
5	PI/2 BPSK	1	1	15.62	15.67	15.63	16.7	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	14.8	0.0
Frequency (MHz)				1425	1445	1465		
30	PI/2 BPSK	1	1	14.01	14.06	14.01		
30	PI/2 BPSK	1	80	13.82	13.89	13.78	14.8	0.0
30	PI/2 BPSK	1	158	13.58	13.72	13.63		
30	PI/2 BPSK	80	0	13.74	13.87	13.79		
30	PI/2 BPSK	80	40	13.83	13.96	13.83	14.8	0.0
30	PI/2 BPSK	80	80	13.81	13.91	13.83		
30	PI/2 BPSK	160	0	13.85	13.90	13.76		
30	QPSK	1	1	13.82	13.92	13.77	14.8	0.0
30	QPSK	1	80	13.81	13.90	13.74		
30	QPSK	1	158	13.65	13.76	13.66		
30	QPSK	80	0	13.78	13.92	13.85	14.8	0.0
30	QPSK	80	40	13.68	13.79	13.67		
30	QPSK	80	80	13.72	13.84	13.70		
30	QPSK	160	0	13.72	13.84	13.69	14.8	0.0
30	16QAM	1	1	14.01	14.06	13.99		
30	16QAM	1	1	13.92	14.01	13.86		
30	256QAM	1	1	13.79	13.93	13.83	14.8	0.0
Channel				344000	349000	349000		
Frequency (MHz)				1720	1745	1770		
20	PI/2 BPSK	1	1	13.89	14.02	13.96	14.8	0.0
Channel				343500	349000	354500	16.7	MPR
Frequency (MHz)				1721.2	1745	1772.2	16.7	0.0
15	PI/2 BPSK	1	1	13.95	14.04	13.99	14.8	0.0
Channel				343000	349000	350000	16.7	MPR
Frequency (MHz)				1715	1745	1775	16.7	0.0
10	PI/2 BPSK	1	1	13.86	14.01	13.94	14.8	0.0
Channel				342500	349000	350500	16.7	MPR
Frequency (MHz)				1712.5	1745	1777.5	16.7	0.0
5	PI/2 BPSK	1	1	13.93	13.99	13.87	14.8	0.0

n66_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1745	1765	1785			
30	Pl2 BPSK	1	0	23.27	23.38	23.31	24.5	0.0	
30	Pl2 BPSK	1	80	23.21	23.25	23.23			
30	Pl2 BPSK	1	158	23.15	23.21	23.20			
30	Pl2 BPSK	80	0	23.15	23.22	23.20	24.0	0.5	
30	Pl2 BPSK	80	40	23.20	23.25	23.22			
30	Pl2 BPSK	80	80	23.15	23.21	23.18			
30	Pl2 BPSK	160	0	23.29	23.32	23.30	24.0	0.5	
30	QPSK	1	1	23.01	23.18	23.08			
30	QPSK	1	80	22.89	23.17	23.03			
30	QPSK	1	158	23.07	23.21	23.13	24.5	0.0	
30	QPSK	80	0	22.18	22.44	22.34			
30	QPSK	80	40	22.89	23.07	22.95			
30	QPSK	80	80	22.28	22.56	22.41	23.5	1.0	
30	QPSK	160	0	22.28	22.55	22.50			
30	16QAM	1	1	22.43	22.64	22.55	23.5	1.0	
30	64QAM	1	1	21.13	21.39	21.27			
30	256QAM	1	1	19.15	19.33	19.22	22.0	2.5	
Channel				348000	349000	350000			
Frequency (MHz)				1720	1745	1770			
20	Pl2 BPSK	1	1	23.21	23.37	23.32	24.5	0.0	
Channel				343500	349000	354500			
Frequency (MHz)				1717.5	1745	1772.5			
15	Pl2 BPSK	1	1	23.18	23.36	23.30	24.5	0.0	
Channel				343000	349000	355000			
Frequency (MHz)				1715	1745	1775			
10	Pl2 BPSK	1	1	23.10	23.23	23.15	24.5	0.0	
Channel				342500	349000	355500			
Frequency (MHz)				1712.5	1745	1777.5			
5	Pl2 BPSK	1	1	23.08	23.26	23.16	24.5	0.0	

n66_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1725	1745	1765			
30	Pl2 BPSK	1	1	17.08	17.22	17.06	17.8	0.0	
30	Pl2 BPSK	1	80	16.81	16.96	16.84			
30	Pl2 BPSK	1	158	16.77	16.83	16.71			
30	Pl2 BPSK	80	0	16.81	16.94	16.80	17.8	0.0	
30	Pl2 BPSK	80	40	16.88	16.96	16.89	17.8	0.0	
30	Pl2 BPSK	80	80	16.77	16.89	16.78	17.8	0.0	
30	Pl2 BPSK	160	0	16.78	16.92	16.81			
30	QPSK	1	1	16.92	17.02	16.90			
30	QPSK	1	80	16.87	16.94	16.84	17.8	0.0	
30	QPSK	1	158	16.77	16.85	16.76	17.8	0.0	
30	QPSK	80	0	16.88	16.96	16.85			
30	QPSK	80	40	16.83	16.93	16.83			
30	QPSK	80	80	16.80	16.91	16.83	17.8	0.0	
30	QPSK	160	0	16.81	16.91	16.75	17.8	0.0	
30	16QAM	1	1	17.08	17.19	17.12			
30	64QAM	1	1	17.09	17.15	17.05			
30	256QAM	1	1	16.98	17.06	16.97	17.8	0.0	
Channel				348000	349000	350000	1717.5 limit (dBm)	MPR	
Frequency (MHz)				1720	1745	1770			
20	Pl2 BPSK	1	1	16.97	17.09	16.97	17.8	0.0	
Channel				343500	349000	354500	1716.5 limit (dBm)	MPR	
Frequency (MHz)				1717.5	1745	1772.5			
15	Pl2 BPSK	1	1	17.03	17.14	16.95	17.8	0.0	
Channel				343000	349000	355000	1716.5 limit (dBm)	MPR	
Frequency (MHz)				1715	1745	1775			
10	Pl2 BPSK	1	1	16.97	17.07	16.99	17.8	0.0	
Channel				342500	349000	355500	1715.5 limit (dBm)	MPR	
Frequency (MHz)				1712.5	1745	1777.5			
5	Pl2 BPSK	1	1	16.98	17.17	16.94	17.8	0.0	



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	12.99	13.12	13.01			
40	Pl2 BPSK	1	53	12.68	12.84	12.70	14.2	0.0	
40	Pl2 BPSK	1	104	12.70	12.79	12.69			
40	Pl2 BPSK	50	0	12.75	12.91	12.75	14.2	0.0	
40	Pl2 BPSK	50	28	12.89	12.99	12.92	14.2	0.0	
40	Pl2 BPSK	50	56	12.69	12.76	12.66	14.2	0.0	
40	Pl2 BPSK	100	0	12.80	12.87	12.79			
40	QPSK	1	1	12.91	13.07	12.96			
40	QPSK	1	53	12.82	12.87	12.74	14.2	0.0	
40	QPSK	1	104	12.75	12.86	12.72			
40	QPSK	50	0	12.79	12.93	12.82			
40	QPSK	50	28	12.76	12.82	12.71	14.2	0.0	
40	QPSK	50	56	12.86	12.82	12.71			
40	QPSK	100	0	12.74	12.89	12.82	14.2	0.0	
40	16QAM	1	1	12.97	13.11	13.00	14.2	0.0	
40	64QAM	1	1	12.98	13.08	13.01	14.2	0.0	
40	256QAM	1	1	12.99	13.09	13.00	14.2	0.0	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	12.90	12.96	12.90	14.2	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	12.93	13.02	12.93	14.2	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	23.76	23.99	23.80			
40	Pl2 BPSK	1	53	23.69	23.85	23.75	25.0	0.0	
40	Pl2 BPSK	1	104	23.70	23.82	23.71			
40	Pl2 BPSK	50	0	23.80	23.70	23.62	24.5	0.5	
40	Pl2 BPSK	50	28	23.67	23.78	23.68	25.0	0.0	
40	Pl2 BPSK	50	56	23.58	23.65	23.61	24.5	0.5	
40	Pl2 BPSK	100	0	23.65	23.76	23.67			
40	QPSK	1	1	23.76	23.82	23.80			
40	QPSK	1	53	23.76	23.81	23.76	25.0	0.0	
40	QPSK	1	104	23.73	23.75	23.74			
40	QPSK	50	0	23.21	23.25	23.26			
40	QPSK	50	28	23.69	23.72	23.67	25.0	0.0	
40	QPSK	50	56	23.17	23.26	23.25			
40	QPSK	100	0	23.23	23.24	23.23	24.0	1.0	
40	16QAM	1	1	23.59	23.68	23.62	24.0	1.0	
40	64QAM	1	1	22.09	22.10	22.04	22.5	2.5	
40	256QAM	1	1	19.76	19.83	19.82	20.5	4.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	23.51	23.62	23.58	25.0	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	23.50	23.57	23.54	25.0	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	15.06	15.18	15.13			
40	Pl2 BPSK	1	53	14.88	15.06	14.96	16.5	0.0	
40	Pl2 BPSK	1	104	15.04	15.05	15.09			
40	Pl2 BPSK	50	0	14.99	14.98	15.11	16.5	0.0	
40	Pl2 BPSK	50	28	15.09	15.17	15.16	16.5	0.0	
40	Pl2 BPSK	50	56	15.04	15.01	15.07	16.5	0.0	
40	Pl2 BPSK	100	0	15.06	15.12	15.11			
40	QPSK	1	1	14.99	15.13	15.02			
40	QPSK	1	53	15.02	15.17	15.02	16.5	0.0	
40	QPSK	1	104	15.09	15.14	15.05			
40	QPSK	50	0	14.87	14.98	14.84			
40	QPSK	50	28	14.84	14.99	14.93	16.5	0.0	
40	QPSK	50	56	15.00	15.07	14.98			
40	QPSK	100	0	14.87	15.02	14.90	16.5	0.0	
40	16QAM	1	1	14.90	14.95	14.81	16.5	0.0	
40	64QAM	1	1	15.03	15.14	15.08	16.5	0.0	
40	256QAM	1	1	15.05	15.14	15.02	16.5	0.0	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	14.93	15.13	15.07	16.5	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	15.00	15.12	15.06	16.5	0.0	

Reduced Power for DSI 4

n2_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				1660	1670	1680			
Frequency (MHz)				1660	1670	1680			
20	PI2 BPSK	1	1	19.22	19.31	19.23			
20	PI2 BPSK	1	53	18.98	19.14	19.05	20.3	0.0	
20	PI2 BPSK	1	104	19.07	19.16	19.04			
20	PI2 BPSK	50	0	19.00	19.12	19.02	20.3	0.0	
20	PI2 BPSK	50	28	19.11	19.16	19.06	20.3	0.0	
20	PI2 BPSK	50	56	18.97	19.04	18.88			
20	PI2 BPSK	100	0	19.04	19.12	19.01	20.3	0.0	
20	QPSK	1	1	19.10	19.16	19.08			
20	QPSK	1	53	19.05	19.16	19.07	20.3	0.0	
20	QPSK	1	104	19.05	19.16	19.04			
20	QPSK	50	0	19.07	19.13	19.07	20.3	0.0	
20	QPSK	50	28	18.96	19.11	19.04	20.3	0.0	
20	QPSK	50	56	18.97	19.07	18.98			
20	QPSK	100	0	18.92	19.06	19.02	20.3	0.0	
20	16QAM	1	1	19.03	19.11	18.99	20.3	0.0	
20	64QAM	1	1	19.07	19.23	19.10	20.3	0.0	
20	256QAM	1	1	18.93	17.06	16.92	18.3	2.0	
Channel				17150	17600	18050	limit	MPR	
Frequency (MHz)				17150	1800	1902.5	(dB)		
15	PI2 BPSK	1	1	19.08	19.21	19.10	20.3	0.0	
Channel				371000	376000	381000	limit	MPR	
Frequency (MHz)				1908	1909	1909	(dB)		
10	PI2 BPSK	1	1	19.08	19.24	19.15	20.3	0.0	
Channel				370500	376000	381500	limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dB)		
5	PI2 BPSK	1	1	19.16	19.18	19.13	20.3	0.0	

n2_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				1660	1670	1680			
Frequency (MHz)				1660	1670	1680			
20	PI2 BPSK	1	1	21.18	21.31	21.03			
20	PI2 BPSK	1	53	21.16	21.17	20.96	22.0	0.0	
20	PI2 BPSK	1	104	21.07	21.15	20.92			
20	PI2 BPSK	50	0	20.64	20.66	20.46	22.0	0.0	
20	PI2 BPSK	50	28	21.10	21.13	20.99	22.0	0.0	
20	PI2 BPSK	50	56	20.50	20.53	20.43			
20	PI2 BPSK	100	0	20.52	20.55	20.45	22.0	0.0	
20	QPSK	1	1	21.16	21.20	21.15			
20	QPSK	1	53	21.14	21.15	21.06	22.0	0.0	
20	QPSK	1	104	21.08	21.11	21.06			
20	QPSK	50	0	21.28	21.23	21.28	22.0	0.0	
20	QPSK	50	28	21.17	21.26	21.21	22.0	0.0	
20	QPSK	50	56	21.06	21.23	21.11			
20	QPSK	100	0	21.17	21.18	21.13	22.0	0.0	
20	16QAM	1	1	21.22	21.24	21.23	22.0	0.0	
20	64QAM	1	1	19.94	19.98	19.96	21.0	1.0	
20	256QAM	1	1	17.97	17.93	17.67	19.0	3.0	
Channel				371500	376000	380500	limit	MPR	
Frequency (MHz)				1897.5	1890	1902.5	(dB)		
15	PI2 BPSK	1	1	21.12	21.20	20.96	22.0	0.0	
Channel				371000	376000	381000	limit	MPR	
Frequency (MHz)				1905	1900	1905	(dB)		
10	PI2 BPSK	1	1	21.06	21.23	20.96	22.0	0.0	
Channel				370500	376000	381500	limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dB)		
5	PI2 BPSK	1	1	21.13	21.24	20.95	22.0	0.0	

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				16600	167300	167600			
Frequency (MHz)				834	841.5	839			
20	PI2 BPSK	1	1	23.54	23.58	23.51			
20	PI2 BPSK	1	53	23.52	23.56	23.42	24.5	0.0	
20	PI2 BPSK	1	104	23.37	23.39	23.35			
20	PI2 BPSK	50	0	23.10	23.12	23.08	24.0	0.5	
20	PI2 BPSK	50	28	23.54	23.56	23.53	24.5	0.0	
20	PI2 BPSK	50	56	22.94	22.42	22.93			
20	PI2 BPSK	100	0	23.05	23.07	23.01	24.0	0.5	
20	QPSK	1	1	23.55	23.57	23.33			
20	QPSK	1	53	23.51	23.53	23.46	24.5	0.0	
20	QPSK	1	104	23.41	23.45	23.39			
20	QPSK	50	0	22.58	22.47	22.59	23.5	1.0	
20	QPSK	50	28	23.57	23.46	23.49	24.5	0.0	
20	QPSK	50	56	22.48	22.47	22.44			
20	QPSK	100	0	22.57	22.51	22.49	23.5	1.0	
20	16QAM	1	1	22.76	22.68	22.84	23.5	1.0	
20	64QAM	1	1	21.27	21.25	21.25	22.0	2.5	
20	256QAM	1	1	19.06	19.01	19.14	20.0	4.5	
Channel				166300	167300	168300	limit	MPR	
Frequency (MHz)				831.5	838.5	841.5	(dB)		
15	PI2 BPSK	1	1	23.45	23.50	23.43	24.5	0.0	
Channel				166600	167300	168000	limit	MPR	
Frequency (MHz)				838	839.5	841	(dB)		
10	PI2 BPSK	1	1	23.45	23.44	23.45	24.5	0.0	
Channel				166300	167300	168300	limit	MPR	
Frequency (MHz)				836.5	836.5	846.5	(dB)		
5	PI2 BPSK	1	1	23.49	23.47	23.40	24.5	0.0	

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	836.5	838			
20	PV2 BPSK	1	1	23.70	23.74	23.72			
20	PV2 BPSK	1	53	23.82	23.87	23.81	24.5	0.0	
20	PV2 BPSK	1	104	23.51	23.55	23.52			
20	PV2 BPSK	50	0	23.20	23.22	23.18	24.0	0.5	
20	PV2 BPSK	50	28	23.82	23.87	23.80	24.5	0.0	
20	PV2 BPSK	50	56	23.15	23.17	23.11	24.0	0.5	
20	PV2 BPSK	100	0	23.20	23.23	23.19			
20	QPSK	1	1	23.82	23.71	23.53			
20	QPSK	1	53	23.80	23.72	23.61	24.5	0.0	
20	QPSK	1	104	23.50	23.55	23.50			
20	QPSK	50	0	22.72	22.89	22.74	23.5	1.0	
20	QPSK	50	28	23.88	23.88	23.83	24.5	0.0	
20	QPSK	50	56	22.83	22.84	22.84	23.5	1.0	
20	QPSK	100	0	22.75	22.85	22.83			
20	16QAM	1	1	22.95	22.87	22.91	23.5	1.0	
20	64QAM	1	1	21.43	21.41	21.45	22.0	2.5	
20	256QAM	1	1	19.24	19.23	19.22	20.0	4.5	
Channel				165300	167300	168300	10.1, 10.1	MPR	
Frequency (MHz)				831.5	836.5	841.5	limit (dBm)		
15	PV2 BPSK	1	1	23.64	23.61	23.58	24.5	0.0	
Channel				165800	167300	168800	10.1, 10.1	MPR	
Frequency (MHz)				831	836.5	844	limit (dBm)		
10	PV2 BPSK	1	1	23.54	23.59	23.63	24.5	0.0	
Channel				165300	167300	169300	10.1, 10.1	MPR	
Frequency (MHz)				836.5	836.5	846.5	limit (dBm)		
5	PV2 BPSK	1	1	23.59	23.60	23.66	24.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	PV2 BPSK	1	1	21.08	21.23	21.14			
20	PV2 BPSK	1	53	20.98	21.08	21.01	22.2	0.0	
20	PV2 BPSK	1	104	20.94	21.07	21.02			
20	PV2 BPSK	50	0	20.94	21.08	20.96	22.2	0.0	
20	PV2 BPSK	50	28	21.05	21.15	21.05	22.2	0.0	
20	PV2 BPSK	50	56	20.98	21.12	20.96	22.2	0.0	
20	PV2 BPSK	100	0	20.99	21.14	21.09			
20	QPSK	1	1	21.08	21.18	21.01			
20	QPSK	1	53	21.08	21.14	21.02	22.2	0.0	
20	QPSK	1	104	21.01	21.11	21.01			
20	QPSK	50	0	21.02	21.14	21.00	22.2	0.0	
20	QPSK	50	28	21.05	21.16	21.07	22.2	0.0	
20	QPSK	50	56	21.01	21.07	20.95	22.2	0.0	
20	QPSK	100	0	20.99	21.12	20.98			
20	16QAM	1	1	21.01	21.16	21.08	22.2	0.0	
20	64QAM	1	1	20.53	20.82	20.55	21.2	1.0	
20	256QAM	1	1	18.27	18.43	18.30	19.2	3.0	
Channel				501500	507000	512500	10.1, 10.1	MPR	
Frequency (MHz)				2507.5	2535	2562.5	limit (dBm)		
15	PV2 BPSK	1	1	20.93	21.12	21.06	22.2	0.0	
Channel				501000	507000	513000	10.1, 10.1	MPR	
Frequency (MHz)				2505	2535	2565	limit (dBm)		
10	PV2 BPSK	1	1	20.96	21.17	21.08	22.2	0.0	
Channel				500500	507000	513500	10.1, 10.1	MPR	
Frequency (MHz)				2502.5	2535	2567.5	limit (dBm)		
5	PV2 BPSK	1	1	20.93	21.08	21.06	22.2	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	PV2 BPSK	1	1	20.88	21.16	20.75			
20	PV2 BPSK	1	53	20.83	20.87	20.85	22.3	0.0	
20	PV2 BPSK	1	104	20.78	20.76	20.69			
20	PV2 BPSK	50	0	20.74	20.86	20.62	22.3	0.0	
20	PV2 BPSK	50	28	20.82	20.85	20.66	22.3	0.0	
20	PV2 BPSK	50	56	20.76	20.82	20.57	22.3	0.0	
20	PV2 BPSK	100	0	20.77	20.86	20.63			
20	QPSK	1	1	20.58	20.95	20.67			
20	QPSK	1	53	20.28	20.87	20.72	22.3	0.0	
20	QPSK	1	104	20.22	20.82	20.68			
20	QPSK	50	0	20.17	20.36	20.13	22.3	0.0	
20	QPSK	50	28	20.28	20.78	20.84	22.3	0.0	
20	QPSK	50	56	20.25	20.31	20.14	22.3	0.0	
20	QPSK	100	0	20.09	20.32	20.08			
20	16QAM	1	1	20.22	20.60	20.40	22.3	0.0	
20	64QAM	1	1	20.42	20.94	20.64	21.8	0.5	
20	256QAM	1	1	18.12	18.73	18.46	18.8	2.5	
Channel				501500	507000	512500	10.1, 10.1	MPR	
Frequency (MHz)				2507.5	2535	2562.5	limit (dBm)		
15	PV2 BPSK	1	1	20.74	21.03	20.60	22.3	0.0	
Channel				501000	507000	513000	10.1, 10.1	MPR	
Frequency (MHz)				2505	2535	2565	limit (dBm)		
10	PV2 BPSK	1	1	20.75	21.11	20.69	22.3	0.0	
Channel				500500	507000	513500	10.1, 10.1	MPR	
Frequency (MHz)				2502.5	2535	2567.5	limit (dBm)		
5	PV2 BPSK	1	1	20.78	21.09	20.65	22.3	0.0	

n7_Ant 25											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)			
Channel				502000	507000	512000					
Frequency (MHz)				2419	2435	2469					
20	Pl2 BPSK	1	1	20.10	20.22	20.16	21.2	0.0			
20	Pl2 BPSK	1	53	19.98	20.13	20.08					
20	Pl2 BPSK	1	104	20.02	20.13	20.04					
20	Pl2 BPSK	50	0	19.95	20.06	19.91	21.2	0.0			
20	Pl2 BPSK	50	26	20.04	20.05	20.03	21.2	0.0			
20	Pl2 BPSK	50	56	20.00	20.07	20.02	21.2	0.0			
20	Pl2 BPSK	100	0	20.09	20.15	20.04					
20	QPSK	1	1	20.03	20.17	20.10					
20	QPSK	1	53	20.03	20.14	20.09	21.2	0.0			
20	QPSK	1	104	20.00	20.15	20.04					
20	QPSK	50	0	19.97	20.09	19.95		0.0			
20	QPSK	50	26	19.97	20.11	19.96	21.2	0.0			
20	QPSK	50	56	20.04	20.12	19.98	21.2	0.0			
20	QPSK	100	0	19.95	20.08	19.92	21.2	0.0			
20	16QAM	1	1	20.08	20.19	20.05					
20	64QAM	1	1	19.98	20.04	19.96		0.0			
20	256QAM	1	1	17.88	17.98	17.82	19.2	2.0			
Channel				501500	507000	512500					
Frequency (MHz)				2507.5	2535	2562.5	1770	MPR limit (dB)			
15	Pl2 BPSK	1	1	20.05	20.06	20.00	21.2	0.0			
Channel				501000	507000	513000					
Frequency (MHz)				2495	2535	2565					
10	Pl2 BPSK	1	1	19.97	20.14	19.96	21.2	0.0			
Channel				500500	507000	513500					
Frequency (MHz)				2502.5	2535	2567.5					
5	Pl2 BPSK	1	1	19.96	20.07	19.98	21.2	0.0			

n66_Ant 13											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)			
Channel				345000	349000	353000					
Frequency (MHz)				1725	1745	1765					
30	Pl2 BPSK	1	1	20.54	20.65	20.60	21.3	0.0			
30	Pl2 BPSK	1	80	20.47	20.54	20.43					
30	Pl2 BPSK	1	158	20.26	20.37	20.30					
30	Pl2 BPSK	80	0	20.46	20.52	20.43	21.3	0.0			
30	Pl2 BPSK	80	40	20.55	20.61	20.52					
30	Pl2 BPSK	80	80	20.50	20.56	20.42					
30	Pl2 BPSK	160	0	20.42	20.55	20.47	21.3	0.0			
30	QPSK	1	1	20.50	20.57	20.46					
30	QPSK	1	80	20.46	20.55	20.41					
30	QPSK	1	158	20.29	20.44	20.34	21.3	0.0			
30	QPSK	80	0	20.46	20.57	20.44					
30	QPSK	80	40	20.37	20.44	20.35					
30	QPSK	80	80	20.36	20.49	20.34	21.3	0.0			
30	QPSK	160	0	20.39	20.49	20.41					
30	16QAM	1	1	20.47	20.63	20.58					
30	64QAM	1	1	20.42	20.56	20.45	21.3	0.0			
30	256QAM	1	1	18.99	19.04	18.95					
Channel				344000	349000	354000					
Frequency (MHz)				1720	1745	1770	Intercept limit (dBm)		2.0		
20	Pl2 BPSK	1	1	20.49	20.53	20.55	21.3	0.0			
Channel				343500	349000	354500					
Frequency (MHz)				1717.5	1745	1772.5					
15	Pl2 BPSK	1	1	20.48	20.57	20.55	21.3	0.0			
Channel				343000	349000	355000					
Frequency (MHz)				1715	1745	1775					
10	Pl2 BPSK	1	1	20.40	20.53	20.49	21.3	0.0			
Channel				342500	349000	355500					
Frequency (MHz)				1712.5	1745	1777.5					
5	Pl2 BPSK	1	1	20.45	20.59	20.52	21.3	0.0			
Channel				342000	349000	356000					
Frequency (MHz)				1710	1745	1780					

n66_Ant 31								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	345000	353000		
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	20.87	21.11	20.91		
30	Pl2 BPSK	1	80	20.81	20.85	20.83	22.0	0.0
30	Pl2 BPSK	1	158	20.75	20.81	20.80		
30	Pl2 BPSK	80	0	20.75	20.82	20.80	22.0	0.0
30	Pl2 BPSK	80	40	20.80	20.85	20.82	22.0	0.0
30	Pl2 BPSK	80	80	20.75	20.81	20.78		
30	Pl2 BPSK	160	0	20.88	20.92	20.90	22.0	0.0
30	QPSK	1	1	20.81	20.78	20.86		
30	QPSK	1	80	20.49	20.77	20.63	22.0	0.0
30	QPSK	1	158	20.87	20.81	20.73		
30	QPSK	80	0	19.78	20.04	19.94	22.0	0.0
30	QPSK	80	40	20.49	20.67	20.55	22.0	0.0
30	QPSK	80	80	20.02	20.16	20.01	22.0	0.0
30	QPSK	160	0	20.03	20.15	20.10		
30	16QAM	1	1	20.03	20.24	20.15	22.0	0.0
30	64QAM	1	1	20.83	21.09	20.97	22.0	0.0
30	256QAM	1	1	19.02	19.03	19.01	20.0	2.0
Channel				344000	349000	354000	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	20.76	20.97	20.84	22.0	0.0
Channel				343500	349000	354500	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1721.5	1745	1772.5		
15	Pl2 BPSK	1	1	20.78	20.98	20.83	22.0	0.0
Channel				343000	349000	355000	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	20.76	21.02	20.79	22.0	0.0
Channel				342500	349000	355500	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	20.73	21.04	20.82	22.0	0.0

n66_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	345000	353000		
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	19.01	19.12	18.96		
30	Pl2 BPSK	1	80	18.80	18.86	18.77	19.8	0.0
30	Pl2 BPSK	1	158	18.58	18.73	18.59		
30	Pl2 BPSK	80	0	18.73	18.84	18.76	19.8	0.0
30	Pl2 BPSK	80	40	18.76	18.86	18.76	19.8	0.0
30	Pl2 BPSK	80	80	18.68	18.79	18.72	19.8	0.0
30	Pl2 BPSK	160	0	18.75	18.82	18.72		
30	QPSK	1	1	18.80	18.92	18.84		
30	QPSK	1	80	18.76	18.84	18.77	19.8	0.0
30	QPSK	1	158	18.67	18.75	18.70		
30	QPSK	80	0	18.72	18.86	18.70	19.8	0.0
30	QPSK	80	40	18.71	18.83	18.77	19.8	0.0
30	QPSK	80	80	18.74	18.81	18.76	19.8	0.0
30	QPSK	160	0	18.74	18.81	18.66		
30	16QAM	1	1	18.94	19.09	19.02	19.8	0.0
30	64QAM	1	1	18.94	19.05	18.94	19.8	0.0
30	256QAM	1	1	18.82	18.96	18.82	19.3	0.5
Channel				344000	349000	354000	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	18.94	19.01	18.84	19.8	0.0
Channel				343500	349000	354500	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1721.5	1745	1772.5		
15	Pl2 BPSK	1	1	18.93	19.03	18.80	19.8	0.0
Channel				343000	349000	355000	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	18.89	19.06	18.87	19.8	0.0
Channel				342500	349000	355500	1745.0 limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	18.89	18.99	18.91	19.8	0.0



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	22.03	22.13	22.04			
40	Pl2 BPSK	1	53	21.69	21.84	21.73	23.2	0.0	
40	Pl2 BPSK	1	104	21.69	21.79	21.66			
40	Pl2 BPSK	50	0	21.81	21.91	21.82	23.2	0.0	
40	Pl2 BPSK	50	28	21.88	21.99	21.84			
40	Pl2 BPSK	50	56	21.81	21.76	21.67			
40	Pl2 BPSK	100	0	21.73	21.67	21.71	23.2	0.0	
40	QPSK	1	1	21.95	22.07	22.00			
40	QPSK	1	53	21.74	21.87	21.78	23.2	0.0	
40	QPSK	1	104	21.72	21.86	21.79			
40	QPSK	50	0	21.78	21.93	21.79			
40	QPSK	50	28	21.87	21.82	21.66	23.2	0.0	
40	QPSK	50	56	21.72	21.82	21.75			
40	QPSK	100	0	21.81	21.89	21.77	23.2	0.0	
40	16QAM	1	1	22.02	22.11	22.05	23.2	0.0	
40	64QAM	1	1	21.37	21.52	21.47	21.7	1.5	
40	256QAM	1	1	19.13	19.26	19.14	19.7	3.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	21.91	22.01	21.95	23.2	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	21.93	22.00	21.94	23.2	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	20.96	21.29	21.00			
40	Pl2 BPSK	1	53	20.89	21.05	20.95	22.0	0.0	
40	Pl2 BPSK	1	104	20.90	21.02	20.91			
40	Pl2 BPSK	50	0	20.90	20.90	20.82	22.0	0.0	
40	Pl2 BPSK	50	28	20.87	20.98	20.88			
40	Pl2 BPSK	50	56	20.78	20.85	20.81			
40	Pl2 BPSK	100	0	20.85	20.96	20.87	22.0	0.0	
40	QPSK	1	1	20.96	21.02	21.00			
40	QPSK	1	53	20.96	21.01	20.98	22.0	0.0	
40	QPSK	1	104	20.93	20.95	20.94			
40	QPSK	50	0	20.41	20.45	20.46			
40	QPSK	50	28	20.89	20.92	20.87	22.0	0.0	
40	QPSK	50	56	20.37	20.46	20.45			
40	QPSK	100	0	20.83	20.84	20.83	22.0	0.0	
40	16QAM	1	1	21.19	21.28	21.22	22.0	0.0	
40	64QAM	1	1	21.09	21.10	21.04	22.0	0.0	
40	256QAM	1	1	19.76	19.83	19.82	20.5	1.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	20.82	21.21	20.84	22.0	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	20.89	21.23	20.89	22.0	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	19.04	19.18	19.13			
40	Pl2 BPSK	1	53	18.88	19.06	18.96	20.5	0.0	
40	Pl2 BPSK	1	104	19.04	19.05	19.09			
40	Pl2 BPSK	50	0	19.99	19.98	19.01	20.5	0.0	
40	Pl2 BPSK	50	28	19.05	19.08	19.06			
40	Pl2 BPSK	50	56	19.04	19.01	19.03			
40	Pl2 BPSK	100	0	19.06	19.12	19.11	20.5	0.0	
40	QPSK	1	1	19.08	19.13	19.03			
40	QPSK	1	53	19.04	19.17	19.04	20.5	0.0	
40	QPSK	1	104	18.98	19.14	19.03			
40	QPSK	50	0	18.86	18.98	18.82			
40	QPSK	50	28	18.83	18.99	18.84	20.5	0.0	
40	QPSK	50	56	19.00	19.07	18.94			
40	QPSK	100	0	18.93	19.02	18.86	20.5	0.0	
40	16QAM	1	1	18.87	18.95	18.90	20.5	0.0	
40	64QAM	1	1	18.99	19.14	19.02	20.5	0.0	
40	256QAM	1	1	18.58	19.14	18.98	19.5	1.0	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	18.99	19.05	19.01	20.5	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	18.99	19.10	19.06	20.5	0.0	

Reduced Power for DSI 5

n2_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1690	1690	1690			
20	Pl2 BPSK	1	1	15.82	15.95	15.81			
20	Pl2 BPSK	1	53	15.81	15.84	15.74	16.8		
20	Pl2 BPSK	1	104	15.80	15.86	15.72			
20	Pl2 BPSK	50	0	15.98	15.82	15.75	16.8		
20	Pl2 BPSK	50	26	15.76	15.88	15.82	16.8		
20	Pl2 BPSK	50	56	15.72	15.74	15.73			
20	Pl2 BPSK	100	0	15.78	15.82	15.77	16.8		
20	QPSK	1	1	15.75	15.86	15.87			
20	QPSK	1	53	15.80	15.86	15.84	16.8		
20	QPSK	1	104	15.72	15.88	15.81			
20	QPSK	50	0	15.74	15.83	15.57	16.8		
20	QPSK	50	26	15.74	15.81	15.81	16.8		
20	QPSK	50	56	15.94	15.77	15.55	16.8		
20	QPSK	100	0	15.71	15.76	15.56			
20	16QAM	1	1	15.69	15.81	15.57	16.8		
20	64QAM	1	1	15.83	15.91	15.76	16.8		
20	256QAM	1	1	15.74	15.90	15.76	16.8		
Channel				371500	376000	380500	limit	MPR	
Frequency (MHz)				1697.5	1690	1692.5			
15	Pl2 BPSK	1	1	15.72	15.80	15.75	16.8		
Channel				371000	376000	381000	limit	MPR	
Frequency (MHz)				1695	1690	1695			
10	Pl2 BPSK	1	1	15.71	15.85	15.70	16.8		
Channel				370500	376000	381500	limit	MPR	
Frequency (MHz)				1692.5	1690	1697.5			
5	Pl2 BPSK	1	1	15.69	15.89	15.70	16.8		

n2_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1690	1690	1690			
20	Pl2 BPSK	1	1	21.18	21.31	21.03			
20	Pl2 BPSK	1	53	21.16	21.17	20.96	22.0		
20	Pl2 BPSK	1	104	21.07	21.15	20.92			
20	Pl2 BPSK	50	0	20.84	20.86	20.46	22.0		
20	Pl2 BPSK	50	26	21.10	21.13	20.98	22.0		
20	Pl2 BPSK	50	56	20.50	20.53	20.43			
20	Pl2 BPSK	100	0	20.52	20.55	20.45	22.0		
20	QPSK	1	1	21.16	21.20	21.15			
20	QPSK	1	53	21.14	21.15	21.05	22.0		
20	QPSK	1	104	21.08	21.11	21.06			
20	QPSK	50	0	21.28	21.23	21.28	22.0		
20	QPSK	50	26	21.17	21.26	21.21	22.0		
20	QPSK	50	56	21.05	21.23	21.11	22.0		
20	QPSK	100	0	21.17	21.18	21.13			
20	16QAM	1	1	21.22	21.24	21.23	22.0		
20	64QAM	1	1	19.94	19.98	19.96	21.0		
20	256QAM	1	1	17.97	17.93	17.87	19.0		
Channel				371500	376000	380500	limit	MPR	
Frequency (MHz)				1697.5	1690	1692.5			
15	Pl2 BPSK	1	1	21.08	21.22	20.88	22.0		
Channel				371000	376000	381000	limit	MPR	
Frequency (MHz)				1695	1690	1695			
10	Pl2 BPSK	1	1	21.10	21.20	20.98	22.0		
Channel				370500	376000	381500	limit	MPR	
Frequency (MHz)				1692.5	1690	1697.5			
5	Pl2 BPSK	1	1	21.13	21.18	20.88	22.0		

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800			
Frequency (MHz)				834	834.5	835			
20	Pl2 BPSK	1	1	23.54	23.58	23.51			
20	Pl2 BPSK	1	53	23.52	23.56	23.42	24.5		
20	Pl2 BPSK	1	104	23.37	23.39	23.35			
20	Pl2 BPSK	50	0	23.10	23.12	23.08	24.0		
20	Pl2 BPSK	50	26	23.54	23.56	23.53	24.5		
20	Pl2 BPSK	50	56	22.94	22.42	22.93			
20	Pl2 BPSK	100	0	23.05	23.07	23.01	24.0		
20	QPSK	1	1	23.55	23.57	23.33			
20	QPSK	1	53	23.51	23.53	23.45	24.5		
20	QPSK	1	104	23.41	23.45	23.39			
20	QPSK	50	0	22.58	22.47	22.59	23.5		
20	QPSK	50	26	23.57	23.46	23.49	24.5		
20	QPSK	50	56	22.48	22.47	22.44	23.5		
20	QPSK	100	0	22.57	22.51	22.49			
20	16QAM	1	1	22.76	22.88	22.84	23.5		
20	64QAM	1	1	21.27	21.25	21.25	22.0		
20	256QAM	1	1	19.06	19.01	19.14	20.0		
Channel				166300	167300	168300	limit	MPR	
Frequency (MHz)				831.5	834.5	841.5			
15	Pl2 BPSK	1	1	23.45	23.50	23.43	24.5		
Channel				166800	167300	168800	limit	MPR	
Frequency (MHz)				834	834.5	844			
10	Pl2 BPSK	1	1	23.45	23.44	23.45	24.5		
Channel				166300	167300	168300	limit	MPR	
Frequency (MHz)				826.5	836.5	846.5			
5	Pl2 BPSK	1	1	23.49	23.47	23.40	24.5		

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	1836.5	834			
20	P12 BPSK	1	1	23.70	23.74	23.72			
20	P12 BPSK	1	53	23.82	23.87	23.81	24.5	0.0	
20	P12 BPSK	1	104	23.51	23.55	23.52			
20	P12 BPSK	50	0	23.20	23.22	23.18	24.0	0.5	
20	P12 BPSK	50	28	23.82	23.87	23.80	24.5	0.0	
20	P12 BPSK	50	56	23.15	23.17	23.11			
20	P12 BPSK	100	0	23.20	23.23	23.19	24.0	0.5	
20	QPSK	1	1	23.82	23.71	23.53			
20	QPSK	1	53	23.80	23.72	23.81	24.5	0.0	
20	QPSK	1	104	23.50	23.55	23.50			
20	QPSK	50	0	22.72	22.89	22.74	23.5	1.0	
20	QPSK	50	28	23.88	23.88	23.83	24.5	0.0	
20	QPSK	50	56	22.83	22.84	22.84	23.5	1.0	
20	QPSK	100	0	22.75	22.85	22.83			
20	16QAM	1	1	22.95	22.87	22.91	23.5	1.0	
20	64QAM	1	1	21.43	21.41	21.45	22.0	2.5	
20	256QAM	1	1	19.24	19.23	19.22	20.0	4.5	
Channel				165300	167300	168300	114.1° limit	MPR	
Frequency (MHz)				831.5	1836.5	841.5			
15	P12 BPSK	1	1	23.84	23.81	23.58	24.5	0.0	
Channel				165800	167300	168800	114° limit	MPR	
Frequency (MHz)				831	1836.5	841			
10	P12 BPSK	1	1	23.54	23.59	23.63	24.5	0.0	
Channel				165300	167300	169300	114° limit	MPR	
Frequency (MHz)				836.5	1836.5	846.5			
5	P12 BPSK	1	1	23.59	23.60	23.66	24.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	P12 BPSK	1	1	18.07	18.23	18.15			
20	P12 BPSK	1	53	17.92	18.08	17.97	19.2	0.0	
20	P12 BPSK	1	104	18.01	18.07	17.98			
20	P12 BPSK	50	0	17.97	18.08	17.97	19.2	0.0	
20	P12 BPSK	50	28	18.13	18.15	18.09	19.2	0.0	
20	P12 BPSK	50	56	18.03	18.12	18.02			
20	P12 BPSK	100	0	18.00	18.14	18.02	19.2	0.0	
20	QPSK	1	1	18.09	18.18	18.06			
20	QPSK	1	53	17.98	18.14	18.04	19.2	0.0	
20	QPSK	1	104	17.98	18.11	18.09			
20	QPSK	50	0	18.07	18.14	18.00	19.2	0.0	
20	QPSK	50	28	18.00	18.16	18.03	19.2	0.0	
20	QPSK	50	56	17.99	18.07	17.99	19.2	0.0	
20	QPSK	100	0	17.97	18.12	18.00			
20	16QAM	1	1	18.04	18.16	18.07	19.2	0.0	
20	64QAM	1	1	18.00	18.15	18.10	19.2	0.0	
20	256QAM	1	1	18.11	18.20	18.15	19.2	0.0	
Channel				501500	507000	512500	114.1° limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	17.94	18.17	18.07	19.2	0.0	
Channel				501000	507000	513000	114° limit	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	17.96	18.17	18.04	19.2	0.0	
Channel				500500	507000	513500	114° limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	17.93	18.16	18.02	19.2	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	2535	2560			
20	P12 BPSK	1	1	20.88	21.16	20.75			
20	P12 BPSK	1	53	20.83	20.87	20.85	22.3	0.0	
20	P12 BPSK	1	104	20.78	20.76	20.69			
20	P12 BPSK	50	0	20.74	20.86	20.62	22.3	0.0	
20	P12 BPSK	50	28	20.82	20.85	20.66	22.3	0.0	
20	P12 BPSK	50	56	20.76	20.82	20.57			
20	P12 BPSK	100	0	20.77	20.86	20.63	22.3	0.0	
20	QPSK	1	1	20.58	20.95	20.67			
20	QPSK	1	53	20.28	20.87	20.72	22.3	0.0	
20	QPSK	1	104	20.22	20.82	20.68			
20	QPSK	50	0	20.17	20.36	20.13	22.3	0.0	
20	QPSK	50	28	20.28	20.78	20.84	22.3	0.0	
20	QPSK	50	56	20.45	20.51	20.34	22.3	0.0	
20	QPSK	100	0	20.29	20.52	20.28			
20	16QAM	1	1	20.42	20.80	20.60	22.3	0.0	
20	64QAM	1	1	20.42	20.84	20.64	21.8	0.5	
20	256QAM	1	1	18.12	18.73	18.46	18.8	2.5	
Channel				501500	507000	512500	114.1° limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5			
15	P12 BPSK	1	1	20.81	21.09	20.67	22.3	0.0	
Channel				501000	507000	513000	114° limit	MPR	
Frequency (MHz)				2505	2535	2565			
10	P12 BPSK	1	1	20.75	21.09	20.61	22.3	0.0	
Channel				500500	507000	513500	114° limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5			
5	P12 BPSK	1	1	20.73	21.11	20.61	22.3	0.0	

n7_Ant 25											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)			
Channel				502000	507000	512000					
Frequency (MHz)				2419	2435	2469					
20	Pl/2 BPSK	1	1	20.14	20.22	20.07	21.2	0.0			
20	Pl/2 BPSK	1	53	20.07	20.13	20.05					
20	Pl/2 BPSK	1	104	19.99	20.13	19.98					
20	Pl/2 BPSK	50	0	19.91	20.06	19.98	21.2	0.0			
20	Pl/2 BPSK	50	26	20.07	20.05	19.99	21.2	0.0			
20	Pl/2 BPSK	50	56	20.00	20.07	19.94	21.2	0.0			
20	Pl/2 BPSK	100	0	20.07	20.15	20.09					
20	QPSK	1	1	20.07	20.17	20.10					
20	QPSK	1	53	20.02	20.14	19.98	21.2	0.0			
20	QPSK	1	104	20.04	20.15	20.05					
20	QPSK	50	0	20.02	20.09	19.93		0.0			
20	QPSK	50	26	19.99	20.11	19.99	21.2	0.0			
20	QPSK	50	56	20.07	20.12	20.03	21.2	0.0			
20	QPSK	100	0	20.01	20.08	19.93	21.2	0.0			
20	16QAM	1	1	20.04	20.19	20.07					
20	64QAM	1	1	19.98	20.04	19.88		0.0			
20	256QAM	1	1	17.88	17.98	17.82	19.2	2.0			
Channel				501500	507000	512500	17.82 limit (dB)				
Frequency (MHz)				2507.5	2535	2562.5					
15	Pl/2 BPSK	1	1	20.04	20.07	20.02	21.2	0.0			
Channel				501000	507000	513000	17.82 limit (dB)				
Frequency (MHz)				2505	2535	2565					
10	Pl/2 BPSK	1	1	20.08	20.14	19.99	21.2	0.0			
Channel				505000	507000	515000	17.82 limit (dB)				
Frequency (MHz)				2502.5	2535	2567.5					
5	Pl/2 BPSK	1	1	19.99	20.11	20.01	21.2	0.0			

n66_Ant 13											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)			
Channel				345000	349000	353000					
Frequency (MHz)				1725	1745	1765					
30	Pl/2 BPSK	1	1	16.66	16.76	16.65	17.3	0.0			
30	Pl/2 BPSK	1	80	16.39	16.54	16.49					
30	Pl/2 BPSK	1	158	16.27	16.37	16.21					
30	Pl/2 BPSK	80	0	16.43	16.52	16.39	17.3	0.0			
30	Pl/2 BPSK	80	40	16.54	16.61	16.46	17.3	0.0			
30	Pl/2 BPSK	80	80	16.41	16.56	16.45					
30	Pl/2 BPSK	160	0	16.48	16.55	16.46					
30	QPSK	1	1	16.42	16.57	16.49	17.3	0.0			
30	QPSK	1	80	16.46	16.55	16.40					
30	QPSK	1	158	16.35	16.44	16.36					
30	QPSK	80	0	16.46	16.57	16.41	17.3	0.0			
30	QPSK	80	40	16.32	16.44	16.30	17.3	0.0			
30	QPSK	80	80	16.33	16.49	16.36	17.3	0.0			
30	QPSK	160	0	16.42	16.49	16.38	17.3	0.0			
30	16QAM	1	1	16.55	16.63	16.54					
30	64QAM	1	1	16.41	16.56	16.41					
30	256QAM	1	1	16.51	16.58	16.50	17.3	0.0			
Channel				344000	349000	354000	17.70 limit (dB)				
Frequency (MHz)				1720	1745	1770					
20	Pl/2 BPSK	1	1	16.58	16.63	16.56	17.3	0.0			
Channel				343500	349000	354500	17.72 limit (dB)				
Frequency (MHz)				1717.2	1745	1772.2					
15	Pl/2 BPSK	1	1	16.60	16.69	16.60	17.3	0.0			
Channel				343000	349000	355000	17.75 limit (dB)				
Frequency (MHz)				1715	1745	1775					
10	Pl/2 BPSK	1	1	16.60	16.63	16.55	17.3	0.0			
Channel				342500	349000	355500	17.77 limit (dB)				
Frequency (MHz)				1712.5	1745	1777.5					
5	Pl/2 BPSK	1	1	16.52	16.61	16.59	17.3	0.0			

n66_Ant 31								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	345000	353000	22.0	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl/2 BPSK	1	1	20.87	21.05	20.91		
30	Pl/2 BPSK	1	80	20.81	20.85	20.83		
30	Pl/2 BPSK	1	158	20.75	20.81	20.80	22.0	0.0
30	Pl/2 BPSK	80	0	20.75	20.82	20.80		
30	Pl/2 BPSK	80	40	20.80	20.85	20.82		
30	Pl/2 BPSK	80	80	20.75	20.81	20.78		
30	Pl/2 BPSK	160	0	20.88	20.92	20.90	22.0	0.0
30	QPSK	1	1	20.81	20.78	20.88		
30	QPSK	1	80	20.49	20.77	20.63		
30	QPSK	1	158	20.87	20.81	20.73		
30	QPSK	80	0	19.78	20.04	19.94	22.0	0.0
30	QPSK	80	40	20.49	20.67	20.55		
30	QPSK	80	80	19.88	20.16	20.01		
30	QPSK	160	0	19.88	20.15	20.10		
30	16QAM	1	1	20.03	20.24	20.15	22.0	0.0
30	64QAM	1	1	20.83	21.01	20.97		
30	256QAM	1	1	18.85	19.03	18.92		
Channel				344000	349000	354000		
Frequency (MHz)				1720	1745	1770	22.0	0.0
20	Pl/2 BPSK	1	1	20.75	20.98	20.75		
Channel				343500	349000	354500		
Frequency (MHz)				1717.5	1743	1772.5		
15	Pl/2 BPSK	1	1	20.74	20.90	20.86	22.0	0.0
Channel				343000	349000	355000		
Frequency (MHz)				1715	1745	1775		
10	Pl/2 BPSK	1	1	20.78	20.96	20.76		
Channel				342500	349000	355500	22.0	0.0
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl/2 BPSK	1	1	20.81	20.89	20.76		

n66_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	345000	353000	19.8	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl/2 BPSK	1	1	18.86	19.02	18.93		
30	Pl/2 BPSK	1	80	18.70	18.86	18.79		
30	Pl/2 BPSK	1	158	18.66	18.73	18.61	19.8	0.0
30	Pl/2 BPSK	80	0	18.75	18.84	18.73		
30	Pl/2 BPSK	80	40	18.77	18.86	18.78		
30	Pl/2 BPSK	80	80	18.70	18.79	18.72		
30	Pl/2 BPSK	160	0	18.75	18.82	18.69	19.8	0.0
30	QPSK	1	1	18.83	18.92	18.81		
30	QPSK	1	80	18.75	18.84	18.73		
30	QPSK	1	158	18.68	18.75	18.60		
30	QPSK	80	0	18.77	18.86	18.77	19.8	0.0
30	QPSK	80	40	18.68	18.83	18.68		
30	QPSK	80	80	18.72	18.81	18.74		
30	QPSK	160	0	18.76	18.81	18.65		
30	16QAM	1	1	18.90	19.01	18.90	19.8	0.0
30	64QAM	1	1	18.90	19.00	18.85		
30	256QAM	1	1	18.87	18.96	18.81		
Channel				344000	349000	354000		
Frequency (MHz)				1720	1745	1770	19.8	0.0
20	Pl/2 BPSK	1	1	18.71	18.89	18.78		
Channel				343500	349000	354500		
Frequency (MHz)				1717.5	1743	1772.5		
15	Pl/2 BPSK	1	1	18.77	18.89	18.80	19.8	0.0
Channel				343000	349000	355000		
Frequency (MHz)				1715	1745	1775		
10	Pl/2 BPSK	1	1	18.71	18.97	18.80		
Channel				342500	349000	355500	19.8	0.0
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl/2 BPSK	1	1	18.72	18.91	18.88		



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	19.97	20.13	20.00			
40	Pl2 BPSK	1	53	19.76	19.84	19.75	20.7	0.0	
40	Pl2 BPSK	1	104	19.89	19.79	19.73			
40	Pl2 BPSK	50	0	19.93	19.91	19.85	20.7	0.0	
40	Pl2 BPSK	50	28	19.87	19.99	19.94	20.7	0.0	
40	Pl2 BPSK	50	56	19.84	19.76	19.70			
40	Pl2 BPSK	100	0	19.72	19.87	19.80			
40	QPSK	1	1	19.96	20.07	19.91			
40	QPSK	1	53	19.76	19.87	19.82	20.7	0.0	
40	QPSK	1	104	19.70	19.86	19.71			
40	QPSK	50	0	19.88	19.93	19.77			
40	QPSK	50	28	19.71	19.82	19.77	20.7	0.0	
40	QPSK	50	56	19.89	19.82	19.72			
40	QPSK	100	0	19.75	19.89	19.80	20.7	0.0	
40	16QAM	1	1	19.98	20.11	19.96	20.7	0.0	
40	64QAM	1	1	19.41	19.52	19.45	20.7	0.0	
40	256QAM	1	1	19.10	19.26	19.14	19.7	1.0	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	19.84	20.02	19.90	20.7	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2580	2595	2610			
20	Pl2 BPSK	1	1	19.91	20.08	19.88	20.7	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	20.96	21.29	21.00			
40	Pl2 BPSK	1	53	20.89	21.05	20.95	22.0	0.0	
40	Pl2 BPSK	1	104	20.90	21.02	20.91			
40	Pl2 BPSK	50	0	20.90	20.90	20.82	22.0	0.0	
40	Pl2 BPSK	50	28	20.87	20.98	20.88	22.0	0.0	
40	Pl2 BPSK	50	56	20.78	20.85	20.81			
40	Pl2 BPSK	100	0	20.85	20.96	20.87	22.0	0.0	
40	QPSK	1	1	20.96	21.02	21.00			
40	QPSK	1	53	20.96	21.01	20.98	22.0	0.0	
40	QPSK	1	104	20.93	20.95	20.94			
40	QPSK	50	0	20.41	20.45	20.46			
40	QPSK	50	28	20.89	20.92	20.87	22.0	0.0	
40	QPSK	50	56	20.37	20.46	20.45			
40	QPSK	100	0	20.83	20.84	20.83	22.0	0.0	
40	16QAM	1	1	21.19	21.28	21.22	22.0	0.0	
40	64QAM	1	1	21.09	21.10	21.04	22.0	0.0	
40	256QAM	1	1	19.76	19.83	19.82	21.0	1.5	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	20.91	21.21	20.95	22.0	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2580	2595	2610			
20	Pl2 BPSK	1	1	20.84	21.15	20.89	22.0	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	19.07	19.18	19.13			
40	Pl2 BPSK	1	53	18.88	19.06	18.96	20.5	0.0	
40	Pl2 BPSK	1	104	19.04	19.05	19.09			
40	Pl2 BPSK	50	0	19.99	19.98	19.91	20.5	0.0	
40	Pl2 BPSK	50	28	19.02	19.07	19.06	20.5	0.0	
40	Pl2 BPSK	50	56	19.01	19.03	19.04			
40	Pl2 BPSK	100	0	19.06	19.12	19.11	20.5	0.0	
40	QPSK	1	1	19.99	19.13	19.00			
40	QPSK	1	53	19.06	19.17	19.06	20.5	0.0	
40	QPSK	1	104	19.06	19.14	19.07			
40	QPSK	50	0	18.86	18.98	18.83			
40	QPSK	50	28	18.86	18.99	18.85	20.5	0.0	
40	QPSK	50	56	19.95	19.07	19.02			
40	QPSK	100	0	19.92	19.02	18.94	20.5	0.0	
40	16QAM	1	1	19.80	19.95	19.88	20.5	0.0	
40	64QAM	1	1	19.07	19.14	19.05	20.5	0.0	
40	256QAM	1	1	19.03	19.14	19.08	19.5	1.0	
Channel				517002	516000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	19.92	19.09	19.04	20.5	0.0	
Channel				516000	516000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2580	2595	2610			
20	Pl2 BPSK	1	1	19.01	19.04	19.02	20.5	0.0	

Par27Q n77_Ant 12										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633334		3500.01				
Frequency (MHz)										
100	PI2 BPSK	1	1		18.02		18.8	0.0		
100	PI2 BPSK	1	137		17.88					
100	PI2 BPSK	1	271		17.93					
100	PI2 BPSK	135	0		17.87		18.8	0.0		
100	PI2 BPSK	135	69		17.89		18.8	0.0		
100	PI2 BPSK	135	138		17.81		18.8	0.0		
100	PI2 BPSK	270	0		17.79					
100	QPSK	1	1		17.87					
100	QPSK	1	137		17.86		18.8	0.0		
100	QPSK	1	271		17.94					
100	QPSK	135	0		17.78					
100	QPSK	135	69		17.77		18.8	0.0		
100	QPSK	135	138		17.86		18.8	0.0		
100	QPSK	270	0		17.83					
100	16QAM	1	1		17.97					18.6
100	64QAM	1	1		17.95		18.8	0.0		
100	256QAM	1	1		17.72		18.8	0.0		
Channel				632698	633334	634000	tune-up limit (dBm)			
Frequency (MHz)				3490.02	3500.01	3510				
80	PI2 BPSK	1	1	17.96	17.94	17.91	18.8	0.0		
Channel				632000	633334	634666	MPR			
Frequency (MHz)				3485	3500.01	3519.99	tune-up limit (dBm)			
60	PI2 BPSK	1	1	17.91	17.92	17.88	18.8	0.0		
Channel				631334	633334	635332	tune-up limit (dBm)			
Frequency (MHz)				3470.01	3500.01	3529.98	(dB)			
40	PI2 BPSK	1	1	17.91	17.65	17.68	18.8	0.0		
Channel				631000	633334	635666	tune-up limit (dBm)			
Frequency (MHz)				3465	3500.01	3534.99				
30	PI2 BPSK	1	1	17.89	17.96	17.92	18.8	0.0		
Channel				630666	633334	636000	MPR			
Frequency (MHz)				3460.02	3500.01	3540	tune-up limit (dBm)			
20	PI2 BPSK	1	1	17.94	17.97	17.93	18.8	0.0		

Par27Q n77_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				680000		686600	692000		
Frequency (MHz)				3750		3840	3930		
100	PI2 BPSK	1	1		17.62	17.79	17.47	18.8	0.0
100	PI2 BPSK	1	137		17.51	17.36	17.42		
100	PI2 BPSK	1	271		17.38	17.67	17.32		
100	PI2 BPSK	135	0		17.36	17.27	17.46	18.8	0.0
100	PI2 BPSK	135	69		17.49	17.65	17.58	18.8	0.0
100	PI2 BPSK	135	138		17.38	17.30	17.45	18.8	0.0
100	PI2 BPSK	270	0		17.48	17.61	17.53		
100	QPSK	1	1		17.17	17.26	17.16		
100	QPSK	1	137		17.17	17.31	17.16	18.8	0.0
100	QPSK	1	271		17.35	17.49	17.39		
100	QPSK	135	0		17.13	17.28	17.14		
100	QPSK	135	69		17.17	17.25	17.10	18.8	0.0
100	QPSK	135	138		17.14	17.26	17.11	18.8	0.0
100	QPSK	270	0		17.13	17.26	17.11		
100	16QAM	1	1		17.38	17.43	17.37		
100	64QAM	1	1		17.32	17.45	17.30	18.8	0.0
100	256QAM	1	1		17.11	17.26	17.18	18.8	0.0
Channel				649334	656000	662666	tune-up limit (dBm)		
Frequency (MHz)				3740.01	3840	3939.99			
80	PI2 BPSK	1	1		17.46	17.70	17.33	18.8	0.0
Channel				648666	656000	663332	MPR		
Frequency (MHz)				3730.02	3840	3949.98	tune-up limit (dBm)		
60	PI2 BPSK	1	1		17.53	17.66	17.42	18.8	0.0
Channel				648000	656000	664000	tune-up limit (dBm)		
Frequency (MHz)				3720	3840	3960	(dB)		
40	PI2 BPSK	1	1		17.55	17.72	17.34	18.8	0.0
Channel				647666	656000	664332	tune-up limit (dBm)		
Frequency (MHz)				3715.02	3840.00	3964.98			
30	PI2 BPSK	1	1		17.50	17.73	17.33	18.8	0.0
Channel				647334	656000	664666	MPR		
Frequency (MHz)				3710.01	3840	3969.99	tune-up limit (dBm)		
20	PI2 BPSK	1	1		17.47	17.63	17.39	18.8	0.0

Par27Q n77_Ant 24										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633334		3500.01				
Frequency (MHz)										
100	PI2 BPSK	1	1		18.59		19.3	0.0		
100	PI2 BPSK	1	137		18.43					
100	PI2 BPSK	1	271		18.34					
100	PI2 BPSK	135	0		18.42		19.3	0.0		
100	PI2 BPSK	135	69		18.49		19.3	0.0		
100	PI2 BPSK	135	138		18.32		19.3	0.0		
100	PI2 BPSK	270	0		18.33					
100	QPSK	1	1		18.57					
100	QPSK	1	137		18.32		19.3	0.0		
100	QPSK	1	271		18.46					
100	QPSK	135	0		18.36					
100	QPSK	135	69		18.34		19.3	0.0		
100	QPSK	135	138		18.33					
100	QPSK	270	0		18.33					
100	16QAM	1	1		18.30		19.3	0.0		
100	64QAM	1	1		18.21		19.3	0.0		
100	256QAM	1	1		18.47		19.3	0.0		
Channel				632698	633334	634000	tune-up limit (dBm)			
Frequency (MHz)				3490.02	3500.01	3510				
80	PI2 BPSK	1	1		18.50	18.54	18.47	19.3	0.0	
Channel				632000	633334	634666	tune-up limit (dBm)		MPR	
Frequency (MHz)				3485	3500.01	3519.99			(dB)	
60	PI2 BPSK	1	1		18.54	18.43	18.52	19.3	0.0	
Channel				631334	633334	635332	tune-up limit (dBm)		MPR	
Frequency (MHz)				3470.01	3500.01	3529.98			(dB)	
40	PI2 BPSK	1	1		18.48	18.45	18.51	19.3	0.0	
Channel				631000	633334	635666	tune-up limit (dBm)		MPR	
Frequency (MHz)				3465	3500.01	3534.99			(dB)	
30	PI2 BPSK	1	1		18.49	18.53	18.52	19.3	0.0	
Channel				630666	633334	636000	tune-up limit (dBm)		MPR	
Frequency (MHz)				3460.02	3500.01	3540			(dB)	
20	PI2 BPSK	1	1		18.54	18.49	18.54	19.3	0.0	

Par270 n77_Ant 24										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				660000	660000	662000				
Frequency (MHz)				3720	3840	3930				
100	P22 BPSK	1	1	18.28	18.30	17.77		19.3	0.0	
100	P22 BPSK	1	137	18.24	17.78	17.51				
100	P22 BPSK	1	271	18.23	17.54	17.68		19.3	0.0	
100	P22 BPSK	135	0	17.94	17.99	17.54				
100	P22 BPSK	135	69	18.01	18.08	17.66		19.3	0.0	
100	P22 BPSK	135	138	17.96	17.57	17.61				
100	P22 BPSK	270	0	17.88	17.91	17.58		19.3	0.0	
100	QPSK	1	1	17.96	18.10	18.01				
100	QPSK	1	137	17.89	17.80	17.68		19.3	0.0	
100	QPSK	1	271	17.44	17.54	17.43				
100	QPSK	135	0	17.84	17.94	17.81		19.3	0.0	
100	QPSK	135	69	17.80	17.71	17.61				
100	QPSK	135	138	17.53	17.58	17.52		19.3	0.0	
100	QPSK	270	0	17.82	17.78	17.85				
100	16QAM	1	1	18.12	18.27	18.16		19.3	0.0	
100	64QAM	1	1	18.12	18.20	18.15				
100	256QAM	1	1	17.88	18.04	17.85		19.3	0.0	
Channel				649334	650000	650266	turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3740.01	3840	3939.99				
80	P22 BPSK	1	1	18.19	18.15	17.62		19.3	0.0	
Channel				649688	650000	650332	turn-up limit (dBm)			MPR (dB)
Frequency (MHz)				3730.02	3840	3940.98				
60	P22 BPSK	1	1	18.21	18.26	17.69		19.3	0.0	
Channel				648000	650000	650400	turn-up limit (dBm)			MPR (dB)
Frequency (MHz)				3720	3840	3960				
40	P22 BPSK	1	1	18.10	18.23	17.71		19.3	0.0	
Channel				647698	650000	650432	turn-up limit (dBm)			MPR (dB)
Frequency (MHz)				3715.02	3840.00	3964.98				
30	P22 BPSK	1	1	18.23	18.23	17.64		19.3	0.0	
Channel				647334	650000	650666	turn-up limit (dBm)			MPR (dB)
Frequency (MHz)				3710.01	3840	3969.99				
20	P22 BPSK	1	1	18.15	18.22	17.62		19.3	0.0	
Channel										

Par27Q n78_Ant 12										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633334	633334	635001				
Frequency (MHz)										
100	P22 BPSK	1	1		17.83			18.5	0.0	
100	P22 BPSK	1	137		17.79					
100	P22 BPSK	1	271		17.79			18.5	0.0	
100	P22 BPSK	135	0		17.73					
100	P22 BPSK	135	69		17.78			18.5	0.0	
100	P22 BPSK	135	138		17.65					
100	P22 BPSK	270	0		17.71			18.5	0.0	
100	QPSK	1	1		17.64					
100	QPSK	1	137		17.74			18.5	0.0	
100	QPSK	1	271		17.81					
100	QPSK	135	0		17.62			18.5	0.0	
100	QPSK	135	69		17.67					
100	QPSK	135	138		17.73			18.5	0.0	
100	QPSK	270	0		17.69					
100	16QAM	1	1		17.73			18.5	0.0	
100	16QAM	1	1		17.73					
100	256QAM	1	1		17.59			18.5	0.0	
Channel				633000	633334	633666	turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3495	3600.01	3604.99				
90	P22 BPSK	1	1	17.74	17.67	17.68		18.5	0.0	
Channel				632666	633334	634000	turn-up limit (dBm)			
Frequency (MHz)				3489.02	3600.01	3610				
80	P22 BPSK	1	1	17.73	17.76	17.77		18.5	0.0	
Channel				632334	633334	634332	turn-up limit (dBm)			
Frequency (MHz)				3485.01	3600.01	3614.98				
70	P22 BPSK	1	1	17.75	17.78	17.68		18.5	0.0	
Channel				632000	633334	634666	turn-up limit (dBm)			
Frequency (MHz)				3480	3600.01	3618.99				
60	P22 BPSK	1	1	17.78	17.75	17.74		18.5	0.0	
Channel				631666	633334	635000	turn-up limit (dBm)			
Frequency (MHz)				3475.02	3600.01	3626				
50	P22 BPSK	1	1	17.75	17.67	17.68		18.5	0.0	
Channel				631334	633334	635332	turn-up limit (dBm)			
Frequency (MHz)				3470.01	3600.01	3629.98				
40	P22 BPSK	1	1	17.70	17.78	17.77		18.5	0.0	
Channel				631000	633334	635666	turn-up limit (dBm)			
Frequency (MHz)				3465	3600.01	3634.99				
30	P22 BPSK	1	1	17.74	17.69	17.71		18.5	0.0	
Channel				630666	633334	636000	turn-up limit (dBm)			
Frequency (MHz)				3460.02	3600.01	3640				
20	P22 BPSK	1	1	17.67	17.72	17.78		18.5	0.0	
Channel										

Part270 n78_Ant 12										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				660000						
Frequency (MHz)				3750						
100	P22 BPSK	1	1		17.52			18.5	0.0	
100	P22 BPSK	1	137		17.21					
100	P22 BPSK	1	271		17.20			18.5	0.0	
100	P22 BPSK	135	0		17.26					
100	P22 BPSK	135	69		17.27			18.5	0.0	
100	P22 BPSK	135	138		17.10					
100	P22 BPSK	270	0		17.14			18.5	0.0	
100	QPSK	1	1		17.47					
100	QPSK	1	137		17.16			18.5	0.0	
100	QPSK	1	271		17.21					
100	QPSK	135	0		17.23			18.5	0.0	
100	QPSK	135	69		17.14					
100	QPSK	135	138		17.08			18.5	0.0	
100	QPSK	270	0		17.16					
100	16QAM	1	1		17.31			18.5	0.0	
100	16QAM	1	1		17.25					
100	256QAM	1	1		17.35			18.5	0.0	
Channel				649668	650000	650332	turn-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3745.02	3750	3754.98				
90	P22 BPSK	1	1	17.41	17.43	17.38		18.5	0.0	
Channel				649334	650000	650666	turn-up limit (dBm)			
Frequency (MHz)				3740.01	3750	3759.99				
80	P22 BPSK	1	1	17.39	17.47	17.46		18.5	0.0	
Channel				649000	650000	651000	turn-up limit (dBm)			
Frequency (MHz)				3735	3750	3765				
70	P22 BPSK	1	1	17.40	17.42	17.38		18.5	0.0	
Channel				648668	650000	651332	turn-up limit (dBm)			
Frequency (MHz)				3730.02	3750	3769.98				
60	P22 BPSK	1	1	17.44	17.41	17.37		18.5	0.0	
Channel				648334	650000	651666	turn-up limit (dBm)			
Frequency (MHz)				3725.01	3750	3774.99				
50	P22 BPSK	1	1	17.42	17.41	17.44		18.5	0.0	
Channel				648000	650000	652000	turn-up limit (dBm)			
Frequency (MHz)				3720	3750	3780				
40	P22 BPSK	1	1	17.36	17.37	17.42		18.5	0.0	
Channel				647668	650000	652332	turn-up limit (dBm)			
Frequency (MHz)				3715.02	3750.00	3784.98				
30	P22 BPSK	1	1	17.36	17.39	17.39		18.5	0.0	
Channel				647334	650000	652666	turn-up limit (dBm)			
Frequency (MHz)				3710.01	3750	3789.99				
20	P22 BPSK	1	1	17.46	17.37	17.43		18.5	0.0	
Channel				646999	650000	652999	turn-up limit (dBm)			

Reduced Power for DSI 8

n2_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1840	1840	1800			
20	PI2 BPSK	1	1	12.62	12.75	12.81			
20	PI2 BPSK	1	53	12.81	12.84	12.54	13.8		
20	PI2 BPSK	1	104	12.80	12.66	12.52			
20	PI2 BPSK	50	0	12.58	12.62	12.55	13.8		
20	PI2 BPSK	50	28	12.66	12.68	12.62	13.8		
20	PI2 BPSK	50	56	12.52	12.54	12.53			
20	PI2 BPSK	100	0	12.58	12.62	12.57	13.8		
20	QPSK	1	1	12.55	12.66	12.37			
20	QPSK	1	53	12.80	12.68	12.44	13.8		
20	QPSK	1	104	12.52	12.68	12.41			
20	QPSK	50	0	12.54	12.63	12.37	13.8		
20	QPSK	50	28	12.54	12.61	12.41	13.8		
20	QPSK	50	56	12.44	12.57	12.35	13.8		
20	QPSK	100	0	12.51	12.56	12.36			
20	16QAM	1	1	12.49	12.61	12.37	13.8		
20	64QAM	1	1	12.83	12.71	12.58	13.8		
20	256QAM	1	1	12.54	12.70	12.56	13.8		
Channel				371500	376000	380500	11.5 MPR limit (dB)		
Frequency (MHz)				1837.5	1890	1902.5			
15	PI2 BPSK	1	1	12.53	12.61	12.46	13.8		
Channel				371000	376000	381000	11.5 MPR limit (dB)		
Frequency (MHz)				1825	1840	1800			
10	PI2 BPSK	1	1	12.53	12.60	12.56	13.8		
Channel				370500	376000	381500	11.5 MPR limit (dB)		
Frequency (MHz)				1802.5	1890	1907.5			
5	PI2 BPSK	1	1	12.57	12.61	12.45	13.8		

n2_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				372000	376000	380000			
Frequency (MHz)				1840	1840	1800			
20	PI2 BPSK	1	1	16.68	16.81	16.53			
20	PI2 BPSK	1	53	16.66	16.67	16.46	17.5		
20	PI2 BPSK	1	104	16.57	16.65	16.42			
20	PI2 BPSK	50	0	16.14	16.16	15.96	17.5		
20	PI2 BPSK	50	28	16.80	16.83	16.40	17.5		
20	PI2 BPSK	50	56	16.00	16.03	15.93			
20	PI2 BPSK	100	0	16.02	16.05	15.95	17.5		
20	QPSK	1	1	16.66	16.70	16.65			
20	QPSK	1	53	16.64	16.65	16.52	17.5		
20	QPSK	1	104	16.58	16.61	16.56			
20	QPSK	50	0	16.78	16.73	16.78	17.5		
20	QPSK	50	28	16.67	16.76	16.71	17.5		
20	QPSK	50	56	16.55	16.73	16.61	17.5		
20	QPSK	100	0	16.67	16.68	16.63			
20	16QAM	1	1	16.72	16.74	16.73	17.5		
20	64QAM	1	1	16.74	16.76	16.76	17.5		
20	256QAM	1	1	16.77	16.73	16.67	17.5		
Channel				371500	376000	380500	11.5 MPR limit (dB)		
Frequency (MHz)				1837.5	1890	1902.5			
15	PI2 BPSK	1	1	16.52	16.66	16.43	17.5		
Channel				371000	376000	381000	11.5 MPR limit (dB)		
Frequency (MHz)				1825	1840	1800			
10	PI2 BPSK	1	1	16.53	16.67	16.43	17.5		
Channel				370500	376000	381500	11.5 MPR limit (dB)		
Frequency (MHz)				1802.5	1890	1907.5			
5	PI2 BPSK	1	1	16.58	16.76	16.43	17.5		

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800			
Frequency (MHz)				834	841.5	839			
20	PI2 BPSK	1	1	20.29	20.35	20.19			
20	PI2 BPSK	1	53	20.18	20.26	20.07	21.0		
20	PI2 BPSK	1	104	20.04	20.10	20.08			
20	PI2 BPSK	50	0	19.80	19.84	19.73	21.0		
20	PI2 BPSK	50	28	20.26	20.32	20.18	21.0		
20	PI2 BPSK	50	56	19.63	19.12	19.66			
20	PI2 BPSK	100	0	19.70	19.76	19.66	21.0		
20	QPSK	1	1	20.24	20.23	19.88			
20	QPSK	1	53	20.25	20.26	20.18	21.0		
20	QPSK	1	104	20.05	20.15	20.14			
20	QPSK	50	0	19.22	19.16	19.31	21.0		
20	QPSK	50	28	20.21	20.19	20.16	21.0		
20	QPSK	50	56	19.19	19.20	19.19	21.0		
20	QPSK	100	0	19.28	19.15	19.23			
20	16QAM	1	1	19.46	19.32	19.53	21.0		
20	64QAM	1	1	20.22	20.16	20.20	21.0		
20	256QAM	1	1	18.99	18.88	19.00	20.0		
Channel				166300	167200	168300	11.5 MPR limit (dB)		
Frequency (MHz)				831.5	836.5	841.5			
15	PI2 BPSK	1	1	20.25	20.33	20.16	21.0		
Channel				166800	167300	168800	11.5 MPR limit (dB)		
Frequency (MHz)				834	836.5	844			
10	PI2 BPSK	1	1	20.24	20.23	20.23	21.0		
Channel				166300	167200	168300	11.5 MPR limit (dB)		
Frequency (MHz)				826.5	836.5	846.5			
5	PI2 BPSK	1	1	20.18	20.29	20.25	21.0		

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166400	167300	167800			
Frequency (MHz)				834	167.5	834			
20	PV2 BPSK	1	1	22.85	22.71	22.59			
20	PV2 BPSK	1	53	22.50	22.57	22.50	23.5	0.0	
20	PV2 BPSK	1	104	22.37	22.39	22.45			
20	PV2 BPSK	50	0	22.11	22.12	22.13	23.5	0.0	
20	PV2 BPSK	50	28	22.50	22.50	22.45	23.5	0.0	
20	PV2 BPSK	50	56	22.02	22.06	22.03			
20	PV2 BPSK	100	0	22.14	22.10	22.08	23.5	0.0	
20	QPSK	1	1	22.50	22.65	22.42			
20	QPSK	1	53	22.30	22.62	22.50	23.5	0.0	
20	QPSK	1	104	22.51	22.52	22.46			
20	QPSK	50	0	22.82	22.56	22.61	23.5	0.0	
20	QPSK	50	28	22.56	22.58	22.58	23.5	0.0	
20	QPSK	50	56	22.58	22.48	22.59	23.5	0.0	
20	QPSK	100	0	22.65	22.55	22.55			
20	16QAM	1	1	21.81	21.71	21.82	23.5	0.0	
20	64QAM	1	1	21.27	21.29	21.39	22.0	1.5	
20	256QAM	1	1	19.18	19.17	19.18	20.0	3.5	
Channel				165300	167300	168300	167.5	MPR	
Frequency (MHz)				831.5	167.5	841.5	limit (dBm)		
15	PV2 BPSK	1	1	22.54	22.66	22.51	23.5	0.0	
Channel				165800	167300	168800	167.5	MPR	
Frequency (MHz)				831	167.5	841	limit (dBm)		
10	PV2 BPSK	1	1	22.57	22.64	22.51	23.5	0.0	
Channel				165300	167300	169300	167.5	MPR	
Frequency (MHz)				836.5	167.5	846.5	limit (dBm)		
5	PV2 BPSK	1	1	22.54	22.65	22.44	23.5	0.0	

n7_Ant 13									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	253.5	2560			
20	PV2 BPSK	1	1	16.74	16.83	16.74			
20	PV2 BPSK	1	53	16.41	16.56	16.42	17.7	0.0	
20	PV2 BPSK	1	104	16.52	16.57	16.47			
20	PV2 BPSK	50	0	16.43	16.58	16.50	17.7	0.0	
20	PV2 BPSK	50	28	16.54	16.60	16.56	17.7	0.0	
20	PV2 BPSK	50	56	16.51	16.62	16.47	17.7	0.0	
20	PV2 BPSK	100	0	16.59	16.64	16.57			
20	QPSK	1	1	16.54	16.66	16.52			
20	QPSK	1	53	16.40	16.64	16.58	17.7	0.0	
20	QPSK	1	104	16.45	16.61	16.49			
20	QPSK	50	0	16.51	16.64	16.52	17.7	0.0	
20	QPSK	50	28	16.59	16.66	16.59	17.7	0.0	
20	QPSK	50	56	16.49	16.57	16.42	17.7	0.0	
20	QPSK	100	0	16.54	16.62	16.54			
20	16QAM	1	1	16.59	16.66	16.53	17.7	0.0	
20	64QAM	1	1	16.52	16.65	16.56	17.7	0.0	
20	256QAM	1	1	16.63	16.70	16.62	17.7	0.0	
Channel				501500	507000	512500	507.5	MPR	
Frequency (MHz)				2507.5	253.5	2562.5	limit (dBm)		
15	PV2 BPSK	1	1	16.59	16.67	16.64	17.7	0.0	
Channel				501000	507000	513000	507.5	MPR	
Frequency (MHz)				2505	253.5	2565	limit (dBm)		
10	PV2 BPSK	1	1	16.55	16.74	16.59	17.7	0.0	
Channel				500500	507000	513500	507.5	MPR	
Frequency (MHz)				2502.5	253.5	2567.5	limit (dBm)		
5	PV2 BPSK	1	1	16.61	16.72	16.59	17.7	0.0	

n7_Ant 31									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2510	253.5	2560			
20	PV2 BPSK	1	1	19.48	19.76	19.35			
20	PV2 BPSK	1	53	19.43	19.47	19.25	20.8	0.0	
20	PV2 BPSK	1	104	19.38	19.36	19.29			
20	PV2 BPSK	50	0	19.34	19.46	19.22	20.8	0.0	
20	PV2 BPSK	50	28	19.42	19.45	19.26	20.8	0.0	
20	PV2 BPSK	50	56	19.36	19.42	19.17			
20	PV2 BPSK	100	0	19.37	19.46	19.23	20.8	0.0	
20	QPSK	1	1	19.18	19.55	19.27			
20	QPSK	1	53	19.86	19.47	19.32	20.8	0.0	
20	QPSK	1	104	19.82	19.42	19.26			
20	QPSK	50	0	18.77	18.96	18.73	20.8	0.0	
20	QPSK	50	28	18.88	19.38	19.24	20.8	0.0	
20	QPSK	50	56	18.85	18.51	18.74	20.8	0.0	
20	QPSK	100	0	18.69	18.92	18.68			
20	16QAM	1	1	18.82	19.20	19.00	20.8	0.0	
20	64QAM	1	1	19.02	18.54	19.24	20.8	0.0	
20	256QAM	1	1	18.12	18.73	18.46	18.8	1.0	
Channel				501500	507000	512500	507.5	MPR	
Frequency (MHz)				2507.5	253.5	2562.5	limit (dBm)		
15	PV2 BPSK	1	1	19.34	19.67	19.23	20.8	0.0	
Channel				501000	507000	513000	507.5	MPR	
Frequency (MHz)				2505	253.5	2565	limit (dBm)		
10	PV2 BPSK	1	1	19.34	19.77	19.29	20.8	0.0	
Channel				500500	507000	513500	507.5	MPR	
Frequency (MHz)				2502.5	253.5	2567.5	limit (dBm)		
5	PV2 BPSK	1	1	19.38	19.62	19.26	20.8	0.0	

n7_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2410	2435	2460			
20	Pl2 BPSK	1	1	18.57	18.66	18.52			
20	Pl2 BPSK	1	53	18.54	18.63	18.48	19.7	0.0	
20	Pl2 BPSK	1	104	18.56	18.63	18.51			
20	Pl2 BPSK	50	0	18.42	18.56	18.43	19.7	0.0	
20	Pl2 BPSK	50	26	18.54	18.55	18.46	19.7	0.0	
20	Pl2 BPSK	50	56	18.50	18.57	18.42			
20	Pl2 BPSK	100	0	18.52	18.65	18.49	19.7	0.0	
20	QPSK	1	1	18.48	18.57	18.48			
20	QPSK	1	53	18.59	18.64	18.50	19.7	0.0	
20	QPSK	1	104	18.40	18.55	18.40			
20	QPSK	50	0	18.51	18.59	18.50	19.7	0.0	
20	QPSK	50	26	18.54	18.61	18.45	19.7	0.0	
20	QPSK	50	56	18.49	18.62	18.51			
20	QPSK	100	0	18.42	18.56	18.43	19.7	0.0	
20	16QAM	1	1	18.46	18.59	18.45	19.7	0.0	
20	64QAM	1	1	18.39	18.54	18.47	19.7	0.0	
20	256QAM	1	1	17.83	17.98	17.89	19.2	0.5	
Channel				507500	507000	512500	17.83	MPR	
Frequency (MHz)				2507.5	2535	2562.5	limit (dBm)		
15	Pl2 BPSK	1	1	18.42	18.51	18.41	19.7	0.0	
Channel				501000	507000	513000	17.83	MPR	
Frequency (MHz)				2265	2235	2265	limit (dBm)		
10	Pl2 BPSK	1	1	18.41	18.60	18.38	19.7	0.0	
Channel				500500	507000	513500	17.83	MPR	
Frequency (MHz)				2502.5	2535	2567.5	limit (dBm)		
5	Pl2 BPSK	1	1	18.47	18.55	18.42	19.7	0.0	

n66_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1725	1745	1765			
30	Pl2 BPSK	1	1	14.13	14.16	14.10			
30	Pl2 BPSK	1	80	13.83	13.89	13.76	14.8	0.0	
30	Pl2 BPSK	1	158	13.58	13.72	13.58			
30	Pl2 BPSK	80	0	13.71	13.87	13.80	14.8	0.0	
30	Pl2 BPSK	80	40	13.85	13.95	13.89	14.8	0.0	
30	Pl2 BPSK	80	80	13.84	13.91	13.84			
30	Pl2 BPSK	160	0	13.76	13.90	13.83	14.8	0.0	
30	QPSK	1	1	13.85	13.92	13.77			
30	QPSK	1	80	13.82	13.90	13.84	14.8	0.0	
30	QPSK	1	158	13.67	13.79	13.68			
30	QPSK	80	0	13.81	13.92	13.82	14.8	0.0	
30	QPSK	80	40	13.84	13.79	13.70	14.8	0.0	
30	QPSK	80	80	13.79	13.84	13.72	14.8	0.0	
30	QPSK	160	0	13.68	13.84	13.77			
30	16QAM	1	1	14.04	14.16	14.09	14.8	0.0	
30	64QAM	1	1	14.06	14.11	13.96	14.8	0.0	
30	256QAM	1	1	13.86	13.93	13.81	14.8	0.0	
Channel				349000	349000	349000	17.25	MPR	
Frequency (MHz)				1720	1745	1770	limit (dBm)		
20	Pl2 BPSK	1	1	14.07	14.09	14.02	14.8	0.0	
Channel				343500	349000	354500	17.25	MPR	
Frequency (MHz)				1717.5	1745	1772.5	limit (dBm)		
15	Pl2 BPSK	1	1	14.08	14.05	14.05	14.8	0.0	
Channel				343000	349000	355000	17.15	MPR	
Frequency (MHz)				1715	1745	1775	limit (dBm)		
10	Pl2 BPSK	1	1	14.04	14.09	13.99	14.8	0.0	
Channel				342500	349000	355500	17.15	MPR	
Frequency (MHz)				1712.5	1745	1777.5	limit (dBm)		
5	Pl2 BPSK	1	1	13.98	14.03	13.94	14.8	0.0	

n66_Ant 31								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	17.37	17.58	17.41	18.5	0.0
30	Pl2 BPSK	1	80	17.31	17.35	17.33		
30	Pl2 BPSK	1	158	17.25	17.31	17.30		
30	Pl2 BPSK	80	0	17.25	17.32	17.30	18.5	0.0
30	Pl2 BPSK	80	40	17.30	17.35	17.32	18.5	0.0
30	Pl2 BPSK	80	80	17.25	17.31	17.28	18.5	0.0
30	Pl2 BPSK	160	0	17.39	17.42	17.40		
30	QPSK	1	1	17.11	17.28	17.18		
30	QPSK	1	80	16.99	17.27	17.13	18.5	0.0
30	QPSK	1	158	17.17	17.31	17.23		
30	QPSK	80	0	16.82	16.84	16.84		
30	QPSK	80	40	17.09	17.27	17.15	18.5	0.0
30	QPSK	80	80	16.83	16.76	16.81	18.5	0.0
30	QPSK	160	0	16.82	16.75	16.70	18.5	0.0
30	16QAM	1	1	16.63	16.84	16.75		
30	16QAM	1	1	17.33	17.49	17.47		
30	256QAM	1	1	17.35	17.53	17.42	18.5	0.0
Channel				344000	349000	354000	17.75 limit (dB)	MPR
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	17.21	17.47	17.26	18.5	0.0
Channel				343500	349000	354500	17.75 limit (dB)	MPR
Frequency (MHz)				1717.5	1745	1772.5		
15	Pl2 BPSK	1	1	17.28	17.53	17.35	18.5	0.0
Channel				343000	349000	355000	17.75 limit (dB)	MPR
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	17.29	17.52	17.36	18.5	0.0
Channel				342500	349000	355500	17.75 limit (dB)	MPR
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	17.30	17.48	17.35	18.5	0.0

n66_Ant 25								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	16.03	16.12	17.86	18.8	0.0
30	Pl2 BPSK	1	80	17.96	17.96	17.78		
30	Pl2 BPSK	1	158	17.89	17.83	17.79		
30	Pl2 BPSK	80	0	17.67	17.94	17.86	18.8	0.0
30	Pl2 BPSK	80	40	16.03	16.04	17.92	18.8	0.0
30	Pl2 BPSK	80	80	16.02	17.89	17.85	18.8	0.0
30	Pl2 BPSK	160	0	16.04	16.05	17.87		
30	QPSK	1	1	17.90	16.02	17.97		
30	QPSK	1	80	17.83	17.94	17.87	18.8	0.0
30	QPSK	1	158	17.79	17.85	17.74		
30	QPSK	80	0	17.85	17.96	17.84		
30	QPSK	80	40	17.77	17.93	17.80	18.8	0.0
30	QPSK	80	80	17.86	17.91	17.81	18.8	0.0
30	QPSK	160	0	17.76	17.91	17.79	18.8	0.0
30	16QAM	1	1	17.95	16.09	17.99		
30	16QAM	1	1	17.99	16.05	17.99		
30	256QAM	1	1	17.99	16.06	17.99	18.8	0.0
Channel				344000	349000	354000	17.75 limit (dB)	MPR
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	17.94	16.07	17.77	18.8	0.0
Channel				343500	349000	354500	17.75 limit (dB)	MPR
Frequency (MHz)				1717.5	1745	1772.5		
15	Pl2 BPSK	1	1	17.92	16.02	17.79	18.8	0.0
Channel				343000	349000	355000	17.75 limit (dB)	MPR
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	17.92	17.99	17.75	18.8	0.0
Channel				342500	349000	355500	17.75 limit (dB)	MPR
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	17.89	16.05	17.71	18.8	0.0



n38_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	18.53	18.60	18.52			
40	Pl2 BPSK	1	53	18.24	18.34	18.25	19.2	0.0	
40	Pl2 BPSK	1	104	18.15	18.29	18.16			
40	Pl2 BPSK	50	0	18.31	18.41	18.33	19.2	0.0	
40	Pl2 BPSK	50	28	18.43	18.49	18.42	19.2	0.0	
40	Pl2 BPSK	50	56	18.15	18.26	18.15	19.2	0.0	
40	Pl2 BPSK	100	0	18.23	18.37	18.21			
40	QPSK	1	1	18.44	18.57	18.41			
40	QPSK	1	53	18.26	18.37	18.26	19.2	0.0	
40	QPSK	1	104	18.24	18.36	18.24			
40	QPSK	50	0	18.37	18.43	18.37			
40	QPSK	50	28	18.16	18.32	18.26	19.2	0.0	
40	QPSK	50	56	18.27	18.32	18.24			
40	QPSK	100	0	18.24	18.39	18.29	19.2	0.0	
40	16QAM	1	1	18.42	18.51	18.36	19.2	0.0	
40	64QAM	1	1	17.89	18.02	17.87	19.2	0.0	
40	256QAM	1	1	18.14	18.26	18.17	19.2	0.0	
Channel				517002	516000	520998	19.2	0.0	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	18.42	18.44	18.47	19.2	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	18.40	18.55	18.38	19.2	0.0	

n38_Ant 31									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	19.46	19.79	19.50			
40	Pl2 BPSK	1	53	19.39	19.55	19.45	20.5	0.0	
40	Pl2 BPSK	1	104	19.40	19.52	19.41			
40	Pl2 BPSK	50	0	19.30	19.40	19.32	20.5	0.0	
40	Pl2 BPSK	50	28	19.37	19.48	19.38	20.5	0.0	
40	Pl2 BPSK	50	56	19.28	19.35	19.31	20.5	0.0	
40	Pl2 BPSK	100	0	19.35	19.46	19.37			
40	QPSK	1	1	19.46	19.52	19.50			
40	QPSK	1	53	19.46	19.51	19.48	20.5	0.0	
40	QPSK	1	104	19.43	19.45	19.44			
40	QPSK	50	0	18.91	18.95	18.96			
40	QPSK	50	28	19.39	19.42	19.37	20.5	0.0	
40	QPSK	50	56	18.97	18.96	18.95			
40	QPSK	100	0	19.33	19.34	19.33	20.5	0.0	
40	16QAM	1	1	19.69	19.76	19.72	20.5	0.0	
40	64QAM	1	1	19.59	19.60	19.54	20.5	0.0	
40	256QAM	1	1	19.76	19.63	19.62	20.5	0.0	
Channel				517002	516000	520998	19.2	0.0	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	19.32	19.73	19.40	20.5	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	19.31	19.73	19.38	20.5	0.0	

n38_Ant 25									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				516004	516000	516996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	17.68	17.88	17.73			
40	Pl2 BPSK	1	53	17.48	17.66	17.56	19.0	0.0	
40	Pl2 BPSK	1	104	17.64	17.65	17.69			
40	Pl2 BPSK	50	0	17.49	17.56	17.61	19.0	0.0	
40	Pl2 BPSK	50	28	17.59	17.77	17.66	19.0	0.0	
40	Pl2 BPSK	50	56	17.54	17.81	17.57	19.0	0.0	
40	Pl2 BPSK	100	0	17.66	17.70	17.81			
40	QPSK	1	1	17.62	17.73	17.62			
40	QPSK	1	53	17.66	17.77	17.62	19.0	0.0	
40	QPSK	1	104	17.60	17.74	17.61			
40	QPSK	50	0	17.47	17.58	17.53			
40	QPSK	50	28	17.52	17.59	17.43	19.0	0.0	
40	QPSK	50	56	17.52	17.67	17.57			
40	QPSK	100	0	17.47	17.62	17.51	19.0	0.0	
40	16QAM	1	1	17.47	17.55	17.49	19.0	0.0	
40	64QAM	1	1	17.79	17.84	17.74	19.0	0.0	
40	256QAM	1	1	17.64	17.74	17.61	19.0	0.0	
Channel				517002	516000	520998	19.2	0.0	
Frequency (MHz)				2585.01	2595	2604.99			
30	Pl2 BPSK	1	1	17.57	17.80	17.66	19.0	0.0	
Channel				516000	516000	522000			
Frequency (MHz)				2590	2595	2610			
20	Pl2 BPSK	1	1	17.57	17.72	17.60	19.0	0.0	



DL CA

Full Power																
2CC																
Configure		CA Configuration (BCS)	PCC						SCC				Power			
			LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx Power (dBm)	W/O CA Tx Power (dBm)	
Inter-Band		CA_2A-4A	Band 2	20M	1880	18900	QPSK	1	0	Band 4	20M	2132.5	2175	23.11	23.28	
		CA_2A-5A	Band 2	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	23.19	23.28	
		CA_2A-66A	Band 2	20M	1880	18900	QPSK	1	0	Band 66	20M	2155	66886	23.12	23.28	
		CA_4A-5A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	23.82	23.88	
		CA_4A-7A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	23.85	23.88	
		CA_4A-12A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 12	10M	737.5	5095	23.86	23.88	
		CA_4A-17A	Band 4	10M	1732.5	20175	QPSK	1	0	Band 17	10M	740	5790	23.06	23.82	
		CA_5A-41A	Band 5	10M	836.5	20525	QPSK	1	0	Band 41	20M	2593	40620	23.77	23.95	
Intra-Band	Non-Contiguous	CA_4A-4A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 4	5M	2152.5	2375	23.79	23.88	
	Contiguous	CA_2C	Band 2	20M	1880	18900	QPSK	1	0	Band 2	20M	1979.80	1098	23.27	23.28	
		CA_66C	Band 66	20M	1745	132322	QPSK	1	0	Band 66	20M	2174.80	67084	23.84	23.89	
		CA_38C	Band 38	20M	2580	37850	QPSK	1	0	Band 38	20M	2614.80	38048	23.45	23.52	
		CA_41C	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.80	40818	23.89	23.82	

3CC																				
Configure		CA Configuration (BCS)	PCC							SCC1				SCC2				Power		
			LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx Power (dBm)	W/O CA Tx Power (dBm)	
Inter-Band		CA_2A-7C	Band 2	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.11	23.28	
		CA_2A-7A-7A	Band 2	20M	1860	18700	QPSK	1	0	Band 7	20M	2655	3100	Band 7	5M	2687.5	3425	23.15	23.02	
		CA_4A-7C	Band 4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	23.98	23.88	
		CA_12A-66A-66A	Band 12	10M	707.5	23095	QPSK	1	0	Band 66	20M	2155	66886	Band 66	5M	2197.5	67311	23.85	23.78	
		CA_41A-41A-41A	Band 41	20M	2593	40620	QPSK	1	0	Band 41	5M	2687.5	41565	Band 41	5M	2498.5	39675	23.89	23.82	
Intra-Band	Non-Contiguous	CA_41D	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	Band 41	20M	2632.6	41016	23.86	23.82	

4CC																								
Configure		CA Configuration (BCS)	PCC								SCC1				SCC2				SCC3				Power	
			LTE Band	BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band	BW (MHz)	DL Freq. (MHz)	DL Channel	With CA TxPower (dBm)	W/O CA TxPower (dBm)	
Inter-Band		CA_5A-7A-66A-66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	Band 66	20M	2155	66886	Band 66	5M	2197.5	67311	23.92	23.95	
Intra-Band	Contiguous	CA_41E	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	Band 41	20M	2632.6	41016	Band 41	20M	2652.4	41214	23.45	23.82	

5CC																																					
Configure	CA Configuration (BCS)	PCC																		SCC1				SCC2				SCC3				SCC4				Power	
		LTE Band		BW (MHz)	UL Freq. (MHz)	UL Channel	Mod.	UL# RB	UL RB Offset	LTE Band		BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band		BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band		BW (MHz)	DL Freq. (MHz)	DL Channel	LTE Band		BW (MHz)	DL Freq. (MHz)	DL Channel	With CA Tx Power (dBm)	W/O CA Tx Power (dBm)						
Inter-Band	CA_5A-7C-66A-66A	Band 5		10M	836.5	20525	QPSK	1	0	Band 7		20M	2655	3100	Band 7		20M	2674.8	3298	Band 66		20M	2155	66886	Band 66		5M	2177.5	67111	23.90	23.95						

Band 41_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				39750	40185	40620	41055	41490	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2506	2549.5	2593	2636.5	2680				
20	QPSK	1	0	23.28	23.30	23.38	23.18	23.21	24.5	0		
20	QPSK	1	49	23.14	23.18	23.21	23.06	23.07				
20	QPSK	1	99	23.16	23.17	23.24	23.10	23.14				
20	QPSK	50	0	22.29	22.23	22.30	22.28	22.23	23.5	1		
20	QPSK	50	24	22.23	22.21	22.11	22.27	22.22				
20	QPSK	50	50	22.22	22.19	22.17	22.24	22.17				
20	QPSK	100	0	22.21	22.20	22.23	22.22	22.15	23.5	1		
20	16QAM	1	0	22.03	22.08	22.13	22.08	22.22				
20	16QAM	1	49	22.37	22.20	22.23	22.56	22.70				
20	16QAM	1	99	22.20	22.22	22.47	22.32	22.35	22.5	2		
20	16QAM	50	0	21.32	21.17	21.25	21.30	21.33				
20	16QAM	50	24	21.39	21.37	21.43	21.40	21.41				
20	16QAM	50	50	21.39	21.24	21.37	21.44	21.49	23.5	1		
20	16QAM	100	0	21.37	21.36	21.38	21.47	21.39				
20	64QAM	1	0	22.10	22.00	22.54	22.47	22.39				
20	64QAM	1	49	22.21	22.05	22.17	21.99	22.20	22.5	2		
20	64QAM	1	99	22.14	22.22	22.45	21.94	22.04				
20	64QAM	50	0	21.37	21.17	21.29	21.42	21.29				
20	64QAM	50	24	21.44	21.37	21.18	21.48	21.37	24.50	0		
20	64QAM	50	50	21.29	21.41	21.46	21.39	21.44				
20	64QAM	100	0	21.38	21.33	21.32	21.40	21.40				
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5				
15	QPSK	1	0	23.23	23.14	23.22	23.11	23.09	23.5	1		
15	QPSK	1	37	23.02	23.07	23.11	22.98	22.98				
15	QPSK	1	74	23.04	23.11	23.13	22.95	23.09				
15	QPSK	36	0	21.99	22.12	22.16	22.16	21.99	23.5	1		
15	QPSK	36	20	22.08	22.16	22.13	22.10	22.28				
15	QPSK	36	39	22.16	22.15	22.23	22.24	22.21				
15	QPSK	75	0	22.19	22.21	22.15	22.20	22.21	23.5	1		
15	16QAM	1	0	22.43	22.34	22.03	22.34	22.56				
15	16QAM	1	37	22.58	22.25	22.34	22.21	22.43				
15	16QAM	1	74	22.53	22.22	22.28	22.44	22.14	22.5	2		
15	16QAM	36	0	21.27	21.29	21.17	21.39	21.36				
15	16QAM	36	20	21.42	21.32	21.40	21.36	21.30				
15	16QAM	36	39	21.39	21.42	21.42	21.49	21.35	23.5	1		
15	16QAM	75	0	21.30	21.35	21.36	21.44	21.31				
15	64QAM	1	0	22.15	22.26	22.12	22.35	22.41				
15	64QAM	1	37	22.39	22.20	22.22	22.40	22.51	22.5	2		
15	64QAM	1	74	22.26	21.75	21.91	22.40	22.23				
15	64QAM	36	0	21.28	21.29	21.41	21.36	21.39				
15	64QAM	36	20	21.46	21.40	21.44	21.37	21.44	24.50	0		
15	64QAM	36	39	21.33	21.40	21.45	21.43	21.46				
15	64QAM	75	0	21.38	21.32	21.34	21.43	21.42				
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2501	2547	2593	2639	2685				
10	QPSK	1	0	23.16	23.22	23.21	23.03	23.08	23.5	1		
10	QPSK	1	25	23.05	23.02	23.07	22.90	22.99				
10	QPSK	1	49	23.06	23.03	23.17	23.05	23.04				
10	QPSK	25	0	22.29	22.21	22.19	22.22	22.19	23.5	1		
10	QPSK	25	12	22.35	22.28	22.26	22.33	22.34				
10	QPSK	25	25	22.32	22.22	22.35	22.30	22.30				
10	QPSK	50	0	22.28	22.28	22.27	22.39	22.32	23.5	1		
10	16QAM	1	0	22.52	22.51	22.46	22.70	22.84				
10	16QAM	1	25	22.69	22.51	22.33	22.90	22.75				
10	16QAM	1	49	22.50	22.59	22.39	22.41	22.68	22.5	2		
10	16QAM	25	0	21.39	21.44	21.44	21.55	21.50				
10	16QAM	25	12	21.57	21.60	21.39	21.58	21.60				
10	16QAM	25	25	21.38	21.50	21.58	21.47	21.59	23.5	1		
10	16QAM	50	0	21.55	21.50	21.55	21.54	21.56				
10	64QAM	1	0	22.42	22.65	22.12	22.48	22.43				
10	64QAM	1	25	22.28	22.58	22.61	22.46	22.43	22.5	2		
10	64QAM	1	49	22.23	22.41	22.13	22.27	22.31				
10	64QAM	25	0	21.30	21.38	21.36	21.31	21.44				
10	64QAM	25	12	21.52	21.45	21.39	21.55	21.56	24.50	0		
10	64QAM	25	25	21.43	21.50	21.51	21.58	21.52				
10	64QAM	50	0	21.43	21.43	21.50	21.53	21.59				
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2499.5	25436	2593	2639.5	2687.5				
5	QPSK	1	0	23.14	23.19	23.23	23.07	23.15	23.5	1		
5	QPSK	1	12	22.99	23.11	23.16	22.98	22.93				
5	QPSK	1	24	23.01	23.04	23.17	22.94	23.07				
5	QPSK	12	0	22.25	22.29	22.21	22.27	22.27	23.5	1		
5	QPSK	12	7	22.36	22.26	22.36	22.28	22.35				
5	QPSK	12	13	22.30	22.22	22.25	22.31	22.25				
5	QPSK	25	0	22.31	22.26	22.14	22.27	22.32	23.5	1		
5	16QAM	1	0	22.59	22.30	22.33	22.65	22.48				
5	16QAM	1	12	22.62	22.54	22.55	22.72	22.57				
5	16QAM	1	24	22.32	22.32	22.43	22.69	22.55	22.5	2		
5	16QAM	12	0	21.57	21.40	21.52	21.51	21.50				
5	16QAM	12	7	21.49	21.39	21.52	21.46	21.60				
5	16QAM	12	13	21.63	21.48	21.37	21.50	21.55	23.5	1		
5	16QAM	25	0	21.54	21.42	21.38	21.49	21.53				
5	64QAM	1	0	22.92	22.23	22.83	22.36	22.58				
5	64QAM	1	12	22.55	22.59	22.60	22.52	22.70	22.5	2		
5	64QAM	1	24	22.43	22.24	22.21	22.77	22.37				
5	64QAM	12	0	21.44	21.38	21.46	21.40	21.54				
5	64QAM	12	7	21.29	21.42	21.53	21.51	21.54	24.50	0		
5	64QAM	12	13	21.50	21.52	21.42	21.51	21.33				
5	64QAM	25	0	21.53	21.40	21.41	21.24	21.45				

Band 41_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				39750	40185	40620	41055	41490				
Frequency (MHz)				2506	2549.5	2593	2636.5	2680				
20	QPSK	1	0	19.65	19.48	19.85	19.65	19.64	21	0		
20	QPSK	1	49	19.25	19.25	19.35	19.57	19.63				
20	QPSK	1	99	19.18	19.32	19.53	19.45	19.37				
20	QPSK	50	0	19.46	19.53	19.57	19.53	19.54				
20	QPSK	50	24	19.43	19.44	19.52	19.46	19.48	21	0		
20	QPSK	50	50	19.32	19.46	19.55	19.48	19.53				
20	QPSK	100	0	19.43	19.49	19.51	19.45	19.50				
20	16QAM	1	0	19.32	19.27	19.35	19.53	19.62				
20	16QAM	1	49	19.53	19.55	19.41	19.44	19.63	21	0		
20	16QAM	1	99	19.45	19.42	19.55	19.80	19.85				
20	16QAM	50	0	19.30	19.33	19.36	19.52	19.44				
20	16QAM	50	24	19.42	19.39	19.34	19.52	19.46				
20	16QAM	50	50	19.39	19.41	19.47	19.50	19.51	21	0		
20	16QAM	100	0	19.28	19.31	19.39	19.52	19.37				
20	64QAM	1	0	19.27	19.43	19.46	19.81	19.60				
20	64QAM	1	49	19.61	19.45	19.52	19.61	19.71				
20	64QAM	1	99	19.55	19.28	19.65	19.24	19.55	21	0		
20	64QAM	50	0	19.48	19.45	19.69	19.77	19.74				
20	64QAM	50	24	19.59	19.76	19.66	19.62	19.66				
20	64QAM	50	50	19.65	19.63	19.63	19.77	19.78				
20	64QAM	100	0	19.69	19.28	19.70	19.80	19.71			Tune-up limit (dBm)	MPR (dB)
Channel				39725	40173	40620	41068	41515				
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5				
15	QPSK	1	0	19.75	19.47	19.76	19.71	19.68	21.00	0		
15	QPSK	1	37	19.30	19.34	19.47	19.72	19.63				
15	QPSK	1	74	19.31	19.37	19.68	19.51	19.48				
15	QPSK	36	0	19.54	19.68	19.64	19.57	19.64				
15	QPSK	36	20	19.55	19.52	19.64	19.52	19.52	21	0		
15	QPSK	36	39	19.36	19.56	19.69	19.52	19.64				
15	QPSK	75	0	19.46	19.57	19.56	19.54	19.61				
15	16QAM	1	0	19.25	19.20	19.73	19.38	19.48				
15	16QAM	1	37	19.47	19.41	19.26	19.35	19.76	21	0		
15	16QAM	1	74	19.29	19.30	19.48	19.74	19.72				
15	16QAM	36	0	19.20	19.22	19.26	19.38	19.32				
15	16QAM	36	20	19.33	19.23	19.25	19.36	19.40				
15	16QAM	36	39	19.34	19.30	19.37	19.44	19.39	21	0		
15	16QAM	75	0	19.20	19.22	19.29	19.45	19.25				
15	64QAM	1	0	19.18	19.27	19.25	19.68	19.50				
15	64QAM	1	37	19.46	19.34	19.43	19.54	19.56				
15	64QAM	1	74	19.46	19.09	19.49	19.14	19.50	21	0		
15	64QAM	36	0	19.34	19.32	19.59	19.70	19.59				
15	64QAM	36	20	19.53	19.05	19.52	19.71	19.58				
15	64QAM	36	39	19.54	19.54	19.69	19.67	19.72				
15	64QAM	75	0	19.55	19.22	19.54	19.69	19.55			Tune-up limit (dBm)	MPR (dB)
Channel				39700	40160	40620	41060	41540				
Frequency (MHz)				2501	2547	2593	2639	2685				
10	QPSK	1	0	19.76	19.44	19.81	19.72	19.71	21.00	0		
10	QPSK	1	25	19.33	19.36	19.42	19.66	19.59				
10	QPSK	1	49	19.27	19.45	19.57	19.55	19.52				
10	QPSK	25	0	19.61	19.64	19.71	19.58	19.62				
10	QPSK	25	12	19.56	19.55	19.59	19.56	19.62	21	0		
10	QPSK	25	25	19.36	19.58	19.65	19.52	19.66				
10	QPSK	50	0	19.46	19.61	19.66	19.57	19.64				
10	16QAM	1	0	19.24	19.18	19.75	19.45	19.56				
10	16QAM	1	25	19.45	19.42	19.26	19.38	19.71	21	0		
10	16QAM	1	49	19.32	19.27	19.46	19.66	19.73				
10	16QAM	25	0	19.13	19.24	19.27	19.47	19.38				
10	16QAM	25	12	19.34	19.31	19.19	19.40	19.34				
10	16QAM	25	25	19.26	19.29	19.34	19.35	19.37	21	0		
10	16QAM	50	0	19.23	19.22	19.27	19.42	19.32				
10	64QAM	1	0	19.20	19.30	19.30	19.73	19.53				
10	64QAM	1	25	19.47	19.31	19.46	19.54	19.63				
10	64QAM	1	49	19.49	19.03	19.56	19.14	19.46	21	0		
10	64QAM	25	0	19.40	19.40	19.59	19.70	19.64				
10	64QAM	25	12	19.44	19.60	19.61	19.77	19.55				
10	64QAM	50	25	19.51	19.55	19.72	19.67	19.69				
10	64QAM	50	0	19.63	19.21	19.55	19.65	19.59			Tune-up limit (dBm)	MPR (dB)
Channel				39675	40148	40620	41093	41565				
Frequency (MHz)				2498.5	2545.8	2593	2640.0	2687.5				
5	QPSK	1	0	19.75	19.51	19.80	19.69	19.73	21.00	0		
5	QPSK	1	12	19.38	19.31	19.39	19.64	19.60				
5	QPSK	1	24	19.30	19.45	19.64	19.56	19.50				
5	QPSK	12	0	19.61	19.62	19.72	19.67	19.66				
5	QPSK	12	7	19.52	19.55	19.59	19.52	19.62	21	0		
5	QPSK	12	13	19.47	19.55	19.67	19.62	19.62				
5	QPSK	25	0	19.39	19.64	19.62	19.52	19.58				
5	16QAM	1	0	19.20	19.18	19.71	19.46	19.47				
5	16QAM	1	12	19.47	19.41	19.27	19.30	19.67	21	0		
5	16QAM	1	24	19.40	19.31	19.49	19.70	19.71				
5	16QAM	12	0	19.10	19.21	19.31	19.44	19.36				
5	16QAM	12	7	19.27	19.26	19.26	19.37	19.40				
5	16QAM	12	13	19.27	19.27	19.41	19.46	19.46	21	0		
5	16QAM	25	0	19.17	19.24	19.24	19.40	19.32				
5	64QAM	1	0	19.18	19.29	19.35	19.69	19.55				
5	64QAM	1	12	19.56	19.38	19.40	19.51	19.66				
5	64QAM	1	24	19.45	19.10	19.50	19.18	19.45	21	0		
5	64QAM	12	0	19.41	19.32	19.58	19.70	19.59				
5	64QAM	12	7	19.45	19.64	19.53	19.80	19.55				
5	64QAM	12	13	19.54	19.51	19.77	19.68	19.69				
5	64QAM	25	0	19.36	19.00	19.35	19.54	19.46			Tune-up limit (dBm)	MPR (dB)

Reduced Power for DSI 3.1

Band 2_Ant 13																		
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Time-up limit (dBm)	MPR (dB)										
Channel																		
Frequency (MHz)				18700	18900	19100												
20	QPSK	1	0	7.36	7.50	7.34		8.5	0									
20	QPSK	1	49	7.35	7.32	7.33												
20	QPSK	1	99	7.21	7.23	7.19												
20	QPSK	50	0	7.40	7.48	7.43		8.5	0									
20	QPSK	50	24	7.37	7.40	7.31												
20	QPSK	50	50	7.33	7.32	7.33												
20	QPSK	100	0	7.35	7.36	7.30		8.5	0									
20	16QAM	1	0	7.52	7.53	7.48												
20	16QAM	1	49	7.48	7.41	7.50												
20	16QAM	1	99	7.37	7.34	7.31		8.5	0									
20	16QAM	50	0	7.22	7.20	7.13												
20	16QAM	50	24	7.20	7.18	7.12												
20	16QAM	50	50	7.12	7.14	7.14		8.5	0									
20	16QAM	100	0	7.17	7.17	7.11												
20	84QAM	1	0	7.51	7.44	7.37		8.5	0									
20	84QAM	1	49	7.33	7.35	7.35												
20	84QAM	1	99	7.24	7.22	7.15												
20	84QAM	50	0	7.22	7.21	7.18		8.5	0									
20	84QAM	50	24	7.19	7.20	7.12												
20	84QAM	50	50	7.14	7.14	7.17												
20	84QAM	100	0	7.20	7.19	7.12		Time-up limit (dBm) MPR (dB)										
Channel																		
Frequency (MHz)																		
15	QPSK	1	0	7.27	7.53	7.22		8.5	0									
15	QPSK	1	37	7.29	7.27	7.27												
15	QPSK	1	74	7.05	7.08	7.08												
15	QPSK	36	0	7.24	7.40	7.27		8.5	0									
15	QPSK	36	20	7.26	7.35	7.23												
15	QPSK	36	39	7.24	7.23	7.28												
15	QPSK	75	0	7.29	7.31	7.19		8.5	0									
15	16QAM	1	0	7.47	7.37	7.41												
15	16QAM	1	37	7.36	7.33	7.45												
15	16QAM	1	74	7.31	7.29	7.16		8.5	0									
15	16QAM	36	0	7.16	7.13	6.97												
15	16QAM	36	20	7.12	7.11	7.07												
15	16QAM	36	39	7.04	7.01	7.07		8.5	0									
15	16QAM	75	0	7.05	7.07	6.96												
15	84QAM	1	0	7.43	7.37	7.23		8.5	0									
15	84QAM	1	37	7.24	7.25	7.20												
15	84QAM	1	74	7.16	7.12	7.04												
15	84QAM	36	0	7.10	7.10	7.05		8.5	0									
15	84QAM	36	20	7.04	7.06	7.01												
15	84QAM	36	39	7.03	6.99	7.03												
15	84QAM	75	0	7.11	7.04	7.03		Time-up limit (dBm) MPR (dB)										
Channel																		
Frequency (MHz)																		
10	QPSK	1	0	7.20	7.52	7.26		8.5	0									
10	QPSK	1	25	7.26	7.16	7.23												
10	QPSK	1	49	7.06	7.11	7.03												
10	QPSK	25	0	7.23	7.37	7.27		8.5	0									
10	QPSK	25	12	7.29	7.28	7.22												
10	QPSK	25	25	7.28	7.27	7.19												
10	QPSK	50	0	7.20	7.28	7.14		8.5	0									
10	16QAM	1	0	7.45	7.48	7.38												
10	16QAM	1	25	7.39	7.35	7.37												
10	16QAM	1	49	7.31	7.23	7.22		8.5	0									
10	16QAM	25	0	7.11	7.15	7.06												
10	16QAM	25	12	7.08	7.03	7.03												
10	16QAM	25	25	7.06	7.05	7.07		8.5	0									
10	16QAM	50	0	7.12	7.05	6.98												
10	84QAM	1	0	7.42	7.33	7.26		8.5	0									
10	84QAM	1	25	7.21	7.28	7.28												
10	84QAM	1	49	7.08	7.10	7.01												
10	84QAM	25	0	7.07	7.07	7.12		8.5	0									
10	84QAM	25	12	7.10	7.10	7.02												
10	84QAM	25	25	6.98	7.04	7.11												
10	84QAM	50	0	7.05	7.05	6.98		Time-up limit (dBm) MPR (dB)										
Channel																		
Frequency (MHz)																		
5	QPSK	1	0	7.24	7.52	7.20		8.5	0									
5	QPSK	1	12	7.20	7.19	7.26												
5	QPSK	1	24	7.06	7.09	7.08												
5	QPSK	12	0	7.28	7.34	7.32		8.5	0									
5	QPSK	12	7	7.26	7.29	7.28												
5	QPSK	12	13	7.27	7.26	7.27												
5	QPSK	25	0	7.26	7.25	7.25		8.5	0									
5	16QAM	1	0	7.44	7.40	7.40												
5	16QAM	1	12	7.39	7.32	7.37												
5	16QAM	1	24	7.28	7.24	7.21		8.5	0									
5	16QAM	12	0	7.08	7.07	7.02												
5	16QAM	12	7	7.10	7.08	7.07												
5	16QAM	12	13	6.99	6.99	7.09		8.5	0									
5	16QAM	25	0	7.12	7.01	6.99												
5	84QAM	1	0	7.41	7.32	7.21		8.5	0									
5	84QAM	1	12	7.19	7.21	7.19												
5	84QAM	1	24	7.08	7.13	7.06												
5	84QAM	12	0	7.17	7.14	7.13		8.5	0									
5	84QAM	12	7	7.07	7.13	7.07												
5	84QAM	12	13	7.00	7.05	7.12												
5	84QAM	25	0	7.07	7.11	6.99		Time-up limit (dBm) MPR (dB)										
Channel																		
Frequency (MHz)																		
3	QPSK	1	0	7.25	7.49	7.23		8.5	0									
3	QPSK	1	8	7.21	7.25	7.21												
3	QPSK	1	14	7.08	7.15	7.07												
3	QPSK	8	0	7.29	7.38	7.35		8.5	0									
3	QPSK	8	4	7.28	7.34	7.17												
3	QPSK	8	7	7.24	7.22	7.26												
3	QPSK	15	0	7.30	7.22	7.25		8.5	0									
3	16QAM	1	0	7.43	7.42	7.39												
3	16QAM	1	8	7.40	7.33	7.41												
3	16QAM	1	14	7.25	7.22	7.24		8.5	0									
3	16QAM	8	0	7.10	7.07	7.06												
3	16QAM	8	4	7.14	7.08	7.01												
3	16QAM	8	7	7.02	7.02	7.00		8.5	0									
3	16QAM	15	0	7.10	7.07	6.98												
3	84QAM	1	0	7.36	7.39	7.26		8.5	0									
3	84QAM	1	8	7.29	7.29	7.21												
3	84QAM	1	14	7.18	7.17	7.01												
3	84QAM	8	0	7.16	7.11	7.05		8.5	0									
3	84QAM	8	4	7.11	7.08	7.06												
3	84QAM	8	7	7.07	7.00	7.03												
3	84QAM	15	0	7.08	7.07	7.05		Time-up limit (dBm) MPR (dB)										
Channel																		
Frequency (MHz)																		
1.4	QPSK	1	0	7.30	7.58	7.18		8.5	0									
1.4	QPSK	1	8	7.26	7.25	7.23												
1.4	QPSK	1	14	7.08	7.08	7.12												
1.4	QPSK	3	0	7.26	7.38	7.31		8.5	0									
1.4	QPSK	3	3	7.21	7.16	7.19												
1.4	QPSK	6	0	7.25	7.24	7.14												
1.4	16QAM	1	0	7.42	7.42	7.42		8.5	0									
1.4	16QAM	1	5	7.21	7.28	7.20												
1.4	16QAM	3	0	7.07	7.10	7.05												
1.4	16QAM	3	1	7.13	7.13	7.01		8.5	0									
1.4	16QAM	3	3	6.93	6.93	7.03												
1.4	16QAM	3	6	7.05	7.07	6.97												
1.4	16QAM	1	0	7.43	7.30	7.24		8.5	0									
1.4	16QAM	1	3	7.23	7.24	7.26												
1.4	16QAM	1	5	7.19	7.09	7.10												
1.4	84QAM	3	0	7.15	7.10	7.05		8.5	0									
1.4	84QAM	3	3	7.05	7.04	7.04												
1.4	84QAM	3	3	7.08	6.98	7.02												
1.4	84QAM	6	0	7.11	7.08	7.06		8.5	0									

Band 4_Ant 13											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel 20090 20170 20300											
Frequency (MHz)											
20	QPSK	1	0	7.86	7.94	7.93	8.5	0			
20	QPSK	1	49	7.65	7.69	7.62					
20	QPSK	1	99	7.53	7.54	7.55					
20	QPSK	50	0	7.84	7.76	7.65					
20	QPSK	50	24	7.69	7.65	7.74	8.5	0			
20	QPSK	50	50	7.80	7.83	7.62					
20	QPSK	100	0	7.65	7.70	7.69					
20	16QAM	1	0	7.83	7.92	7.92					
20	16QAM	1	49	7.82	7.84	7.88	8.5	0			
20	16QAM	1	99	7.62	7.64	7.74					
20	16QAM	50	0	7.44	7.50	7.47					
20	16QAM	50	24	7.50	7.48	7.54					
20	16QAM	50	50	7.40	7.46	7.45	8.5	0			
20	16QAM	100	0	7.46	7.45	7.51					
20	64QAM	1	0	7.72	7.79	7.76					
20	64QAM	1	49	7.63	7.68	7.76					
20	64QAM	1	99	7.58	7.62	7.57	8.5	0			
20	64QAM	50	0	7.43	7.48	7.52					
20	64QAM	50	24	7.49	7.47	7.53					
20	64QAM	50	50	7.44	7.46	7.46					
20	64QAM	100	0	7.47	7.45	7.49	8.5	0			
Channel 20020 20170 20300											
Frequency (MHz)											
15	QPSK	1	0	7.81	7.87	7.88	8.5	0			
15	QPSK	1	37	7.52	7.62	7.46					
15	QPSK	1	74	7.40	7.47	7.45					
15	QPSK	36	0	7.51	7.66	7.53					
15	QPSK	36	20	7.63	7.59	7.59	8.5	0			
15	QPSK	36	39	7.50	7.58	7.55					
15	QPSK	75	0	7.55	7.63	7.57					
15	16QAM	1	0	7.78	7.85	7.85					
15	16QAM	1	37	7.67	7.76	7.75	8.5	0			
15	16QAM	1	74	7.46	7.53	7.62					
15	16QAM	36	0	7.38	7.39	7.31					
15	16QAM	36	20	7.35	7.36	7.44					
15	16QAM	36	39	7.29	7.38	7.35	8.5	0			
15	16QAM	75	0	7.39	7.35	7.44					
15	64QAM	1	0	7.66	7.69	7.68					
15	64QAM	1	37	7.48	7.54	7.63	8.5	0			
15	64QAM	1	74	7.49	7.57	7.47					
15	64QAM	36	0	7.31	7.37	7.44					
15	64QAM	36	20	7.42	7.39	7.38	8.5	0			
15	64QAM	36	39	7.39	7.32	7.41					
15	64QAM	75	0	7.40	7.33	7.45					
Channel 20000 20170 20300											
Frequency (MHz)											
10	QPSK	1	0	7.74	7.89	7.80	8.5	0			
10	QPSK	1	25	7.53	7.59	7.51					
10	QPSK	1	49	7.43	7.38	7.47					
10	QPSK	25	0	7.52	7.71	7.53					
10	QPSK	25	12	7.63	7.55	7.59	8.5	0			
10	QPSK	25	25	7.48	7.58	7.56					
10	QPSK	50	0	7.58	7.59	7.61					
10	16QAM	1	0	7.68	7.85	7.86					
10	16QAM	1	25	7.73	7.73	7.81	8.5	0			
10	16QAM	1	49	7.53	7.48	7.60					
10	16QAM	25	0	7.39	7.34	7.41					
10	16QAM	25	12	7.37	7.41	7.38					
10	16QAM	25	25	7.26	7.39	7.30	8.5	0			
10	16QAM	50	0	7.41	7.38	7.36					
10	64QAM	1	0	7.62	7.73	7.69					
10	64QAM	1	25	7.55	7.63	7.70	8.5	0			
10	64QAM	1	49	7.51	7.49	7.48					
10	64QAM	25	0	7.32	7.33	7.37					
10	64QAM	25	12	7.33	7.41	7.48	8.5	0			
10	64QAM	25	25	7.30	7.34	7.38					
10	64QAM	50	0	7.31	7.31	7.35					
Channel 19975 20170 20300											
Frequency (MHz)											
5	QPSK	1	0	7.70	7.79	7.79	8.5	0			
5	QPSK	1	12	7.57	7.61	7.48					
5	QPSK	1	24	7.42	7.48	7.40					
5	QPSK	12	0	7.53	7.62	7.59					
5	QPSK	12	7	7.53	7.49	7.69	8.5	0			
5	QPSK	12	13	7.50	7.52	7.53					
5	QPSK	25	0	7.49	7.58	7.53					
5	16QAM	1	0	7.68	7.81	7.84					
5	16QAM	1	12	7.66	7.70	7.86	8.5	0			
5	16QAM	1	24	7.57	7.45	7.60					
5	16QAM	12	0	7.28	7.38	7.31					
5	16QAM	12	7	7.36	7.36	7.40					
5	16QAM	12	13	7.34	7.37	7.39	8.5	0			
5	16QAM	25	0	7.36	7.30	7.38					
5	64QAM	1	0	7.64	7.67	7.67					
5	64QAM	1	12	7.49	7.58	7.64	8.5	0			
5	64QAM	1	24	7.49	7.48	7.48					
5	64QAM	12	0	7.33	7.42	7.47					
5	64QAM	12	7	7.42	7.34	7.47	8.5	0			
5	64QAM	12	13	7.29	7.33	7.38					
5	64QAM	15	0	7.34	7.33	7.35					
Channel 19995 20170 20300											
Frequency (MHz)											
3	QPSK	1	0	7.61	7.79	7.79	8.5	0			
3	QPSK	1	8	7.56	7.56	7.48					
3	QPSK	1	14	7.37	7.48	7.48					
3	QPSK	8	0	7.55	7.60	7.58					
3	QPSK	8	7	7.49	7.51	7.51	8.5	0			
3	QPSK	15	0	7.49	7.57	7.60					
3	16QAM	1	0	7.73	7.86	7.87					
3	16QAM	1	8	7.68	7.74	7.80	8.5	0			
3	16QAM	1	14	7.66	7.57	7.58					
3	16QAM	8	0	7.30	7.44	7.39					
3	16QAM	8	4	7.34	7.32	7.46					
3	16QAM	8	7	7.34	7.39	7.39	8.5	0			
3	16QAM	15	0	7.34	7.34	7.39					
3	64QAM	1	0	7.61	7.72	7.65					
3	64QAM	1	8	7.57	7.53	7.66	8.5	0			
3	64QAM	1	14	7.48	7.49	7.51					
3	64QAM	8	0	7.33	7.36	7.40					
3	64QAM	8	4	7.34	7.42	7.47					
3	64QAM	8	7	7.32	7.36	7.35	8.5	0			
3	64QAM	15	0	7.38	7.37	7.36					
Channel 19967 20170 20300											
Frequency (MHz)											
1.4	QPSK	1	0	7.79	7.86	7.88	8.5	0			
1.4	QPSK	1	3	7.56	7.62	7.48					
1.4	QPSK	1	6	7.40	7.40	7.50					
1.4	QPSK	3	0	7.62	7.61	7.55					
1.4	QPSK	3	1	7.64	7.49	7.69	8.5	0			
1.4	QPSK	3	3	7.51	7.51	7.46					
1.4	QPSK	6	0	7.53	7.58	7.57					
1.4	16QAM	1	0	7.69	7.83	7.80					
1.4	16QAM	1	5	7.65	7.53	7.59	8.5	0			
1.4	16QAM	3	0	7.31	7.38	7.42					
1.4	16QAM	3	1	7.37	7.38	7.43					
1.4	16QAM	3	3	7.24	7.37	7.44					
1.4	16QAM	6	0	7.38	7.40	7.44	8.5	0			
1.4	64QAM	1	0	7.64	7.63	7.70					
1.4	64QAM	1	3	7.57	7.62	7.71					
1.4	64QAM	1	5	7.43	7.53	7.43	8.5	0			
1.4	64QAM	3	0	7.27	7.42	7.39					
1.4	64QAM	3	3	7.42	7.42	7.47					
1.4	64QAM	3	6	7.38	7.40	7.30					
1.4	64QAM	6	0	7.33	7.40	7.42	8.5	0			

Band 5_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				20450	20525	20590				
Frequency (MHz)				829	836.5	844				
10	QPSK	1	0	14.42	14.63	14.33	15.5	0		
10	QPSK	1	25	14.31	14.29	14.18				
10	QPSK	1	49	14.17	14.25	14.23				
10	QPSK	25	0	14.41	14.57	14.32	15.5	0		
10	QPSK	25	12	14.50	14.35	14.42				
10	QPSK	25	25	14.42	14.34	14.42				
10	QPSK	50	0	14.43	14.55	14.43	15.5	0		
10	16QAM	0	0	14.56	14.05	14.61				
10	16QAM	1	25	14.26	14.21	14.45				
10	16QAM	1	49	14.25	13.87	14.35	15.5	0		
10	16QAM	25	0	14.24	14.33	14.22				
10	16QAM	25	12	14.29	14.28	14.20				
10	16QAM	25	25	14.36	14.26	14.28	15.5	0		
10	16QAM	50	0	14.32	14.30	14.22				
10	64QAM	1	0	14.07	14.50	14.14				
10	64QAM	1	25	14.12	14.45	14.51	15.5	0		
10	64QAM	1	49	14.46	14.02	14.18				
10	64QAM	25	0	14.19	14.31	14.30				
10	64QAM	25	12	14.27	14.20	14.39	15.5	0		
10	64QAM	25	25	14.29	14.27	14.27				
10	64QAM	50	0	14.29	14.29	14.34				
Channel				20425	20525	20525	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				826.5	836.5	846.5				
5	QPSK	1	0	14.26	14.53	14.17	15.5	0		
5	QPSK	1	12	14.15	14.21	14.11				
5	QPSK	1	24	14.03	14.15	14.09				
5	QPSK	12	0	14.34	14.44	14.22	15.5	0		
5	QPSK	12	7	14.36	14.22	14.33				
5	QPSK	12	13	14.28	14.24	14.31				
5	QPSK	25	0	14.37	14.48	14.35	15.5	0		
5	16QAM	1	0	14.46	13.89	14.54				
5	16QAM	1	12	14.11	14.10	14.32				
5	16QAM	1	24	14.20	13.71	14.23	15.5	0		
5	16QAM	12	0	14.14	14.23	14.06				
5	16QAM	12	7	14.14	14.14	14.09				
5	16QAM	12	13	14.25	14.12	14.12	15.5	0		
5	16QAM	25	0	14.25	14.18	14.06				
5	64QAM	1	0	13.98	14.41	14.02				
5	64QAM	1	12	13.99	14.39	14.44	15.5	0		
5	64QAM	1	24	14.39	13.97	14.10				
5	64QAM	12	0	14.07	14.17	14.19				
5	64QAM	12	7	14.17	14.07	14.31	15.5	0		
5	64QAM	12	13	14.19	14.13	14.21				
5	64QAM	25	0	14.14	14.17	14.28				
Channel				20415	20525	20535	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				825.5	836.5	847.5				
3	QPSK	1	0	14.34	14.55	14.24	15.5	0		
3	QPSK	1	8	14.25	14.20	14.12				
3	QPSK	1	14	14.07	14.19	14.13				
3	QPSK	8	0	14.36	14.41	14.31	15.5	0		
3	QPSK	8	4	14.31	14.24	14.32				
3	QPSK	15	0	14.34	14.47	14.33				
3	16QAM	1	0	14.40	13.91	14.56	15.5	0		
3	16QAM	1	8	14.12	14.05	14.30				
3	16QAM	1	14	14.16	13.75	14.27				
3	16QAM	8	0	14.15	14.17	14.13	15.5	0		
3	16QAM	8	4	14.20	14.20	14.14				
3	16QAM	8	7	14.30	14.14	14.17				
3	16QAM	15	0	14.23	14.20	14.11	15.5	0		
3	84QAM	1	0	13.94	14.45	14.01				
3	84QAM	1	8	13.99	14.35	14.42				
3	84QAM	1	14	14.40	13.91	14.02	15.5	0		
3	84QAM	8	0	14.14	14.21	14.14				
3	84QAM	8	4	14.14	14.06	14.34				
3	84QAM	8	7	14.20	14.15	14.20	15.5	0		
3	84QAM	15	0	14.22	14.21	14.26				
Channel				20407	20525	20543			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				824.7	836.5	848.3				
1.4	QPSK	1	0	14.28	14.58	14.28	15.5	0		
1.4	QPSK	1	3	14.21	14.21	14.07				
1.4	QPSK	1	5	14.05	14.14	14.17				
1.4	QPSK	3	0	14.35	14.42	14.19	15.5	0		
1.4	QPSK	3	1	14.44	14.25	14.26				
1.4	QPSK	3	3	14.38	14.26	14.31				
1.4	QPSK	6	0	14.28	14.42	14.30	15.5	0		
1.4	16QAM	1	0	14.47	13.94	14.55				
1.4	16QAM	1	3	14.15	14.09	14.35				
1.4	16QAM	1	5	14.10	13.74	14.25	15.5	0		
1.4	16QAM	3	0	14.09	14.20	14.12				
1.4	16QAM	3	1	14.16	14.13	14.14				
1.4	16QAM	3	3	14.31	14.16	14.23	15.5	0		
1.4	16QAM	6	0	14.21	14.18	14.08				
1.4	64QAM	1	0	13.99	14.34	14.06				
1.4	64QAM	1	3	14.02	14.36	14.39	15.5	0		
1.4	64QAM	1	5	14.37	13.87	14.09				
1.4	64QAM	3	0	14.10	14.25	14.18				
1.4	64QAM	3	1	14.20	14.06	14.32	15.5	0		
1.4	64QAM	3	3	14.22	14.21	14.16				
1.4	64QAM	6	0	14.24	14.18	14.19				

Band 5_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				20450	20525	20590				
Frequency (MHz)				829	836.5	844				
10	QPSK	1	0	23.86	23.95	23.82	25	0		
10	QPSK	1	25	23.79	23.75	23.77				
10	QPSK	1	49	23.73	23.62	23.71				
10	QPSK	25	0	22.93	22.98	22.88	24	1		
10	QPSK	25	12	22.91	22.88	22.87				
10	QPSK	25	25	22.84	22.88	22.79				
10	QPSK	50	0	22.92	22.93	22.83	24	1		
10	16QAM	1	0	23.24	23.02	23.16				
10	16QAM	1	25	22.75	23.16	23.30				
10	16QAM	1	49	22.78	22.91	23.32	23	2		
10	16QAM	25	0	21.81	21.89	21.87				
10	16QAM	25	12	22.02	21.95	21.82				
10	16QAM	25	25	21.98	21.94	21.83	23	2		
10	16QAM	50	0	21.87	21.82	21.76				
10	64QAM	1	0	21.85	22.15	21.73				
10	64QAM	1	25	22.23	21.91	22.00	22	3		
10	64QAM	1	49	21.73	22.00	21.88				
10	64QAM	1	73	20.86	20.89	20.70				
10	64QAM	25	12	20.88	20.83	20.90	22	3		
10	64QAM	25	25	20.88	20.85	20.74				
10	64QAM	50	0	20.90	20.89	20.85				
Channel				20425	20505	20625	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				826.5	836.5	846.5				
5	QPSK	1	0	23.82	23.78	23.70	25	0		
5	QPSK	1	12	23.74	23.74	23.66				
5	QPSK	1	24	23.74	23.63	23.67				
5	QPSK	12	0	22.72	22.79	22.70	24	1		
5	QPSK	12	7	22.92	22.87	22.75				
5	QPSK	12	13	22.87	22.82	22.79				
5	QPSK	25	0	22.87	22.80	22.70	23	2		
5	16QAM	1	0	22.87	23.01	23.41				
5	16QAM	1	12	23.26	23.50	23.02				
5	16QAM	1	24	23.06	23.49	23.06	23	2		
5	16QAM	12	0	21.75	21.86	21.86				
5	16QAM	12	7	21.90	21.87	21.90				
5	16QAM	12	13	21.85	21.82	21.85	22	3		
5	16QAM	25	0	21.79	21.79	21.79				
5	64QAM	1	0	22.01	22.36	21.78				
5	64QAM	1	12	22.02	21.86	21.85	23	2		
5	64QAM	1	24	21.79	21.84	21.77				
5	64QAM	12	0	20.92	20.86	20.88				
5	64QAM	12	7	20.92	20.82	20.84	22	3		
5	64QAM	12	13	20.88	20.82	20.82				
5	64QAM	25	0	20.92	20.79	20.91				
Channel				20415	20505	20643	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				825.5	836.5	843.5				
3	QPSK	1	0	23.74	23.63	23.64	25	0		
3	QPSK	1	8	23.76	23.76	23.74				
3	QPSK	1	14	23.69	23.68	23.58				
3	QPSK	8	0	22.78	22.71	22.62	24	1		
3	QPSK	8	7	22.84	22.62	22.79				
3	QPSK	15	0	22.86	22.85	22.79				
3	16QAM	1	0	23.17	23.17	23.17	24	1		
3	16QAM	1	8	23.14	22.96	23.23				
3	16QAM	1	14	23.05	22.98	22.83				
3	16QAM	8	0	21.89	21.84	21.70	23	2		
3	16QAM	8	4	21.93	21.90	21.91				
3	16QAM	8	7	21.82	21.87	21.83				
3	16QAM	15	0	21.92	21.87	21.91	22	3		
3	64QAM	1	0	22.06	21.93	21.76				
3	64QAM	1	8	22.11	22.14	21.66				
3	64QAM	1	14	21.73	22.18	22.14	23	2		
3	64QAM	8	0	20.88	20.78	20.76				
3	64QAM	8	7	20.88	20.78	20.76				
3	64QAM	15	0	20.88	20.78	20.76	22	3		
3	64QAM	8	7	20.77	20.93	20.79				
3	64QAM	15	0	20.84	20.75	20.72				
Channel				20407 <th>20505</th> <th>20643</th> <th>Tune-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="2"></th>	20505	20643	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				824.7	836.5	843.3				
1.4	QPSK	1	0	23.64	23.68	23.67	25	0		
1.4	QPSK	1	3	23.66	23.68	23.61				
1.4	QPSK	1	6	23.67	23.64	23.67				
1.4	QPSK	3	0	23.79	23.69	23.62	24	1		
1.4	QPSK	3	1	23.71	23.74	23.59				
1.4	QPSK	3	3	23.72	23.79	23.66				
1.4	QPSK	6	0	22.80	22.72	22.65	24	1		
1.4	16QAM	1	0	23.23	23.29	23.29				
1.4	16QAM	3	3	23.24	23.13	23.00				
1.4	16QAM	1	5	23.00	22.96	23.52	24	1		
1.4	16QAM	3	0	22.89	22.89	22.86				
1.4	16QAM	3	1	22.99	23.03	22.87				
1.4	16QAM	3	3	22.72	22.85	22.97	23	2		
1.4	16QAM	6	0	21.82	21.85	21.78				
1.4	64QAM	1	0	21.99	22.29	21.82				
1.4	64QAM	1	3	21.83	21.91	21.95	23	2		
1.4	64QAM	1	5	21.78	21.90	21.68				
1.4	64QAM	3	0	21.83	21.80	21.94				
1.4	64QAM	3	1	21.67	21.88	21.74	22	3		
1.4	64QAM	3	2	21.68	21.79	21.76				
1.4	64QAM	6	0	20.82	20.77	20.50				

Band 7_Ant 31													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel													
Frequency (MHz)													
20	QPSK	1	0	23.82	23.65	23.58	25	0					
20	QPSK	1	49	23.28	23.40	23.32							
20	QPSK	1	99	23.19	23.32	23.30							
20	QPSK	50	0	22.53	22.74	22.70	24	1					
20	QPSK	50	24	22.51	22.35	22.53							
20	QPSK	50	50	22.34	22.45	22.87							
20	QPSK	100	0	22.51	22.65	22.83	24	1					
20	16QAM	1	0	22.55	22.59	22.87							
20	16QAM	1	49	22.70	22.58	22.89							
20	16QAM	1	99	22.59	22.62	22.63	23	2					
20	16QAM	50	0	21.23	21.57	21.51							
20	16QAM	50	24	21.34	21.41	21.53							
20	16QAM	50	50	21.33	21.57	21.60	23	2					
20	16QAM	100	0	21.42	21.61	21.65							
20	84QAM	1	0	21.32	21.35	21.76							
20	84QAM	1	49	21.55	21.67	21.39	23	2					
20	84QAM	1	99	21.81	21.82	21.75							
20	84QAM	50	0	20.20	20.57	20.57							
20	84QAM	50	24	20.31	20.47	20.60	22	3					
20	84QAM	50	50	20.35	20.61	20.73							
20	84QAM	100	0	20.64	20.64	20.49							
Channel													
Frequency (MHz)													
15	QPSK	1	0	23.31	23.31	23.62	25	0					
15	QPSK	1	37	23.22	23.24	23.46							
15	QPSK	1	74	23.25	23.27	23.57							
15	QPSK	36	0	22.53	22.50	22.59	24	1					
15	QPSK	36	20	22.52	22.52	22.66							
15	QPSK	36	39	22.42	22.54	22.86							
15	QPSK	75	0	22.51	22.48	22.59	24	1					
15	16QAM	1	0	22.68	22.54	22.82							
15	16QAM	1	37	22.65	22.75	22.73							
15	16QAM	1	74	22.67	22.67	22.67	23	2					
15	16QAM	36	0	21.38	21.48	21.47							
15	16QAM	36	20	21.54	21.53	21.64							
15	16QAM	36	39	21.61	21.43	21.71	23	2					
15	16QAM	75	0	21.50	21.60	21.61							
15	84QAM	1	0	21.72	21.68	21.59							
15	84QAM	1	37	21.55	21.53	21.69	23	2					
15	84QAM	1	74	21.58	21.72	21.76							
15	84QAM	36	0	20.41	20.43	20.83							
15	84QAM	36	20	20.54	20.60	20.59	22	3					
15	84QAM	36	39	20.59	20.67	20.70							
15	84QAM	75	0	20.56	20.69	20.72							
Channel													
Frequency (MHz)													
10	QPSK	1	0	23.25	23.57	23.47	25	0					
10	QPSK	1	25	23.41	23.62	23.64							
10	QPSK	1	49	23.39	23.53	23.62							
10	QPSK	25	0	22.53	22.66	22.73	24	1					
10	QPSK	25	12	22.73	22.73	22.88							
10	QPSK	25	25	22.64	22.73	22.88							
10	QPSK	50	0	22.59	22.65	22.90	24	1					
10	16QAM	1	0	22.82	23.00	22.84							
10	16QAM	1	25	23.10	23.27	23.33							
10	16QAM	1	49	22.76	22.88	23.32	23	2					
10	16QAM	25	0	21.50	21.64	21.68							
10	16QAM	25	12	21.64	21.56	21.80							
10	16QAM	25	25	21.61	21.67	21.89	23	2					
10	16QAM	50	0	21.58	21.63	21.91							
10	84QAM	1	0	21.66	21.81	21.84							
10	84QAM	1	25	21.59	21.51	21.81	23	2					
10	84QAM	1	49	21.59	21.89	21.85							
10	84QAM	25	0	20.50	20.64	20.74							
10	84QAM	25	12	20.64	20.65	20.75	22	3					
10	84QAM	25	25	20.51	20.74	20.81							
10	84QAM	50	0	20.59	20.70	20.67							
Channel													
Frequency (MHz)													
5	QPSK	1	0	23.17	23.45	23.47	25	0					
5	QPSK	1	12	23.26	23.63	23.63							
5	QPSK	1	24	23.21	23.45	23.53							
5	QPSK	12	0	22.26	22.47	22.44	24	1					
5	QPSK	12	7	22.42	22.64	22.65							
5	QPSK	12	13	22.38	22.69	22.69							
5	QPSK	25	0	22.44	22.52	22.80	24	1					
5	16QAM	1	0	22.51	22.43	22.67							
5	16QAM	1	12	22.52	22.83	22.80							
5	16QAM	1	24	22.83	22.83	22.86	23	2					
5	16QAM	12	0	21.41	21.54	21.53							
5	16QAM	12	7	21.68	21.68	21.79							
5	16QAM	12	13	21.64	21.69	21.80	23	2					
5	16QAM	25	0	21.61	21.65	21.68							
5	84QAM	1	0	21.56	21.81	21.84							
5	84QAM	1	12	21.76	21.92	21.93	23	2					
5	84QAM	1	24	21.58	22.00	21.97							
5	84QAM	12	0	20.59	20.47	20.51							
5	84QAM	12	7	20.45	20.62	20.64	22	3					
5	84QAM	12	13	20.67	20.62	20.74							
5	84QAM	25	0	20.57	20.50	20.58							

Band 7_Ant 25									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				20150	21100	21350			
20	QPSK	1	0	10.99	11.15	11.09	12.5	0	
20	QPSK	1	49	10.96	10.88	11.08			
20	QPSK	1	99	10.89	11.03	11.14			
20	QPSK	50	0	11.09	11.15	11.14	12.5	0	
20	QPSK	50	24	11.08	10.98	11.11			
20	QPSK	50	50	11.05	11.05	11.08			
20	QPSK	100	0	10.97	11.08	11.03	12.5	0	
20	16QAM	1	0	10.81	10.90	10.97			
20	16QAM	1	49	10.91	11.08	11.09			
20	16QAM	1	99	10.83	11.04	11.06	12.5	0	
20	16QAM	50	0	10.68	10.72	10.89			
20	16QAM	50	24	10.76	10.76	10.86			
20	16QAM	50	50	10.80	10.80	10.92	12.5	0	
20	16QAM	100	0	10.71	10.66	10.85			
20	16QAM	100	0	10.72	10.66	10.89			
20	64QAM	1	49	10.88	10.88	11.09	12.5	0	
20	64QAM	1	99	10.83	10.88	11.08			
20	64QAM	50	0	10.50	10.61	10.82			
20	64QAM	50	24	10.64	10.66	10.89	12.5	0	
20	64QAM	50	50	10.59	10.83	10.99			
20	64QAM	100	0	10.54	10.74	10.88			
Channel				20825	21100	21375	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2597.5	2535	2562.5			
15	QPSK	1	0	10.85	10.99	11.04	12.5	0	
15	QPSK	1	37	10.88	10.78	10.99			
15	QPSK	1	74	10.81	10.98	10.94			
15	QPSK	36	0	11.02	11.00	11.08	12.5	0	
15	QPSK	36	20	10.96	10.89	11.09			
15	QPSK	36	39	10.93	10.97	10.99			
15	QPSK	75	0	10.72	10.72	10.87	12.5	0	
15	16QAM	1	0	10.72	10.77	10.81			
15	16QAM	1	37	10.82	11.03	10.97			
15	16QAM	1	74	10.70	10.95	10.98	12.5	0	
15	16QAM	36	0	10.60	10.57	10.81			
15	16QAM	36	24	10.76	10.82	10.86			
15	16QAM	36	39	10.68	10.83	10.81	12.5	0	
15	16QAM	75	0	10.59	10.80	10.73			
15	64QAM	1	0	10.61	10.80	10.83			
15	64QAM	1	37	10.80	10.78	10.95	12.5	0	
15	64QAM	1	74	10.75	10.85	10.95			
15	64QAM	36	0	10.53	10.84	10.84			
15	64QAM	36	20	10.58	10.55	10.83	12.5	0	
15	64QAM	36	39	10.53	10.67	10.93			
15	64QAM	75	0	10.56	10.63	10.78			
Channel				20800	21100	21400	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2505	2535	2565			
10	QPSK	1	0	10.85	11.05	10.93	12.5	0	
10	QPSK	1	12	10.87	10.79	11.01			
10	QPSK	1	49	10.84	10.92	10.94			
10	QPSK	25	0	10.99	11.07	10.98	12.5	0	
10	QPSK	25	12	10.99	10.82	10.97			
10	QPSK	25	25	10.92	11.00	10.94			
10	QPSK	50	0	10.86	10.92	10.92	12.5	0	
10	16QAM	1	0	10.76	10.76	10.84			
10	16QAM	1	25	10.86	11.02	10.98			
10	16QAM	1	49	10.76	10.89	11.03	12.5	0	
10	16QAM	25	0	10.59	10.63	10.78			
10	16QAM	25	12	10.70	10.63	10.85			
10	16QAM	25	25	10.67	10.83	10.83	12.5	0	
10	16QAM	50	0	10.65	10.52	10.77			
10	64QAM	1	0	10.64	10.53	10.82			
10	64QAM	1	25	10.80	10.76	11.00	12.5	0	
10	64QAM	1	49	10.69	10.90	10.96			
10	64QAM	25	0	10.54	10.84	10.72			
10	64QAM	25	12	10.54	10.50	10.82	12.5	0	
10	64QAM	25	25	10.52	10.69	10.94			
10	64QAM	50	0	10.53	10.58	10.83			
Channel				20775	21100	21425	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	0	10.84	11.01	11.04	12.5	0	
5	QPSK	1	12	10.86	10.78	10.96			
5	QPSK	1	24	10.82	10.85	10.88			
5	QPSK	12	0	10.94	11.07	11.03	12.5	0	
5	QPSK	12	7	10.94	10.86	11.05			
5	QPSK	12	13	10.99	10.94	10.96			
5	QPSK	25	0	10.86	10.92	10.96	12.5	0	
5	16QAM	1	0	10.70	10.70	10.82			
5	16QAM	1	12	10.76	10.96	10.96			
5	16QAM	1	24	10.87	10.94	10.94	12.5	0	
5	16QAM	12	0	10.61	10.56	10.73			
5	16QAM	12	7	10.67	10.66	10.86			
5	16QAM	12	13	10.67	10.67	10.86	12.5	0	
5	16QAM	25	0	10.51	10.55	10.74			
5	16QAM	25	0	10.66	10.51	10.75			
5	64QAM	1	0	10.61	10.58	10.75	12.5	0	
5	64QAM	1	12	10.82	10.74	11.04			
5	64QAM	1	24	10.78	10.87	10.96			
5	64QAM	12	0	10.52	10.51	10.71	12.5	0	
5	64QAM	12	7	10.51	10.55	10.74			
5	64QAM	12	13	10.51	10.69	10.83			
5	64QAM	25	0	10.52	10.68	10.74	12.5	0	

Band 41_Ant 25											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				39750	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	13.98	14.16	14.41	14.17	13.92	15.5	0	
20	QPSK	1	49	13.91	14.13	14.12	14.15	13.85			
20	QPSK	1	99	13.88	14.00	14.11	14.08	13.89			
20	QPSK	50	0	14.19	14.24	14.25	14.21	14.13	15.5	0	
20	QPSK	50	24	14.12	14.23	14.12	14.16	14.01			
20	QPSK	50	50	14.06	14.23	14.19	14.19	14.05			
20	QPSK	100	0	14.17	14.20	14.21	14.01	14.03	15.5	0	
20	16QAM	1	0	14.00	14.23	14.25	14.36	14.17			
20	16QAM	1	49	14.05	14.01	14.28	14.19	14.19			
20	16QAM	1	99	13.90	14.23	13.98	14.34	13.55	15.5	0	
20	16QAM	50	0	13.90	14.00	13.96	13.99	13.97			
20	16QAM	50	24	14.01	14.05	14.01	14.08	14.00			
20	16QAM	50	50	14.01	13.99	14.04	14.07	14.03	15.5	0	
20	16QAM	100	0	13.90	13.99	13.97	13.98	13.91			
20	64QAM	1	0	14.02	14.25	14.15	14.23	14.09	15.5	0	
20	64QAM	1	49	14.05	13.86	14.17	13.83	14.23			
20	64QAM	1	99	14.32	13.93	14.39	14.12	14.20			
20	64QAM	50	0	13.97	13.93	13.93	13.98	13.90	15.5	0	
20	64QAM	50	24	14.10	14.06	13.94	14.07	13.95			
20	64QAM	50	50	13.99	14.12	14.13	14.00	14.05			
20	64QAM	100	0	13.92	14.01	14.02	14.13	13.93	Tune-up limit (dBm)	MPR (dB)	
Channel				39703.5	40173.5	40620.5	41068.5	41515.5			
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5			
15	QPSK	1	0	13.84	14.07	14.31	14.12	13.87	15.50	0	
15	QPSK	1	37	13.82	14.05	14.07	13.99	13.73			
15	QPSK	1	74	13.79	13.93	13.95	14.03	13.82			
15	QPSK	36	0	14.04	14.16	14.20	14.05	14.08	15.5	0	
15	QPSK	36	20	14.02	14.16	14.03	14.07	13.94			
15	QPSK	36	39	13.96	14.15	14.09	14.13	13.98			
15	QPSK	75	0	14.08	14.10	14.14	13.94	13.94	15.5	0	
15	16QAM	1	0	13.91	14.09	14.10	14.24	14.09			
15	16QAM	1	37	13.96	13.92	14.17	14.12	14.09			
15	16QAM	1	74	13.77	14.10	13.87	14.26	13.56	15.5	0	
15	16QAM	36	0	13.83	13.91	13.91	13.90	13.89			
15	16QAM	36	20	13.92	13.98	13.92	14.02	13.94			
15	16QAM	36	39	13.88	13.87	13.90	13.91	13.94	15.5	0	
15	16QAM	75	0	13.78	13.90	13.83	13.87	13.84			
15	64QAM	1	0	13.88	14.21	14.01	14.18	14.00			
15	64QAM	1	37	13.96	13.79	14.01	13.75	14.21	15.5	0	
15	64QAM	1	74	14.27	13.82	14.28	14.03	14.06			
15	64QAM	36	0	13.81	13.82	13.77	13.87	13.81			
15	64QAM	36	20	14.04	13.93	13.81	13.96	13.86	15.5	0	
15	64QAM	36	39	13.94	14.00	14.02	13.91	13.92			
15	64QAM	75	0	13.83	13.85	13.88	14.01	13.88			
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2501	2547	2593	2639	2685			
10	QPSK	1	0	13.89	14.11	14.25	14.02	13.89	15.50	0	
10	QPSK	1	25	13.75	14.00	13.95	14.02	13.78			
10	QPSK	1	49	13.82	13.86	13.95	13.98	13.81			
10	QPSK	25	0	14.10	14.14	14.11	14.07	13.98	15.5	0	
10	QPSK	25	12	14.05	14.11	14.01	14.09	13.96			
10	QPSK	25	25	13.98	14.12	14.05	14.11	13.93			
10	QPSK	50	0	14.11	14.10	14.15	13.86	13.90	15.5	0	
10	16QAM	1	0	13.91	14.17	14.14	14.26	14.09			
10	16QAM	1	25	13.95	13.87	14.17	14.13	14.04			
10	16QAM	1	49	13.77	14.15	13.94	14.23	13.58	15.5	0	
10	16QAM	25	0	13.78	13.89	13.85	13.84	13.89			
10	16QAM	25	12	13.89	13.90	13.92	13.99	13.88			
10	16QAM	25	25	13.86	13.89	13.92	13.95	13.96	15.5	0	
10	16QAM	50	0	13.83	13.94	13.82	13.84	13.77			
10	64QAM	1	0	13.89	14.18	14.06	14.10	14.00			
10	64QAM	1	25	13.90	13.78	14.02	13.75	14.20	15.5	0	
10	64QAM	1	49	14.21	13.87	14.33	14.01	14.06			
10	64QAM	25	0	13.88	13.86	13.79	13.82	13.82			
10	64QAM	25	12	13.97	13.96	13.89	13.94	13.87	15.5	0	
10	64QAM	25	25	13.94	14.04	14.07	13.95	13.95			
10	64QAM	50	0	13.82	13.93	13.94	14.01	13.83			
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2499.5	2545.8	2593	2639.5	2687.5			
5	QPSK	1	0	13.91	14.07	14.25	14.00	13.85	15.50	0	
5	QPSK	1	12	13.78	14.01	14.08	14.04	13.78			
5	QPSK	1	24	13.82	13.88	14.04	14.00	13.81			
5	QPSK	12	0	14.04	14.15	14.12	14.08	14.04	15.5	0	
5	QPSK	12	7	13.99	14.10	14.02	14.05	13.85			
5	QPSK	12	13	13.94	14.13	14.07	14.05	13.89			
5	QPSK	25	0	14.06	14.10	14.13	13.93	13.87	15.5	0	
5	16QAM	1	0	13.84	14.17	14.14	14.31	14.01			
5	16QAM	1	12	13.98	13.92	14.17	14.07	14.07			
5	16QAM	1	24	13.80	14.11	13.82	14.21	13.59	15.5	0	
5	16QAM	12	0	13.74	13.87	13.83	13.85	13.89			
5	16QAM	12	7	13.91	13.93	13.90	13.97	13.87			
5	16QAM	12	13	13.89	13.92	13.90	13.92	13.91	15.5	0	
5	16QAM	25	0	13.84	13.94	13.82	13.89	13.83			
5	64QAM	1	0	13.95	14.16	13.99	14.10	14.03			
5	64QAM	1	12	13.96	13.80	14.05	13.75	14.28	15.5	0	
5	64QAM	1	24	14.23	13.84	14.23	13.99	14.09			
5	64QAM	12	0	13.85	13.77	13.78	13.87	13.83			
5	64QAM	12	7	14.02	13.97	13.91	13.99	13.90	15.5	0	
5	64QAM	12	13	13.85	14.00	14.00	13.94	13.89			
5	64QAM	25	0	13.82	13.88	13.90	14.01	13.82			

Band 4_Ant 13												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)												
20	QPSK	1	0	20.08	20.29	20.09			21	0		
20	QPSK	1	49	20.02	19.99	20.02						
20	QPSK	1	99	19.96	20.01	19.81						
20	QPSK	50	0	20.11	20.15	19.96						
20	QPSK	50	24	20.13	20.01	20.01			21	0		
20	QPSK	50	50	20.06	19.97	19.94						
20	QPSK	100	0	19.99	20.03	20.01						
20	16QAM	1	0	19.97	20.15	20.09						
20	16QAM	1	49	20.19	20.14	20.21			21	0		
20	16QAM	1	99	20.12	20.20	20.13						
20	16QAM	50	0	20.15	20.16	20.09						
20	16QAM	50	24	20.19	20.16	20.14						
20	16QAM	50	50	20.06	19.96	19.87			21	0		
20	16QAM	100	0	20.07	20.03	20.07						
20	64QAM	1	0	20.09	20.16	20.13						
20	64QAM	1	49	20.18	20.01	20.21						
20	64QAM	1	99	20.14	20.27	19.86			21	0		
20	64QAM	50	0	20.02	19.89	20.07						
20	64QAM	50	24	20.05	20.03	20.09						
20	64QAM	50	50	20.10	20.07	19.90						
20	64QAM	100	0	20.00	19.97	19.98			21	0		
Channel												
Frequency (MHz)												
15	QPSK	1	0	19.96	20.14	19.93			21	0		
15	QPSK	1	37	19.87	19.87	19.95						
15	QPSK	1	74	19.81	19.86	19.67						
15	QPSK	36	0	20.02	20.10	19.90						
15	QPSK	36	20	19.99	19.90	19.88			21	0		
15	QPSK	36	39	19.88	19.80	19.79						
15	QPSK	75	0	19.87	19.97	19.90						
15	16QAM	1	0	19.82	20.04	19.97						
15	16QAM	1	37	20.05	19.99	20.09			21	0		
15	16QAM	1	74	19.96	20.04	19.88						
15	16QAM	36	0	20.06	20.01	19.99						
15	16QAM	36	20	20.10	20.04	20.08						
15	16QAM	36	39	19.99	19.81	19.75			21	0		
15	16QAM	75	0	19.91	19.94	19.99						
15	64QAM	1	0	20.00	20.11	20.04						
15	64QAM	1	37	20.03	19.93	20.13						
15	64QAM	1	74	20.09	20.19	19.77			21	0		
15	64QAM	36	0	19.87	19.81	20.02						
15	64QAM	36	20	19.94	19.97	19.98						
15	64QAM	36	39	19.84	20.02	19.77						
15	64QAM	75	0	19.90	19.85	19.88			21	0		
Channel												
Frequency (MHz)												
10	QPSK	1	0	19.93	20.22	19.99			21	0		
10	QPSK	1	25	19.92	19.92	19.91						
10	QPSK	1	49	19.87	19.85	19.73						
10	QPSK	25	0	20.04	20.01	19.86						
10	QPSK	25	12	20.06	19.96	19.93			21	0		
10	QPSK	25	25	19.90	19.89	19.86						
10	QPSK	50	0	19.85	19.87	19.96						
10	16QAM	1	0	19.84	20.03	19.97						
10	16QAM	1	25	20.05	20.06	20.06			21	0		
10	16QAM	25	12	20.04	20.04	20.04						
10	16QAM	25	25	19.99	19.99	19.72						
10	16QAM	50	0	19.92	19.87	19.94						
10	64QAM	1	0	20.04	20.07	20.00			21	0		
10	64QAM	1	25	20.04	19.98	20.14						
10	64QAM	1	49	20.01	20.11	19.71						
10	64QAM	25	0	19.86	19.76	20.02						
10	64QAM	25	12	19.93	19.87	20.01			21	0		
10	64QAM	25	25	20.04	19.92	19.81						
10	64QAM	50	0	19.85	19.82	19.93						
Channel												
Frequency (MHz)												
5	QPSK	1	0	19.92	20.22	19.99			21	0		
5	QPSK	1	12	19.96	19.93	19.90						
5	QPSK	1	24	19.82	19.92	19.75						
5	QPSK	12	0	19.98	20.00	19.81						
5	QPSK	12	7	20.07	19.94	19.87			21	0		
5	QPSK	12	13	19.92	19.91	19.84						
5	QPSK	25	0	19.91	19.94	19.95						
5	16QAM	1	0	19.83	20.00	19.94						
5	16QAM	1	12	20.12	19.99	20.16			21	0		
5	16QAM	1	24	20.03	20.15	19.87						
5	16QAM	12	0	20.06	20.05	19.94						
5	16QAM	12	7	20.09	20.06	20.09						
5	16QAM	12	13	19.96	19.80	19.71			21	0		
5	16QAM	25	0	19.85	19.91	19.99						
5	64QAM	1	0	19.94	20.01	19.98						
5	64QAM	1	12	20.09	19.85	20.12						
5	64QAM	1	24	20.00	20.15	19.73			21	0		
5	64QAM	12	0	19.88	19.83	19.97						
5	64QAM	12	7	19.95	19.89	20.04						
5	64QAM	12	13	20.04	19.99	19.81						
5	64QAM	25	0	19.85	19.83	19.88						
Channel												
Frequency (MHz)												
3	QPSK	1	0	19.99	20.20	19.96			21	0		
3	QPSK	1	8	19.87	19.88	19.95						
3	QPSK	1	14	19.84	19.87	19.65						
3	QPSK	8	0	20.00	19.99	19.88						
3	QPSK	8	4	20.01	19.94	19.89			21	0		
3	QPSK	8	7	19.90	19.85	19.89						
3	QPSK	15	0	19.89	19.94	19.94						
3	16QAM	1	0	19.81	20.05	19.99						
3	16QAM	1	8	20.05	20.09	20.08			21	0		
3	16QAM	1	14	20.01	20.12	20.04						
3	16QAM	8	0	20.04	20.00	20.04						
3	16QAM	8	4	20.11	20.00	20.06						
3	16QAM	8	7	19.91	19.80	19.81			21	0		
3	16QAM	15	0	20.00	19.89	19.99						
3	64QAM	1	0	19.99	20.04	19.99						
3	64QAM	1	8	20.10	19.90	20.12			21	0		
3	64QAM	1	14	19.99	20.11	19.70						
3	64QAM	8	0	19.91	19.76	20.02						
3	64QAM	8	4	20.00	19.99	20.00						
3	64QAM	8	7	19.96	19.89	19.82			21	0		
3	64QAM	15	0	19.88	19.88	19.89						
Channel												
Frequency (MHz)												
1.4	QPSK	1	0	20.00	20.17	19.99			21	0		
1.4	QPSK	1	3	19.98	19.98	19.98						
1.4	QPSK	1	5	19.86	19.91	19.75						
1.4	QPSK	3	0	20.00	20.01	19.80						
1.4	QPSK	3	1	19.98	19.93	19.91			21	0		
1.4	QPSK	3	3	19.88	19.89	19.85						
1.4	QPSK	6	0	19.83	19.82	19.81						
1.4	16QAM	1	0	19.84	20.02	20.00						
1.4	16QAM	1	3	20.03	20.01	20.07			21	0		
1.4	16QAM	1	5	20.06	20.14	20.07						
1.4	16QAM	3	0	20.00	20.04	19.99						
1.4	16QAM	3	1	19.97	19.96	19.79						
1.4	64QAM	1	0	19.97	20.06	20.01			21	0		
1.4	64QAM	1	3	19.91	19.90	19.87						
1.4	64QAM	1	5	20.07	20.13	19.79						
1.4	64QAM	3	0	19.92	19.81	20.02						
1.4	64QAM	3	3	20.05	20.01	19.76			21	0		
1.4	64QAM	6	0	19.84	19.87	19.86						

Band 5_Ant 11												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)												
10	QPSK	1	0	21.76	21.97	21.57	23	0				
10	QPSK	1	25	21.71	21.72	21.70						
10	QPSK	1	49	21.63	21.79	21.52						
10	QPSK	25	0	21.76	21.86	21.76						
10	QPSK	25	12	21.84	21.76	21.82	23	0				
10	QPSK	25	25	21.83	21.73	21.76						
10	QPSK	50	0	21.83	21.94	21.90						
10	16QAM	1	0	21.79	21.89	21.58						
10	16QAM	1	25	21.88	21.65	21.80	23	0				
10	16QAM	1	49	21.70	21.52	21.71						
10	16QAM	25	0	21.83	21.88	21.83						
10	16QAM	25	12	21.70	21.87	21.77						
10	16QAM	25	25	21.84	21.76	21.88	23	0				
10	16QAM	50	0	21.78	21.74	21.72						
10	64QAM	1	0	21.84	21.84	21.82						
10	64QAM	1	25	21.62	21.45	21.62						
10	64QAM	1	49	21.78	21.66	21.79	23	0				
10	64QAM	25	0	20.87	20.85	20.72						
10	64QAM	25	12	20.92	20.94	20.89						
10	64QAM	25	25	20.93	20.82	20.71						
10	64QAM	50	0	20.94	20.79	20.76	22	1				
Channel				20.925	20.925	20.925			Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				826.5	836.5	846.5						
5	QPSK	1	0	21.69	21.88	21.43	23	0				
5	QPSK	1	12	21.64	21.59	21.59						
5	QPSK	1	24	21.50	21.71	21.36						
5	QPSK	12	0	21.66	21.77	21.83						
5	QPSK	12	7	21.77	21.65	21.72	23	0				
5	QPSK	12	13	21.78	21.57	21.85						
5	QPSK	25	0	21.72	21.87	21.80						
5	16QAM	1	0	21.71	21.84	21.47						
5	16QAM	1	12	21.77	21.52	21.73	23	0				
5	16QAM	1	24	21.65	21.46	21.56						
5	16QAM	12	0	21.77	21.80	21.77						
5	16QAM	12	7	21.56	21.72	21.71						
5	16QAM	12	13	21.71	21.62	21.79	23	0				
5	16QAM	25	0	21.69	21.61	21.64						
5	64QAM	1	0	21.70	21.72	21.68						
5	64QAM	1	12	21.54	21.36	21.39						
5	64QAM	1	24	21.70	21.53	21.67	23	0				
5	64QAM	12	0	20.81	20.69	20.59						
5	64QAM	12	7	20.79	20.88	20.82						
5	64QAM	12	13	20.77	20.75	20.55						
5	64QAM	25	0	20.86	20.63	20.61	22	1				
Channel				20.915	20.925	20.935			Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				825.5	836.5	847.5						
3	QPSK	1	0	21.67	21.81	21.46	23	0				
3	QPSK	1	8	21.56	21.59	21.64						
3	QPSK	1	14	21.47	21.71	21.36						
3	QPSK	8	0	21.62	21.72	21.66						
3	QPSK	8	4	21.69	21.65	21.69	23	0				
3	QPSK	8	7	21.76	21.62	21.65						
3	QPSK	15	0	21.69	21.80	21.85						
3	16QAM	1	0	21.74	21.76	21.47						
3	16QAM	1	8	21.78	21.59	21.67	23	0				
3	16QAM	1	14	21.61	21.37	21.37						
3	16QAM	8	0	21.77	21.75	21.75						
3	16QAM	8	4	21.64	21.80	21.63						
3	16QAM	8	7	21.75	21.67	21.80	23	0				
3	16QAM	15	0	21.72	21.68	21.63						
3	64QAM	1	0	21.69	21.73	21.76						
3	64QAM	1	8	21.54	21.37	21.31						
3	64QAM	1	14	21.72	21.59	21.69	23	0				
3	64QAM	8	0	20.77	20.75	20.59						
3	64QAM	8	4	20.85	20.87	20.78						
3	64QAM	8	7	20.88	20.69	20.65						
3	64QAM	15	0	20.76	20.73	20.66	22	1				
Channel				20.907	20.925	20.943			Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				824.7	836.5	848.3						
1.4	QPSK	1	0	21.67	21.82	21.45	23	0				
1.4	QPSK	1	3	21.64	21.63	21.63						
1.4	QPSK	1	5	21.48	21.70	21.42						
1.4	QPSK	3	0	21.60	21.78	21.69						
1.4	QPSK	3	1	21.72	21.64	21.67	23	0				
1.4	QPSK	3	3	21.75	21.59	21.66						
1.4	QPSK	6	0	21.76	21.78	21.77						
1.4	16QAM	1	0	21.66	21.79	21.45						
1.4	16QAM	1	3	21.80	21.58	21.66	23	0				
1.4	16QAM	1	5	21.60	21.46	21.66						
1.4	16QAM	3	0	21.71	21.82	21.70						
1.4	16QAM	3	1	21.61	21.77	21.64						
1.4	16QAM	3	3	21.70	21.62	21.74	23	0				
1.4	16QAM	6	0	21.64	21.67	21.66						
1.4	64QAM	1	0	21.74	21.71	21.67						
1.4	64QAM	1	3	21.57	21.33	21.33						
1.4	64QAM	1	5	21.62	21.57	21.64	23	0				
1.4	64QAM	3	0	21.80	21.63	21.59						
1.4	64QAM	3	1	21.52	21.17	21.22						
1.4	64QAM	3	3	21.55	21.51	21.48						
1.4	64QAM	6	0	20.81	20.63	20.65	22	1				

Band 5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				6240	6365	2000			
10	QPSK	1	0	23.86	23.95	23.82	25	0	
10	QPSK	1	25	23.79	23.75	23.77			
10	QPSK	1	49	23.73	23.62	23.71			
10	QPSK	25	0	22.93	22.96	22.86			
10	QPSK	25	12	22.91	22.88	22.87	24	1	
10	QPSK	25	25	22.84	22.86	22.79			
10	QPSK	50	0	22.92	22.93	22.83			
10	16QAM	1	0	23.24	23.02	23.16			
10	16QAM	1	25	22.75	23.16	23.30	24	1	
10	16QAM	1	49	22.78	22.91	23.32			
10	16QAM	25	0	21.81	21.89	21.87	23	2	
10	16QAM	25	12	22.02	21.85	21.82			
10	16QAM	25	25	21.96	21.88	21.83			
10	16QAM	50	0	21.87	21.82	21.76			
10	64QAM	1	0	21.85	22.15	21.73	23	2	
10	64QAM	1	25	22.23	21.81	22.00			
10	64QAM	1	49	21.73	22.00	21.88			
10	64QAM	25	0	20.80	20.85	20.70			
10	64QAM	25	12	20.88	20.83	20.90	22	3	
10	64QAM	25	25	20.98	20.85	20.74			
10	64QAM	50	0	20.90	20.89	20.65			
10	64QAM	50	0	20.425	20.525	20.625			
Channel				6240	6365	2000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				626.5	636.5	846.5			
5	QPSK	1	0	23.82	23.78	23.76	25	0	
5	QPSK	1	12	23.74	23.66	23.68			
5	QPSK	1	24	23.74	23.63	23.67			
5	QPSK	12	0	22.72	22.79	22.70			
5	QPSK	12	7	22.92	22.87	22.75	24	1	
5	QPSK	12	13	22.87	22.86	22.79			
5	QPSK	25	0	22.87	22.80	22.70			
5	16QAM	1	0	22.28	23.01	23.41			
5	16QAM	1	12	22.36	23.00	23.02	24	1	
5	16QAM	1	24	23.06	23.49	23.06			
5	16QAM	12	0	21.75	21.86	21.86			
5	16QAM	12	7	21.90	21.87	21.90			
5	16QAM	12	13	21.85	21.85	21.90	23	2	
5	16QAM	25	0	21.79	21.79	21.79			
5	64QAM	1	0	22.01	22.36	21.78			
5	64QAM	1	12	22.02	21.86	21.85			
5	64QAM	1	24	21.79	21.84	21.77	22	3	
5	64QAM	12	0	20.92	20.86	20.88			
5	64QAM	12	7	21.00	20.84	20.82			
5	64QAM	12	13	20.98	20.82	20.92			
5	64QAM	25	0	20.92	20.79	20.81			
Channel				20415 <th>20525<th>20643</th><th>Tune-up limit (dBm)</th><th>MPR (dB)</th><th></th></th>	20525 <th>20643</th> <th>Tune-up limit (dBm)</th> <th>MPR (dB)</th> <th></th>	20643	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				626.5	636.5	846.5			
3	QPSK	1	0	23.74	23.63	23.64	25	0	
3	QPSK	1	8	23.76	23.78	23.74			
3	QPSK	1	14	23.69	23.78	23.68			
3	QPSK	8	0	22.81	22.71	22.62			
3	QPSK	8	4	22.76	22.80	22.73	24	1	
3	QPSK	8	7	22.84	22.62	22.79			
3	QPSK	15	0	22.86	22.65	22.72			
3	16QAM	1	0	23.12	22.91	23.26			
3	16QAM	1	8	23.14	22.96	23.23	24	1	
3	16QAM	1	14	23.05	22.88	23.23			
3	16QAM	8	0	21.89	21.84	21.70			
3	16QAM	8	4	21.93	21.90	21.71			
3	16QAM	8	7	21.88	21.84	21.83	23	2	
3	16QAM	15	0	21.82	21.82	21.91			
3	64QAM	1	0	22.06	21.93	21.78			
3	64QAM	1	8	22.11	22.14	22.12			
3	64QAM	1	14	21.73	22.18	22.14	23	2	
3	64QAM	8	0	20.88	20.78	20.76			
3	64QAM	8	7	20.90	20.76	20.79			
3	64QAM	8	7	20.77	20.93	20.75			
3	64QAM	15	0	20.84	20.75	20.72			
Channel				20407 <th>20525<th>20643</th><th>Tune-up limit (dBm)</th><th>MPR (dB)</th><th></th></th>	20525 <th>20643</th> <th>Tune-up limit (dBm)</th> <th>MPR (dB)</th> <th></th>	20643	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				624.7 <th>636.5</th> <th>848.3</th> <th></th> <th></th> <th></th>	636.5	848.3			
1.4	QPSK	1	0	23.64	23.68	23.67	25	0	
1.4	QPSK	1	3	23.66	23.68	23.61			
1.4	QPSK	1	6	23.67	23.64	23.67			
1.4	QPSK	3	0	23.79	23.69	23.63			
1.4	QPSK	3	1	23.71	23.74	23.59	24	1	
1.4	QPSK	3	3	23.72	23.79	23.66			
1.4	QPSK	6	0	22.80	22.72	22.65			
1.4	16QAM	1	0	23.22	23.13	23.17			
1.4	16QAM	1	3	23.24	23.13	23.00	23	1	
1.4	16QAM	1	5	23.00	22.96	23.02			
1.4	16QAM	3	0	22.89	22.69	22.86			
1.4	16QAM	3	1	22.99	23.03	22.97			
1.4	16QAM	3	3	22.72	22.86	22.88	23	2	
1.4	16QAM	6	0	21.78	21.80	21.76			
1.4	64QAM	1	0	21.99	22.28	21.82			
1.4	64QAM	1	3	21.83	21.91	21.95			
1.4	64QAM	1	5	21.76	21.90	21.68	23	2	
1.4	64QAM	3	0	21.83	21.80	21.94			
1.4	64QAM	3	1	21.67	21.89	21.74			
1.4	64QAM	3	3	21.77	21.88	21.74			
1.4	64QAM	6	0	20.82	20.27	20.50	22	3	

Band 7_Ant 31											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)				2510	2535	2550					
20	QPSK	1	0	20.25	20.52	20.23	21	0			
20	QPSK	1	49	20.19	20.25	20.15					
20	QPSK	1	99	19.95	20.08	20.08					
20	QPSK	50	0	20.19	20.37	20.27					
20	QPSK	50	24	20.16	20.30	20.21	21	0			
20	QPSK	50	50	20.16	20.24	20.19					
20	QPSK	100	0	20.13	20.19	20.17					
20	16QAM	1	0	20.28	20.16	19.96					
20	16QAM	1	49	20.26	20.41	19.99	21	0			
20	16QAM	1	99	20.20	19.81	20.11					
20	16QAM	50	0	19.98	19.98	19.99					
20	16QAM	50	24	19.97	19.97	19.99					
20	16QAM	50	50	19.90	20.13	20.09	21	0			
20	16QAM	100	0	20.02	20.08	19.94					
20	64QAM	1	0	19.83	19.91	19.89					
20	64QAM	1	49	19.91	20.26	20.07					
20	64QAM	1	99	20.20	19.98	20.00	21	0			
20	64QAM	50	0	19.98	19.99	20.01					
20	64QAM	50	24	19.93	20.08	19.99					
20	64QAM	50	50	19.89	20.01	20.00					
20	64QAM	100	0	20.07	20.04	20.05	21	0			
Channel				20925	21100	21375					
Frequency (MHz)				20925	21100	21375					
15	QPSK	1	0	20.15	20.40	20.08	21	0			
15	QPSK	1	37	20.05	20.12	20.00					
15	QPSK	1	74	19.86	19.97	19.92					
15	QPSK	36	0	20.14	20.29	20.15					
15	QPSK	36	20	20.09	20.21	20.06	21	0			
15	QPSK	36	39	20.06	20.18	20.10					
15	QPSK	75	0	20.03	20.08	20.11					
15	16QAM	1	0	20.12	20.04	19.80					
15	16QAM	1	37	20.20	20.26	19.94	21	0			
15	16QAM	1	74	20.13	19.69	20.04					
15	16QAM	36	0	19.88	19.91	19.90					
15	16QAM	36	20	19.87	19.92	19.83					
15	16QAM	36	39	19.85	20.03	20.00	21	0			
15	16QAM	75	0	19.87	19.94	19.81					
15	64QAM	1	0	19.75	19.62	19.76					
15	64QAM	1	37	19.78	20.17	19.93					
15	64QAM	1	74	20.09	19.86	19.95	21	0			
15	64QAM	36	0	19.82	19.94	19.92					
15	64QAM	36	20	19.86	19.97	19.85					
15	64QAM	36	39	19.75	19.89	19.87					
15	64QAM	75	0	19.92	19.94	19.95	21	0			
Channel				20900	21100	21400					
Frequency (MHz)				20900	21100	21400					
10	QPSK	1	0	20.10	20.39	20.17	21	0			
10	QPSK	1	25	20.12	20.09	20.00					
10	QPSK	1	49	19.80	19.95	20.03					
10	QPSK	25	0	20.06	20.28	20.12					
10	QPSK	25	12	20.08	20.21	20.07	21	0			
10	QPSK	25	25	20.03	20.17	20.07					
10	QPSK	50	0	20.05	20.03	20.02					
10	16QAM	1	0	20.22	20.11	19.87					
10	16QAM	1	25	20.20	20.32	19.82	21	0			
10	16QAM	1	49	20.14	19.71	20.03					
10	16QAM	25	0	19.85	19.87	19.83					
10	16QAM	25	12	19.81	19.84	19.94					
10	16QAM	25	25	19.75	20.06	19.93	21	0			
10	16QAM	50	0	19.95	19.94	19.82					
10	64QAM	1	0	19.72	19.83	19.76					
10	64QAM	1	25	19.75	20.17	19.93					
10	64QAM	1	49	20.09	19.91	19.91	21	0			
10	64QAM	25	0	19.84	19.87	19.88					
10	64QAM	25	12	19.85	19.97	19.90					
10	64QAM	25	25	19.81	19.95	19.85					
10	64QAM	50	0	19.90	19.93	19.97	21	0			
Channel				20775	21100	21425					
Frequency (MHz)				20925	21100	21375					
5	QPSK	1	0	20.14	20.38	20.17	21	0			
5	QPSK	1	12	20.07	20.16	20.06					
5	QPSK	1	24	19.85	19.94	19.96					
5	QPSK	12	0	20.05	20.22	20.15					
5	QPSK	12	7	20.08	20.16	20.13	21	0			
5	QPSK	12	13	20.10	20.15	20.04					
5	QPSK	25	0	20.07	20.06	20.07					
5	16QAM	1	0	20.14	20.06	19.88					
5	16QAM	1	12	20.11	20.31	19.88	21	0			
5	16QAM	1	24	20.11	19.68	20.05					
5	16QAM	12	0	19.93	19.92	19.93					
5	16QAM	12	7	19.86	19.91	19.86					
5	16QAM	12	13	19.83	20.04	20.00	21	0			
5	16QAM	25	0	19.97	20.02	19.84					
5	64QAM	1	0	19.77	19.75	19.76					
5	64QAM	1	12	19.83	20.11	20.02					
5	64QAM	1	24	20.14	19.82	19.85	21	0			
5	64QAM	12	0	19.89	19.86	19.95					
5	64QAM	12	7	19.86	19.96	19.87					
5	64QAM	12	13	19.74	19.94	19.82					
5	64QAM	25	0	19.99	19.94	19.97	21	0			
Channel				20900	21100	21400					
Frequency (MHz)				20900	21100	21400					

Band 7_Ant 25													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel													
Frequency (MHz)				20150	21100	21350							
20	QPSK	1	0	19.17	19.47	19.33	20.5	0					
20	QPSK	1	49	19.08	19.22	19.23							
20	QPSK	1	99	19.01	19.11	19.24							
20	QPSK	50	0	19.20	19.46	19.34							
20	QPSK	50	24	19.17	19.28	19.29	20.5	0					
20	QPSK	50	50	19.17	19.40	19.30							
20	QPSK	100	0	19.29	19.42	19.33							
20	16QAM	1	0	19.08	19.23	19.27							
20	16QAM	1	49	19.12	19.25	19.11	20.5	0					
20	16QAM	1	99	19.13	19.23	19.25							
20	16QAM	50	0	19.93	19.15	19.32							
20	16QAM	50	24	19.10	19.10	19.13							
20	16QAM	50	50	19.06	19.06	19.30	20.5	0					
20	16QAM	100	0	19.00	19.07	19.27							
20	64QAM	1	0	19.26	19.06	19.02							
20	64QAM	1	49	19.21	18.65	19.26							
20	64QAM	1	99	19.09	19.28	18.96	20.5	0					
20	64QAM	50	0	19.00	19.07	19.10							
20	64QAM	50	24	19.18	19.07	19.38							
20	64QAM	50	50	19.05	19.23	19.31							
20	64QAM	100	0	18.99	19.21	19.34	20.5	0					
Channel													
Frequency (MHz)				25075	25305	25625							
15	QPSK	1	0	19.10	19.47	19.28	20.5	0					
15	QPSK	1	37	19.07	19.07	19.18							
15	QPSK	1	74	18.86	19.06	19.16							
15	QPSK	36	0	19.04	19.31	19.25							
15	QPSK	36	20	19.11	19.12	19.22	20.5	0					
15	QPSK	36	39	19.01	19.28	19.24							
15	QPSK	75	0	19.14	19.14	19.18							
15	16QAM	0	0	19.00	19.14	19.11							
15	16QAM	1	37	19.04	19.20	19.01	20.5	0					
15	16QAM	1	74	19.03	19.14	19.10							
15	16QAM	36	0	18.80	18.99	19.23							
15	16QAM	36	20	19.00	19.00	19.20							
15	16QAM	39	0	19.52	19.19	19.30	20.5	0					
15	16QAM	75	0	18.85	18.97	19.22							
15	64QAM	1	0	19.10	18.93	18.87							
15	64QAM	1	37	19.09	18.53	19.19							
15	64QAM	1	74	19.03	19.16	18.86	20.5	0					
15	64QAM	36	0	18.91	19.07	19.31							
15	64QAM	36	20	19.13	19.00	19.30							
15	64QAM	36	39	18.95	19.16	19.19							
15	64QAM	75	0	18.93	19.05	19.28	20.5	0					
Channel													
Frequency (MHz)				20800	21100	21400							
Frequency (MHz)				25055	25305	25655							
5	QPSK	1	0	19.04	19.32	19.27	20.5	0					
5	QPSK	1	25	19.17	19.17	19.17							
5	QPSK	1	49	18.88	18.98	19.18							
5	QPSK	25	0	19.11	19.40	19.29							
5	QPSK	25	12	19.12	19.20	19.13	20.5	0					
5	QPSK	25	25	19.22	19.24	19.16							
5	QPSK	50	0	19.13	19.32	19.20							
5	QPSK	0	0	18.99	19.07	19.19							
5	16QAM	1	25	19.02	19.15	19.04	20.5	0					
5	16QAM	1	49	18.99	19.12	19.10							
5	16QAM	25	0	18.88	19.08	19.19							
5	16QAM	25	12	19.01	18.97	19.08							
5	16QAM	25	25	19.08	19.08	19.25	20.5	0					
5	16QAM	50	0	18.95	18.97	19.12							
5	64QAM	1	0	19.17	19.00	18.88							
5	64QAM	1	25	19.16	18.89	19.13							
5	64QAM	1	49	19.04	19.22	18.85	20.5	0					
5	64QAM	25	0	19.02	18.98	19.28							
5	64QAM	25	12	19.02	18.96	19.24							
5	64QAM	25	25	18.91	19.13	19.20							
5	64QAM	50	0	18.89	19.08	19.25	20.5	0					
Channel													
Frequency (MHz)				20775	21100	21425							
Frequency (MHz)				25025	25305	25675							
5	QPSK	1	0	19.07	19.42	19.17	20.5	0					
5	QPSK	1	24	18.97	19.07	19.18							
5	QPSK	12	0	19.05	19.31	19.24							
5	QPSK	12	7	19.11	19.16	19.21							
5	QPSK	12	13	19.01	19.35	19.14	20.5	0					
5	QPSK	25	0	19.22	19.20	19.26							
5	16QAM	0	0	19.03	19.07	19.19							
5	16QAM	1	12	19.01	19.14	18.98							
5	16QAM	1	24	18.98	19.09	19.10	20.5	0					
5	16QAM	12	0	18.77	19.05	19.16							
5	16QAM	12	7	18.94	18.94	19.08							
5	16QAM	25	13	18.90	18.90	19.25							
5	64QAM	1	0	19.00	18.99	19.19	20.5	0					
5	64QAM	1	0	19.18	18.91	18.86							
5	64QAM	1	12	19.07	18.60	19.14							
5	64QAM	1	24	19.04	19.21	18.81							
5	64QAM	12	0	18.89	18.86	19.10	20.5	0					
5	64QAM	12	7	19.03	19.02	19.25							
5	64QAM	12	13	18.96	19.09	19.26							
5	64QAM	25	0	18.87	19.09	19.18							

Band 66_Ant 31													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)					
Channel				132072	132322	132572							
Frequency (MHz)				1720	1745	1770							
20	QPSK	1	0	20.23	20.44	20.30	21	0					
20	QPSK	1	49	20.15	20.34	19.98							
20	QPSK	1	99	20.08	20.10	20.06							
20	QPSK	50	0	20.21	20.24	20.22	21	0					
20	QPSK	50	24	20.11	20.19	20.19							
20	QPSK	50	50	20.13	20.08	20.11							
20	QPSK	100	0	20.11	20.19	20.16	21	0					
20	16QAM	1	0	20.39	20.07	20.15							
20	16QAM	1	49	20.32	20.23	20.01							
20	16QAM	1	99	20.40	20.09	19.78	21	0					
20	16QAM	50	0	20.10	20.09	20.08							
20	16QAM	50	24	20.12	20.22	20.13							
20	16QAM	50	50	20.00	19.95	20.13	21	0					
20	16QAM	100	0	20.11	20.11	20.09							
20	64QAM	1	0	20.36	19.87	20.00							
20	64QAM	1	49	20.37	20.42	19.93	21	0					
20	64QAM	1	99	20.17	20.00	19.71							
20	64QAM	50	0	20.08	20.26	20.15							
20	64QAM	50	24	20.11	20.13	20.13	21	0					
20	64QAM	50	50	20.07	20.29	20.12							
20	64QAM	100	0	20.16	20.09	20.13							
Channel				132047	132322	132597							
Frequency (MHz)				1717.5	1745	1772.5							
15	QPSK	1	0	20.11	20.44	20.21	21	0					
15	QPSK	1	37	20.04	20.19	19.90							
15	QPSK	1	74	19.96	20.03	19.91							
15	QPSK	36	0	20.07	20.18	20.17	21	0					
15	QPSK	36	20	19.97	19.97	20.06							
15	QPSK	36	39	20.06	19.93	19.99							
15	QPSK	75	0	20.03	20.09	20.01	21	0					
15	16QAM	1	0	20.24	20.02	20.05							
15	16QAM	1	37	20.25	20.14	19.90							
15	16QAM	1	74	20.26	20.04	19.83	21	0					
15	16QAM	36	0	20.00	19.95	19.98							
15	16QAM	36	20	20.02	20.11	20.01							
15	16QAM	36	39	19.94	19.79	20.05	21	0					
15	16QAM	75	0	20.02	19.96	20.01							
15	64QAM	1	0	20.22	19.74	19.91							
15	64QAM	1	37	20.31	20.37	19.85	21	0					
15	64QAM	1	74	20.04	19.86	19.63							
15	64QAM	36	0	19.92	20.14	20.08							
15	64QAM	36	20	19.98	20.06	20.03	21	0					
15	64QAM	36	39	19.99	20.13	20.04							
15	64QAM	75	0	20.02	19.97	20.07							
Channel				132022	132322	132622							
Frequency (MHz)				1715	1745	1775							
10	QPSK	1	0	20.10	20.43	20.14	21	0					
10	QPSK	1	25	20.05	20.24	19.91							
10	QPSK	1	49	19.94	19.97	19.97							
10	QPSK	25	0	20.12	20.16	20.13	21	0					
10	QPSK	25	12	19.99	20.02	20.13							
10	QPSK	25	25	20.06	19.98	20.01							
10	QPSK	50	0	20.02	20.09	20.11	21	0					
10	16QAM	1	0	20.26	20.02	20.02							
10	16QAM	1	25	20.22	20.06	19.96							
10	16QAM	1	49	20.25	19.97	19.82	21	0					
10	16QAM	25	0	20.01	20.01	19.92							
10	16QAM	25	12	20.05	20.06	19.98							
10	16QAM	25	25	19.87	19.81	20.07	21	0					
10	16QAM	50	0	20.05	20.02	20.02							
10	64QAM	1	0	20.27	19.73	19.86							
10	64QAM	1	25	20.31	20.30	19.77	21	0					
10	64QAM	1	49	20.08	19.94	19.55							
10	64QAM	25	0	19.96	20.20	20.02							
10	64QAM	25	12	19.96	19.99	20.07	21	0					
10	64QAM	25	25	19.92	20.14	20.03							
10	64QAM	50	0	20.07	20.04	19.96							
Channel				131597	132322	132647							
Frequency (MHz)				1712.5	1745	1777.5							
5	QPSK	1	0	20.16	20.34	20.19	21	0					
5	QPSK	1	12	20.05	20.22	19.86							
5	QPSK	1	24	20.00	20.05	19.90							
5	QPSK	12	0	20.12	20.09	20.06	21	0					
5	QPSK	12	7	20.06	20.06	20.13							
5	QPSK	12	13	19.97	19.94	20.08							
5	QPSK	25	0	19.95	20.12	20.11	21	0					
5	16QAM	1	0	20.26	19.92	20.07							
5	16QAM	1	12	20.17	20.13	19.88							
5	16QAM	1	24	20.33	19.99	19.87	21	0					
5	16QAM	12	0	20.05	19.96	19.93							
5	16QAM	12	7	20.06	20.17	20.07							
5	16QAM	12	13	19.89	19.89	19.99	21	0					
5	16QAM	25	0	20.06	19.99	19.96							
5	64QAM	1	0	20.22	19.77	19.95							
5	64QAM	1	12	20.22	20.31	19.80	21	0					
5	64QAM	1	24	20.08	19.84	19.58							
5	64QAM	12	0	19.92	20.17	20.08							
5	64QAM	12	7	20.05	19.99	19.99	21	0					
5	64QAM	12	13	19.92	20.20	19.96							
5	64QAM	25	0	20.11	20.04	19.96							
Channel				131597	132322	132657							
Frequency (MHz)				1711.5	1745	1778.5							
3	QPSK	1	0	20.10	20.33	20.18	21	0					
3	QPSK	1	8	20.07	20.25	19.93							
3	QPSK	1	14	19.95	20.05	19.91							
3	QPSK	8	0	20.10	20.12	20.12	21	0					
3	QPSK	8	4	20.03	20.07	20.10							
3	QPSK	8	7	20.06	19.93	20.06							
3	QPSK	15	0	20.05	20.08	20.09	21	0					
3	16QAM	1	0	20.32	20.00	20.10							
3	16QAM	1	8	20.21	20.13	19.89							
3	16QAM	1	14	20.33	19.99	19.73	21	0					
3	16QAM	8	0	19.99	20.01	20.01							
3	16QAM	8	4	20.06	20.15	20.07							
3	16QAM	8	7	19.89	19.89	19.99	21	0					
3	16QAM	15	0	19.96	20.02	19.99							
3	64QAM	1	0	20.26	19.72	19.91							
3	64QAM	1	8	20.31	20.37	19.81	21	0					
3	64QAM	1	14	20.07	19.95	19.55							
3	64QAM	8	0	20.02	20.21	20.01							
3	64QAM	8	4	20.06	19.96	20.00	21	0					
3	64QAM	8	7	20.02	20.19	19.97							
3	64QAM	15	0	20.11	20.02	19.96							
Channel				131579	132322	132695							
Frequency (MHz)				1710.7	1745	1779.3							
1.4	QPSK	1	0	20.15	20.33	20.23	21	0					
1.4	QPSK	1	8	20.09	20.26	19.90							
1.4	QPSK	1	15	19.95	20.04	19.90							
1.4	QPSK	3	0	20.05	20.14	20.16	21	0					
1.4	QPSK	3	1	20.01	20.00	20.09							
1.4	QPSK	3	3	20.06	20.02	20.05							
1.4	QPSK	6	0	20.08	20.04	20.03	21	0					
1.4	16QAM	1	0	20.26	19.84	20.06							
1.4	16QAM	3	3	20.25	20.17	19.88							
1.4	16QAM	1	5	20.30	19.94	19.68	21	0					
1.4	16QAM	3	0	20.01	19.95	20.00							
1.4	16QAM	3	1	20.04	20.10	19.97							
1.4	16QAM	3	3	20.06	19.98	20.07	21	0					
1.4	16QAM	6	0	20.00	19.99	20.00							
1.4	16QAM	6	1	20.02	19.97	20.04							
1.4	64QAM	1	0	20.26	19.76	19.84	21	0					
1.4	64QAM	1	3	20.26	20.30	19.86							
1.4	64QAM	1	5	20.11	19.94	19.56							
1.4	64QAM	3	0	19.99	20.16	20.08	21	0					
1.4	64QAM	3	1	19.96	20.09	20.00							
1.4	64QAM	3	3	19.92	20.21	20.01							
1.4	64QAM	6	0	20.05	19.96	20.00	21	0					
1.4	64QAM	6	1	20.02	19.97	20.00							
1.4	64QAM	6	3	20.03	19.99	20.00							

Band 38_Ant 13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				37850	38000	38150	22.7	0		
20	QPSK	1	0	21.97	21.99	21.95				
20	QPSK	1	49	21.94	21.82	21.93				
20	QPSK	1	99	21.88	21.82	21.98				
20	QPSK	50	0	21.87	21.91	21.72	22.7	0		
20	QPSK	50	24	21.82	21.83	21.83				
20	QPSK	50	50	21.84	21.86	21.82				
20	QPSK	100	0	21.95	21.98	21.87				
20	16QAM	1	0	21.97	21.73	21.78	22.7	0		
20	16QAM	1	49	21.83	21.93	21.91				
20	16QAM	1	99	21.70	21.95	21.84				
20	16QAM	50	0	21.35	21.51	21.22				
20	16QAM	50	24	21.42	21.35	21.43	22.2	0.5		
20	16QAM	50	50	21.38	21.49	21.47				
20	16QAM	100	0	21.47	21.36	21.44				
20	64QAM	1	0	21.69	21.84	21.36	22.2	0.5		
20	64QAM	1	49	21.62	21.86	21.72				
20	64QAM	1	99	21.36	21.41	21.75				
20	64QAM	50	0	20.40	20.26	20.35				
20	64QAM	50	24	20.44	20.40	20.48	21.2	1.5		
20	64QAM	50	50	20.34	20.33	20.38				
20	64QAM	100	0	20.37	20.28	20.35				
Channel										
Frequency (MHz)				37825	38000	38175	tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	2577.5	2595	2612.5	22.7	0		
15	QPSK	1	37	21.86	21.72	21.84				
15	QPSK	1	74	21.78	21.73	21.82				
15	QPSK	36	0	21.79	21.78	21.84				
15	QPSK	36	20	21.72	21.74	21.75	22.7	0		
15	QPSK	36	39	21.69	21.70	21.77				
15	QPSK	75	0	21.89	21.88	21.75				
15	16QAM	1	0	21.81	21.68	21.65				
15	16QAM	1	37	21.78	21.78	21.78	22.7	0		
15	16QAM	1	74	21.59	21.85	21.79				
15	16QAM	36	0	21.23	21.25	21.09				
15	16QAM	36	20	21.30	21.20	21.36				
15	16QAM	36	39	21.31	21.37	21.32	22.2	0.5		
15	16QAM	75	0	21.37	21.22	21.33				
15	64QAM	1	0	21.57	21.49	21.24				
15	64QAM	1	37	21.46	21.77	21.57				
15	64QAM	1	74	21.21	21.31	21.68	22.2	0.5		
15	64QAM	36	0	20.28	20.14	20.19				
15	64QAM	36	20	20.37	20.27	20.36				
15	64QAM	36	39	20.18	20.21	20.28				
15	64QAM	75	0	20.29	20.12	20.20	tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				37850	38000	38200				
10	QPSK	1	0	2571	2595	2615	22.7	0		
10	QPSK	1	25	21.83	21.72	21.85				
10	QPSK	1	49	21.79	21.69	21.83				
10	QPSK	25	0	21.79	21.84	21.66				
10	QPSK	25	12	21.76	21.75	21.76	22.7	0		
10	QPSK	25	25	21.76	21.76	21.72				
10	QPSK	50	0	21.90	21.91	21.75				
10	16QAM	1	0	21.82	21.62	21.69				
10	16QAM	1	25	21.73	21.83	21.82	22.7	0		
10	16QAM	1	49	21.54	21.79	21.70				
10	16QAM	25	0	21.28	21.24	21.09				
10	16QAM	25	12	21.30	21.23	21.28				
10	16QAM	25	25	21.28	21.43	21.42	22.2	0.5		
10	16QAM	50	0	21.31	21.28	21.35				
10	64QAM	1	0	21.54	21.57	21.26				
10	64QAM	1	25	21.53	21.79	21.63				
10	64QAM	1	49	21.24	21.25	21.60	21.2	1.5		
10	64QAM	25	0	20.31	20.14	20.19				
10	64QAM	25	12	20.38	20.25	20.37				
10	64QAM	25	25	20.18	20.24	20.24				
10	64QAM	50	0	20.29	20.15	20.25	tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				37775	38000	38225				
5	QPSK	1	0	2572.5	2595	2617.5	22.7	0		
5	QPSK	1	12	21.88	21.79	21.77				
5	QPSK	1	24	21.79	21.77	21.82				
5	QPSK	12	0	21.72	21.78	21.59				
5	QPSK	12	7	21.70	21.72	21.76	22.7	0		
5	QPSK	12	13	21.78	21.76	21.71				
5	QPSK	25	0	21.89	21.84	21.81				
5	16QAM	1	0	21.88	21.63	21.70				
5	16QAM	1	12	21.70	21.87	21.86	22.7	0		
5	16QAM	1	24	21.55	21.88	21.75				
5	16QAM	12	0	21.24	21.21	21.13				
5	16QAM	12	7	21.27	21.22	21.30				
5	16QAM	12	13	21.23	21.39	21.32	22.2	0.5		
5	16QAM	25	0	21.33	21.26	21.39				
5	64QAM	1	0	21.97	21.85	21.26				
5	64QAM	1	12	21.53	21.74	21.66				
5	64QAM	1	24	21.20	21.35	21.59	21.2	1.5		
5	64QAM	12	0	20.25	20.21	20.20				
5	64QAM	12	7	20.35	20.27	20.37				
5	64QAM	12	13	20.21	20.28	20.31				
5	64QAM	25	0	20.24	20.21	20.27	tune-up limit (dBm)	MPR (dB)		

Band 38_Ant 31

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)				37850	38000	38150	23	0
20	QPSK	1	0	22.15	22.39	22.14		
20	QPSK	1	49	22.09	22.34	22.35		
20	QPSK	1	99	22.29	22.20	22.33		
20	QPSK	50	0	22.19	22.39	22.26	23	0
20	QPSK	50	24	22.29	22.31	22.35		
20	QPSK	50	50	22.32	22.27	22.38		
20	QPSK	100	0	22.25	22.33	22.27		
20	16QAM	1	0	22.24	22.31	22.04	23	0
20	16QAM	1	49	22.15	22.22	22.26		
20	16QAM	1	99	22.28	22.18	22.38		
20	16QAM	50	0	22.15	21.35	21.37		
20	16QAM	50	24	22.30	22.21	22.35	23	0
20	16QAM	50	50	22.31	22.25	22.35		
20	16QAM	100	0	22.37	22.22	22.33		
20	64QAM	1	0	21.85	22.25	22.32	23	0
20	64QAM	1	49	22.33	21.85	22.16		
20	64QAM	1	99	22.33	22.20	22.13		
20	64QAM	50	0	21.07	21.22	21.24		
20	64QAM	50	24	21.29	21.22	21.43	22	1
20	64QAM	50	50	21.15	21.35	21.37		
20	64QAM	100	0	21.31	21.27	21.30		
Channel								
Frequency (MHz)				37875	38000	38175	tune-up limit (dBm)	MPR (dB)
15	QPSK	1	0	22.07	22.29	21.99	23	0
15	QPSK	1	37	22.04	22.11	22.29		
15	QPSK	1	74	22.15	22.11	22.20		
15	QPSK	36	0	22.07	22.27	22.20		
15	QPSK	36	20	22.13	22.19	22.24	23	0
15	QPSK	36	39	22.17	22.11	22.29		
15	QPSK	75	0	22.12	22.23	22.13		
15	16QAM	1	0	22.11	22.20	21.98		
15	16QAM	1	37	22.03	22.07	22.17	23	0
15	16QAM	1	74	22.21	22.05	22.27		
15	16QAM	36	0	21.91	22.12	22.08		
15	16QAM	36	20	22.14	22.05	22.20		
15	16QAM	36	39	22.19	22.19	22.25	23	0
15	16QAM	75	0	22.29	22.17	22.18		
15	64QAM	1	0	21.71	22.19	22.23		
15	64QAM	1	37	22.28	21.89	22.10		
15	64QAM	1	74	22.20	22.06	22.08	22	1
15	64QAM	36	0	21.01	21.08	21.14		
15	64QAM	36	20	21.19	21.07	21.31		
15	64QAM	36	39	21.02	21.30	21.25		
15	64QAM	75	0	21.18	21.18	21.22	tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)				37895	38000	38200	tune-up limit (dBm)	MPR (dB)
10	QPSK	1	0	22.03	22.34	21.98	23	0
10	QPSK	1	25	22.00	22.18	22.23		
10	QPSK	1	49	22.13	22.14	22.17		
10	QPSK	25	12	22.13	22.21	22.16		
10	QPSK	25	12	22.13	22.21	22.20	23	0
10	QPSK	25	25	22.16	22.12	22.29		
10	QPSK	50	0	22.15	22.23	22.12		
10	16QAM	1	0	22.15	22.18	21.97		
10	16QAM	1	24	22.07	22.14	22.14	23	0
10	16QAM	1	49	22.16	22.07	22.24		
10	16QAM	25	0	22.00	22.11	22.09		
10	16QAM	25	12	22.21	22.12	22.22		
10	16QAM	25	25	22.25	22.09	22.22	23	0
10	16QAM	50	0	22.25	22.07	22.17		
10	64QAM	1	0	21.79	22.14	22.18		
10	64QAM	1	25	22.26	21.83	22.11		
10	64QAM	1	49	22.21	22.12	21.99	23	0
10	64QAM	25	0	20.97	21.08	21.12		
10	64QAM	25	12	21.13	21.12	21.28		
10	64QAM	25	25	21.06	21.24	21.22		
10	64QAM	50	0	21.25	21.15	21.14	22	1
Channel								
Frequency (MHz)				37775	38000	38225	tune-up limit (dBm)	MPR (dB)
5	QPSK	1	0	22.00	22.28	21.98	23	0
5	QPSK	1	12	22.02	22.09	22.25		
5	QPSK	1	24	22.24	22.09	22.27		
5	QPSK	12	0	22.04	22.32	22.15		
5	QPSK	12	13	22.26	22.14	22.25	23	0
5	QPSK	12	13	22.26	22.14	22.25		
5	QPSK	25	0	22.19	22.27	22.11		
5	16QAM	1	0	22.14	22.23	21.97		
5	16QAM	1	12	22.03	22.06	22.19	23	0
5	16QAM	1	24	22.20	22.12	22.32		
5	16QAM	12	0	21.91	22.15	22.29		
5	16QAM	12	7	22.22	22.15	22.29		
5	16QAM	12	13	22.20	22.20	22.30	23	0
5	16QAM	25	0	22.28	22.12	22.20		
5	64QAM	1	0	21.71	22.14	22.18		
5	64QAM	1	12	22.28	21.88	22.02		
5	64QAM	1	24	22.25	22.05	22.08	22	1
5	64QAM	12	0	20.92	21.13	21.11		
5	64QAM	12	7	21.14	21.16	21.36		
5	64QAM	12	12	21.17	21.17	21.32		
5	64QAM	25	0	21.22	21.20	21.20		

Band 41_Ant 13												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up time (min)	MPR (dB)		
Channel Frequency (MHz)				39750	40105	40620	41055	41490				
				26065	26463	27055	27688	28268				
20	QPSK	1	0	21.96	21.97	22.05	21.98	22.00	22.5	0		
20	QPSK	1	49	21.81	21.79	21.78	21.71	21.57				
20	QPSK	1	99	21.71	21.84	21.94	21.68	21.73				
20	QPSK	50	0	21.85	21.93	21.96	21.85	21.75				
20	QPSK	50	24	21.73	21.64	21.55	21.65	21.48	22.5	0		
20	QPSK	50	50	21.68	21.75	21.61	21.65	21.57				
20	QPSK	100	0	21.89	21.96	21.98	21.94	21.72				
20	16QAM	1	0	21.52	21.85	21.52	21.60	21.70				
20	16QAM	1	45	21.56	21.77	21.52	21.58	21.73	22.5	0		
20	16QAM	1	99	21.90	21.77	21.77	21.75	21.61				
20	16QAM	50	0	21.35	21.24	21.23	21.23	21.26				
20	16QAM	50	24	21.38	21.56	21.30	21.37	21.26				
20	16QAM	100	0	21.48	21.49	21.30	21.30	21.18	22	0.5		
20	64QAM	1	0	21.13	21.62	21.26	21.38	21.41				
20	64QAM	1	49	21.77	21.74	21.56	21.61	21.64				
20	64QAM	1	99	21.31	21.79	21.59	21.55	21.29				
20	64QAM	50	0	20.20	20.35	20.36	20.21	20.19	21	1.5		
20	64QAM	50	24	20.45	20.45	20.29	20.44	20.19				
20	64QAM	50	50	20.32	20.48	20.33	20.42	20.20				
Channel Frequency (MHz)				20420	20427	20336	20334	20318				
				20503	20443	20373	20378	20352			Tune-up time (min)	MPR (dB)
15	QPSK	1	0	21.90	21.92	21.93	21.85	21.87	22.5		0	
15	QPSK	1	37	21.73	21.70	21.63	21.64	21.44				
15	QPSK	1	74	21.61	21.77	21.86	21.61	21.67				
15	QPSK	36	0	21.72	21.87	21.81	21.63	21.68				
15	QPSK	36	20	21.66	21.55	21.40	21.57	21.33	22.5	0		
15	QPSK	36	39	21.54	21.70	21.47	21.56	21.43				
15	QPSK	75		21.79	21.87	21.87	21.79	21.59	22.5	0		
15	16QAM	1	0	21.40	21.73	21.47	21.48	21.69				
15	16QAM	1	37	21.75	21.68	21.78	21.74	21.67				
15	16QAM	1	74	21.75	21.66	21.67	21.62	21.53				
15	16QAM	36	0	21.25	21.08	21.18	21.10	21.14	22	0.5		
15	16QAM	36	20	21.26	21.42	21.21	21.28	21.10				
15	16QAM	36	39	21.36	21.48	21.38	21.21	21.14				
15	16QAM	75	0	21.39	21.40	21.23	21.19	21.07				
15	64QAM	1	0	21.01	21.50	21.16	21.28	21.29	21	1.5		
15	64QAM	1	37	21.63	21.21	21.41	21.45	21.57				
15	64QAM	1	74	21.22	21.65	21.47	21.22	21.32				
15	64QAM	36	0	20.14	20.21	20.29	20.12	20.12				
15	64QAM	36	20	20.40	20.30	20.17	20.30	20.09				
15	64QAM	36	39	20.21	20.34	20.23	20.36	20.15				
15	64QAM	75	0	20.53	20.37	20.53	20.54	20.55	21	1.5		
Channel Frequency (MHz)				20420	20427	20336	20334	20318				
				20501	20547	20593	20539	20585				
				20603	20543	20473	20478	20452				
10	QPSK	1	0	21.84	21.83	21.98	21.92	21.93	22.5		0	
10	QPSK	1	25	21.73	21.70	21.62	21.62	21.43				
10	QPSK	1	49	21.56	21.73	21.83	21.56	21.65				
10	QPSK	25	0	21.74	21.88	21.81	21.67	21.70				
10	QPSK	25	12	21.61	21.59	21.41	21.67	21.38	22.5	0		
10	QPSK	25	25	21.52	21.59	21.50	21.55	21.42				
10	QPSK	50	0	21.83	21.83	21.90	21.89	21.60	22.5	0		
10	16QAM	1	0	21.38	21.73	21.38	21.41	21.54				
10	16QAM	1	25	21.68	21.69	21.72	21.74	21.68				
10	16QAM	1	49	21.82	21.72	21.60	21.70	21.48				
10	16QAM	25	0	21.22	21.15	21.15	21.16	21.19	22	0.5		
10	16QAM	25	12	21.26	21.50	21.47	21.25	21.13				
10	16QAM	25	25	21.39	21.47	21.31	21.25	21.16				
10	16QAM	50	0	21.34	21.39	21.15	21.15	21.11				
10	64QAM	1	0	21.03	21.47	21.11	21.30	21.34	21		1.5	
10	64QAM	1	25	21.70	21.08	21.29	21.25	21.06				
10	64QAM	1	49	21.15	21.65	21.40	21.49	21.20				
10	64QAM	25	0	20.04	20.28	20.21	20.11	20.07				
10	64QAM	25	12	20.30	20.37	20.14	20.33	20.04				
10	64QAM	25	25	20.26	20.41	20.21	20.33	20.07				
10	64QAM	50	0	20.31	20.37	20.25	20.37	20.08	21	1.5		
Channel Frequency (MHz)				39675	40148	40620	41093	41565				
				24985	25458	25933	26403	26975				
				27003	27478	27953	28428	28903				
5	QPSK	1	0	21.86	21.87	21.98	21.84	21.91	22.5		0	
5	QPSK	1	12	21.66	21.78	21.82	21.67	21.47				
5	QPSK	1	24	21.60	21.72	21.84	21.53	21.60				
5	QPSK	12	0	21.70	21.77	21.80	21.73	21.68				
5	QPSK	12	7	21.68	21.51	21.43	21.51	21.32	22.5	0		
5	QPSK	12	13	21.53	21.70	21.48	21.52	21.50				
5	QPSK	25	0	21.84	21.91	21.89	21.84	21.82	22.5	0.5		
5	16QAM	1	0	21.38	21.78	21.38	21.60	21.55				
5	16QAM	1	12	21.68	21.64	21.70	21.76	21.68				
5	16QAM	1	24	21.74	21.71	21.62	21.61	21.56				
5	16QAM	12	0	21.26	21.13	21.12	21.08	21.08	22		0.5	
5	16QAM	12	7	21.31	21.50	21.23	21.25	21.17				
5	16QAM	12	13	21.37	21.42	21.33	21.25	21.15				
5	16QAM	25	0	21.43	21.42	21.16	21.18	21.02				
5	64QAM	1	0	21.04	21.53	21.16	21.25	21.26	22	0.5		
5	64QAM	1	12	21.63	21.13	21.31	21.21	21.53				
5	64QAM	1	24	21.18	21.63	21.54	21.43	21.24				
5	64QAM	12	0	20.05	20.27	20.31	20.06	20.14				
5	64QAM	12	7	20.30	20.41	20.17	20.31	20.12	21		1.5	
5	64QAM	12	13	20.26	20.43	20.20	20.34	20.05				
5	64QAM	25	0	20.31	20.32	20.29	20.23	20.11				
Channel Frequency (MHz)				39675	40148	40620	41093	41565				

Band 41_Ant 31												
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq.	Power Low Middle Ch. Freq.	Power Middle Ch. Freq.	Power High Middle Ch. Freq.	Power High Ch. Freq.	Turn-up time (s/m)	MPE (dB)		
Channel												
Frequency (MHz)				39750	40165	40620	41065	41460				
Channel				2509	2549.5	2593	2634.5	2680				
20	QPSK	1	0	22.16	22.25	22.36	22.31	22.26				
20	QPSK	1	49	21.99	22.11	22.14	22.14	22.05	23	0		
20	QPSK	1	99	21.93	22.04	22.09	21.88	22.25				
20	QPSK	60	0	22.21	22.28	22.29	22.28	22.21				
20	QPSK	50	24	22.18	22.08	22.15	22.18	22.09	23	0		
20	QPSK	50	50	22.13	22.14	22.17	22.16	22.19				
20	QPSK	100	0	22.17	22.21	22.23	22.17	22.13				
20	16QAM	1	0	22.26	21.87	22.32	21.89	22.01				
20	16QAM	1	49	21.93	21.75	22.22	21.86	21.94	23	0		
20	16QAM	1	99	21.96	21.98	21.97	22.26	21.86				
20	16QAM	50	0	21.81	21.79	21.88	21.88	21.82				
20	16QAM	50	24	21.89	21.93	21.87	21.88	21.91	23	0		
20	16QAM	50	50	21.80	21.98	21.89	21.87	21.84				
20	16QAM	100	0	21.81	21.86	21.81	21.90	21.87				
20	64QAM	1	0	21.56	21.79	22.35	21.96	22.00				
20	64QAM	1	49	22.08	21.76	22.07	22.32	22.04	23	0		
20	64QAM	1	99	21.78	21.76	22.18	22.27	22.19				
20	64QAM	50	0	21.13	21.14	21.12	21.12	21.19				
20	64QAM	50	24	21.24	21.28	21.14	21.17	21.19	22	1		
20	64QAM	50	50	21.07	21.37	21.23	21.28	21.14				
20	64QAM	100	0	21.06	21.35	20.97	21.29	21.12				
Channel												
Frequency (MHz)				39753	40165	40620	41065	41460	Turn-up time (s/m)	MPE (dB)		
Channel				2505.5	2548.3	2593	2637.8	2682.5				
15	QPSK	1	0	22.00	22.11	22.25	22.23	22.16				
15	QPSK	1	37	21.77	21.96	22.05	22.02	21.99	23	0		
15	QPSK	1	74	21.80	21.90	21.94	21.83	22.18				
15	QPSK	36	0	22.13	22.13	22.14	22.02	22.15				
15	QPSK	36	20	22.12	21.93	22.04	22.11	21.93	23	0		
15	QPSK	36	39	22.00	22.00	22.05	22.11	22.09				
15	QPSK	75	0	22.11	22.11	22.07	22.12	22.04				
15	16QAM	1	0	22.21	21.81	22.26	21.83	21.88				
15	16QAM	1	37	21.80	21.87	22.14	22.30	22.15	23	0		
15	16QAM	1	74	21.83	21.88	21.82	21.82	21.70				
15	16QAM	36	0	21.68	21.67	21.78	21.74	21.66				
15	16QAM	36	20	21.75	21.83	21.80	21.85	21.79	23	0		
15	16QAM	36	39	21.65	21.92	21.91	21.92	21.83				
15	16QAM	75	0	21.65	21.89	21.66	21.76	21.80				
15	64QAM	1	0	21.49	21.73	22.24	21.80	21.85				
15	64QAM	1	37	22.03	21.68	22.11	22.24	21.97				
15	64QAM	1	74	21.70	21.65	21.85	21.82	21.04	23	0		
15	64QAM	36	0	21.06	21.01	21.00	20.99	21.06				
15	64QAM	36	20	21.15	21.15	21.03	21.07	21.12	22	1		
15	64QAM	36	39	20.91	21.24	21.13	21.16	21.05				
15	64QAM	75	0	20.96	21.15	20.92	21.23	20.97				
Channel												
Frequency (MHz)				39757	40168	40620	41063	41565	Turn-up time (s/m)	MPE (dB)		
Channel				2508.5	2548.8	2593	2630.5	2687.5				
10	QPSK	1	0	22.03	22.09	22.30	22.16	22.19				
10	QPSK	1	25	21.83	21.95	22.02	22.05	21.99	23	0		
10	QPSK	1	49	21.82	21.86	21.89	21.93	22.11				
10	QPSK	25	0	22.13	22.08	22.28	22.14	22.12				
10	QPSK	25	12	22.09	21.99	22.08	22.05	21.93	23	0		
10	QPSK	25	25	21.99	22.08	22.03	22.00	22.10				
10	QPSK	50	0	22.07	22.06	22.12	22.02	21.98				
10	16QAM	1	0	22.20	21.71	22.24	21.71	21.93				
10	16QAM	1	25	21.78	21.65	22.08	22.30	22.14	23	0		
10	16QAM	1	49	21.85	21.85	21.92	22.16	21.73				
10	16QAM	25	0	21.66	21.63	21.77	21.72	21.68				
10	16QAM	25	12	21.76	21.63	21.83	21.76	21.86	23	0		
10	16QAM	25	25	21.64	21.92	21.83	21.79	21.88				
10	16QAM	50	0	21.76	21.85	21.68	21.79	21.71				
10	64QAM	1	0	21.42	21.64	22.28	21.90	21.84				
10	64QAM	1	25	22.04	21.64	22.13	22.18	21.93	23	0		
10	64QAM	1	49	21.64	21.61	21.95	22.20	21.84				
10	64QAM	25	0	20.98	21.03	20.98	21.01	21.03				
10	64QAM	25	12	21.09	21.21	21.00	21.08	21.04	22	1		
10	64QAM	25	25	20.96	21.26	21.16	21.13	20.98				
10	64QAM	50	0	20.93	21.19	20.82	21.11	21.07				
Channel												
Frequency (MHz)				39675	40148	40620	41063	41565	Turn-up time (s/m)	MPE (dB)		
Channel				2486.5	2545.8	2593	2640.5	2687.5				
5	QPSK	1	0	22.06	22.19	22.27	22.15	22.15				
5	QPSK	1	12	21.83	21.96	22.03	22.06	21.96	23	0		
5	QPSK	1	24	21.78	21.85	22.00	21.85	22.12				
5	QPSK	12	0	22.10	22.12	22.13	22.08	22.09				
5	QPSK	12	7	22.11	21.99	22.00	22.10	22.01	23	0		
5	QPSK	12	13	21.97	22.09	22.03	22.02	22.13				
5	QPSK	24	0	22.08	22.10	22.17	22.07	22.02				
5	16QAM	1	0	22.17	21.76	22.20	21.91	21.84				
5	16QAM	1	12	21.86	21.64	22.11	22.24	22.24	23	0		
5	16QAM	1	24	21.91	21.88	21.86	22.12	21.79				
5	16QAM	12	0	21.66	21.64	21.79	21.72	21.66				
5	16QAM	12	7	21.79	21.84	21.74	21.88	21.93	23	0		
5	16QAM	12	13	21.64	21.90	21.89	21.89	21.84				
5	16QAM	25	0	21.74	21.89	21.66	21.81	21.82				
5	64QAM	1	0	21.40	21.73	22.26	21.84	21.88				
5	64QAM	1	12	21.95	21.63	22.07	22.22	21.99	23	0		
5	64QAM	1	24	21.65	21.60	22.00	22.19	22.03				
5	64QAM	12	0	20.99	20.99	20.97	20.97	21.03				
5	64QAM	12	7	21.13	21.21	21.07	21.01	21.11	22	1		
5	64QAM	12	13	20.94	21.28	21.18	21.12	21.05				
5	64QAM	25	0	20.99	21.20	20.99	21.16	21.03				

Band 41_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				39750	40185	40620	41055	41490				
Frequency (MHz)				2506	2549.5	2593	2636.5	2680				
20	QPSK	1	0	20.68	20.73	20.99	20.80	20.73	22.5	0		
20	QPSK	1	49	20.60	20.71	20.84	20.72	20.66				
20	QPSK	1	99	20.50	20.63	20.76	20.66	20.71				
20	QPSK	50	24	20.73	20.81	20.84	20.86	20.78				
20	QPSK	50	50	20.73	20.77	20.85	20.88	20.79	22.5	0		
20	QPSK	100	0	20.79	20.83	20.86	20.75	20.79				
20	16QAM	1	0	20.73	20.91	20.84	20.97	20.97				
20	16QAM	1	49	20.84	20.83	20.80	20.96	20.95				
20	16QAM	1	99	20.70	20.98	20.92	20.89	20.98	22.5	0		
20	16QAM	50	0	20.58	20.71	20.78	20.91	20.95				
20	16QAM	50	24	20.83	20.88	20.89	20.80	20.77				
20	16QAM	50	50	20.74	20.78	20.88	20.86	20.81				
20	16QAM	100	0	20.71	20.77	20.76	20.87	20.78	22.5	0		
20	64QAM	1	0	20.84	20.81	20.85	20.92	20.84				
20	64QAM	1	49	20.91	20.82	20.70	20.94	20.81				
20	64QAM	1	99	20.77	20.98	20.83	20.88	20.98				
20	64QAM	50	0	19.73	19.67	19.78	19.82	19.76	21.5	1		
20	64QAM	50	24	19.75	19.85	19.72	19.85	19.73				
20	64QAM	50	50	19.69	19.78	19.82	19.82	19.82				
20	64QAM	100	0	19.79	19.81	19.73	19.83	19.91				
Channel				39700	40173	40620	41068	41515	Tune-up limit (dBm)		MPR (dB)	
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5				
15	QPSK	1	0	20.54	20.62	20.91	20.73	20.60	22.50	0		
15	QPSK	1	37	20.52	20.60	20.75	20.59	20.51				
15	QPSK	1	74	20.53	20.52	20.63	20.55	20.59				
15	QPSK	36	0	20.68	20.77	20.78	20.84	20.76				
15	QPSK	36	20	20.68	20.72	20.72	20.74	20.69	22.5	0		
15	QPSK	36	39	20.57	20.66	20.80	20.79	20.73				
15	QPSK	75	0	20.64	20.69	20.75	20.74	20.74				
15	16QAM	1	0	20.65	20.76	20.75	20.85	20.90				
15	16QAM	1	37	20.69	20.68	20.68	20.83	20.83	22.5	0		
15	16QAM	1	74	20.64	20.93	20.82	20.78	20.89				
15	16QAM	36	0	20.58	20.66	20.69	20.85	20.89				
15	16QAM	36	20	20.68	20.74	20.74	20.73	20.72				
15	16QAM	36	39	20.68	20.68	20.73	20.76	20.67	22.5	0		
15	16QAM	75	0	20.58	20.63	20.69	20.77	20.72				
15	64QAM	1	0	20.74	20.74	20.80	20.79	20.78				
15	64QAM	1	37	20.83	20.76	20.54	20.83	20.70				
15	64QAM	1	74	20.68	20.89	20.78	20.78	20.84	22.5	1		
15	64QAM	36	0	19.63	19.58	19.73	19.67	19.70				
15	64QAM	36	20	19.86	19.77	19.62	19.73	19.67				
15	64QAM	36	39	19.60	19.68	19.70	19.78	19.77				
15	64QAM	75	0	19.70	19.67	19.68	19.87	19.76				
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2501	2547	2593	2639	2685				
10	QPSK	1	0	20.53	20.65	20.84	20.73	20.67	22.50	0		
10	QPSK	1	25	20.56	20.84	20.72	20.65	20.59				
10	QPSK	1	49	20.59	20.51	20.69	20.54	20.59				
10	QPSK	25	0	20.65	20.79	20.79	20.83	20.80				
10	QPSK	25	12	20.66	20.71	20.79	20.71	20.69	22.5	0		
10	QPSK	25	25	20.66	20.69	20.77	20.72	20.65				
10	QPSK	50	0	20.71	20.73	20.71	20.73	20.71				
10	16QAM	1	0	20.68	20.86	20.71	20.83	20.83				
10	16QAM	1	25	20.70	20.74	20.75	20.90	20.84	22.5	0		
10	16QAM	1	49	20.55	20.86	20.82	20.74	20.83				
10	16QAM	25	0	20.57	20.80	20.73	20.76	20.89				
10	16QAM	25	12	20.77	20.78	20.74	20.75	20.64				
10	16QAM	25	25	20.59	20.63	20.80	20.80	20.75	22.5	0		
10	16QAM	50	0	20.63	20.68	20.62	20.76	20.69				
10	64QAM	1	0	20.79	20.71	20.76	20.80	20.78				
10	64QAM	1	25	20.81	20.77	20.63	20.85	20.76				
10	64QAM	1	49	20.65	20.87	20.73	20.78	20.85	21.5	1		
10	64QAM	25	0	19.68	19.55	19.70	19.74	19.68				
10	64QAM	25	12	19.61	19.75	19.63	19.79	19.64				
10	64QAM	25	25	19.58	19.70	19.74	19.76	19.83				
10	64QAM	50	0	19.74	19.73	19.61	19.87	19.79				
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5				
5	QPSK	1	0	20.53	20.64	20.90	20.73	20.64	22.50	0		
5	QPSK	1	12	20.51	20.68	20.71	20.60	20.54				
5	QPSK	1	24	20.56	20.53	20.66	20.51	20.60				
5	QPSK	12	0	20.72	20.78	20.84	20.83	20.78				
5	QPSK	12	7	20.58	20.70	20.72	20.72	20.60	22.5	0		
5	QPSK	12	13	20.58	20.70	20.75	20.78	20.63				
5	QPSK	25	0	20.73	20.70	20.72	20.63	20.65				
5	16QAM	1	0	20.57	20.85	20.72	20.92	20.92				
5	16QAM	1	12	20.75	20.77	20.68	20.88	20.89	22.5	0		
5	16QAM	1	24	20.62	20.89	20.81	20.77	20.67				
5	16QAM	12	0	20.52	20.65	20.69	20.81	20.84				
5	16QAM	12	7	20.70	20.78	20.76	20.70	20.63				
5	16QAM	12	13	20.64	20.66	20.77	20.73	20.65	22.5	0		
5	16QAM	25	0	20.61	20.72	20.64	20.80	20.72				
5	64QAM	1	0	20.75	20.66	20.72	20.82	20.71				
5	64QAM	1	12	20.82	20.67	20.62	20.86	20.65				
5	64QAM	1	24	20.70	20.91	20.68	20.74	20.83	21.5	1		
5	64QAM	12	0	19.63	19.57	19.67	19.77	19.60				
5	64QAM	12	7	19.60	19.70	19.61	19.75	19.65				
5	64QAM	12	13	19.57	19.70	19.69	19.86	19.87				
5	64QAM	25	0	19.67	19.75	19.58	19.88	19.81				

Reduced Power for DSI 5.1

Band 2_Ant 13																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Time-up limit (dBm)	MPR (dB)								
Channel																
Frequency (MHz)				18700	18800	19100										
20	QPSK	1	0	16.23	16.35	16.29			17.5	0						
20	QPSK	1	49	16.09	16.23	16.24										
20	QPSK	1	99	16.16	16.22	16.00										
20	QPSK	50	0	16.22	16.33	16.30										
20	QPSK	50	24	16.21	16.30	16.23			17.5	0						
20	QPSK	50	50	16.17	16.23	16.20										
20	QPSK	100	0	16.20	16.36	16.28										
20	16QAM	1	0	15.73	16.29	16.22										
20	16QAM	1	49	16.01	16.14	16.23			17.5	0						
20	16QAM	1	99	16.11	16.30	16.21										
20	16QAM	50	0	16.26	16.27	16.16										
20	16QAM	50	24	16.20	16.37	16.29			17.5	0						
20	16QAM	50	50	16.10	16.26	16.19										
20	16QAM	100	0	16.20	16.26	16.31										
20	64QAM	1	0	16.29	16.25	15.90			17.5	0						
20	64QAM	1	49	16.16	16.34	16.08										
20	64QAM	1	99	16.02	16.24	16.35										
20	64QAM	50	0	16.20	16.23	16.28										
20	64QAM	50	24	16.31	16.21	16.34			17.5	0						
20	64QAM	50	50	16.20	16.19	16.26										
20	64QAM	100	0	16.29	16.28	16.30										
Channel																
Frequency (MHz)				18675	18800	19125	Time-up limit (dBm)	MPR (dB)								
15	QPSK	1	0	16.08	16.24	16.13			17.5	0						
15	QPSK	1	37	15.93	16.18	16.09										
15	QPSK	1	74	16.06	16.16	15.84										
15	QPSK	36	0	16.14	16.23	16.17										
15	QPSK	36	20	16.09	16.23	16.11			17.5	0						
15	QPSK	36	39	16.01	16.11	16.15										
15	QPSK	75	0	16.15	16.23	16.20										
15	16QAM	1	0	15.59	16.22	16.08										
15	16QAM	1	37	15.86	15.99	16.09			17.5	0						
15	16QAM	1	74	15.98	16.15	16.09										
15	16QAM	36	0	16.16	16.22	16.04										
15	16QAM	36	20	16.09	16.25	16.18			17.5	0						
15	16QAM	36	39	15.99	16.10	16.07										
15	16QAM	75	0	16.04	16.14	16.16										
15	64QAM	1	0	16.24	16.17	15.82			17.5	0						
15	64QAM	1	37	16.08	16.21	15.92										
15	64QAM	1	74	15.90	16.19	16.19										
15	64QAM	36	0	16.05	16.12	16.20										
15	64QAM	36	20	16.19	16.08	16.23			17.5	0						
15	64QAM	36	39	16.13	16.06	16.20										
15	64QAM	75	0	16.16	16.15	16.28										
Channel																
Frequency (MHz)				18650	18800	19150	Time-up limit (dBm)	MPR (dB)								
10	QPSK	1	0	16.11	16.27	16.16			17.5	0						
10	QPSK	1	25	15.93	16.15	16.11										
10	QPSK	1	49	16.00	16.10	15.92										
10	QPSK	25	0	16.09	16.18	16.18										
10	QPSK	25	12	16.10	16.22	16.18			17.5	0						
10	QPSK	25	25	16.10	16.13	16.15										
10	QPSK	50	0	16.15	16.25	16.20										
10	16QAM	1	0	15.62	16.19	16.08			17.5	0						
10	16QAM	1	25	15.90	16.01	16.17										
10	16QAM	1	49	16.06	16.15	16.05										
10	16QAM	25	0	16.19	16.19	16.11			17.5	0						
10	16QAM	25	12	16.10	16.30	16.13										
10	16QAM	25	25	15.94	16.16	16.07										
10	16QAM	50	0	16.06	16.12	16.25			17.5	0						
10	64QAM	1	0	16.14	16.12	15.82										
10	64QAM	1	25	16.00	16.26	16.25										
10	64QAM	1	49	15.88	16.13	16.21										
10	64QAM	25	0	16.15	16.08	16.15			17.5	0						
10	64QAM	25	12	16.24	16.06	16.26										
10	64QAM	25	25	16.07	16.04	16.19										
10	64QAM	50	0	16.19	16.19	16.29			17.5	0						
Channel																
Frequency (MHz)				18625	18800	19175	Time-up limit (dBm)	MPR (dB)								
5	QPSK	1	0	16.15	16.22	16.24							17.5	0		
5	QPSK	1	12	15.95	16.07	16.11										
5	QPSK	1	24	16.09	16.10	15.93										
5	QPSK	12	0	16.07	16.17	16.15										
5	QPSK	12	7	16.15	16.20	16.18			17.5	0						
5	QPSK	12	13	16.01	16.07	16.08										
5	QPSK	25	0	16.09	16.21	16.19										
5	16QAM	1	0	15.65	16.18	16.11										
5	16QAM	1	12	15.95	16.00	16.08			17.5	0						
5	16QAM	1	24	16.09	16.22	16.10										
5	16QAM	12	0	16.19	16.18	16.00										
5	16QAM	12	7	16.04	16.30	16.20			17.5	0						
5	16QAM	12	13	16.04	16.18	16.03										
5	16QAM	25	0	16.11	16.20	16.24										
5	64QAM	1	0	16.13	16.17	15.80			17.5	0						
5	64QAM	1	12	16.04	16.25	15.92										
5	64QAM	1	24	15.86	16.17	16.21										
5	64QAM	12	0	16.15	16.08	16.17										
5	64QAM	12	7	16.15	16.05	16.29			17.5	0						
5	64QAM	12	13	16.14	16.08	16.17										
5	64QAM	25	0	16.24	16.18	16.26										
Channel																
Frequency (MHz)				18615 <th>18800</th> <th>19185</th> <th>Time-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="4"></th>	18800	19185	Time-up limit (dBm)	MPR (dB)								
3	QPSK	1	0	16.07	16.25	16.21			17.5	0						
3	QPSK	1	8	15.97	16.12	16.12										
3	QPSK	1	14	16.08	16.12	15.89										
3	QPSK	8	0	16.06	16.22	16.16										
3	QPSK	8	4	16.10	16.21	16.11			17.5	0						
3	QPSK	8	7	16.06	16.14	16.07										
3	QPSK	15	0	16.12	16.30	16.18										
3	16QAM	1	0	15.61	16.13	16.13										
3	16QAM	1	8	15.90	16.00	16.13			17.5	0						
3	16QAM	1	14	16.00	16.18	16.13										
3	16QAM	8	0	16.18	16.15	16.06										
3	16QAM	8	4	16.12	16.28	16.17			17.5	0						
3	16QAM	8	7	15.94	16.21	16.11										
3	16QAM	15	0	16.12	16.12	16.21										
3	64QAM	1	0	16.13	16.10	16.79			17.5	0						
3	64QAM	1	8	16.06	16.21	15.99										
3	64QAM	1	14	15.93	16.12	16.27										
3	64QAM	8	0	16.10	16.10	16.25										
3	64QAM	8	7	16.19	16.10	16.25			17.5	0						
3	64QAM	8	7	16.09	16.06	16.21										
3	64QAM	15	0	16.17	16.15	16.30										
Channel																
Frequency (MHz)				18607 <th>18800</th> <th>19193</th> <th>Time-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="4"></th>	18800	19193	Time-up limit (dBm)	MPR (dB)								
1.4	QPSK	1	0	16.08	16.30	16.20			17.5	0						
1.4	QPSK	1	3	15.97	16.12	16.12										
1.4	QPSK	1	6	16.00	16.15	15.88										
1.4	QPSK	3	0	16.14	16.22	16.16										
1.4	QPSK	3	1	16.06	16.19	16.09			17.5	0						
1.4	QPSK	3	3	16.03	16.03	16.13										
1.4	QPSK	6	0	16.13	16.30	16.23										
1.4	QPSK	6	3	16.06	16.23	16.07										
1.4	16QAM	1	3	15.93	16.01	16.15			17.5	0						
1.4	16QAM	1	5	16.05	16.15	16.08										
1.4	16QAM	3	0	16.21	16.15	16.05										
1.4	16QAM	3	1	16.13	16.22	16.14			17.5	0						
1.4	16QAM	3	1	16.13	16.16	16.08										
1.4	16QAM	6	0	16.08	16.17	16.23										
1.4	64QAM	1	0	16.17	16.12	15.79			17.5	0						
1.4	64QAM	1	3	16.00	16.25	15.96										
1.4	64QAM	1	5	15.87	16.18	16.25										
1.4	64QAM	3	0	16.15	16.09	16.21										
1.4	64QAM	3	1	16.14	16.14	16.26			17.5	0						
1.4	64QAM	3	3	16.11	16.07	16.21										
1.4	64QAM	6	0	16.23	16.17	16.20										

Band 4_Ant 13																		
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Turn-up limit (dBm)	MPR (dB)										
Channel 200950 201750 203950																		
Frequency (MHz)																		
20	QPSK	1	0	16.64	16.66	16.65	17.5	0										
20	QPSK	1	49	16.64	16.51	16.34												
20	QPSK	1	99	16.43	16.32	16.30												
20	QPSK	50	0	16.51	16.63	16.42	17.5	0										
20	QPSK	50	24	16.56	16.43	16.55												
20	QPSK	50	50	16.46	16.54	16.41												
20	QPSK	100	0	16.44	16.53	16.43	17.5	0										
20	16QAM	1	0	16.65	16.41	16.52												
20	16QAM	1	49	16.16	16.65	16.65												
20	16QAM	1	99	16.30	16.61	16.57	17.5	0										
20	16QAM	50	0	16.41	16.57	16.46												
20	16QAM	50	24	16.53	16.40	16.51												
20	16QAM	50	50	16.36	16.54	16.40	17.5	0										
20	16QAM	100	0	16.45	16.45	16.51												
20	64QAM	1	0	16.52	16.41	16.36												
20	64QAM	1	49	16.13	16.63	16.65	17.5	0										
20	64QAM	1	99	16.47	16.28	16.53												
20	64QAM	50	0	16.37	16.49	16.56												
20	64QAM	50	24	16.49	16.53	16.47	17.5	0										
20	64QAM	50	50	16.52	16.48	16.36												
20	64QAM	100	0	16.47	16.48	16.52												
Channel 200925 201725 203925																		
Frequency (MHz)																		
15	QPSK	1	0	16.49	16.53	16.55	17.5	0										
15	QPSK	1	37	16.44	16.44	16.20												
15	QPSK	1	74	16.32	16.22	16.21												
15	QPSK	36	0	16.36	16.48	16.36	17.5	0										
15	QPSK	36	20	16.42	16.37	16.43												
15	QPSK	36	39	16.39	16.49	16.31												
15	QPSK	75	0	16.37	16.37	16.37	17.5	0										
15	16QAM	1	0	16.42	16.33	16.44												
15	16QAM	1	37	16.03	16.52	16.57												
15	16QAM	1	74	16.16	16.51	16.41	17.5	0										
15	16QAM	36	0	16.35	16.45	16.32												
15	16QAM	36	20	16.43	16.27	16.46												
15	16QAM	36	39	16.21	16.40	16.26	17.5	0										
15	16QAM	75	0	16.32	16.30	16.44												
15	64QAM	1	0	16.42	16.35	16.23												
15	64QAM	1	37	16.07	16.56	16.54	17.5	0										
15	64QAM	1	74	16.34	16.13	16.41												
15	64QAM	36	0	16.32	16.35	16.48												
15	64QAM	36	20	16.40	16.46	16.39	17.5	0										
15	64QAM	36	39	16.45	16.43	16.26												
15	64QAM	75	0	16.42	16.36	16.43												
Channel 200000 201700 203500																		
Frequency (MHz)																		
10	QPSK	1	0	16.56	16.50	16.50	17.5	0										
10	QPSK	1	25	16.42	16.43	16.24												
10	QPSK	1	49	16.30	16.20	16.16												
10	QPSK	25	0	16.38	16.54	16.32	17.5	0										
10	QPSK	25	12	16.40	16.26	16.47												
10	QPSK	25	25	16.34	16.45	16.26												
10	QPSK	50	0	16.39	16.45	16.37	17.5	0										
10	16QAM	1	0	16.46	16.26	16.38												
10	16QAM	1	25	16.00	16.50	16.53												
10	16QAM	1	49	16.19	16.46	16.43	17.5	0										
10	16QAM	25	0	16.27	16.46	16.33												
10	16QAM	25	12	16.47	16.27	16.38												
10	16QAM	25	25	16.28	16.44	16.24	17.5	0										
10	16QAM	50	0	16.38	16.30	16.43												
10	64QAM	1	0	16.36	16.32	16.30												
10	64QAM	1	25	15.98	16.55	16.50	17.5	0										
10	64QAM	1	49	16.37	16.17	16.47												
10	64QAM	25	0	16.25	16.34	16.51												
10	64QAM	25	12	16.39	16.41	16.41	17.5	0										
10	64QAM	25	25	16.43	16.37	16.22												
10	64QAM	50	0	16.40	16.36	16.37												
Channel 169750 170750 203750																		
Frequency (MHz)																		
5	QPSK	1	0	16.57	16.53	16.50	17.5	0										
5	QPSK	1	12	16.39	16.42	16.20												
5	QPSK	1	24	16.29	16.16	16.16												
5	QPSK	12	0	16.42	16.53	16.26	17.5	0										
5	QPSK	12	7	16.40	16.30	16.45												
5	QPSK	12	13	16.35	16.44	16.29												
5	QPSK	25	0	16.32	16.40	16.32	17.5	0										
5	16QAM	1	0	16.44	16.25	16.42												
5	16QAM	1	12	16.08	16.57	16.55												
5	16QAM	1	24	16.17	16.52	16.39	17.5	0										
5	16QAM	12	0	16.33	16.47	16.38												
5	16QAM	12	7	16.46	16.35	16.39												
5	16QAM	12	13	16.26	16.49	16.35	17.5	0										
5	16QAM	25	0	16.40	16.32	16.41												
5	64QAM	1	0	16.38	16.26	16.29												
5	64QAM	1	12	16.00	16.51	16.51	17.5	0										
5	64QAM	1	24	16.36	16.14	16.45												
5	64QAM	12	0	16.29	16.42	16.48												
5	64QAM	12	7	16.39	16.41	16.39	17.5	0										
5	64QAM	12	13	16.41	16.33	16.31												
5	64QAM	15	0	16.32	16.34	16.40												
Channel 169650 170650 203650																		
Frequency (MHz)																		
3	QPSK	1	0	16.55	16.55	16.54	17.5	0										
3	QPSK	1	8	16.43	16.45	16.22												
3	QPSK	1	14	16.30	16.17	16.18												
3	QPSK	8	0	16.44	16.54	16.32	17.5	0										
3	QPSK	8	4	16.41	16.35	16.44												
3	QPSK	8	7	16.39	16.47	16.29												
3	QPSK	15	0	16.34	16.43	16.34	17.5	0										
3	16QAM	1	0	16.49	16.29	16.49												
3	16QAM	1	8	16.09	16.51	16.56												
3	16QAM	1	14	16.17	16.52	16.46	17.5	0										
3	16QAM	8	0	16.34	16.42	16.33												
3	16QAM	8	4	16.38	16.29	16.41												
3	16QAM	8	7	16.42	16.39	16.36	17.5	0										
3	16QAM	15	0	16.32	16.40	16.42												
3	64QAM	1	0	16.42	16.35	16.20												
3	64QAM	1	8	16.05	16.48	16.56	17.5	0										
3	64QAM	1	14	16.33	16.12	16.46												
3	64QAM	8	0	16.30	16.42	16.43												
3	64QAM	8	4	16.44	16.40	16.41	17.5	0										
3	64QAM	8	7	16.41	16.34	16.22												
3	64QAM	15	0	16.31	16.41	16.45												
Channel 169657 170657 203657																		
Frequency (MHz)																		
1.4	QPSK	1	0	16.58	16.60	16.58	17.5	0										
1.4	QPSK	1	3	16.36	16.36	16.45												
1.4	QPSK	1	5	16.32	16.22	16.16												
1.4	QPSK	3	0	16.38	16.57	16.37	17.5	0										
1.4	QPSK	3	1	16.42	16.35	16.41												
1.4	QPSK	3	3	16.32	16.44	16.34												
1.4	QPSK	6	0	16.36	16.39	16.29	17.5	0										
1.4	16QAM	1	0	16.42	16.31	16.36												
1.4	16QAM	1	3	16.11	16.51	16.53												
1.4	16QAM	1	5	16.14	16.47	16.44	17.5	0										
1.4	16QAM	3	0	16.27	16.42	16.36												
1.4	16QAM	3	1	16.40	16.24	16.35												
1.4	16QAM	3	3	16.20	16.40	16.35	17.5	0										
1.4	16QAM	6	0	16.40	16.36	16.40												
1.4	64QAM	1	0	16.39	16.27	16.21												
1.4	64QAM	1	3	16.08	16.47	16.59	17.5	0										
1.4	64QAM	1	5	16.38	16.13	16.36												
1.4	64QAM	3	0	16.28	16.36	16.40												
1.4	64QAM	3	1	16.43	16.41	16.39	17.5	0										
1.4	64QAM	3	3	16.46	16.41	16.27												
1.4	64QAM	6	0	16.38	16.33	16.45												

Band 5_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
10	QPSK	1	0	21.75	21.97	21.57	23	0		
10	QPSK	1	25	21.71	21.72	21.70				
10	QPSK	1	49	21.63	21.79	21.52				
10	QPSK	25	0	21.76	21.86	21.76				
10	QPSK	25	12	21.84	21.76	21.82	23	0		
10	QPSK	25	25	21.83	21.73	21.76				
10	QPSK	50	0	21.83	21.94	21.90				
10	16QAM	1	0	21.79	21.89	21.58				
10	16QAM	1	25	21.88	21.65	21.80	23	0		
10	16QAM	1	49	21.70	21.52	21.71				
10	16QAM	25	0	21.83	21.88	21.83				
10	16QAM	25	12	21.70	21.87	21.77				
10	16QAM	25	25	21.84	21.76	21.88	23	0		
10	16QAM	50	0	21.78	21.74	21.72				
10	64QAM	1	0	21.84	21.84	21.82				
10	64QAM	1	25	21.62	21.45	21.62				
10	64QAM	1	49	21.78	21.66	21.79	23	0		
10	64QAM	25	0	20.87	20.85	20.72				
10	64QAM	25	12	20.92	20.94	20.89				
10	64QAM	25	25	20.93	20.82	20.71				
10	64QAM	50	0	20.96	20.79	20.91	22	1		
Channel				20.925	20.925	20.925			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				820.5	836.5	846.5				
5	QPSK	1	0	21.69	21.88	21.43	23	0		
5	QPSK	1	12	21.64	21.59	21.59				
5	QPSK	1	24	21.50	21.71	21.36				
5	QPSK	12	0	21.66	21.77	21.83				
5	QPSK	12	7	21.77	21.65	21.72	23	0		
5	QPSK	12	13	21.78	21.57	21.85				
5	QPSK	25	0	21.72	21.87	21.80				
5	16QAM	1	0	21.71	21.84	21.47				
5	16QAM	1	12	21.77	21.52	21.73	23	0		
5	16QAM	1	24	21.65	21.46	21.55				
5	16QAM	12	0	21.77	21.80	21.77				
5	16QAM	12	7	21.56	21.72	21.71				
5	16QAM	12	13	21.71	21.62	21.79	23	0		
5	16QAM	25	0	21.69	21.61	21.64				
5	64QAM	1	0	21.70	21.72	21.68				
5	64QAM	1	12	21.54	21.36	21.39				
5	64QAM	1	24	21.70	21.53	21.67	23	0		
5	64QAM	12	0	20.81	20.69	20.59				
5	64QAM	12	7	20.79	20.88	20.82				
5	64QAM	12	13	20.77	20.75	20.55				
5	64QAM	25	0	20.86	20.73	20.61	22	1		
Channel				20.915	20.925	20.935			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				825.5	836.5	847.5				
3	QPSK	1	0	21.67	21.81	21.46	23	0		
3	QPSK	1	8	21.56	21.59	21.64				
3	QPSK	1	14	21.47	21.71	21.36				
3	QPSK	8	0	21.62	21.72	21.68				
3	QPSK	8	4	21.69	21.65	21.69	23	0		
3	QPSK	8	7	21.76	21.62	21.65				
3	QPSK	15	0	21.69	21.80	21.85				
3	16QAM	1	0	21.74	21.76	21.47				
3	16QAM	1	8	21.78	21.59	21.67	23	0		
3	16QAM	1	14	21.61	21.37	21.37				
3	16QAM	8	0	21.77	21.75	21.75				
3	16QAM	8	4	21.64	21.80	21.63				
3	16QAM	8	7	21.75	21.67	21.80	23	0		
3	16QAM	15	0	21.72	21.68	21.63				
3	64QAM	1	0	21.69	21.76	21.76				
3	64QAM	1	8	21.54	21.36	21.39				
3	64QAM	1	14	21.72	21.57	21.69	23	0		
3	64QAM	8	0	20.77	20.75	20.59				
3	64QAM	8	4	20.85	20.87	20.78				
3	64QAM	8	7	20.88	20.69	20.65				
3	64QAM	15	0	20.76	20.73	20.60	22	1		
Channel				20.907	20.925	20.943			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				824.7	836.5	848.3				
1.4	QPSK	1	0	21.67	21.82	21.45	23	0		
1.4	QPSK	1	3	21.64	21.63	21.63				
1.4	QPSK	1	5	21.48	21.70	21.42				
1.4	QPSK	3	0	21.60	21.78	21.89				
1.4	QPSK	3	1	21.72	21.64	21.67	23	0		
1.4	QPSK	3	3	21.75	21.59	21.66				
1.4	QPSK	6	0	21.76	21.78	21.77				
1.4	16QAM	1	0	21.66	21.79	21.45				
1.4	16QAM	1	3	21.80	21.58	21.66	23	0		
1.4	16QAM	1	5	21.60	21.46	21.66				
1.4	16QAM	3	0	21.71	21.82	21.70				
1.4	16QAM	3	1	21.61	21.77	21.64				
1.4	16QAM	3	3	21.70	21.62	21.74	23	0		
1.4	16QAM	6	0	21.64	21.67	21.66				
1.4	64QAM	1	0	21.74	21.71	21.67				
1.4	64QAM	1	3	21.57	21.33	21.33				
1.4	64QAM	1	5	21.62	21.57	21.64	23	0		
1.4	64QAM	3	0	21.60	21.63	21.59				
1.4	64QAM	3	1	21.52	21.17	21.22				
1.4	64QAM	3	3	21.55	21.51	21.48				
1.4	64QAM	6	0	20.81	20.63	20.65	22	1		

Band 5_Ant 41										
BW (MHz)	Modulation	n	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel										
Frequency (MHz)										
10	QPSK	1	0		626	636.5	644			
5	QPSK	1	25		23.86	23.95	23.82	25	0	
5	QPSK	1	25		23.79	23.75	23.77			
10	QPSK	1	49		23.73	23.62	23.71			
10	QPSK	25	0		22.93	22.96	22.88			
10	QPSK	25	12		22.91	22.88	22.87	24	1	
10	QPSK	25	25		22.84	22.88	22.79			
10	QPSK	50	0		22.92	22.93	22.83			
10	16QAM	1	0		23.24	23.02	23.16			
10	16QAM	1	25		22.75	23.16	23.30	24	1	
10	16QAM	1	49		22.78	22.91	23.32			
10	16QAM	25	0		21.81	21.89	21.87			
10	16QAM	25	12		22.02	21.95	21.82			
10	16QAM	25	25		21.98	21.94	21.83	23	2	
10	16QAM	50	0		21.87	21.82	21.76			
10	64QAM	1	0		21.85	22.15	21.73			
10	64QAM	1	25		22.23	21.81	22.00			
10	64QAM	1	49		21.73	22.00	21.88	23	3	
10	64QAM	25	0		20.80	20.81	20.70			
10	64QAM	25	12		20.88	20.83	20.90			
10	64QAM	25	25		20.98	20.85	20.74			
10	64QAM	50	0		20.90	20.89	20.84			
Channel										
Frequency (MHz)										
5	QPSK	1	0		626.5	636.5	646.5			
5	QPSK	1	25		23.82	23.85	23.70	25	0	
5	QPSK	1	25		23.76	23.76	23.77			
5	QPSK	1	24		23.74	23.83	23.87			
5	QPSK	12	0		22.72	22.79	22.70			
5	QPSK	12	7		22.92	22.87	22.75	24	1	
5	QPSK	12	13		22.87	22.86	22.79			
5	QPSK	25	0		22.87	22.80	22.70			
5	16QAM	1	0		22.90	23.00	23.00			
5	16QAM	1	12		22.26	23.50	23.02	24	1	
5	16QAM	1	24		23.06	23.49	23.06			
5	16QAM	12	0		21.75	21.86	21.86			
5	16QAM	12	7		21.90	21.87	21.90			
5	16QAM	12	13		21.87	21.86	21.86	23	2	
5	16QAM	25	0		21.79	21.77	21.79			
5	64QAM	1	0		22.01	22.36	21.78			
5	64QAM	1	12		22.02	21.86	21.85			
5	64QAM	1	24		21.79	21.84	21.77	23	2	
5	64QAM	12	0		20.92	20.86	20.88			
5	64QAM	12	7		21.02	20.94	20.86			
5	64QAM	12	13		20.98	20.92	20.92			
5	64QAM	25	0		20.92	20.79	20.81			
Channel										
Frequency (MHz)										
3	QPSK	1	0		625.5	636.5	646.5			
3	QPSK	1	0		23.74	23.83	23.84	25	0	
3	QPSK	1	8		23.59	23.76	23.64			
3	QPSK	1	14		23.72	23.68	23.69			
3	QPSK	8	0		22.81	22.71	22.62			
3	QPSK	8	4		22.78	22.80	22.73	24	1	
3	QPSK	8	7		22.84	22.82	22.79			
3	QPSK	15	0		22.86	22.65	22.72			
3	16QAM	1	0		23.17	23.07	23.07			
3	16QAM	1	8		23.14	22.95	23.23	24	1	
3	16QAM	1	14		23.05	22.98	22.93			
3	16QAM	8	0		21.89	21.84	21.70			
3	16QAM	8	4		21.93	21.90	21.91			
3	16QAM	8	7		21.88	21.84	21.83	23	2	
3	16QAM	15	0		21.74	21.67	21.90			
3	64QAM	1	0		22.06	21.93	21.76			
3	64QAM	1	8		22.11	22.14	21.66			
3	64QAM	1	14		21.73	22.18	22.14	23	2	
3	64QAM	8	0		20.88	20.78	20.76			
3	64QAM	8	7		20.96	20.76	20.76			
3	64QAM	8	7		20.77	20.75	20.75			
3	64QAM	15	0		20.84	20.75	20.72			
Channel										
Frequency (MHz)										
1.4	QPSK	1	0		624.7	636.5	648.3			
1.4	QPSK	1	0		23.64	23.68	23.67	25	0	
1.4	QPSK	1	3		23.66	23.68	23.61			
1.4	QPSK	1	5		23.62	23.64	23.67			
1.4	QPSK	3	0		23.79	23.69	23.62			
1.4	QPSK	3	1		23.71	23.74	23.59	24	1	
1.4	QPSK	3	3		23.72	23.79	23.66			
1.4	QPSK	6	0		22.90	22.72	22.65			
1.4	16QAM	1	0		23.23	23.29	23.29			
1.4	16QAM	1	3		23.24	23.13	23.00	24	1	
1.4	16QAM	1	5		23.00	22.95	23.52			
1.4	16QAM	3	0		22.89	22.89	22.86			
1.4	16QAM	3	1		22.99	23.01	22.97			
1.4	16QAM	3	3		22.72	22.85	22.88	23	2	
1.4	16QAM	6	0		21.87	21.86	21.86			
1.4	64QAM	1	0		21.99	22.29	21.82			
1.4	64QAM	1	3		21.83	21.91	21.95			
1.4	64QAM	1	5		21.83	21.90	21.68	23	2	
1.4	64QAM	3	0		21.83	21.80	21.94			
1.4	64QAM	3	1		21.67	21.88	21.74			
1.4	64QAM	3	3		21.77	21.68	21.76			
1.4	64QAM	6	0		20.82	20.77	20.50	22	3	

Band 7_Ant 31																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)								
Channel																
Frequency (MHz)				20150	21100	21350										
20	QPSK	1	0	20.25	20.52	20.63	21	0								
20	QPSK	1	49	20.19	20.25	20.15										
20	QPSK	1	99	19.95	20.08	20.08										
20	QPSK	50	0	20.19	20.37	20.27										
20	QPSK	50	24	20.18	20.30	20.21	21	0								
20	QPSK	50	50	20.16	20.24	20.19										
20	QPSK	100	0	20.13	20.19	20.17										
20	16QAM	1	0	20.28	20.16	19.96										
20	16QAM	1	49	20.26	20.41	19.99	21	0								
20	16QAM	1	99	20.20	19.81	20.11										
20	16QAM	50	0	19.98	19.98	19.99										
20	16QAM	50	24	19.97	19.97	19.99										
20	16QAM	50	50	19.90	20.13	20.09	21	0								
20	16QAM	100	0	20.02	20.08	19.94										
20	64QAM	1	0	19.83	19.91	19.89										
20	64QAM	1	49	19.91	20.26	20.07										
20	64QAM	1	99	20.20	19.98	20.00	21	0								
20	64QAM	50	0	19.98	19.99	20.01										
20	64QAM	50	24	19.93	20.08	19.99										
20	64QAM	50	50	19.89	20.01	20.00										
20	64QAM	100	0	20.07	20.03	20.03	21	0								
Channel																
Frequency (MHz)				20025	21100	21375						Tune-up limit (dBm)	MPR (dB)			
15	QPSK	1	0	20.15	20.40	20.08	21	0								
15	QPSK	1	37	20.05	20.12	20.00										
15	QPSK	1	74	19.86	19.97	19.92										
15	QPSK	36	0	20.14	20.29	20.15										
15	QPSK	36	20	20.09	20.21	20.06	21	0								
15	QPSK	36	39	20.06	20.18	20.10										
15	QPSK	75	0	20.03	20.08	20.08										
15	16QAM	1	0	20.12	20.04	19.80										
15	16QAM	1	37	20.20	20.26	19.94	21	0								
15	16QAM	1	74	20.13	19.69	20.04										
15	16QAM	36	0	19.88	19.91	19.90										
15	16QAM	36	20	19.87	19.92	19.83										
15	16QAM	36	39	19.85	20.03	20.00	21	0								
15	16QAM	75	0	19.87	19.94	19.81										
15	64QAM	1	0	19.75	19.62	19.76										
15	64QAM	1	37	19.78	20.17	19.93										
15	64QAM	1	74	20.09	19.86	19.95	21	0								
15	64QAM	36	0	19.82	19.94	19.92										
15	64QAM	36	20	19.88	19.97	19.85										
15	64QAM	36	39	19.75	19.89	19.87										
15	64QAM	75	0	19.92	19.94	19.95	21	0								
Channel																
Frequency (MHz)				20000	21100	21400						Tune-up limit (dBm)	MPR (dB)			
10	QPSK	1	0	20.10	20.39	20.17	21	0								
10	QPSK	1	25	20.12	20.09	20.00										
10	QPSK	1	49	19.80	19.95	20.03										
10	QPSK	25	0	20.06	20.28	20.12										
10	QPSK	25	12	20.08	20.21	20.07	21	0								
10	QPSK	25	25	20.03	20.17	20.07										
10	QPSK	50	0	20.05	20.03	20.02										
10	16QAM	1	0	20.22	20.11	19.87										
10	16QAM	1	25	20.20	20.32	19.82	21	0								
10	16QAM	1	49	20.14	19.71	20.03										
10	16QAM	25	0	19.85	19.87	19.83										
10	16QAM	25	12	19.81	19.84	19.94										
10	16QAM	25	25	19.75	20.06	19.93	21	0								
10	16QAM	50	0	19.95	19.94	19.82										
10	64QAM	1	0	19.72	19.63	19.76										
10	64QAM	1	25	19.75	20.15	19.93										
10	64QAM	1	49	20.09	19.91	19.91	21	0								
10	64QAM	25	0	19.84	19.87	19.88										
10	64QAM	25	12	19.85	19.97	19.90										
10	64QAM	25	25	19.81	19.95	19.85										
10	64QAM	50	0	19.90	19.93	19.97	21	0								
Channel																
Frequency (MHz)				20775	21100	21425						Tune-up limit (dBm)	MPR (dB)			
5	QPSK	1	0	20.14	20.38	20.17	21	0								
5	QPSK	1	12	20.07	20.16	20.06										
5	QPSK	1	24	19.85	19.94	19.96										
5	QPSK	12	0	20.05	20.22	20.15										
5	QPSK	12	7	20.08	20.16	20.13	21	0								
5	QPSK	12	13	20.10	20.15	20.04										
5	QPSK	25	0	20.07	20.06	20.07										
5	16QAM	1	0	20.14	20.06	19.88										
5	16QAM	1	12	20.11	20.31	19.88	21	0								
5	16QAM	1	24	20.11	19.68	20.05										
5	16QAM	12	0	19.93	19.92	19.93										
5	16QAM	12	7	19.88	19.91	19.86										
5	16QAM	12	13	19.83	19.97	19.84	21	0								
5	16QAM	25	0	19.97	20.02	19.84										
5	64QAM	1	0	19.77	19.75	19.76										
5	64QAM	1	12	19.83	20.11	20.02										
5	64QAM	1	24	20.14	19.82	19.85	21	0								
5	64QAM	12	0	19.89	19.88	19.95										
5	64QAM	12	7	19.86	19.96	19.87										
5	64QAM	12	13	19.74	19.94	19.82										
5	64QAM	25	0	19.99	19.94	19.97	21	0								
Channel																
Frequency (MHz)				25025	25350	25675						Tune-up limit (dBm)	MPR (dB)			

Band 41_Ant 13											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low-Mid Ch. / Freq.	Power Mid Ch. / Freq.	Power High-Mid Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MRR (dB)	
Channel				39790	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	20.35	20.23	20.52	20.32	20.35	21	0	23
20	QPSK	1	49	20.30	20.21	20.15	20.24	20.05			
20	QPSK	1	99	20.27	20.22	20.19	20.26	20.08			
20	QPSK	50	0	20.42	20.41	20.44	20.40	20.26			
20	QPSK	50	24	20.40	20.38	20.19	20.37	20.12	21	0	23
20	QPSK	50	50	20.39	20.34	20.30	20.35	20.23			
20	QPSK	100	0	20.35	20.38	20.45	20.31	20.14			
20	16QAM	1	0	20.27	20.35	20.41	20.37	20.37			
20	16QAM	1	49	20.39	20.36	20.36	20.44	20.37	21	0	23
20	16QAM	1	99	20.38	20.17	20.44	20.44	20.46			
20	16QAM	50	0	20.26	20.40	20.26	20.34	20.21			
20	16QAM	50	24	20.41	20.41	20.20	20.40	20.23			
20	16QAM	50	50	20.43	20.42	20.34	20.33	20.26	21	0	23
20	16QAM	100	0	20.49	20.47	20.18	20.31	20.15			
20	64QAM	1	0	20.49	20.42	20.41	20.46	20.35			
20	64QAM	1	49	20.00	20.35	20.39	20.42	20.39			
20	64QAM	1	99	20.42	20.46	20.37	20.22	20.49	21	0	22
20	64QAM	50	0	20.40	20.22	20.37	20.26	20.24			
20	64QAM	50	24	20.35	20.37	20.19	20.41	20.22			
20	64QAM	50	50	20.36	20.40	20.32	20.20	20.20			
20	64QAM	100	0	20.46	20.45	20.30	20.24	20.25	Turn-up limit (dBm)	MRR (dB)	
Channel				39725	40173	40620	41068	41515			
Frequency (MHz)				2503.5	2546.3	2593	2637.8	2682.5			
15	QPSK	1	0	20.23	20.11	20.42	20.23	20.27	21	0	23
15	QPSK	1	37	20.14	20.05	20.07	20.13	19.98			
15	QPSK	1	74	20.16	20.16	20.08	20.14	20.00			
15	QPSK	36	0	20.32	20.28	20.36	20.35	20.16			
15	QPSK	36	20	20.31	20.27	20.06	20.30	20.02	21	0	23
15	QPSK	36	39	20.23	20.21	20.24	20.20	20.13			
15	QPSK	75	0	20.29	20.26	20.32	20.26	20.07			
15	16QAM	1	0	20.15	20.23	20.35	20.25	20.29			
15	16QAM	1	37	20.27	20.25	20.22	20.37	20.21	21	0	23
15	16QAM	1	74	20.26	20.12	20.29	20.29	20.31			
15	16QAM	36	0	20.18	20.33	20.20	20.27	20.11			
15	16QAM	36	20	20.31	20.31	20.12	20.30	20.10			
15	16QAM	36	39	20.36	20.35	20.25	20.23	20.21	21	0	23
15	16QAM	75	0	20.33	20.34	20.10	20.23	20.01			
15	64QAM	1	0	20.37	20.37	20.29	20.34	20.19			
15	64QAM	1	37	19.85	20.23	20.28	20.30	20.28			
15	64QAM	1	74	20.36	20.33	20.24	20.12	20.41	21	0	22
15	64QAM	36	0	20.29	20.06	20.26	20.14	20.18			
15	64QAM	36	20	20.30	20.25	20.11	20.34	20.07			
15	64QAM	36	39	20.23	20.26	20.20	20.22	20.06			
15	64QAM	75	0	20.37	20.39	20.16	20.14	20.19	Turn-up limit (dBm)	MRR (dB)	
Channel				39700	40160	40620	41060	41640			
Frequency (MHz)				2501	2547	2593	2633	2693			
10	QPSK	1	0	20.28	20.17	20.45	20.16	20.23	21	0	23
10	QPSK	1	25	20.22	20.06	20.05	20.09	19.96			
10	QPSK	1	49	20.11	20.10	20.04	20.16	19.96			
10	QPSK	25	0	20.29	20.25	20.31	20.33	20.13			
10	QPSK	25	12	20.34	20.22	20.14	20.28	19.99	21	0	23
10	QPSK	25	25	20.24	20.20	20.19	20.23	20.13			
10	QPSK	50	0	20.30	20.29	20.29	20.24	20.07			
10	16QAM	1	0	20.12	20.28	20.31	20.21	20.22			
10	16QAM	1	25	20.28	20.22	20.22	20.31	20.31	21	0	23
10	16QAM	1	49	20.22	20.12	20.34	20.33	20.32			
10	16QAM	25	0	20.17	20.30	20.20	20.23	20.06			
10	16QAM	25	12	20.29	20.29	20.13	20.24	20.11			
10	16QAM	25	25	20.28	20.29	20.21	20.23	20.12	21	0	23
10	16QAM	50	0	20.39	20.39	20.03	20.22	20.08			
10	64QAM	1	0	20.35	20.36	20.31	20.33	20.25			
10	64QAM	1	25	19.93	20.22	20.28	20.34	20.30			
10	64QAM	1	49	20.28	20.33	20.22	20.06	20.43	21	0	22
10	64QAM	25	0	20.27	20.17	20.25	20.10	20.17			
10	64QAM	25	12	20.21	20.27	20.06	20.26	20.17			
10	64QAM	25	25	20.32	20.27	20.19	20.18	20.13			
10	64QAM	50	0	20.39	20.34	20.25	20.10	20.17	Turn-up limit (dBm)	MRR (dB)	
Channel				39675	40148	40620	41093	41565			
Frequency (MHz)				2498	2543.3	2593	2643.9	2697.5			
5	QPSK	1	0	20.20	20.15	20.44	20.19	20.25	21	0	23
5	QPSK	1	12	20.19	20.16	20.08	20.11	19.93			
5	QPSK	1	24	20.16	20.09	20.07	20.16	19.96			
5	QPSK	12	0	20.29	20.27	20.38	20.28	20.16			
5	QPSK	12	7	20.31	20.30	20.11	20.32	20.05	21	0	23
5	QPSK	12	13	20.30	20.16	20.17	20.30	20.12			
5	QPSK	25	0	20.23	20.28	20.31	20.24	19.98			
5	16QAM	1	0	20.11	20.24	20.32	20.23	20.32			
5	16QAM	1	12	20.24	20.23	20.22	20.30	20.25	21	0	23
5	16QAM	1	24	20.27	20.01	20.29	20.32	20.38			
5	16QAM	12	0	20.14	20.30	20.15	20.28	20.06			
5	16QAM	12	7	20.32	20.27	20.15	20.28	20.16			
5	16QAM	12	13	20.28	20.35	20.26	20.18	20.21	21	0	23
5	16QAM	25	0	20.33	20.37	20.07	20.26	20.10			
5	64QAM	1	0	20.36	20.28	20.30	20.32	20.21			
5	64QAM	1	12	19.94	20.25	20.28	20.35	20.29			
5	64QAM	1	24	20.31	20.40	20.25	20.10	20.34	21	0	22
5	64QAM	12	0	20.25	20.08	20.21	20.19	20.19			
5	64QAM	12	7	20.28	20.29	20.05	20.32	20.08			
5	64QAM	12	13	20.29	20.30	20.17	20.19	20.10			
5	64QAM	25	0	20.38	20.35	20.15	20.10	20.11	Turn-up limit (dBm)	MRR (dB)	

Band 41_Ant 31											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low-Mid Ch. / Freq.	Power Mid Ch. / Freq.	Power High-Mid Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)	
Channel				39790	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
20	QPSK	1	0	22.16	22.25	22.36	22.31	22.26	23	0	23
20	QPSK	1	49	21.90	22.11	22.14	22.14	22.05			
20	QPSK	1	99	21.93	22.04	22.09	21.98	22.25			
20	QPSK	50	0	22.21	22.20	22.28	22.19	22.21			
20	QPSK	50	50	22.13	22.14	22.17	22.16	22.19	23	0	23
20	QPSK	100	0	22.17	22.21	22.23	22.17	22.13			
20	16QAM	1	0	22.26	21.87	22.32	21.99	22.01			
20	16QAM	1	49	21.93	21.75	22.22	22.35	22.30			
20	16QAM	1	99	21.96	21.98	21.97	22.26	21.86	23	0	23
20	16QAM	50	0	21.81	21.79	21.88	21.86	21.82			
20	16QAM	50	24	21.89	21.93	21.87	21.88	21.91			
20	16QAM	50	50	21.93	21.98	21.99	21.93	21.94			
20	16QAM	100	0	21.81	21.96	21.81	21.90	21.87	23	0	23
20	64QAM	1	0	21.56	21.79	22.35	21.96	22.07			
20	64QAM	1	49	22.08	21.76	22.18	22.32	22.04			
20	64QAM	1	99	21.78	21.78	22.27	22.27	22.17			
20	64QAM	50	0	21.13	21.14	21.12	21.12	21.12	22	1	22
20	64QAM	50	24	21.14	21.26	21.14	21.17	21.19			
20	64QAM	50	50	21.07	21.37	21.23	21.28	21.14			
20	64QAM	100	0	21.06	21.25	20.97	21.28	21.12			
Channel				39790	40185	40620	41055	41490	Turn-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
15	QPSK	1	0	22.00	22.11	22.25	22.23	22.16	23	0	23
15	QPSK	1	37	21.77	21.96	22.05	22.02	21.99			
15	QPSK	1	74	21.80	21.90	22.02	21.96	22.18			
15	QPSK	36	0	22.13	22.13	22.14	22.04	22.15			
15	QPSK	36	20	22.12	21.93	22.00	22.11	21.93	23	0	23
15	QPSK	36	39	22.00	22.00	22.05	22.11	22.09			
15	QPSK	75	0	22.11	22.11	22.07	22.12	22.08			
15	16QAM	1	0	22.21	21.81	21.89	21.91	21.88			
15	16QAM	1	37	21.80	21.67	22.14	22.30	22.15	23	0	23
15	16QAM	1	74	21.83	21.88	21.92	22.18	21.72			
15	16QAM	36	0	21.68	21.67	21.78	21.74	21.66			
15	16QAM	36	20	21.75	21.83	21.80	21.85	21.79			
15	16QAM	36	39	21.65	21.92	21.91	21.87	21.83	23	0	23
15	16QAM	75	0	21.65	21.89	21.68	21.76	21.80			
15	64QAM	1	0	21.49	21.73	22.24	21.80	21.85			
15	64QAM	1	37	22.03	21.68	21.11	22.24	21.97			
15	64QAM	1	74	22.07	21.65	21.69	22.13	22.04	22	1	22
15	64QAM	36	0	21.06	21.61	21.00	20.99	21.06			
15	64QAM	36	20	20.91	21.15	21.03	21.07	21.12			
15	64QAM	36	39	20.91	21.24	21.13	21.16	21.05			
15	64QAM	75	0	20.95	21.15	21.02	21.10	20.97	Turn-up limit (dBm)	MPR (dB)	
Channel				39790	40185	40620	41055	41490			
Frequency (MHz)				2506	2549.5	2593	2636.5	2680			
10	QPSK	1	0	22.03	22.09	22.30	22.16	22.19	23	0	23
10	QPSK	1	25	21.83	21.95	22.02	22.05	21.99			
10	QPSK	1	49	21.82	21.88	21.89	22.10	22.11			
10	QPSK	25	0	22.13	22.06	22.21	22.14	22.12			
10	QPSK	25	12	22.09	21.99	22.08	22.05	21.93	23	0	23
10	QPSK	25	25	21.99	22.08	22.03	22.00	22.10			
10	QPSK	50	0	22.07	22.06	22.13	22.02	21.96			
10	16QAM	1	0	22.20	21.81	22.24	21.87	21.93			
10	16QAM	1	25	21.76	21.65	22.08	22.30	22.14	23	0	23
10	16QAM	1	49	21.85	21.85	21.92	22.16	21.73			
10	16QAM	25	0	21.66	21.63	21.77	21.72	21.68			
10	16QAM	25	12	21.76	21.83	21.89	21.91	21.88			
10	16QAM	25	25	21.64	21.92	21.83	21.79	21.86	23	0	23
10	16QAM	50	0	21.76	21.85	21.68	21.79	21.71			
10	64QAM	1	0	21.42	21.64	22.25	21.90	21.84			
10	64QAM	1	25	22.03	21.64	22.13	22.21	21.93			
10	64QAM	1	49	21.64	21.61	21.95	22.20	22.01	22	1	22
10	64QAM	25	0	20.98	21.03	20.98	21.01	21.03			
10	64QAM	25	12	21.09	21.21	21.00	21.06	21.04			
10	64QAM	25	25	20.96	21.26	21.11	21.11	20.98			
10	64QAM	50	0	20.93	21.19	20.82	21.15	21.07	Turn-up limit (dBm)	MPR (dB)	
Channel				39875 <th>40148<th>40620<th>41093<th>41865</th><th></th><th></th><th></th></th></th></th>	40148 <th>40620<th>41093<th>41865</th><th></th><th></th><th></th></th></th>	40620 <th>41093<th>41865</th><th></th><th></th><th></th></th>	41093 <th>41865</th> <th></th> <th></th> <th></th>	41865			
Frequency (MHz)				2486.5	2545.8 <th>2593.3</th> <th>2646.30</th> <th>2687.5</th> <th></th> <th></th> <th></th>	2593.3	2646.30	2687.5			
5	QPSK	1	0	22.06	22.19	22.27	22.15	22.15	23	0	23
5	QPSK	1	12	21.53	21.96	22.10	22.20	22.10			
5	QPSK	1	24	21.78	21.95	22.00	21.85	22.12			
5	QPSK	12	0	22.10	22.12	22.13	22.08	22.09			
5	QPSK	12	7	22.11	21.99	22.00	22.02	22.01	23	0	23
5	QPSK	12	13	21.97	22.09	22.09	22.09	22.13			
5	QPSK	25	0	22.08	22.10	22.17	22.02	22.02			
5	16QAM	1	0	22.17	21.76	22.20	21.91	21.84			
5	16QAM	1	12	21.86	21.84	22.11	22.24	22.24	23	0	23
5	16QAM	1	24	21.91	21.85	21.86	22.12	21.79			
5	16QAM	12	0	21.66	21.64	21.79	21.71	21.69			
5	16QAM	12	7	21.79	21.84	21.74	21.88	21.83			
5	16QAM	12	13	21.64	21.90	21.89	21.89	21.84	23	0	23
5	16QAM	25	0	21.74	21.89	21.66	21.81	21.82			
5	64QAM	1	0	21.40	21.73	22.26	21.91	21.88			
5	64QAM	1	12	21.95	21.63	22.07	22.29	21.99			
5	64QAM	1	24	21.65	21.60	22.00	22.19	22.03	22	1	22
5	64QAM	12	0	20.99	20.99	20.97	20.97	21.05			
5	64QAM	12	7	21.13	21.21	21.07	21.01	21.11			
5	64QAM	12	13	20.94	21.28	21.12	21.12	21.05			
5	64QAM	25	0	20.99	21.20	20.90	21.16	21.03	Turn-up limit (dBm)	MPR (dB)	

Band 41_Ant 25												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel				39750	40185	40620	41055	41490				
Frequency (MHz)				2506	2549.5	2593	2636.5	2680				
20	QPSK	1	0	20.68	20.73	20.99	20.80	20.73	22.5	0		
20	QPSK	1	49	20.60	20.71	20.84	20.72	20.65				
20	QPSK	1	99	20.50	20.63	20.76	20.66	20.71				
20	QPSK	50	24	20.73	20.81	20.84	20.86	20.78				
20	QPSK	50	50	20.73	20.77	20.85	20.88	20.79	22.5	0		
20	QPSK	100	0	20.79	20.83	20.86	20.79	20.79				
20	16QAM	1	0	20.73	20.91	20.84	20.97	20.97				
20	16QAM	1	49	20.84	20.83	20.80	20.96	20.95				
20	16QAM	1	99	20.70	20.98	20.92	20.89	20.98	22.5	0		
20	16QAM	50	0	20.58	20.71	20.78	20.91	20.95				
20	16QAM	50	24	20.83	20.88	20.89	20.80	20.77				
20	16QAM	50	50	20.74	20.78	20.88	20.86	20.81				
20	16QAM	100	0	20.71	20.77	20.76	20.87	20.78	22.5	0		
20	64QAM	1	0	20.84	20.81	20.85	20.92	20.84				
20	64QAM	1	49	20.91	20.82	20.70	20.94	20.81				
20	64QAM	1	99	20.77	20.98	20.83	20.88	20.98				
20	64QAM	50	0	19.73	19.67	19.78	19.82	19.76	21.5	1		
20	64QAM	50	24	19.75	19.85	19.72	19.85	19.73				
20	64QAM	50	50	19.69	19.78	19.82	19.82	19.82				
20	64QAM	100	0	19.79	19.81	19.73	19.83	19.91				
Channel				39725	40173	40620	41068	41515			Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5				
15	QPSK	1	0	20.54	20.62	20.91	20.73	20.60	22.50	0		
15	QPSK	1	37	20.52	20.60	20.75	20.59	20.51				
15	QPSK	1	74	20.53	20.52	20.63	20.55	20.59				
15	QPSK	36	0	20.68	20.77	20.78	20.84	20.76				
15	QPSK	36	20	20.68	20.72	20.72	20.74	20.69	22.5	0		
15	QPSK	36	39	20.57	20.66	20.80	20.79	20.73				
15	QPSK	75	0	20.64	20.69	20.75	20.74	20.74				
15	16QAM	1	0	20.65	20.76	20.75	20.85	20.90				
15	16QAM	1	37	20.69	20.68	20.68	20.83	20.83	22.5	0		
15	16QAM	1	74	20.64	20.93	20.82	20.78	20.89				
15	16QAM	36	0	20.58	20.66	20.69	20.85	20.89				
15	16QAM	36	20	20.68	20.74	20.74	20.73	20.72				
15	16QAM	36	39	20.68	20.68	20.73	20.76	20.67	22.5	0		
15	16QAM	75	0	20.58	20.63	20.69	20.77	20.72				
15	64QAM	1	0	20.74	20.74	20.80	20.79	20.78				
15	64QAM	1	37	20.83	20.76	20.54	20.83	20.70				
15	64QAM	1	74	20.68	20.89	20.78	20.78	20.84	22.5	1		
15	64QAM	36	0	19.63	19.58	19.73	19.67	19.70				
15	64QAM	36	20	19.86	19.77	19.62	19.73	19.67				
15	64QAM	36	39	19.60	19.68	19.70	19.78	19.77				
15	64QAM	75	0	19.70	19.67	19.68	19.87	19.76				
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2501	2547	2593	2639	2685				
10	QPSK	1	0	20.53	20.65	20.84	20.73	20.67	22.50	0		
10	QPSK	1	25	20.56	20.84	20.72	20.65	20.59				
10	QPSK	1	49	20.59	20.51	20.69	20.54	20.59				
10	QPSK	25	0	20.65	20.79	20.79	20.83	20.80				
10	QPSK	25	12	20.66	20.71	20.79	20.71	20.69	22.5	0		
10	QPSK	25	25	20.66	20.69	20.77	20.72	20.65				
10	QPSK	50	0	20.71	20.73	20.71	20.73	20.71				
10	16QAM	1	0	20.68	20.86	20.71	20.83	20.83				
10	16QAM	1	25	20.70	20.74	20.75	20.90	20.84	22.5	0		
10	16QAM	1	49	20.55	20.86	20.82	20.74	20.83				
10	16QAM	25	0	20.57	20.80	20.73	20.76	20.89				
10	16QAM	25	12	20.77	20.78	20.74	20.75	20.64				
10	16QAM	25	25	20.59	20.63	20.80	20.80	20.75	22.5	0		
10	16QAM	50	0	20.63	20.68	20.62	20.76	20.69				
10	64QAM	1	0	20.79	20.71	20.76	20.80	20.78				
10	64QAM	1	25	20.81	20.77	20.63	20.85	20.76				
10	64QAM	1	49	20.65	20.87	20.73	20.78	20.85	21.5	1		
10	64QAM	25	0	19.68	19.55	19.70	19.74	19.68				
10	64QAM	25	12	19.61	19.75	19.63	19.79	19.64				
10	64QAM	25	25	19.58	19.70	19.74	19.76	19.83				
10	64QAM	50	0	19.74	19.73	19.61	19.87	19.79				
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5				
5	QPSK	1	0	20.53	20.64	20.90	20.73	20.64	22.50	0		
5	QPSK	1	12	20.51	20.68	20.71	20.60	20.54				
5	QPSK	1	24	20.56	20.53	20.66	20.51	20.60				
5	QPSK	12	0	20.72	20.78	20.84	20.83	20.78				
5	QPSK	12	7	20.58	20.70	20.72	20.72	20.60	22.5	0		
5	QPSK	12	13	20.58	20.70	20.75	20.78	20.63				
5	QPSK	25	0	20.73	20.70	20.72	20.63	20.65				
5	16QAM	1	0	20.57	20.85	20.72	20.92	20.92				
5	16QAM	1	12	20.75	20.77	20.68	20.88	20.89	22.5	0		
5	16QAM	1	24	20.62	20.88	20.81	20.77	20.67				
5	16QAM	12	0	20.52	20.65	20.69	20.81	20.84				
5	16QAM	12	7	20.70	20.78	20.76	20.70	20.63				
5	16QAM	12	13	20.64	20.66	20.77	20.73	20.65	22.5	0		
5	16QAM	25	0	20.61	20.72	20.64	20.80	20.72				
5	64QAM	1	0	20.75	20.66	20.72	20.82	20.71				
5	64QAM	1	12	20.82	20.67	20.62	20.86	20.65				
5	64QAM	1	24	20.70	20.91	20.68	20.74	20.83	21.5	1		
5	64QAM	12	0	19.63	19.57	19.67	19.77	19.60				
5	64QAM	12	7	19.60	19.70	19.61	19.75	19.65				
5	64QAM	12	13	19.57	19.70	19.69	19.86	19.87				
5	64QAM	25	0	19.67	19.75	19.58	19.88	19.81				

Reduced Power for DSI 1

Band 2_Ant 13																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Time-up limit (dBm)	MPR (dB)								
Channel																
Frequency (MHz)				18700	18900	19100										
20	QPSK	1	0	9.22	9.26	9.17	10.5	0								
20	QPSK	1	49	9.08	9.01	9.13										
20	QPSK	1	99	9.04	9.10	9.01										
20	QPSK	50	0	9.27	9.30	9.24	10.5	0								
20	QPSK	50	24	9.26	9.20	9.19										
20	QPSK	50	50	9.11	9.12	9.13										
20	QPSK	100	0	9.19	9.20	9.17	10.5	0								
20	16QAM	1	0	9.16	9.17	9.86										
20	16QAM	1	49	9.07	9.15	9.92										
20	16QAM	1	99	9.02	9.07	9.20	10.5	0								
20	16QAM	50	0	8.85	8.86	9.77										
20	16QAM	50	24	8.85	8.75	8.86										
20	16QAM	50	50	8.80	8.83	8.76	10.5	0								
20	16QAM	100	0	8.84	8.82	8.85										
20	64QAM	1	0	9.08	9.01	9.86										
20	64QAM	1	49	9.34	9.15	9.79	10.5	0								
20	64QAM	1	99	8.85	9.07	8.91										
20	64QAM	50	0	8.91	8.83	8.84										
20	64QAM	50	24	8.79	8.88	8.81	10.5	0								
20	64QAM	50	50	8.76	8.87	8.88										
20	64QAM	100	0	8.75	8.84	8.75										
Channel																
Frequency (MHz)				18675	18800	19125	Time-up limit (dBm)	MPR (dB)								
15	QPSK	1	0	9.11	9.26	9.04	10.5	0								
15	QPSK	1	37	8.99	8.87	8.98										
15	QPSK	1	74	8.96	8.98	8.86										
15	QPSK	36	0	9.20	9.16	9.12	10.5	0								
15	QPSK	36	20	9.15	9.15	9.12										
15	QPSK	36	39	9.02	8.98	8.99										
15	QPSK	75	0	9.14	9.14	9.09	10.5	0								
15	16QAM	1	0	9.06	9.09	8.82										
15	16QAM	1	37	8.92	9.02	8.79										
15	16QAM	1	74	8.91	9.02	9.04	10.5	0								
15	16QAM	36	0	8.76	8.81	8.71										
15	16QAM	36	20	8.73	8.75	8.81										
15	16QAM	36	39	8.65	8.76	8.66	10.5	0								
15	16QAM	75	0	8.72	8.69	8.72										
15	64QAM	1	0	8.92	8.94	8.84										
15	64QAM	1	37	9.18	9.10	8.73	10.5	0								
15	64QAM	1	74	8.74	8.91	8.82										
15	64QAM	36	0	8.77	8.72	8.78										
15	64QAM	36	20	8.74	8.80	8.74	10.5	0								
15	64QAM	36	39	8.65	8.80	8.80										
15	64QAM	75	0	8.68	8.75	8.69										
Channel																
Frequency (MHz)				18650	18800	19100						Time-up limit (dBm)	MPR (dB)			
10	QPSK	1	0	9.10	9.26	9.12	10.5	0								
10	QPSK	1	25	8.99	8.94	8.99										
10	QPSK	1	49	8.95	9.02	8.94										
10	QPSK	25	0	9.12	9.14	9.12	10.5	0								
10	QPSK	25	12	9.21	9.15	9.05										
10	QPSK	25	25	8.96	8.98	9.03										
10	QPSK	50	0	9.05	9.14	9.12	10.5	0								
10	16QAM	1	0	9.05	9.11	8.86										
10	16QAM	1	25	8.85	9.00	8.79										
10	16QAM	1	49	8.94	8.94	9.07	10.5	0								
10	16QAM	25	0	8.71	8.75	8.66										
10	16QAM	25	12	8.75	8.77	8.84										
10	16QAM	25	25	8.66	8.73	8.61	10.5	0								
10	16QAM	50	0	8.75	8.70	8.74										
10	64QAM	1	0	9.03	8.87	8.85										
10	64QAM	1	25	9.24	9.07	8.70	10.5	0								
10	64QAM	1	49	8.77	8.99	8.77										
10	64QAM	25	0	8.77	8.72	8.72										
10	64QAM	25	12	8.64	8.83	8.65	10.5	0								
10	64QAM	25	25	8.60	8.71	8.81										
10	64QAM	50	0	8.69	8.75	8.69										
Channel																
Frequency (MHz)				18625	18800	19175						Time-up limit (dBm)	MPR (dB)			
5	QPSK	1	0	9.07	9.27	9.11	10.5	0								
5	QPSK	1	12	8.94	8.95	9.07										
5	QPSK	1	24	8.91	9.02	8.89										
5	QPSK	12	0	9.15	9.15	9.10	10.5	0								
5	QPSK	12	7	9.19	9.05	9.09										
5	QPSK	12	13	9.02	9.07	9.06										
5	QPSK	25	0	9.07	9.13	9.04	10.5	0								
5	16QAM	1	0	9.06	9.02	8.80										
5	16QAM	1	12	8.86	8.99	8.78										
5	16QAM	1	24	8.93	8.91	9.12	10.5	0								
5	16QAM	12	0	8.77	8.71	8.63										
5	16QAM	12	7	8.70	8.77	8.75										
5	16QAM	12	13	8.74	8.78	8.69	10.5	0								
5	16QAM	25	0	8.68	8.75	8.71										
5	64QAM	1	0	8.98	8.93	8.82										
5	64QAM	1	12	9.29	9.02	8.74	10.5	0								
5	64QAM	1	24	8.79	8.98	8.76										
5	64QAM	12	0	8.76	8.71	8.70										
5	64QAM	12	7	8.66	8.73	8.69	10.5	0								
5	64QAM	12	13	8.66	8.79	8.81										
5	64QAM	25	0	8.63	8.70	8.62										
Channel																
Frequency (MHz)				18615	18800	19165						Time-up limit (dBm)	MPR (dB)			
3	QPSK	1	0	9.16	9.25	9.01	10.5	0								
3	QPSK	1	8	9.03	8.92	9.05										
3	QPSK	1	14	8.88	8.94	8.88										
3	QPSK	8	0	9.16	9.16	9.12	10.5	0								
3	QPSK	8	4	9.12	9.12	9.07										
3	QPSK	8	7	9.01	8.96	8.99										
3	QPSK	15	0	9.10	9.04	9.09	10.5	0								
3	16QAM	1	0	9.07	9.12	8.88										
3	16QAM	1	8	9.02	9.08	8.76										
3	16QAM	1	14	8.99	9.01	9.05	10.5	0								
3	16QAM	8	0	8.76	8.81	8.71										
3	16QAM	8	4	8.77	8.70	8.80										
3	16QAM	8	7	8.72	8.77	8.67	10.5	0								
3	16QAM	15	0	8.72	8.75	8.75										
3	64QAM	1	0	8.95	8.95	8.91	10.5	0								
3	64QAM	1	8	9.23	9.01	8.63										
3	64QAM	1	14	8.79	9.00	8.79										
3	64QAM	8	0	8.84	8.76	8.74	10.5	0								
3	64QAM	8	4	8.67	8.87	8.69										
3	64QAM	8	7	8.67	8.75	8.80										
3	64QAM	15	0	8.84	8.76	8.60	10.5	0								
Channel																
Frequency (MHz)				18607	18800	19193			Time-up limit (dBm)	MPR (dB)						
1.4	QPSK	1	0	9.10	9.27	9.01	10.5	0								
1.4	QPSK	1	8	8.95	8.92	9.06										
1.4	QPSK	5	0	9.06	9.09	9.01										
1.4	QPSK	3	0	9.12	9.19	9.14	10.5	0								
1.4	QPSK	3	1	9.15	9.09	9.07										
1.4	QPSK	3	3	9.02	8.99	8.97										
1.4	QPSK	6	0	9.03	9.11	9.07	10.5	0								
1.4	16QAM	1	0	9.00	9.00	8.91										
1.4	16QAM	1	5	8.93	8.97	9.11										
1.4	16QAM	3	0	8.79	8.74	8.72	10.5	0								
1.4	16QAM	3	1	8.72	8.75	8.79										
1.4	16QAM	3	2	8.76	8.73	8.80										
1.4	16QAM	6	0	8.77	8.75	8.77	10.5	0								
1.4	64QAM	1	0	8.98	8.96	8.89										
1.4	64QAM	1	3	9.25	8.99	8.69										
1.4	64QAM	1	5	8.74	8.88	8.78	10.5	0								
1.4	64QAM	3	0	8.84	8.72	8.79										
1.4	64QAM	3	1	8.72	8.80	8.69										
1.4	64QAM	3	3	8.61	8.71	8.75	10.5	0								
1.4	64QAM	6	0	8.68	8.71	8.63										

Band 4_Ant 13																
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Turn-up limit (dBm)	MPR (dB)								
Channel																
Frequency (MHz)				20500	20175	20300										
20	QPSK	1	0	10.15	10.48	10.16			11	0						
20	QPSK	1	49	9.87	10.07	10.01										
20	QPSK	50	0	10.05	10.20	10.16										
20	QPSK	50	24	10.00	10.00	10.13										
20	QPSK	100	0	10.10	10.23	10.13			11	0						
20	16QAM	1	0	9.99	9.96	10.08										
20	16QAM	1	49	10.12	9.62	10.03										
20	16QAM	1	99	9.88	9.46	10.01										
20	16QAM	50	0	9.59	9.69	9.53			11	0						
20	16QAM	50	24	9.54	9.63	9.78										
20	16QAM	50	50	9.60	9.62	9.53										
20	16QAM	100	0	9.68	9.48	9.66										
20	64QAM	1	0	10.21	10.44	9.43			11	0						
20	64QAM	1	49	9.85	9.77	9.88										
20	64QAM	50	0	9.59	9.69	9.53										
20	64QAM	50	24	9.54	9.63	9.78										
20	64QAM	50	50	9.60	9.62	9.53			11	0						
20	64QAM	100	0	9.68	9.48	9.66										
20	64QAM	1	0	10.21	10.44	9.43										
20	64QAM	1	49	9.85	9.77	9.88										
20	64QAM	50	0	9.59	9.69	9.53			11	0						
20	64QAM	50	24	9.54	9.63	9.78										
20	64QAM	50	50	9.60	9.62	9.53										
20	64QAM	100	0	9.68	9.48	9.66										
Channel																
Frequency (MHz)				20025	20175	20300	Turn-up limit (dBm)	MPR (dB)								
15	QPSK	1	0	10.01	10.42	10.01			11	0						
15	QPSK	1	37	9.80	10.02	9.96										
15	QPSK	1	74	9.78	9.89	9.78										
15	QPSK	36	0	9.91	10.05	10.05										
15	QPSK	36	12	9.86	9.93	10.05			11	0						
15	QPSK	36	39	9.98	9.94	9.85										
15	QPSK	75	0	10.04	10.16	10.03										
15	16QAM	1	0	9.85	9.90	10.00										
15	16QAM	1	37	10.22	9.54	9.54			11	0						
15	16QAM	1	74	9.73	9.34	9.36										
15	16QAM	36	0	9.46	9.55	9.42										
15	16QAM	36	20	9.54	9.52	9.69										
15	16QAM	36	39	9.48	9.57	9.42			11	0						
15	16QAM	75	0	9.60	9.36	9.55										
15	64QAM	1	0	10.15	10.39	9.33										
15	64QAM	1	37	9.77	9.82	9.82			11	0						
15	64QAM	1	74	9.41	9.78	9.20										
15	64QAM	36	0	9.96	9.90	9.85										
15	64QAM	36	20	9.92	9.97	10.00										
15	64QAM	36	39	9.87	9.84	9.87			11	0						
15	64QAM	75	0	10.04	9.95	9.97										
Channel																
Frequency (MHz)				20000	20175	20300	Turn-up limit (dBm)	MPR (dB)								
10	QPSK	1	0	10.02	10.43	10.04			11	0						
10	QPSK	1	25	9.71	9.91	9.96										
10	QPSK	1	49	9.77	9.86	9.83										
10	QPSK	25	0	9.99	10.05	10.05										
10	QPSK	25	12	9.86	9.93	10.02			11	0						
10	QPSK	25	25	9.96	9.93	9.79										
10	QPSK	50	0	9.95	10.18	10.02										
10	16QAM	1	0	9.84	9.89	10.02										
10	16QAM	1	25	10.08	9.53	9.56			11	0						
10	16QAM	1	49	9.76	9.34	9.36										
10	16QAM	25	0	9.52	9.80	9.41										
10	16QAM	25	12	9.54	9.48	9.72										
10	16QAM	25	25	9.55	9.50	9.42			11	0						
10	16QAM	50	0	9.63	9.40	9.59										
10	64QAM	1	0	10.13	10.36	9.25										
10	64QAM	1	25	9.71	9.63	9.84										
10	64QAM	1	49	9.40	9.84	9.15			11	0						
10	64QAM	25	0	10.05	9.90	10.01										
10	64QAM	25	12	9.94	9.95	9.94										
10	64QAM	25	25	9.85	10.02	9.97										
10	64QAM	50	0	10.04	9.95	9.97			11	0						
Channel																
Frequency (MHz)				19975 <th>20175<th>20375</th><th>Turn-up limit (dBm)</th><th>MPR (dB)</th><th colspan="4"></th></th>	20175 <th>20375</th> <th>Turn-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="4"></th>	20375	Turn-up limit (dBm)	MPR (dB)								
5	QPSK	1	0	10.06	10.33	10.05			11	0						
5	QPSK	1	12	9.80	9.96	9.96										
5	QPSK	1	24	9.78	9.78	9.81										
5	QPSK	12	0	9.89	10.13	10.07										
5	QPSK	12	7	9.89	9.86	10.05			11	0						
5	QPSK	12	13	9.92	9.85	9.79										
5	QPSK	25	0	10.03	10.17	10.05										
5	16QAM	1	0	9.84	9.82	9.96										
5	16QAM	1	12	10.07	9.52	9.58			11	0						
5	16QAM	1	24	9.76	9.38	9.36										
5	16QAM	12	0	9.47	9.56	9.39										
5	16QAM	12	7	9.55	9.58	9.72										
5	16QAM	12	13	9.53	9.48	9.47			11	0						
5	16QAM	25	0	9.57	9.39	9.52										
5	64QAM	1	0	10.15	10.39	9.32										
5	64QAM	1	12	9.80	9.69	9.86										
5	64QAM	1	24	9.38	9.82	9.19			11	0						
5	64QAM	12	0	10.06	9.99	9.93										
5	64QAM	12	7	9.97	9.90	9.89										
5	64QAM	12	13	9.90	9.87	9.85										
5	64QAM	15	0	10.03	9.95	10.05			11	0						
Channel																
Frequency (MHz)				19965 <th>20175<th>20385</th><th>Turn-up limit (dBm)</th><th>MPR (dB)</th><th colspan="4"></th></th>	20175 <th>20385</th> <th>Turn-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="4"></th>	20385	Turn-up limit (dBm)	MPR (dB)								
3	QPSK	1	0	10.10	10.37	10.01			11	0						
3	QPSK	1	8	9.81	9.98	9.96										
3	QPSK	1	14	9.82	9.82	9.79										
3	QPSK	8	0	9.92	10.12	10.07										
3	QPSK	8	4	9.89	9.99	10.02			11	0						
3	QPSK	8	7	9.91	9.90	9.79										
3	QPSK	15	0	10.01	10.07	10.07										
3	16QAM	1	0	9.90	9.86	9.94										
3	16QAM	1	8	10.07	9.55	9.50			11	0						
3	16QAM	1	14	9.82	9.33	9.34										
3	16QAM	8	0	9.53	9.59	9.41										
3	16QAM	8	4	9.53	9.57	9.66										
3	16QAM	8	7	9.49	9.50	9.40			11	0						
3	16QAM	15	0	9.58	9.43	9.51										
3	64QAM	1	0	10.15	10.39	9.38			11	0						
3	64QAM	1	8	9.77	9.65	9.19										
3	64QAM	1	14	9.42	9.79	9.13										
3	64QAM	8	0	10.01	10.00	10.01										
3	64QAM	8	4	9.95	9.97	9.97			11	0						
3	64QAM	7	0	9.85	9.87	9.79										
3	64QAM	7	9.05	10.03	10.01											
3	64QAM	15	0	10.02	9.86	9.99										
Channel																
Frequency (MHz)				19967 <th>20175<th>20393<th>Turn-up limit (dBm)</th><th>MPR (dB)</th><th colspan="4"></th></th></th>	20175 <th>20393<th>Turn-up limit (dBm)</th><th>MPR (dB)</th><th colspan="4"></th></th>	20393 <th>Turn-up limit (dBm)</th> <th>MPR (dB)</th> <th colspan="4"></th>	Turn-up limit (dBm)	MPR (dB)								
1.4	QPSK	1	0	10.07	10.35	10.05			11	0						
1.4	QPSK	1	5	9.75	9.97	9.91										
1.4	QPSK	1	10	9.82	9.87	9.79										
1.4	QPSK	3	0	9.91	10.05	10.08										
1.4	QPSK	3	1	9.95	9.90	9.98			11	0						
1.4	QPSK	3	3	9.91	9.94	9.78										
1.4	QPSK	6	0	9.97	10.07	9.98										
1.4	QPSK	1	0	9.88	9.82	10.03										
1.4	16QAM	1	0	9.55	9.67	9.58			11	0						
1.4	16QAM	1	5	9.76	9.39	9.85										
1.4	16QAM	3	0	9.53	9.53	9.38										
1.4	16QAM	3	1	9.62	9.51	9.71										
1.4	16QAM	3	3	9.53	9.56	9.41			11	0						
1.4	16QAM	6	0	9.53	9.57	9.58										
1.4	16QAM	0	0	10.15	10.29	9.29										
1.4	64QAM	1	3	9.74	9.68	9.68										
1.4	64QAM	1	5	9.35	9.77	9.18			11	0						
1.4	64QAM	3	0	10.05	9.99	9.93										
1.4	64QAM	3	1	9.89	9.89	9.96										
1.4	64QAM	6	0	9.99	10.01	10.01										
1.4	64QAM	6	0	10.08	9.81	10.02			11	0						

Band 5_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				20450	20525	20590				
Frequency (MHz)				829	836.5	844				
10	QPSK	1	0	16.80	16.98	16.69	18	0		
10	QPSK	1	25	16.67	16.73	16.70				
10	QPSK	1	49	16.66	16.63	16.67				
10	QPSK	25	0	16.76	16.86	16.75	18	0		
10	QPSK	25	12	16.84	16.78	16.78				
10	QPSK	25	25	16.79	16.84	16.82				
10	QPSK	50	0	16.83	16.91	16.76	18	0		
10	16QAM	1	0	16.29	16.73	16.73				
10	16QAM	1	25	16.75	16.81	16.50				
10	16QAM	1	49	16.35	16.27	16.76	18	0		
10	16QAM	25	0	16.31	16.27	16.28				
10	16QAM	25	12	16.38	16.28	16.26				
10	16QAM	25	25	16.27	16.39	16.32	18	0		
10	16QAM	50	0	16.32	16.22	16.21				
10	64QAM	1	0	16.36	16.57	16.52				
10	64QAM	1	25	16.85	16.78	16.92	18	0		
10	64QAM	1	49	16.81	16.97	16.92				
10	64QAM	25	0	16.73	16.76	16.80				
10	64QAM	25	12	16.79	16.79	16.78	18	0		
10	64QAM	25	25	16.87	16.75	16.74				
10	64QAM	50	0	16.82	16.84	16.85				
Channel				20425	20525	20525	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				826.5	836.5	846.5				
5	QPSK	1	0	16.73	16.87	16.62	18	0		
5	QPSK	1	12	16.59	16.66	16.54				
5	QPSK	1	24	16.56	16.49	16.60				
5	QPSK	12	0	16.60	16.70	16.68	18	0		
5	QPSK	12	7	16.74	16.71	16.63				
5	QPSK	12	13	16.68	16.75	16.76				
5	QPSK	25	0	16.78	16.80	16.60	18	0		
5	16QAM	1	0	16.19	16.63	16.63				
5	16QAM	1	12	16.69	16.71	16.36				
5	16QAM	1	24	16.26	16.18	16.70	18	0		
5	16QAM	12	0	16.23	16.12	16.16				
5	16QAM	12	7	16.24	16.23	16.12				
5	16QAM	12	13	16.15	16.33	16.26	18	0		
5	16QAM	25	0	16.16	16.09	16.06				
5	64QAM	1	0	16.26	16.50	16.85				
5	64QAM	1	12	16.73	16.67	16.77	18	0		
5	64QAM	1	24	16.75	16.82	16.87				
5	64QAM	12	0	16.57	16.66	16.67				
5	64QAM	12	7	16.73	16.72	16.69	18	0		
5	64QAM	12	13	16.75	16.70	16.65				
5	64QAM	25	0	16.72	16.78	16.77				
Channel				20415	20525	20535	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				823.5	836.5	847.5				
3	QPSK	1	0	16.74	16.83	16.57	18	0		
3	QPSK	1	8	16.55	16.61	16.63				
3	QPSK	1	14	16.60	16.51	16.56				
3	QPSK	8	0	16.69	16.70	16.66	18	0		
3	QPSK	8	4	16.71	16.68	16.61				
3	QPSK	8	7	16.74	16.73	16.75				
3	QPSK	15	0	16.67	16.75	16.71	18	0		
3	16QAM	1	0	16.16	16.63	16.58				
3	16QAM	1	8	16.63	16.71	16.41				
3	16QAM	1	14	16.30	16.12	16.63	18	0		
3	16QAM	8	0	16.23	16.14	16.12				
3	16QAM	8	4	16.33	16.18	16.10				
3	16QAM	8	7	16.18	16.18	16.27	18	0		
3	16QAM	15	0	16.20	16.17	16.15				
3	64QAM	1	0	16.29	16.46	16.84				
3	64QAM	1	8	16.73	16.67	16.81	18	0		
3	64QAM	1	14	16.71	16.69	16.81				
3	64QAM	1	14	16.71	16.66	16.77				
3	64QAM	8	0	16.57	16.60	16.84	18	0		
3	64QAM	8	4	16.67	16.65	16.72				
3	64QAM	8	7	16.82	16.61	16.65				
3	64QAM	15	0	16.74	16.77	16.72	18	0		
Channel				20407	20525	20543	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				824.7	836.5	848.3				
1.4	QPSK	1	0	16.67	16.86	16.58	18	0		
1.4	QPSK	1	3	16.61	16.64	16.60				
1.4	QPSK	1	5	16.57	16.53	16.60				
1.4	QPSK	3	0	16.68	16.79	16.85	18	0		
1.4	QPSK	3	1	16.70	16.72	16.62				
1.4	QPSK	3	3	16.71	16.78	16.66				
1.4	QPSK	6	0	16.67	16.78	16.71	18	0		
1.4	16QAM	1	0	16.21	16.58	16.65				
1.4	16QAM	1	3	16.59	16.67	16.44				
1.4	16QAM	1	5	16.23	16.16	16.65	18	0		
1.4	16QAM	3	0	16.16	16.21	16.21				
1.4	16QAM	3	1	16.29	16.20	16.19				
1.4	16QAM	3	3	16.14	16.27	16.27	18	0		
1.4	16QAM	6	0	16.19	16.16	16.07				
1.4	64QAM	1	0	16.22	16.52	16.80				
1.4	64QAM	1	3	16.72	16.73	16.82	18	0		
1.4	64QAM	1	5	16.72	16.68	16.84				
1.4	64QAM	3	0	16.58	16.60	16.67				
1.4	64QAM	3	1	16.64	16.63	16.68	18	0		
1.4	64QAM	3	3	16.82	16.64	16.58				
1.4	64QAM	6	0	16.72	16.79	16.78				

Band 5_Ant 41										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Time-up limit (dBm)	MPR (dB)		
Channel				20460	20525	20600				
Frequency (MHz)				829.5	836.5	844				
10	QPSK	1	0	16.37	16.54	16.18	19.5	0		
10	QPSK	1	25	16.31	16.31	16.23				
10	QPSK	1	49	16.15	16.27	17.95				
10	QPSK	25	0	16.29	16.48	16.29	19.5	0		
10	QPSK	25	12	16.39	16.31	16.37				
10	QPSK	25	25	16.34	16.35	16.28				
10	QPSK	50	0	16.47	16.49	16.36	19.5	0		
10	16QAM	1	0	16.23	16.41	16.33				
10	16QAM	1	25	16.21	16.30	16.15				
10	16QAM	1	49	16.36	16.31	16.26	19.5	0		
10	16QAM	25	0	17.93	17.82	17.90				
10	16QAM	25	12	16.03	16.03	16.05				
10	16QAM	25	25	17.96	17.91	17.89	19.5	0		
10	16QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.00	19.5	0		
10	64QAM	1	49	16.35	16.31	16.26	19.5	0		
10	64QAM	25	0	17.93	17.82	17.90				
10	64QAM	25	12	16.03	16.03	16.05				
10	64QAM	25	25	17.96	17.91	17.89	19.5	0		
10	64QAM	50	0	17.95	17.82	18.01				
10	64QAM	1	0	17.99	16.40	16.17				
10	64QAM	1	25	16.45	16.13	16.				

Band 7_Ant 31											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)				2850	2950	2950					
20	QPSK	1	0	13.82	13.97	13.77	14.5	0			
20	QPSK	1	49	13.77	13.81	13.63					
20	QPSK	1	99	13.68	13.73	13.69					
20	QPSK	50	0	13.89	13.95	13.86					
20	QPSK	50	24	13.88	13.82	13.79	14.5	0			
20	QPSK	50	50	13.81	13.85	13.86					
20	QPSK	100	0	13.90	13.93	13.78					
20	16QAM	1	0	13.58	13.47	13.53					
20	16QAM	1	49	13.74	13.60	13.57	14.5	0			
20	16QAM	1	99	13.62	13.44	13.54					
20	16QAM	50	0	13.37	13.30	13.27					
20	16QAM	50	24	13.45	13.46	13.43					
20	16QAM	50	50	13.38	13.47	13.50	14.5	0			
20	16QAM	100	0	13.44	13.30	13.37					
20	64QAM	1	0	13.33	13.43	13.61					
20	64QAM	1	49	13.07	13.39	13.72					
20	64QAM	1	99	13.57	13.34	13.34	14.5	0			
20	64QAM	50	0	13.58	13.67	13.58					
20	64QAM	50	24	13.73	13.76	13.66					
20	64QAM	50	50	13.69	13.78	13.70					
20	64QAM	100	0	13.72	13.70	13.74	14.5	0			
Channel				2850	2950	2950					
Frequency (MHz)				2850	2950	2950					
15	QPSK	1	0	13.71	13.82	13.67	14.5	0			
15	QPSK	1	37	13.67	13.70	13.47					
15	QPSK	1	74	13.61	13.60	13.53					
15	QPSK	36	0	13.78	13.86	13.82					
15	QPSK	36	20	13.73	13.72	13.68	14.5	0			
15	QPSK	36	39	13.72	13.79	13.76					
15	QPSK	75	0	13.80	13.78	13.71					
15	16QAM	1	0	13.51	13.42	13.48					
15	16QAM	1	37	13.63	13.54	13.43	14.5	0			
15	16QAM	1	74	13.46	13.29	13.40					
15	16QAM	36	0	13.28	13.24	13.21					
15	16QAM	36	20	13.34	13.36	13.35					
15	16QAM	36	39	13.22	13.33	13.34	14.5	0			
15	16QAM	75	0	13.31	13.15	13.23					
15	64QAM	1	0	13.25	13.27	13.52					
15	64QAM	1	37	13.31	13.31	13.65					
15	64QAM	1	74	13.41	13.22	13.28	14.5	0			
15	64QAM	36	0	13.44	13.61	13.47					
15	64QAM	36	20	13.58	13.60	13.53					
15	64QAM	36	39	13.55	13.65	13.58					
15	64QAM	75	0	13.59	13.70	13.69	14.5	0			
Channel				2850	2950	2950					
Frequency (MHz)				2850	2950	2950					
10	QPSK	1	0	13.69	13.82	13.72	14.5	0			
10	QPSK	1	25	13.67	13.66	13.51					
10	QPSK	1	49	13.60	13.59	13.63					
10	QPSK	25	0	13.75	13.83	13.79					
10	QPSK	25	12	13.76	13.69	13.65	14.5	0			
10	QPSK	25	25	13.68	13.77	13.81					
10	QPSK	50	0	13.77	13.82	13.69					
10	16QAM	1	0	13.47	13.32	13.48					
10	16QAM	1	25	13.58	13.50	13.48	14.5	0			
10	16QAM	1	49	13.54	13.28	13.40					
10	16QAM	25	0	13.31	13.22	13.20					
10	16QAM	25	12	13.33	13.36	13.29					
10	16QAM	25	25	13.23	13.41	13.44	14.5	0			
10	16QAM	50	0	13.33	13.14	13.27					
10	64QAM	1	0	13.16	13.31	13.54					
10	64QAM	1	25	13.02	13.31	13.65					
10	64QAM	1	49	13.48	13.22	13.24	14.5	0			
10	64QAM	25	0	13.48	13.62	13.47					
10	64QAM	25	12	13.66	13.64	13.52					
10	64QAM	25	25	13.62	13.72	13.60					
10	64QAM	50	0	13.58	13.66	13.58	14.5	0			
Channel				2850	2950	2950					
Frequency (MHz)				2850	2950	2950					
5	QPSK	1	0	13.69	13.91	13.72	14.5	0			
5	QPSK	1	12	13.64	13.68	13.57					
5	QPSK	1	24	13.53	13.60	13.62					
5	QPSK	12	0	13.73	13.86	13.72					
5	QPSK	12	7	13.72	13.73	13.70	14.5	0			
5	QPSK	12	13	13.69	13.72	13.80					
5	QPSK	25	0	13.74	13.77	13.64					
5	16QAM	1	0	13.42	13.34	13.37					
5	16QAM	1	12	13.64	13.44	13.47	14.5	0			
5	16QAM	1	24	13.55	13.33	13.45					
5	16QAM	12	0	13.25	13.22	13.12					
5	16QAM	12	7	13.33	13.41	13.30					
5	16QAM	12	13	13.27	13.40	13.36	14.5	0			
5	16QAM	25	0	13.37	13.15	13.21					
5	64QAM	1	0	13.26	13.27	13.53					
5	64QAM	1	12	12.92	13.30	13.63					
5	64QAM	1	24	13.49	13.23	13.24	14.5	0			
5	64QAM	12	0	13.50	13.62	13.53					
5	64QAM	12	7	13.60	13.62	13.60					
5	64QAM	12	13	13.59	13.65	13.57					
5	64QAM	25	0	13.66	13.69	13.66					

Band 7_Ant 25									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				20650	21100	21350			
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	0	12.32	12.61	12.52	13.5	0	
20	QPSK	1	49	12.30	12.37	12.50			
20	QPSK	1	99	12.20	12.20	12.37			
20	QPSK	50	0	12.53	12.56	12.54			
20	QPSK	50	24	12.48	12.37	12.48	13.5	0	
20	QPSK	50	50	12.42	12.47	12.53			
20	QPSK	100	0	12.43	12.48	12.39			
20	16QAM	1	0	12.13	12.35	12.22			
20	16QAM	1	49	12.31	12.55	12.36	13.5	0	
20	16QAM	1	99	12.09	12.32	12.32			
20	16QAM	50	0	11.92	12.10	12.17	13.5	0	
20	16QAM	50	24	12.07	12.16	12.25			
20	16QAM	50	50	12.07	12.27	12.21			
20	16QAM	100	0	12.14	12.10	12.19			
20	64QAM	1	0	12.04	12.25	12.12	13.5	0	
20	64QAM	1	49	11.82	12.38	11.98			
20	64QAM	1	99	11.66	12.01	11.56			
20	64QAM	50	0	12.19	12.27	12.43			
20	64QAM	50	24	12.24	12.32	12.34	13.5	0	
20	64QAM	50	50	12.35	12.54	12.42			
20	64QAM	100	0	12.21	12.31	12.40			
Channel				20625	21100	21375			
Frequency (MHz)				2597.5	2535	2562.5			
15	QPSK	1	0	12.23	12.50	12.47	13.5	0	
15	QPSK	1	37	12.21	12.27	12.33			
15	QPSK	1	74	12.07	12.12	12.27			
15	QPSK	36	0	12.44	12.41	12.45			
15	QPSK	36	20	12.35	12.23	12.33	13.5	0	
15	QPSK	36	39	12.36	12.41	12.48			
15	QPSK	75	0	12.29	12.30	12.28			
15	16QAM	1	0	12.08	12.30	12.10			
15	16QAM	1	37	12.24	12.46	12.28	13.5	0	
15	16QAM	1	74	11.96	12.41	12.27			
15	16QAM	36	0	11.79	11.94	12.04	13.5	0	
15	16QAM	36	39	12.07	12.00	12.12			
15	16QAM	36	39	12.01	12.06	12.05			
15	16QAM	75	0	12.08	11.96	12.03			
15	64QAM	1	0	11.97	12.11	12.00	13.5	0	
15	64QAM	1	37	11.73	12.25	11.92			
15	64QAM	1	74	11.55	11.88	12.49			
15	64QAM	36	0	12.06	12.26	12.28			
15	64QAM	36	20	12.08	12.27	12.21	13.5	0	
15	64QAM	36	39	12.29	12.47	12.33			
15	64QAM	75	0	12.06	12.22	12.39			
Channel				20600	21100	21400			
Frequency (MHz)				25905	2535	25605			
10	QPSK	1	0	12.20	12.49	12.36	13.5	0	
10	QPSK	1	49	12.14	12.22	12.41			
10	QPSK	25	0	12.40	12.08	12.45			
10	QPSK	25	12	12.41	12.21	12.34			
10	QPSK	25	25	12.37	12.36	12.37	13.5	0	
10	QPSK	50	0	12.36	12.40	12.38			
10	16QAM	1	0	11.97	12.26	12.14			
10	16QAM	1	25	12.16	12.45	12.30			
10	16QAM	1	49	11.96	12.39	12.20	13.5	0	
10	16QAM	25	0	11.87	11.98	12.05			
10	16QAM	25	12	12.15	12.02	12.13			
10	16QAM	25	25	12.11	12.14	12.18			
10	16QAM	50	0	12.05	12.01	12.04	13.5	0	
10	64QAM	1	0	11.95	12.18	12.03			
10	64QAM	1	25	11.71	12.25	11.82			
10	64QAM	1	49	11.55	11.92	12.50			
10	64QAM	25	0	12.14	12.11	12.36	13.5	0	
10	64QAM	25	12	12.18	12.17	12.24			
10	64QAM	25	25	12.26	12.48	12.35			
10	64QAM	50	0	12.06	12.16	12.37			
Channel				20775	21100	21425			
Frequency (MHz)				2592.5 <th>2535<th>2567.5</th><th></th><th></th><th></th></th>	2535 <th>2567.5</th> <th></th> <th></th> <th></th>	2567.5			
5	QPSK	1	0	12.24	12.51	12.43	13.5	0	
5	QPSK	1	12	12.21	12.22	12.35			
5	QPSK	1	24	12.08	12.04	12.28			
5	QPSK	12	0	12.44	12.42	12.46			
5	QPSK	12	7	12.33	12.29	12.34	13.5	0	
5	QPSK	12	13	12.34	12.38	12.47			
5	QPSK	25	0	12.35	12.39	12.31			
5	16QAM	1	0	12.05	12.26	12.17			
5	16QAM	1	12	12.21	12.45	12.21	13.5	0	
5	16QAM	1	24	12.02	12.41	12.21			
5	16QAM	12	0	11.84	11.98	12.10			
5	16QAM	12	7	12.15	12.10	12.15			
5	16QAM	25	0	12.11	12.11	12.17	13.5	0	
5	16QAM	25	0	12.06	12.02	12.13			
5	64QAM	1	0	11.95	12.17	11.98			
5	64QAM	1	12	11.70	12.32	11.92			
5	64QAM	1	24	11.54	11.88	12.43	13.5	0	
5	64QAM	12	0	12.06	12.22	12.31			
5	64QAM	12	13	12.20	12.23	12.20			
5	64QAM	12	13	12.27	12.39	12.32			
5	64QAM	25	0	12.11	12.18	12.38			

Band 66_Ant 31												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				130702	132332	132572						
Frequency (MHz)				1717.5	1745	1772.5						
20	QPSK	1	0	14.19	14.28	14.23	15	0				
20	QPSK	1	49	14.18	14.26	14.22						
20	QPSK	1	99	13.92	14.14	14.22						
20	QPSK	50	0	14.23	14.27	14.24						
20	QPSK	50	24	14.18	14.20	14.23	15	0				
20	QPSK	50	50	14.06	14.18	14.17						
20	QPSK	100	0	14.14	14.21	14.15						
20	16QAM	1	0	13.87	14.18	14.13						
20	16QAM	1	49	14.05	13.97	14.22	15	0				
20	16QAM	1	99	14.15	13.97	14.17						
20	16QAM	50	0	13.53	13.77	13.73						
20	16QAM	50	24	13.83	13.82	13.70						
20	16QAM	50	50	13.76	13.84	13.85	15	0				
20	16QAM	100	0	13.74	13.70	13.85						
20	64QAM	1	0	13.91	13.93	13.75						
20	64QAM	1	49	13.98	13.95	13.73						
20	64QAM	1	99	13.91	13.81	13.73	15	0				
20	64QAM	50	0	14.10	14.00	14.13						
20	64QAM	50	24	14.17	14.06	14.18						
20	64QAM	50	50	14.13	14.10	14.13						
20	64QAM	100	0	14.11	14.10	14.13						
Channel				132047	132332	132597	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				1717.5	1745	1772.5						
15	QPSK	1	0	14.08	14.17	14.17	15	0				
15	QPSK	1	37	14.10	14.14	14.09						
15	QPSK	1	74	13.82	14.01	14.06						
15	QPSK	36	0	14.10	14.21	14.12						
15	QPSK	36	20	14.10	14.11	14.13	15	0				
15	QPSK	36	39	13.92	14.12	14.03						
15	QPSK	75	0	13.98	14.08	14.08						
15	16QAM	1	0	13.73	14.08	14.04						
15	16QAM	1	37	13.90	13.91	14.09	15	0				
15	16QAM	1	74	14.06	13.91	14.04						
15	16QAM	36	0	13.42	13.85	13.57						
15	16QAM	36	20	13.74	13.66	13.60						
15	16QAM	36	39	13.67	13.66	13.76	15	0				
15	16QAM	75	0	13.68	13.54	13.73						
15	64QAM	1	0	13.80	13.81	13.70						
15	64QAM	1	37	13.91	13.85	13.63						
15	64QAM	1	74	13.82	13.74	13.57	15	0				
15	64QAM	36	0	13.94	13.90	13.98						
15	64QAM	36	20	14.02	13.95	14.04						
15	64QAM	36	39	14.01	13.95	14.00						
15	64QAM	75	0	14.06	14.08	13.98						
Channel				132022	132332	132692	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				1715	1745	1775						
10	QPSK	1	0	14.14	14.13	14.18	15	0				
10	QPSK	1	25	14.13	14.18	14.10						
10	QPSK	1	49	13.80	14.09	14.07						
10	QPSK	25	0	14.12	14.15	14.10						
10	QPSK	25	12	14.06	14.11	14.08	15	0				
10	QPSK	25	25	13.94	14.08	14.07						
10	QPSK	50	0	14.08	14.09	14.07						
10	16QAM	1	0	13.77	14.12	14.04						
10	16QAM	1	25	13.93	13.91	14.09	15	0				
10	16QAM	1	49	14.01	13.98	14.12						
10	16QAM	25	0	13.44	13.62	13.65						
10	16QAM	25	12	13.77	13.69	13.54						
10	16QAM	25	25	13.63	13.72	13.79	15	0				
10	16QAM	50	0	13.60	13.62	13.78						
10	64QAM	1	0	13.84	13.85	13.69						
10	64QAM	1	25	13.96	13.38	13.61						
10	64QAM	1	49	13.76	13.74	13.64	15	0				
10	64QAM	25	0	14.03	13.93	14.02						
10	64QAM	25	12	14.10	13.97	14.06						
10	64QAM	25	25	14.03	14.02	13.99						
10	64QAM	50	0	14.02	14.13	14.06						
Channel				131597	132332	132647	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				1712.5	1745	1777.5						
5	QPSK	1	0	14.14	14.17	14.16	15	0				
5	QPSK	1	12	14.09	14.17	14.11						
5	QPSK	1	24	13.85	14.00	14.09						
5	QPSK	12	0	14.11	14.19	14.17						
5	QPSK	12	7	14.12	14.14	14.15	15	0				
5	QPSK	12	13	14.01	14.03	14.09						
5	QPSK	25	0	14.04	14.12	14.10						
5	16QAM	1	0	13.71	14.12	14.07						
5	16QAM	1	12	13.99	13.91	14.11	15	0				
5	16QAM	1	24	14.03	13.91	14.02						
5	16QAM	12	0	13.40	13.71	13.57						
5	16QAM	12	7	13.77	13.71	13.55						
5	16QAM	12	13	13.69	13.74	13.69	15	0				
5	16QAM	25	0	13.69	13.56	13.70						
5	64QAM	1	0	13.84	13.86	13.67						
5	64QAM	1	12	13.96	13.45	13.66						
5	64QAM	1	24	13.77	13.72	13.68	15	0				
5	64QAM	12	0	13.97	13.85	14.00						
5	64QAM	12	7	14.03	13.92	14.09						
5	64QAM	12	13	14.06	14.02	14.04						
5	64QAM	25	0	13.98	14.04	14.06						
Channel				131597	132332	132697	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				1711.5	1745	1778.5						
3	QPSK	1	0	14.06	14.20	14.11	15	0				
3	QPSK	1	8	14.11	14.19	14.17						
3	QPSK	1	14	13.79	14.04	14.10						
3	QPSK	8	0	14.16	14.12	14.14						
3	QPSK	8	4	14.03	14.07	14.17	15	0				
3	QPSK	8	7	13.92	14.10	14.10						
3	QPSK	15	0	14.09	14.12	14.02						
3	16QAM	1	0	13.75	14.12	13.99						
3	16QAM	1	8	13.69	13.89	14.14	15	0				
3	16QAM	1	14	14.05	13.89	14.03						
3	16QAM	8	0	13.42	13.68	13.65						
3	16QAM	8	4	13.72	13.77	13.57						
3	16QAM	8	7	13.70	13.70	13.72	15	0				
3	16QAM	15	0	13.64	13.60	13.72						
3	64QAM	1	0	13.78	13.91	13.63						
3	64QAM	1	8	13.82	13.38	13.65						
3	64QAM	1	14	13.75	13.65	13.66	15	0				
3	64QAM	8	0	13.94	13.92	14.08						
3	64QAM	8	4	14.06	13.97	14.02						
3	64QAM	8	7	13.98	13.95	14.08						
3	64QAM	15	0	13.98	14.07	14.02	15	0				
Channel				131979	132332	132695						
Frequency (MHz)				1710.7	1745	1779.3						
1.4	QPSK	1	0	14.08	14.13	14.18			15	0		
1.4	QPSK	1	3	14.03	14.17	14.17						
1.4	QPSK	1	5	13.76	14.07	14.15						
1.4	QPSK	3	0	14.07	14.16	14.10						
1.4	QPSK	3	1	14.09	14.12	14.15	15	0				
1.4	QPSK	3	3	14.01	14.09	14.01						
1.4	QPSK	6	0	13.99	14.09	14.03						
1.4	QPSK	6	3	14.06	14.06	14.06						
1.4	16QAM	1	3	13.99	13.90	14.14	15	0				
1.4	16QAM	1	5	14.04	13.87	14.09						
1.4	16QAM	3	0	13.40	13.69	13.66						
1.4	16QAM	3	1	13.67	13.75	13.57						
1.4	16QAM	3	3	13.97	13.70	13.67	15	0				
1.4	16QAM	6	0	13.60	13.61	13.72						
1.4	64QAM	1	0	13.86	13.78	13.67						
1.4	64QAM	1	3	13.82	13.42	13.67						
1.4	64QAM	1	5	13.84	13.71	13.65	15	0				
1.4	64QAM	3	0	13.96	13.86	14.05						
1.4	64QAM	3	1	14.04	13.96	14.04						
1.4	64QAM	3	3	14.02	13.98	13.97						
1.4	64QAM	6	0	14.00	14.04	14.05	15	0				

Band 38_Ant 13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)				37850	38000	38150					
20	QPSK	1	0	2580	2595	2610	16.2	0			
20	QPSK	1	49	15.49	15.60	15.36					
20	QPSK	1	99	15.28	15.34	15.34					
20	QPSK	50	0	15.48	15.49	15.45					
20	QPSK	50	24	15.45	15.24	15.44	16.2	0			
20	QPSK	50	50	15.33	15.39	15.42					
20	QPSK	100	0	15.41	15.46	15.31					
20	16QAM	1	0	15.33	15.16	15.13					
20	16QAM	1	49	15.35	15.36	15.17	16.2	0			
20	16QAM	1	99	15.06	15.50	15.26					
20	16QAM	50	0	14.99	14.93	14.97					
20	16QAM	50	24	15.00	15.01	15.04					
20	16QAM	50	50	15.12	15.00	15.03	16.2	0			
20	16QAM	100	0	14.96	14.89	14.99					
20	16QAM	1	0	15.29	15.15	15.10					
20	64QAM	1	49	15.41	15.09	15.20					
20	64QAM	1	99	14.98	15.18	14.96	16.2	0			
20	64QAM	50	0	15.34	15.33	15.38					
20	64QAM	50	24	15.42	15.30	15.42					
20	64QAM	50	50	15.36	15.26	15.45		16.2	0		
20	64QAM	100	0	15.38	15.27	15.37					
Channel				37850	38000	38175				tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2577.5	2595	2612.5					
15	QPSK	1	0	15.39	15.52	15.29	16.2	0			
15	QPSK	1	37	15.33	15.09	15.17					
15	QPSK	1	74	15.21	15.24	15.18					
15	QPSK	36	0	15.35	15.33	15.30					
15	QPSK	36	20	15.32	15.11	15.32	16.2	0			
15	QPSK	36	39	15.26	15.25	15.29					
15	QPSK	75	0	15.34	15.32	15.26					
15	16QAM	1	0	15.24	15.05	15.01					
15	16QAM	1	37	15.19	15.24	15.07	16.2	0			
15	16QAM	1	74	15.12	15.41	15.12					
15	16QAM	36	0	15.26	15.41	15.20					
15	16QAM	36	20	15.18	15.18	15.08					
15	16QAM	36	39	15.07	15.16	15.05	16.2	0			
15	16QAM	75	0	15.29	15.23	15.22					
15	64QAM	1	0	15.25	15.00	15.17					
15	64QAM	1	37	15.13	15.17	15.17					
15	64QAM	1	74	15.24	15.26	15.13	16.2	0			
15	64QAM	36	0	15.11	15.16	15.13					
15	64QAM	36	20	15.10	15.12	15.03					
15	64QAM	36	39	15.08	15.32	15.01		16.2	0		
15	64QAM	75	0	15.22	15.21	15.21					
Channel				37850	38000	38200				tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2575	2595	2615					
10	QPSK	1	0	15.37	15.47	15.28	16.2	0			
10	QPSK	1	25	15.28	15.12	15.15					
10	QPSK	1	49	15.21	15.21	15.25					
10	QPSK	25	0	15.38	15.40	15.35					
10	QPSK	25	12	15.37	15.08	15.31	16.2	0			
10	QPSK	25	25	15.27	15.23	15.36					
10	QPSK	50	0	15.26	15.34	15.24					
10	16QAM	1	0	15.21	15.00	15.03					
10	16QAM	1	25	15.24	15.29	15.01	16.2	0			
10	16QAM	1	49	15.13	15.45	15.20					
10	16QAM	25	0	15.28	15.36	15.16					
10	16QAM	25	12	15.26	15.17	15.02					
10	16QAM	25	25	15.14	15.09	15.06	16.2	0			
10	16QAM	50	0	15.29	15.28	15.18					
10	64QAM	1	0	15.19	15.01	15.21					
10	64QAM	1	25	15.13	15.16	15.18		16.2	0		
10	64QAM	1	49	15.29	15.20	15.18					
10	64QAM	25	0	15.13	15.16	15.10					
10	64QAM	25	12	15.05	15.12	15.18					
10	64QAM	25	25	15.04	15.27	15.06	16.2	0			
10	64QAM	50	0	15.23	15.12	15.22					
Channel				37775	38000	38225			tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2572.5	2595	2617.5					
5	QPSK	1	0	15.39	15.53	15.27	16.2	0			
5	QPSK	1	12	15.26	15.11	15.15					
5	QPSK	1	24	15.23	15.22	15.28					
5	QPSK	12	0	15.32	15.40	15.34					
5	QPSK	12	7	15.31	15.06	15.37	16.2	0			
5	QPSK	12	13	15.27	15.27	15.32					
5	QPSK	25	0	15.34	15.33	15.16					
5	16QAM	1	0	15.27	15.10	15.07					
5	16QAM	1	12	15.29	15.33	15.05	16.2	0			
5	16QAM	1	24	15.01	15.37	15.12					
5	16QAM	12	0	15.27	15.41	15.09					
5	16QAM	12	7	15.16	15.00	15.10					
5	16QAM	12	13	15.15	15.09	15.08	16.2	0			
5	16QAM	25	0	15.29	15.17	15.19					
5	64QAM	1	0	15.27	15.16	15.17					
5	64QAM	1	12	15.20	15.16	15.15		16.2	0		
5	64QAM	1	24	15.29	15.23	15.21					
5	64QAM	12	0	15.12	15.18	15.14					
5	64QAM	12	7	15.06	15.12	15.12					
5	64QAM	12	13	15.08	15.26	15.04	16.2	0			
5	64QAM	25	0	15.33	15.16	15.26					

Band 38_Ant 31

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				2580	2595	2610				
20	QPSK	1	0	16.10	16.48	16.27	17	0		
20	QPSK	1	49	16.08	16.21	16.38				
20	QPSK	1	99	16.08	16.16	16.15				
20	QPSK	50	0	16.38	16.39	16.34				
20	QPSK	50	24	16.32	16.22	16.19	17	0		
20	QPSK	50	50	16.27	16.13	16.16				
20	QPSK	100	0	16.28	16.07	16.41				
20	16QAM	1	0	15.84	15.80	15.86				
20	16QAM	1	49	15.86	15.78	15.94	17	0		
20	16QAM	1	99	16.14	15.99	16.01				
20	16QAM	50	0	16.16	16.16	16.21				
20	16QAM	50	24	16.02	16.14	16.21				
20	16QAM	50	50	15.75	15.81	15.74	17	0		
20	16QAM	100	0	15.85	15.81	15.90				
20	64QAM	1	0	15.96	15.93	15.97				
20	64QAM	1	49	15.90	15.74	15.93				
20	64QAM	1	99	16.13	15.92	16.20	17	0		
20	64QAM	50	0	16.34	16.13	16.28				
20	64QAM	50	24	16.25	16.42	16.38				
20	64QAM	50	50	16.18	16.16	16.21				
20	64QAM	100	0	16.13	16.23	16.40				
Channel										
Frequency (MHz)				2577.5	2595	2612.5	tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	16.07	16.37	16.12	17	0		
15	QPSK	1	37	16.00	16.12	16.26				
15	QPSK	1	74	15.93	16.00	16.07				
15	QPSK	36	0	16.25	16.24	16.20				
15	QPSK	36	20	16.21	16.16	16.04	17	0		
15	QPSK	36	39	16.20	16.06	16.05				
15	QPSK	75	0	16.20	16.35	16.30				
15	16QAM	1	0	15.89	15.85	15.74				
15	16QAM	1	37	15.79	15.85	15.85	17	0		
15	16QAM	1	74	16.04	15.89	15.91				
15	16QAM	36	0	16.16	16.10	16.17				
15	16QAM	36	20	15.90	16.06	16.08				
15	16QAM	36	39	15.65	15.65	15.59	17	0		
15	16QAM	75	0	15.80	15.71	15.75				
15	64QAM	1	0	15.67	15.76	15.84				
15	64QAM	1	37	15.70	15.69	15.79				
15	64QAM	1	74	16.03	15.79	15.84	17	0		
15	64QAM	36	0	16.18	16.01	16.16				
15	64QAM	36	20	16.14	16.32	16.22				
15	64QAM	36	39	16.10	16.10	16.14				
15	64QAM	75	0	16.05	16.07	16.34				
Channel										
Frequency (MHz)				2575	2595	2615	tune-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	16.05	16.37	16.11	17	0		
10	QPSK	1	25	15.96	16.13	16.30				
10	QPSK	1	49	15.94	16.04	16.08				
10	QPSK	25	0	16.20	16.21	16.18				
10	QPSK	25	12	16.27	16.17	16.10	17	0		
10	QPSK	25	25	16.20	16.01	16.12				
10	QPSK	50	0	16.14	16.37	16.27				
10	16QAM	1	0	15.73	15.74	15.77				
10	16QAM	1	24	15.73	15.72	15.80	17	0		
10	16QAM	1	49	16.07	15.89	15.89				
10	16QAM	25	0	16.16	16.13	16.17				
10	16QAM	25	12	15.91	16.04	16.07				
10	16QAM	25	25	15.59	15.66	15.58	17	0		
10	16QAM	50	0	15.79	15.77	15.85				
10	64QAM	1	0	15.67	15.61	15.85				
10	64QAM	1	25	15.67	15.65	15.83				
10	64QAM	1	49	16.05	15.98	16.09	17	0		
10	64QAM	25	0	16.00	15.99	16.10				
10	64QAM	25	12	16.20	16.31	16.25				
10	64QAM	25	25	16.13	16.05	16.06				
10	64QAM	50	0	15.99	16.06	16.29	17	0		
Channel										
Frequency (MHz)				3775	3800	3825			tune-up limit (dBm)	MPR (dB)
5	QPSK	1	0	16.11	16.38	16.12			17	0
5	QPSK	1	12	15.98	16.16	16.22				
5	QPSK	1	24	16.03	16.08	16.06				
5	QPSK	12	0	16.22	16.28	16.28				
5	QPSK	13	0	16.19	16.11	16.11	17	0		
5	QPSK	12	13	16.18	16.00	16.02				
5	QPSK	25	0	16.14	16.34	16.25				
5	16QAM	1	0	15.76	15.69	15.74				
5	16QAM	1	12	15.71	15.68	15.80	17	0		
5	16QAM	1	24	16.02	15.89	15.85				
5	16QAM	12	0	16.10	16.07	16.10				
5	16QAM	12	13	15.64	15.70	15.59				
5	16QAM	25	0	15.79	15.73	15.74	17	0		
5	64QAM	1	0	15.90	15.84	15.89				
5	64QAM	1	12	15.68	15.68	15.80				
5	64QAM	1	24	16.05	15.80	16.05				
5	64QAM	12	0	16.18	16.07	16.21	17	0		
5	64QAM	12	7	16.09	16.31	16.23				
5	64QAM	12	12	16.10	16.10	16.11				
5	64QAM	25	0	16.01	16.11	16.24				

Band 41_Ant 13																
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low-Middle Ch. / Freq.	Power Middle Ch. / Freq.	Power High-Middle Ch. / Freq.	Power High Ch. / Freq.		Tune-up limit (dBm)	MPR (dB)					
Channel				39790	40185	40620	41055	41490								
Frequency (MHz)				2506	2549.5	2593	2636.5	2680								
20	QPSK	1	0	15.34	15.42	15.64	15.40	15.24	16	0						
20	QPSK	1	49	15.37	15.36	15.19	15.25	15.11								
20	QPSK	1	99	15.23	15.26	15.26	15.34	15.06								
20	QPSK	50	0	15.53	15.48	15.55	15.51	15.32								
20	QPSK	50	24	15.52	15.46	15.30	15.47	15.17								
20	QPSK	50	50	15.50	15.41	15.34	15.42	15.23	16	0						
20	QPSK	100	0	15.50	15.43	15.58	15.42	15.18								
20	16QAM	1	0	15.14	15.04	15.45	15.11	15.12								
20	16QAM	1	49	15.37	15.36	15.15	15.62	15.36								
20	16QAM	1	99	15.21	15.16	15.28	15.01	15.22								
20	16QAM	50	0	15.51	15.49	15.22	15.32	15.14								
20	16QAM	50	24	15.50	15.52	15.22	15.36	15.11								
20	16QAM	50	50	15.44	15.48	15.31	15.32	15.20	16	0						
20	16QAM	100	0	15.50	15.39	15.21	15.36	15.25								
20	64QAM	1	0	14.93	15.10	15.08	15.14	15.08								
20	64QAM	1	49	15.09	15.16	14.85	14.94	15.02								
20	64QAM	1	99	14.76	15.12	15.26	15.29	15.03								
20	64QAM	50	0	15.38	15.32	15.23	15.26	15.22								
20	64QAM	50	24	15.51	15.47	15.29	15.39	15.17								
20	64QAM	50	50	15.48	15.49	15.34	15.35	15.21	16	0						
20	64QAM	100	0	15.43	15.41	15.26	15.35	15.16								
Channel				39725	40173	40620	41058	41515		Tune-up limit (dBm)	MPR (dB)					
Frequency (MHz)				2503.5	2546.3	2593	2637.8	2682.5								
15	QPSK	1	0	15.22	15.30	15.57	15.26	15.14	16	0						
15	QPSK	1	37	15.16	15.29	15.04	15.11	15.00								
15	QPSK	1	74	15.10	15.14	15.16	15.23	14.93								
15	QPSK	36	0	15.40	15.40	15.43	15.42	15.19								
15	QPSK	36	20	15.45	15.30	15.22	15.32	15.09								
15	QPSK	36	39	15.38	15.33	15.29	15.26	15.09	16	0						
15	QPSK	75	0	15.42	15.29	15.42	15.32	15.07								
15	16QAM	1	0	15.07	14.88	15.36	14.97	15.02								
15	16QAM	1	37	15.23	15.21	15.02	15.49	15.20								
15	16QAM	1	74	15.15	15.09	15.14	14.87	15.16								
15	16QAM	36	0	15.46	15.39	15.12	15.19	15.08								
15	16QAM	36	20	15.37	15.47	15.12	15.21	15.06								
15	16QAM	36	39	15.37	15.42	15.18	15.25	15.06	16	0						
15	16QAM	75	0	15.42	15.26	15.06	15.22	15.15								
15	64QAM	1	0	14.88	14.87	14.95	15.05	14.96								
15	64QAM	1	37	15.02	15.08	14.78	14.78	14.93								
15	64QAM	1	74	14.89	15.07	15.18	15.13	14.87								
15	64QAM	36	0	15.31	15.25	15.15	15.20	15.16								
15	64QAM	36	20	15.42	15.35	15.15	15.23	15.11								
15	64QAM	36	39	15.34	15.33	15.23	15.28	15.08					16	0		
15	64QAM	75	0	15.37	15.25	15.10	15.30	15.04								
Channel				39700	40160	40620	41060	41540		Tune-up limit (dBm)	MPR (dB)					
Frequency (MHz)				2501	2547	2593	2633	2683								
10	QPSK	1	0	15.16	15.31	15.55	15.32	15.14	16	0						
10	QPSK	1	25	15.17	15.23	15.09	15.14	15.06								
10	QPSK	1	49	15.17	15.18	15.17	15.24	14.95								
10	QPSK	25	0	15.45	15.37	15.45	15.46	15.20								
10	QPSK	25	12	15.41	15.31	15.17	15.31	15.01								
10	QPSK	25	25	15.39	15.32	15.24	15.31	15.11	16	0						
10	QPSK	50	0	15.35	15.27	15.45	15.35	15.04								
10	16QAM	1	0	15.00	14.89	15.40	15.02	15.01								
10	16QAM	1	25	15.30	15.20	15.10	15.46	15.23								
10	16QAM	1	49	15.07	15.00	15.23	14.95	15.06								
10	16QAM	25	0	15.39	15.33	15.16	15.16	15.08								
10	16QAM	25	12	15.35	15.44	15.14	15.25	15.03								
10	16QAM	25	25	15.33	15.38	15.26	15.23	15.14								
10	16QAM	50	0	15.37	15.26	15.11	15.25	15.11								
10	64QAM	1	0	14.77	14.95	14.96	15.02	14.99	16	0						
10	64QAM	1	25	14.98	15.02	14.71	14.78	14.91								
10	64QAM	1	49	14.68	14.86	15.20	15.15	14.96								
10	64QAM	25	0	15.32	15.23	15.12	15.19	15.15								
10	64QAM	25	12	15.43	15.33	15.24	15.29	15.11								
10	64QAM	25	25	15.36	15.35	15.20	15.24	15.05	16	0						
10	64QAM	50	0	15.28	15.30	15.18	15.22	15.11								
Channel				39675	40148	40620	41093	41565		Tune-up limit (dBm)	MPR (dB)					
Frequency (MHz)				2498.5	2545.8	2593	2643.0	2697.5								
5	QPSK	1	0	15.27	15.29	15.58	15.24	15.18	16	0						
5	QPSK	1	12	15.22	15.20	15.04	15.11	15.04								
5	QPSK	1	24	15.11	15.17	15.15	15.21	14.99								
5	QPSK	12	0	15.42	15.41	15.41	15.39	15.17								
5	QPSK	12	7	15.43	15.30	15.22	15.31	15.03								
5	QPSK	12	13	15.37	15.27	15.26	15.28	15.11	16	0						
5	QPSK	25	0	15.38	15.34	15.52	15.30	15.05								
5	16QAM	1	0	14.99	14.98	15.34	15.00	15.04								
5	16QAM	1	12	15.31	15.26	15.06	15.56	15.20								
5	16QAM	1	24	15.13	15.06	15.19	14.89	15.17								
5	16QAM	12	0	15.35	15.34	15.10	15.24	15.04								
5	16QAM	12	7	15.44	15.45	15.17	15.29	15.03								
5	16QAM	12	13	15.38	15.34	15.23	15.21	15.04								
5	16QAM	25	0	15.40	15.30	15.10	15.29	15.13								
5	64QAM	1	0	14.87	14.97	14.97	15.05	14.95	16	0						
5	64QAM	1	12	14.95	15.07	14.77	14.83	14.97								
5	64QAM	1	24	14.71	15.06	15.14	15.24	14.91								
5	64QAM	12	0	15.26	15.27	15.14	15.11	15.16								
5	64QAM	12	7	15.45	15.31	15.19	15.27	15.06								
5	64QAM	12	13	15.35	15.33	15.24	15.24	15.13	16	0						
5	64QAM	25	0	15.37	15.33	15.19	15.28	15.05								

Band 41_Ant 25														
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)				
Channel				39750	40185	40620	41055	41490						
Frequency (MHz)				2506	2549.5	2593	2636.5	2680						
20	QPSK	1	0	15.22	15.34	15.49	15.47	15.47	17	0				
20	QPSK	1	49	15.16	15.33	15.40	15.40	15.38						
20	QPSK	1	99	15.10	15.11	15.37	15.33	15.45						
20	QPSK	50	0	15.24	15.44	15.48	15.45	15.38						
20	QPSK	50	24	15.19	15.08	15.39	15.39	15.37	17	0				
20	QPSK	50	50	15.22	15.27	15.34	15.43	15.33						
20	QPSK	100	0	15.28	15.08	15.48	15.47	15.44						
20	16QAM	1	0	15.10	15.14	15.15	15.15	15.22						
20	16QAM	1	49	15.16	15.26	15.30	15.27	15.24	17	0				
20	16QAM	1	99	15.40	15.16	15.14	15.32	15.20						
20	16QAM	50	0	15.01	15.15	15.21	15.33	15.21						
20	16QAM	50	24	15.42	15.08	15.13	15.49	15.22						
20	16QAM	50	50	15.10	15.39	15.32	15.18	15.18	17	0				
20	16QAM	100	0	15.07	15.12	15.03	15.21	15.07						
20	64QAM	1	0	15.02	15.06	15.09	15.20	15.14						
20	64QAM	1	49	15.05	15.12	15.15	15.22	15.10						
20	64QAM	1	99	15.44	15.08	15.12	15.21	15.03	17	0				
20	64QAM	50	0	15.43	15.14	15.46	15.16	15.48						
20	64QAM	50	24	15.11	15.13	15.49	15.32	15.04						
20	64QAM	50	50	15.10	15.23	15.46	15.46	15.24						
20	64QAM	100	0	15.12	15.25	15.20	15.39	15.21						
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5						
15	QPSK	1	0	15.17	15.26	15.33	15.40	15.31	17	0				
15	QPSK	1	37	15.05	15.25	15.32	15.32	15.23						
15	QPSK	1	74	15.03	15.01	15.32	15.20	15.39						
15	QPSK	36	0	15.09	15.33	15.37	15.38	15.32						
15	QPSK	36	20	15.11	15.03	15.30	15.28	15.30	17	0				
15	QPSK	36	39	15.08	15.15	15.23	15.36	15.17						
15	QPSK	75	0	15.16	15.01	15.37	15.38	15.36						
15	16QAM	1	0	15.22	15.02	15.10	15.05	15.09						
15	16QAM	1	37	15.07	15.12	15.16	15.15	15.08	17	0				
15	16QAM	1	74	15.28	15.01	15.05	15.22	15.49						
15	16QAM	36	0	15.21	15.03	15.45	15.28	15.08						
15	16QAM	36	20	15.45	15.20	15.07	15.38	15.15						
15	16QAM	36	39	15.02	15.23	15.47	15.07	15.03	17	0				
15	16QAM	75	0	15.03	15.21	15.04	15.06	15.03						
15	64QAM	1	0	15.05	15.20	15.03	15.10	15.02						
15	64QAM	1	37	15.06	15.04	15.07	15.17	15.00						
15	64QAM	1	74	15.08	15.03	15.08	15.11	15.06	17	0				
15	64QAM	36	0	15.12	15.07	15.32	15.03	15.37						
15	64QAM	36	20	15.00	15.06	15.36	15.19	15.05						
15	64QAM	36	39	15.00	15.08	15.30	15.35	15.15						
15	64QAM	75	0	15.13	15.13	15.08	15.28	15.11						
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				2501 <th>2547<th>2593<th>2639<th>2685</th><th colspan="4"></th></th></th></th>	2547 <th>2593<th>2639<th>2685</th><th colspan="4"></th></th></th>	2593 <th>2639<th>2685</th><th colspan="4"></th></th>	2639 <th>2685</th> <th colspan="4"></th>	2685						
10	QPSK	1	0	15.06	15.16	15.44	15.33	15.31	17	0				
10	QPSK	1	25	15.09	15.21	15.24	15.24	15.25						
10	QPSK	1	49	15.02	15.01	15.24	15.19	15.31						
10	QPSK	25	0	15.19	15.37	15.36	15.35	15.29						
10	QPSK	25	12	15.03	15.00	15.30	15.25	15.21	17	0				
10	QPSK	25	25	15.10	15.21	15.27	15.29	15.21						
10	QPSK	50	0	15.23	15.03	15.42	15.32	15.39						
10	16QAM	1	0	15.05	15.08	15.08	15.00	15.09						
10	16QAM	1	25	15.01	15.18	15.20	15.20	15.10	17	0				
10	16QAM	1	49	15.26	15.00	15.07	15.25	15.48						
10	16QAM	25	0	15.05	15.29	15.22	15.42	15.35						
10	16QAM	25	12	15.32	15.19	15.25	15.32	15.29						
10	16QAM	25	25	15.18	15.43	15.31	15.30	15.22	17	0				
10	16QAM	50	0	15.11	15.27	15.17	15.34	15.21						
10	64QAM	1	0	15.08	15.14	15.24	15.29	15.24						
10	64QAM	1	25	15.19	15.18	15.28	15.38	15.23						
10	64QAM	1	49	15.21	15.21	15.24	15.28	15.11	17	0				
10	64QAM	25	0	15.32	15.29	15.21	15.27	15.21						
10	64QAM	25	12	15.23	15.17	15.29	15.45	15.09						
10	64QAM	50	25	15.15	15.28	15.21	15.32	15.31						
10	64QAM	50	0	15.16	15.30	15.34	15.48	15.30						
Channel				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)				
Frequency (MHz)				2499.5	2545.8	2593	2640.3	2687.5						
5	QPSK	1	0	15.16	15.27	15.43	15.34	15.40	17	0				
5	QPSK	1	12	15.08	15.18	15.30	15.32	15.30						
5	QPSK	1	24	15.08	15.04	15.21	15.18	15.33						
5	QPSK	12	0	15.17	15.29	15.41	15.32	15.27						
5	QPSK	12	7	15.11	15.06	15.25	15.28	15.24	17	0				
5	QPSK	12	13	15.14	15.11	15.21	15.35	15.28						
5	QPSK	25	0	15.13	15.03	15.32	15.35	15.34						
5	16QAM	1	0	15.03	15.00	15.07	15.00	15.13						
5	16QAM	1	12	15.05	15.11	15.23	15.19	15.08	17	0				
5	16QAM	1	24	15.31	15.08	15.00	15.15	15.40						
5	16QAM	12	0	15.13	15.22	15.25	15.40	15.29						
5	16QAM	12	7	15.21	15.20	15.26	15.22	15.29						
5	16QAM	12	13	15.15	15.45	15.21	15.22	15.31	17	0				
5	16QAM	25	0	15.21	15.20	15.16	15.35	15.17						
5	64QAM	1	0	15.09	15.15	15.24	15.35	15.27						
5	64QAM	1	12	15.15	15.19	15.20	15.32	15.25						
5	64QAM	1	24	15.32	15.15	15.21	15.28	15.10	17	0				
5	64QAM	12	0	15.23	15.24	15.23	15.21	15.23						
5	64QAM	12	7	15.25	15.24	15.22	15.40	15.18						
5	64QAM	12	13	15.22	15.33	15.25	15.21	15.39						
5	64QAM	25	0	15.17	15.30	15.35	15.21	15.31						

Conducted Default Power for EN-DC 5G NSA

n5_Ant 11								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	23.29	23.38	23.34	24.5	0.0
20	PV2 BPSK	1	53	23.27	23.25	23.22		
20	PV2 BPSK	1	104	23.25	23.30	23.23		
20	PV2 BPSK	50	0	23.32	23.35	23.28		
20	PV2 BPSK	50	28	23.33	23.38	23.23	24.5	0.0
20	PV2 BPSK	50	56	23.25	23.31	23.21	24.0	0.5
20	PV2 BPSK	100	0	23.33	23.34	23.32		
20	QPSK	1	1	23.26	23.35	23.22	24.5	0.0
20	QPSK	1	53	23.29	23.28	23.21		
20	QPSK	1	104	23.05	23.20	23.10		
20	QPSK	50	0	22.71	22.83	22.74		
20	QPSK	50	28	23.12	23.24	23.19	24.5	0.0
20	QPSK	50	56	22.58	22.72	22.64	23.5	1.0
20	QPSK	100	0	22.69	22.80	22.69	23.5	1.0
20	16QAM	1	1	22.98	23.06	22.94		
20	64QAM	1	1	21.48	21.53	21.44		
20	256QAM	1	1	19.13	19.29	19.24		
Channel				168300	167300	168300	101.10 limit (dBm)	MPR (dB)
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	23.13	23.30	23.08	24.5	0.0
Channel				165800	167300	166800	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				824	833.5	844		
10	PV2 BPSK	1	1	23.16	23.30	23.16	24.5	0.0
Channel				165300	167300	169300	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	23.13	23.23	23.14	24.5	0.0

n5_Ant 41								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	23.45	23.53	23.41	24.5	0.0
20	PV2 BPSK	1	53	23.35	23.44	23.32		
20	PV2 BPSK	1	104	23.37	23.42	23.29		
20	PV2 BPSK	50	0	23.42	23.50	23.38		
20	PV2 BPSK	50	28	23.42	23.51	23.35	24.5	0.0
20	PV2 BPSK	50	56	23.21	23.33	23.18	24.0	0.5
20	PV2 BPSK	100	0	23.45	23.46	23.43		
20	QPSK	1	1	23.34	23.50	23.38	24.5	0.0
20	QPSK	1	53	23.36	23.46	23.34		
20	QPSK	1	104	23.30	23.35	23.23		
20	QPSK	50	0	22.96	23.04	22.92		
20	QPSK	50	28	23.34	23.42	23.36	24.5	0.0
20	QPSK	50	56	22.75	22.87	22.80	23.5	1.0
20	QPSK	100	0	22.87	22.92	22.85	23.5	1.0
20	16QAM	1	1	22.68	22.83	22.69		
20	64QAM	1	1	21.70	21.76	21.65		
20	256QAM	1	1	19.47	19.56	19.46		
Channel				168300	167300	168300	101.10 limit (dBm)	MPR (dB)
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	23.34	23.45	23.38	24.5	0.0
Channel				165800	167300	166800	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				824	833.5	844		
10	PV2 BPSK	1	1	23.36	23.35	23.35	24.5	0.0
Channel				165300	167300	169300	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	23.31	23.39	23.26	24.5	0.0

n7_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000		
Frequency (MHz)				2410	2435	2460		
20	Pl/2 BPSK	1	1	23.84	23.88	23.80	24.8	0.0
20	Pl/2 BPSK	1	53	23.75	23.80	23.72		
20	Pl/2 BPSK	1	104	23.76	23.78	23.74		
20	Pl/2 BPSK	50	0	23.26	23.30	23.18	24.3	0.5
20	Pl/2 BPSK	50	26	23.77	23.76	23.74	24.3	0.0
20	Pl/2 BPSK	50	56	23.30	23.33	23.21	24.3	0.5
20	Pl/2 BPSK	100	0	23.35	23.36	23.20		
20	QPSK	1	1	23.69	23.85	23.79		
20	QPSK	1	53	23.69	23.84	23.72	24.8	0.0
20	QPSK	1	104	23.74	23.83	23.66		
20	QPSK	50	0	22.73	22.80	22.67	23.8	1.0
20	QPSK	50	26	23.80	23.88	23.74	24.8	0.0
20	QPSK	50	56	22.71	22.85	22.80	23.8	1.0
20	QPSK	100	0	22.74	22.83	22.73	23.8	1.0
20	16QAM	1	1	22.96	23.04	22.97	23.8	1.0
20	64QAM	1	1	21.43	21.53	21.40	22.3	2.5
20	256QAM	1	1	19.20	19.31	19.16	20.3	4.5
Channel				501500	507000	512500	1171.0 limit (dBm)	MPR
Frequency (MHz)				2507.5	2535	2562.5		
15	Pl/2 BPSK	1	1	23.74	23.84	23.67	24.8	0.0
Channel				501000	507000	513000	1171.0 limit (dBm)	MPR
Frequency (MHz)				2505	2535	2565		
10	Pl/2 BPSK	1	1	23.74	23.84	23.66	24.8	0.0
Channel				500500	507000	513500	1171.0 limit (dBm)	MPR
Frequency (MHz)				2502.5	2535	2567.5		
5	Pl/2 BPSK	1	1	23.72	23.84	23.73	24.8	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1125	1145	1165		
30	Pl/2 BPSK	1	1	23.58	23.62	23.52	24.5	0.0
30	Pl/2 BPSK	1	80	23.52	23.56	23.47		
30	Pl/2 BPSK	1	158	23.49	23.51	23.49		
30	Pl/2 BPSK	80	0	23.42	23.49	23.39	24.0	0.5
30	Pl/2 BPSK	80	40	23.45	23.51	23.43	24.5	0.0
30	Pl/2 BPSK	80	80	23.44	23.47	23.41	24.0	0.5
30	Pl/2 BPSK	160	0	23.52	23.53	23.44		
30	QPSK	1	1	23.37	23.49	23.39		
30	QPSK	1	80	23.36	23.48	23.32	24.5	0.0
30	QPSK	1	158	23.31	23.41	23.32		
30	QPSK	80	0	22.93	23.05	22.93	23.5	1.0
30	QPSK	80	40	23.34	23.45	23.32	24.5	0.0
30	QPSK	80	80	22.91	23.03	22.92	23.5	1.0
30	QPSK	160	0	22.92	22.98	22.86	23.5	1.0
30	16QAM	1	1	23.12	23.25	23.20	23.5	1.0
30	64QAM	1	1	21.51	21.65	21.57	22.0	2.5
30	256QAM	1	1	19.49	19.54	19.44	20.0	4.5
Channel				344000	349000	354000	1171.0 limit (dBm)	MPR
Frequency (MHz)				1120	1145	1170		
20	Pl/2 BPSK	1	1	23.42	23.52	23.38	24.5	0.0
Channel				343500	349000	354500	1171.0 limit (dBm)	MPR
Frequency (MHz)				1117.5	1145	1172.5		
15	Pl/2 BPSK	1	1	23.43	23.53	23.47	24.5	0.0
Channel				343000	349000	355000	1171.0 limit (dBm)	MPR
Frequency (MHz)				1115	1145	1175		
10	Pl/2 BPSK	1	1	23.50	23.53	23.45	24.5	0.0
Channel				342500	349000	355500	1171.0 limit (dBm)	MPR
Frequency (MHz)				1112.5	1145	1177.5		
5	Pl/2 BPSK	1	1	23.44	23.50	23.43	24.5	0.0

Par27Q n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				24.12					
100	Pl2 BPSK	1	1		23.82		25.0	0.0	
100	Pl2 BPSK	1	137		23.72		24.5	0.5	
100	Pl2 BPSK	135	0		23.78				
100	Pl2 BPSK	135	69		23.88		25.0	0.0	
100	Pl2 BPSK	135	138		23.75		24.5	0.5	
100	Pl2 BPSK	270	0		23.78		25.0	0.0	
100	QPSK	1	1		23.96				
100	QPSK	1	137		23.87		25.0	0.0	
100	QPSK	1	271		23.89		25.0	0.0	
100	QPSK	135	0		23.94				
100	QPSK	135	69		23.78		24.0	1.0	
100	QPSK	135	138		23.08			2.5	
100	QPSK	270	0		23.74		24.0	1.0	
100	16QAM	1	1		23.32		24.0	1.0	
100	64QAM	1	1		22.18		22.5	2.5	
100	256QAM	1	1		20.01		20.5	4.5	
Channel				833000	833334	833668	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	25.0	0.0	
90	Pl2 BPSK	1	1		23.98	24.05	23.95	0.0	
Channel				830988	833334	834000	tune-up limit	MPR	
Frequency (MHz)				3490.02	3500.01	3510	25.0	0.0	
80	Pl2 BPSK	1	1		23.87	23.89	23.84	0.0	
Channel				832334	833334	834332	tune-up limit	MPR	
Frequency (MHz)				3485.01	3500.01	3514.98	25.0	0.0	
70	Pl2 BPSK	1	1		23.90	23.92	23.80	0.0	
Channel				832000	833334	834668	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	25.0	0.0	
60	Pl2 BPSK	1	1		23.84	23.95	23.79	0.0	
Channel				831668	833334	835000	tune-up limit	MPR	
Frequency (MHz)				3475.02	3500.01	3505	25.0	0.0	
50	Pl2 BPSK	1	1		23.85	23.95	23.88	0.0	
Channel				831334	833334	835332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	25.0	0.0	
40	Pl2 BPSK	1	1		23.91	23.98	23.89	0.0	
Channel				831000	833334	835668	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	25.0	0.0	
30	Pl2 BPSK	1	1		23.82	23.89	23.85	0.0	
Channel				830668	833334	836000	tune-up limit	MPR	
Frequency (MHz)				3460.02	3500.01	3540	25.0	0.0	
20	Pl2 BPSK	1	1		23.86	23.94	23.82	0.0	

Part27O n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750			
Frequency (MHz)				24.25					
100	Pl2 BPSK	1	1		24.18		25.0	0.0	
100	Pl2 BPSK	1	137		24.14		24.5	0.5	
100	Pl2 BPSK	135	0		23.51				
100	Pl2 BPSK	135	69		24.13		25.0	0.0	
100	Pl2 BPSK	135	138		23.62		24.5	0.5	
100	Pl2 BPSK	270	0		23.65		25.0	0.0	
100	QPSK	1	1		23.92				
100	QPSK	1	137		24.18		25.0	0.0	
100	QPSK	1	271		24.14		25.0	0.0	
100	QPSK	135	0		23.05				
100	QPSK	135	69		24.12		24.0	1.0	
100	QPSK	135	138		23.04			2.5	
100	QPSK	270	0		23.02		24.0	1.0	
100	16QAM	1	1		23.17		24.0	1.0	
100	64QAM	1	1		21.88		22.5	2.5	
100	256QAM	1	1		19.57		20.5	4.5	
Channel				840668	850000	850332	tune-up limit	MPR	
Frequency (MHz)				3745.02	3750	3754.98	25.0	0.0	
90	Pl2 BPSK	1	1		24.20	24.21	24.13	0.0	
Channel				848334	850000	850668	tune-up limit	MPR	
Frequency (MHz)				3740.01	3750	3759.99	25.0	0.0	
80	Pl2 BPSK	1	1		24.14	24.05	24.07	0.0	
Channel				849000	850000	851000	tune-up limit	MPR	
Frequency (MHz)				3735	3750	3765	25.0	0.0	
70	Pl2 BPSK	1	1		24.07	24.16	23.97	0.0	
Channel				848668	850000	851332	tune-up limit	MPR	
Frequency (MHz)				3730.02	3750	3769.98	25.0	0.0	
60	Pl2 BPSK	1	1		24.04	24.15	24.02	0.0	
Channel				848334	850000	851668	tune-up limit	MPR	
Frequency (MHz)				3728.01	3750	3774.98	25.0	0.0	
50	Pl2 BPSK	1	1		24.13	24.08	24.04	0.0	
Channel				848000	850000	852000	tune-up limit	MPR	
Frequency (MHz)				3720	3750	3780	25.0	0.0	
40	Pl2 BPSK	1	1		24.13	24.05	23.98	0.0	
Channel				847668	850000	852332	tune-up limit	MPR	
Frequency (MHz)				3715.02	3750.00	3784.98	25.0	0.0	
30	Pl2 BPSK	1	1		24.08	24.16	24.01	0.0	
Channel				847334	850000	852668	tune-up limit	MPR	
Frequency (MHz)				3710.01	3750	3789.99	25.0	0.0	
20	Pl2 BPSK	1	1		24.10	24.07	24.02	0.0	

Par27Q n78_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				833334		3500.01			
Frequency (MHz)				24.13					
100	Pl2 BPSK	1	1		24.11		24.8	0.0	
100	Pl2 BPSK	1	137		24.09			0.5	
100	Pl2 BPSK	135	0		23.52		24.8	0.0	
100	Pl2 BPSK	135	69		24.02			0.5	
100	Pl2 BPSK	135	138		23.43		24.8	0.0	
100	Pl2 BPSK	270	0		23.50			0.5	
100	QPSK	1	1		24.07		24.8	0.0	
100	QPSK	1	137		24.02			0.0	
100	QPSK	1	271		24.03		24.8	0.0	
100	QPSK	135	0		23.89			0.0	
100	QPSK	135	69		23.89		24.8	0.0	
100	QPSK	135	138		23.66			0.0	
100	QPSK	270	0		22.88		23.8	1.0	
100	16QAM	1	1		23.33			2.5	
100	64QAM	1	1		21.78		22.3	2.5	
100	256QAM	1	1		19.57			4.5	
Channel				833000	833334	833668	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	24.8	0.0	
90	Pl2 BPSK	1	1		24.06	24.08	24.00	0.0	
Channel				832668	833334	834000	tune-up limit	MPR	
Frequency (MHz)				3490.02	3500.01	3510	24.8	0.0	
80	Pl2 BPSK	1	1		23.95	24.02	23.90	0.0	
Channel				832334	833334	834332	tune-up limit	MPR	
Frequency (MHz)				3485.01	3500.01	3514.98	24.8	0.0	
70	Pl2 BPSK	1	1		24.01	23.94	23.91	0.0	
Channel				832000	833334	834668	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	24.8	0.0	
60	Pl2 BPSK	1	1		23.92	23.96	23.88	0.0	
Channel				831668	833334	835000	tune-up limit	MPR	
Frequency (MHz)				3475.02	3500.01	3505	24.8	0.0	
50	Pl2 BPSK	1	1		23.98	23.96	23.91	0.0	
Channel				831334	833334	835332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	24.8	0.0	
40	Pl2 BPSK	1	1		23.95	23.95	23.86	0.0	
Channel				831000	833334	835668	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	24.8	0.0	
30	Pl2 BPSK	1	1		23.92	23.94	23.91	0.0	
Channel				830668	833334	836000	tune-up limit	MPR	
Frequency (MHz)				3460.02	3500.01	3540	24.8	0.0	
20	Pl2 BPSK	1	1		23.94	24.01	23.91	0.0	

Part270 n78_Ant 24								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power High Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dftm)	MSR (dB)
			Channel					
			Frequency (MHz)		3750			
100	PI2 BPSK	1	1	24.01				
100	PI2 BPSK	1	137	24.00				
100	PI2 BPSK	1	271	23.90			24.8	0.0
100	PI2 BPSK	135	0	23.36			24.3	0.5
100	PI2 BPSK	135	69	23.28			24.8	0.0
100	PI2 BPSK	135	138	23.83			24.3	0.5
100	PI2 BPSK	270	0	23.28				
100	QPSK	1	1	23.89				
100	QPSK	1	137	23.81			24.8	0.0
100	QPSK	1	271	23.78				
100	QPSK	135	0	23.06				
100	QPSK	135	69	23.79			24.8	0.0
100	QPSK	135	138	23.81				
100	QPSK	270	0	22.67			23.8	1.0
100	MSK	1	1	23.06			23.3	1.0
100	MSK	1	137	21.46			22.3	2.5
100	256QAM	1	1	19.32			20.3	4.5
			Channel					
			Frequency (MHz)	648698	650000	650332	tune-up	MPR
				3745.00	3750	3745.98	24.8	0.0
90	PI2 BPSK	1	1	23.86	23.87	23.88	24.8	0.0
			Channel	648334	650000	650666	tune-up	MPR
			Frequency (MHz)	3740.01	3750	3756.99	24.8	0.0
80	PI2 BPSK	1	1	23.78	23.79	23.80	24.8	0.0
			Channel	648000	650000	651000	tune-up	MPR
			Frequency (MHz)	3735	3750	3765	24.8	0.0
70	PI2 BPSK	1	1	23.74	23.81	23.72	24.8	0.0
			Channel	648000	650000	651332	tune-up	MPR
			Frequency (MHz)	3730.02	3750	3769.98	24.8	0.0
60	PI2 BPSK	1	1	23.81	23.76	23.87	24.8	0.0
			Channel	648334	650000	651666	tune-up	MPR
			Frequency (MHz)	3725.01	3750	3775.99	24.8	0.0
50	PI2 BPSK	1	1	23.74	23.79	23.85	24.8	0.0
			Channel	648000	650000	652000	tune-up	MPR
			Frequency (MHz)	3720	3750	3780	24.8	0.0
40	PI2 BPSK	1	1	23.73	23.76	23.68	24.8	0.0
			Channel	647668	650000	652332	tune-up	MPR
			Frequency (MHz)	3715.02	3750	3784.98	24.8	0.0
30	PI2 BPSK	1	1	23.79	23.80	23.71	24.8	0.0
			Channel	647334	650000	652666	tune-up	MPR
			Frequency (MHz)	3710.01	3750	3789.99	24.8	0.0
20	PI2 BPSK	1	1	23.76	23.73	23.72	24.8	0.0

Par27Q n78_Ant 101								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Time-up limit (s/min)	MSPR (dB)
Channel								
Frequency (MHz)				3500.01				
100	P12 BPSK	1	1	23.90				
100	P12 BPSK	1	137	23.78				
100	P12 BPSK	1	271	23.74			25.0	0.0
100	P12 BPSK	135	0	23.76			25.0	0.5
100	P12 BPSK	135	69	23.58			25.0	0.0
100	P12 BPSK	135	138	23.80			25.0	0.5
100	P12 BPSK	270	0	23.58			25.0	0.5
100	QPSK	1	1	23.76				
100	QPSK	1	137	23.72			25.0	0.0
100	QPSK	1	271	23.81				
100	QPSK	135	0	23.77				
100	QPSK	135	69	23.73			25.0	0.0
100	QPSK	135	138	23.61				
100	QPSK	270	0	23.69			24.0	1.0
100	16QAM	1	1	23.72			24.0	1.0
100	64QAM	1	1	22.36			22.5	2.5
100	256QAM	1	1	20.30			20.5	4.5
Channel				633000	633334	633698		
Frequency (MHz)				3466	3500.01	3534.99	Time-up limit (s/min)	MSPR (dB)
90	P12 BPSK	1	1	23.86	23.78	23.78	25.0	0.0
Channel				632668	633334	634000	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3470.02	3500.01	3510	25.0	0.0
80	P12 BPSK	1	1	23.74	23.76	23.76	25.0	0.0
Channel				632334	633334	634332	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3485.01	3500.01	3514.98	25.0	0.0
70	P12 BPSK	1	1	23.83	23.79	23.72	25.0	0.0
Channel				632000	633333	634000	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3490.01	3500.01	3519.99	25.0	0.0
60	P12 BPSK	1	1	23.80	23.82	23.71	25.0	0.0
Channel				631668	633334	635000	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3495.02	3500.01	3526	25.0	0.0
50	P12 BPSK	1	1	23.86	23.78	23.76	25.0	0.0
Channel				631334	633334	635332	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3497.01	3500.01	3529.98	25.0	0.0
40	P12 BPSK	1	1	23.58	23.77	23.71	25.0	0.0
Channel				631000	633334	635666	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3465	3500.01	3534.99	25.0	0.0
30	P12 BPSK	1	1	23.76	23.79	23.77	25.0	0.0
Channel				630666	633333	636000	Time-up limit (s/min)	MSPR (dB)
Frequency (MHz)				3460.02	3500.01	3540	25.0	0.0
20	P12 BPSK	1	1	23.81	23.79	23.80	25.0	0.0

Part270 n78_Ant 101								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High	Time-up limit (dcm)	MPR (dB)
	Channel			685000	3750			
	Frequency (MHz)							
100	P1/2 BPSK	1	1	23.90			25.0	0.0
100	P1/2 BPSK	1	137	23.83				
100	P1/2 BPSK	1	271	23.86			25.0	0.0
100	P1/2 BPSK	135	0	23.78			24.5	0.5
100	P1/2 BPSK	135	69	23.84			25.0	0.0
100	P1/2 BPSK	135	138	23.77			24.5	0.5
100	P1/2 BPSK	270	0	23.78			25.0	0.0
100	QPSK	1	1	23.77				
100	QPSK	1	137	23.74			25.0	0.0
100	QPSK	1	271	23.80				
100	QPSK	135	0	23.84			25.0	0.0
100	QPSK	135	69	23.80			25.0	0.0
100	QPSK	135	138	23.73			24.0	1.0
100	QPSK	270	0	23.63			24.0	1.0
100	64QAM	1	1	23.78			22.5	2.5
100	64QAM	1	1	22.25			22.5	2.5
100	256QAM	1	1	20.25			20.5	4.5
	Channel			649688	650000	660332		MPR
	Frequency (MHz)			3145.92		3154.88		(dB)
90	P1/2 BPSK	1	1	23.78	23.81	23.71	25.0	0.0
	Channel			649334	650000	650666		MPR
	Frequency (MHz)			3740.01	3750	3760.99		(dB)
80	P1/2 BPSK	1	1	23.78	23.79	23.79	25.0	0.0
	Channel			649000	650000	651000		MPR
	Frequency (MHz)			3735	3750	3765		(dB)
70	P1/2 BPSK	1	1	23.85	23.86	23.73	25.0	0.0
	Channel			649500	650000	651332		MPR
	Frequency (MHz)			3700.50	3750	3769.98		(dB)
60	P1/2 BPSK	1	1	23.80	23.86	23.70	25.0	0.0
	Channel			648334	650000	651666		MPR
	Frequency (MHz)			3725.91	3750	3774.99		(dB)
50	P1/2 BPSK	1	1	23.82	23.86	23.78	25.0	0.0
	Channel			648000	650000	652000		MPR
	Frequency (MHz)			3720	3750	3780		(dB)
40	P1/2 BPSK	1	1	23.75	23.86	23.76	25.0	0.0
	Channel			647668	650000	652332		MPR
	Frequency (MHz)			3715.02	3750	3784.98		(dB)
30	P1/2 BPSK	1	1	23.86	23.87	23.71	25.0	0.0
	Channel			647333	650000	652666		MPR
	Frequency (MHz)			3710.01	3750	3789.99		(dB)
20	P1/2 BPSK	1	1	23.76	23.77	23.79	25.0	0.0

Par27Q n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01	24.5	0.0	
Frequency (MHz)				3500.01					
100	PI/2 BPSK	1	1		23.48				
100	PI/2 BPSK	1	137		23.41				
100	PI/2 BPSK	1	271		23.35				
100	PI/2 BPSK	135	0		23.32		24.0	0.5	
100	PI/2 BPSK	135	69		23.33		24.5	0.0	
100	PI/2 BPSK	135	138		23.22		24.0	0.5	
100	PI/2 BPSK	270	0		23.28				
100	QPSK	1	1		23.45				
100	QPSK	1	137		23.38		24.5	0.0	
100	QPSK	1	271		23.31				
100	QPSK	135	0		23.21				
100	QPSK	135	69		23.25		24.5	0.0	
100	QPSK	135	138		23.25				
100	QPSK	270	0		22.75		23.5	1.0	
100	16QAM	1	1		22.85		23.5	1.0	
100	64QAM	1	1		20.82		22.0	2.5	
100	256QAM	1	1		19.35		20.0	4.5	
Channel				633000	633334	633668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	PI/2 BPSK	1	1		23.43	23.45	23.41	24.5	
Channel				632668	633334	634000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	PI/2 BPSK	1	1		23.30	23.36	23.33	24.5	
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	PI/2 BPSK	1	1		23.35	23.35	23.33	24.5	
Channel				632000	633334	634668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	PI/2 BPSK	1	1		23.28	23.29	23.34	24.5	
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3500.01	3525			
50	PI/2 BPSK	1	1		23.28	23.38	23.28	24.5	
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	PI/2 BPSK	1	1		23.36	23.29	23.28	24.5	
Channel				631000	633334	635668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	PI/2 BPSK	1	1		23.30	23.39	23.35	24.5	
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	PI/2 BPSK	1	1		23.29	23.37	23.30	24.5	

Part27O n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750	24.5	0.0	
Frequency (MHz)				3750					
100	PI/2 BPSK	1	1		23.43				
100	PI/2 BPSK	1	137		23.32				
100	PI/2 BPSK	1	271		23.25				
100	PI/2 BPSK	135	0		22.74		24.0	0.5	
100	PI/2 BPSK	135	69		23.19		24.5	0.0	
100	PI/2 BPSK	135	138		22.51		24.0	0.5	
100	PI/2 BPSK	270	0		22.82				
100	QPSK	1	1		23.38				
100	QPSK	1	137		23.20		24.5	0.0	
100	QPSK	1	271		23.10				
100	QPSK	135	0		23.05				
100	QPSK	135	69		23.11		24.5	0.0	
100	QPSK	135	138		23.10				
100	QPSK	270	0		22.05		23.5	1.0	
100	16QAM	1	1		22.54		23.5	1.0	
100	64QAM	1	1		20.97		22.0	2.5	
100	256QAM	1	1		19.58		20.0	4.5	
Channel				649668	650000	650332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3745.02	3750	3754.98			
90	PI/2 BPSK	1	1		23.31	23.33	23.25	24.5	
Channel				648334	650000	650668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3740.01	3750	3759.99			
80	PI/2 BPSK	1	1		23.24	23.27	23.14	24.5	
Channel				648000	650000	651000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3735	3750	3765			
70	PI/2 BPSK	1	1		23.19	23.17	23.14	24.5	
Channel				647668	650000	651332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3730.02	3750	3769.98			
60	PI/2 BPSK	1	1		23.20	23.28	23.20	24.5	
Channel				648334	650000	651668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3725.01	3750	3754.99			
50	PI/2 BPSK	1	1		23.24	23.23	23.12	24.5	
Channel				648000	650000	652000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3720	3750	3780			
40	PI/2 BPSK	1	1		23.20	23.26	23.12	24.5	
Channel				647668	650000	652332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3715.02	3750.00	3784.98			
30	PI/2 BPSK	1	1		23.21	23.19	23.15	24.5	
Channel				647334	650000	652668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3710.01	3750	3789.99			
20	PI/2 BPSK	1	1		23.18	23.22	23.18	24.5	

Reduced Power for DSI 2

n5_Ant 11								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	19.06	19.21	19.09		
20	PV2 BPSK	1	53	18.78	18.92	18.82	20.5	0.0
20	PV2 BPSK	1	104	18.79	18.89	18.75		
20	PV2 BPSK	50	0	18.88	19.03	18.94	20.5	0.0
20	PV2 BPSK	50	28	18.80	18.90	18.95	20.5	0.0
20	PV2 BPSK	50	56	18.81	18.92	18.77		
20	PV2 BPSK	100	0	18.81	18.96	18.84	20.5	0.0
20	QPSK	1	1	18.99	19.08	18.94		
20	QPSK	1	53	18.91	19.07	18.96	20.5	0.0
20	QPSK	1	104	18.80	18.96	18.94		
20	QPSK	50	0	18.94	19.03	18.98	20.5	0.0
20	QPSK	50	28	18.89	19.05	18.99	20.5	0.0
20	QPSK	50	56	18.87	18.93	18.78	20.5	0.0
20	QPSK	100	0	18.82	19.03	18.96		
20	16QAM	1	1	18.88	18.95	18.85	20.5	0.0
20	64QAM	1	1	19.06	19.11	19.06	20.5	0.0
20	256QAM	1	1	19.01	19.13	19.06	20.0	0.5
Channel				165300	167300	169300	107.11° limit	MPR
Frequency (MHz)				831.5	836.5	841.5	(dBm)	(dB)
15	PV2 BPSK	1	1	18.98	19.18	18.96	20.5	0.0
Channel				165800	167300	168800	tune-up limit	MPR
Frequency (MHz)				824	833.5	844	(dBm)	(dB)
10	PV2 BPSK	1	1	18.98	19.06	19.03	20.5	0.0
Channel				165300	167300	169300	tune-up limit	MPR
Frequency (MHz)				826.5	836.5	846.5	(dBm)	(dB)
5	PV2 BPSK	1	1	18.92	19.12	19.03	20.5	0.0

n5_Ant 41								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	23.45	23.53	23.41		
20	PV2 BPSK	1	53	23.35	23.44	23.32	24.5	0.0
20	PV2 BPSK	1	104	23.37	23.42	23.29		
20	PV2 BPSK	50	0	23.42	23.50	23.38	24.0	0.5
20	PV2 BPSK	50	28	23.42	23.51	23.35	24.5	0.0
20	PV2 BPSK	50	56	23.21	23.33	23.18		
20	PV2 BPSK	100	0	23.45	23.46	23.43	24.0	0.5
20	QPSK	1	1	23.34	23.50	23.38		
20	QPSK	1	53	23.36	23.46	23.34	24.5	0.0
20	QPSK	1	104	23.30	23.38	23.23		
20	QPSK	50	0	22.96	23.04	22.92	23.5	1.0
20	QPSK	50	28	23.34	23.42	23.36	24.5	0.0
20	QPSK	50	56	22.75	22.87	22.80	23.5	1.0
20	QPSK	100	0	22.87	22.92	22.85		
20	16QAM	1	1	22.68	22.83	22.69	23.5	1.0
20	64QAM	1	1	21.70	21.76	21.65	22.0	2.5
20	256QAM	1	1	19.47	19.58	19.48	20.0	4.5
Channel				165300	167300	169300	107.11° limit	MPR
Frequency (MHz)				831.5	836.5	841.5	(dBm)	(dB)
15	PV2 BPSK	1	1	23.34	23.45	23.38	24.5	0.0
Channel				165800	167300	168800	tune-up limit	MPR
Frequency (MHz)				824	833.5	844	(dBm)	(dB)
10	PV2 BPSK	1	1	23.36	23.35	23.35	24.5	0.0
Channel				165300	167300	169300	tune-up limit	MPR
Frequency (MHz)				826.5	836.5	846.5	(dBm)	(dB)
5	PV2 BPSK	1	1	23.31	23.39	23.26	24.5	0.0

n7_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000	15.3	0.0
Frequency (MHz)				2410	2435	2460		
20	Pl2 BPSK	1	1	14.08	14.43	14.07		
20	Pl2 BPSK	1	53	14.01	14.09	13.93	15.3	0.0
20	Pl2 BPSK	1	104	13.96	14.08	13.99		
20	Pl2 BPSK	50	0	14.01	14.11	13.99		
20	Pl2 BPSK	50	28	14.02	14.14	14.04	15.3	0.0
20	Pl2 BPSK	50	56	13.93	14.09	13.94		
20	Pl2 BPSK	100	0	13.90	14.03	13.87		
20	QPSK	1	1	14.05	14.21	14.10	15.3	0.0
20	QPSK	1	53	14.06	14.19	14.11		
20	QPSK	1	104	14.07	14.15	14.01		
20	QPSK	50	0	13.97	14.02	13.94	15.3	0.0
20	QPSK	50	28	14.01	14.06	13.95		
20	QPSK	50	56	13.90	14.02	13.94		
20	QPSK	100	0	13.86	13.98	13.93	15.3	0.0
20	16QAM	1	1	14.00	14.12	14.00		
20	64QAM	1	1	14.06	14.13	13.99		
20	256QAM	1	1	14.00	14.08	13.93	15.3	0.0
Channel				501500	507000	512500		
Frequency (MHz)				2507.5	2535	2562.5		
15	Pl2 BPSK	1	1	13.93	14.16	14.00	15.3	0.0
Channel				501000	507000	513000	15.3	MPR
Frequency (MHz)				2505	2535	2565	15.3	0.0
10	Pl2 BPSK	1	1	14.03	14.07	13.94	15.3	0.0
Channel				500500	507000	513500	15.3	MPR
Frequency (MHz)				2502.5	2535	2567.5	15.3	0.0
5	Pl2 BPSK	1	1	13.99	14.15	13.99	15.3	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	15.5	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	14.66	14.71	14.57		
30	Pl2 BPSK	1	80	14.52	14.62	14.49	15.5	0.0
30	Pl2 BPSK	1	158	14.45	14.61	14.50		
30	Pl2 BPSK	80	0	14.35	14.51	14.37		
30	Pl2 BPSK	80	40	14.61	14.70	14.56	15.5	0.0
30	Pl2 BPSK	80	80	14.46	14.51	14.43		
30	Pl2 BPSK	160	0	14.53	14.56	14.50		
30	QPSK	1	1	14.38	14.54	14.47	15.5	0.0
30	QPSK	1	80	14.49	14.61	14.51		
30	QPSK	1	158	14.53	14.66	14.50		
30	QPSK	80	0	14.40	14.54	14.39	15.5	0.0
30	QPSK	80	40	14.47	14.52	14.36		
30	QPSK	80	80	14.62	14.67	14.58		
30	QPSK	160	0	14.41	14.56	14.41	15.5	0.0
30	16QAM	1	1	14.45	14.61	14.48		
30	64QAM	1	1	14.42	14.52	14.42		
30	256QAM	1	1	14.48	14.59	14.53	15.5	0.0
Channel				344000	349000	354000		
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	14.54	14.60	14.50	15.5	0.0
Channel				343500	349000	354500	15.5	MPR
Frequency (MHz)				1717.5	1745	1772.5	15.5	0.0
15	Pl2 BPSK	1	1	14.55	14.63	14.51	15.5	0.0
Channel				343000	349000	355000	15.5	MPR
Frequency (MHz)				1715	1745	1775	15.5	0.0
10	Pl2 BPSK	1	1	14.52	14.55	14.43	15.5	0.0
Channel				342500	349000	355500	15.5	MPR
Frequency (MHz)				1712.5	1745	1777.5	15.5	0.0
5	Pl2 BPSK	1	1	14.58	14.57	14.49	15.5	0.0

Par27Q n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01	14.0	0.0	
Frequency (MHz)				633334		3500.01			
100	Pl2 BPSK	1	1		13.52		14.0	0.0	
100	Pl2 BPSK	1	137		13.34				
100	Pl2 BPSK	1	271		13.39		14.0	0.0	
100	Pl2 BPSK	135	0		13.33				
100	Pl2 BPSK	135	69		13.41		14.0	0.0	
100	Pl2 BPSK	135	138		13.32				
100	Pl2 BPSK	270	0		13.27		14.0	0.0	
100	QPSK	1	1		13.21				
100	QPSK	1	137		13.28		14.0	0.0	
100	QPSK	1	271		13.39				
100	QPSK	135	0		13.37		14.0	0.0	
100	QPSK	135	69		13.29				
100	QPSK	135	138		13.31		14.0	0.0	
100	QPSK	270	0		13.31				
100	16QAM	1	1		13.33		14.0	0.0	
100	64QAM	1	1		13.45				
100	256QAM	1	1		13.22		14.0	0.0	
Channel				633000	633334	633668	tune-up limit	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	Pl2 BPSK	1	1	13.44	13.37	13.39	14.0	0.0	
Channel				630968	633334	634000	tune-up limit	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	Pl2 BPSK	1	1	13.28	13.21	13.27	14.0	0.0	
Channel				632334	633334	634332	tune-up limit	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	Pl2 BPSK	1	1	13.32	13.29	13.34	14.0	0.0	
Channel				632000	633334	634668	tune-up limit	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	Pl2 BPSK	1	1	13.28	13.23	13.34	14.0	0.0	
Channel				631668	633334	635000	tune-up limit	MPR (dB)	
Frequency (MHz)				3475.02	3500.01	3525			
50	Pl2 BPSK	1	1	13.34	13.28	13.25	14.0	0.0	
Channel				631334	633334	635332	tune-up limit	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	Pl2 BPSK	1	1	13.34	13.25	13.28	14.0	0.0	
Channel				631000	633334	635668	tune-up limit	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	Pl2 BPSK	1	1	13.30	13.31	13.31	14.0	0.0	
Channel				630668	633334	636000	tune-up limit	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	Pl2 BPSK	1	1	13.33	13.25	13.33	14.0	0.0	

Part27Q n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750	14.0	0.0	
Frequency (MHz)				650000		3750			
100	Pl2 BPSK	1	1		12.93		14.0	0.0	
100	Pl2 BPSK	1	137		12.68				
100	Pl2 BPSK	1	271		12.63		14.0	0.0	
100	Pl2 BPSK	135	0		12.73				
100	Pl2 BPSK	135	69		12.76		14.0	0.0	
100	Pl2 BPSK	135	138		12.57				
100	Pl2 BPSK	270	0		12.62		14.0	0.0	
100	QPSK	1	1		12.84				
100	QPSK	1	137		12.60		14.0	0.0	
100	QPSK	1	271		12.65				
100	QPSK	135	0		12.68		14.0	0.0	
100	QPSK	135	69		12.64				
100	QPSK	135	138		12.52		14.0	0.0	
100	QPSK	270	0		12.63				
100	16QAM	1	1		12.91		14.0	0.0	
100	64QAM	1	1		12.92				
100	256QAM	1	1		12.70		14.0	0.0	
Channel				649668	650000	650332	tune-up limit	MPR (dB)	
Frequency (MHz)				3745.02	3750	3754.98			
90	Pl2 BPSK	1	1	12.80	12.84	12.79	14.0	0.0	
Channel				648334	650000	650668	tune-up limit	MPR (dB)	
Frequency (MHz)				3740.01	3750	3759.99			
80	Pl2 BPSK	1	1	12.68	12.75	12.65	14.0	0.0	
Channel				649000	650000	651000	tune-up limit	MPR (dB)	
Frequency (MHz)				3735	3750	3765			
70	Pl2 BPSK	1	1	12.68	12.73	12.69	14.0	0.0	
Channel				649668	650000	651332	tune-up limit	MPR (dB)	
Frequency (MHz)				3730.02	3750	3769.98			
60	Pl2 BPSK	1	1	12.72	12.78	12.70	14.0	0.0	
Channel				648334	650000	651668	tune-up limit	MPR (dB)	
Frequency (MHz)				3725.01	3750	3774.99			
50	Pl2 BPSK	1	1	12.73	12.69	12.65	14.0	0.0	
Channel				648000	650000	652000	tune-up limit	MPR (dB)	
Frequency (MHz)				3720	3750	3780			
40	Pl2 BPSK	1	1	12.68	12.76	12.65	14.0	0.0	
Channel				647668	650000	652332	tune-up limit	MPR (dB)	
Frequency (MHz)				3715.02	3750.00	3784.98			
30	Pl2 BPSK	1	1	12.67	12.73	12.72	14.0	0.0	
Channel				647334	650000	652668	tune-up limit	MPR (dB)	
Frequency (MHz)				3710.01	3750	3789.99			
20	Pl2 BPSK	1	1	12.67	12.76	12.68	14.0	0.0	

Par27Q n78_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01	15.8	0.0	
Frequency (MHz)				633334		3500.01			
100	Pl2 BPSK	1	1		15.06		15.8	0.0	
100	Pl2 BPSK	1	137		14.85				
100	Pl2 BPSK	1	271		14.80		15.8	0.0	
100	Pl2 BPSK	135	0		14.85				
100	Pl2 BPSK	135	69		14.91		15.8	0.0	
100	Pl2 BPSK	135	138		14.71				
100	Pl2 BPSK	270	0		14.96		15.8	0.0	
100	QPSK	1	1		15.03				
100	QPSK	1	137		14.78		15.8	0.0	
100	QPSK	1	271		14.86				
100	QPSK	135	0		15.01		15.8	0.0	
100	QPSK	135	69		14.72				
100	QPSK	135	138		14.76		15.8	0.0	
100	QPSK	270	0		14.90				
100	16QAM	1	1		14.97		15.8	0.0	
100	64QAM	1	1		14.92				
100	256QAM	1	1		14.93		15.8	0.0	
Channel				633000	633334	633668	tune-up limit	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	Pl2 BPSK	1	1	14.98	15.00	14.99	15.8	0.0	
Channel				632968	633334	634000	tune-up limit	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	Pl2 BPSK	1	1	14.93	14.92	14.85	15.8	0.0	
Channel				632334	633334	634332	tune-up limit	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	Pl2 BPSK	1	1	14.93	14.85	14.87	15.8	0.0	
Channel				632000	633334	634668	tune-up limit	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	Pl2 BPSK	1	1	14.88	14.94	14.89	15.8	0.0	

Part270 n78_Ant 24										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
100	PI2 BPSK	1	1		14.95		15.8	0.0		
100	PI2 BPSK	1	137		14.64					
100	PI2 BPSK	1	271		14.52		15.8	0.0		
100	PI2 BPSK	135	0		14.68					
100	PI2 BPSK	135	69		14.75		15.8	0.0		
100	PI2 BPSK	135	138		14.54					
100	PI2 BPSK	270	0		14.71		15.8	0.0		
100	QPSK	1	1		14.73					
100	QPSK	1	137		14.71		15.8	0.0		
100	QPSK	1	271		14.58					
100	QPSK	135	0		14.68		15.8	0.0		
100	QPSK	135	69		14.60					
100	QPSK	135	138		14.59		15.8	0.0		
100	QPSK	270	0		14.65					
100	16QAM	1	1		14.86		15.8	0.0		
100	64QAM	1	1		14.89					
100	256QAM	1	1		14.63		15.8	0.0		
Channel				649668	650000	650332				
Frequency (MHz)										
90	PI2 BPSK	1	1	14.83	14.84	14.88	15.8	0.0		
Channel				649334	650000	650666	15.8	MPR		
Frequency (MHz)										
80	PI2 BPSK	1	1	14.78	14.72	14.78	15.8	0.0		
Channel				648000	650000	651000	15.8	MPR		
Frequency (MHz)										
70	PI2 BPSK	1	1	14.77	14.70	14.82	15.8	0.0		
Channel				648668	650000	651332	15.8	MPR		
Frequency (MHz)										
60	PI2 BPSK	1	1	14.73	14.79	14.74	15.8	0.0		
Channel				648334	650000	651666	15.8	MPR		
Frequency (MHz)										
50	PI2 BPSK	1	1	14.70	14.71	14.76	15.8	0.0		
Channel				648000	650000	652000	15.8	MPR		
Frequency (MHz)										
40	PI2 BPSK	1	1	14.72	14.71	14.72	15.8	0.0		
Channel				647668	650000	652332	15.8	MPR		
Frequency (MHz)										
30	PI2 BPSK	1	1	14.74	14.69	14.83	15.8	0.0		
Channel				647334	650000	652666	15.8	MPR		
Frequency (MHz)										
20	PI2 BPSK	1	1	14.66	14.70	14.82	15.8	0.0		

Par27Q n78_Ant 101										
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch / Freq	Power Ch / Freq	Power Ch / Freq	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
100	PI2 BPSK	1	1		19.42		20.5	0.0		
100	PI2 BPSK	1	137		19.29					
100	PI2 BPSK	1	271		19.35		20.5	0.0		
100	PI2 BPSK	135	0		19.29					
100	PI2 BPSK	135	69		19.30		20.5	0.0		
100	PI2 BPSK	135	138		19.23					
100	PI2 BPSK	270	0		19.29		20.5	0.0		
100	QPSK	1	1		19.24					
100	QPSK	1	137		19.40		20.5	0.0		
100	QPSK	1	271		19.41					
100	QPSK	135	0		19.34		20.5	0.0		
100	QPSK	135	69		19.39					
100	QPSK	135	138		19.31		20.5	0.0		
100	QPSK	270	0		19.32					
100	16QAM	1	1		19.38		20.5	0.0		
100	64QAM	1	1		19.32					
100	256QAM	1	1		19.29		20.5	0.0		
Channel				633000	633334	633666				
Frequency (MHz)										
90	PI2 BPSK	1	1	19.37	19.32	19.34	20.5	0.0		
Channel				632668	633334	634000	20.5	MPR		
Frequency (MHz)										
80	PI2 BPSK	1	1	19.31	19.17	19.25	20.5	0.0		
Channel				632334	633334	634332	20.5	MPR		
Frequency (MHz)										
70	PI2 BPSK	1	1	19.23	19.20	19.24	20.5	0.0		
Channel				632000	633334	634666	20.5	MPR		
Frequency (MHz)										
60	PI2 BPSK	1	1	19.23	19.19	19.19	20.5	0.0		
Channel				631668	633334	635000	20.5	MPR		
Frequency (MHz)										
50	PI2 BPSK	1	1	19.22	19.21	19.24	20.5	0.0		
Channel				631334	633334	635332	20.5	MPR		
Frequency (MHz)										
40	PI2 BPSK	1	1	19.31	19.29	19.25	20.5	0.0		
Channel				631000	633334	635666	20.5	MPR		
Frequency (MHz)										
30	PI2 BPSK	1	1	19.29	19.23	19.21	20.5	0.0		
Channel				630668	633334	636000	20.5	MPR		
Frequency (MHz)										
20	PI2 BPSK	1	1	19.25	19.17	19.22	20.5	0.0		

Part270 n78_Ant 101										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
100	PI2 BPSK	1	1		19.71		20.5	0.0		
100	PI2 BPSK	1	137		19.68					
100	PI2 BPSK	1	271		19.61		20.5	0.0		
100	PI2 BPSK	135	0		19.35					
100	PI2 BPSK	135	69		19.68		20.5	0.0		
100	PI2 BPSK	135	138		19.61					
100	PI2 BPSK	270	0		19.51		20.5	0.0		
100	QPSK	1	1		19.62					
100	QPSK	1	137		19.63		20.5	0.0		
100	QPSK	1	271		19.70					
100	QPSK	135	0		19.53		20.5	0.0		
100	QPSK	135	69		19.58					
100	QPSK	135	138		19.61		20.5	0.0		
100	QPSK	270	0		19.48					
100	16QAM	1	1		19.41		20.5	0.0		
100	64QAM	1	1		19.70					
100	256QAM	1	1		19.56		20.5	0.0		
Channel				649668	650000	650332				
Frequency (MHz)										
90	PI2 BPSK	1	1	19.64	19.61	19.56	20.5	MPR (dB)		
Channel				649334	650000	650666	20.5	MPR (dB)		
Frequency (MHz)				3740.01	3750	3759.99	20.5	MPR (dB)		
80	PI2 BPSK	1	1	19.59	19.54	19.50	20.5	0.0		
Channel				649000	650000	651000	20.5	MPR (dB)		
Frequency (MHz)				3720.02	3750	3780.98	20.5	MPR (dB)		
70	PI2 BPSK	1	1	19.52	19.49	19.47	20.5	0.0		
Channel				648668	650000	651332	20.5	MPR (dB)		
Frequency (MHz)				3700.02	3750	3799.98	20.5	MPR (dB)		
60	PI2 BPSK	1	1	19.58	19.45	19.46	20.5	0.0		
Channel				648334	650000	651666	20.5	MPR (dB)		
Frequency (MHz)				3720.01	3750	3774.99	20.5	MPR (dB)		
50	PI2 BPSK	1	1	19.59	19.40	19.47	20.5	0.0		
Channel				648000	650000	652000	20.5	MPR (dB)		
Frequency (MHz)				3700.02	3750	3780	20.5	MPR (dB)		
40	PI2 BPSK	1	1	19.56	19.56	19.47	20.5	0.0		
Channel				647668	650000	652332	20.5	MPR (dB)		
Frequency (MHz)				3715.02	3750.00	3784.98	20.5	MPR (dB)		
35	PI2 BPSK	1	1	19.54	19.47	19.41	20.5	0.0		
Channel				647334	650000	652666	20.5	MPR (dB)		
Frequency (MHz)				3705.01	3750	3789.99	20.5	MPR (dB)		
20	PI2 BPSK	1	1	19.56	19.55	19.47	20.5	0.0		
Channel				647000	650000	653000	20.5	MPR (dB)		
Frequency (MHz)				3700.02	3750	3799.98	20.5	MPR (dB)		

Par27Q n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01	19.0	0.0	
Frequency (MHz)				3500.01					
100	PI/2 BPSK	1	1		17.75				
100	PI/2 BPSK	1	137		17.44		19.0	0.0	
100	PI/2 BPSK	1	271		17.46				
100	PI/2 BPSK	135	0		17.40		19.0	0.0	
100	PI/2 BPSK	135	69		17.53		19.0	0.0	
100	PI/2 BPSK	135	138		17.47		19.0	0.0	
100	PI/2 BPSK	270	0		17.55				
100	QPSK	1	1		17.41				
100	QPSK	1	137		17.53		19.0	0.0	
100	QPSK	1	271		17.40				
100	QPSK	135	0		17.55				
100	QPSK	135	69		17.56		19.0	0.0	
100	QPSK	135	138		17.53				
100	QPSK	270	0		17.53		19.0	0.0	
100	16QAM	1	1		17.69		19.0	0.0	
100	64QAM	1	1		14.57		19.0	0.0	
100	256QAM	1	1		17.49		19.0	0.0	
Channel				633000	633334	633668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	PI/2 BPSK	1	1		17.66	17.68	19.0	0.0	
Channel				632668	633334	634000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	PI/2 BPSK	1	1		17.68	17.61	17.62	19.0	0.0
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	PI/2 BPSK	1	1		17.62	17.70	17.63	19.0	0.0
Channel				632000	633334	634668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	PI/2 BPSK	1	1		17.69	17.70	17.63	19.0	0.0
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3500.01	3525			
50	PI/2 BPSK	1	1		17.69	17.60	17.68	19.0	0.0
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	PI/2 BPSK	1	1		17.65	17.62	17.64	19.0	0.0
Channel				631000	633334	635668	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	PI/2 BPSK	1	1		17.60	17.67	17.60	19.0	0.0
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	PI/2 BPSK	1	1		17.62	17.64	17.59	19.0	0.0

Part27O n78_Ant 103								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				650000		3750	19.0	0.0
Frequency (MHz)				3750				
100	PI/2 BPSK	1	1	649668	650000	650332	tune-up limit (dBm)	MPR (dB)
100	PI/2 BPSK	1	137	3745.02	3750	3754.98		
100	PI/2 BPSK	1	271	3740.01	3750	3759.99		
100	PI/2 BPSK	135	0	649334	650000	650668	tune-up limit (dBm)	MPR (dB)
100	PI/2 BPSK	135	69	3740.01	3750	3759.99		
100	PI/2 BPSK	135	138	649334	650000	650668	tune-up limit (dBm)	MPR (dB)
100	PI/2 BPSK	270	0	3740.01	3750	3759.99		
100	QPSK	1	1	649000	650000	651000	tune-up limit (dBm)	MPR (dB)
100	QPSK	1	137	3735	3750	3765		
100	QPSK	1	271	648334	650000	651668	tune-up limit (dBm)	MPR (dB)
100	QPSK	135	0	3725.01	3750	3774.99		
100	QPSK	135	69	648000	650000	652000	tune-up limit (dBm)	MPR (dB)
100	QPSK	135	138	3720	3750	3780		
100	QPSK	270	0	647334	650000	652668	tune-up limit (dBm)	MPR (dB)
100	16QAM	1	1	647000	650000	653000	tune-up limit (dBm)	MPR (dB)
100	64QAM	1	1	3715.02	3750.00	3784.98		
100	256QAM	1	1	646334	650000	653668	tune-up limit (dBm)	MPR (dB)
Channel				646000	650000	654000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3710.01	3750	3790.99		
90	PI/2 BPSK	1	1	645668	650000	654332	tune-up limit (dBm)	MPR (dB)
Channel				645334	650000	654668	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3705.02	3750	3794.98		
80	PI/2 BPSK	1	1	645000	650000	655000	tune-up limit (dBm)	MPR (dB)
Channel				644668	650000	655332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3700.02	3750	3799.98		
70	PI/2 BPSK	1	1	644334	650000	655668	tune-up limit (dBm)	MPR (dB)
Channel				644000	650000	656000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3695.02	3750	3804.98		
60	PI/2 BPSK	1	1	643668	650000	656332	tune-up limit (dBm)	MPR (dB)
Channel				643334	650000	656668	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3690.02	3750	3809.98		
50	PI/2 BPSK	1	1	643000	650000	657000	tune-up limit (dBm)	MPR (dB)
Channel				642668	650000	657332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3685.02	3750	3814.98		
40	PI/2 BPSK	1	1	642334	650000	657668	tune-up limit (dBm)	MPR (dB)
Channel				642000	650000	658000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3680.02	3750	3819.98		
30	PI/2 BPSK	1	1	641668	650000	658332	tune-up limit (dBm)	MPR (dB)
Channel				641334	650000	658668	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3675.02	3750	3824.98		
20	PI/2 BPSK	1	1	641000	650000	659000	tune-up limit (dBm)	MPR (dB)
Channel				640668	650000	659332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3670.02	3750	3829.98		

Reduced Power for DSI 3

n5_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800			
Frequency (MHz)				834	834.5	835			
20	PV2 BPSK	1	1	13.69	13.76	13.67			
20	PV2 BPSK	1	53	13.35	13.51	13.46	15.0	0.0	
20	PV2 BPSK	1	104	13.44	13.54	13.38			
20	PV2 BPSK	50	0	13.45	13.56	13.40	15.0	0.0	
20	PV2 BPSK	50	28	13.46	13.60	13.46	15.0	0.0	
20	PV2 BPSK	50	56	13.39	13.54	13.46			
20	PV2 BPSK	100	0	13.36	13.51	13.40	15.0	0.0	
20	QPSK	1	1	13.51	13.61	13.45			
20	QPSK	1	53	13.44	13.56	13.50	15.0	0.0	
20	QPSK	1	104	13.33	13.48	13.40			
20	QPSK	50	0	13.41	13.53	13.37	15.0	0.0	
20	QPSK	50	28	13.49	13.55	13.48	15.0	0.0	
20	QPSK	50	56	13.35	13.43	13.37	15.0	0.0	
20	QPSK	100	0	13.47	13.53	13.42			
20	16QAM	1	1	13.29	13.45	13.38	15.0	0.0	
20	64QAM	1	1	13.18	13.24	13.14	15.0	0.0	
20	256QAM	1	1	13.52	13.63	13.56	15.0	0.0	
Channel				165300	167300	169300	101.1° limit	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	PV2 BPSK	1	1	13.62	13.68	13.61	15.0	0.0	
Channel				165800	167300	168800	tune-up limit (dB)	MPR	
Frequency (MHz)				829	834.5	840			
10	PV2 BPSK	1	1	13.56	13.64	13.51	15.0	0.0	
Channel				165300	167300	169300	tune-up limit (dBm)	MPR	
Frequency (MHz)				826.5	836.5	846.5			
5	PV2 BPSK	1	1	13.63	13.63	13.62	15.0	0.0	

n5_Ant 41									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				166800	167300	167800			
Frequency (MHz)				834	834.5	835			
20	PV2 BPSK	1	1	23.45	23.53	23.41			
20	PV2 BPSK	1	53	23.35	23.44	23.32	24.5	0.0	
20	PV2 BPSK	1	104	23.37	23.42	23.29			
20	PV2 BPSK	50	0	23.42	23.50	23.38	24.0	0.5	
20	PV2 BPSK	50	28	23.42	23.51	23.35	24.5	0.0	
20	PV2 BPSK	50	56	23.21	23.33	23.18	24.0	0.5	
20	PV2 BPSK	100	0	23.45	23.46	23.43			
20	QPSK	1	1	23.34	23.50	23.38			
20	QPSK	1	53	23.36	23.46	23.34	24.5	0.0	
20	QPSK	1	104	23.30	23.35	23.23			
20	QPSK	50	0	22.96	23.04	22.92	23.5	1.0	
20	QPSK	50	28	23.34	23.42	23.36	24.5	0.0	
20	QPSK	50	56	22.75	22.87	22.80	23.5	1.0	
20	QPSK	100	0	22.87	22.92	22.85			
20	16QAM	1	1	22.68	22.83	22.69	23.5	1.0	
20	64QAM	1	1	21.70	21.76	21.65	22.0	2.5	
20	256QAM	1	1	19.47	19.56	19.46	20.0	4.5	
Channel				165300	167300	169300	101.1° limit	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	PV2 BPSK	1	1	23.34	23.45	23.36	24.5	0.0	
Channel				165800	167300	168800	tune-up limit (dB)	MPR	
Frequency (MHz)				829	834.5	840			
10	PV2 BPSK	1	1	23.36	23.35	23.35	24.5	0.0	
Channel				165300	167300	169300	tune-up limit (dBm)	MPR	
Frequency (MHz)				826.5	836.5	846.5			
5	PV2 BPSK	1	1	23.31	23.39	23.26	24.5	0.0	

n7_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2410	2435	2460			
20	Pl/2 BPSK	1	1	8.60	8.74	8.84			
20	Pl/2 BPSK	1	53	8.39	8.51	8.46	9.8	0.0	
20	Pl/2 BPSK	1	104	8.38	8.46	8.37			
20	Pl/2 BPSK	50	0	8.42	8.49	8.35	9.8	0.0	
20	Pl/2 BPSK	50	28	8.43	8.51	8.43	9.8	0.0	
20	Pl/2 BPSK	50	56	8.38	8.49	8.34			
20	Pl/2 BPSK	100	0	8.45	8.55	8.39	9.8	0.0	
20	QPSK	1	1	8.45	8.59	8.51			
20	QPSK	1	53	8.48	8.56	8.45	9.8	0.0	
20	QPSK	1	104	8.38	8.52	8.43			
20	QPSK	50	0	8.44	8.52	8.41	9.8	0.0	
20	QPSK	50	28	8.40	8.53	8.48	9.8	0.0	
20	QPSK	50	56	8.38	8.54	8.46			
20	QPSK	100	0	8.38	8.52	8.38	9.8	0.0	
20	16QAM	1	1	8.60	8.66	8.50	9.8	0.0	
20	64QAM	1	1	8.61	8.69	8.57	9.8	0.0	
20	256QAM	1	1	8.48	8.55	8.49	9.8	0.0	
Channel				501500	507000	512500			
Frequency (MHz)				2507.5	2535	2562.5			
15	Pl/2 BPSK	1	1	8.44	8.59	8.48	9.8	0.0	
Channel				501000	507000	513000			
Frequency (MHz)				2505	2535	2562			
10	Pl/2 BPSK	1	1	8.49	8.61	8.51	9.8	0.0	
Channel				500500	507000	513500			
Frequency (MHz)				2502.5	2535	2567.5			
5	Pl/2 BPSK	1	1	8.50	8.63	8.54	9.8	0.0	

n66_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1725	1745	1765			
30	Pl/2 BPSK	1	1	9.56	9.70	9.62			
30	Pl/2 BPSK	1	80	9.40	9.52	9.42	10.5	0.0	
30	Pl/2 BPSK	1	158	9.54	9.61	9.54			
30	Pl/2 BPSK	80	0	9.41	9.54	9.39	10.5	0.0	
30	Pl/2 BPSK	80	40	9.45	9.56	9.46	10.5	0.0	
30	Pl/2 BPSK	80	80	9.41	9.55	9.39			
30	Pl/2 BPSK	160	0	9.45	9.56	9.45	10.5	0.0	
30	QPSK	1	1	9.35	9.51	9.45			
30	QPSK	1	80	9.37	9.53	9.45	10.5	0.0	
30	QPSK	1	158	9.42	9.53	9.46			
30	QPSK	80	0	9.53	9.58	9.49	10.5	0.0	
30	QPSK	80	40	9.37	9.51	9.40	10.5	0.0	
30	QPSK	80	80	9.48	9.59	9.47			
30	QPSK	160	0	9.38	9.54	9.39	10.5	0.0	
30	16QAM	1	1	9.45	9.54	9.42	10.5	0.0	
30	64QAM	1	1	9.36	9.49	9.33	10.5	0.0	
30	256QAM	1	1	9.41	9.56	9.47	10.5	0.0	
Channel				344000	349000	354000			
Frequency (MHz)				1720	1745	1770			
20	Pl/2 BPSK	1	1	9.47	9.56	9.52	10.5	0.0	
Channel				343500	349000	354500			
Frequency (MHz)				1717.5	1745	1772.5			
15	Pl/2 BPSK	1	1	9.50	9.57	9.52	10.5	0.0	
Channel				343000	349000	355000			
Frequency (MHz)				1715	1745	1775			
10	Pl/2 BPSK	1	1	9.50	9.60	9.53	10.5	0.0	
Channel				342500	349000	355500			
Frequency (MHz)				1712.5	1745	1777.5			
5	Pl/2 BPSK	1	1	9.45	9.62	9.57	10.5	0.0	



Par27Q n78_Ant 12

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01	9.0	0.0	
Frequency (MHz)				8.23					
100	PI2 BPSK	1	1		8.11				
100	PI2 BPSK	1	137		8.18		9.0	0.0	
100	PI2 BPSK	135	0		8.08		9.0	0.0	
100	PI2 BPSK	135	69		8.19		9.0	0.0	
100	PI2 BPSK	135	138		8.16		9.0	0.0	
100	PI2 BPSK	270	0		8.16		9.0	0.0	
100	QPSK	1	1		8.11		9.0	0.0	
100	QPSK	1	137		8.12				
100	QPSK	1	271		8.19		9.0	0.0	
100	QPSK	135	0		8.22				
100	QPSK	135	69		8.15		9.0	0.0	
100	QPSK	135	138		8.20		9.0	0.0	
100	QPSK	270	0		8.21		9.0	0.0	
100	16QAM	1	1		8.11		9.0	0.0	
100	64QAM	1	1		8.08		9.0	0.0	
100	256QAM	1	1		8.05		9.0	0.0	
Channel				633000	633334	633666	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	(dBm)	(dB)	
90	PI2 BPSK	1	1		8.10	8.11	8.07	9.0	0.0
Channel				632666	633334	634000	tune-up limit	MPR	
Frequency (MHz)				3499.02	3500.01	3501.0	(dBm)	(dB)	
80	PI2 BPSK	1	1		8.07	8.08	8.09	9.0	0.0
Channel				632334	633334	634332	tune-up limit	MPR	
Frequency (MHz)				3495.01	3500.01	3514.98	(dBm)	(dB)	
70	PI2 BPSK	1	1		8.08	8.17	8.15	9.0	0.0
Channel				632000	633334	634666	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	(dBm)	(dB)	
60	PI2 BPSK	1	1		8.14	8.14	8.15	9.0	0.0
Channel				631666	633334	635000	tune-up limit	MPR	
Frequency (MHz)				3479.02	3500.01	3505	(dBm)	(dB)	
50	PI2 BPSK	1	1		8.08	8.17	8.09	9.0	0.0
Channel				631334	633334	635332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	(dBm)	(dB)	
40	PI2 BPSK	1	1		8.15	8.18	8.11	9.0	0.0
Channel				631000	633334	635666	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	(dBm)	(dB)	
30	PI2 BPSK	1	1		8.18	8.12	8.11	9.0	0.0
Channel				630666	633334	636000	tune-up limit	MPR	
Frequency (MHz)				3460.02	3500.01	3540	(dBm)	(dB)	
20	PI2 BPSK	1	1		8.09	8.17	8.16	9.0	0.0

Part27O n78_Ant 12

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750	9.0	0.0	
Frequency (MHz)				8.14					
100	PI2 BPSK	1	1		8.13				
100	PI2 BPSK	1	137		8.10		9.0	0.0	
100	PI2 BPSK	135	0		8.05		9.0	0.0	
100	PI2 BPSK	135	69		8.09		9.0	0.0	
100	PI2 BPSK	135	138		8.08		9.0	0.0	
100	PI2 BPSK	270	0		8.07		9.0	0.0	
100	QPSK	1	1		7.86		9.0	0.0	
100	QPSK	1	137		7.88				
100	QPSK	1	271		7.85		9.0	0.0	
100	QPSK	135	0		7.84				
100	QPSK	135	69		7.79		9.0	0.0	
100	QPSK	135	138		7.57		9.0	0.0	
100	QPSK	270	0		7.73		9.0	0.0	
100	16QAM	1	1		8.13		9.0	0.0	
100	64QAM	1	1		8.02		9.0	0.0	
100	256QAM	1	1		8.02		9.0	0.0	
Channel				649668	650000	650332	tune-up limit	MPR	
Frequency (MHz)				3745.02	3750	3754.98	(dBm)	(dB)	
90	PI2 BPSK	1	1		8.07	8.00	7.99	9.0	0.0
Channel				649334	650000	650666	tune-up limit	MPR	
Frequency (MHz)				3748.01	3750	3750.99	(dBm)	(dB)	
80	PI2 BPSK	1	1		8.03	7.98	8.07	9.0	0.0
Channel				649000	650000	651000	tune-up limit	MPR	
Frequency (MHz)				3735	3750	3765	(dBm)	(dB)	
70	PI2 BPSK	1	1		8.00	7.98	8.04	9.0	0.0
Channel				648668	650000	651332	tune-up limit	MPR	
Frequency (MHz)				3739.02	3750	3769.98	(dBm)	(dB)	
60	PI2 BPSK	1	1		7.98	8.00	8.03	9.0	0.0
Channel				648334	650000	651666	tune-up limit	MPR	
Frequency (MHz)				3724.01	3750	3774.99	(dBm)	(dB)	
50	PI2 BPSK	1	1		8.02	8.01	7.98	9.0	0.0
Channel				648000	650000	652000	tune-up limit	MPR	
Frequency (MHz)				3720	3750	3780	(dBm)	(dB)	
40	PI2 BPSK	1	1		8.04	8.05	8.03	9.0	0.0
Channel				647668	650000	652332	tune-up limit	MPR	
Frequency (MHz)				3715.02	3750.00	3784.98	(dBm)	(dB)	
30	PI2 BPSK	1	1		8.07	7.99	8.06	9.0	0.0
Channel				647334	650000	652666	tune-up limit	MPR	
Frequency (MHz)				3710.01	3750	3790.99	(dBm)	(dB)	
20	PI2 BPSK	1	1		8.05	8.02	8.01	9.0	0.0

Par27Q n78_Ant 24

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				10.16					
100	PI2 BPSK	1	1		9.90		10.8	0.0	
100	PI2 BPSK	1	137		9.84				
100	PI2 BPSK	135	0		10.00		10.8	0.0	
100	PI2 BPSK	135	69		10.07		10.8	0.0	
100	PI2 BPSK	135	138		9.86		10.8	0.0	
100	PI2 BPSK	270	0		10.00		10.8	0.0	
100	QPSK	1	1		10.09		10.8	0.0	
100	QPSK	1	137		10.01				
100	QPSK	1	271		9.91		10.8	0.0	
100	QPSK	135	0		10.10				
100	QPSK	135	69		9.99		10.8	0.0	
100	QPSK	135	138		9.91		10.8	0.0	
100	QPSK	270	0		10.10		10.8	0.0	
100	16QAM	1	1		10.09		10.8	0.0	
100	64QAM	1	1		10.15		10.8	0.0	
100	256QAM	1	1		10.01		10.8	0.0	
Channel				633000	633334	633666	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	(dBm)	(dB)	
90	PI2 BPSK	1	1		10.07	10.10	10.11	10.8	0.0
Channel				632666	633334	634000	tune-up limit	MPR	
Frequency (MHz)				3499.02	3500.01	3510	(dBm)	(dB)	
80	PI2 BPSK	1	1		10.01	10.07	10.05	10.8	0.0
Channel				632334	633334	634332	tune-up limit	MPR	
Frequency (MHz)				3495.01	3500.01	3514.98	(dBm)	(dB)	
70	PI2 BPSK	1	1		10.11	10.03	10.03	10.8	0.0
Channel				632000	633334	634666	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	(dBm)	(dB)	
60	PI2 BPSK	1	1		10.07	10.01	10.04	10.8	0.0
Channel				631666	633334	635000	tune-up limit	MPR	
Frequency (MHz)				3479.02	3500.01	3505	(dBm)	(dB)	
50	PI2 BPSK	1	1		10.10	10.03	10.04	10.8	0.0
Channel				631334	633334	635332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	(dBm)	(dB)	
40	PI2 BPSK	1	1		10.09	10.08	10.03	10.8	0.0
Channel				631000	633334	635666	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	(dBm)	(dB)	
30	PI2 BPSK	1	1		10.11	10.06	10.04	10.8	0.0
Channel				630666	633334	636000	tune-up limit	MPR	
Frequency (MHz)				3460.02	3500.01	3540	(dBm)	(dB)	
20	PI2 BPSK	1	1		10.04	10.10	10.00	10.8	0.0

Part270 n78_Ant 24

Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel									
Frequency (MHz)									
650000									
3750									
PI2 BPSK	1	1	10.11			10.8	0.0		
PI2 BPSK	1	137	9.82						
PI2 BPSK	1	271	9.82						
PI2 BPSK	135	0	10.03			10.8	0.0		
PI2 BPSK	135	69	10.05						
PI2 BPSK	135	138	9.83						
PI2 BPSK	270	0	9.93			10.8	0.0		
QPSK	1	1	10.02						
QPSK	1	137	9.96						
QPSK	1	271	9.91			10.8	0.0		
QPSK	135	0	10.03						
QPSK	135	69	10.01						
QPSK	135	138	9.85			10.8	0.0		
QPSK	270	0	9.94						
16QAM	1	1	10.06						
64QAM	1	1	10.03			10.8	0.0		
256QAM	1	1	9.99						
Channel									
Frequency (MHz)									
649868 650000 650332									
PI2 BPSK	1	1	9.97	10.03	10.02	10.8	0.0		
Channel									
Frequency (MHz)									
6493.34 650000 650666									
PI2 BPSK	1	1	10.03	10.06	10.06	10.8	0.0		
Channel									
Frequency (MHz)									
649000 650000 651000									
PI2 BPSK	1	1	10.06	9.95	10.06	10.8	0.0		
Channel									
Frequency (MHz)									
648334 650000 650666									
PI2 BPSK	1	1	10.06	9.96	9.98	10.8	0.0		
Channel									
Frequency (MHz)									
648000 650000 651000									
PI2 BPSK	1	1	10.06	9.95	10.06	10.8	0.0		
Channel									
Frequency (MHz)									
647334 650000 650666									
PI2 BPSK	1	1	9.98	10.05	10.02	10.8	0.0		
Channel									
Frequency (MHz)									
646800 650000 652000									
PI2 BPSK	1	1	9.99	10.04	10.06	10.8	0.0		
Channel									
Frequency (MHz)									
646478 650000 652332									
PI2 BPSK	1	1	9.99	10.04	10.06	10.8	0.0		
Channel									
Frequency (MHz)									
646102 650000 652498									
PI2 BPSK	1	1	10.03	10.06	10.04	10.8	0.0		
Channel									
Frequency (MHz)									
645734 650000 652666									
PI2 BPSK	1	1	10.02	10.05	10.03	10.8	0.0		

Par27Q n78_Ant 101

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Middle Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
633334 3000.01										
100	PI2 BPSK	1	1	14.35			15.0	0.0		
100	PI2 BPSK	1	137	14.12						
100	PI2 BPSK	1	271	13.90						
100	PI2 BPSK	135	0	14.06			15.0	0.0		
100	PI2 BPSK	135	69	14.31						
100	PI2 BPSK	135	138	13.88						
100	PI2 BPSK	270	0	14.05			15.0	0.0		
100	QPSK	1	1	14.19						
100	QPSK	1	137	14.08						
100	QPSK	1	271	13.93			15.0	0.0		
100	QPSK	135	0	14.12						
100	QPSK	135	69	13.96						
100	QPSK	135	138	13.85			15.0	0.0		
100	QPSK	270	0	14.02						
100	16QAM	1	1	14.32						
100	64QAM	1	1	14.33			15.0	0.0		
100	256QAM	1	1	14.06						
Channel										
Frequency (MHz)										
633300 633334 633686										
90	PI2 BPSK	1	1	14.05	3000.01	3504.99	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3485.01 3000.01 3514.98										
80	PI2 BPSK	1	1	14.20	13.99	13.90	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3480.02 3000.01 3500										
70	PI2 BPSK	1	1	14.28	13.97	13.90	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3485.01 3000.01 3514.98										
60	PI2 BPSK	1	1	14.24	14.00	13.98	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3480 3000.01 3519.99										
50	PI2 BPSK	1	1	14.26	14.07	13.89	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3475.02 3000.01 3505										
40	PI2 BPSK	1	1	14.29	13.98	13.91	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3470.01 3000.01 3502.98										
30	PI2 BPSK	1	1	14.30	13.99	13.95	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3465 3000.01 3519.99										
20	PI2 BPSK	1	1	14.30	13.99	13.98	15.0	MPR (dB)		
Channel										
Frequency (MHz)										
3460.02 3000.01 3500										
10	PI2 BPSK	1	1	14.26	14.03	14.00	15.0	0.0		

Part270 n78_Ant 101

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)										
3750										
100	PI2 BPSK	1	1	13.85			15.0	0.0		
100	PI2 BPSK	1	137	13.82						
100	PI2 BPSK	1	271	13.88						
100	PI2 BPSK	135	0	13.78			15.0	0.0		
100	PI2 BPSK	135	69	13.82						
100	PI2 BPSK	135	138	13.88						
100	PI2 BPSK	270	0	13.89			15.0	0.0		
100	QPSK	1	1	13.73						
100	QPSK	1	137	13.86						
100	QPSK	1	271	13.83			15.0	0.0		
100	QPSK	135	0	13.87						
100	QPSK	135	69	13.87						
100	QPSK	135	138	13.83			15.0	0.0		
100	QPSK	270	0	13.82						
100	16QAM	1	1	13.86						
100	64QAM	1	1	13.88			15.0	0.0		
100	256QAM	1	1	13.72						
Channel										
Frequency (MHz)										
3745.02 3750 3754.98										
90	PI2 BPSK	1	1	13.84	13.76	13.80	15.0	0.0		
Channel										
Frequency (MHz)										
3740.01 3750 3759.99										
80	PI2 BPSK	1	1	13.89	13.87	13.76	15.0	0.0		
Channel										
Frequency (MHz)										
3735.02 3750 3765										
70	PI2 BPSK	1	1	13.81	13.87	13.80	15.0	0.0		
Channel										
Frequency (MHz)										
3730.02 3750 3769.98										
60	PI2 BPSK	1	1	13.80	13.80	13.84	15.0	0.0		
Channel										
Frequency (MHz)										
3725.01 3750 3774.99										
50	PI2 BPSK	1	1	13.85	13.77	13.82	15.0	0.0		
Channel										
Frequency (MHz)										
3720.02 3750 3780										
40	PI2 BPSK	1	1	13.90	13.81	13.80	15.0	0.0		
Channel										
Frequency (MHz)										
3715.02 3750 3784.98										
30	PI2 BPSK	1	1	13.89	13.85	13.84	15.0	0.0		
Channel										
Frequency (MHz)										
3710.01 3750 3789.99										
20	PI2 BPSK	1	1	13.90	13.86	13.79	15.0	0.0		

Par27Q n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				3500.01					
100	PI/2 BPSK	1	1		12.43		13.5	0.0	
100	PI/2 BPSK	1	137		12.21				
100	PI/2 BPSK	1	271		12.18		13.5	0.0	
100	PI/2 BPSK	135	0		12.24				
100	PI/2 BPSK	135	69		12.26		13.5	0.0	
100	PI/2 BPSK	135	138		12.12				
100	PI/2 BPSK	270	0		12.18		13.5	0.0	
100	QPSK	1	1		12.29				
100	QPSK	1	137		12.08		13.5	0.0	
100	QPSK	1	271		12.24				
100	QPSK	135	0		12.28		13.5	0.0	
100	QPSK	135	69		12.13				
100	QPSK	135	138		12.15		13.5	0.0	
100	QPSK	270	0		12.23				
100	16QAM	1	1		12.38		13.5	0.0	
100	64QAM	1	1		12.38				
100	256QAM	1	1		12.18		13.5		
Channel				633000	633334	633666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	PI/2 BPSK	1	1		12.37	12.30	12.34	13.5	0.0
Channel				632666	633334	634000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3500.01	3510			
80	PI/2 BPSK	1	1		12.27	12.34	12.38	13.5	0.0
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	PI/2 BPSK	1	1		12.34	12.36	12.31	13.5	0.0
Channel				632000	633334	634666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	PI/2 BPSK	1	1		12.37	12.32	12.37	13.5	0.0
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3500.01	3505			
50	PI/2 BPSK	1	1		12.28	12.38	12.32	13.5	0.0
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	PI/2 BPSK	1	1		12.30	12.36	12.32	13.5	0.0
Channel				631000	633334	635666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	PI/2 BPSK	1	1		12.28	12.29	12.29	13.5	0.0
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	PI/2 BPSK	1	1		12.31	12.27	12.30	13.5	0.0

Part27O n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				680000		3750			
Frequency (MHz)				3750					
100	PI/2 BPSK	1	1		11.06		13.5	0.0	
100	PI/2 BPSK	1	137		11.52				
100	PI/2 BPSK	1	271		11.50		13.5	0.0	
100	PI/2 BPSK	135	0		11.50				
100	PI/2 BPSK	135	69		11.53		13.5	0.0	
100	PI/2 BPSK	135	138		11.52				
100	PI/2 BPSK	270	0		11.53		13.5	0.0	
100	QPSK	1	1		11.59				
100	QPSK	1	137		11.52		13.5	0.0	
100	QPSK	1	271		11.50				
100	QPSK	135	0		11.53		13.5	0.0	
100	QPSK	135	69		11.51				
100	QPSK	135	138		11.52		13.5	0.0	
100	QPSK	270	0		11.52				
100	16QAM	1	1		11.51		13.5	0.0	
100	64QAM	1	1		11.50				
100	256QAM	1	1		11.57		13.5		
Channel				649668	650000	650332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3745.02	3750	3754.98			
90	PI/2 BPSK	1	1		11.62	11.60	11.59	13.5	0.0
Channel				648334	650000	650666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3740.01	3750	3759.99			
80	PI/2 BPSK	1	1		11.55	11.52	11.50	13.5	0.0
Channel				648000	650000	651000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3735	3750	3765			
70	PI/2 BPSK	1	1		11.50	11.53	11.54	13.5	0.0
Channel				647668	650000	651332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3730.02	3750	3769.98			
60	PI/2 BPSK	1	1		11.55	11.54	11.54	13.5	0.0
Channel				648334	650000	651666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3725.01	3750	3774.99			
50	PI/2 BPSK	1	1		11.54	11.53	11.51	13.5	0.0
Channel				648000	650000	652000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3720	3750	3780			
40	PI/2 BPSK	1	1		11.56	11.51	11.52	13.5	0.0
Channel				647668	650000	652332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3715.02	3750.00	3784.98			
30	PI/2 BPSK	1	1		11.53	11.51	11.52	13.5	0.0
Channel				647334	650000	652666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3710.01	3750	3789.99			
20	PI/2 BPSK	1	1		11.52	11.53	11.54	13.5	0.0

Reduced Power for DSI 4

n5_Ant 11								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	22.11	22.20	22.15		
20	PV2 BPSK	1	53	21.94	22.08	21.99	23.5	0.0
20	PV2 BPSK	1	104	21.86	21.96	21.86		
20	PV2 BPSK	50	0	21.91	22.03	21.87	23.5	0.0
20	PV2 BPSK	50	28	21.83	22.01	21.98	23.5	0.0
20	PV2 BPSK	50	56	21.89	21.94	21.80		
20	PV2 BPSK	100	0	21.86	21.96	21.83	23.5	0.0
20	QPSK	1	1	22.03	22.08	21.93		
20	QPSK	1	53	21.97	22.02	21.89	23.5	0.0
20	QPSK	1	104	21.91	22.01	21.87		
20	QPSK	50	0	21.97	22.07	21.95	23.5	0.0
20	QPSK	50	28	21.90	22.03	21.97	23.5	0.0
20	QPSK	50	56	21.86	21.92	21.76	23.5	0.0
20	QPSK	100	0	21.80	22.06	21.90		
20	16QAM	1	1	21.91	22.01	21.96	23.5	0.0
20	64QAM	1	1	22.02	22.16	22.07	22.0	1.5
20	256QAM	1	1	19.07	19.05	19.03	20.0	3.5
Channel				165300	167300	169300	101.1°C limit	MPR
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	21.95	22.09	22.03	23.5	0.0
Channel				165800	167300	168800	tune-up limit (dbm)	MPR
Frequency (MHz)				824	834.5	844		
10	PV2 BPSK	1	1	21.97	22.10	22.01	23.5	0.0
Channel				165300	167300	169300	tune-up limit (dbm)	MPR
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	22.00	22.08	22.07	23.5	0.0

n5_Ant 41								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	23.45	23.53	23.41		
20	PV2 BPSK	1	53	23.35	23.44	23.32	24.5	0.0
20	PV2 BPSK	1	104	23.37	23.42	23.29		
20	PV2 BPSK	50	0	23.42	23.50	23.38	24.0	0.5
20	PV2 BPSK	50	28	23.42	23.51	23.35	24.5	0.0
20	PV2 BPSK	50	56	23.21	23.33	23.18		
20	PV2 BPSK	100	0	23.45	23.46	23.43	24.0	0.5
20	QPSK	1	1	23.34	23.50	23.38		
20	QPSK	1	53	23.36	23.46	23.34	24.5	0.0
20	QPSK	1	104	23.30	23.38	23.23		
20	QPSK	50	0	22.96	23.04	22.92	23.5	1.0
20	QPSK	50	28	23.34	23.42	23.36	24.5	0.0
20	QPSK	50	56	22.75	22.87	22.60	23.5	1.0
20	QPSK	100	0	22.87	22.92	22.85		
20	16QAM	1	1	22.68	22.83	22.69	23.5	1.0
20	64QAM	1	1	21.70	21.76	21.65	22.0	2.5
20	256QAM	1	1	19.47	19.56	19.46	20.0	4.5
Channel				165300	167300	169300	101.1°C limit	MPR
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	23.34	23.45	23.38	24.5	0.0
Channel				165800	167300	168800	tune-up limit (dbm)	MPR
Frequency (MHz)				824	834.5	844		
10	PV2 BPSK	1	1	23.36	23.36	23.35	24.5	0.0
Channel				165300	167300	169300	tune-up limit (dbm)	MPR
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	23.31	23.39	23.26	24.5	0.0

n7_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000	22.3	0.0
Frequency (MHz)				2410	2435	2460		
20	Pl2 BPSK	1	1	21.29	21.41	21.27		
20	Pl2 BPSK	1	53	21.21	21.28	21.13		
20	Pl2 BPSK	1	104	21.13	21.25	21.12	22.3	0.0
20	Pl2 BPSK	50	0	21.13	21.22	21.16		
20	Pl2 BPSK	50	28	21.14	21.30	21.24		
20	Pl2 BPSK	50	56	21.11	21.27	21.21		
20	Pl2 BPSK	100	0	21.10	21.26	21.12	22.3	0.0
20	QPSK	1	1	21.15	21.22	21.08		
20	QPSK	1	53	21.09	21.25	21.20		
20	QPSK	1	104	21.21	21.35	21.22		
20	QPSK	50	0	21.16	21.29	21.15	22.3	0.0
20	QPSK	50	28	21.15	21.24	21.16		
20	QPSK	50	56	21.18	21.32	21.20		
20	QPSK	100	0	21.14	21.22	21.14		
20	16QAM	1	1	21.29	21.35	21.23	22.3	0.0
20	64QAM	1	1	21.21	21.34	21.27		
20	256QAM	1	1	19.11	19.25	19.11		
Channel				507500	507000	512500		
Frequency (MHz)				2507.5	2535	2562.5	limit (dBm)	MPR (dB)
15	Pl2 BPSK	1	1	21.15	21.27	21.21	22.3	0.0
Channel				501000	507000	513000	limit (dBm)	MPR (dB)
Frequency (MHz)				2505	2535	2565	22.3	0.0
10	Pl2 BPSK	1	1	21.14	21.33	21.19	22.3	0.0
Channel				500500	507000	513500	limit (dBm)	MPR (dB)
Frequency (MHz)				2502.5	2535	2567.5	limit (dBm)	MPR (dB)
5	Pl2 BPSK	1	1	21.21	21.32	21.20	22.3	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000	21.0	0.0
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	19.93	20.06	19.97		
30	Pl2 BPSK	1	80	19.78	19.83	19.70		
30	Pl2 BPSK	1	158	19.80	19.92	19.86	21.0	0.0
30	Pl2 BPSK	80	0	19.62	19.87	19.79		
30	Pl2 BPSK	80	40	19.78	19.92	19.77		
30	Pl2 BPSK	80	80	19.77	19.91	19.71		
30	Pl2 BPSK	160	0	19.75	19.81	19.70	21.0	0.0
30	QPSK	1	1	19.76	19.88	19.79		
30	QPSK	1	80	19.66	19.80	19.65		
30	QPSK	1	158	19.71	19.87	19.73		
30	QPSK	80	0	19.82	19.89	19.74	21.0	0.0
30	QPSK	80	40	19.76	19.81	19.68		
30	QPSK	80	80	19.71	19.86	19.80		
30	QPSK	160	0	19.78	19.86	19.76		
30	16QAM	1	1	19.98	20.05	19.92	21.0	0.0
30	64QAM	1	1	20.02	20.08	19.93		
30	256QAM	1	1	19.36	19.42	19.26		
Channel				349000	349000	349000	limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770	limit (dBm)	MPR (dB)
20	Pl2 BPSK	1	1	19.84	20.01	19.88	21.0	0.0
Channel				343500	349000	354500	limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5	limit (dBm)	MPR (dB)
15	Pl2 BPSK	1	1	19.88	20.00	19.84	21.0	0.0
Channel				343000	349000	355000	limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	limit (dBm)	MPR (dB)
10	Pl2 BPSK	1	1	19.77	19.99	19.89	21.0	0.0
Channel				342500	349000	355500	limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	limit (dBm)	MPR (dB)
5	Pl2 BPSK	1	1	19.80	20.00	19.89	21.0	0.0

Par27Q n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				22.12					
100	Pl2 BPSK	1	1				23.0		
100	Pl2 BPSK	1	137						
100	Pl2 BPSK	1	271				23.0		
100	Pl2 BPSK	135	0						
100	Pl2 BPSK	135	69				23.0		
100	Pl2 BPSK	135	138						
100	Pl2 BPSK	270	0				23.0		
100	QPSK	1	1						
100	QPSK	1	137				23.0		
100	QPSK	1	271						
100	QPSK	135	0				23.0		
100	QPSK	135	69						
100	QPSK	135	138				23.0		
100	QPSK	270	0						
100	16QAM	1	1				23.0		
100	64QAM	1	1						
100	256QAM	1	1				23.5		
Channel				633000	633334	633668			
Frequency (MHz)				3495	3500.01	3504.99	23.0		
90	Pl2 BPSK	1	1						
Channel				632668	633334	634000	23.0		
Frequency (MHz)				3490.02	3500.01	3510			
80	Pl2 BPSK	1	1				23.0		
Channel				632334	633334	634332			
Frequency (MHz)				3485.01	3500.01	3514.98	23.0		
70	Pl2 BPSK	1	1						
Channel				632000	633334	634668	23.0		
Frequency (MHz)				3480	3500.01	3519.99			
60	Pl2 BPSK	1	1				23.0		
Channel				631668	633334	635000			
Frequency (MHz)				3475.02	3500.01	3524.98	23.0		
50	Pl2 BPSK	1	1						
Channel				631334	633334	635332	23.0		
Frequency (MHz)				3470.01	3500.01	3529.98			
40	Pl2 BPSK	1	1				23.0		
Channel				631000	633334	635668			
Frequency (MHz)				3465	3500.01	3534.99	23.0		
30	Pl2 BPSK	1	1						
Channel				630668	633334	636000	23.0		
Frequency (MHz)				3460.02	3500.01	3540			
20	Pl2 BPSK	1	1				23.0		

Part27O n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750			
Frequency (MHz)				22.22					
100	Pl2 BPSK	1	1				23.0		
100	Pl2 BPSK	1	137						
100	Pl2 BPSK	1	271				23.0		
100	Pl2 BPSK	135	0						
100	Pl2 BPSK	135	69				23.0		
100	Pl2 BPSK	135	138						
100	Pl2 BPSK	270	0				23.0		
100	QPSK	1	1						
100	QPSK	1	137				23.0		
100	QPSK	1	271						
100	QPSK	135	0				23.0		
100	QPSK	135	69						
100	QPSK	135	138				23.0		
100	QPSK	270	0						
100	16QAM	1	1				23.0		
100	64QAM	1	1						
100	256QAM	1	1				23.5		
Channel				649668	650000	650332			
Frequency (MHz)				3745.02	3750	3754.98	23.0		
90	Pl2 BPSK	1	1						
Channel				648334	650000	650668	23.0		
Frequency (MHz)				3740.01	3750	3759.99			
80	Pl2 BPSK	1	1				23.0		
Channel				648000	650000	651000			
Frequency (MHz)				3735	3750	3765	23.0		
70	Pl2 BPSK	1	1						
Channel				647668	650000	651332	23.0		
Frequency (MHz)				3730.02	3750	3759.98			
60	Pl2 BPSK	1	1				23.0		
Channel				647334	650000	651668			
Frequency (MHz)				3725.01	3750	3774.98	23.0		
50	Pl2 BPSK	1	1						
Channel				647000	650000	652000	23.0		
Frequency (MHz)				3720	3750	3780			
40	Pl2 BPSK	1	1				23.0		
Channel				646668	650000	652332			
Frequency (MHz)				3715.02	3750	3784.98	23.0		
30	Pl2 BPSK	1	1						
Channel				646334	650000	652668	23.0		
Frequency (MHz)				3710.01	3750	3789.99			
20	Pl2 BPSK	1	1				23.0		

Par27Q n78_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				17.62					
100	Pl2 BPSK	1	1		17.62		18.3		
100	Pl2 BPSK	1	137		17.41				
100	Pl2 BPSK	1	271		17.47		18.3		
100	Pl2 BPSK	135	0		17.47				
100	Pl2 BPSK	135	69		17.27		18.3		
100	Pl2 BPSK	135	138		17.51				
100	Pl2 BPSK	270	0		17.42		18.3		
100	QPSK	1	1		17.50				
100	QPSK	1	137		17.37		18.3		
100	QPSK	1	271		17.40				
100	QPSK	135	0		17.43		18.3		
100	QPSK	135	69		17.37				
100	QPSK	135	138		17.32		18.3		
100	QPSK	270	0		17.33				
100	16QAM	1	1		17.51		18.3		
100	64QAM	1	1		17.35				
100	256QAM	1	1		17.39		18.3		
Channel				633000	633334	633668			
Frequency (MHz)				3495	3500.01	3504.99	18.3		
90	Pl2 BPSK	1	1	17.48	17.54	17.55			
Channel				632668	633334	634000	18.3		
Frequency (MHz)				3490.02	3500.01	3510			
80	Pl2 BPSK	1	1	17.47	17.52	17.48	18.3		
Channel				632334	633334	634332			
Frequency (MHz)				3485.01	3500.01	3514.98	18.3		
70	Pl2 BPSK	1	1	17.57	17.56	17.51			
Channel				632000	633334	634668	18.3		
Frequency (MHz)				3480	3500.01	3519.99			
60	Pl2 BPSK	1	1	17.54	17.50	17.54	18.3		
Channel				631668	633334	635000			
Frequency (MHz)				3475.02	3500.01	3524.98	18.3		
50	Pl2 BPSK	1	1	17.47	17.50	17.49			
Channel				631334	633334	635332	18.3		
Frequency (MHz)				3470.01	3500.01	3529.98			
40	Pl2 BPSK	1	1	17.48	17.52	17.50	18.3		
Channel				631000	633334	635668			
Frequency (MHz)				3465	3500.01	3534.99	18.3		
30	Pl2 BPSK	1	1	17.46	17.51	17.54			
Channel				630668	633334	636000	18.3		
Frequency (MHz)				3460.02	3500.01	3540			
20	Pl2 BPSK	1	1	17.50	17.48	17.55	18.3		

Part270 n78_Ant 24												
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel				650000		3750						
Frequency (MHz)												
100	PV2 BPSK	1	1		17.58		18.3	0.0				
100	PV2 BPSK	1	137		17.37							
100	PV2 BPSK	1	271		17.33							
100	PV2 BPSK	135	0		17.38		18.3	0.0				
100	PV2 BPSK	135	69		17.44		18.3	0.0				
100	PV2 BPSK	135	138		17.29		18.3	0.0				
100	PV2 BPSK	270	0		17.35							
100	QPSK	1	1		17.46							
100	QPSK	1	137		17.40		18.3	0.0				
100	QPSK	1	271		17.42		18.3	0.0				
100	QPSK	135	0		17.38							
100	QPSK	135	69		17.38							
100	QPSK	135	138		17.29		18.3	0.0				
100	QPSK	270	0		17.35		18.3	0.0				
100	16QAM	1	1		17.35		18.3	0.0				
100	64QAM	1	1		17.21		18.3	0.0				
100	256QAM	1	1		17.35		19.3	0.0				
Channel				649988	650000	650332	turn-up limit	MPR				
Frequency (MHz)				3745.02	3750	3754.98	(dBm)					
90	PV2 BPSK	1	1		17.42	17.49	18.3	0.0				
Channel				649334	650000	650666	turn-up limit	MPR				
Frequency (MHz)				3740.01	3750	3759.99	(dBm)					
80	PV2 BPSK	1	1		17.43	17.53	17.51	18.3	0.0			
Channel				648000	650000	651000	turn-up limit	MPR				
Frequency (MHz)				3735	3750	3765	(dBm)					
70	PV2 BPSK	1	1		17.42	17.51	17.53	18.3	0.0			
Channel				648968	650000	651332	turn-up limit	MPR				
Frequency (MHz)				3730.02	3750	3769.98	(dBm)					
60	PV2 BPSK	1	1		17.42	17.50	17.49	18.3	0.0			
Channel				648334	650000	651666	turn-up limit	MPR				
Frequency (MHz)				3725.01	3750	3774.99	(dBm)					
50	PV2 BPSK	1	1		17.47	17.49	17.51	18.3	0.0			
Channel				648000	650000	652000	turn-up limit	MPR				
Frequency (MHz)				3720	3750	3780	(dBm)					
40	PV2 BPSK	1	1		17.45	17.48	17.45	18.3	0.0			
Channel				647668	650000	652332	turn-up limit	MPR				
Frequency (MHz)				3715.02	3750.00	3784.98	(dBm)					
30	PV2 BPSK	1	1		17.49	17.48	17.44	18.3	0.0			
Channel				647334	650000	652666	turn-up limit	MPR				
Frequency (MHz)				3710.01	3750	3790.99	(dBm)					
20	PV2 BPSK	1	1		17.50	17.48	17.52	18.3	0.0			

Par27Q n78_Ant 101											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				633334		3000.01					
Frequency (MHz)				633334		3000.01					
100	PV2 BPSK	1	1		20.04		21.0	0.0			
100	PV2 BPSK	1	137		19.96						
100	PV2 BPSK	1	271		19.93						
100	PV2 BPSK	135	0		19.93		21.0	0.0			
100	PV2 BPSK	135	69		19.99		21.0	0.0			
100	PV2 BPSK	135	138		19.87		21.0	0.0			
100	PV2 BPSK	270	0		19.91						
100	QPSK	1	1		19.97						
100	QPSK	1	137		19.98		21.0	0.0			
100	QPSK	1	271		19.90		21.0	0.0			
100	QPSK	135	0		19.95						
100	QPSK	135	69		19.97						
100	QPSK	135	138		19.92		21.0	0.0			
100	QPSK	270	0		19.93		21.0	0.0			
100	16QAM	1	1		19.21		21.0	0.0			
100	64QAM	1	1		19.20		21.0	0.0			
100	256QAM	1	1		19.97		20.5	0.5			
Channel				633000	633334	633666	turn-up limit	MPR			
Frequency (MHz)				3495	3500.01	3504.99	(dBm)				
90	PV2 BPSK	1	1		19.92	19.86	19.92	21.0	0.0		
Channel				632668	633334	634000	turn-up limit	MPR			
Frequency (MHz)				3490.02	3500.01	3510	(dBm)				
80	PV2 BPSK	1	1		19.90	19.78	19.83	21.0	0.0		
Channel				632334	633334	634332	turn-up limit	MPR			
Frequency (MHz)				3485.01	3500.01	3514.98	(dBm)				
70	PV2 BPSK	1	1		19.89	19.83	19.82	21.0	0.0		
Channel				632000	633334	634666	turn-up limit	MPR			
Frequency (MHz)				3480	3500.01	3516.99	(dBm)				
60	PV2 BPSK	1	1		19.97	19.77	19.92	21.0	0.0		
Channel				631668	633334	635000	turn-up limit	MPR			
Frequency (MHz)				3475.02	3500.01	3525	(dBm)				
50	PV2 BPSK	1	1		19.89	19.76	19.92	21.0	0.0		
Channel				631334	633334	635332	turn-up limit	MPR			
Frequency (MHz)				3470.01	3500.01	3529.98	(dBm)				
40	PV2 BPSK	1	1		19.94	19.78	19.89	21.0	0.0		
Channel				631000	633334	635666	turn-up limit	MPR			
Frequency (MHz)				3465	3500.01	3534.99	(dBm)				
30	PV2 BPSK	1	1		19.94	19.80	19.92	21.0	0.0		
Channel				630668	633334	636000	turn-up limit	MPR			
Frequency (MHz)				3460.02	3500.01	3540	(dBm)				
20	PV2 BPSK	1	1		19.88	19.84	19.86	21.0	0.0		

Part270 n78_Ant 101											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				650000		3750					
Frequency (MHz)				3750		20.03					
100	PV2 BPSK	1	1				21.0	0.0			
100	PV2 BPSK	1	137			19.94					
100	PV2 BPSK	1	271			19.96					
100	PV2 BPSK	135	0				21.0	0.0			
100	PV2 BPSK	135	69			19.97	21.0	0.0			
100	PV2 BPSK	135	138			19.93	21.0	0.0			
100	PV2 BPSK	270	0			19.95					
100	QPSK	1	1			19.91					
100	QPSK	1	137			19.96	21.0	0.0			
100	QPSK	1	271			19.94	21.0	0.0			
100	QPSK	135	0			19.96					
100	QPSK	135	69			19.92					
100	QPSK	135	138			19.90	21.0	0.0			
100	QPSK	270	0			19.92	21.0	0.0			
100	16QAM	1	1			20.02	21.0	0.0			
100	64QAM	1	1			19.97	21.0	0.0			
100	256QAM	1	1			19.84	20.5	0.5			
Channel				649668	650000	650332	turn-up limit	MPR			
Frequency (MHz)				3745.02	3750	3754.98	(dBm)				
90	PV2 BPSK	1	1			19.88	19.88	19.89	21.0	0.0	
Channel				649334	650000	650666	turn-up limit	MPR			
Frequency (MHz)				3740.01	3750	3759.99	(dBm)				
80	PV2 BPSK	1	1			19.97	19.82	19.88	21.0	0.0	
Channel				649000	650000	651000	turn-up limit	MPR			
Frequency (MHz)				3735.00	3750	3765.00	(dBm)				
70	PV2 BPSK	1	1			19.87	19.83	19.87	21.0	0.0	
Channel				648668	650000	651332	turn-up limit	MPR			
Frequency (MHz)				3730.00	3750	3769.98	(dBm)				
60	PV2 BPSK	1	1			19.94	19.87	19.87	21.0	0.0	
Channel				648334	650000	651666	turn-up limit	MPR			
Frequency (MHz)				3725.01	3750	3774.99	(dBm)				
50	PV2 BPSK	1	1			19.98	19.82	19.88	21.0	0.0	
Channel				648000	650000	652000	turn-up limit	MPR			
Frequency (MHz)				3720.01	3750	3789.99	(dBm)				
40	PV2 BPSK	1	1			19.93	19.83	19.82	21.0	0.0	
Channel				647668	650000	652332	turn-up limit	MPR			
Frequency (MHz)				3715.02	3750.00	3784.98	(dBm)				
30	PV2 BPSK	1	1			19.91	19.89	19.82	21.0	0.0	
Channel				647334	650000	652666	turn-up limit	MPR			
Frequency (MHz)				3710.01	3750	3789.99	(dBm)				
20	PV2 BPSK	1	1			19.98	19.87	19.80	21.0	0.0	

Par27Q n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				19.45					
100	PI/2 BPSK	1	1		19.23		20.5	0.0	
100	PI/2 BPSK	1	137		19.14				
100	PI/2 BPSK	1	271		19.24		20.5	0.0	
100	PI/2 BPSK	135	0		19.24		20.5	0.0	
100	PI/2 BPSK	135	69		19.20		20.5	0.0	
100	PI/2 BPSK	135	138		19.19		20.5	0.0	
100	PI/2 BPSK	270	0		19.16		20.5	0.0	
100	QPSK	1	1		19.22				
100	QPSK	1	137		19.18		20.5	0.0	
100	QPSK	1	271		19.14				
100	QPSK	135	0		19.21				
100	QPSK	135	69		19.18		20.5	0.0	
100	QPSK	135	138		19.11				
100	QPSK	270	0		19.16		20.5	0.0	
100	16QAM	1	1		19.35		20.5	0.0	
100	64QAM	1	1		19.36		20.5	0.0	
100	256QAM	1	1		19.23		20.0	0.5	
Channel				633300	633334	633666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3500.01	3504.99			
90	PI/2 BPSK	1	1		19.03	19.34	19.18	20.5	0.0
Channel				633666	633334	634000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3499.02	3500.01	3501			
80	PI/2 BPSK	1	1		19.06	19.36	19.18	20.5	0.0
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3500.01	3514.98			
70	PI/2 BPSK	1	1		19.06	19.35	19.16	20.5	0.0
Channel				632000	633334	634666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3500.01	3519.99			
60	PI/2 BPSK	1	1		19.04	19.30	19.15	20.5	0.0
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3500.01	3505			
50	PI/2 BPSK	1	1		19.00	19.35	19.11	20.5	0.0
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3500.01	3529.98			
40	PI/2 BPSK	1	1		19.06	19.37	19.19	20.5	0.0
Channel				631000	633334	635666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3500.01	3534.99			
30	PI/2 BPSK	1	1		19.04	19.30	19.12	20.5	0.0
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3500.01	3540			
20	PI/2 BPSK	1	1		19.05	19.35	19.12	20.5	0.0

Part27O n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750			
Frequency (MHz)				19.92					
100	PI/2 BPSK	1	1		19.64		20.5	0.0	
100	PI/2 BPSK	1	137		18.46				
100	PI/2 BPSK	1	271		18.46				
100	PI/2 BPSK	135	0		19.63		20.5	0.0	
100	PI/2 BPSK	135	69		18.45		20.5	0.0	
100	PI/2 BPSK	135	138		18.45		20.5	0.0	
100	PI/2 BPSK	270	0		19.59		20.5	0.0	
100	QPSK	1	1		19.70				
100	QPSK	1	137		18.62		20.5	0.0	
100	QPSK	1	271		18.42				
100	QPSK	135	0		18.63				
100	QPSK	135	69		19.58		20.5	0.0	
100	QPSK	135	138		18.41				
100	QPSK	270	0		18.56		20.5	0.0	
100	16QAM	1	1		19.83		20.5	0.0	
100	64QAM	1	1		19.82		20.5	0.0	
100	256QAM	1	1		19.72		20.0	0.5	
Channel				649968	650000	650332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3745.02	3750	3754.98			
90	PI/2 BPSK	1	1		19.86	19.47	19.65	20.5	0.0
Channel				649334	650000	650666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3740.01	3750	3759.99			
80	PI/2 BPSK	1	1		19.82	19.48	19.65	20.5	0.0
Channel				649000	650000	651000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3735	3750	3765			
70	PI/2 BPSK	1	1		19.79	19.47	19.54	20.5	0.0
Channel				648968	650000	651332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3730.02	3750	3759.98			
60	PI/2 BPSK	1	1		19.80	19.50	19.60	20.5	0.0
Channel				648334	650000	651666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3725.01	3750	3754.99			
50	PI/2 BPSK	1	1		19.77	19.52	19.63	20.5	0.0
Channel				648000	650000	652000	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3720	3750	3780			
40	PI/2 BPSK	1	1		19.76	19.52	19.56	20.5	0.0
Channel				647968	650000	652332	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3715.02	3750.00	3784.98			
30	PI/2 BPSK	1	1		19.78	19.53	19.59	20.5	0.0
Channel				647334	650000	652666	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3710.01	3750	3789.99			
20	PI/2 BPSK	1	1		19.83	19.49	19.59	20.5	0.0

Reduced Power for DSI 5

n5_Ant 11								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	22.11	22.20	22.15		
20	PV2 BPSK	1	53	21.94	22.08	21.99	23.5	0.0
20	PV2 BPSK	1	104	21.86	21.96	21.86		
20	PV2 BPSK	50	0	21.91	22.03	21.87	23.5	0.0
20	PV2 BPSK	50	28	21.83	22.01	21.98	23.5	0.0
20	PV2 BPSK	50	56	21.89	21.94	21.80		
20	PV2 BPSK	100	0	21.86	21.96	21.83	23.5	0.0
20	QPSK	1	1	22.03	22.08	21.93		
20	QPSK	1	53	21.97	22.02	21.89	23.5	0.0
20	QPSK	1	104	21.91	22.01	21.87		
20	QPSK	50	0	21.97	22.07	21.95	23.5	0.0
20	QPSK	50	28	21.90	22.03	21.97	23.5	0.0
20	QPSK	50	56	21.86	21.92	21.76	23.5	0.0
20	QPSK	100	0	21.80	22.06	21.90		
20	16QAM	1	1	21.91	22.01	21.96	23.5	0.0
20	64QAM	1	1	22.02	22.16	22.07	22.0	1.5
20	256QAM	1	1	19.07	19.05	19.03	20.0	3.5
Channel				165300	167300	169300	101.1°C limit	MPR
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	21.95	22.09	22.03	23.5	0.0
Channel				165800	167300	168800	tune-up limit (dbm)	MPR
Frequency (MHz)				824	834.5	844		
10	PV2 BPSK	1	1	21.97	22.10	22.01	23.5	0.0
Channel				165300	167300	169300	tune-up limit (dbm)	MPR
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	22.00	22.08	22.07	23.5	0.0

n5_Ant 41								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)	MPR (dB)
Channel				166800	167300	167800		
Frequency (MHz)				834	834.5	835		
20	PV2 BPSK	1	1	23.45	23.53	23.41		
20	PV2 BPSK	1	53	23.35	23.44	23.32	24.5	0.0
20	PV2 BPSK	1	104	23.37	23.42	23.29		
20	PV2 BPSK	50	0	23.42	23.50	23.38	24.0	0.5
20	PV2 BPSK	50	28	23.42	23.51	23.35	24.5	0.0
20	PV2 BPSK	50	56	23.21	23.33	23.18		
20	PV2 BPSK	100	0	23.45	23.46	23.43	24.0	0.5
20	QPSK	1	1	23.34	23.50	23.38		
20	QPSK	1	53	23.36	23.46	23.34	24.5	0.0
20	QPSK	1	104	23.30	23.38	23.23		
20	QPSK	50	0	22.96	23.04	22.92	23.5	1.0
20	QPSK	50	28	23.34	23.42	23.36	24.5	0.0
20	QPSK	50	56	22.75	22.87	22.60	23.5	1.0
20	QPSK	100	0	22.87	22.92	22.85		
20	16QAM	1	1	22.68	22.83	22.69	23.5	1.0
20	64QAM	1	1	21.70	21.76	21.65	22.0	2.5
20	256QAM	1	1	19.47	19.56	19.46	20.0	4.5
Channel				165300	167300	169300	101.1°C limit	MPR
Frequency (MHz)				831.5	836.5	841.5		
15	PV2 BPSK	1	1	23.34	23.45	23.38	24.5	0.0
Channel				165800	167300	168800	tune-up limit (dbm)	MPR
Frequency (MHz)				824	834.5	844		
10	PV2 BPSK	1	1	23.36	23.36	23.35	24.5	0.0
Channel				165300	167300	169300	tune-up limit (dbm)	MPR
Frequency (MHz)				826.5	836.5	846.5		
5	PV2 BPSK	1	1	23.31	23.39	23.26	24.5	0.0

n7_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				502000	507000	512000		
Frequency (MHz)				2419	2435	2469		
20	Pl2 BPSK	1	1	17.96	18.11	17.96	19.3	0.0
20	Pl2 BPSK	1	53	17.83	17.90	17.79		
20	Pl2 BPSK	1	104	17.82	17.94	17.85		
20	Pl2 BPSK	50	0	17.79	17.83	17.76	19.3	0.0
20	Pl2 BPSK	50	26	17.88	17.95	17.92	19.3	0.0
20	Pl2 BPSK	50	56	17.87	17.97	17.85	19.3	0.0
20	Pl2 BPSK	100	0	17.79	17.95	17.87		
20	QPSK	1	1	17.76	17.89	17.75		
20	QPSK	1	53	17.83	17.94	17.83	19.3	0.0
20	QPSK	1	104	18.00	18.09	18.03		
20	QPSK	50	0	17.82	17.97	17.85		
20	QPSK	50	26	17.77	17.93	17.84	19.3	0.0
20	QPSK	50	56	17.91	18.02	17.90	19.3	0.0
20	QPSK	100	0	17.72	17.87	17.77	19.3	0.0
20	16QAM	1	1	17.76	17.87	17.81	19.3	0.0
20	64QAM	1	1	17.66	17.82	17.73	19.3	0.0
20	256QAM	1	1	17.81	17.92	17.81	19.3	0.0
Channel				501500	507000	512500	17.75.0 limit (dB)	MPR
Frequency (MHz)				2507.5	2535	2562.5		
15	Pl2 BPSK	1	1	17.83	18.03	17.87	19.3	0.0
Channel				501000	507000	513000	17.75.0 limit (dB)	MPR
Frequency (MHz)				2505	2535	2565		
10	Pl2 BPSK	1	1	17.86	17.95	17.93	19.3	0.0
Channel				500500	507000	513500	17.75.0 limit (dB)	MPR
Frequency (MHz)				2502.5	2535	2567.5		
5	Pl2 BPSK	1	1	17.88	18.02	17.91	19.3	0.0

n66_Ant 13								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Tune-up limit (dBm)	MPR (dB)
Channel				345000	349000	353000		
Frequency (MHz)				1725	1745	1765		
30	Pl2 BPSK	1	1	16.18	16.26	16.16	17.5	0.0
30	Pl2 BPSK	1	80	15.99	16.00	15.91		
30	Pl2 BPSK	1	158	16.04	16.11	16.08		
30	Pl2 BPSK	80	0	15.80	16.10	15.91	17.5	0.0
30	Pl2 BPSK	80	40	16.02	16.11	15.96	17.5	0.0
30	Pl2 BPSK	80	80	15.95	16.10	15.86	17.5	0.0
30	Pl2 BPSK	160	0	15.99	16.05	15.84		
30	QPSK	1	1	15.98	16.10	16.01		
30	QPSK	1	80	16.02	16.03	15.83	17.5	0.0
30	QPSK	1	158	15.87	16.06	15.93		
30	QPSK	80	0	15.98	16.13	15.99		
30	QPSK	80	40	15.90	15.98	15.89	17.5	0.0
30	QPSK	80	80	15.90	16.11	16.05	17.5	0.0
30	QPSK	160	0	15.96	16.07	15.97	17.5	0.0
30	16QAM	1	1	16.20	16.26	16.14	17.5	0.0
30	64QAM	1	1	16.27	16.27	16.08	17.5	0.0
30	256QAM	1	1	16.04	16.17	16.05	17.5	0.0
Channel				344000	349000	354000	17.75.0 limit (dB)	MPR
Frequency (MHz)				1720	1745	1770		
20	Pl2 BPSK	1	1	16.07	16.16	16.02	17.5	0.0
Channel				343500	349000	354500	17.75.0 limit (dB)	MPR
Frequency (MHz)				1717.5	1743	1772.5		
15	Pl2 BPSK	1	1	16.09	16.21	16.00	17.5	0.0
Channel				343000	349000	355000	17.75.0 limit (dB)	MPR
Frequency (MHz)				1715	1745	1775		
10	Pl2 BPSK	1	1	16.09	16.16	16.07	17.5	0.0
Channel				342500	349000	355500	17.75.0 limit (dB)	MPR
Frequency (MHz)				1712.5	1745	1777.5		
5	Pl2 BPSK	1	1	16.07	16.21	16.02	17.5	0.0

Par27Q n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				3500.01					
100	Pi2 BPSK	1	1		17.21		18.0		
100	Pi2 BPSK	1	137		16.25				
100	Pi2 BPSK	1	271		16.12		18.0		
100	Pi2 BPSK	135	0		16.16			0.0	
100	Pi2 BPSK	135	69		16.20		18.0		
100	Pi2 BPSK	135	138		16.16				
100	Pi2 BPSK	270	0		16.14		18.0	0.0	
100	QPSK	1	1		16.36				
100	QPSK	1	137		16.26		18.0		
100	QPSK	1	271		16.14				
100	QPSK	135	0		16.31		18.0		
100	QPSK	135	69		16.21				
100	QPSK	135	138		16.12		18.0	0.0	
100	QPSK	270	0		16.13				
100	16QAM	1	1		17.05		18.0	0.0	
100	64QAM	1	1		17.15			0.0	
100	256QAM	1	1		17.12		18.0	0.0	
Channel				633000	633334	633668	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	(dBm)		
90	Pi2 BPSK	1	1		17.12	17.12	17.05	18.0	0.0
Channel				632668	633334	634000	tune-up limit	MPR	
Frequency (MHz)				3490.02	3500.01	3510	(dBm)		
80	Pi2 BPSK	1	1		17.12	17.14	17.13	18.0	0.0
Channel				632334	633334	634332	tune-up limit	MPR	
Frequency (MHz)				3485.01	3500.01	3514.98	(dBm)		
70	Pi2 BPSK	1	1		17.15	17.13	17.11	18.0	0.0
Channel				632000	633334	634668	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	(dBm)		
60	Pi2 BPSK	1	1		17.13	17.06	17.05	18.0	0.0
Channel				631668	633334	635000	tune-up limit	MPR	
Frequency (MHz)				3475.02	3500.01	3505	(dBm)		
50	Pi2 BPSK	1	1		17.14	17.14	17.10	18.0	0.0
Channel				631334	633334	635332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	(dBm)		
40	Pi2 BPSK	1	1		17.07	17.12	17.15	18.0	0.0
Channel				631000	633334	635668	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	(dBm)		
30	Pi2 BPSK	1	1		17.16	17.13	17.10	18.0	0.0
Channel				630668	633334	636000	tune-up limit	MPR	
Frequency (MHz)				3460.02	3500.01	3540	(dBm)		
20	Pi2 BPSK	1	1		17.14	17.08	17.14	18.0	0.0

Part27O n78_Ant 12									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750			
Frequency (MHz)				3750					
100	Pi2 BPSK	1	1		17.04		18.0		
100	Pi2 BPSK	1	137		16.82				
100	Pi2 BPSK	1	271		16.74		18.0		
100	Pi2 BPSK	135	0		16.85			0.0	
100	Pi2 BPSK	135	69		16.87		18.0		
100	Pi2 BPSK	135	138		16.55				
100	Pi2 BPSK	270	0		16.69		18.0	0.0	
100	QPSK	1	1		16.91				
100	QPSK	1	137		16.74		18.0		
100	QPSK	1	271		16.83				
100	QPSK	135	0		16.76		18.0		
100	QPSK	135	69		16.64				
100	QPSK	135	138		16.65		18.0	0.0	
100	QPSK	270	0		16.57				
100	16QAM	1	1		16.96		18.0	0.0	
100	64QAM	1	1		16.95			0.0	
100	256QAM	1	1		16.84		18.0	0.0	
Channel				649668	650000	650332	tune-up limit	MPR	
Frequency (MHz)				3745.02	3750	3754.98	(dBm)		
90	Pi2 BPSK	1	1		16.88	16.91	16.88	18.0	0.0
Channel				649334	650000	650668	tune-up limit	MPR	
Frequency (MHz)				3740.01	3750	3759.99	(dBm)		
80	Pi2 BPSK	1	1		16.88	16.92	16.96	18.0	0.0
Channel				649000	650000	651000	tune-up limit	MPR	
Frequency (MHz)				3735	3750	3765	(dBm)		
70	Pi2 BPSK	1	1		16.82	16.96	16.91	18.0	0.0
Channel				648668	650000	651332	tune-up limit	MPR	
Frequency (MHz)				3730.02	3750	3769.98	(dBm)		
60	Pi2 BPSK	1	1		16.99	16.96	16.90	18.0	0.0
Channel				648334	650000	651668	tune-up limit	MPR	
Frequency (MHz)				3725.01	3750	3774.99	(dBm)		
50	Pi2 BPSK	1	1		16.98	16.99	16.94	18.0	0.0
Channel				648000	650000	652000	tune-up limit	MPR	
Frequency (MHz)				3720	3750	3780	(dBm)		
40	Pi2 BPSK	1	1		16.92	16.89	16.94	18.0	0.0
Channel				647668	650000	652332	tune-up limit	MPR	
Frequency (MHz)				3715.02	3750.00	3784.98	(dBm)		
30	Pi2 BPSK	1	1		16.96	16.96	16.93	18.0	0.0
Channel				647334	650000	652668	tune-up limit	MPR	
Frequency (MHz)				3710.01	3750	3789.99	(dBm)		
20	Pi2 BPSK	1	1		16.95	16.95	16.97	18.0	0.0

Par27Q n78_Ant 24									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633334		3500.01			
Frequency (MHz)				3500.01					
100	Pi2 BPSK	1	1		17.62		18.3		
100	Pi2 BPSK	1	137		17.41			0.0	
100	Pi2 BPSK	1	271		17.39		18.3		
100	Pi2 BPSK	135	0		17.47			0.0	
100	Pi2 BPSK	135	69		17.51		18.3		
100	Pi2 BPSK	135	138		17.27				
100	Pi2 BPSK	270	0		17.42		18.3	0.0	
100	QPSK	1	1		17.50				
100	QPSK	1	137		17.37		18.3		
100	QPSK	1	271		17.40				
100	QPSK	135	0		17.43		18.3		
100	QPSK	135	69		17.37				
100	QPSK	135	138		17.32		18.3	0.0	
100	QPSK	270	0		17.33				
100	16QAM	1	1		17.51		18.3	0.0	
100	64QAM	1	1		17.33			0.0	
100	256QAM	1	1		17.29		18.3	0.0	
Channel				633000	633334	633668	tune-up limit	MPR	
Frequency (MHz)				3495	3500.01	3504.99	(dBm)		
90	Pi2 BPSK	1	1		17.48	17.54	17.55	18.3	0.0
Channel				632668	633334	634000	tune-up limit	MPR	
Frequency (MHz)				3490.02	3500.01	3510	(dBm)		
80	Pi2 BPSK	1	1		17.52	17.57	17.48	18.3	0.0
Channel				632334	633334	634332	tune-up limit	MPR	
Frequency (MHz)				3485.01	3500.01	3514.98	(dBm)		
70	Pi2 BPSK	1	1		17.57	17.55	17.51	18.3	0.0
Channel				632000	633334	634668	tune-up limit	MPR	
Frequency (MHz)				3480	3500.01	3519.99	(dBm)		
60	Pi2 BPSK	1	1		17.54	17.50	17.54	18.3	0.0
Channel				631668	633334	635000	tune-up limit	MPR	
Frequency (MHz)				3475.02	3500.01	3525	(dBm)		
50	Pi2 BPSK	1	1		17.47	17.50	17.49	18.3	0.0
Channel				631334	633334	635332	tune-up limit	MPR	
Frequency (MHz)				3470.01	3500.01	3529.98	(dBm)		
40	Pi2 BPSK	1	1		17.48	17.57	17.50	18.3	0.0
Channel				631000	633334	635668	tune-up limit	MPR	
Frequency (MHz)				3465	3500.01	3534.99	(dBm)		
30	Pi2 BPSK	1	1		17.46	17.51	17.54	18.3	0.0
Channel				630668	633334	636000	tune-up limit	MPR	
Frequency (MHz)				3460.00	3500.01	3540	(dBm)		
20	Pi2 BPSK	1	1		17.50	17.48	17.55	18.3	0.0

Part270 n78_Ant 24										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				650000		3750				
Frequency (MHz)										
100	PV2 BPSK	1	1		17.58		18.3	0.0		
100	PV2 BPSK	1	137		17.37					
100	PV2 BPSK	1	271		17.33					
100	PV2 BPSK	135	0		17.38		18.3	0.0		
100	PV2 BPSK	135	69		17.44		18.3	0.0		
100	PV2 BPSK	135	138		17.29		18.3	0.0		
100	PV2 BPSK	270	0		17.35					
100	QPSK	1	1		17.46					
100	QPSK	1	137		17.40		18.3	0.0		
100	QPSK	1	271		17.42		18.3	0.0		
100	QPSK	135	0		17.38					
100	QPSK	135	69		17.38					
100	QPSK	135	138		17.29		18.3	0.0		
100	QPSK	270	0		17.35					
100	16QAM	1	1		17.35					
100	64QAM	1	1		17.21		18.3	0.0		
100	256QAM	1	1		17.35		18.3	0.0		
Channel				649988	650000	650332	tune-up limit (dBm)	MPR		
Frequency (MHz)				3745.02	3750	3754.98				
90	PV2 BPSK	1	1		17.42	17.49	18.3	0.0		
Channel				649334	650000	650666	tune-up limit (dBm)	MPR		
Frequency (MHz)				3740.01	3750	3759.99				
80	PV2 BPSK	1	1		17.43	17.53	17.51	18.3	0.0	
Channel				648000	650000	651000	tune-up limit (dBm)	MPR		
Frequency (MHz)				3735	3750	3765				
70	PV2 BPSK	1	1		17.42	17.51	17.53	18.3	0.0	
Channel				648968	650000	651332	tune-up limit (dBm)	MPR		
Frequency (MHz)				3730.02	3750	3769.98				
60	PV2 BPSK	1	1		17.42	17.50	17.49	18.3	0.0	
Channel				648334	650000	651666	tune-up limit (dBm)	MPR		
Frequency (MHz)				3725.01	3750	3774.99				
50	PV2 BPSK	1	1		17.47	17.49	17.51	18.3	0.0	
Channel				648000	650000	652000	tune-up limit (dBm)	MPR		
Frequency (MHz)				3720	3750	3780				
40	PV2 BPSK	1	1		17.45	17.48	17.45	18.3	0.0	
Channel				647668	650000	652332	tune-up limit (dBm)	MPR		
Frequency (MHz)				3715.02	3750.00	3784.98				
30	PV2 BPSK	1	1		17.49	17.48	17.44	18.3	0.0	
Channel				647334	650000	652666	tune-up limit (dBm)	MPR		
Frequency (MHz)				3710.01	3750	3789.99				
20	PV2 BPSK	1	1		17.50	17.48	17.52	18.3	0.0	

Par27Q n78_Ant 101											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				633334		3000.01					
Frequency (MHz)											
100	PV2 BPSK	1	1		20.04		21.0	0.0			
100	PV2 BPSK	1	137		19.96						
100	PV2 BPSK	1	271		19.93						
100	PV2 BPSK	135	0		19.93		21.0	0.0			
100	PV2 BPSK	135	69		19.99		21.0	0.0			
100	PV2 BPSK	135	138		19.87		21.0	0.0			
100	PV2 BPSK	270	0		19.91						
100	QPSK	1	1		19.97						
100	QPSK	1	137		19.98		21.0	0.0			
100	QPSK	1	271		19.90		21.0	0.0			
100	QPSK	135	0		19.95						
100	QPSK	135	69		19.97						
100	QPSK	135	138		19.92		21.0	0.0			
100	QPSK	270	0		19.93						
100	16QAM	1	1		19.21						
100	64QAM	1	1		19.20		21.0	0.0			
100	256QAM	1	1		19.97		20.5	0.5			
Channel				633000	633334	633666	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3495	3500.01	3504.99					
90	PV2 BPSK	1	1		19.92	19.86	19.92	21.0	0.0		
Channel				632668	633334	634000	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3490.02	3500.01	3510					
80	PV2 BPSK	1	1		19.90	19.78	19.83	21.0	0.0		
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3485.01	3500.01	3514.98					
70	PV2 BPSK	1	1		19.89	19.83	19.82	21.0	0.0		
Channel				632000	633334	634666	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3480	3500.01	3516.99					
60	PV2 BPSK	1	1		19.97	19.77	19.92	21.0	0.0		
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3475.02	3500.01	3525					
50	PV2 BPSK	1	1		19.89	19.76	19.92	21.0	0.0		
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3470.01	3500.01	3529.98					
40	PV2 BPSK	1	1		19.94	19.78	19.89	21.0	0.0		
Channel				631000	633334	635666	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3465	3500.01	3534.99					
30	PV2 BPSK	1	1		19.94	19.80	19.92	21.0	0.0		
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)			
Frequency (MHz)				3460.02	3500.01	3540					
20	PV2 BPSK	1	1		19.88	19.84	19.86	21.0	0.0		

Part270 n78_Ant 101											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)			
Channel				650000		3750					
Frequency (MHz)				3750		20.03					
100	PV2 BPSK	1	1				21.0	0.0			
100	PV2 BPSK	1	137			19.94					
100	PV2 BPSK	1	271			19.96					
100	PV2 BPSK	135	0			19.86	21.0	0.0			
100	PV2 BPSK	135	69			19.97	21.0	0.0			
100	PV2 BPSK	135	138			19.93	21.0	0.0			
100	PV2 BPSK	270	0			19.95					
100	QPSK	1	1			19.81					
100	QPSK	1	137			19.96	21.0	0.0			
100	QPSK	1	271			19.94	21.0	0.0			
100	QPSK	135	0			19.86					
100	QPSK	135	69			19.92					
100	QPSK	135	138			19.90	21.0	0.0			
100	QPSK	270	0			19.82					
100	16QAM	1	1			20.02					
100	64QAM	1	1			19.97	21.0	0.0			
100	256QAM	1	1			19.84	20.5	0.5			
Channel				649668	650000	650332	tune-up limit (dBm)	MPR			
Frequency (MHz)				3745.02	3750	3754.98					
90	PV2 BPSK	1	1			19.88	19.88	19.89	21.0	0.0	
Channel				649334	650000	650666	tune-up limit (dBm)	MPR			
Frequency (MHz)				3740.01	3750	3759.99					
80	PV2 BPSK	1	1			19.97	19.82	19.88	21.0	0.0	
Channel				649000	650000	651000	tune-up limit (dBm)	MPR			
Frequency (MHz)				3735.00	3750	3765.00					
70	PV2 BPSK	1	1			19.87	19.83	19.87	21.0	0.0	
Channel				648668	650000	651332	tune-up limit (dBm)	MPR			
Frequency (MHz)				3730.00	3750	3769.98					
60	PV2 BPSK	1	1			19.94	19.87	19.87	21.0	0.0	
Channel				648334	650000	651666	tune-up limit (dBm)	MPR			
Frequency (MHz)				3725.01	3750	3774.99					
50	PV2 BPSK	1	1			19.98	19.82	19.88	21.0	0.0	
Channel				648000	650000	652000	tune-up limit (dBm)	MPR			
Frequency (MHz)				3720.01	3750	3789.99					
40	PV2 BPSK	1	1			19.93	19.83	19.82	21.0	0.0	
Channel				647668	650000	652332	tune-up limit (dBm)	MPR			
Frequency (MHz)				3715.02	3750.00	3784.98					
30	PV2 BPSK	1	1			19.91	19.89	19.82	21.0	0.0	
Channel				647334	650000	652666	tune-up limit (dBm)	MPR			
Frequency (MHz)				3710.01	3750	3789.99					
20	PV2 BPSK	1	1			19.98	19.87	19.80	21.0	0.0	

Par27Q n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel					633334		3500.01		
Frequency (MHz)					19.45				
100	PI/2 BPSK	1	1		19.23		20.5	0.0	
100	PI/2 BPSK	1	137		19.14				
100	PI/2 BPSK	1	271		19.24		20.5	0.0	
100	PI/2 BPSK	135	0		19.20		20.5	0.0	
100	PI/2 BPSK	135	69		19.19		20.5	0.0	
100	PI/2 BPSK	135	138		19.16		20.5	0.0	
100	PI/2 BPSK	270	0		19.22				
100	QPSK	1	1		19.18		20.5	0.0	
100	QPSK	1	137		19.14				
100	QPSK	1	271		19.21		20.5	0.0	
100	QPSK	135	0		19.18				
100	QPSK	135	69		19.11		20.5	0.0	
100	QPSK	135	138		19.16		20.5	0.0	
100	QPSK	270	0		19.35		20.5	0.0	
100	16QAM	1	1		19.36		20.5	0.0	
100	64QAM	1	1		19.23		20.0	0.5	
100	256QAM	1	1		633300	633334	633668	tune-up limit (dBm)	MPR (dB)
Channel					3495	3500.01	3504.99		
Frequency (MHz)					19.03	19.34	19.18	20.5	0.0
90	PI/2 BPSK	1	1		633668	633334	634000	tune-up limit (dBm)	MPR (dB)
Channel					3490.02	3500.01	3490		
Frequency (MHz)					19.06	19.36	19.18	20.5	0.0
80	PI/2 BPSK	1	1		632334	633334	634332	tune-up limit (dBm)	MPR (dB)
Channel					3485.01	3500.01	3514.98		
Frequency (MHz)					19.06	19.35	19.18	20.5	0.0
70	PI/2 BPSK	1	1		632000	633334	634666	tune-up limit (dBm)	MPR (dB)
Channel					3480	3500.01	3519.99		
Frequency (MHz)					19.04	19.30	19.15	20.5	0.0
60	PI/2 BPSK	1	1		631668	633334	635000	tune-up limit (dBm)	MPR (dB)
Channel					3475.02	3500.01	3495		
Frequency (MHz)					19.00	19.35	19.11	20.5	0.0
50	PI/2 BPSK	1	1		631334	633334	635332	tune-up limit (dBm)	MPR (dB)
Channel					3470.01	3500.01	3523.98		
Frequency (MHz)					19.06	19.37	19.19	20.5	0.0
40	PI/2 BPSK	1	1		631000	633334	635666	tune-up limit (dBm)	MPR (dB)
Channel					3465	3500.01	3534.99		
Frequency (MHz)					19.04	19.30	19.12	20.5	0.0
30	PI/2 BPSK	1	1		630668	633334	636000	tune-up limit (dBm)	MPR (dB)
Channel					3460.02	3500.01	3480		
Frequency (MHz)					19.05	19.35	19.12	20.5	0.0
20	PI/2 BPSK	1	1						

Part27O n78_Ant 103									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel					650000		3750		
Frequency (MHz)					18.92				
100	PI/2 BPSK	1	1		18.64		20.5	0.0	
100	PI/2 BPSK	1	137		18.56				
100	PI/2 BPSK	1	271		18.59		20.5	0.0	
100	PI/2 BPSK	135	0		18.63		20.5	0.0	
100	PI/2 BPSK	135	69		18.51		20.5	0.0	
100	PI/2 BPSK	135	138		18.59		20.5	0.0	
100	QPSK	1	1		18.70				
100	QPSK	1	137		18.62		20.5	0.0	
100	QPSK	1	271		18.52				
100	QPSK	135	0		18.63		20.5	0.0	
100	QPSK	135	69		18.58				
100	QPSK	135	138		18.52		20.5	0.0	
100	QPSK	270	0		18.56		20.5	0.0	
100	16QAM	1	1		18.83		20.5	0.0	
100	64QAM	1	1		18.82		20.5	0.0	
100	256QAM	1	1		18.72		20.0	0.5	
Channel					649668	650000	650332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)					3745.02	3750	3754.98		
90	PI/2 BPSK	1	1		649334	650000	650666	tune-up limit (dBm)	MPR (dB)
Channel					3740.01	3750	3759.99		
Frequency (MHz)					18.82	18.53	18.65	20.5	0.0
80	PI/2 BPSK	1	1		649000	650000	651000	tune-up limit (dBm)	MPR (dB)
Channel					3735	3750	3765		
Frequency (MHz)					18.79	18.52	18.54	20.5	0.0
70	PI/2 BPSK	1	1		648668	650000	651332	tune-up limit (dBm)	MPR (dB)
Channel					3730.02	3750	3769.98		
Frequency (MHz)					18.80	18.50	18.60	20.5	0.0
60	PI/2 BPSK	1	1		648334	650000	651666	tune-up limit (dBm)	MPR (dB)
Channel					3725.01	3750	3774.99		
Frequency (MHz)					18.77	18.52	18.63	20.5	0.0
50	PI/2 BPSK	1	1		648000	650000	652000	tune-up limit (dBm)	MPR (dB)
Channel					3720	3750	3780		
Frequency (MHz)					18.76	18.52	18.56	20.5	0.0
40	PI/2 BPSK	1	1		647668	650000	652332	tune-up limit (dBm)	MPR (dB)
Channel					3715.02	3750.00	3784.98		
Frequency (MHz)					18.78	18.53	18.59	20.5	0.0
30	PI/2 BPSK	1	1		647334	650000	652666	tune-up limit (dBm)	MPR (dB)
Channel					3710.01	3750	3789.99		
Frequency (MHz)					18.83	18.51	18.59	20.5	0.0
20	PI/2 BPSK	1	1						



Reduced Power for DSI 8

n5_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				165800	167300	167800			
Frequency (MHz)				834	836.5	839			
20	PV2 BPSK	1	1	14.54	14.63	14.58			
20	PV2 BPSK	1	53	14.38	14.53	14.42	16.0	0.0	
20	PV2 BPSK	1	104	14.48	14.54	14.39			
20	PV2 BPSK	50	0	14.47	14.56	14.41	16.0	0.0	
20	PV2 BPSK	50	28	14.55	14.60	14.46	16.0	0.0	
20	PV2 BPSK	50	55	14.44	14.54	14.41			
20	PV2 BPSK	100	0	14.35	14.51	14.42	16.0	0.0	
20	QPSK	1	1	14.45	14.61	14.46			
20	QPSK	1	53	14.44	14.56	14.42	16.0	0.0	
20	QPSK	1	104	14.35	14.48	14.35			
20	QPSK	50	0	14.45	14.53	14.39	16.0	0.0	
20	QPSK	50	28	14.41	14.55	14.44	16.0	0.0	
20	QPSK	50	55	14.36	14.43	14.36	16.0	0.0	
20	QPSK	100	0	14.43	14.53	14.48			
20	16QAM	1	1	14.39	14.54	14.49	16.0	0.0	
20	64QAM	1	1	14.46	14.55	14.47	16.0	0.0	
20	256QAM	1	1	14.33	14.48	14.35	16.0	0.0	
Channel				165300	167300	169300	107.14° limit	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	PV2 BPSK	1	1	14.48	14.58	14.44	16.0	0.0	
Channel				165800	167300	168800	tune-up limit (dB)	MPR	
Frequency (MHz)				829	836.5	844			
10	PV2 BPSK	1	1	14.48	14.50	14.48	16.0	0.0	
Channel				165300	167300	169300	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5			
5	PV2 BPSK	1	1	14.46	14.51	14.44	16.0	0.0	

n5_Ant 41									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				165800	167300	167800			
Frequency (MHz)				834	836.5	839			
20	PV2 BPSK	1	1	16.74	16.75	16.71			
20	PV2 BPSK	1	53	16.65	16.71	16.57	18.0	0.0	
20	PV2 BPSK	1	104	16.56	16.65	16.55			
20	PV2 BPSK	50	0	16.62	16.75	16.63	18.0	0.0	
20	PV2 BPSK	50	28	16.67	16.75	16.65	18.0	0.0	
20	PV2 BPSK	50	55	16.51	16.58	16.43			
20	PV2 BPSK	100	0	16.64	16.71	16.58	18.0	0.0	
20	QPSK	1	1	16.69	16.75	16.66			
20	QPSK	1	53	16.56	16.71	16.57	18.0	0.0	
20	QPSK	1	104	16.54	16.61	16.55			
20	QPSK	50	0	16.22	16.29	16.21	18.0	0.0	
20	QPSK	50	28	16.58	16.67	16.58	18.0	0.0	
20	QPSK	50	55	16.31	16.37	16.31	18.0	0.0	
20	QPSK	100	0	16.35	16.42	16.30			
20	16QAM	1	1	16.60	16.75	16.64	18.0	0.0	
20	64QAM	1	1	16.46	16.53	16.39	18.0	0.0	
20	256QAM	1	1	16.64	16.78	16.66	18.0	0.0	
Channel				165300	167300	169300	107.14° limit	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	PV2 BPSK	1	1	16.58	16.73	16.65	18.0	0.0	
Channel				165800	167300	168800	tune-up limit (dB)	MPR	
Frequency (MHz)				829	836.5	844			
10	PV2 BPSK	1	1	16.66	16.67	16.59	18.0	0.0	
Channel				165300	167300	169300	tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5			
5	PV2 BPSK	1	1	16.63	16.65	16.64	18.0	0.0	

n7_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				502000	507000	512000			
Frequency (MHz)				2419	2435	2469			
20	Pl2 BPSK	1	1	12.01	12.19	12.03			
20	Pl2 BPSK	1	53	11.92	12.04	11.92	13.8	0.0	
20	Pl2 BPSK	1	104	11.90	12.02	11.99			
20	Pl2 BPSK	50	0	11.93	12.04	11.96	13.8	0.0	
20	Pl2 BPSK	50	26	11.95	12.06	12.06	13.8	0.0	
20	Pl2 BPSK	50	56	11.94	12.02	11.98			
20	Pl2 BPSK	100	0	11.84	11.99	11.94	13.8	0.0	
20	QPSK	1	1	11.84	12.03	11.89			
20	QPSK	1	53	11.92	12.04	11.92	13.8	0.0	
20	QPSK	1	104	12.09	12.17	12.17			
20	QPSK	50	0	11.93	12.11	11.93	13.8	0.0	
20	QPSK	50	26	11.87	12.06	11.98	13.8	0.0	
20	QPSK	50	56	12.03	12.17	11.98	13.8	0.0	
20	QPSK	100	0	11.81	12.00	11.81			
20	16QAM	1	1	11.89	11.99	11.95	13.8	0.0	
20	64QAM	1	1	11.71	11.96	11.83	13.8	0.0	
20	256QAM	1	1	11.85	12.06	11.96	13.8	0.0	
Channel				501500	507000	512500	117.5	MPR	
Frequency (MHz)				2507.5	2535	2562.5	limit (dBm)		
15	Pl2 BPSK	1	1	11.92	12.04	11.91	13.8	0.0	
Channel				501000	507000	513000	117.5	MPR	
Frequency (MHz)				2505	2535	2565	limit (dBm)		
10	Pl2 BPSK	1	1	11.96	12.11	11.89	13.8	0.0	
Channel				500500	507000	513500	117.5	MPR	
Frequency (MHz)				2502.5	2535	2567.5	limit (dBm)		
5	Pl2 BPSK	1	1	11.86	12.05	11.92	13.8	0.0	

n66_Ant 13									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				345000	349000	353000			
Frequency (MHz)				1725	1745	1765			
30	Pl2 BPSK	1	1	9.04	9.24	9.05			
30	Pl2 BPSK	1	80	8.90	8.90	8.77	10.5	0.0	
30	Pl2 BPSK	1	158	8.97	9.06	9.00			
30	Pl2 BPSK	80	0	8.70	8.96	8.77	10.5	0.0	
30	Pl2 BPSK	80	40	8.91	9.06	8.97	10.5	0.0	
30	Pl2 BPSK	80	80	8.80	8.96	8.77	10.5	0.0	
30	Pl2 BPSK	160	0	8.68	8.94	8.70			
30	QPSK	1	1	8.93	8.96	8.93			
30	QPSK	1	80	8.76	8.91	8.72	10.5	0.0	
30	QPSK	1	158	8.79	8.96	8.88			
30	QPSK	80	0	8.86	9.08	8.90	10.5	0.0	
30	QPSK	80	40	8.82	8.86	8.76	10.5	0.0	
30	QPSK	80	80	8.84	8.97	8.90	10.5	0.0	
30	QPSK	160	0	8.91	9.00	8.88			
30	16QAM	1	1	9.09	9.13	8.99	10.5	0.0	
30	64QAM	1	1	9.21	9.21	9.01	10.5	0.0	
30	256QAM	1	1	8.95	9.05	8.96	10.5	0.0	
Channel				344000	349000	354000	117.5	MPR	
Frequency (MHz)				1720	1745	1770	limit (dBm)		
20	Pl2 BPSK	1	1	8.94	9.08	8.97	10.5	0.0	
Channel				343500	349000	354500	117.5	MPR	
Frequency (MHz)				1717.5	1745	1772.5	limit (dBm)		
15	Pl2 BPSK	1	1	8.92	9.10	8.99	10.5	0.0	
Channel				343000	349000	355000	117.5	MPR	
Frequency (MHz)				1715	1745	1775	limit (dBm)		
10	Pl2 BPSK	1	1	8.92	9.17	9.00	10.5	0.0	
Channel				342500	349000	355500	117.5	MPR	
Frequency (MHz)				1712.5	1745	1777.5	limit (dBm)		
5	Pl2 BPSK	1	1	8.88	9.12	8.97	10.5	0.0	

Par27Q n78_Ant 12										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633334		3500.01				
Frequency (MHz)				3500.01						
100	Pi2 BPSK	1	1		11.95		12.5			
100	Pi2 BPSK	1	137		11.85					
100	Pi2 BPSK	1	271		11.84		12.5			
100	Pi2 BPSK	135	0		11.90			0.0		
100	Pi2 BPSK	135	69		11.80		12.5	0.0		
100	Pi2 BPSK	135	138		11.79					
100	Pi2 BPSK	270	0		11.63		12.5	0.0		
100	QPSK	1	1		11.79					
100	QPSK	1	137		11.79		12.5	0.0		
100	QPSK	1	271		11.83					
100	QPSK	135	0		11.69		12.5			
100	QPSK	135	69		11.86			0.0		
100	QPSK	135	138		11.81		12.5			
100	QPSK	270	0		11.74			0.0		
100	16QAM	1	1		11.78		12.5	0.0		
100	64QAM	1	1		11.87					
100	256QAM	1	1		11.86		12.5	0.0		
Channel				633000	633334	633668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3495	3500.01	3504.99				
90	Pi2 BPSK	1	1		11.82	11.80	11.86	12.5	0.0	
Channel				632668	633334	634000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3490.02	3500.01	3510				
80	Pi2 BPSK	1	1		11.86	11.80	11.85	12.5	0.0	
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3485.01	3500.01	3514.98				
70	Pi2 BPSK	1	1		11.90	11.90	11.79	12.5	0.0	
Channel				632000	633334	634668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3480	3500.01	3519.99				
60	Pi2 BPSK	1	1		11.86	11.90	11.83	12.5	0.0	
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3475.02	3500.01	3505				
50	Pi2 BPSK	1	1		11.83	11.86	11.83	12.5	0.0	
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3470.01	3500.01	3529.98				
40	Pi2 BPSK	1	1		11.90	11.81	11.80	12.5	0.0	
Channel				631000	633334	635668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3465	3500.01	3534.99				
30	Pi2 BPSK	1	1		11.89	11.89	11.88	12.5	0.0	
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3460.02	3500.01	3540				
20	Pi2 BPSK	1	1		11.85	11.80	11.87	12.5	0.0	
Channel							tune-up limit (dBm)	MPR (dB)		

Part27O n78_Ant 12										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				650000		3750				
Frequency (MHz)				3750						
100	Pi2 BPSK	1	1		11.58		12.5			
100	Pi2 BPSK	1	137		11.45					
100	Pi2 BPSK	1	271		11.45		12.5	0.0		
100	Pi2 BPSK	135	0		11.29					
100	Pi2 BPSK	135	69		11.52		12.5	0.0		
100	Pi2 BPSK	135	138		11.37					
100	Pi2 BPSK	270	0		11.46		12.5	0.0		
100	QPSK	1	1		11.37					
100	QPSK	1	137		11.51		12.5	0.0		
100	QPSK	1	271		11.32					
100	QPSK	135	0		11.43		12.5			
100	QPSK	135	69		11.38			0.0		
100	QPSK	135	138		11.48		12.5			
100	QPSK	270	0		11.32			0.0		
100	16QAM	1	1		11.51		12.5	0.0		
100	64QAM	1	1		11.51					
100	256QAM	1	1		11.34		12.5	0.0		
Channel				649668	650000	650332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3745.02	3750	3754.98				
90	Pi2 BPSK	1	1		11.53	11.44	11.45	12.5	0.0	
Channel				648334	650000	650668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3740.01	3750	3759.99				
80	Pi2 BPSK	1	1		11.53	11.51	11.45	12.5	0.0	
Channel				648000	650000	651000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3735	3750	3765				
70	Pi2 BPSK	1	1		11.45	11.42	11.51	12.5	0.0	
Channel				647668	650000	651332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3730.02	3750	3759.98				
60	Pi2 BPSK	1	1		11.52	11.42	11.46	12.5	0.0	
Channel				648334	650000	651668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3725.01	3750	3774.98				
50	Pi2 BPSK	1	1		11.42	11.49	11.48	12.5	0.0	
Channel				648000	650000	652000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3720	3750	3770				
40	Pi2 BPSK	1	1		11.50	11.53	11.45	12.5	0.0	
Channel				647668	650000	652332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3715.02	3750.00	3784.98				
30	Pi2 BPSK	1	1		11.53	11.45	11.43	12.5	0.0	
Channel				647334	650000	652668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3710.01	3750	3789.99				
20	Pi2 BPSK	1	1		11.43	11.47	11.51	12.5	0.0	
Channel							tune-up limit (dBm)	MPR (dB)		

Par27Q n78_Ant 24										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633334		3500.01				
Frequency (MHz)				3500.01						
100	Pi2 BPSK	1	1		12.77		13.8			
100	Pi2 BPSK	1	137		12.70			0.0		
100	Pi2 BPSK	1	271		12.72		13.8			
100	Pi2 BPSK	135	0		12.70			0.0		
100	Pi2 BPSK	135	69		12.73		13.8	0.0		
100	Pi2 BPSK	135	138		12.68					
100	Pi2 BPSK	270	0		12.72		13.8	0.0		
100	QPSK	1	1		12.63					
100	QPSK	1	137		12.75		13.8	0.0		
100	QPSK	1	271		12.68					
100	QPSK	135	0		12.70		13.8			
100	QPSK	135	69		12.72			0.0		
100	QPSK	135	138		12.67		13.8			
100	QPSK	270	0		12.60			0.0		
100	16QAM	1	1		12.72		13.8	0.0		
100	64QAM	1	1		12.63					
100	256QAM	1	1		12.69		13.8	0.0		
Channel				633000	633334	633668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3495	3500.01	3504.99				
90	Pi2 BPSK	1	1		12.66	12.67	12.53	13.8	0.0	
Channel				632668	633334	634000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3490.02	3500.01	3510				
80	Pi2 BPSK	1	1		12.69	12.70	12.52	13.8	0.0	
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3485.01	3500.01	3514.98				
70	Pi2 BPSK	1	1		12.71	12.64	12.44	13.8	0.0	
Channel				632000	633334	634668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3480	3500.01	3519.99				
60	Pi2 BPSK	1	1		12.65	12.61	12.55	13.8	0.0	
Channel				631668	633334	635000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3475.02	3500.01	3525				
50	Pi2 BPSK	1	1		12.63	12.60	12.40	13.8	0.0	
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3470.01	3500.01	3529.98				
40	Pi2 BPSK	1	1		12.65	12.64	12.54	13.8	0.0	
Channel				631000	633334	635668	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3465	3500.01	3534.99				
30	Pi2 BPSK	1	1		12.70	12.64	12.55	13.8	0.0	
Channel				630668	633334	636000	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3460.99	3500.01	3540.99				
20	Pi2 BPSK	1	1		12.63	12.71	12.54	13.8	0.0	
Channel				630334	633334	636332	tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3455	3500.01	3545.99				

Part270 n78_Ant 24

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	PV2 BPSK	1	1		12.68			
100	PV2 BPSK	1	137		12.58		13.8	0.0
100	PV2 BPSK	1	271		12.62			
100	PV2 BPSK	135	0		12.65		13.8	0.0
100	PV2 BPSK	135	69		12.68		13.8	0.0
100	PV2 BPSK	135	138		12.57		13.8	0.0
100	PV2 BPSK	270	0		12.64			
100	QPSK	1	1		12.55			
100	QPSK	1	137		12.66		13.8	0.0
100	QPSK	1	271		12.63			
100	QPSK	135	0		12.57			
100	QPSK	135	69		12.58		13.8	0.0
100	QPSK	135	135		12.61			
100	QPSK	270	0		12.50		13.8	0.0
100	16QAM	1	1		12.57		13.8	0.0
100	64QAM	1	1		12.47		13.8	0.0
100	256QAM	1	1		12.55		13.8	0.0
Channel								
Frequency (MHz)								
90	PV2 BPSK	1	1	3745.02	3750	3754.98	tune-up limit (dBm)	MPR
Channel								
Frequency (MHz)								
80	PV2 BPSK	1	1	12.61	12.71	12.61	13.8	0.0
Channel								
Frequency (MHz)								
70	PV2 BPSK	1	1	12.60	12.60	12.71	13.8	0.0
Channel								
Frequency (MHz)								
60	PV2 BPSK	1	1	12.69	12.70	12.69	13.8	0.0
Channel								
Frequency (MHz)								
50	PV2 BPSK	1	1	12.62	12.68	12.63	13.8	0.0
Channel								
Frequency (MHz)								
40	PV2 BPSK	1	1	12.60	12.61	12.67	13.8	0.0
Channel								
Frequency (MHz)								
30	PV2 BPSK	1	1	12.68	12.65	12.69	13.8	0.0
Channel								
Frequency (MHz)								
20	PV2 BPSK	1	1	12.61	12.62	12.64	13.8	0.0

Par27Q n78_Ant 101


BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	PV2 BPSK	1	1		14.65			
100	PV2 BPSK	1	137		14.51		15.5	0.0
100	PV2 BPSK	1	271		14.36			
100	PV2 BPSK	135	0		14.41		15.5	0.0
100	PV2 BPSK	135	69		14.47		15.5	0.0
100	PV2 BPSK	135	138		14.30		15.5	0.0
100	PV2 BPSK	270	0		14.41			
100	QPSK	1	1		14.49			
100	QPSK	1	137		14.47		15.5	0.0
100	QPSK	1	271		14.32			
100	QPSK	135	0		14.49			
100	QPSK	135	69		14.34		15.5	0.0
100	QPSK	135	135		14.32			
100	QPSK	270	0		14.42		15.5	0.0
100	16QAM	1	1		14.53		15.5	0.0
100	64QAM	1	1		14.58		15.5	0.0
100	256QAM	1	1		14.60		15.5	0.0
Channel								
Frequency (MHz)								
90	PV2 BPSK	1	1	3495	3500.01	3504.99	tune-up limit (dBm)	MPR
Channel								
Frequency (MHz)								
80	PV2 BPSK	1	1	14.23	14.16	14.67	15.5	0.0
Channel								
Frequency (MHz)								
70	PV2 BPSK	1	1	14.30	14.22	14.64	15.5	0.0
Channel								
Frequency (MHz)								
60	PV2 BPSK	1	1	14.20	14.19	14.68	15.5	0.0
Channel								
Frequency (MHz)								
50	PV2 BPSK	1	1	14.27	14.22	14.72	15.5	0.0
Channel								
Frequency (MHz)								
40	PV2 BPSK	1	1	14.20	14.21	14.72	15.5	0.0
Channel								
Frequency (MHz)								
30	PV2 BPSK	1	1	14.28	14.22	14.62	15.5	0.0
Channel								
Frequency (MHz)								
20	PV2 BPSK	1	1	14.30	14.24	14.73	15.5	0.0

Part270 n78_Ant 101

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
100	PV2 BPSK	1	1		14.38			
100	PV2 BPSK	1	137		14.22		15.5	0.0
100	PV2 BPSK	1	271		14.18			
100	PV2 BPSK	135	0		14.08		15.5	0.0
100	PV2 BPSK	135	69		14.22		15.5	0.0
100	PV2 BPSK	135	138		14.18		15.5	0.0
100	PV2 BPSK	270	0		14.19			
100	QPSK	1	1		14.03			
100	QPSK	1	137		14.16		15.5	0.0
100	QPSK	1	271		14.23			
100	QPSK	135	0		14.17			
100	QPSK	135	69		14.17		15.5	0.0
100	QPSK	135	135		14.23			
100	QPSK	270	0		14.22		15.5	0.0
100	16QAM	1	1		14.16		15.5	0.0
100	64QAM	1	1		14.18		15.5	0.0
100	256QAM	1	1		14.29		15.5	0.0
Channel								
Frequency (MHz)								
90	PV2 BPSK	1	1	3745.02	3750	3754.98	tune-up limit (dBm)	MPR
Channel								
Frequency (MHz)								
80	PV2 BPSK	1	1	14.29	14.33	14.38	15.5	0.0
Channel								
Frequency (MHz)								
70	PV2 BPSK	1	1	14.35	14.44	14.41	15.5	0.0
Channel								
Frequency (MHz)								
60	PV2 BPSK	1	1	14.24	14.41	14.42	15.5	0.0
Channel								
Frequency (MHz)								
50	PV2 BPSK	1	1	14.24	14.39	14.41	15.5	0.0
Channel								
Frequency (MHz)								
40	PV2 BPSK	1	1	14.32	14.38	14.42	15.5	0.0
Channel								
Frequency (MHz)								
30	PV2 BPSK	1	1	14.28	14.39	14.37	15.5	0.0
Channel								
Frequency (MHz)								
20	PV2 BPSK	1	1	14.24	14.39	14.34	15.5	0.0

Par27Q n78_Ant 103								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				633334		3500.01		
Frequency (MHz)						3500.01		
100	PI/2 BPSK	1	1		14.93		16.0	0.0
100	PI/2 BPSK	1	137		14.64			
100	PI/2 BPSK	1	271		14.51		16.0	0.0
100	PI/2 BPSK	135	0		14.64			
100	PI/2 BPSK	135	69		14.67		16.0	0.0
100	PI/2 BPSK	135	138		14.54			
100	PI/2 BPSK	270	0		14.54		16.0	0.0
100	QPSK	1	1		14.63			
100	QPSK	1	137		14.57		16.0	0.0
100	QPSK	1	271		14.55			
100	QPSK	135	0		14.64		16.0	0.0
100	QPSK	135	69		14.53			
100	QPSK	135	138		14.54		16.0	0.0
100	QPSK	270	0		14.52			
100	16QAM	1	1		14.80		16.0	0.0
100	64QAM	1	1		14.70			
100	256QAM	1	1		14.61		16.0	0.0
Channel				633000	633334	633666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3495	3500.01	3504.99		
90	PI/2 BPSK	1	1	14.58	14.76	14.82	16.0	0.0
Channel				632666	633334	634000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3490.02	3500.01	3510		
80	PI/2 BPSK	1	1	14.57	14.73	14.88	16.0	0.0
Channel				632334	633334	634332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3485.01	3500.01	3514.98		
70	PI/2 BPSK	1	1	14.60	14.73	14.80	16.0	0.0
Channel				632000	633334	634666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3480	3500.01	3519.99		
60	PI/2 BPSK	1	1	14.55	14.73	14.85	16.0	0.0
Channel				631666	633334	635000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3475.02	3500.01	3505		
50	PI/2 BPSK	1	1	14.61	14.78	14.90	16.0	0.0
Channel				631334	633334	635332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3470.01	3500.01	3523.98		
40	PI/2 BPSK	1	1	14.59	14.72	14.83	16.0	0.0
Channel				631000	633334	635666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3465	3500.01	3534.99		
30	PI/2 BPSK	1	1	14.54	14.74	14.82	16.0	0.0
Channel				630666	633334	636000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3460.02	3500.01	3540		
20	PI/2 BPSK	1	1	14.58	14.77	14.83	16.0	0.0

Part27O n78_Ant 103								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel				650000		3750		
Frequency (MHz)						3750		
100	PI/2 BPSK	1	1		14.42		16.0	0.0
100	PI/2 BPSK	1	137		14.06			
100	PI/2 BPSK	1	271		14.06		16.0	0.0
100	PI/2 BPSK	135	0		14.00			
100	PI/2 BPSK	135	69		14.08		16.0	0.0
100	PI/2 BPSK	135	138		14.06			
100	PI/2 BPSK	270	0		14.05		16.0	0.0
100	QPSK	1	1		14.18			
100	QPSK	1	137		14.14		16.0	0.0
100	QPSK	1	271		14.10			
100	QPSK	135	0		14.06		16.0	0.0
100	QPSK	135	69		14.03			
100	QPSK	135	138		14.10		16.0	0.0
100	QPSK	270	0		14.03			
100	16QAM	1	1		14.31		16.0	0.0
100	64QAM	1	1		14.28			
100	256QAM	1	1		14.16		16.0	0.0
Channel				649666	650000	650332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3745.02	3750	3754.98		
90	PI/2 BPSK	1	1	14.33	14.02	14.33	16.0	0.0
Channel				648334	650000	650666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3740.01	3750	3759.99		
80	PI/2 BPSK	1	1	14.34	14.05	14.33	16.0	0.0
Channel				648000	650000	651000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3735	3750	3765		
70	PI/2 BPSK	1	1	14.27	14.01	14.31	16.0	0.0
Channel				647666	650000	651332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3730.02	3750	3769.98		
60	PI/2 BPSK	1	1	14.37	14.03	14.27	16.0	0.0
Channel				648334	650000	651666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3725.01	3750	3774.99		
50	PI/2 BPSK	1	1	14.37	14.05	14.27	16.0	0.0
Channel				648000	650000	652000	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3720	3750	3780		
40	PI/2 BPSK	1	1	14.26	14.06	14.36	16.0	0.0
Channel				647666	650000	652332	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3715.02	3750.00	3784.98		
30	PI/2 BPSK	1	1	14.36	14.06	14.31	16.0	0.0
Channel				647334	650000	652666	tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				3710.01	3750	3789.99		
20	PI/2 BPSK	1	1	14.27	14.01	14.29	16.0	0.0



5.93GHz WLAN				Full Power								Receiver Only(heat)								Receiver Only(body worn)								Daily Cycle %
				Ant2(2Ch)		Ant 24Ch(1)		Ant2(2Ch)		Ant 24Ch(1)		Ant2-24Ch(1)		Ant2(2Ch)		Ant 24Ch(1)		Ant2-24Ch(1)										
Mode	Channel	RU Config	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit							
802.11a (Mbps)	52	FuA	5280	17.79	19.50	17.54	19.50	20.59	22.50	10.00	10.00	10.00	10.00	13.00	17.79	19.50	17.54	19.50	20.59	22.50	10.00							
	56	FuA	5280	17.58	19.50	17.62	19.50	20.56	22.50	10.00	10.00	10.00	10.00	13.00	17.58	19.50	17.52	19.50	20.56	22.50	98.97							
	60	FuA	5300	17.59	19.50	17.56	19.50	20.59	22.50	10.00	10.00	10.00	10.00	13.00	17.59	19.50	17.56	19.50	20.59	22.50								
	64	FuA	5320	17.60	19.50	17.62	19.50	20.58	22.50	10.00	10.00	10.00	10.00	13.00	17.60	19.50	17.52	19.50	20.58	22.50								
802.11n-HT20 MCS0	52	FuA	5280	17.62	19.50	17.59	19.50	20.57	22.50	10.00	10.00	10.00	10.00	13.00	17.62	19.50	17.59	19.50	20.57	22.50	100.00							
	56	FuA	5280	17.57	19.50	17.55	19.50	20.57	22.50	10.00	10.00	10.00	10.00	13.00	17.57	19.50	17.55	19.50	20.57	22.50								
	60	FuA	5300	17.58	19.50	17.53	19.50	20.57	22.50	10.00	10.00	10.00	10.00	13.00	17.58	19.50	17.53	19.50	20.57	22.50								
	64	FuA	5320	17.63	19.50	17.59	19.50	20.60	22.50	10.00	10.00	10.00	10.00	13.00	17.63	19.50	17.59	19.50	20.60	22.50								
802.11n-HT40 MCS0	54	FuA	5270	18.15	17.50	15.02	17.50	20.50	22.50	10.00	10.00	10.00	10.00	13.00	17.50	17.50	17.50	17.50	20.50	22.50	100.00							
	52	FuA	5310	18.18	17.00	15.08	17.00	18.15	20.50	10.00	10.00	10.00	10.00	13.00	17.00	17.00	17.00	17.00	20.50	22.50								
	52	FuA	5280	17.70	19.50	17.56	19.50	20.64	22.50	10.00	10.00	10.00	10.00	13.00	17.70	19.50	17.56	19.50	20.64	22.50	100.00							
	56	FuA	5280	17.62	19.50	17.58	19.50	20.61	22.50	10.00	10.00	10.00	10.00	13.00	17.62	19.50	17.58	19.50	20.61	22.50	100.00							
802.11ac-VHT20 MCS0	60	FuA	5300	17.66	19.50	17.59	19.50	20.64	22.50	10.00	10.00	10.00	10.00	13.00	17.66	19.50	17.59	19.50	20.64	22.50	100.00							
	64	FuA	5320	17.71	19.50	17.61	19.50	20.67	22.50	10.00	10.00	10.00	10.00	13.00	17.71	19.50	17.61	19.50	20.67	22.50	100.00							
	54	FuA	5270	18.14	18.00	16.03	18.00	19.10	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00	100.00							
	62	FuA	5310	18.13	18.00	16.09	18.00	19.12	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00	100.00							
802.11ac-VHT80 MCS0	58	FuA	5290	18.15	17.50	15.06	17.50	18.12	20.50	10.00	10.00	10.00	10.00	13.00	17.50	17.50	17.50	17.50	20.50	20.50	100.00							
	50	FuA	5280	18.57	17.00	15.53	17.00	18.58	20.50	8.63	8.56	10.00	11.61	13.00	17.00	17.00	17.00	17.00	20.50	20.50	100.00							
		FuA		17.15	19.50	17.07	19.50	20.12	22.50	10.00	10.00	10.00	10.00	13.00	17.00	19.50	17.00	19.50	20.12	22.50								
	52	2800	5280		10.25	11.50	9.83	11.50	13.06	14.50	10.00	10.00	10.00	10.00	13.00	11.50	11.50	11.50	11.50	14.50	14.50							
802.11ac-HE20 MCS0	52	5237		12.86	14.50	12.76	14.50	15.92	17.50	10.00	10.00	10.00	10.00	13.00	14.50	14.50	14.50	14.50	17.50	17.50	100.00							
		10653		16.13	17.50	15.84	17.50	19.00	20.50	10.00	10.00	10.00	10.00	13.00	17.50	17.50	17.50	17.50	20.50	20.50								
	56	FuA	5280	17.08	19.00	17.13	19.00	20.12	22.00	10.00	10.00	10.00	10.00	13.00	17.00	19.00	17.00	19.00	20.12	22.00								
	60	FuA	5300	17.16	19.00	17.09	19.00	20.14	22.00	10.00	10.00	10.00	10.00	13.00	17.16	19.00	17.09	19.00	20.14	22.00								
802.11ac-HE40 MCS0	64	FuA		17.09	19.00	17.06	19.00	20.09	22.00	10.00	10.00	10.00	10.00	13.00	17.00	19.00	17.06	19.00	20.09	22.00	100.00							
	2018		10.02	11.50	9.73	11.50	12.89	14.50	16.00	10.00	10.00	10.00	10.00	13.00	11.50	11.50	11.50	11.50	14.50	14.50								
	52340	5320	12.73	14.50	12.65	14.50	15.70	17.50	10.00	10.00	10.00	10.00	13.00	14.50	14.50	14.50	14.50	17.50	17.50	100.00								
	100954		15.95	17.50	15.70	17.50	18.86	20.50	10.00	10.00	10.00	10.00	13.00	17.50	17.50	17.50	17.50	20.50	20.50	100.00								
802.11ac-HE80 MCS0	64	FuA		16.37	18.00	16.04	18.00	19.22	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00	100.00							
	24201	5270	16.47	18.00	16.18	18.00	19.34	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00	100.00								
	62	FuA		16.21	18.00	16.06	18.00	19.15	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00								
	242162	5310	16.33	18.00	16.09	18.00	19.22	21.00	10.00	10.00	10.00	10.00	13.00	18.00	18.00	18.00	18.00	21.00	21.00	100.00								
802.11ac-HE160 MCS0	58	FuA		15.12	17.00	15.08	17.00	16.11	20.00	10.00	10.00	10.00	10.00	13.00	17.00	17.00	17.00	17.00	20.00	20.00	100.00							
	484495	5290	16.42	17.50	16.44	17.50	18.20	19.50	10.00	10.00	10.00	10.00	13.00	17.50	17.50	17.50	17.50	19.50	19.50	100.00								
	484496		16.45	17.00	14.98	17.00	16.18	20.00	10.00	10.00	10.00	10.00	13.00	17.00	17.00	17.00	17.00	20.00	20.00									
		FuA		15.19	17.00	15.06	17.00	16.14	20.00	10.00	10.00	10.00	10.00	13.00	17.00	17.00	17.00	17.00	20.00	20.00	100.00							
802.11ac-HE160 MCS0	50	996967	5280	15.31	17.00	15.11	17.00	16.22	20.00	10.00	10.00	10.00	10.00	13.00	17.00	17.00	17.00	17.00	20.00	20.00	100.00							

5.8GHz WLAN				Full Power								Receiver CN(Head)								Receiver CN(Body work)								Duty Cycle %						
				Ant23(CN)				Ant 24(CN)				Ant23+24(CN+1)				Ant23(CN)				Ant 24(CN)				Ant23+24(CN+1)										
Mode	Channel	RU Config	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit		Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit		
802.11a @Mbps	100	Full	5500	17.58	19.50	17.51	19.50	20.56	22.50	19.00		19.00		13.00	17.58	19.50	17.51	19.50	20.56	22.50			19.00		19.00		13.00	17.55	19.50	17.64	19.50	20.61	22.50	98.97
	116	Full	5580	17.55	19.50	17.64	19.50	20.61	22.50	19.00		19.00		13.00	17.55	19.50	17.64	19.50	20.61	22.50			19.00		19.00		13.00	17.56	19.50	17.53	19.50	20.56	22.50	
	124	Full	5620	17.56	19.50	17.53	19.50	20.56	22.50	19.00		19.00		13.00	17.56	19.50	17.53	19.50	20.56	22.50			19.00		19.00		13.00	17.56	19.50	17.53	19.50	20.56	22.50	
	132	Full	5660	17.59	19.50	17.55	19.50	20.58	22.50	19.00		19.00		13.00	17.59	19.50	17.55	19.50	20.58	22.50			19.00		19.00		13.00	17.59	19.50	17.55	19.50	20.58	22.50	
	140	Full	5700	17.51	19.50	17.58	19.50	20.56	22.50	19.00		19.00		13.00	17.51	19.50	17.58	19.50	20.56	22.50			19.00		19.00		13.00	17.51	19.50	17.58	19.50	20.56	22.50	
	144	Full	5720	17.52	19.50	17.55	19.50	20.55	22.50	19.00		19.00		13.00	17.52	19.50	17.55	19.50	20.55	22.50			19.00		19.00		13.00	17.52	19.50	17.55	19.50	20.55	22.50	
	100	Full	5500	17.56	19.50	17.52	19.50	20.55	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	116	Full	5580	17.62	19.50	17.57	19.50	20.61	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	124	Full	5620	17.55	19.50	17.61	19.50	20.59	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	132	Full	5660	17.58	19.50	17.53	19.50	20.57	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
802.11a-HT20 MCS0	140	Full	5700	17.58	19.50	17.55	19.50	20.55	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50	100.00	
	144	Full	5720	17.58	19.50	17.55	19.50	20.58	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	102	Full	5510	17.09	19.00	17.06	19.00	20.09	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	110	Full	5550	17.13	19.00	17.07	19.00	20.11	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	126	Full	5630	17.11	19.00	17.09	19.00	20.11	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	134	Full	5670	17.04	19.00	17.28	19.00	20.17	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	142	Full	5710	17.03	19.00	17.15	19.00	20.10	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	100	Full	5500	17.64	19.50	17.58	19.50	20.62	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	116	Full	5580	17.70	19.50	17.63	19.50	20.68	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	124	Full	5620	17.60	19.50	17.65	19.50	20.64	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
802.11ac-VHT20 MCS0	132	Full	5660	17.63	19.50	17.67	19.50	20.61	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50	100.00	
	140	Full	5700	17.66	19.50	17.61	19.50	20.65	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	144	Full	5720	17.61	19.50	17.63	19.50	20.63	22.50	19.00		19.00		13.00		19.50		19.50		22.50			19.00		19.00		13.00		19.50		19.50	22.50		
	102	Full	5510	17.15	19.00	17.11	19.00	20.14	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	110	Full	5550	17.21	19.00	17.13	19.00	20.18	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	126	Full	5630	17.16	19.00	17.13	19.00	20.16	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	134	Full	5670	17.09	19.00	17.35	19.00	20.23	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	142	Full	5710	17.08	19.00	17.19	19.00	20.15	22.00	19.00		19.00		13.00		19.00		19.00		22.00			19.00		19.00		13.00		19.00		19.00	22.00		
	106	Full	5530	16.05	18.00	16.14	18.00	19.11	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	122	Full	5510	16.11	18.00	16.08	18.00	19.10	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
802.11ac-VHT80 MCS0	138	Full	5590	16.06	18.00	16.17	18.00	19.13	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00	100.00	
	114	Full	5570	16.08	18.00	16.13	18.00	19.12	21.00	8.14	19.00	8.11	19.00	11.14	13.00		18.00		18.00		21.00		100.00		18.00		18.00		13.00		18.00	21.00		
	Full			16.18	18.00	16.02	18.00	19.11	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	20/0			9.36	11.00	9.07	11.00	12.23	14.00	19.00		19.00		13.00		Not Required		Not Required		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	52/37			12.23	14.00	11.93	14.00	15.09	17.00	19.00		19.00		13.00		Not Required		Not Required		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	106/53			15.25	17.00	14.96	17.00	16.12	20.00	19.00		19.00		13.00		Not Required		Not Required		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	116	Full	5580	16.11	18.00	16.05	18.00	19.09	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	124	Full	5620	16.05	18.00	16.08	18.00	19.08	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	132	Full	5660	16.05	18.00	16.07	18.00	19.07	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	Full			16.14	18.00	16.06	18.00	19.11	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
802.11ax-HE20 MCS0	30/8			9.38	10.50	9.46	10.50	11.53	13.50	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00	100.00	
	52/40			11.35	13.50	11.47	13.50	14.42	16.50	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	109/54			15.17	17.00	14.86	17.00	16.03	20.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	Full			16.02	18.00	16.09	18.00	19.07	21.00	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	20/8			9.01	10.50	9.15	10.50	12.09	13.50	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	52/40			12.11	13.50	11.92	13.50	15.03	16.50	19.00		19.00		13.00		18.00		18.00		21.00			19.00		19.00		13.00		18.00		18.00	21.00		
	109/54			15.06	17.00	1																												

BT 2.0 Ant24(Ch0)

BT 2.0 Ant2 (Ch0)												
Mode	Channel	Frequency (Mhz)	Average power (dbm)									Tune-up Limit
			Packet Type									
			DH1	DH3	DH5	2DH1	2DH3	2DH5	3DH1	3DH3	3DH5	
Bluetooth	CH 0	2402	9.60	9.60	9.70	6.80	6.80	6.90	6.80	6.80	6.90	11.50
	CH 39	2441	10.60	10.60	10.70	8.00	8.00	8.10	8.00	8.00	8.10	12.00
	CH 78	2480	9.50	9.50	9.60	6.50	6.50	6.60	6.50	6.50	6.60	11.50

BT 2.0 Ant23(Ch1)

BT 2.3+ BLE2.0/4.0												
Mode	Channel	Frequency (MHz)	Average power (dBm)									Tune-up Limit
			Packet Type									
			DH1	DH3	DH5	2DH1	2DH3	2DH5	3DH1	3DH3	3DH5	
Bluetooth	CH 0	2402	11.80	11.80	11.90	9.10	9.10	9.20	9.10	9.10	9.20	13.00
	CH 39	2441	13.30	13.30	13.40	10.60	10.60	10.70	10.60	10.60	10.70	14.50
	CH 78	2480	10.40	10.40	10.50	7.80	7.80	7.90	7.80	7.80	7.90	12.00

BT 4.0 Ant24(Ch0)

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			GFSK	
LE	CH 00	2402	7.50	
	CH 19	2440	8.60	
	CH 39	2480	7.10	
Tune-up Limit			10	

BT 4.0 Ant23(Ch1)

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			GFSK	
LE	CH 00	2402	7.70	
	CH 19	2440	9.20	
	CH 39	2480	6.30	
Tune-up Limit			10	

BT 5.0 Ant24(Ch0)

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	7.50	7.60
	CH 19	2440	8.60	8.70
	CH 39	2480	7.10	7.20
Tune-up Limit			10	10

BT 5.0 Ant23(Ch1)

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	7.70	7.80
	CH 19	2440	9.20	9.30
	CH 39	2480	6.30	6.40
Tune-up Limit			10	10