

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Maximum conducted output power (dBm)	Antenna Gain (dBi)	ERP (dBm)	high Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.45	0.67	24.12	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	23.43	0.67	24.10	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	23.39	0.67	24.06	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	23.33	0.67	24.00	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	23.39	0.67	24.06	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	23.36	0.67	24.03	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	22.47	0.67	23.14	38.45	PASS
Band5	1.4	20407	1	#0	QAM16	23.86	0.67	24.53	38.45	PASS
Band5	1.4	20407	1	#Mid	QAM16	23.86	0.67	24.53	38.45	PASS
Band5	1.4	20407	1	#Max	QAM16	23.88	0.67	24.55	38.45	PASS
Band5	1.4	20407	3	#0	QAM16	22.65	0.67	23.32	38.45	PASS
Band5	1.4	20407	3	#Mid	QAM16	22.69	0.67	23.36	38.45	PASS
Band5	1.4	20407	3	#Max	QAM16	22.67	0.67	23.34	38.45	PASS
Band5	1.4	20407	6	#0	QAM16	21.61	0.67	22.28	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	23.31	0.67	23.98	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	23.34	0.67	24.01	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	23.33	0.67	24.00	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	23.34	0.67	24.01	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	23.28	0.67	23.95	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	23.34	0.67	24.01	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	22.34	0.67	23.01	38.45	PASS
Band5	1.4	20525	1	#0	QAM16	22.85	0.67	23.52	38.45	PASS
Band5	1.4	20525	1	#Mid	QAM16	22.85	0.67	23.52	38.45	PASS
Band5	1.4	20525	1	#Max	QAM16	22.88	0.67	23.55	38.45	PASS
Band5	1.4	20525	3	#0	QAM16	22.29	0.67	22.96	38.45	PASS
Band5	1.4	20525	3	#Mid	QAM16	22.35	0.67	23.02	38.45	PASS
Band5	1.4	20525	3	#Max	QAM16	22.32	0.67	22.99	38.45	PASS
Band5	1.4	20525	6	#0	QAM16	21.43	0.67	22.10	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	23.43	0.67	24.10	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.37	0.67	24.04	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	23.37	0.67	24.04	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	23.28	0.67	23.95	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.29	0.67	23.96	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	23.38	0.67	24.05	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	22.36	0.67	23.03	38.45	PASS
Band5	1.4	20643	1	#0	QAM16	22.87	0.67	23.54	38.45	PASS
Band5	1.4	20643	1	#Mid	QAM16	22.94	0.67	23.61	38.45	PASS

Band5	1.4	20643	1	#Max	QAM16	22.96	0.67	23.63	38.45	PASS
Band5	1.4	20643	3	#0	QAM16	22.2	0.67	22.87	38.45	PASS
Band5	1.4	20643	3	#Mid	QAM16	22.22	0.67	22.89	38.45	PASS
Band5	1.4	20643	3	#Max	QAM16	22.23	0.67	22.90	38.45	PASS
Band5	1.4	20643	6	#0	QAM16	21.35	0.67	22.02	38.45	PASS
Band5	3	20415	1	#0	QPSK	23.32	0.67	23.99	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	23.32	0.67	23.99	38.45	PASS
Band5	3	20415	1	#Max	QPSK	23.28	0.67	23.95	38.45	PASS
Band5	3	20415	8	#0	QPSK	22.39	0.67	23.06	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	22.46	0.67	23.13	38.45	PASS
Band5	3	20415	8	#Max	QPSK	22.37	0.67	23.04	38.45	PASS
Band5	3	20415	15	#0	QPSK	22.44	0.67	23.11	38.45	PASS
Band5	3	20415	1	#0	QAM16	23.88	0.67	24.55	38.45	PASS
Band5	3	20415	1	#Mid	QAM16	23.86	0.67	24.53	38.45	PASS
Band5	3	20415	1	#Max	QAM16	23.74	0.67	24.41	38.45	PASS
Band5	3	20415	8	#0	QAM16	21.36	0.67	22.03	38.45	PASS
Band5	3	20415	8	#Mid	QAM16	21.39	0.67	22.06	38.45	PASS
Band5	3	20415	8	#Max	QAM16	21.26	0.67	21.93	38.45	PASS
Band5	3	20415	15	#0	QAM16	21.54	0.67	22.21	38.45	PASS
Band5	3	20525	1	#0	QPSK	23.37	0.67	24.04	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	23.35	0.67	24.02	38.45	PASS
Band5	3	20525	1	#Max	QPSK	23.38	0.67	24.05	38.45	PASS
Band5	3	20525	8	#0	QPSK	22.29	0.67	22.96	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	22.36	0.67	23.03	38.45	PASS
Band5	3	20525	8	#Max	QPSK	22.33	0.67	23.00	38.45	PASS
Band5	3	20525	15	#0	QPSK	22.33	0.67	23.00	38.45	PASS
Band5	3	20525	1	#0	QAM16	22.84	0.67	23.51	38.45	PASS
Band5	3	20525	1	#Mid	QAM16	22.88	0.67	23.55	38.45	PASS
Band5	3	20525	1	#Max	QAM16	22.85	0.67	23.52	38.45	PASS
Band5	3	20525	8	#0	QAM16	21.33	0.67	22.00	38.45	PASS
Band5	3	20525	8	#Mid	QAM16	21.36	0.67	22.03	38.45	PASS
Band5	3	20525	8	#Max	QAM16	21.33	0.67	22.00	38.45	PASS
Band5	3	20525	15	#0	QAM16	21.28	0.67	21.95	38.45	PASS
Band5	3	20635	1	#0	QPSK	23.4	0.67	24.07	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	23.36	0.67	24.03	38.45	PASS
Band5	3	20635	1	#Max	QPSK	23.43	0.67	24.10	38.45	PASS
Band5	3	20635	8	#0	QPSK	22.25	0.67	22.92	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	22.24	0.67	22.91	38.45	PASS
Band5	3	20635	8	#Max	QPSK	22.34	0.67	23.01	38.45	PASS
Band5	3	20635	15	#0	QPSK	22.2	0.67	22.87	38.45	PASS
Band5	3	20635	1	#0	QAM16	22.91	0.67	23.58	38.45	PASS
Band5	3	20635	1	#Mid	QAM16	22.8	0.67	23.47	38.45	PASS
Band5	3	20635	1	#Max	QAM16	22.91	0.67	23.58	38.45	PASS
Band5	3	20635	8	#0	QAM16	21.31	0.67	21.98	38.45	PASS

Band5	3	20635	8	#Mid	QAM16	21.3	0.67	21.97	38.45	PASS
Band5	3	20635	8	#Max	QAM16	21.4	0.67	22.07	38.45	PASS
Band5	3	20635	15	#0	QAM16	21.33	0.67	22.00	38.45	PASS
Band5	5	20425	1	#0	QPSK	23.36	0.67	24.03	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	23.26	0.67	23.93	38.45	PASS
Band5	5	20425	1	#Max	QPSK	23.29	0.67	23.96	38.45	PASS
Band5	5	20425	12	#0	QPSK	22.52	0.67	23.19	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	22.33	0.67	23.00	38.45	PASS
Band5	5	20425	12	#Max	QPSK	22.48	0.67	23.15	38.45	PASS
Band5	5	20425	25	#0	QPSK	22.44	0.67	23.11	38.45	PASS
Band5	5	20425	1	#0	QAM16	22.98	0.67	23.65	38.45	PASS
Band5	5	20425	1	#Mid	QAM16	22.9	0.67	23.57	38.45	PASS
Band5	5	20425	1	#Max	QAM16	23	0.67	23.67	38.45	PASS
Band5	5	20425	12	#0	QAM16	21.42	0.67	22.09	38.45	PASS
Band5	5	20425	12	#Mid	QAM16	21.33	0.67	22.00	38.45	PASS
Band5	5	20425	12	#Max	QAM16	21.25	0.67	21.92	38.45	PASS
Band5	5	20425	25	#0	QAM16	21.49	0.67	22.16	38.45	PASS
Band5	5	20525	1	#0	QPSK	23.45	0.67	24.12	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	23.37	0.67	24.04	38.45	PASS
Band5	5	20525	1	#Max	QPSK	23.36	0.67	24.03	38.45	PASS
Band5	5	20525	12	#0	QPSK	22.3	0.67	22.97	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	22.37	0.67	23.04	38.45	PASS
Band5	5	20525	12	#Max	QPSK	22.38	0.67	23.05	38.45	PASS
Band5	5	20525	25	#0	QPSK	22.39	0.67	23.06	38.45	PASS
Band5	5	20525	1	#0	QAM16	22.9	0.67	23.57	38.45	PASS
Band5	5	20525	1	#Mid	QAM16	22.89	0.67	23.56	38.45	PASS
Band5	5	20525	1	#Max	QAM16	22.79	0.67	23.46	38.45	PASS
Band5	5	20525	12	#0	QAM16	21.18	0.67	21.85	38.45	PASS
Band5	5	20525	12	#Mid	QAM16	21.18	0.67	21.85	38.45	PASS
Band5	5	20525	12	#Max	QAM16	21.2	0.67	21.87	38.45	PASS
Band5	5	20525	25	#0	QAM16	21.39	0.67	22.06	38.45	PASS
Band5	5	20625	1	#0	QPSK	23.05	0.67	23.72	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	23.09	0.67	23.76	38.45	PASS
Band5	5	20625	1	#Max	QPSK	23.14	0.67	23.81	38.45	PASS
Band5	5	20625	12	#0	QPSK	22.32	0.67	22.99	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	22.35	0.67	23.02	38.45	PASS
Band5	5	20625	12	#Max	QPSK	22.33	0.67	23.00	38.45	PASS
Band5	5	20625	25	#0	QPSK	22.23	0.67	22.90	38.45	PASS
Band5	5	20625	1	#0	QAM16	23.42	0.67	24.09	38.45	PASS
Band5	5	20625	1	#Mid	QAM16	23.25	0.67	23.92	38.45	PASS
Band5	5	20625	1	#Max	QAM16	23.39	0.67	24.06	38.45	PASS
Band5	5	20625	12	#0	QAM16	21.31	0.67	21.98	38.45	PASS
Band5	5	20625	12	#Mid	QAM16	21.26	0.67	21.93	38.45	PASS
Band5	5	20625	12	#Max	QAM16	21.25	0.67	21.92	38.45	PASS

Band5	5	20625	25	#0	QAM16	21.46	0.67	22.13	38.45	PASS
Band5	10	20450	1	#0	QPSK	23.41	0.67	24.08	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	23.26	0.67	23.93	38.45	PASS
Band5	10	20450	1	#Max	QPSK	23.3	0.67	23.97	38.45	PASS
Band5	10	20450	25	#0	QPSK	22.51	0.67	23.18	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	22.36	0.67	23.03	38.45	PASS
Band5	10	20450	25	#Max	QPSK	22.45	0.67	23.12	38.45	PASS
Band5	10	20450	50	#0	QPSK	22.35	0.67	23.02	38.45	PASS
Band5	10	20450	1	#0	QAM16	23.88	0.67	24.55	38.45	PASS
Band5	10	20450	1	#Mid	QAM16	23.87	0.67	24.54	38.45	PASS
Band5	10	20450	1	#Max	QAM16	23.85	0.67	24.52	38.45	PASS
Band5	10	20450	25	#0	QAM16	21.42	0.67	22.09	38.45	PASS
Band5	10	20450	25	#Mid	QAM16	21.36	0.67	22.03	38.45	PASS
Band5	10	20450	25	#Max	QAM16	21.36	0.67	22.03	38.45	PASS
Band5	10	20450	50	#0	QAM16	21.35	0.67	22.02	38.45	PASS
Band5	10	20525	1	#0	QPSK	23.28	0.67	23.95	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	23.29	0.67	23.96	38.45	PASS
Band5	10	20525	1	#Max	QPSK	23.33	0.67	24.00	38.45	PASS
Band5	10	20525	25	#0	QPSK	22.31	0.67	22.98	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	22.37	0.67	23.04	38.45	PASS
Band5	10	20525	25	#Max	QPSK	22.35	0.67	23.02	38.45	PASS
Band5	10	20525	50	#0	QPSK	22.49	0.67	23.16	38.45	PASS
Band5	10	20525	1	#0	QAM16	23.44	0.67	24.11	38.45	PASS
Band5	10	20525	1	#Mid	QAM16	23.43	0.67	24.10	38.45	PASS
Band5	10	20525	1	#Max	QAM16	23.44	0.67	24.11	38.45	PASS
Band5	10	20525	25	#0	QAM16	21.35	0.67	22.02	38.45	PASS
Band5	10	20525	25	#Mid	QAM16	21.4	0.67	22.07	38.45	PASS
Band5	10	20525	25	#Max	QAM16	21.32	0.67	21.99	38.45	PASS
Band5	10	20525	50	#0	QAM16	21.39	0.67	22.06	38.45	PASS
Band5	10	20600	1	#0	QPSK	23.3	0.67	23.97	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	23.35	0.67	24.02	38.45	PASS
Band5	10	20600	1	#Max	QPSK	23.34	0.67	24.01	38.45	PASS
Band5	10	20600	25	#0	QPSK	22.29	0.67	22.96	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	22.33	0.67	23.00	38.45	PASS
Band5	10	20600	25	#Max	QPSK	22.23	0.67	22.90	38.45	PASS
Band5	10	20600	50	#0	QPSK	22.39	0.67	23.06	38.45	PASS
Band5	10	20600	1	#0	QAM16	22.97	0.67	23.64	38.45	PASS
Band5	10	20600	1	#Mid	QAM16	23.02	0.67	23.69	38.45	PASS
Band5	10	20600	1	#Max	QAM16	23.07	0.67	23.74	38.45	PASS
Band5	10	20600	25	#0	QAM16	21.42	0.67	22.09	38.45	PASS
Band5	10	20600	25	#Mid	QAM16	21.35	0.67	22.02	38.45	PASS
Band5	10	20600	25	#Max	QAM16	21.43	0.67	22.10	38.45	PASS
Band5	10	20600	50	#0	QAM16	21.27	0.67	21.94	38.45	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	1.87	0.002	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	1.48	0.002	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-0.41	0.000	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	1.33	0.002	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	0.34	0.000	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	0.57	0.001	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	4.18	13	PASS
Band5	1.4	20525	1	#0	QAM16	4.53	13	PASS
Band5	3	20525	1	#0	QPSK	4.07	13	PASS
Band5	3	20525	1	#0	QAM16	4.77	13	PASS
Band5	5	20525	1	#0	QPSK	4.34	13	PASS
Band5	5	20525	1	#0	QAM16	4.88	13	PASS
Band5	10	20525	1	#0	QPSK	4.17	13	PASS
Band5	10	20525	1	#0	QAM16	4.84	13	PASS



Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0

**Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0**

**Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0**


**Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	1.099	1.247	PASS
Band5	1.4	20407	6	#0	QAM16	1.103	1.250	PASS
Band5	1.4	20525	6	#0	QPSK	1.098	1.254	PASS
Band5	1.4	20525	6	#0	QAM16	1.094	1.243	PASS
Band5	1.4	20643	6	#0	QPSK	1.097	1.247	PASS
Band5	1.4	20643	6	#0	QAM16	1.102	1.247	PASS
Band5	3	20415	15	#0	QPSK	2.709	3.022	PASS
Band5	3	20415	15	#0	QAM16	2.708	3.027	PASS
Band5	3	20525	15	#0	QPSK	2.708	3.035	PASS
Band5	3	20525	15	#0	QAM16	2.706	3.047	PASS
Band5	3	20635	15	#0	QPSK	2.714	3.026	PASS
Band5	3	20635	15	#0	QAM16	2.714	3.046	PASS
Band5	5	20425	25	#0	QPSK	4.508	4.954	PASS
Band5	5	20425	25	#0	QAM16	4.501	4.924	PASS
Band5	5	20525	25	#0	QPSK	4.507	4.971	PASS
Band5	5	20525	25	#0	QAM16	4.523	4.998	PASS
Band5	5	20625	25	#0	QPSK	4.513	4.955	PASS
Band5	5	20625	25	#0	QAM16	4.522	4.967	PASS
Band5	10	20450	50	#0	QPSK	8.991	9.782	PASS
Band5	10	20450	50	#0	QAM16	8.978	9.840	PASS
Band5	10	20525	50	#0	QPSK	8.972	9.876	PASS
Band5	10	20525	50	#0	QAM16	8.999	9.794	PASS
Band5	10	20600	50	#0	QPSK	8.980	9.792	PASS
Band5	10	20600	50	#0	QAM16	8.990	9.919	PASS



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



**Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0****Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0**






Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0

**Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0****Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0**



**Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0****Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0**




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0


**Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0****Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0**




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0





Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0






Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0

**Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0****Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0**

**Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0****Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0**




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.93	-30.23	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.99	-30.66	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.10	-27.87	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-28.56	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-23.70	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-25.02	-13	PASS
Band5	3	20635	15	#0	QPSK	849.01	-25.32	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-23.96	-13	PASS
Band5	5	20425	25	#0	QPSK	823.98	-29.10	-13	PASS
Band5	5	20425	25	#0	QAM16	824.00	-28.91	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-27.33	-13	PASS
Band5	5	20625	25	#0	QAM16	849.02	-29.62	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-29.29	-13	PASS
Band5	10	20450	50	#0	QAM16	824.00	-31.34	-13	PASS
Band5	10	20600	50	#0	QPSK	849.06	-30.84	-13	PASS
Band5	10	20600	50	#0	QAM16	849.06	-32.89	-13	PASS


Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	3767.05	-39.18	-13	PASS
Band5	1.4	20407	6	#0	QAM16	2473.98	-38.60	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2545.30	-38.46	-13	PASS
Band5	1.4	20643	6	#0	QAM16	2545.53	-37.15	-13	PASS
Band5	3	20415	15	#0	QPSK	3833.20	-39.54	-13	PASS
Band5	3	20415	15	#0	QAM16	3777.63	-39.45	-13	PASS
Band5	3	20635	15	#0	QPSK	3868.30	-38.34	-13	PASS
Band5	3	20635	15	#0	QAM16	3739.38	-37.80	-13	PASS
Band5	5	20425	25	#0	QPSK	3824.43	-38.98	-13	PASS
Band5	5	20425	25	#0	QAM16	3781.00	-38.84	-13	PASS
Band5	5	20625	25	#0	QPSK	3840.63	-38.71	-13	PASS
Band5	5	20625	25	#0	QAM16	3821.95	-39.09	-13	PASS
Band5	10	20450	50	#0	QPSK	3824.65	-39.34	-13	PASS
Band5	10	20450	50	#0	QAM16	4683.70	-39.25	-13	PASS
Band5	10	20600	50	#0	QPSK	3776.73	-39.01	-13	PASS
Band5	10	20600	50	#0	QAM16	4712.28	-39.01	-13	PASS


Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0

