

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 10 | CP-QPSK     | M | Edge_1RB_Left  | 18.28 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | M | Edge_1RB_Right | 18.74 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | M | Outer_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | M | Inner_Full     | 19.25 | PC3 | PASS |
| N41 | 30 | 10 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 10 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 10 | DFT-PI2BPSK | H | Outer_Full     | 19.43 | PC3 | PASS |
| N41 | 30 | 10 | DFT-PI2BPSK | H | Inner_Full     | 19.28 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Edge_1RB_Left  | 18.42 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Edge_1RB_Right | 18.62 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Outer_Full     | 18.16 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Inner_Full     | 18.21 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Edge_1RB_Left  | 18.15 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Edge_1RB_Right | 18.27 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Outer_Full     | 18.15 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Inner_Full     | 18.16 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Edge_1RB_Left  | 18.26 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Edge_1RB_Right | 18.28 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Outer_Full     | 18.41 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Inner_Full     | 18.23 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Edge_1RB_Left  | 18.21 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.16 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Outer_Full     | 19.27 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Inner_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Edge_1RB_Left  | 18.27 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Edge_1RB_Right | 18.71 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Outer_Full     | 18.63 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Inner_Full     | 18.25 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Edge_1RB_Right | 18.42 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Outer_Full     | 18.63 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Inner_Full     | 19.24 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Edge_1RB_Left  | 18.75 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Edge_1RB_Right | 18.26 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Outer_Full     | 18.36 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Inner_Full     | 18.85 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Edge_1RB_Left  | 18.41 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Edge_1RB_Right | 18.21 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Outer_Full     | 18.25 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Inner_Full     | 18.98 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Edge_1RB_Left  | 18.74 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Edge_1RB_Right | 18.89 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Outer_Full     | 18.62 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 20 | CP-QPSK     | L | Inner_Full     | 18.24 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Edge_1RB_Left  | 19.46 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.35 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Outer_Full     | 19.41 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Inner_Full     | 19.62 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Edge_1RB_Left  | 18.41 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Edge_1RB_Right | 19.27 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Outer_Full     | 18.68 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Inner_Full     | 19.41 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Edge_1RB_Left  | 18.25 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Outer_Full     | 19.54 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Inner_Full     | 18.78 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Edge_1RB_Left  | 18.64 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Edge_1RB_Right | 18.45 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Outer_Full     | 18.56 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Inner_Full     | 18.59 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Edge_1RB_Left  | 18.75 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Edge_1RB_Right | 18.32 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Outer_Full     | 18.65 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Inner_Full     | 19.74 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Edge_1RB_Left  | 19.25 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Outer_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Inner_Full     | 19.75 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Edge_1RB_Left  | 19.52 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Outer_Full     | 19.21 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Inner_Full     | 19.18 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Edge_1RB_Left  | 19.16 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Edge_1RB_Right | 19.87 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Outer_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Inner_Full     | 19.64 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.71 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.26 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Outer_Full     | 19.21 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Inner_Full     | 19.98 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Edge_1RB_Left  | 19.41 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Edge_1RB_Right | 19.26 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Outer_Full     | 19.28 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Inner_Full     | 19.47 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.62 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 40 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Outer_Full     | 19.54 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Inner_Full     | 19.65 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Edge_1RB_Left  | 19.20 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Edge_1RB_Right | 19.13 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Outer_Full     | 19.78 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Inner_Full     | 19.56 | PC3 | PASS |
| N41 | 30 | 40 | DFT-QPSK    | M | Edge_1RB_Right | 19.98 | PC3 | PASS |
| N41 | 30 | 40 | DFT-QPSK    | M | Outer_Full     | 19.74 | PC3 | PASS |
| N41 | 30 | 40 | DFT-QPSK    | M | Inner_Full     | 19.21 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Outer_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Inner_Full     | 19.31 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.23 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.45 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Outer_Full     | 19.65 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Inner_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Edge_1RB_Left  | 19.39 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Outer_Full     | 19.12 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Inner_Full     | 19.35 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.41 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.26 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Outer_Full     | 19.25 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Inner_Full     | 19.42 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Edge_1RB_Left  | 19.69 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Edge_1RB_Right | 19.78 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Outer_Full     | 19.54 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Inner_Full     | 19.26 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Outer_Full     | 19.25 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Inner_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Edge_1RB_Left  | 19.87 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Edge_1RB_Right | 19.45 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Outer_Full     | 19.69 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Inner_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.65 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Outer_Full     | 19.52 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Inner_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Edge_1RB_Left  | 19.54 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 50 | CP-QPSK     | H | Edge_1RB_Right | 19.24 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Outer_Full     | 19.32 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Inner_Full     | 19.17 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.26 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.68 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Outer_Full     | 19.52 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Inner_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Edge_1RB_Left  | 19.75 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Edge_1RB_Right | 19.35 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Outer_Full     | 19.65 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Inner_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.28 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Outer_Full     | 19.64 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Inner_Full     | 19.41 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Edge_1RB_Left  | 19.26 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Edge_1RB_Right | 19.58 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Outer_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Inner_Full     | 19.24 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Outer_Full     | 19.46 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Inner_Full     | 19.62 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Edge_1RB_Left  | 19.21 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Edge_1RB_Right | 19.42 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Outer_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Inner_Full     | 19.54 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.45 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.29 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Outer_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Inner_Full     | 19.32 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Edge_1RB_Left  | 19.25 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Outer_Full     | 19.69 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Inner_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Edge_1RB_Left  | 19.25 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Outer_Full     | 19.57 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Inner_Full     | 19.46 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Edge_1RB_Left  | 19.74 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Outer_Full     | 19.54 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Inner_Full     | 19.25 | PC3 | PASS |

|     |    |     |             |   |                |       |     |      |
|-----|----|-----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 80  | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 80  | DFT-PI2BPSK | H | Edge_1RB_Right | 19.24 | PC3 | PASS |
| N41 | 30 | 80  | DFT-PI2BPSK | H | Outer_Full     | 19.78 | PC3 | PASS |
| N41 | 30 | 80  | DFT-PI2BPSK | H | Inner_Full     | 19.64 | PC3 | PASS |
| N41 | 30 | 80  | CP-QPSK     | H | Edge_1RB_Left  | 19.26 | PC3 | PASS |
| N41 | 30 | 80  | CP-QPSK     | H | Edge_1RB_Right | 19.26 | PC3 | PASS |
| N41 | 30 | 80  | CP-QPSK     | H | Outer_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 80  | CP-QPSK     | H | Inner_Full     | 19.12 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Outer_Full     | 19.87 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Inner_Full     | 19.45 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Edge_1RB_Left  | 19.36 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Outer_Full     | 19.12 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Inner_Full     | 19.65 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Edge_1RB_Left  | 19.87 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Edge_1RB_Right | 19.74 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Outer_Full     | 19.25 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Inner_Full     | 19.37 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Edge_1RB_Left  | 19.26 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Edge_1RB_Right | 19.54 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Outer_Full     | 19.15 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Inner_Full     | 19.15 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Edge_1RB_Right | 19.36 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Outer_Full     | 19.15 | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Inner_Full     | 19.65 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Edge_1RB_Left  | 19.15 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Edge_1RB_Right | 19.48 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Outer_Full     | 19.15 | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Inner_Full     | 19.16 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.25 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.18 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Outer_Full     | 19.10 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Inner_Full     | 19.05 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Edge_1RB_Left  | 19.35 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Edge_1RB_Right | 19.05 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Outer_Full     | 19.24 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Inner_Full     | 19.28 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Edge_1RB_Right | 19.26 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Outer_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Inner_Full     | 19.54 | PC3 | PASS |

|     |    |     |          |   |                |              |     |      |
|-----|----|-----|----------|---|----------------|--------------|-----|------|
| N41 | 30 | 100 | DFT-QPSK | M | Edge_1RB_Left  | 19.45        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | M | Edge_1RB_Right | 19.45        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | M | Outer_Full     | 19.28        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | M | Inner_Full     | 19.26        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | M | Edge_1RB_Left  | 19.28        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | M | Edge_1RB_Right | 19.42        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | M | Outer_Full     | 19.36        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | M | Inner_Full     | 19.64        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Edge_1RB_Left  | 19.45        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Edge_1RB_Right | 19.23        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Outer_Full     | 19.62        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Inner_Full     | 19.61        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Edge_1RB_Left  | <b>19.99</b> | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Edge_1RB_Right | 19.23        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Outer_Full     | 19.54        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Inner_Full     | 19.21        | PC3 | PASS |

**5G NR(P3):**

| Band | SCS | Bandwidth | Modulation  | Channel | RB Config      | Power (dBm) | Power Class | Verdict |
|------|-----|-----------|-------------|---------|----------------|-------------|-------------|---------|
| N41  | 30  | 10        | DFT-PI2BPSK | L       | Edge_1RB_Left  | 20.52       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | L       | Edge_1RB_Right | 20.17       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | L       | Outer_Full     | 20.30       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | L       | Inner_Full     | 20.16       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | L       | Edge_1RB_Left  | 19.54       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | L       | Edge_1RB_Right | 19.41       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | L       | Outer_Full     | 19.23       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | L       | Inner_Full     | 19.29       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | M       | Edge_1RB_Left  | 19.46       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | M       | Edge_1RB_Right | 20.21       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | M       | Outer_Full     | 20.23       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | M       | Inner_Full     | 20.02       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | M       | Edge_1RB_Left  | 19.58       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | M       | Edge_1RB_Right | 19.43       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | M       | Outer_Full     | 20.16       | PC3         | PASS    |
| N41  | 30  | 10        | CP-QPSK     | M       | Inner_Full     | 20.16       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | H       | Edge_1RB_Left  | 20.14       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | H       | Edge_1RB_Right | 19.06       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | H       | Outer_Full     | 19.23       | PC3         | PASS    |
| N41  | 30  | 10        | DFT-PI2BPSK | H       | Inner_Full     | 20.27       | PC3         | PASS    |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 10 | CP-QPSK     | H | Edge_1RB_Left  | 19.46 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Edge_1RB_Right | 19.62 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Outer_Full     | 19.42 | PC3 | PASS |
| N41 | 30 | 10 | CP-QPSK     | H | Inner_Full     | 19.25 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.62 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.45 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Outer_Full     | 19.36 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | L | Inner_Full     | 19.41 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Edge_1RB_Left  | 19.23 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Edge_1RB_Right | 19.48 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Outer_Full     | 19.71 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | L | Inner_Full     | 19.62 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Edge_1RB_Left  | 19.46 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.25 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Outer_Full     | 20.46 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | M | Inner_Full     | 20.23 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Edge_1RB_Left  | 19.51 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Edge_1RB_Right | 19.63 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Outer_Full     | 19.41 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | M | Inner_Full     | 19.23 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Edge_1RB_Right | 19.25 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Outer_Full     | 19.42 | PC3 | PASS |
| N41 | 30 | 15 | DFT-PI2BPSK | H | Inner_Full     | 20.46 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Edge_1RB_Left  | 19.28 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Edge_1RB_Right | 19.41 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Outer_Full     | 19.26 | PC3 | PASS |
| N41 | 30 | 15 | CP-QPSK     | H | Inner_Full     | 19.30 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.37 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.34 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Outer_Full     | 19.74 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | L | Inner_Full     | 19.62 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Edge_1RB_Left  | 19.51 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Edge_1RB_Right | 19.23 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Outer_Full     | 19.24 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | L | Inner_Full     | 19.64 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Edge_1RB_Left  | 20.45 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.15 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | M | Inner_Full     | 20.68 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Edge_1RB_Left  | 19.74 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Edge_1RB_Right | 19.74 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | M | Outer_Full     | 19.65 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 20 | CP-QPSK     | M | Inner_Full     | 20.12 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Edge_1RB_Left  | 19.39 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.81 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Outer_Full     | 20.24 | PC3 | PASS |
| N41 | 30 | 20 | DFT-PI2BPSK | H | Inner_Full     | 19.35 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Edge_1RB_Left  | 19.62 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Edge_1RB_Right | 19.87 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Outer_Full     | 19.15 | PC3 | PASS |
| N41 | 30 | 20 | CP-QPSK     | H | Inner_Full     | 19.46 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Edge_1RB_Left  | 19.25 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Edge_1RB_Right | 19.46 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Outer_Full     | 19.23 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | L | Inner_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Edge_1RB_Left  | 20.46 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Edge_1RB_Right | 20.41 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Outer_Full     | 20.20 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | L | Inner_Full     | 20.15 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Edge_1RB_Left  | 20.15 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.45 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Outer_Full     | 20.32 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | M | Inner_Full     | 20.54 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Edge_1RB_Left  | 20.42 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Edge_1RB_Right | 20.62 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Outer_Full     | 20.41 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | M | Inner_Full     | 20.23 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Edge_1RB_Left  | 20.24 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.46 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Outer_Full     | 20.48 | PC3 | PASS |
| N41 | 30 | 30 | DFT-PI2BPSK | H | Inner_Full     | 20.46 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Edge_1RB_Left  | 20.16 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Edge_1RB_Right | 20.13 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 30 | CP-QPSK     | H | Inner_Full     | 20.35 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.42 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Edge_1RB_Right | 20.25 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Outer_Full     | 20.36 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | L | Inner_Full     | 20.42 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Edge_1RB_Left  | 20.42 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Edge_1RB_Right | 20.23 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | L | Inner_Full     | 20.34 | PC3 | PASS |
| N41 | 30 | 40 | DFT-QPSK    | M | Edge_1RB_Right | 20.78 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 40 | DFT-QPSK    | M | Outer_Full     | 20.31 | PC3 | PASS |
| N41 | 30 | 40 | DFT-QPSK    | M | Inner_Full     | 20.24 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Edge_1RB_Left  | 20.45 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Edge_1RB_Right | 20.64 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Outer_Full     | 20.15 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | M | Inner_Full     | 20.16 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Edge_1RB_Left  | 20.19 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.41 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Outer_Full     | 20.16 | PC3 | PASS |
| N41 | 30 | 40 | DFT-PI2BPSK | H | Inner_Full     | 20.23 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Edge_1RB_Left  | 20.26 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Edge_1RB_Right | 20.27 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Outer_Full     | 20.75 | PC3 | PASS |
| N41 | 30 | 40 | CP-QPSK     | H | Inner_Full     | 20.66 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.54 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Edge_1RB_Right | 20.12 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Outer_Full     | 20.35 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | L | Inner_Full     | 20.47 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Edge_1RB_Left  | 20.46 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Edge_1RB_Right | 20.26 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Outer_Full     | 20.15 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | L | Inner_Full     | 20.64 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.75 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Outer_Full     | 20.65 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | M | Inner_Full     | 20.41 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Edge_1RB_Left  | 20.23 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Edge_1RB_Right | 20.25 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Outer_Full     | 20.74 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | M | Inner_Full     | 20.26 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Edge_1RB_Left  | 20.24 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.12 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Outer_Full     | 20.31 | PC3 | PASS |
| N41 | 30 | 50 | DFT-PI2BPSK | H | Inner_Full     | 20.15 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Edge_1RB_Left  | 20.15 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Edge_1RB_Right | 20.36 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Outer_Full     | 20.57 | PC3 | PASS |
| N41 | 30 | 50 | CP-QPSK     | H | Inner_Full     | 20.16 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.71 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Edge_1RB_Right | 20.13 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | L | Inner_Full     | 20.16 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Edge_1RB_Left  | 20.54 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N41 | 30 | 60 | CP-QPSK     | L | Edge_1RB_Right | 20.13 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Outer_Full     | 20.23 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | L | Inner_Full     | 20.27 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.16 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Outer_Full     | 20.21 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | M | Inner_Full     | 20.15 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Edge_1RB_Left  | 20.15 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Edge_1RB_Right | 20.16 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Outer_Full     | 20.87 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | M | Inner_Full     | 20.36 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Edge_1RB_Left  | 20.21 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.16 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 60 | DFT-PI2BPSK | H | Inner_Full     | 20.14 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Edge_1RB_Left  | 20.45 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Edge_1RB_Right | 20.13 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 60 | CP-QPSK     | H | Inner_Full     | 20.18 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.16 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Edge_1RB_Right | 20.12 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Outer_Full     | 20.41 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | L | Inner_Full     | 20.21 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Edge_1RB_Left  | 20.16 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Edge_1RB_Right | 20.18 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Outer_Full     | 20.19 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | L | Inner_Full     | 20.56 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Edge_1RB_Left  | 20.16 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.16 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Outer_Full     | 20.28 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | M | Inner_Full     | 20.18 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Edge_1RB_Left  | 20.36 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Edge_1RB_Right | 20.18 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Outer_Full     | 20.41 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | M | Inner_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | H | Edge_1RB_Left  | 20.31 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | H | Edge_1RB_Right | 20.45 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | H | Outer_Full     | 20.58 | PC3 | PASS |
| N41 | 30 | 80 | DFT-PI2BPSK | H | Inner_Full     | 20.46 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | H | Edge_1RB_Left  | 20.19 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | H | Edge_1RB_Right | 20.19 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | H | Outer_Full     | 20.24 | PC3 | PASS |
| N41 | 30 | 80 | CP-QPSK     | H | Inner_Full     | 20.16 | PC3 | PASS |

|     |    |     |             |   |                |              |     |      |
|-----|----|-----|-------------|---|----------------|--------------|-----|------|
| N41 | 30 | 90  | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.87        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Edge_1RB_Right | 20.24        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Outer_Full     | 20.16        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | L | Inner_Full     | 20.25        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Edge_1RB_Left  | 20.16        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Edge_1RB_Right | 20.87        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Outer_Full     | 20.16        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | L | Inner_Full     | 20.12        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Edge_1RB_Left  | 20.36        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Edge_1RB_Right | 20.46        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Outer_Full     | 20.18        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | M | Inner_Full     | 20.18        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Edge_1RB_Left  | 20.13        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Edge_1RB_Right | 20.41        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Outer_Full     | 20.16        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | M | Inner_Full     | 20.23        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Edge_1RB_Right | 20.54        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Outer_Full     | 20.46        | PC3 | PASS |
| N41 | 30 | 90  | DFT-PI2BPSK | H | Inner_Full     | 20.19        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Edge_1RB_Left  | 20.78        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Edge_1RB_Right | 20.15        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Outer_Full     | 20.12        | PC3 | PASS |
| N41 | 30 | 90  | CP-QPSK     | H | Inner_Full     | 20.05        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Edge_1RB_Left  | 20.18        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Edge_1RB_Right | 20.19        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Outer_Full     | 20.21        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | L | Inner_Full     | 20.41        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Edge_1RB_Left  | 20.26        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Edge_1RB_Right | 20.25        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Outer_Full     | 20.16        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | L | Inner_Full     | 20.25        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Edge_1RB_Right | 20.34        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Outer_Full     | 20.47        | PC3 | PASS |
| N41 | 30 | 100 | DFT-PI2BPSK | M | Inner_Full     | 20.15        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK    | M | Edge_1RB_Left  | <b>20.89</b> | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK    | M | Edge_1RB_Right | 20.78        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK    | M | Outer_Full     | 20.76        | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK    | M | Inner_Full     | 20.53        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | M | Edge_1RB_Left  | 20.54        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | M | Edge_1RB_Right | 20.13        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | M | Outer_Full     | 20.51        | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK     | M | Inner_Full     | 20.15        | PC3 | PASS |

|     |    |     |          |   |                |       |     |      |
|-----|----|-----|----------|---|----------------|-------|-----|------|
| N41 | 30 | 100 | DFT-QPSK | H | Edge_1RB_Left  | 20.18 | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Edge_1RB_Right | 20.16 | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Outer_Full     | 20.64 | PC3 | PASS |
| N41 | 30 | 100 | DFT-QPSK | H | Inner_Full     | 20.13 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Edge_1RB_Left  | 20.21 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Edge_1RB_Right | 20.24 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Outer_Full     | 20.25 | PC3 | PASS |
| N41 | 30 | 100 | CP-QPSK  | H | Inner_Full     | 20.16 | PC3 | PASS |

| Band | SCS | Bandwidth | Modulation  | Channel | RB Config      | Power (dBm) | Power Class | Verdict |
|------|-----|-----------|-------------|---------|----------------|-------------|-------------|---------|
| N71  | 15  | 5         | DFT-PI2BPSK | L       | Edge_1RB_Left  | 22.98       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-PI2BPSK | L       | Edge_1RB_Right | 22.78       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-PI2BPSK | L       | Outer_Full     | 22.54       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-PI2BPSK | L       | Inner_Full     | 22.65       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-QPSK    | L       | Edge_1RB_Left  | 22.58       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-QPSK    | L       | Edge_1RB_Right | 22.69       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-QPSK    | L       | Outer_Full     | 22.78       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-QPSK    | L       | Inner_Full     | 21.65       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-16QAM   | L       | Edge_1RB_Left  | 22.90       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-16QAM   | L       | Edge_1RB_Right | 23.05       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-16QAM   | L       | Outer_Full     | 22.36       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-16QAM   | L       | Inner_Full     | 23.87       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-64QAM   | L       | Edge_1RB_Left  | 22.45       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-64QAM   | L       | Edge_1RB_Right | 22.63       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-64QAM   | L       | Outer_Full     | 22.98       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-64QAM   | L       | Inner_Full     | 22.78       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-256QAM  | L       | Edge_1RB_Left  | 21.97       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-256QAM  | L       | Edge_1RB_Right | 21.99       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-256QAM  | L       | Outer_Full     | 21.63       | PC3         | PASS    |
| N71  | 15  | 5         | DFT-256QAM  | L       | Inner_Full     | 21.81       | PC3         | PASS    |
| N71  | 15  | 5         | CP-QPSK     | L       | Edge_1RB_Left  | 22.36       | PC3         | PASS    |
| N71  | 15  | 5         | CP-QPSK     | L       | Edge_1RB_Right | 22.65       | PC3         | PASS    |
| N71  | 15  | 5         | CP-QPSK     | L       | Outer_Full     | 21.66       | PC3         | PASS    |
| N71  | 15  | 5         | CP-QPSK     | L       | Inner_Full     | 22.29       | PC3         | PASS    |
| N71  | 15  | 5         | CP-16QAM    | L       | Edge_1RB_Left  | 21.77       | PC3         | PASS    |
| N71  | 15  | 5         | CP-16QAM    | L       | Edge_1RB_Right | 21.58       | PC3         | PASS    |
| N71  | 15  | 5         | CP-16QAM    | L       | Outer_Full     | 21.69       | PC3         | PASS    |
| N71  | 15  | 5         | CP-16QAM    | L       | Inner_Full     | 21.97       | PC3         | PASS    |
| N71  | 15  | 5         | CP-64QAM    | L       | Edge_1RB_Left  | 21.95       | PC3         | PASS    |
| N71  | 15  | 5         | CP-64QAM    | L       | Edge_1RB_Right | 21.96       | PC3         | PASS    |
| N71  | 15  | 5         | CP-64QAM    | L       | Outer_Full     | 22.28       | PC3         | PASS    |

|     |    |   |             |   |                |       |     |      |
|-----|----|---|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 5 | CP-64QAM    | L | Inner_Full     | 22.98 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | L | Edge_1RB_Left  | 22.73 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | L | Edge_1RB_Right | 22.25 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | L | Outer_Full     | 22.26 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | L | Inner_Full     | 21.69 | PC3 | PASS |
| N71 | 15 | 5 | DFT-PI2BPSK | M | Edge_1RB_Left  | 23.41 | PC3 | PASS |
| N71 | 15 | 5 | DFT-PI2BPSK | M | Edge_1RB_Right | 23.25 | PC3 | PASS |
| N71 | 15 | 5 | DFT-PI2BPSK | M | Outer_Full     | 23.36 | PC3 | PASS |
| N71 | 15 | 5 | DFT-PI2BPSK | M | Inner_Full     | 23.54 | PC3 | PASS |
| N71 | 15 | 5 | DFT-QPSK    | M | Edge_1RB_Left  | 22.41 | PC3 | PASS |
| N71 | 15 | 5 | DFT-QPSK    | M | Edge_1RB_Right | 22.25 | PC3 | PASS |
| N71 | 15 | 5 | DFT-QPSK    | M | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 5 | DFT-QPSK    | M | Inner_Full     | 23.57 | PC3 | PASS |
| N71 | 15 | 5 | DFT-16QAM   | M | Edge_1RB_Left  | 22.41 | PC3 | PASS |
| N71 | 15 | 5 | DFT-16QAM   | M | Edge_1RB_Right | 22.74 | PC3 | PASS |
| N71 | 15 | 5 | DFT-16QAM   | M | Outer_Full     | 22.26 | PC3 | PASS |
| N71 | 15 | 5 | DFT-16QAM   | M | Inner_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 5 | DFT-64QAM   | M | Edge_1RB_Left  | 22.24 | PC3 | PASS |
| N71 | 15 | 5 | DFT-64QAM   | M | Edge_1RB_Right | 21.95 | PC3 | PASS |
| N71 | 15 | 5 | DFT-64QAM   | M | Outer_Full     | 22.28 | PC3 | PASS |
| N71 | 15 | 5 | DFT-64QAM   | M | Inner_Full     | 22.13 | PC3 | PASS |
| N71 | 15 | 5 | DFT-256QAM  | M | Edge_1RB_Left  | 21.95 | PC3 | PASS |
| N71 | 15 | 5 | DFT-256QAM  | M | Edge_1RB_Right | 22.19 | PC3 | PASS |
| N71 | 15 | 5 | DFT-256QAM  | M | Outer_Full     | 22.56 | PC3 | PASS |
| N71 | 15 | 5 | DFT-256QAM  | M | Inner_Full     | 22.25 | PC3 | PASS |
| N71 | 15 | 5 | CP-QPSK     | M | Edge_1RB_Left  | 22.36 | PC3 | PASS |
| N71 | 15 | 5 | CP-QPSK     | M | Edge_1RB_Right | 22.74 | PC3 | PASS |
| N71 | 15 | 5 | CP-QPSK     | M | Outer_Full     | 22.25 | PC3 | PASS |
| N71 | 15 | 5 | CP-QPSK     | M | Inner_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 5 | CP-16QAM    | M | Edge_1RB_Left  | 21.97 | PC3 | PASS |
| N71 | 15 | 5 | CP-16QAM    | M | Edge_1RB_Right | 21.95 | PC3 | PASS |
| N71 | 15 | 5 | CP-16QAM    | M | Outer_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 5 | CP-16QAM    | M | Inner_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 5 | CP-64QAM    | M | Edge_1RB_Left  | 21.91 | PC3 | PASS |
| N71 | 15 | 5 | CP-64QAM    | M | Edge_1RB_Right | 21.90 | PC3 | PASS |
| N71 | 15 | 5 | CP-64QAM    | M | Outer_Full     | 21.92 | PC3 | PASS |
| N71 | 15 | 5 | CP-64QAM    | M | Inner_Full     | 21.93 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | M | Edge_1RB_Left  | 21.97 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | M | Edge_1RB_Right | 21.87 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | M | Outer_Full     | 21.99 | PC3 | PASS |
| N71 | 15 | 5 | CP-256QAM   | M | Inner_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 5 | DFT-PI2BPSK | H | Edge_1RB_Right | 22.98 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 5  | DFT-PI2BPSK | H | Outer_Full     | 23.16 | PC3 | PASS |
| N71 | 15 | 5  | DFT-PI2BPSK | H | Inner_Full     | 23.05 | PC3 | PASS |
| N71 | 15 | 5  | DFT-QPSK    | H | Edge_1RB_Left  | 22.61 | PC3 | PASS |
| N71 | 15 | 5  | DFT-QPSK    | H | Edge_1RB_Right | 22.52 | PC3 | PASS |
| N71 | 15 | 5  | DFT-QPSK    | H | Outer_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 5  | DFT-QPSK    | H | Inner_Full     | 23.28 | PC3 | PASS |
| N71 | 15 | 5  | DFT-16QAM   | H | Edge_1RB_Left  | 22.78 | PC3 | PASS |
| N71 | 15 | 5  | DFT-16QAM   | H | Edge_1RB_Right | 21.88 | PC3 | PASS |
| N71 | 15 | 5  | DFT-16QAM   | H | Outer_Full     | 21.79 | PC3 | PASS |
| N71 | 15 | 5  | DFT-16QAM   | H | Inner_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 5  | DFT-64QAM   | H | Edge_1RB_Left  | 22.45 | PC3 | PASS |
| N71 | 15 | 5  | DFT-64QAM   | H | Edge_1RB_Right | 21.69 | PC3 | PASS |
| N71 | 15 | 5  | DFT-64QAM   | H | Outer_Full     | 21.78 | PC3 | PASS |
| N71 | 15 | 5  | DFT-64QAM   | H | Inner_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 5  | DFT-256QAM  | H | Edge_1RB_Left  | 21.78 | PC3 | PASS |
| N71 | 15 | 5  | DFT-256QAM  | H | Edge_1RB_Right | 21.88 | PC3 | PASS |
| N71 | 15 | 5  | DFT-256QAM  | H | Outer_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 5  | DFT-256QAM  | H | Inner_Full     | 21.92 | PC3 | PASS |
| N71 | 15 | 5  | CP-QPSK     | H | Edge_1RB_Left  | 22.49 | PC3 | PASS |
| N71 | 15 | 5  | CP-QPSK     | H | Edge_1RB_Right | 22.78 | PC3 | PASS |
| N71 | 15 | 5  | CP-QPSK     | H | Outer_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 5  | CP-QPSK     | H | Inner_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 5  | CP-16QAM    | H | Edge_1RB_Left  | 22.78 | PC3 | PASS |
| N71 | 15 | 5  | CP-16QAM    | H | Edge_1RB_Right | 22.73 | PC3 | PASS |
| N71 | 15 | 5  | CP-16QAM    | H | Outer_Full     | 22.64 | PC3 | PASS |
| N71 | 15 | 5  | CP-16QAM    | H | Inner_Full     | 22.71 | PC3 | PASS |
| N71 | 15 | 5  | CP-64QAM    | H | Edge_1RB_Left  | 22.44 | PC3 | PASS |
| N71 | 15 | 5  | CP-64QAM    | H | Edge_1RB_Right | 22.27 | PC3 | PASS |
| N71 | 15 | 5  | CP-64QAM    | H | Outer_Full     | 22.13 | PC3 | PASS |
| N71 | 15 | 5  | CP-64QAM    | H | Inner_Full     | 22.25 | PC3 | PASS |
| N71 | 15 | 5  | CP-256QAM   | H | Edge_1RB_Left  | 22.39 | PC3 | PASS |
| N71 | 15 | 5  | CP-256QAM   | H | Edge_1RB_Right | 22.34 | PC3 | PASS |
| N71 | 15 | 5  | CP-256QAM   | H | Outer_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 5  | CP-256QAM   | H | Inner_Full     | 21.78 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | L | Edge_1RB_Left  | 22.94 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | L | Edge_1RB_Right | 22.92 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | L | Outer_Full     | 22.26 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | L | Inner_Full     | 23.35 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | L | Edge_1RB_Left  | 22.78 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | L | Edge_1RB_Right | 22.43 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | L | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | L | Inner_Full     | 23.54 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 10 | DFT-16QAM   | L | Edge_1RB_Left  | 21.75 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | L | Edge_1RB_Right | 21.78 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | L | Outer_Full     | 22.98 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | L | Inner_Full     | 22.42 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | L | Edge_1RB_Left  | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | L | Edge_1RB_Right | 21.79 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | L | Outer_Full     | 22.04 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | L | Inner_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | L | Edge_1RB_Left  | 22.25 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | L | Edge_1RB_Right | 22.62 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | L | Outer_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | L | Inner_Full     | 21.78 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | L | Edge_1RB_Left  | 22.56 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | L | Edge_1RB_Right | 22.05 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | L | Outer_Full     | 22.42 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | L | Inner_Full     | 22.12 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | L | Edge_1RB_Left  | 22.53 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | L | Edge_1RB_Right | 22.19 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | L | Outer_Full     | 22.26 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | L | Inner_Full     | 22.41 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | L | Edge_1RB_Left  | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | L | Edge_1RB_Right | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | L | Outer_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | L | Inner_Full     | 21.78 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | L | Edge_1RB_Left  | 21.93 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | L | Edge_1RB_Right | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | L | Outer_Full     | 22.92 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | L | Inner_Full     | 22.02 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | M | Edge_1RB_Left  | 23.03 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | M | Edge_1RB_Right | 23.11 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | M | Outer_Full     | 22.92 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | M | Inner_Full     | 22.88 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | M | Edge_1RB_Left  | 22.44 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | M | Edge_1RB_Right | 22.43 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | M | Outer_Full     | 22.54 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | M | Inner_Full     | 23.52 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | M | Edge_1RB_Left  | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | M | Edge_1RB_Right | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | M | Outer_Full     | 22.50 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | M | Inner_Full     | 22.52 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | M | Edge_1RB_Left  | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | M | Edge_1RB_Right | 22.07 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 10 | DFT-64QAM   | M | Outer_Full     | 22.07 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | M | Inner_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | M | Edge_1RB_Left  | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | M | Edge_1RB_Right | 21.87 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | M | Outer_Full     | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | M | Inner_Full     | 22.00 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | M | Edge_1RB_Left  | 22.44 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | M | Edge_1RB_Right | 22.12 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | M | Outer_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | M | Inner_Full     | 22.45 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | M | Edge_1RB_Left  | 22.65 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | M | Edge_1RB_Right | 22.89 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | M | Outer_Full     | 22.54 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | M | Inner_Full     | 22.45 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | M | Edge_1RB_Left  | 22.25 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | M | Edge_1RB_Right | 22.65 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | M | Outer_Full     | 22.58 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | M | Inner_Full     | 22.69 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | M | Edge_1RB_Left  | 22.78 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | M | Edge_1RB_Right | 22.25 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | M | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | M | Inner_Full     | 22.57 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | H | Edge_1RB_Left  | 22.46 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | H | Edge_1RB_Right | 22.28 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | H | Outer_Full     | 23.39 | PC3 | PASS |
| N71 | 15 | 10 | DFT-PI2BPSK | H | Inner_Full     | 23.79 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | H | Edge_1RB_Left  | 23.12 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | H | Edge_1RB_Right | 23.28 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | H | Outer_Full     | 23.10 | PC3 | PASS |
| N71 | 15 | 10 | DFT-QPSK    | H | Inner_Full     | 23.13 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | H | Edge_1RB_Left  | 22.28 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | H | Edge_1RB_Right | 22.35 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | H | Outer_Full     | 22.48 | PC3 | PASS |
| N71 | 15 | 10 | DFT-16QAM   | H | Inner_Full     | 22.74 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | H | Edge_1RB_Left  | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | H | Edge_1RB_Right | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | H | Outer_Full     | 22.05 | PC3 | PASS |
| N71 | 15 | 10 | DFT-64QAM   | H | Inner_Full     | 21.68 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | H | Edge_1RB_Left  | 21.79 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | H | Edge_1RB_Right | 21.86 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | H | Outer_Full     | 21.72 | PC3 | PASS |
| N71 | 15 | 10 | DFT-256QAM  | H | Inner_Full     | 21.36 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 10 | CP-QPSK     | H | Edge_1RB_Left  | 21.89 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | H | Edge_1RB_Right | 21.89 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | H | Outer_Full     | 21.75 | PC3 | PASS |
| N71 | 15 | 10 | CP-QPSK     | H | Inner_Full     | 21.84 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | H | Edge_1RB_Left  | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | H | Edge_1RB_Right | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | H | Outer_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | CP-16QAM    | H | Inner_Full     | 22.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | H | Edge_1RB_Left  | 22.46 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | H | Edge_1RB_Right | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | H | Outer_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-64QAM    | H | Inner_Full     | 21.79 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | H | Edge_1RB_Left  | 21.99 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | H | Edge_1RB_Right | 21.97 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | H | Outer_Full     | 22.98 | PC3 | PASS |
| N71 | 15 | 10 | CP-256QAM   | H | Inner_Full     | 22.05 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | L | Edge_1RB_Left  | 23.09 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | L | Edge_1RB_Right | 23.07 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | L | Outer_Full     | 23.14 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | L | Inner_Full     | 23.63 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | L | Edge_1RB_Left  | 22.60 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | L | Edge_1RB_Right | 22.52 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | L | Outer_Full     | 22.66 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | L | Inner_Full     | 22.67 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | L | Edge_1RB_Left  | 22.96 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | L | Edge_1RB_Right | 22.41 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | L | Outer_Full     | 22.07 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | L | Inner_Full     | 23.71 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | L | Edge_1RB_Left  | 22.93 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | L | Edge_1RB_Right | 22.16 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | L | Outer_Full     | 22.14 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | L | Inner_Full     | 22.14 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | L | Edge_1RB_Left  | 22.87 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | L | Edge_1RB_Right | 22.12 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | L | Outer_Full     | 22.23 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | L | Inner_Full     | 22.15 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | L | Edge_1RB_Left  | 22.76 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | L | Edge_1RB_Right | 23.05 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | L | Outer_Full     | 23.05 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | L | Inner_Full     | 23.07 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | L | Edge_1RB_Left  | 23.09 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | L | Edge_1RB_Right | 23.07 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 15 | CP-16QAM    | L | Outer_Full     | 22.98 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | L | Inner_Full     | 22.97 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | L | Edge_1RB_Left  | 22.98 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | L | Edge_1RB_Right | 22.24 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | L | Outer_Full     | 22.20 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | L | Inner_Full     | 22.14 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | L | Edge_1RB_Left  | 22.08 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | L | Edge_1RB_Right | 22.99 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | L | Outer_Full     | 22.16 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | L | Inner_Full     | 22.12 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | M | Edge_1RB_Right | 22.51 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | M | Outer_Full     | 22.12 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | M | Inner_Full     | 22.64 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | M | Edge_1RB_Left  | 23.12 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | M | Edge_1RB_Right | 22.51 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | M | Outer_Full     | 22.66 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | M | Inner_Full     | 23.13 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | M | Edge_1RB_Left  | 22.40 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | M | Edge_1RB_Right | 22.44 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | M | Outer_Full     | 22.69 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | M | Inner_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | M | Edge_1RB_Left  | 22.66 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | M | Edge_1RB_Right | 22.74 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | M | Outer_Full     | 22.16 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | M | Inner_Full     | 22.14 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | M | Edge_1RB_Left  | 22.71 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | M | Edge_1RB_Right | 21.98 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | M | Outer_Full     | 21.87 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | M | Inner_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | M | Edge_1RB_Left  | 21.93 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | M | Edge_1RB_Right | 21.67 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | M | Outer_Full     | 21.79 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | M | Inner_Full     | 21.89 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | M | Edge_1RB_Right | 21.92 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | M | Outer_Full     | 21.68 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | M | Inner_Full     | 22.67 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | M | Edge_1RB_Left  | 21.98 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | M | Edge_1RB_Right | 21.79 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | M | Outer_Full     | 21.99 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | M | Inner_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | M | Edge_1RB_Left  | 21.89 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | M | Edge_1RB_Right | 21.89 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 15 | CP-256QAM   | M | Outer_Full     | 21.99 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | M | Inner_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | H | Edge_1RB_Left  | 22.01 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | H | Edge_1RB_Right | 22.91 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | H | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 15 | DFT-PI2BPSK | H | Inner_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | H | Edge_1RB_Left  | 22.35 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | H | Edge_1RB_Right | 22.41 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | H | Outer_Full     | 22.02 | PC3 | PASS |
| N71 | 15 | 15 | DFT-QPSK    | H | Inner_Full     | 22.16 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | H | Edge_1RB_Left  | 22.69 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | H | Edge_1RB_Right | 22.47 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | H | Outer_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 15 | DFT-16QAM   | H | Inner_Full     | 23.64 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | H | Edge_1RB_Left  | 22.15 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | H | Edge_1RB_Right | 22.25 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | H | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 15 | DFT-64QAM   | H | Inner_Full     | 22.57 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | H | Edge_1RB_Left  | 22.76 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | H | Edge_1RB_Right | 22.25 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | H | Outer_Full     | 22.36 | PC3 | PASS |
| N71 | 15 | 15 | DFT-256QAM  | H | Inner_Full     | 22.57 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | H | Edge_1RB_Left  | 22.69 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | H | Edge_1RB_Right | 22.12 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | H | Outer_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 15 | CP-QPSK     | H | Inner_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | H | Edge_1RB_Left  | 21.78 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | H | Edge_1RB_Right | 22.01 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | H | Outer_Full     | 22.05 | PC3 | PASS |
| N71 | 15 | 15 | CP-16QAM    | H | Inner_Full     | 22.06 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | H | Edge_1RB_Left  | 22.12 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | H | Edge_1RB_Right | 22.14 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | H | Outer_Full     | 22.16 | PC3 | PASS |
| N71 | 15 | 15 | CP-64QAM    | H | Inner_Full     | 22.17 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | H | Edge_1RB_Left  | 22.21 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | H | Edge_1RB_Right | 22.20 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | H | Outer_Full     | 22.05 | PC3 | PASS |
| N71 | 15 | 15 | CP-256QAM   | H | Inner_Full     | 22.99 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | L | Edge_1RB_Left  | 22.02 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | L | Edge_1RB_Right | 22.16 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | L | Outer_Full     | 22.08 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | L | Inner_Full     | 22.52 | PC3 | PASS |

|     |    |    |             |   |                |       |     |      |
|-----|----|----|-------------|---|----------------|-------|-----|------|
| N71 | 15 | 20 | DFT-QPSK    | L | Edge_1RB_Left  | 22.15 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | L | Edge_1RB_Right | 22.39 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | L | Outer_Full     | 22.15 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | L | Inner_Full     | 22.02 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | L | Edge_1RB_Left  | 22.71 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | L | Edge_1RB_Right | 22.02 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | L | Outer_Full     | 22.15 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | L | Inner_Full     | 22.15 | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | L | Edge_1RB_Left  | 22.16 | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | L | Edge_1RB_Right | 22.19 | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | L | Outer_Full     | 22.19 | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | L | Inner_Full     | 22.47 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | L | Edge_1RB_Left  | 22.16 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | L | Edge_1RB_Right | 21.98 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | L | Outer_Full     | 21.76 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | L | Inner_Full     | 21.78 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | L | Edge_1RB_Left  | 21.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | L | Edge_1RB_Right | 21.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | L | Outer_Full     | 21.98 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | L | Inner_Full     | 21.97 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | L | Edge_1RB_Left  | 22.28 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | L | Edge_1RB_Right | 22.45 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | L | Outer_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | L | Inner_Full     | 22.05 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | L | Edge_1RB_Left  | 22.74 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | L | Edge_1RB_Right | 22.02 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | L | Outer_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | L | Inner_Full     | 22.71 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | L | Edge_1RB_Left  | 22.65 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | L | Edge_1RB_Right | 22.42 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | L | Outer_Full     | 22.59 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | L | Inner_Full     | 22.06 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | M | Edge_1RB_Left  | 22.12 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | M | Edge_1RB_Right | 22.36 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | M | Outer_Full     | 22.89 | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | M | Inner_Full     | 22.46 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | M | Edge_1RB_Left  | 22.87 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | M | Edge_1RB_Right | 22.42 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | M | Outer_Full     | 22.47 | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | M | Inner_Full     | 22.32 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | M | Edge_1RB_Left  | 22.04 | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | M | Edge_1RB_Right | 22.02 | PC3 | PASS |

|     |    |    |             |   |                |              |     |      |
|-----|----|----|-------------|---|----------------|--------------|-----|------|
| N71 | 15 | 20 | DFT-16QAM   | M | Outer_Full     | 22.03        | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | M | Inner_Full     | 22.47        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | M | Edge_1RB_Left  | 22.05        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | M | Edge_1RB_Right | 22.58        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | M | Outer_Full     | 22.03        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | M | Inner_Full     | 22.87        | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | M | Edge_1RB_Left  | 22.13        | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | M | Edge_1RB_Right | 22.02        | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | M | Outer_Full     | 22.28        | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM  | M | Inner_Full     | 22.62        | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | M | Edge_1RB_Left  | <b>23.68</b> | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | M | Edge_1RB_Right | 23.18        | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | M | Outer_Full     | 22.97        | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK     | M | Inner_Full     | 23.08        | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | M | Edge_1RB_Left  | 22.78        | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | M | Edge_1RB_Right | 22.86        | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | M | Outer_Full     | 22.79        | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM    | M | Inner_Full     | 22.98        | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | M | Edge_1RB_Left  | 22.94        | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | M | Edge_1RB_Right | 22.95        | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | M | Outer_Full     | 22.95        | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM    | M | Inner_Full     | 22.99        | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | M | Edge_1RB_Left  | 22.99        | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | M | Edge_1RB_Right | 22.10        | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | M | Outer_Full     | 22.02        | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM   | M | Inner_Full     | 22.04        | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | H | Edge_1RB_Left  | 22.18        | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | H | Edge_1RB_Right | 22.03        | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | H | Outer_Full     | 22.02        | PC3 | PASS |
| N71 | 15 | 20 | DFT-PI2BPSK | H | Inner_Full     | 22.41        | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | H | Edge_1RB_Left  | 22.58        | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | H | Edge_1RB_Right | 22.69        | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | H | Outer_Full     | 21.98        | PC3 | PASS |
| N71 | 15 | 20 | DFT-QPSK    | H | Inner_Full     | 22.02        | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | H | Edge_1RB_Left  | 22.05        | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | H | Edge_1RB_Right | 22.35        | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | H | Outer_Full     | 22.07        | PC3 | PASS |
| N71 | 15 | 20 | DFT-16QAM   | H | Inner_Full     | 22.98        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | H | Edge_1RB_Left  | 22.73        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | H | Edge_1RB_Right | 22.82        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | H | Outer_Full     | 22.65        | PC3 | PASS |
| N71 | 15 | 20 | DFT-64QAM   | H | Inner_Full     | 22.36        | PC3 | PASS |

|     |    |    |            |   |                |       |     |      |
|-----|----|----|------------|---|----------------|-------|-----|------|
| N71 | 15 | 20 | DFT-256QAM | H | Edge_1RB_Left  | 22.78 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM | H | Edge_1RB_Right | 22.65 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM | H | Outer_Full     | 22.35 | PC3 | PASS |
| N71 | 15 | 20 | DFT-256QAM | H | Inner_Full     | 22.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK    | H | Edge_1RB_Left  | 22.58 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK    | H | Edge_1RB_Right | 22.77 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK    | H | Outer_Full     | 22.92 | PC3 | PASS |
| N71 | 15 | 20 | CP-QPSK    | H | Inner_Full     | 22.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM   | H | Edge_1RB_Left  | 22.56 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM   | H | Edge_1RB_Right | 22.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM   | H | Outer_Full     | 22.65 | PC3 | PASS |
| N71 | 15 | 20 | CP-16QAM   | H | Inner_Full     | 22.79 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM   | H | Edge_1RB_Left  | 22.36 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM   | H | Edge_1RB_Right | 22.78 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM   | H | Outer_Full     | 22.69 | PC3 | PASS |
| N71 | 15 | 20 | CP-64QAM   | H | Inner_Full     | 22.78 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM  | H | Edge_1RB_Left  | 22.56 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM  | H | Edge_1RB_Right | 22.32 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM  | H | Outer_Full     | 22.74 | PC3 | PASS |
| N71 | 15 | 20 | CP-256QAM  | H | Inner_Full     | 22.98 | PC3 | PASS |

**Remark:**

1. Per KDB941225 D05 v02r05, Start with the largest channel bandwidth then measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power among RB offsets at the upper edge, middle, and lower edge of each required test channel. When the reported SAR is  $\leq 0.8$  W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
2. Per KDB941225 D05 v02r05, The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.
3. Per KDB941225 D05 v02r05, For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations, and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are  $\leq 0.8$  W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is  $> 1.45$  W/kg, the remaining required test channels must also be tested.
4. Per KDB941225 D05 v02r05, For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in 5.2.1, 5.2.2, and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration