




N66-10M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-20GHz



N66-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz






N66-10M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-20GHz



N66-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



266-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1R80-10GHz-20GHz

Spectrum Analyzer 1
Sweep SA

KEYSIGHT Input: RF
Coupling: DC
Align: Off

Input Z: 50 Ω
Corr: CCorr
Freq Ref: Int (S)
NFE: Adaptive

#Atten: 36 dB
Preamp: Off
μW Path: Standard

PN0: Fast
Gate: Off
IF Gain: Low
Sig Track: Off

#Avg Type: Power (RMS)
Avg(Hold: 100/100
Trig: Free Run

1 2 3 4 5 6
A W W W W W
A A A A A A

Center Frequency
15.000000000 GHz

Span
10.0000000 GHz
Sweep Span
Zero Span
Full Span

Start Freq
10.000000000 GHz

Stop Freq
20.000000000 GHz

AUTO TUNE

CF Step
1.000000000 GHz
Auto
Man

Freq Offset
0 Hz

X Axis Scale
Log
Lin

Signal Track
(Span Zoom)

Settings
Local

1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 5.24 dB
Ref Level 30.00 dBm

Mkr1 18.303 61 GHz
-47.188 dBm

Log
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0

Start 10.000 GHz
#Res BW 1.0 MHz

#Video BW 3.0 MHz*

Stop 20.000 GHz
Sweep ~18.5 ms (36001 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	18.303 61 GHz	-47.19 dBm			
2								
3								
4								
5								
6								

Windows
Aug 01, 2024
8:40:16 AM

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input: RF
R1 Coupling: DC
Align: Off

Input Z: 50 Ω
Corr: Corr
Freq Ref: Int (S)
NFE: Adaptive

#Atten: 36 dB
Preamp: Off
 μ W Path: Standard
Sig Track: Off

PNO: Fast
Gate: Off
IF Gain: Low

#Avg Type: Power (RMS)
Avg/Hold: 100/100
Trig: Free Run

1 2 3 4 5 6
A A A A A A

Center Frequency
5.015000000 GHz

Span
9.970000000 GHz

☒ Swept Span
☐ Zero Span

Full Span

Start Freq
30.000000 MHz

Stop Freq
10.000000000 GHz

AUTO TUNE

CF Step
997.0000000 MHz

☒ Auto
☐ Man

Freq Offset
0 Hz

X Axis Scale
☒ Log
☐ Lin

Signal Track
(Span Zoom)

Settings

Local

1 Spectrum

Scale/Div 10 dB

Log

Ref Lvl Offset 5.24 dB
Ref Level 30.00 dBm

Mkr2 4.571 5 GHz
-49.400 dBm

DL1 -13.00 dBm

Start 30 MHz
#Res BW 1.0 MHz

#Video BW 3.0 MHz*

Stop 10.000 GHz
Sweep ~17.9 ms (25001 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.699 8 GHz	-57.76 dBm			
2	N	1	f	4.571 5 GHz	-49.40 dBm			
3								
4								
5								
6								


Aug 01, 2024
9:06:54 AM

N66-15M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-20GHz




N66-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz







N66-15M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-20GHz



N66-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz







N66-15M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-20GHz




N66-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N66-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-20GHz



N66-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N66-20M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-20GHz




N66-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz







N66-20M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-20GHz




N66-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz





N66-20M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-20GHz



Effective (Isotropic) Radiated Power Output Data

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Conducted Power(dBm)	EIRP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	1712.5MHz	Edge_Full_Left	23.6	26.58	30	Pass	2.98
			Edge_Full_Right	23.67	26.65	30	Pass	2.98
			Edge_1RB_Left	23.44	26.42	30	Pass	2.98
			Edge_1RB_Right	23.78	26.76	30	Pass	2.98
			Outer_Full	23.83	26.81	30	Pass	2.98
			Inner_Full	24.19	27.17	30	Pass	2.98
			Inner_1RB_Left	23.75	26.73	30	Pass	2.98
			Inner_1RB_Right	23.99	26.97	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	23.01	25.99	30	Pass	2.98
			Edge_Full_Right	23.43	26.41	30	Pass	2.98
			Edge_1RB_Left	22.92	25.9	30	Pass	2.98
			Edge_1RB_Right	22.71	25.69	30	Pass	2.98
			Outer_Full	23.13	26.11	30	Pass	2.98
			Inner_Full	23.8	26.78	30	Pass	2.98
			Inner_1RB_Left	23.74	26.72	30	Pass	2.98
			Inner_1RB_Right	23.52	26.5	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.75	24.73	30	Pass	2.98
			Edge_Full_Right	21.65	24.63	30	Pass	2.98
			Edge_1RB_Left	21.66	24.64	30	Pass	2.98
			Edge_1RB_Right	22.03	25.01	30	Pass	2.98
			Outer_Full	22.22	25.2	30	Pass	2.98
			Inner_Full	23.21	26.19	30	Pass	2.98
			Inner_1RB_Left	23.03	26.01	30	Pass	2.98
			Inner_1RB_Right	22.74	25.72	30	Pass	2.98
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.81	24.79	30	Pass	2.98
			Edge_Full_Right	21.81	24.79	30	Pass	2.98
			Edge_1RB_Left	21.83	24.81	30	Pass	2.98
			Edge_1RB_Right	21.46	24.44	30	Pass	2.98
			Outer_Full	21.59	24.57	30	Pass	2.98
			Inner_Full	21.55	24.53	30	Pass	2.98
			Inner_1RB_Left	21.59	24.57	30	Pass	2.98
			Inner_1RB_Right	21.49	24.47	30	Pass	2.98
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.89	22.87	30	Pass	2.98
			Edge_Full_Right	19.81	22.79	30	Pass	2.98
			Edge_1RB_Left	19.57	22.55	30	Pass	2.98
			Edge_1RB_Right	19.35	22.33	30	Pass	2.98
			Outer_Full	19.56	22.54	30	Pass	2.98
			Inner_Full	19.87	22.85	30	Pass	2.98
			Inner_1RB_Left	19.77	22.75	30	Pass	2.98
			Inner_1RB_Right	19.13	22.11	30	Pass	2.98

	CP-OFDM QPSK	1745MHz	Edge_Full_Left	21.19	24.17	30	Pass	2.98
			Edge_Full_Right	20.81	23.79	30	Pass	2.98
			Edge_1RB_Left	21.18	24.16	30	Pass	2.98
			Edge_1RB_Right	20.94	23.92	30	Pass	2.98
			Outer_Full	20.92	23.9	30	Pass	2.98
			Inner_Full	22.53	25.51	30	Pass	2.98
			Inner_1RB_Left	22.64	25.62	30	Pass	2.98
			Inner_1RB_Right	22.49	25.47	30	Pass	2.98
	CP-OFDM 16QAM		Edge_Full_Left	21.36	24.34	30	Pass	2.98
			Edge_Full_Right	21.1	24.08	30	Pass	2.98
			Edge_1RB_Left	21.6	24.58	30	Pass	2.98
			Edge_1RB_Right	21.1	24.08	30	Pass	2.98
			Outer_Full	21.17	24.15	30	Pass	2.98
			Inner_Full	22.3	25.28	30	Pass	2.98
			Inner_1RB_Left	22.05	25.03	30	Pass	2.98
			Inner_1RB_Right	22.5	25.48	30	Pass	2.98
	CP-OFDM 64QAM		Edge_Full_Left	20.7	23.68	30	Pass	2.98
			Edge_Full_Right	20.68	23.66	30	Pass	2.98
			Edge_1RB_Left	20.4	23.38	30	Pass	2.98
			Edge_1RB_Right	20.63	23.61	30	Pass	2.98
			Outer_Full	20.68	23.66	30	Pass	2.98
			Inner_Full	20.55	23.53	30	Pass	2.98
			Inner_1RB_Left	20.6	23.58	30	Pass	2.98
			Inner_1RB_Right	20.53	23.51	30	Pass	2.98
	CP-OFDM 256QAM		Edge_Full_Left	18.09	21.07	30	Pass	2.98
			Edge_Full_Right	17.92	20.9	30	Pass	2.98
			Edge_1RB_Left	17.95	20.93	30	Pass	2.98
			Edge_1RB_Right	18.33	21.31	30	Pass	2.98
			Outer_Full	17.94	20.92	30	Pass	2.98
			Inner_Full	17.63	20.61	30	Pass	2.98
			Inner_1RB_Left	17.93	20.91	30	Pass	2.98
			Inner_1RB_Right	18.51	21.49	30	Pass	2.98
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.56	26.54	30	Pass	2.98
			Edge_Full_Right	23.79	26.77	30	Pass	2.98
			Edge_1RB_Left	23.3	26.28	30	Pass	2.98
			Edge_1RB_Right	23.16	26.14	30	Pass	2.98
			Outer_Full	23.73	26.71	30	Pass	2.98
			Inner_Full	23.55	26.53	30	Pass	2.98
			Inner_1RB_Left	23.87	26.85	30	Pass	2.98
			Inner_1RB_Right	23.48	26.46	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	23.3	26.28	30	Pass	2.98
			Edge_Full_Right	23.02	26	30	Pass	2.98
			Edge_1RB_Left	22.46	25.44	30	Pass	2.98

			Inner_1RB_Left	22.55	25.53	30	Pass	2.98	
			Inner_1RB_Right	22.41	25.39	30	Pass	2.98	
	CP-OFDM 64QAM		Edge_Full_Left	20.37	23.35	30	Pass	2.98	
			Edge_Full_Right	20.05	23.03	30	Pass	2.98	
			Edge_1RB_Left	20.94	23.92	30	Pass	2.98	
			Edge_1RB_Right	20.66	23.64	30	Pass	2.98	
			Outer_Full	20.94	23.92	30	Pass	2.98	
			Inner_Full	20.44	23.42	30	Pass	2.98	
			Inner_1RB_Left	20.51	23.49	30	Pass	2.98	
			Inner_1RB_Right	20.47	23.45	30	Pass	2.98	
		CP-OFDM 256QAM		Edge_Full_Left	17.57	20.55	30	Pass	2.98
				Edge_Full_Right	17.75	20.73	30	Pass	2.98
			Edge_1RB_Left	18.04	21.02	30	Pass	2.98	
			Edge_1RB_Right	17.85	20.83	30	Pass	2.98	
			Outer_Full	17.69	20.67	30	Pass	2.98	
			Inner_Full	17.41	20.39	30	Pass	2.98	
			Inner_1RB_Left	17.9	20.88	30	Pass	2.98	
			Inner_1RB_Right	17.99	20.97	30	Pass	2.98	
	DFT-s-OFDM PI/2 BPSK	1777.5MHz		Edge_Full_Left	23.16	26.14	30	Pass	2.98
				Edge_Full_Right	23.41	26.39	30	Pass	2.98
				Edge_1RB_Left	23.72	26.7	30	Pass	2.98
				Edge_1RB_Right	23.14	26.12	30	Pass	2.98
				Outer_Full	23.22	26.2	30	Pass	2.98
				Inner_Full	23.88	26.86	30	Pass	2.98
				Inner_1RB_Left	23.79	26.77	30	Pass	2.98
				Inner_1RB_Right	23.9	26.88	30	Pass	2.98
	DFT-s-OFDM QPSK			Edge_Full_Left	23.23	26.21	30	Pass	2.98
				Edge_Full_Right	23.06	26.04	30	Pass	2.98
				Edge_1RB_Left	22.58	25.56	30	Pass	2.98
				Edge_1RB_Right	22.97	25.95	30	Pass	2.98
				Outer_Full	22.72	25.7	30	Pass	2.98
				Inner_Full	23.23	26.21	30	Pass	2.98
				Inner_1RB_Left	23.83	26.81	30	Pass	2.98
			Inner_1RB_Right	23.44	26.42	30	Pass	2.98	
	DFT-s-OFDM 16QAM			Edge_Full_Left	21.59	24.57	30	Pass	2.98
				Edge_Full_Right	21.79	24.77	30	Pass	2.98
				Edge_1RB_Left	21.46	24.44	30	Pass	2.98
				Edge_1RB_Right	21.89	24.87	30	Pass	2.98
				Outer_Full	22.04	25.02	30	Pass	2.98
				Inner_Full	22.82	25.8	30	Pass	2.98
				Inner_1RB_Left	22.59	25.57	30	Pass	2.98
				Inner_1RB_Right	22.71	25.69	30	Pass	2.98
	DFT-s-OFDM 64QAM			Edge_Full_Left	21.58	24.56	30	Pass	2.98

		Edge_Full_Right	21.43	24.41	30	Pass	2.98
		Edge_1RB_Left	21.49	24.47	30	Pass	2.98
		Edge_1RB_Right	21.4	24.38	30	Pass	2.98
		Outer_Full	21.58	24.56	30	Pass	2.98
		Inner_Full	21.46	24.44	30	Pass	2.98
		Inner_1RB_Left	21.17	24.15	30	Pass	2.98
		Inner_1RB_Right	21.38	24.36	30	Pass	2.98
		Edge_Full_Left	19.76	22.74	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Right	19.51	22.49	30	Pass	2.98
		Edge_1RB_Left	19.06	22.04	30	Pass	2.98
		Edge_1RB_Right	19.14	22.12	30	Pass	2.98
		Outer_Full	19.52	22.5	30	Pass	2.98
		Inner_Full	19.32	22.3	30	Pass	2.98
		Inner_1RB_Left	19.74	22.72	30	Pass	2.98
		Inner_1RB_Right	19.39	22.37	30	Pass	2.98
		Edge_Full_Left	21.4	24.38	30	Pass	2.98
	CP-OFDM QPSK	Edge_Full_Right	21.46	24.44	30	Pass	2.98
		Edge_1RB_Left	20.83	23.81	30	Pass	2.98
		Edge_1RB_Right	20.75	23.73	30	Pass	2.98
		Outer_Full	20.73	23.71	30	Pass	2.98
		Inner_Full	22.31	25.29	30	Pass	2.98
		Inner_1RB_Left	22.36	25.34	30	Pass	2.98
		Inner_1RB_Right	22.19	25.17	30	Pass	2.98
		Edge_Full_Left	20.74	23.72	30	Pass	2.98
	CP-OFDM 16QAM	Edge_Full_Right	21.23	24.21	30	Pass	2.98
		Edge_1RB_Left	21.44	24.42	30	Pass	2.98
		Edge_1RB_Right	21.47	24.45	30	Pass	2.98
		Outer_Full	21	23.98	30	Pass	2.98
		Inner_Full	22.46	25.44	30	Pass	2.98
		Inner_1RB_Left	21.32	24.3	30	Pass	2.98
		Inner_1RB_Right	21.76	24.74	30	Pass	2.98
		Edge_Full_Left	20.09	23.07	30	Pass	2.98
	CP-OFDM 64QAM	Edge_Full_Right	20.58	23.56	30	Pass	2.98
		Edge_1RB_Left	20.49	23.47	30	Pass	2.98
		Edge_1RB_Right	20.87	23.85	30	Pass	2.98
		Outer_Full	20.66	23.64	30	Pass	2.98
		Inner_Full	20.66	23.64	30	Pass	2.98
		Inner_1RB_Left	20.43	23.41	30	Pass	2.98
		Inner_1RB_Right	21.03	24.01	30	Pass	2.98
		Edge_Full_Left	18.05	21.03	30	Pass	2.98
	CP-OFDM 256QAM	Edge_Full_Right	17.86	20.84	30	Pass	2.98
		Edge_1RB_Left	17.6	20.58	30	Pass	2.98
		Edge_1RB_Right	17.84	20.82	30	Pass	2.98

			Outer_Full	18.03	21.01	30	Pass	2.98
			Inner_Full	17.27	20.25	30	Pass	2.98
			Inner_1RB_Left	17.78	20.76	30	Pass	2.98
			Inner_1RB_Right	18.04	21.02	30	Pass	2.98
10MHz	DFT-s-OFDM PI/2 BPSK	1715MHz	Edge_Full_Left	23.67	26.65	30	Pass	2.98
			Edge_Full_Right	23.33	26.31	30	Pass	2.98
			Edge_1RB_Left	23.15	26.13	30	Pass	2.98
			Edge_1RB_Right	23.33	26.31	30	Pass	2.98
			Outer_Full	23.72	26.7	30	Pass	2.98
			Inner_Full	23.53	26.51	30	Pass	2.98
			Inner_1RB_Left	23.34	26.32	30	Pass	2.98
			Inner_1RB_Right	23.54	26.52	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	22.81	25.79	30	Pass	2.98
			Edge_Full_Right	22.88	25.86	30	Pass	2.98
			Edge_1RB_Left	22.63	25.61	30	Pass	2.98
			Edge_1RB_Right	22.61	25.59	30	Pass	2.98
			Outer_Full	23.1	26.08	30	Pass	2.98
			Inner_Full	23.45	26.43	30	Pass	2.98
			Inner_1RB_Left	23.15	26.13	30	Pass	2.98
			Inner_1RB_Right	23.53	26.51	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.34	24.32	30	Pass	2.98
			Edge_Full_Right	21.69	24.67	30	Pass	2.98
			Edge_1RB_Left	21.69	24.67	30	Pass	2.98
			Edge_1RB_Right	21.35	24.33	30	Pass	2.98
			Outer_Full	21.95	24.93	30	Pass	2.98
			Inner_Full	22.79	25.77	30	Pass	2.98
			Inner_1RB_Left	22.28	25.26	30	Pass	2.98
			Inner_1RB_Right	22.55	25.53	30	Pass	2.98
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.8	24.78	30	Pass	2.98
			Edge_Full_Right	21.46	24.44	30	Pass	2.98
			Edge_1RB_Left	21.29	24.27	30	Pass	2.98
			Edge_1RB_Right	21.46	24.44	30	Pass	2.98
			Outer_Full	21.39	24.37	30	Pass	2.98
			Inner_Full	21.89	24.87	30	Pass	2.98
			Inner_1RB_Left	21.26	24.24	30	Pass	2.98
			Inner_1RB_Right	21.32	24.3	30	Pass	2.98
DFT-s-OFDM 256QAM	Edge_Full_Left	19.47	22.45	30	Pass	2.98		
	Edge_Full_Right	19.21	22.19	30	Pass	2.98		
	Edge_1RB_Left	19.38	22.36	30	Pass	2.98		
	Edge_1RB_Right	19.09	22.07	30	Pass	2.98		
	Outer_Full	19.61	22.59	30	Pass	2.98		
	Inner_Full	19.64	22.62	30	Pass	2.98		
	Inner_1RB_Left	19.34	22.32	30	Pass	2.98		

			Inner_1RB_Right	19.19	22.17	30	Pass	2.98
	CP-OFDM QPSK		Edge_Full_Left	20.72	23.7	30	Pass	2.98
			Edge_Full_Right	20.92	23.9	30	Pass	2.98
			Edge_1RB_Left	20.78	23.76	30	Pass	2.98
			Edge_1RB_Right	20.87	23.85	30	Pass	2.98
			Outer_Full	21.13	24.11	30	Pass	2.98
			Inner_Full	22.58	25.56	30	Pass	2.98
			Inner_1RB_Left	22.25	25.23	30	Pass	2.98
			Inner_1RB_Right	22.09	25.07	30	Pass	2.98
			Edge_Full_Left	20.85	23.83	30	Pass	2.98
	CP-OFDM 16QAM		Edge_Full_Right	20.82	23.8	30	Pass	2.98
			Edge_1RB_Left	20.87	23.85	30	Pass	2.98
			Edge_1RB_Right	20.96	23.94	30	Pass	2.98
			Outer_Full	21.16	24.14	30	Pass	2.98
			Inner_Full	22.23	25.21	30	Pass	2.98
			Inner_1RB_Left	21.94	24.92	30	Pass	2.98
			Inner_1RB_Right	22.47	25.45	30	Pass	2.98
			Edge_Full_Left	20.14	23.12	30	Pass	2.98
			CP-OFDM 64QAM	Edge_Full_Right	20.1	23.08	30	Pass
	Edge_1RB_Left			20.54	23.52	30	Pass	2.98
	Edge_1RB_Right			20.33	23.31	30	Pass	2.98
	Outer_Full			20.6	23.58	30	Pass	2.98
	Inner_Full			20.77	23.75	30	Pass	2.98
	Inner_1RB_Left			20.12	23.1	30	Pass	2.98
	Inner_1RB_Right			20.14	23.12	30	Pass	2.98
	Edge_Full_Left			17.78	20.76	30	Pass	2.98
	CP-OFDM 256QAM			Edge_Full_Right	18.09	21.07	30	Pass
			Edge_1RB_Left	18.12	21.1	30	Pass	2.98
			Edge_1RB_Right	17.94	20.92	30	Pass	2.98
			Outer_Full	17.66	20.64	30	Pass	2.98
			Inner_Full	17.31	20.29	30	Pass	2.98
			Inner_1RB_Left	17.66	20.64	30	Pass	2.98
			Inner_1RB_Right	17.94	20.92	30	Pass	2.98
			Edge_Full_Left	23.25	26.23	30	Pass	2.98
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Right	23.26	26.24	30	Pass
	Edge_1RB_Left			23.47	26.45	30	Pass	2.98
	Edge_1RB_Right			23.02	26	30	Pass	2.98
	Outer_Full			23.29	26.27	30	Pass	2.98
	Inner_Full			23.75	26.73	30	Pass	2.98
	Inner_1RB_Left			23.84	26.82	30	Pass	2.98
	Inner_1RB_Right			23.45	26.43	30	Pass	2.98
	Edge_Full_Left			22.97	25.95	30	Pass	2.98
	DFT-s-OFDM QPSK			Edge_Full_Right	23.15	26.13	30	Pass

		Edge_1RB_Left	22.64	25.62	30	Pass	2.98
		Edge_1RB_Right	22.92	25.9	30	Pass	2.98
		Outer_Full	23.28	26.26	30	Pass	2.98
		Inner_Full	23.57	26.55	30	Pass	2.98
		Inner_1RB_Left	23.36	26.34	30	Pass	2.98
		Inner_1RB_Right	23.29	26.27	30	Pass	2.98
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.66	24.64	30	Pass	2.98
		Edge_Full_Right	21.75	24.73	30	Pass	2.98
		Edge_1RB_Left	21.74	24.72	30	Pass	2.98
		Edge_1RB_Right	22.09	25.07	30	Pass	2.98
		Outer_Full	21.88	24.86	30	Pass	2.98
		Inner_Full	23.23	26.21	30	Pass	2.98
	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.31	25.29	30	Pass	2.98
		Inner_1RB_Right	22.66	25.64	30	Pass	2.98
		Edge_Full_Left	21.73	24.71	30	Pass	2.98
		Edge_Full_Right	21.48	24.46	30	Pass	2.98
		Edge_1RB_Left	21.36	24.34	30	Pass	2.98
		Edge_1RB_Right	21.14	24.12	30	Pass	2.98
	DFT-s-OFDM 256QAM	Outer_Full	21.44	24.42	30	Pass	2.98
		Inner_Full	21.71	24.69	30	Pass	2.98
		Inner_1RB_Left	21.32	24.3	30	Pass	2.98
		Inner_1RB_Right	21.44	24.42	30	Pass	2.98
		Edge_Full_Left	19.8	22.78	30	Pass	2.98
		Edge_Full_Right	19.12	22.1	30	Pass	2.98
	CP-OFDM QPSK	Edge_1RB_Left	19.77	22.75	30	Pass	2.98
		Edge_1RB_Right	19.46	22.44	30	Pass	2.98
		Outer_Full	19.09	22.07	30	Pass	2.98
		Inner_Full	19.68	22.66	30	Pass	2.98
		Inner_1RB_Left	19.49	22.47	30	Pass	2.98
		Inner_1RB_Right	19.72	22.7	30	Pass	2.98
	CP-OFDM 16QAM	Edge_Full_Left	21.04	24.02	30	Pass	2.98
		Edge_Full_Right	21.11	24.09	30	Pass	2.98
		Edge_1RB_Left	21.15	24.13	30	Pass	2.98
		Edge_1RB_Right	20.94	23.92	30	Pass	2.98
		Outer_Full	20.84	23.82	30	Pass	2.98
		Inner_Full	22.84	25.82	30	Pass	2.98
		Inner_1RB_Left	22.41	25.39	30	Pass	2.98
		Inner_1RB_Right	22.76	25.74	30	Pass	2.98
		Edge_Full_Left	21.15	24.13	30	Pass	2.98
		Edge_Full_Right	21.31	24.29	30	Pass	2.98
		Edge_1RB_Left	20.69	23.67	30	Pass	2.98
		Edge_1RB_Right	20.83	23.81	30	Pass	2.98
		Outer_Full	21.04	24.02	30	Pass	2.98

			Inner_Full	22.27	25.25	30	Pass	2.98
			Inner_1RB_Left	21.84	24.82	30	Pass	2.98
			Inner_1RB_Right	21.77	24.75	30	Pass	2.98
	Edge_Full_Left		20.47	23.45	30	Pass	2.98	
	CP-OFDM 64QAM		Edge_Full_Right	20.08	23.06	30	Pass	2.98
			Edge_1RB_Left	20.24	23.22	30	Pass	2.98
			Edge_1RB_Right	20.42	23.4	30	Pass	2.98
			Outer_Full	20.22	23.2	30	Pass	2.98
			Inner_Full	20.48	23.46	30	Pass	2.98
			Inner_1RB_Left	20.24	23.22	30	Pass	2.98
			Inner_1RB_Right	20.34	23.32	30	Pass	2.98
			Edge_Full_Left	17.58	20.56	30	Pass	2.98
			Edge_Full_Right	17.54	20.52	30	Pass	2.98
	CP-OFDM 256QAM		Edge_1RB_Left	18.1	21.08	30	Pass	2.98
			Edge_1RB_Right	17.76	20.74	30	Pass	2.98
			Outer_Full	17.43	20.41	30	Pass	2.98
			Inner_Full	17.33	20.31	30	Pass	2.98
			Inner_1RB_Left	17.78	20.76	30	Pass	2.98
			Inner_1RB_Right	17.92	20.9	30	Pass	2.98
			Edge_Full_Left	23.27	26.25	30	Pass	2.98
			Edge_Full_Right	23.32	26.3	30	Pass	2.98
	DFT-s-OFDM PI/2 BPSK		Edge_1RB_Left	23.55	26.53	30	Pass	2.98
			Edge_1RB_Right	22.95	25.93	30	Pass	2.98
			Outer_Full	23.54	26.52	30	Pass	2.98
			Inner_Full	23.53	26.51	30	Pass	2.98
			Inner_1RB_Left	23.56	26.54	30	Pass	2.98
			Inner_1RB_Right	23.19	26.17	30	Pass	2.98
			Edge_Full_Left	22.85	25.83	30	Pass	2.98
			Edge_Full_Right	22.88	25.86	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_1RB_Left	22.7	25.68	30	Pass	2.98
			Edge_1RB_Right	22.87	25.85	30	Pass	2.98
			Outer_Full	22.74	25.72	30	Pass	2.98
			Inner_Full	23.78	26.76	30	Pass	2.98
			Inner_1RB_Left	23.09	26.07	30	Pass	2.98
			Inner_1RB_Right	23.5	26.48	30	Pass	2.98
			Edge_Full_Left	21.49	24.47	30	Pass	2.98
			Edge_Full_Right	21.48	24.46	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_1RB_Left	21.54	24.52	30	Pass	2.98
			Edge_1RB_Right	21.33	24.31	30	Pass	2.98
			Outer_Full	21.82	24.8	30	Pass	2.98
Inner_Full		22.67	25.65	30	Pass	2.98		
Inner_1RB_Left		22.4	25.38	30	Pass	2.98		
Inner_1RB_Right		22.48	25.46	30	Pass	2.98		
Edge_Full_Left		21.49	24.47	30	Pass	2.98		
Edge_Full_Right		21.48	24.46	30	Pass	2.98		

	DFT-s-OFDM 64QAM	Edge_Full_Left	21.57	24.55	30	Pass	2.98
		Edge_Full_Right	21.4	24.38	30	Pass	2.98
		Edge_1RB_Left	21.37	24.35	30	Pass	2.98
		Edge_1RB_Right	21.48	24.46	30	Pass	2.98
		Outer_Full	21.17	24.15	30	Pass	2.98
		Inner_Full	21.15	24.13	30	Pass	2.98
		Inner_1RB_Left	21.16	24.14	30	Pass	2.98
		Inner_1RB_Right	21.13	24.11	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.06	22.04	30	Pass	2.98
		Edge_Full_Right	19.21	22.19	30	Pass	2.98
		Edge_1RB_Left	19.29	22.27	30	Pass	2.98
		Edge_1RB_Right	18.87	21.85	30	Pass	2.98
		Outer_Full	19.13	22.11	30	Pass	2.98
		Inner_Full	19.35	22.33	30	Pass	2.98
		Inner_1RB_Left	19.37	22.35	30	Pass	2.98
		Inner_1RB_Right	18.92	21.9	30	Pass	2.98
	CP-OFDM QPSK	Edge_Full_Left	21.03	24.01	30	Pass	2.98
		Edge_Full_Right	21.04	24.02	30	Pass	2.98
		Edge_1RB_Left	21.05	24.03	30	Pass	2.98
		Edge_1RB_Right	20.57	23.55	30	Pass	2.98
		Outer_Full	21.39	24.37	30	Pass	2.98
		Inner_Full	22.57	25.55	30	Pass	2.98
		Inner_1RB_Left	22.24	25.22	30	Pass	2.98
		Inner_1RB_Right	21.72	24.7	30	Pass	2.98
	CP-OFDM 16QAM	Edge_Full_Left	20.1	23.08	30	Pass	2.98
		Edge_Full_Right	20.73	23.71	30	Pass	2.98
		Edge_1RB_Left	20.99	23.97	30	Pass	2.98
		Edge_1RB_Right	21.23	24.21	30	Pass	2.98
		Outer_Full	20.79	23.77	30	Pass	2.98
		Inner_Full	22.11	25.09	30	Pass	2.98
		Inner_1RB_Left	21.57	24.55	30	Pass	2.98
		Inner_1RB_Right	21.64	24.62	30	Pass	2.98
	CP-OFDM 64QAM	Edge_Full_Left	20.1	23.08	30	Pass	2.98
		Edge_Full_Right	20.66	23.64	30	Pass	2.98
		Edge_1RB_Left	20.38	23.36	30	Pass	2.98
		Edge_1RB_Right	20.21	23.19	30	Pass	2.98
		Outer_Full	20.11	23.09	30	Pass	2.98
		Inner_Full	20.22	23.2	30	Pass	2.98
		Inner_1RB_Left	19.91	22.89	30	Pass	2.98
		Inner_1RB_Right	20.2	23.18	30	Pass	2.98
	CP-OFDM 256QAM	Edge_Full_Left	17.94	20.92	30	Pass	2.98
		Edge_Full_Right	17.94	20.92	30	Pass	2.98
		Edge_1RB_Left	17.41	20.39	30	Pass	2.98

			Edge_1RB_Right	17.61	20.59	30	Pass	2.98
			Outer_Full	17.54	20.52	30	Pass	2.98
			Inner_Full	17	19.98	30	Pass	2.98
			Inner_1RB_Left	17.73	20.71	30	Pass	2.98
			Inner_1RB_Right	17.5	20.48	30	Pass	2.98
15MHz	DFT-s-OFDM PI/2 BPSK	1717.5MHz	Edge_Full_Left	23.31	26.29	30	Pass	2.98
			Edge_Full_Right	23.19	26.17	30	Pass	2.98
			Edge_1RB_Left	23.47	26.45	30	Pass	2.98
			Edge_1RB_Right	23.78	26.76	30	Pass	2.98
			Outer_Full	23.7	26.68	30	Pass	2.98
			Inner_Full	23.98	26.96	30	Pass	2.98
			Inner_1RB_Left	24.01	26.99	30	Pass	2.98
			Inner_1RB_Right	23.93	26.91	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	23.13	26.11	30	Pass	2.98
			Edge_Full_Right	23.15	26.13	30	Pass	2.98
			Edge_1RB_Left	23.24	26.22	30	Pass	2.98
			Edge_1RB_Right	23.05	26.03	30	Pass	2.98
			Outer_Full	22.99	25.97	30	Pass	2.98
			Inner_Full	23.96	26.94	30	Pass	2.98
			Inner_1RB_Left	23.41	26.39	30	Pass	2.98
			Inner_1RB_Right	23.62	26.6	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.35	24.33	30	Pass	2.98
			Edge_Full_Right	21.83	24.81	30	Pass	2.98
			Edge_1RB_Left	21.59	24.57	30	Pass	2.98
			Edge_1RB_Right	21.81	24.79	30	Pass	2.98
			Outer_Full	22.38	25.36	30	Pass	2.98
			Inner_Full	23.14	26.12	30	Pass	2.98
			Inner_1RB_Left	22.22	25.2	30	Pass	2.98
			Inner_1RB_Right	22.65	25.63	30	Pass	2.98
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.43	24.41	30	Pass	2.98
			Edge_Full_Right	21.7	24.68	30	Pass	2.98
			Edge_1RB_Left	21.5	24.48	30	Pass	2.98
			Edge_1RB_Right	21.77	24.75	30	Pass	2.98
			Outer_Full	21.32	24.3	30	Pass	2.98
			Inner_Full	21.48	24.46	30	Pass	2.98
			Inner_1RB_Left	21.62	24.6	30	Pass	2.98
			Inner_1RB_Right	21.2	24.18	30	Pass	2.98
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.06	22.04	30	Pass	2.98
			Edge_Full_Right	19.25	22.23	30	Pass	2.98
			Edge_1RB_Left	18.41	21.39	30	Pass	2.98
			Edge_1RB_Right	18.88	21.86	30	Pass	2.98
			Outer_Full	19.66	22.64	30	Pass	2.98
			Inner_Full	19.47	22.45	30	Pass	2.98

			Inner_1RB_Left	18.93	21.91	30	Pass	2.98		
			Inner_1RB_Right	18.95	21.93	30	Pass	2.98		
	CP-OFDM QPSK		Edge_Full_Left	20.7	23.68	30	Pass	2.98		
			Edge_Full_Right	20.85	23.83	30	Pass	2.98		
			Edge_1RB_Left	20.89	23.87	30	Pass	2.98		
			Edge_1RB_Right	21.15	24.13	30	Pass	2.98		
			Outer_Full	20.91	23.89	30	Pass	2.98		
			Inner_Full	22.52	25.5	30	Pass	2.98		
			Inner_1RB_Left	22.07	25.05	30	Pass	2.98		
			Inner_1RB_Right	22.28	25.26	30	Pass	2.98		
			Edge_Full_Left	20.88	23.86	30	Pass	2.98		
			Edge_Full_Right	20.86	23.84	30	Pass	2.98		
	CP-OFDM 16QAM		Edge_1RB_Left	20.49	23.47	30	Pass	2.98		
			Edge_1RB_Right	20.54	23.52	30	Pass	2.98		
			Outer_Full	21.13	24.11	30	Pass	2.98		
			Inner_Full	21.99	24.97	30	Pass	2.98		
			Inner_1RB_Left	21.75	24.73	30	Pass	2.98		
			Inner_1RB_Right	21.82	24.8	30	Pass	2.98		
			Edge_Full_Left	20.32	23.3	30	Pass	2.98		
			Edge_Full_Right	20.06	23.04	30	Pass	2.98		
	CP-OFDM 64QAM		Edge_1RB_Left	19.81	22.79	30	Pass	2.98		
			Edge_1RB_Right	19.97	22.95	30	Pass	2.98		
			Outer_Full	20.54	23.52	30	Pass	2.98		
			Inner_Full	20.46	23.44	30	Pass	2.98		
			Inner_1RB_Left	20.06	23.04	30	Pass	2.98		
			Inner_1RB_Right	20.02	23	30	Pass	2.98		
			Edge_Full_Left	17.75	20.73	30	Pass	2.98		
			Edge_Full_Right	17.62	20.6	30	Pass	2.98		
	CP-OFDM 256QAM		Edge_1RB_Left	17.32	20.3	30	Pass	2.98		
			Edge_1RB_Right	17.66	20.64	30	Pass	2.98		
			Outer_Full	17.64	20.62	30	Pass	2.98		
			Inner_Full	17.05	20.03	30	Pass	2.98		
			Inner_1RB_Left	17.2	20.18	30	Pass	2.98		
			Inner_1RB_Right	17.67	20.65	30	Pass	2.98		
			DFT-s-OFDM PI/2 BPSK	1745MHz	Edge_Full_Left	23.73	26.71	30	Pass	2.98
					Edge_Full_Right	23.71	26.69	30	Pass	2.98
	Edge_1RB_Left				23.37	26.35	30	Pass	2.98	
	Edge_1RB_Right				23.8	26.78	30	Pass	2.98	
	Outer_Full				23.91	26.89	30	Pass	2.98	
	Inner_Full				23.81	26.79	30	Pass	2.98	
	Inner_1RB_Left				23.54	26.52	30	Pass	2.98	
	Inner_1RB_Right				23.69	26.67	30	Pass	2.98	
	DFT-s-OFDM QPSK			Edge_Full_Left	23.19	26.17	30	Pass	2.98	

		Edge_Full_Right	23	25.98	30	Pass	2.98
		Edge_1RB_Left	23.01	25.99	30	Pass	2.98
		Edge_1RB_Right	23.07	26.05	30	Pass	2.98
		Outer_Full	23.31	26.29	30	Pass	2.98
		Inner_Full	23.52	26.5	30	Pass	2.98
		Inner_1RB_Left	24.01	26.99	30	Pass	2.98
		Inner_1RB_Right	23.88	26.86	30	Pass	2.98
		Edge_Full_Left	21.82	24.8	30	Pass	2.98
	DFT-s-OFDM 16QAM	Edge_Full_Right	21.91	24.89	30	Pass	2.98
		Edge_1RB_Left	21.27	24.25	30	Pass	2.98
		Edge_1RB_Right	21.51	24.49	30	Pass	2.98
		Outer_Full	22	24.98	30	Pass	2.98
		Inner_Full	22.57	25.55	30	Pass	2.98
		Inner_1RB_Left	22.58	25.56	30	Pass	2.98
		Inner_1RB_Right	22.81	25.79	30	Pass	2.98
		Edge_Full_Left	21.53	24.51	30	Pass	2.98
	DFT-s-OFDM 64QAM	Edge_Full_Right	21.41	24.39	30	Pass	2.98
		Edge_1RB_Left	21.62	24.6	30	Pass	2.98
		Edge_1RB_Right	21.54	24.52	30	Pass	2.98
		Outer_Full	21.17	24.15	30	Pass	2.98
		Inner_Full	21.49	24.47	30	Pass	2.98
		Inner_1RB_Left	21.84	24.82	30	Pass	2.98
		Inner_1RB_Right	21.34	24.32	30	Pass	2.98
		Edge_Full_Left	19.25	22.23	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Right	19.48	22.46	30	Pass	2.98
		Edge_1RB_Left	18.99	21.97	30	Pass	2.98
		Edge_1RB_Right	19.09	22.07	30	Pass	2.98
		Outer_Full	19.59	22.57	30	Pass	2.98
		Inner_Full	20.01	22.99	30	Pass	2.98
		Inner_1RB_Left	18.87	21.85	30	Pass	2.98
		Inner_1RB_Right	18.77	21.75	30	Pass	2.98
		Edge_Full_Left	21.11	24.09	30	Pass	2.98
	CP-OFDM QPSK	Edge_Full_Right	21.06	24.04	30	Pass	2.98
		Edge_1RB_Left	20.64	23.62	30	Pass	2.98
		Edge_1RB_Right	20.76	23.74	30	Pass	2.98
		Outer_Full	21.14	24.12	30	Pass	2.98
		Inner_Full	22.6	25.58	30	Pass	2.98
		Inner_1RB_Left	22.29	25.27	30	Pass	2.98
		Inner_1RB_Right	22.21	25.19	30	Pass	2.98
		Edge_Full_Left	21.03	24.01	30	Pass	2.98
	CP-OFDM 16QAM	Edge_Full_Right	20.89	23.87	30	Pass	2.98
		Edge_1RB_Left	21.1	24.08	30	Pass	2.98
		Edge_1RB_Right	20.81	23.79	30	Pass	2.98

		1772.5MHz	Outer_Full	20.74	23.72	30	Pass	2.98
			Inner_Full	21.75	24.73	30	Pass	2.98
			Inner_1RB_Left	21.9	24.88	30	Pass	2.98
			Inner_1RB_Right	21.89	24.87	30	Pass	2.98
	CP-OFDM 64QAM		Edge_Full_Left	19.93	22.91	30	Pass	2.98
			Edge_Full_Right	20.5	23.48	30	Pass	2.98
			Edge_1RB_Left	19.94	22.92	30	Pass	2.98
			Edge_1RB_Right	20.18	23.16	30	Pass	2.98
			Outer_Full	20.44	23.42	30	Pass	2.98
			Inner_Full	20.48	23.46	30	Pass	2.98
			Inner_1RB_Left	19.79	22.77	30	Pass	2.98
			Inner_1RB_Right	20.09	23.07	30	Pass	2.98
	CP-OFDM 256QAM		Edge_Full_Left	17.75	20.73	30	Pass	2.98
			Edge_Full_Right	18.19	21.17	30	Pass	2.98
			Edge_1RB_Left	18.01	20.99	30	Pass	2.98
			Edge_1RB_Right	17.43	20.41	30	Pass	2.98
			Outer_Full	17.62	20.6	30	Pass	2.98
			Inner_Full	17.37	20.35	30	Pass	2.98
			Inner_1RB_Left	17.54	20.52	30	Pass	2.98
			Inner_1RB_Right	17.72	20.7	30	Pass	2.98
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.2	26.18	30	Pass	2.98
			Edge_Full_Right	23.51	26.49	30	Pass	2.98
			Edge_1RB_Left	23.48	26.46	30	Pass	2.98
			Edge_1RB_Right	23.53	26.51	30	Pass	2.98
			Outer_Full	23.6	26.58	30	Pass	2.98
			Inner_Full	23.74	26.72	30	Pass	2.98
			Inner_1RB_Left	23.59	26.57	30	Pass	2.98
			Inner_1RB_Right	23.52	26.5	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	22.25	25.23	30	Pass	2.98
			Edge_Full_Right	21.94	24.92	30	Pass	2.98
			Edge_1RB_Left	22.21	25.19	30	Pass	2.98
			Edge_1RB_Right	21.48	24.46	30	Pass	2.98
			Outer_Full	23.02	26	30	Pass	2.98
			Inner_Full	23.64	26.62	30	Pass	2.98
			Inner_1RB_Left	23.39	26.37	30	Pass	2.98
			Inner_1RB_Right	22.89	25.87	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	20.67	23.65	30	Pass	2.98
			Edge_Full_Right	20.57	23.55	30	Pass	2.98
			Edge_1RB_Left	20.85	23.83	30	Pass	2.98
			Edge_1RB_Right	20.28	23.26	30	Pass	2.98
			Outer_Full	21.93	24.91	30	Pass	2.98
			Inner_Full	22.34	25.32	30	Pass	2.98
			Inner_1RB_Left	21.77	24.75	30	Pass	2.98

	DFT-s-OFDM 64QAM	Inner_1RB_Right	21.37	24.35	30	Pass	2.98
		Edge_Full_Left	20.81	23.79	30	Pass	2.98
		Edge_Full_Right	20.02	23	30	Pass	2.98
		Edge_1RB_Left	20.74	23.72	30	Pass	2.98
		Edge_1RB_Right	20.24	23.22	30	Pass	2.98
		Outer_Full	21.32	24.3	30	Pass	2.98
		Inner_Full	21.18	24.16	30	Pass	2.98
		Inner_1RB_Left	20.38	23.36	30	Pass	2.98
		Inner_1RB_Right	20.39	23.37	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.01	21.99	30	Pass	2.98
		Edge_Full_Right	18.21	21.19	30	Pass	2.98
		Edge_1RB_Left	18.21	21.19	30	Pass	2.98
		Edge_1RB_Right	17.7	20.68	30	Pass	2.98
		Outer_Full	19.43	22.41	30	Pass	2.98
		Inner_Full	19.65	22.63	30	Pass	2.98
		Inner_1RB_Left	18.35	21.33	30	Pass	2.98
		Inner_1RB_Right	18.21	21.19	30	Pass	2.98
		Edge_Full_Left	20.7	23.68	30	Pass	2.98
	CP-OFDM QPSK	Edge_Full_Right	20.01	22.99	30	Pass	2.98
		Edge_1RB_Left	20.79	23.77	30	Pass	2.98
		Edge_1RB_Right	20.66	23.64	30	Pass	2.98
		Outer_Full	20.9	23.88	30	Pass	2.98
		Inner_Full	22.25	25.23	30	Pass	2.98
		Inner_1RB_Left	21.72	24.7	30	Pass	2.98
		Inner_1RB_Right	21	23.98	30	Pass	2.98
		Edge_Full_Left	20.48	23.46	30	Pass	2.98
		Edge_Full_Right	20.03	23.01	30	Pass	2.98
	CP-OFDM 16QAM	Edge_1RB_Left	20.16	23.14	30	Pass	2.98
		Edge_1RB_Right	20.24	23.22	30	Pass	2.98
		Outer_Full	21.19	24.17	30	Pass	2.98
		Inner_Full	21.49	24.47	30	Pass	2.98
		Inner_1RB_Left	20.84	23.82	30	Pass	2.98
		Inner_1RB_Right	20.75	23.73	30	Pass	2.98
		Edge_Full_Left	19.98	22.96	30	Pass	2.98
		Edge_Full_Right	20.14	23.12	30	Pass	2.98
		Edge_1RB_Left	20.06	23.04	30	Pass	2.98
	CP-OFDM 64QAM	Edge_1RB_Right	19.28	22.26	30	Pass	2.98
		Outer_Full	20.48	23.46	30	Pass	2.98
		Inner_Full	20.23	23.21	30	Pass	2.98
		Inner_1RB_Left	19.96	22.94	30	Pass	2.98
		Inner_1RB_Right	19.5	22.48	30	Pass	2.98
	CP-OFDM 256QAM	Edge_Full_Left	17.9	20.88	30	Pass	2.98
		Edge_Full_Right	18.29	21.27	30	Pass	2.98

			Edge_1RB_Left	17.54	20.52	30	Pass	2.98
			Edge_1RB_Right	17.45	20.43	30	Pass	2.98
			Outer_Full	17.42	20.4	30	Pass	2.98
			Inner_Full	17.36	20.34	30	Pass	2.98
			Inner_1RB_Left	17.45	20.43	30	Pass	2.98
			Inner_1RB_Right	17.71	20.69	30	Pass	2.98
20MHz	DFT-s-OFDM PI/2 BPSK	1720MHz	Edge_Full_Left	23.57	26.55	30	Pass	2.98
			Edge_Full_Right	23.65	26.63	30	Pass	2.98
			Edge_1RB_Left	23.35	26.33	30	Pass	2.98
			Edge_1RB_Right	23.41	26.39	30	Pass	2.98
			Outer_Full	23.76	26.74	30	Pass	2.98
			Inner_Full	24.28	27.26	30	Pass	2.98
			Inner_1RB_Left	23.83	26.81	30	Pass	2.98
			Inner_1RB_Right	23.68	26.66	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	22.75	25.73	30	Pass	2.98
			Edge_Full_Right	22.78	25.76	30	Pass	2.98
			Edge_1RB_Left	22.84	25.82	30	Pass	2.98
			Edge_1RB_Right	22.86	25.84	30	Pass	2.98
			Outer_Full	23.12	26.1	30	Pass	2.98
			Inner_Full	23.74	26.72	30	Pass	2.98
			Inner_1RB_Left	23.34	26.32	30	Pass	2.98
			Inner_1RB_Right	23.63	26.61	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.87	24.85	30	Pass	2.98
			Edge_Full_Right	21.62	24.6	30	Pass	2.98
			Edge_1RB_Left	21.95	24.93	30	Pass	2.98
			Edge_1RB_Right	22.24	25.22	30	Pass	2.98
			Outer_Full	22.08	25.06	30	Pass	2.98
			Inner_Full	23.14	26.12	30	Pass	2.98
			Inner_1RB_Left	22.85	25.83	30	Pass	2.98
			Inner_1RB_Right	23.13	26.11	30	Pass	2.98
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.57	24.55	30	Pass	2.98
			Edge_Full_Right	21.42	24.4	30	Pass	2.98
			Edge_1RB_Left	21.38	24.36	30	Pass	2.98
			Edge_1RB_Right	21.6	24.58	30	Pass	2.98
			Outer_Full	21.67	24.65	30	Pass	2.98
			Inner_Full	21.58	24.56	30	Pass	2.98
			Inner_1RB_Left	21.53	24.51	30	Pass	2.98
			Inner_1RB_Right	21.23	24.21	30	Pass	2.98
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.84	22.82	30	Pass	2.98
			Edge_Full_Right	19.8	22.78	30	Pass	2.98
			Edge_1RB_Left	19.6	22.58	30	Pass	2.98
			Edge_1RB_Right	19.19	22.17	30	Pass	2.98
Outer_Full		19.73	22.71	30	Pass	2.98		

		1745MHz	Inner_Full	19.77	22.75	30	Pass	2.98	
			Inner_1RB_Left	19.61	22.59	30	Pass	2.98	
			Inner_1RB_Right	19.34	22.32	30	Pass	2.98	
	CP-OFDM QPSK		Edge_Full_Left	21.18	24.16	30	Pass	2.98	
			Edge_Full_Right	21.16	24.14	30	Pass	2.98	
			Edge_1RB_Left	20.33	23.31	30	Pass	2.98	
			Edge_1RB_Right	20.89	23.87	30	Pass	2.98	
			Outer_Full	21.26	24.24	30	Pass	2.98	
			Inner_Full	22.66	25.64	30	Pass	2.98	
			Inner_1RB_Left	22.07	25.05	30	Pass	2.98	
			Inner_1RB_Right	22.27	25.25	30	Pass	2.98	
			Edge_Full_Left	21.07	24.05	30	Pass	2.98	
	CP-OFDM 16QAM		Edge_Full_Right	21.72	24.7	30	Pass	2.98	
			Edge_1RB_Left	20.87	23.85	30	Pass	2.98	
			Edge_1RB_Right	20.49	23.47	30	Pass	2.98	
			Outer_Full	20.89	23.87	30	Pass	2.98	
			Inner_Full	22.23	25.21	30	Pass	2.98	
			Inner_1RB_Left	21.65	24.63	30	Pass	2.98	
			Inner_1RB_Right	21.87	24.85	30	Pass	2.98	
			Edge_Full_Left	20.73	23.71	30	Pass	2.98	
			Edge_Full_Right	20.73	23.71	30	Pass	2.98	
	CP-OFDM 64QAM		Edge_1RB_Left	20.36	23.34	30	Pass	2.98	
			Edge_1RB_Right	20.43	23.41	30	Pass	2.98	
			Outer_Full	20.81	23.79	30	Pass	2.98	
			Inner_Full	20.83	23.81	30	Pass	2.98	
			Inner_1RB_Left	20.47	23.45	30	Pass	2.98	
			Inner_1RB_Right	20.69	23.67	30	Pass	2.98	
			Edge_Full_Left	18.3	21.28	30	Pass	2.98	
			Edge_Full_Right	18.73	21.71	30	Pass	2.98	
			Edge_1RB_Left	18.11	21.09	30	Pass	2.98	
	CP-OFDM 256QAM		Edge_1RB_Right	18.27	21.25	30	Pass	2.98	
			Outer_Full	17.47	20.45	30	Pass	2.98	
			Inner_Full	17.23	20.21	30	Pass	2.98	
			Inner_1RB_Left	17.83	20.81	30	Pass	2.98	
			Inner_1RB_Right	17.68	20.66	30	Pass	2.98	
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	23.05	26.03	30	Pass	2.98
				Edge_Full_Right	23.8	26.78	30	Pass	2.98
				Edge_1RB_Left	23.25	26.23	30	Pass	2.98
				Edge_1RB_Right	23.21	26.19	30	Pass	2.98
	Outer_Full			24.09	27.07	30	Pass	2.98	
	Inner_Full			23.99	26.97	30	Pass	2.98	
	Inner_1RB_Left			23.81	26.79	30	Pass	2.98	
	Inner_1RB_Right			23.66	26.64	30	Pass	2.98	

	DFT-s-OFDM QPSK	Edge_Full_Left	22.96	25.94	30	Pass	2.98
		Edge_Full_Right	23.08	26.06	30	Pass	2.98
		Edge_1RB_Left	22.6	25.58	30	Pass	2.98
		Edge_1RB_Right	22.4	25.38	30	Pass	2.98
		Outer_Full	23.2	26.18	30	Pass	2.98
		Inner_Full	24.19	27.17	30	Pass	2.98
		Inner_1RB_Left	23.57	26.55	30	Pass	2.98
		Inner_1RB_Right	23.45	26.43	30	Pass	2.98
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.57	24.55	30	Pass	2.98
		Edge_Full_Right	21.62	24.6	30	Pass	2.98
		Edge_1RB_Left	21.69	24.67	30	Pass	2.98
		Edge_1RB_Right	21.58	24.56	30	Pass	2.98
		Outer_Full	22.24	25.22	30	Pass	2.98
		Inner_Full	23.39	26.37	30	Pass	2.98
		Inner_1RB_Left	23.23	26.21	30	Pass	2.98
		Inner_1RB_Right	23.19	26.17	30	Pass	2.98
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.24	24.22	30	Pass	2.98
		Edge_Full_Right	21.32	24.3	30	Pass	2.98
		Edge_1RB_Left	21.32	24.3	30	Pass	2.98
		Edge_1RB_Right	21.48	24.46	30	Pass	2.98
		Outer_Full	22.11	25.09	30	Pass	2.98
		Inner_Full	21.61	24.59	30	Pass	2.98
		Inner_1RB_Left	21.79	24.77	30	Pass	2.98
		Inner_1RB_Right	21.44	24.42	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.71	22.69	30	Pass	2.98
		Edge_Full_Right	19.64	22.62	30	Pass	2.98
		Edge_1RB_Left	19.81	22.79	30	Pass	2.98
		Edge_1RB_Right	19.53	22.51	30	Pass	2.98
		Outer_Full	19.71	22.69	30	Pass	2.98
		Inner_Full	19.48	22.46	30	Pass	2.98
		Inner_1RB_Left	19.82	22.8	30	Pass	2.98
		Inner_1RB_Right	19.62	22.6	30	Pass	2.98
	CP-OFDM QPSK	Edge_Full_Left	20.76	23.74	30	Pass	2.98
		Edge_Full_Right	21.37	24.35	30	Pass	2.98
		Edge_1RB_Left	20.61	23.59	30	Pass	2.98
		Edge_1RB_Right	20.91	23.89	30	Pass	2.98
		Outer_Full	21.15	24.13	30	Pass	2.98
		Inner_Full	22.53	25.51	30	Pass	2.98
		Inner_1RB_Left	22.49	25.47	30	Pass	2.98
		Inner_1RB_Right	22.19	25.17	30	Pass	2.98
	CP-OFDM 16QAM	Edge_Full_Left	21.08	24.06	30	Pass	2.98
		Edge_Full_Right	21.65	24.63	30	Pass	2.98
		Edge_1RB_Left	21.03	24.01	30	Pass	2.98

		1770MHz	Edge_1RB_Right	20.92	23.9	30	Pass	2.98
			Outer_Full	21.26	24.24	30	Pass	2.98
			Inner_Full	22.2	25.18	30	Pass	2.98
			Inner_1RB_Left	21.92	24.9	30	Pass	2.98
			Inner_1RB_Right	21.93	24.91	30	Pass	2.98
	CP-OFDM 64QAM		Edge_Full_Left	20.89	23.87	30	Pass	2.98
			Edge_Full_Right	20.43	23.41	30	Pass	2.98
			Edge_1RB_Left	20.1	23.08	30	Pass	2.98
			Edge_1RB_Right	20.54	23.52	30	Pass	2.98
			Outer_Full	20.86	23.84	30	Pass	2.98
			Inner_Full	21.02	24	30	Pass	2.98
			Inner_1RB_Left	20.64	23.62	30	Pass	2.98
			Inner_1RB_Right	20.41	23.39	30	Pass	2.98
	CP-OFDM 256QAM		Edge_Full_Left	18.18	21.16	30	Pass	2.98
			Edge_Full_Right	18.3	21.28	30	Pass	2.98
			Edge_1RB_Left	18.06	21.04	30	Pass	2.98
			Edge_1RB_Right	17.86	20.84	30	Pass	2.98
			Outer_Full	17.67	20.65	30	Pass	2.98
			Inner_Full	17.7	20.68	30	Pass	2.98
			Inner_1RB_Left	18.1	21.08	30	Pass	2.98
			Inner_1RB_Right	17.94	20.92	30	Pass	2.98
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.88	26.86	30	Pass	2.98
			Edge_Full_Right	22.8	25.78	30	Pass	2.98
			Edge_1RB_Left	23.27	26.25	30	Pass	2.98
			Edge_1RB_Right	23.02	26	30	Pass	2.98
			Outer_Full	23.37	26.35	30	Pass	2.98
			Inner_Full	23.43	26.41	30	Pass	2.98
			Inner_1RB_Left	23.68	26.66	30	Pass	2.98
			Inner_1RB_Right	23.38	26.36	30	Pass	2.98
	DFT-s-OFDM QPSK		Edge_Full_Left	22.3	25.28	30	Pass	2.98
			Edge_Full_Right	21.63	24.61	30	Pass	2.98
			Edge_1RB_Left	21.83	24.81	30	Pass	2.98
			Edge_1RB_Right	20.91	23.89	30	Pass	2.98
			Outer_Full	22.41	25.39	30	Pass	2.98
			Inner_Full	23.16	26.14	30	Pass	2.98
			Inner_1RB_Left	23.68	26.66	30	Pass	2.98
			Inner_1RB_Right	22.37	25.35	30	Pass	2.98
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.72	24.7	30	Pass	2.98
			Edge_Full_Right	20.29	23.27	30	Pass	2.98
			Edge_1RB_Left	21.39	24.37	30	Pass	2.98
			Edge_1RB_Right	20.16	23.14	30	Pass	2.98
			Outer_Full	21.47	24.45	30	Pass	2.98
			Inner_Full	21.97	24.95	30	Pass	2.98

	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.95	25.93	30	Pass	2.98
		Inner_1RB_Right	21.65	24.63	30	Pass	2.98
		Edge_Full_Left	21.09	24.07	30	Pass	2.98
		Edge_Full_Right	19.82	22.8	30	Pass	2.98
		Edge_1RB_Left	20.89	23.87	30	Pass	2.98
		Edge_1RB_Right	19.62	22.6	30	Pass	2.98
		Outer_Full	21.03	24.01	30	Pass	2.98
		Inner_Full	20.52	23.5	30	Pass	2.98
		Inner_1RB_Left	21.16	24.14	30	Pass	2.98
		Inner_1RB_Right	20.21	23.19	30	Pass	2.98
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.09	22.07	30	Pass	2.98
		Edge_Full_Right	18.15	21.13	30	Pass	2.98
		Edge_1RB_Left	19.14	22.12	30	Pass	2.98
		Edge_1RB_Right	18.06	21.04	30	Pass	2.98
		Outer_Full	19.4	22.38	30	Pass	2.98
		Inner_Full	19.43	22.41	30	Pass	2.98
		Inner_1RB_Left	19.36	22.34	30	Pass	2.98
		Inner_1RB_Right	18.02	21	30	Pass	2.98
		Edge_Full_Left	21.32	24.3	30	Pass	2.98
		Edge_Full_Right	19.93	22.91	30	Pass	2.98
	CP-OFDM QPSK	Edge_1RB_Left	20.22	23.2	30	Pass	2.98
		Edge_1RB_Right	20.72	23.7	30	Pass	2.98
		Outer_Full	21.14	24.12	30	Pass	2.98
		Inner_Full	21.34	24.32	30	Pass	2.98
		Inner_1RB_Left	22.07	25.05	30	Pass	2.98
		Inner_1RB_Right	20.34	23.32	30	Pass	2.98
		Edge_Full_Left	21.31	24.29	30	Pass	2.98
		Edge_Full_Right	20.11	23.09	30	Pass	2.98
		Edge_1RB_Left	20.8	23.78	30	Pass	2.98
		Edge_1RB_Right	19.77	22.75	30	Pass	2.98
	CP-OFDM 16QAM	Outer_Full	21.13	24.11	30	Pass	2.98
		Inner_Full	21.27	24.25	30	Pass	2.98
		Inner_1RB_Left	21.56	24.54	30	Pass	2.98
		Inner_1RB_Right	20.37	23.35	30	Pass	2.98
		Edge_Full_Left	20.65	23.63	30	Pass	2.98
		Edge_Full_Right	20.71	23.69	30	Pass	2.98
		Edge_1RB_Left	20.49	23.47	30	Pass	2.98
		Edge_1RB_Right	19.95	22.93	30	Pass	2.98
		Outer_Full	20.75	23.73	30	Pass	2.98
		Inner_Full	20.5	23.48	30	Pass	2.98
	CP-OFDM 64QAM	Inner_1RB_Left	20.09	23.07	30	Pass	2.98
		Inner_1RB_Right	20.16	23.14	30	Pass	2.98
		Edge_Full_Left	18.5	21.48	30	Pass	2.98
	CP-OFDM 256QAM						

			Edge_Full_Right	17.51	20.49	30	Pass	2.98
			Edge_1RB_Left	17.72	20.7	30	Pass	2.98
			Edge_1RB_Right	17.44	20.42	30	Pass	2.98
			Outer_Full	17.91	20.89	30	Pass	2.98
			Inner_Full	17.19	20.17	30	Pass	2.98
			Inner_1RB_Left	17.48	20.46	30	Pass	2.98
			Inner_1RB_Right	17.25	20.23	30	Pass	2.98

Frequency Stability

Band width	Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	5.96	0.0032	2.5	Pass
					HV	7.8	0.0041	2.5	Pass
				-30	NV	10.14	0.0054	2.5	Pass
				-20	NV	4.36	0.0023	2.5	Pass
				-10	NV	-5.36	-0.0029	2.5	Pass
				0	NV	2.97	0.0016	2.5	Pass
				10	NV	8.4	0.0045	2.5	Pass
				20	NV	8.03	0.0043	2.5	Pass
				30	NV	-8.46	-0.0045	2.5	Pass
				40	NV	-8.28	-0.0044	2.5	Pass
	50			NV	-9.65	-0.0051	2.5	Pass	
	CP-OFDM QPSK			20	LV	-4.74	-0.0025	2.5	Pass
					HV	-5.81	-0.0031	2.5	Pass
				-30	NV	3.66	0.0019	2.5	Pass
				-20	NV	-5	-0.0027	2.5	Pass
				-10	NV	3.48	0.0019	2.5	Pass
				0	NV	-5.66	-0.0030	2.5	Pass
				10	NV	-3.74	-0.0020	2.5	Pass
				20	NV	2.16	0.0011	2.5	Pass
				30	NV	2.87	0.0015	2.5	Pass
				40	NV	3.05	0.0016	2.5	Pass
				50	NV	-3.37	-0.0018	2.5	Pass
10MHz		DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-2.11	-0.0011	2.5
	HV					9.55	0.0051	2.5	Pass
	-30				NV	6.37	0.0034	2.5	Pass
	-20				NV	-2.12	-0.0011	2.5	Pass
	-10				NV	-5.07	-0.0027	2.5	Pass
	0				NV	-4.62	-0.0025	2.5	Pass
	10				NV	2.07	0.0011	2.5	Pass
	20				NV	3.86	0.0021	2.5	Pass
	30				NV	5.85	0.0031	2.5	Pass
	40				NV	3.97	0.0021	2.5	Pass
	50	NV			3.36	0.0018	2.5	Pass	
	CP-OFDM QPSK	20			LV	5.02	0.0027	2.5	Pass
					HV	-3.67	-0.0020	2.5	Pass
		-30			NV	5.63	0.0030	2.5	Pass
		-20			NV	4.11	0.0022	2.5	Pass
		-10			NV	-5.12	-0.0027	2.5	Pass
		0			NV	5.37	0.0029	2.5	Pass

				10	NV	-2.93	-0.0016	2.5	Pass
				20	NV	9.2	0.0049	2.5	Pass
				30	NV	10.27	0.0055	2.5	Pass
				40	NV	8.57	0.0046	2.5	Pass
				50	NV	7.85	0.0042	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-2.62	-0.0014	2.5	Pass
					HV	-1.98	-0.0011	2.5	Pass
				-30	NV	8.12	0.0043	2.5	Pass
				-20	NV	2.69	0.0014	2.5	Pass
				-10	NV	-8.62	-0.0046	2.5	Pass
				0	NV	-2.1	-0.0011	2.5	Pass
				10	NV	2.72	0.0014	2.5	Pass
				20	NV	-9.16	-0.0049	2.5	Pass
				30	NV	-5.84	-0.0031	2.5	Pass
				40	NV	3.73	0.0020	2.5	Pass
	50			NV	4.56	0.0024	2.5	Pass	
	CP-OFDM QPSK			20	LV	-8.79	-0.0047	2.5	Pass
					HV	-3.6	-0.0019	2.5	Pass
				-30	NV	-9.76	-0.0052	2.5	Pass
				-20	NV	9.24	0.0049	2.5	Pass
				-10	NV	-2.66	-0.0014	2.5	Pass
				0	NV	6.49	0.0035	2.5	Pass
				10	NV	4.22	0.0022	2.5	Pass
				20	NV	-4.38	-0.0023	2.5	Pass
				30	NV	9.25	0.0049	2.5	Pass
40		NV	3.67	0.0020	2.5	Pass			
50	NV	4.63	0.0025	2.5	Pass				
20MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-4.78	-0.0025	2.5	Pass
					HV	-4.37	-0.0023	2.5	Pass
				-30	NV	6.77	0.0036	2.5	Pass
				-20	NV	-5.44	-0.0029	2.5	Pass
				-10	NV	3.83	0.0020	2.5	Pass
				0	NV	-5.16	-0.0027	2.5	Pass
				10	NV	6.2	0.0033	2.5	Pass
				20	NV	-8.97	-0.0048	2.5	Pass
				30	NV	-4.56	-0.0024	2.5	Pass
				40	NV	3.31	0.0018	2.5	Pass
	50			NV	2.5	0.0013	2.5	Pass	
	CP-OFDM QPSK			20	LV	-6.92	-0.0037	2.5	Pass
					HV	6.91	0.0037	2.5	Pass
				-30	NV	-3.41	-0.0018	2.5	Pass
				-20	NV	-4.51	-0.0024	2.5	Pass
-10		NV	-3.84	-0.0020	2.5	Pass			

				0	NV	-2.19	-0.0012	2.5	Pass
				10	NV	-8.29	-0.0044	2.5	Pass
				20	NV	9.41	0.0050	2.5	Pass
				30	NV	6.36	0.0034	2.5	Pass
				40	NV	3.97	0.0021	2.5	Pass
				50	NV	7.12	0.0038	2.5	Pass

Field Strength of Spurious Radiation

NR Band n66-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3422.0	-62.1	-13	-49.1	-66.84	3.24	7.98	Horizontal	Pass
5133.0	-61.63	-13	-48.63	-67.6	4.25	10.22	Horizontal	Pass
6844.0	-62.68	-13	-49.68	-69.42	4.19	10.93	Horizontal	Pass
3422.0	-65.22	-13	-52.22	-69.96	3.24	7.98	Vertical	Pass
5133.0	-61.89	-13	-48.89	-67.86	4.25	10.22	Vertical	Pass
6844.0	-63.28	-13	-50.28	-70.02	4.19	10.93	Vertical	Pass

NR Band n66-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3472.0	-58.92	-13	-45.92	-63.75	3.27	8.1	Horizontal	Pass
5208.0	-62.28	-13	-49.28	-68.3	4.25	10.27	Horizontal	Pass
6944.0	-63.18	-13	-50.18	-70.05	4.19	11.06	Horizontal	Pass
3472.0	-65.54	-13	-52.54	-70.37	3.27	8.1	Vertical	Pass
5208.0	-62.99	-13	-49.99	-69.01	4.25	10.27	Vertical	Pass
6944.0	-63.59	-13	-50.59	-70.46	4.19	11.06	Vertical	Pass

NR Band n66-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3522.0	-56.08	-13	-43.08	-60.98	3.3	8.2	Horizontal	Pass
5283.0	-62.91	-13	-49.91	-68.98	4.25	10.32	Horizontal	Pass
7044.0	-62.96	-13	-49.96	-69.95	4.19	11.18	Horizontal	Pass
3522.0	-60.7	-13	-47.7	-65.6	3.3	8.2	Vertical	Pass
5283.0	-63.68	-13	-50.68	-69.75	4.25	10.32	Vertical	Pass
7044.0	-63.12	-13	-50.12	-70.11	4.19	11.18	Vertical	Pass

---End of Attachment---