

Appendix Test Data

Report No:	1812C40190212502	Test Sample NO:	1-2-2
Start Test Date:	2024.12.20	Finish Test Date:	2025.1.15
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	23.3°C	Relative Humidity:	54%
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	23.44	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.28	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.05	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	23.28	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	23.11	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.95	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	22.12	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	22.08	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	22.46	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	22.01	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	21.80	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	21.78	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	21.92	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	21.07	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	23.15	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.10	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.03	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	23.24	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	23.32	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	23.18	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	22.13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.96	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Band25	1.4MHz	16QAM	26365	1RB#2	22.10	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.91	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	22.02	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	22.02	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	22.07	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	21.02	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.46	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.62	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.22	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	23.48	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	23.39	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	23.40	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.44	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	22.32	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	22.36	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	22.43	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	22.18	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	22.43	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	22.25	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.33	PASS
Band25	3MHz	QPSK	26055	1RB#0	23.33	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.16	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.18	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.04	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.19	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.16	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.05	PASS
Band25	3MHz	16QAM	26055	1RB#0	22.26	PASS
Band25	3MHz	16QAM	26055	1RB#8	22.00	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.02	PASS
Band25	3MHz	16QAM	26055	8RB#0	21.10	PASS
Band25	3MHz	16QAM	26055	8RB#4	21.12	PASS
Band25	3MHz	16QAM	26055	8RB#7	21.17	PASS
Band25	3MHz	16QAM	26055	15RB#0	21.09	PASS
Band25	3MHz	QPSK	26365	1RB#0	23.16	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.27	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.06	PASS
Band25	3MHz	QPSK	26365	8RB#0	22.26	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.19	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.11	PASS
Band25	3MHz	QPSK	26365	15RB#0	22.16	PASS
Band25	3MHz	16QAM	26365	1RB#0	22.01	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	3MHz	16QAM	26365	1RB#8	21.96	PASS
Band25	3MHz	16QAM	26365	1RB#14	22.12	PASS
Band25	3MHz	16QAM	26365	8RB#0	20.99	PASS
Band25	3MHz	16QAM	26365	8RB#4	21.22	PASS
Band25	3MHz	16QAM	26365	8RB#7	21.23	PASS
Band25	3MHz	16QAM	26365	15RB#0	20.80	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.39	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.45	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.58	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.45	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.39	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.50	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.40	PASS
Band25	3MHz	16QAM	26675	1RB#0	22.45	PASS
Band25	3MHz	16QAM	26675	1RB#8	22.35	PASS
Band25	3MHz	16QAM	26675	1RB#14	22.44	PASS
Band25	3MHz	16QAM	26675	8RB#0	21.29	PASS
Band25	3MHz	16QAM	26675	8RB#4	21.23	PASS
Band25	3MHz	16QAM	26675	8RB#7	21.43	PASS
Band25	3MHz	16QAM	26675	15RB#0	21.30	PASS
Band25	5MHz	QPSK	26065	1RB#0	23.13	PASS
Band25	5MHz	QPSK	26065	1RB#12	22.92	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.10	PASS
Band25	5MHz	QPSK	26065	12RB#0	21.99	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.07	PASS
Band25	5MHz	QPSK	26065	12RB#13	21.97	PASS
Band25	5MHz	QPSK	26065	25RB#0	21.93	PASS
Band25	5MHz	16QAM	26065	1RB#0	22.06	PASS
Band25	5MHz	16QAM	26065	1RB#12	21.86	PASS
Band25	5MHz	16QAM	26065	1RB#24	21.96	PASS
Band25	5MHz	16QAM	26065	12RB#0	21.02	PASS
Band25	5MHz	16QAM	26065	12RB#6	21.03	PASS
Band25	5MHz	16QAM	26065	12RB#13	20.88	PASS
Band25	5MHz	16QAM	26065	25RB#0	20.95	PASS
Band25	5MHz	QPSK	26365	1RB#0	23.20	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.30	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.29	PASS
Band25	5MHz	QPSK	26365	12RB#0	22.18	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.21	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.16	PASS
Band25	5MHz	QPSK	26365	25RB#0	22.14	PASS
Band25	5MHz	16QAM	26365	1RB#0	22.15	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band25	5MHz	16QAM	26365	1RB#12	22.09	PASS
Band25	5MHz	16QAM	26365	1RB#24	22.06	PASS
Band25	5MHz	16QAM	26365	12RB#0	21.08	PASS
Band25	5MHz	16QAM	26365	12RB#6	21.20	PASS
Band25	5MHz	16QAM	26365	12RB#13	21.13	PASS
Band25	5MHz	16QAM	26365	25RB#0	21.04	PASS
Band25	5MHz	QPSK	26665	1RB#0	23.19	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.36	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.58	PASS
Band25	5MHz	QPSK	26665	12RB#0	22.29	PASS
Band25	5MHz	QPSK	26665	12RB#6	22.21	PASS
Band25	5MHz	QPSK	26665	12RB#13	22.33	PASS
Band25	5MHz	QPSK	26665	25RB#0	22.22	PASS
Band25	5MHz	16QAM	26665	1RB#0	22.15	PASS
Band25	5MHz	16QAM	26665	1RB#12	22.29	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.46	PASS
Band25	5MHz	16QAM	26665	12RB#0	21.07	PASS
Band25	5MHz	16QAM	26665	12RB#6	21.17	PASS
Band25	5MHz	16QAM	26665	12RB#13	21.41	PASS
Band25	5MHz	16QAM	26665	25RB#0	21.23	PASS
Band25	10MHz	QPSK	26090	1RB#0	23.23	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.19	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.13	PASS
Band25	10MHz	QPSK	26090	25RB#0	22.19	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.21	PASS
Band25	10MHz	QPSK	26090	25RB#25	22.05	PASS
Band25	10MHz	QPSK	26090	50RB#0	22.12	PASS
Band25	10MHz	16QAM	26090	1RB#0	22.18	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.31	PASS
Band25	10MHz	16QAM	26090	1RB#49	22.18	PASS
Band25	10MHz	16QAM	26090	25RB#0	21.10	PASS
Band25	10MHz	16QAM	26090	25RB#12	21.11	PASS
Band25	10MHz	16QAM	26090	25RB#25	20.96	PASS
Band25	10MHz	16QAM	26090	50RB#0	21.04	PASS
Band25	10MHz	QPSK	26365	1RB#0	23.00	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.59	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.14	PASS
Band25	10MHz	QPSK	26365	25RB#0	22.34	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.27	PASS
Band25	10MHz	QPSK	26365	25RB#25	22.26	PASS
Band25	10MHz	QPSK	26365	50RB#0	22.22	PASS
Band25	10MHz	16QAM	26365	1RB#0	21.99	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	10MHz	16QAM	26365	1RB#24	22.49	PASS
Band25	10MHz	16QAM	26365	1RB#49	22.09	PASS
Band25	10MHz	16QAM	26365	25RB#0	21.20	PASS
Band25	10MHz	16QAM	26365	25RB#12	21.32	PASS
Band25	10MHz	16QAM	26365	25RB#25	21.21	PASS
Band25	10MHz	16QAM	26365	50RB#0	21.27	PASS
Band25	10MHz	QPSK	26640	1RB#0	23.65	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.30	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.55	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.64	PASS
Band25	10MHz	QPSK	26640	25RB#12	22.36	PASS
Band25	10MHz	QPSK	26640	25RB#25	22.21	PASS
Band25	10MHz	QPSK	26640	50RB#0	22.28	PASS
Band25	10MHz	16QAM	26640	1RB#0	22.80	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.54	PASS
Band25	10MHz	16QAM	26640	1RB#49	22.68	PASS
Band25	10MHz	16QAM	26640	25RB#0	21.33	PASS
Band25	10MHz	16QAM	26640	25RB#12	21.43	PASS
Band25	10MHz	16QAM	26640	25RB#25	21.27	PASS
Band25	10MHz	16QAM	26640	50RB#0	21.32	PASS
Band25	15MHz	QPSK	26115	1RB#0	23.06	PASS
Band25	15MHz	QPSK	26115	1RB#38	22.91	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.89	PASS
Band25	15MHz	QPSK	26115	38RB#0	22.00	PASS
Band25	15MHz	QPSK	26115	38RB#18	22.06	PASS
Band25	15MHz	QPSK	26115	38RB#37	22.04	PASS
Band25	15MHz	QPSK	26115	75RB#0	22.02	PASS
Band25	15MHz	16QAM	26115	1RB#0	22.27	PASS
Band25	15MHz	16QAM	26115	1RB#38	21.95	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.95	PASS
Band25	15MHz	16QAM	26115	38RB#0	22.08	PASS
Band25	15MHz	16QAM	26115	38RB#18	22.05	PASS
Band25	15MHz	16QAM	26115	38RB#37	22.03	PASS
Band25	15MHz	16QAM	26115	75RB#0	21.04	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.15	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.17	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.04	PASS
Band25	15MHz	QPSK	26365	38RB#0	22.34	PASS
Band25	15MHz	QPSK	26365	38RB#18	22.36	PASS
Band25	15MHz	QPSK	26365	38RB#37	22.36	PASS
Band25	15MHz	QPSK	26365	75RB#0	22.25	PASS
Band25	15MHz	16QAM	26365	1RB#0	22.06	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band25	15MHz	16QAM	26365	1RB#38	22.23	PASS
Band25	15MHz	16QAM	26365	1RB#74	22.24	PASS
Band25	15MHz	16QAM	26365	38RB#0	22.35	PASS
Band25	15MHz	16QAM	26365	38RB#18	22.36	PASS
Band25	15MHz	16QAM	26365	38RB#37	22.25	PASS
Band25	15MHz	16QAM	26365	75RB#0	21.22	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.29	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.41	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.51	PASS
Band25	15MHz	QPSK	26615	38RB#0	22.44	PASS
Band25	15MHz	QPSK	26615	38RB#18	22.31	PASS
Band25	15MHz	QPSK	26615	38RB#37	22.30	PASS
Band25	15MHz	QPSK	26615	75RB#0	22.51	PASS
Band25	15MHz	16QAM	26615	1RB#0	22.41	PASS
Band25	15MHz	16QAM	26615	1RB#38	22.79	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.49	PASS
Band25	15MHz	16QAM	26615	38RB#0	22.31	PASS
Band25	15MHz	16QAM	26615	38RB#18	22.31	PASS
Band25	15MHz	16QAM	26615	38RB#37	22.30	PASS
Band25	15MHz	16QAM	26615	75RB#0	21.28	PASS
Band25	20MHz	QPSK	26140	1RB#0	22.95	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.08	PASS
Band25	20MHz	QPSK	26140	1RB#99	22.97	PASS
Band25	20MHz	QPSK	26140	50RB#0	21.88	PASS
Band25	20MHz	QPSK	26140	50RB#25	21.84	PASS
Band25	20MHz	QPSK	26140	50RB#50	21.85	PASS
Band25	20MHz	QPSK	26140	100RB#0	21.87	PASS
Band25	20MHz	16QAM	26140	1RB#0	21.96	PASS
Band25	20MHz	16QAM	26140	1RB#49	22.10	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.80	PASS
Band25	20MHz	16QAM	26140	50RB#0	20.89	PASS
Band25	20MHz	16QAM	26140	50RB#25	20.87	PASS
Band25	20MHz	16QAM	26140	50RB#50	20.86	PASS
Band25	20MHz	16QAM	26140	100RB#0	20.79	PASS
Band25	20MHz	QPSK	26365	1RB#0	22.86	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.54	PASS
Band25	20MHz	QPSK	26365	1RB#99	22.96	PASS
Band25	20MHz	QPSK	26365	50RB#0	22.06	PASS
Band25	20MHz	QPSK	26365	50RB#25	22.09	PASS
Band25	20MHz	QPSK	26365	50RB#50	22.04	PASS
Band25	20MHz	QPSK	26365	100RB#0	22.04	PASS
Band25	20MHz	16QAM	26365	1RB#0	22.28	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	20MHz	16QAM	26365	1RB#49	22.64	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.61	PASS
Band25	20MHz	16QAM	26365	50RB#0	20.95	PASS
Band25	20MHz	16QAM	26365	50RB#25	20.87	PASS
Band25	20MHz	16QAM	26365	50RB#50	21.00	PASS
Band25	20MHz	16QAM	26365	100RB#0	20.96	PASS
Band25	20MHz	QPSK	26590	1RB#0	22.67	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.34	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.14	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.11	PASS
Band25	20MHz	QPSK	26590	50RB#25	22.02	PASS
Band25	20MHz	QPSK	26590	50RB#50	22.23	PASS
Band25	20MHz	QPSK	26590	100RB#0	22.04	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.86	PASS
Band25	20MHz	16QAM	26590	1RB#49	22.04	PASS
Band25	20MHz	16QAM	26590	1RB#99	22.22	PASS
Band25	20MHz	16QAM	26590	50RB#0	21.03	PASS
Band25	20MHz	16QAM	26590	50RB#25	21.05	PASS
Band25	20MHz	16QAM	26590	50RB#50	21.19	PASS
Band25	20MHz	16QAM	26590	100RB#0	21.01	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	4.68	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	5.24	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	5.76	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	6.11	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	4.71	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	5.26	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	5.67	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	6.13	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	4.42	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	5.07	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	5.48	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	5.96	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	4.69	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	5.27	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	5.74	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	6.12	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	4.77	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	5.30	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	5.69	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	6.12	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	4.60	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	5.23	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	5.56	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	6.05	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	4.67	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	5.28	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	5.54	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	6.08	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	4.67	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.27	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	5.60	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	6.06	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	4.64	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	5.21	13	PASS
Band25	5MHz	16QAM	26665	1RB#0	5.46	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	6.00	13	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Band25	10MHz	QPSK	26090	1RB#0	4.60	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.23	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	5.62	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	6.03	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	4.68	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.19	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	5.49	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.99	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	4.57	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	5.23	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	5.63	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	6.04	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	4.60	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	5.39	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	5.50	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	6.12	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	4.60	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.30	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	5.57	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.02	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	4.58	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	5.34	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	5.64	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	6.08	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	4.56	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.20	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	5.64	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.99	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	4.50	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.09	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	5.41	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.93	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	4.64	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.14	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	5.59	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.98	13	PASS


Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com


 Hotline
400-003-0500
www.anbotech.com


Test Graphs


























Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.0944	1.281	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.0987	1.299	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0982	1.314	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.0896	1.273	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0933	1.297	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.0979	1.317	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7063	2.986	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6891	2.939	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.6966	2.986	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6969	2.977	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.6994	2.963	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.6984	2.980	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5068	5.005	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.4973	5.010	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5018	4.971	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5091	5.005	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5003	5.015	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5130	5.036	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.9636	9.942	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.9719	9.840	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9533	9.829	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.9545	9.870	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.9573	9.875	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9641	9.785	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.457	14.76	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.449	14.69	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.414	14.81	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.426	14.63	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.403	14.59	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.468	14.68	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.953	19.46	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.920	19.40	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.894	19.57	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.875	19.38	PASS

Shenzhen Anbotek Compliance Laboratory Limited


Band25	20MHz	QPSK	26590	100RB#0	17.853	19.36	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.851	19.33	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


 Hotline
400-003-0500
www.anbotek.com


Test Graphs











Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	-25.78	12.78	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	-38.15	25.15	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	-31.73	18.73	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	-27.63	14.63	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	-37.14	24.14	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	-34.95	21.95	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	-33.90	20.90	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	-28.14	15.14	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	-29.97	16.97	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	-36.98	23.98	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	-23.60	10.60	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	-30.02	17.02	PASS
Band25	3MHz	QPSK	26055	1RB#0	-25.00	12.00	PASS
Band25	3MHz	QPSK	26055	1RB#14	-46.20	33.20	PASS
Band25	3MHz	QPSK	26055	15RB#0	-32.43	19.43	PASS
Band25	3MHz	16QAM	26055	1RB#0	-26.39	13.39	PASS
Band25	3MHz	16QAM	26055	1RB#14	-47.35	34.35	PASS
Band25	3MHz	16QAM	26055	15RB#0	-34.55	21.55	PASS
Band25	3MHz	QPSK	26675	1RB#0	-46.95	33.95	PASS
Band25	3MHz	QPSK	26675	1RB#14	-24.70	11.70	PASS
Band25	3MHz	QPSK	26675	15RB#0	-31.60	18.60	PASS
Band25	3MHz	16QAM	26675	1RB#0	-48.42	35.42	PASS
Band25	3MHz	16QAM	26675	1RB#14	-27.20	14.20	PASS
Band25	3MHz	16QAM	26675	15RB#0	-32.66	19.66	PASS
Band25	5MHz	QPSK	26065	1RB#0	-27.66	14.66	PASS
Band25	5MHz	QPSK	26065	1RB#24	-53.84	40.84	PASS
Band25	5MHz	QPSK	26065	25RB#0	-34.49	21.49	PASS
Band25	5MHz	16QAM	26065	1RB#0	-29.18	16.18	PASS
Band25	5MHz	16QAM	26065	1RB#24	-53.93	40.93	PASS
Band25	5MHz	16QAM	26065	25RB#0	-35.44	22.44	PASS
Band25	5MHz	QPSK	26665	1RB#0	-53.04	40.04	PASS
Band25	5MHz	QPSK	26665	1RB#24	-27.12	14.12	PASS
Band25	5MHz	QPSK	26665	25RB#0	-34.29	21.29	PASS
Band25	5MHz	16QAM	26665	1RB#0	-53.47	40.47	PASS
Band25	5MHz	16QAM	26665	1RB#24	-28.57	15.57	PASS
Band25	5MHz	16QAM	26665	25RB#0	-35.18	22.18	PASS


Shenzhen Anbotech Compliance Laboratory Limited


Band25	10MHz	QPSK	26090	1RB#0	-38.57	25.57	PASS
Band25	10MHz	QPSK	26090	1RB#49	-51.23	38.23	PASS
Band25	10MHz	QPSK	26090	50RB#0	-36.66	23.66	PASS
Band25	10MHz	16QAM	26090	1RB#0	-39.71	26.71	PASS
Band25	10MHz	16QAM	26090	1RB#49	-51.76	38.76	PASS
Band25	10MHz	16QAM	26090	50RB#0	-37.44	24.44	PASS
Band25	10MHz	QPSK	26640	1RB#0	-51.65	38.65	PASS
Band25	10MHz	QPSK	26640	1RB#49	-36.23	23.23	PASS
Band25	10MHz	QPSK	26640	50RB#0	-37.74	24.74	PASS
Band25	10MHz	16QAM	26640	1RB#0	-51.45	38.45	PASS
Band25	10MHz	16QAM	26640	1RB#49	-37.56	24.56	PASS
Band25	10MHz	16QAM	26640	50RB#0	-38.64	25.64	PASS
Band25	15MHz	QPSK	26115	1RB#0	-38.24	25.24	PASS
Band25	15MHz	QPSK	26115	1RB#74	-50.16	37.16	PASS
Band25	15MHz	QPSK	26115	75RB#0	-38.58	25.58	PASS
Band25	15MHz	16QAM	26115	1RB#0	-39.82	26.82	PASS
Band25	15MHz	16QAM	26115	1RB#74	-50.04	37.04	PASS
Band25	15MHz	16QAM	26115	75RB#0	-38.25	25.25	PASS
Band25	15MHz	QPSK	26615	1RB#0	-49.70	36.70	PASS
Band25	15MHz	QPSK	26615	1RB#74	-39.15	26.15	PASS
Band25	15MHz	QPSK	26615	75RB#0	-38.63	25.63	PASS
Band25	15MHz	16QAM	26615	1RB#0	-49.69	36.69	PASS
Band25	15MHz	16QAM	26615	1RB#74	-40.22	27.22	PASS
Band25	15MHz	16QAM	26615	75RB#0	-39.42	26.42	PASS
Band25	20MHz	QPSK	26140	1RB#0	-40.21	27.21	PASS
Band25	20MHz	QPSK	26140	1RB#99	-49.20	36.20	PASS
Band25	20MHz	QPSK	26140	100RB#0	-39.45	26.45	PASS
Band25	20MHz	16QAM	26140	1RB#0	-40.82	27.82	PASS
Band25	20MHz	16QAM	26140	1RB#99	-49.41	36.41	PASS
Band25	20MHz	16QAM	26140	100RB#0	-38.72	25.72	PASS
Band25	20MHz	QPSK	26590	1RB#0	-48.84	35.84	PASS
Band25	20MHz	QPSK	26590	1RB#99	-39.78	26.78	PASS
Band25	20MHz	QPSK	26590	100RB#0	-39.19	26.19	PASS
Band25	20MHz	16QAM	26590	1RB#0	-48.73	35.73	PASS
Band25	20MHz	16QAM	26590	1RB#99	-40.41	27.41	PASS
Band25	20MHz	16QAM	26590	100RB#0	-38.75	25.75	PASS


Test Graphs



















Band25-10MHz-16QAM-26640-1RB#49-PASS




Band25-10MHz-16QAM-26640-50RB#0-PASS




Band25-15MHz-QPSK-26115-1RB#0-PASS




Band25-15MHz-QPSK-26115-1RB#74-PASS




Band25-15MHz-QPSK-26115-75RB#0-PASS




Band25-15MHz-16QAM-26115-1RB#0-PASS





Band25-15MHz-16QAM-26115-1RB#74-PASS



Band25-15MHz-16QAM-26115-75RB#0-PASS







Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline 400-003-0500
www.anbotek.com

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	0.009~0.15	-47.10	-43.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	0.15~30	-55.88	-33.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	30~1000	-59.28	-23.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	1000~3000	-37.53	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	3000~20000	-40.54	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	0.009~0.15	-48.35	-43.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	0.15~30	-54.68	-33.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	30~1000	-59.53	-23.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	1000~3000	-37.09	-13.0	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	3000~20000	-40.84	-13.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	0.009~0.15	-48.34	-43.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	0.15~30	-54.02	-33.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	30~1000	-59.59	-23.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	1000~3000	-35.20	-13.0	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	3000~20000	-40.76	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.009~0.15	-47.91	-43.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	0.15~30	-56.09	-33.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	30~1000	-59.43	-23.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	1000~3000	-37.49	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	3000~20000	-40.44	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	0.009~0.15	-47.39	-43.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	0.15~30	-53.52	-33.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Band25	1.4MHz	16QAM	26047	1RB#5	30~1000	-59.19	-23.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	1000~3000	-38.21	-13.0	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	3000~20000	-40.30	-13.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	0.009~0.15	-48.56	-43.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	0.15~30	-54.63	-33.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	30~1000	-59.13	-23.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1000~3000	-38.24	-13.0	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	3000~20000	-40.87	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.009~0.15	-48.50	-43.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	0.15~30	-55.31	-33.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	30~1000	-59.54	-23.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	1000~3000	-35.88	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	3000~20000	-40.12	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	0.009~0.15	-47.20	-43.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	0.15~30	-54.99	-33.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	30~1000	-59.45	-23.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	1000~3000	-37.57	-13.0	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	3000~20000	-40.78	-13.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	0.009~0.15	-47.92	-43.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	0.15~30	-55.76	-33.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	30~1000	-58.89	-23.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1000~3000	-36.89	-13.0	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	3000~20000	-40.72	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.009~0.15	-48.24	-43.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	0.15~30	-55.14	-33.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	30~1000	-59.39	-23.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	1000~3000	-37.02	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	1.4MHz	16QAM	26365	1RB#0	3000~20000	-40.73	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	0.009~0.15	-48.07	-43.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	0.15~30	-55.98	-33.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	30~1000	-59.47	-23.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	1000~3000	-38.67	-13.0	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	3000~20000	-40.69	-13.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	0.009~0.15	-49.30	-43.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	0.15~30	-55.37	-33.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	30~1000	-59.36	-23.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1000~3000	-39.18	-13.0	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	3000~20000	-40.61	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.009~0.15	-48.52	-43.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	0.15~30	-53.97	-33.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	30~1000	-59.49	-23.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	1000~3000	-36.52	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	3000~20000	-40.44	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	0.009~0.15	-48.71	-43.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	0.15~30	-54.94	-33.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	30~1000	-59.37	-23.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	1000~3000	-37.89	-13.0	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	3000~20000	-40.60	-13.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	0.009~0.15	-46.75	-43.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	0.15~30	-54.75	-33.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	30~1000	-59.62	-23.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1000~3000	-34.42	-13.0	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	3000~20000	-40.70	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	0.009~0.15	-47.61	-43.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

					15			
Band25	1.4MHz	16QAM	26683	1RB#0	0.15~30	-56.70	-33.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	30~1000	-59.52	-23.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	1000~3000	-36.94	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	3000~20000	-40.68	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	0.009~0.15	-49.49	-43.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	0.15~30	-53.85	-33.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	30~1000	-59.49	-23.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	1000~3000	-38.35	-13.0	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	3000~20000	-40.88	-13.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	0.009~0.15	-48.02	-43.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	0.15~30	-55.02	-33.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	30~1000	-58.89	-23.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1000~3000	-37.87	-13.0	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	3000~20000	-40.48	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.009~0.15	-48.92	-43.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	0.15~30	-52.76	-33.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	30~1000	-58.97	-23.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	1000~3000	-46.13	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#0	3000~20000	-40.32	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	0.009~0.15	-48.64	-43.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	0.15~30	-53.65	-33.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	30~1000	-59.66	-23.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	1000~3000	-45.89	-13.0	PASS
Band25	3MHz	QPSK	26055	1RB#14	3000~20000	-40.70	-13.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	0.009~0.15	-45.99	-43.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	0.15~30	-56.12	-33.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	30~1000	-59.39	-23.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	3MHz	QPSK	26055	15RB#0	1000~3000	-38.97	-13.0	PASS
Band25	3MHz	QPSK	26055	15RB#0	3000~20000	-40.80	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.009~0.15	-47.99	-43.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	0.15~30	-55.28	-33.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	30~1000	-59.27	-23.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	1000~3000	-46.18	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#0	3000~20000	-40.89	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	0.009~0.15	-46.44	-43.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	0.15~30	-53.93	-33.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	30~1000	-59.35	-23.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	1000~3000	-46.08	-13.0	PASS
Band25	3MHz	16QAM	26055	1RB#14	3000~20000	-40.69	-13.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	0.009~0.15	-47.06	-43.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	0.15~30	-54.15	-33.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	30~1000	-59.05	-23.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	1000~3000	-38.79	-13.0	PASS
Band25	3MHz	16QAM	26055	15RB#0	3000~20000	-40.48	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.009~0.15	-47.25	-43.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	0.15~30	-57.00	-33.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	30~1000	-59.30	-23.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	1000~3000	-46.17	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#0	3000~20000	-40.66	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	0.009~0.15	-47.25	-43.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	0.15~30	-55.05	-33.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	30~1000	-59.55	-23.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	1000~3000	-45.83	-13.0	PASS
Band25	3MHz	QPSK	26365	1RB#14	3000~20000	-41.13	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

					000			
Band25	3MHz	QPSK	26365	15RB#0	0.009~0.15	-47.08	-43.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	0.15~30	-55.51	-33.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	30~1000	-59.54	-23.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	1000~3000	-38.40	-13.0	PASS
Band25	3MHz	QPSK	26365	15RB#0	3000~20000	-40.76	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.009~0.15	-47.83	-43.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	0.15~30	-54.71	-33.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	30~1000	-59.65	-23.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	1000~3000	-46.30	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#0	3000~20000	-40.60	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	0.009~0.15	-46.47	-43.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	0.15~30	-53.79	-33.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	30~1000	-59.57	-23.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	1000~3000	-46.00	-13.0	PASS
Band25	3MHz	16QAM	26365	1RB#14	3000~20000	-40.61	-13.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	0.009~0.15	-47.85	-43.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	0.15~30	-56.57	-33.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	30~1000	-59.55	-23.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	1000~3000	-40.45	-13.0	PASS
Band25	3MHz	16QAM	26365	15RB#0	3000~20000	-40.94	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.009~0.15	-47.64	-43.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	0.15~30	-56.19	-33.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	30~1000	-59.50	-23.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	1000~3000	-45.93	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#0	3000~20000	-40.53	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	0.009~0.15	-46.03	-43.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band25	3MHz	QPSK	26675	1RB#14	0.15~30	-54.40	-33.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	30~1000	-58.99	-23.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	1000~3000	-45.97	-13.0	PASS
Band25	3MHz	QPSK	26675	1RB#14	3000~20000	-40.84	-13.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	0.009~0.15	-46.87	-43.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	0.15~30	-54.17	-33.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	30~1000	-59.50	-23.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	1000~3000	-36.29	-13.0	PASS
Band25	3MHz	QPSK	26675	15RB#0	3000~20000	-40.86	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.009~0.15	-49.16	-43.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	0.15~30	-55.98	-33.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	30~1000	-59.10	-23.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	1000~3000	-45.83	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#0	3000~20000	-40.83	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	0.009~0.15	-49.28	-43.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	0.15~30	-56.14	-33.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	30~1000	-59.62	-23.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	1000~3000	-46.17	-13.0	PASS
Band25	3MHz	16QAM	26675	1RB#14	3000~20000	-40.54	-13.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	0.009~0.15	-47.85	-43.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	0.15~30	-53.67	-33.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	30~1000	-59.43	-23.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	1000~3000	-37.86	-13.0	PASS
Band25	3MHz	16QAM	26675	15RB#0	3000~20000	-40.68	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.009~0.15	-47.97	-43.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	0.15~30	-55.66	-33.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	30~1000	-59.35	-23.0	PASS
Band25	5MHz	QPSK	26065	1RB#0	1000~30	-46.25	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

					00			
Band25	5MHz	QPSK	26065	1RB#0	3000~20000	-40.64	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	0.009~0.15	-48.42	-43.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	0.15~30	-55.55	-33.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	30~1000	-59.55	-23.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	1000~3000	-46.30	-13.0	PASS
Band25	5MHz	QPSK	26065	1RB#24	3000~20000	-40.59	-13.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	0.009~0.15	-48.45	-43.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	0.15~30	-54.21	-33.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	30~1000	-59.66	-23.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	1000~3000	-39.42	-13.0	PASS
Band25	5MHz	QPSK	26065	25RB#0	3000~20000	-40.70	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.009~0.15	-49.29	-43.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	0.15~30	-54.26	-33.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	30~1000	-59.20	-23.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	1000~3000	-46.13	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#0	3000~20000	-40.13	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	0.009~0.15	-46.21	-43.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	0.15~30	-53.92	-33.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	30~1000	-59.22	-23.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	1000~3000	-46.18	-13.0	PASS
Band25	5MHz	16QAM	26065	1RB#24	3000~20000	-40.53	-13.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	0.009~0.15	-48.18	-43.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	0.15~30	-56.85	-33.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	30~1000	-59.37	-23.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	1000~3000	-41.42	-13.0	PASS
Band25	5MHz	16QAM	26065	25RB#0	3000~20000	-39.93	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band25	5MHz	QPSK	26365	1RB#0	0.009~0.15	-48.89	-43.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	0.15~30	-56.09	-33.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	30~1000	-59.32	-23.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	1000~3000	-46.18	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#0	3000~20000	-40.62	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	0.009~0.15	-47.31	-43.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	0.15~30	-54.28	-33.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	30~1000	-59.39	-23.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	1000~3000	-45.87	-13.0	PASS
Band25	5MHz	QPSK	26365	1RB#24	3000~20000	-40.91	-13.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	0.009~0.15	-47.40	-43.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	0.15~30	-54.76	-33.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	30~1000	-59.62	-23.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	1000~3000	-41.25	-13.0	PASS
Band25	5MHz	QPSK	26365	25RB#0	3000~20000	-40.73	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.009~0.15	-49.12	-43.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	0.15~30	-55.17	-33.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	30~1000	-58.79	-23.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	1000~3000	-46.27	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#0	3000~20000	-40.51	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	0.009~0.15	-48.33	-43.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	0.15~30	-55.27	-33.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	30~1000	-59.37	-23.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	1000~3000	-46.20	-13.0	PASS
Band25	5MHz	16QAM	26365	1RB#24	3000~20000	-40.75	-13.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	0.009~0.15	-47.57	-43.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	0.15~30	-54.92	-33.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	5MHz	16QAM	26365	25RB#0	30~1000	-59.64	-23.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	1000~3000	-42.08	-13.0	PASS
Band25	5MHz	16QAM	26365	25RB#0	3000~20000	-40.75	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.009~0.15	-48.32	-43.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	0.15~30	-56.42	-33.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	30~1000	-59.05	-23.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	1000~3000	-46.43	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#0	3000~20000	-40.82	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	0.009~0.15	-47.48	-43.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	0.15~30	-56.15	-33.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	30~1000	-59.46	-23.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	1000~3000	-45.82	-13.0	PASS
Band25	5MHz	QPSK	26665	1RB#24	3000~20000	-40.60	-13.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	0.009~0.15	-48.96	-43.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	0.15~30	-53.95	-33.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	30~1000	-59.40	-23.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	1000~3000	-39.21	-13.0	PASS
Band25	5MHz	QPSK	26665	25RB#0	3000~20000	-40.83	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.009~0.15	-48.21	-43.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	0.15~30	-53.99	-33.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	30~1000	-59.43	-23.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	1000~3000	-46.01	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#0	3000~20000	-40.20	-13.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	0.009~0.15	-48.99	-43.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	0.15~30	-56.49	-33.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	30~1000	-59.54	-23.0	PASS
Band25	5MHz	16QAM	26665	1RB#24	1000~3000	-46.16	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	5MHz	16QAM	26665	1RB#24	3000~20 000	-40.42	-13.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	0.009~0. 15	-48.10	-43.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	0.15~30	-54.93	-33.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	30~1000	-58.95	-23.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	1000~30 00	-40.29	-13.0	PASS
Band25	5MHz	16QAM	26665	25RB#0	3000~20 000	-40.82	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.009~0. 15	-47.81	-43.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	0.15~30	-57.05	-33.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	30~1000	-59.52	-23.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	1000~30 00	-46.07	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#0	3000~20 000	-40.82	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	0.009~0. 15	-47.18	-43.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	0.15~30	-54.53	-33.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	30~1000	-59.19	-23.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	1000~30 00	-45.96	-13.0	PASS
Band25	10MHz	QPSK	26090	1RB#49	3000~20 000	-40.60	-13.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	0.009~0. 15	-49.49	-43.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	0.15~30	-55.97	-33.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	30~1000	-59.05	-23.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	1000~30 00	-42.15	-13.0	PASS
Band25	10MHz	QPSK	26090	50RB#0	3000~20 000	-40.50	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.009~0. 15	-48.81	-43.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	0.15~30	-53.72	-33.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	30~1000	-59.45	-23.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	1000~30 00	-46.34	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#0	3000~20 000	-40.68	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	0.009~0.	-48.62	-43.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

					15			
Band25	10MHz	16QAM	26090	1RB#49	0.15~30	-55.17	-33.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	30~1000	-59.18	-23.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	1000~3000	-46.05	-13.0	PASS
Band25	10MHz	16QAM	26090	1RB#49	3000~20000	-40.48	-13.0	PASS
Band25	10MHz	16QAM	26090	50RB#0	0.009~0.15	-48.02	-43.0	PASS
Band25	10MHz	16QAM	26090	50RB#0	0.15~30	-56.48	-33.0	PASS
Band25	10MHz	16QAM	26090	50RB#0	30~1000	-59.52	-23.0	PASS
Band25	10MHz	16QAM	26090	50RB#0	1000~3000	-43.68	-13.0	PASS
Band25	10MHz	16QAM	26090	50RB#0	3000~20000	-40.72	-13.0	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.009~0.15	-47.95	-43.0	PASS
Band25	10MHz	QPSK	26365	1RB#0	0.15~30	-53.39	-33.0	PASS
Band25	10MHz	QPSK	26365	1RB#0	30~1000	-59.51	-23.0	PASS
Band25	10MHz	QPSK	26365	1RB#0	1000~3000	-46.10	-13.0	PASS
Band25	10MHz	QPSK	26365	1RB#0	3000~20000	-41.03	-13.0	PASS
Band25	10MHz	QPSK	26365	1RB#49	0.009~0.15	-48.05	-43.0	PASS
Band25	10MHz	QPSK	26365	1RB#49	0.15~30	-54.11	-33.0	PASS
Band25	10MHz	QPSK	26365	1RB#49	30~1000	-59.22	-23.0	PASS
Band25	10MHz	QPSK	26365	1RB#49	1000~3000	-46.14	-13.0	PASS
Band25	10MHz	QPSK	26365	1RB#49	3000~20000	-40.85	-13.0	PASS
Band25	10MHz	QPSK	26365	50RB#0	0.009~0.15	-48.07	-43.0	PASS
Band25	10MHz	QPSK	26365	50RB#0	0.15~30	-56.22	-33.0	PASS
Band25	10MHz	QPSK	26365	50RB#0	30~1000	-59.37	-23.0	PASS
Band25	10MHz	QPSK	26365	50RB#0	1000~3000	-45.42	-13.0	PASS
Band25	10MHz	QPSK	26365	50RB#0	3000~20000	-40.74	-13.0	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.009~0.15	-47.41	-43.0	PASS
Band25	10MHz	16QAM	26365	1RB#0	0.15~30	-56.15	-33.0	PASS
Band25	10MHz	16QAM	26365	1RB#0	30~1000	-59.09	-23.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	10MHz	16QAM	26365	1RB#0	1000~3000	-45.97	-13.0	PASS
Band25	10MHz	16QAM	26365	1RB#0	3000~20000	-40.72	-13.0	PASS
Band25	10MHz	16QAM	26365	1RB#49	0.009~0.15	-47.89	-43.0	PASS
Band25	10MHz	16QAM	26365	1RB#49	0.15~30	-52.21	-33.0	PASS
Band25	10MHz	16QAM	26365	1RB#49	30~1000	-59.34	-23.0	PASS
Band25	10MHz	16QAM	26365	1RB#49	1000~3000	-45.79	-13.0	PASS
Band25	10MHz	16QAM	26365	1RB#49	3000~20000	-40.68	-13.0	PASS
Band25	10MHz	16QAM	26365	50RB#0	0.009~0.15	-47.89	-43.0	PASS
Band25	10MHz	16QAM	26365	50RB#0	0.15~30	-54.78	-33.0	PASS
Band25	10MHz	16QAM	26365	50RB#0	30~1000	-59.38	-23.0	PASS
Band25	10MHz	16QAM	26365	50RB#0	1000~3000	-45.73	-13.0	PASS
Band25	10MHz	16QAM	26365	50RB#0	3000~20000	-40.84	-13.0	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.009~0.15	-48.99	-43.0	PASS
Band25	10MHz	QPSK	26640	1RB#0	0.15~30	-55.72	-33.0	PASS
Band25	10MHz	QPSK	26640	1RB#0	30~1000	-59.36	-23.0	PASS
Band25	10MHz	QPSK	26640	1RB#0	1000~3000	-46.29	-13.0	PASS
Band25	10MHz	QPSK	26640	1RB#0	3000~20000	-40.86	-13.0	PASS
Band25	10MHz	QPSK	26640	1RB#49	0.009~0.15	-48.26	-43.0	PASS
Band25	10MHz	QPSK	26640	1RB#49	0.15~30	-54.02	-33.0	PASS
Band25	10MHz	QPSK	26640	1RB#49	30~1000	-59.31	-23.0	PASS
Band25	10MHz	QPSK	26640	1RB#49	1000~3000	-46.05	-13.0	PASS
Band25	10MHz	QPSK	26640	1RB#49	3000~20000	-40.68	-13.0	PASS
Band25	10MHz	QPSK	26640	50RB#0	0.009~0.15	-48.74	-43.0	PASS
Band25	10MHz	QPSK	26640	50RB#0	0.15~30	-56.75	-33.0	PASS
Band25	10MHz	QPSK	26640	50RB#0	30~1000	-59.54	-23.0	PASS
Band25	10MHz	QPSK	26640	50RB#0	1000~3000	-41.90	-13.0	PASS
Band25	10MHz	QPSK	26640	50RB#0	3000~20000	-40.36	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

					000			
Band25	10MHz	16QAM	26640	1RB#0	0.009~0.15	-47.43	-43.0	PASS
Band25	10MHz	16QAM	26640	1RB#0	0.15~30	-55.64	-33.0	PASS
Band25	10MHz	16QAM	26640	1RB#0	30~1000	-59.20	-23.0	PASS
Band25	10MHz	16QAM	26640	1RB#0	1000~3000	-46.18	-13.0	PASS
Band25	10MHz	16QAM	26640	1RB#0	3000~20000	-40.76	-13.0	PASS
Band25	10MHz	16QAM	26640	1RB#49	0.009~0.15	-48.83	-43.0	PASS
Band25	10MHz	16QAM	26640	1RB#49	0.15~30	-55.68	-33.0	PASS
Band25	10MHz	16QAM	26640	1RB#49	30~1000	-59.26	-23.0	PASS
Band25	10MHz	16QAM	26640	1RB#49	1000~3000	-46.47	-13.0	PASS
Band25	10MHz	16QAM	26640	1RB#49	3000~20000	-40.77	-13.0	PASS
Band25	10MHz	16QAM	26640	50RB#0	0.009~0.15	-47.75	-43.0	PASS
Band25	10MHz	16QAM	26640	50RB#0	0.15~30	-55.63	-33.0	PASS
Band25	10MHz	16QAM	26640	50RB#0	30~1000	-59.39	-23.0	PASS
Band25	10MHz	16QAM	26640	50RB#0	1000~3000	-43.27	-13.0	PASS
Band25	10MHz	16QAM	26640	50RB#0	3000~20000	-40.76	-13.0	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.009~0.15	-48.44	-43.0	PASS
Band25	15MHz	QPSK	26115	1RB#0	0.15~30	-55.53	-33.0	PASS
Band25	15MHz	QPSK	26115	1RB#0	30~1000	-59.55	-23.0	PASS
Band25	15MHz	QPSK	26115	1RB#0	1000~3000	-45.56	-13.0	PASS
Band25	15MHz	QPSK	26115	1RB#0	3000~20000	-40.84	-13.0	PASS
Band25	15MHz	QPSK	26115	1RB#74	0.009~0.15	-47.85	-43.0	PASS
Band25	15MHz	QPSK	26115	1RB#74	0.15~30	-56.79	-33.0	PASS
Band25	15MHz	QPSK	26115	1RB#74	30~1000	-59.38	-23.0	PASS
Band25	15MHz	QPSK	26115	1RB#74	1000~3000	-46.29	-13.0	PASS
Band25	15MHz	QPSK	26115	1RB#74	3000~20000	-40.85	-13.0	PASS
Band25	15MHz	QPSK	26115	75RB#0	0.009~0.15	-49.13	-43.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	15MHz	QPSK	26115	75RB#0	0.15~30	-55.24	-33.0	PASS
Band25	15MHz	QPSK	26115	75RB#0	30~1000	-59.06	-23.0	PASS
Band25	15MHz	QPSK	26115	75RB#0	1000~3000	-41.87	-13.0	PASS
Band25	15MHz	QPSK	26115	75RB#0	3000~20000	-40.55	-13.0	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.009~0.15	-48.88	-43.0	PASS
Band25	15MHz	16QAM	26115	1RB#0	0.15~30	-55.05	-33.0	PASS
Band25	15MHz	16QAM	26115	1RB#0	30~1000	-59.41	-23.0	PASS
Band25	15MHz	16QAM	26115	1RB#0	1000~3000	-45.90	-13.0	PASS
Band25	15MHz	16QAM	26115	1RB#0	3000~20000	-40.68	-13.0	PASS
Band25	15MHz	16QAM	26115	1RB#74	0.009~0.15	-47.40	-43.0	PASS
Band25	15MHz	16QAM	26115	1RB#74	0.15~30	-54.88	-33.0	PASS
Band25	15MHz	16QAM	26115	1RB#74	30~1000	-59.36	-23.0	PASS
Band25	15MHz	16QAM	26115	1RB#74	1000~3000	-46.02	-13.0	PASS
Band25	15MHz	16QAM	26115	1RB#74	3000~20000	-40.57	-13.0	PASS
Band25	15MHz	16QAM	26115	75RB#0	0.009~0.15	-48.11	-43.0	PASS
Band25	15MHz	16QAM	26115	75RB#0	0.15~30	-54.76	-33.0	PASS
Band25	15MHz	16QAM	26115	75RB#0	30~1000	-59.49	-23.0	PASS
Band25	15MHz	16QAM	26115	75RB#0	1000~3000	-44.57	-13.0	PASS
Band25	15MHz	16QAM	26115	75RB#0	3000~20000	-40.69	-13.0	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.009~0.15	-48.60	-43.0	PASS
Band25	15MHz	QPSK	26365	1RB#0	0.15~30	-54.83	-33.0	PASS
Band25	15MHz	QPSK	26365	1RB#0	30~1000	-59.64	-23.0	PASS
Band25	15MHz	QPSK	26365	1RB#0	1000~3000	-46.32	-13.0	PASS
Band25	15MHz	QPSK	26365	1RB#0	3000~20000	-40.77	-13.0	PASS
Band25	15MHz	QPSK	26365	1RB#74	0.009~0.15	-47.18	-43.0	PASS
Band25	15MHz	QPSK	26365	1RB#74	0.15~30	-55.54	-33.0	PASS
Band25	15MHz	QPSK	26365	1RB#74	30~1000	-59.71	-23.0	PASS
Band25	15MHz	QPSK	26365	1RB#74	1000~30	-46.33	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

					00			
Band25	15MHz	QPSK	26365	1RB#74	3000~20 000	-40.42	-13.0	PASS
Band25	15MHz	QPSK	26365	75RB#0	0.009~0. 15	-47.74	-43.0	PASS
Band25	15MHz	QPSK	26365	75RB#0	0.15~30	-56.02	-33.0	PASS
Band25	15MHz	QPSK	26365	75RB#0	30~1000	-59.36	-23.0	PASS
Band25	15MHz	QPSK	26365	75RB#0	1000~30 00	-44.15	-13.0	PASS
Band25	15MHz	QPSK	26365	75RB#0	3000~20 000	-40.86	-13.0	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.009~0. 15	-47.84	-43.0	PASS
Band25	15MHz	16QAM	26365	1RB#0	0.15~30	-54.92	-33.0	PASS
Band25	15MHz	16QAM	26365	1RB#0	30~1000	-59.19	-23.0	PASS
Band25	15MHz	16QAM	26365	1RB#0	1000~30 00	-46.11	-13.0	PASS
Band25	15MHz	16QAM	26365	1RB#0	3000~20 000	-40.89	-13.0	PASS
Band25	15MHz	16QAM	26365	1RB#74	0.009~0. 15	-47.98	-43.0	PASS
Band25	15MHz	16QAM	26365	1RB#74	0.15~30	-56.29	-33.0	PASS
Band25	15MHz	16QAM	26365	1RB#74	30~1000	-59.20	-23.0	PASS
Band25	15MHz	16QAM	26365	1RB#74	1000~30 00	-46.40	-13.0	PASS
Band25	15MHz	16QAM	26365	1RB#74	3000~20 000	-40.77	-13.0	PASS
Band25	15MHz	16QAM	26365	75RB#0	0.009~0. 15	-47.55	-43.0	PASS
Band25	15MHz	16QAM	26365	75RB#0	0.15~30	-54.96	-33.0	PASS
Band25	15MHz	16QAM	26365	75RB#0	30~1000	-59.19	-23.0	PASS
Band25	15MHz	16QAM	26365	75RB#0	1000~30 00	-45.22	-13.0	PASS
Band25	15MHz	16QAM	26365	75RB#0	3000~20 000	-40.36	-13.0	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.009~0. 15	-47.19	-43.0	PASS
Band25	15MHz	QPSK	26615	1RB#0	0.15~30	-57.00	-33.0	PASS
Band25	15MHz	QPSK	26615	1RB#0	30~1000	-59.21	-23.0	PASS
Band25	15MHz	QPSK	26615	1RB#0	1000~30 00	-46.00	-13.0	PASS
Band25	15MHz	QPSK	26615	1RB#0	3000~20 000	-40.96	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Band25	15MHz	QPSK	26615	1RB#74	0.009~0.15	-47.20	-43.0	PASS
Band25	15MHz	QPSK	26615	1RB#74	0.15~30	-56.29	-33.0	PASS
Band25	15MHz	QPSK	26615	1RB#74	30~1000	-59.09	-23.0	PASS
Band25	15MHz	QPSK	26615	1RB#74	1000~3000	-46.11	-13.0	PASS
Band25	15MHz	QPSK	26615	1RB#74	3000~20000	-40.21	-13.0	PASS
Band25	15MHz	QPSK	26615	75RB#0	0.009~0.15	-47.27	-43.0	PASS
Band25	15MHz	QPSK	26615	75RB#0	0.15~30	-55.64	-33.0	PASS
Band25	15MHz	QPSK	26615	75RB#0	30~1000	-59.52	-23.0	PASS
Band25	15MHz	QPSK	26615	75RB#0	1000~3000	-42.37	-13.0	PASS
Band25	15MHz	QPSK	26615	75RB#0	3000~20000	-40.74	-13.0	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.009~0.15	-48.21	-43.0	PASS
Band25	15MHz	16QAM	26615	1RB#0	0.15~30	-55.08	-33.0	PASS
Band25	15MHz	16QAM	26615	1RB#0	30~1000	-59.50	-23.0	PASS
Band25	15MHz	16QAM	26615	1RB#0	1000~3000	-45.53	-13.0	PASS
Band25	15MHz	16QAM	26615	1RB#0	3000~20000	-40.85	-13.0	PASS
Band25	15MHz	16QAM	26615	1RB#74	0.009~0.15	-48.80	-43.0	PASS
Band25	15MHz	16QAM	26615	1RB#74	0.15~30	-55.90	-33.0	PASS
Band25	15MHz	16QAM	26615	1RB#74	30~1000	-59.45	-23.0	PASS
Band25	15MHz	16QAM	26615	1RB#74	1000~3000	-45.80	-13.0	PASS
Band25	15MHz	16QAM	26615	1RB#74	3000~20000	-40.66	-13.0	PASS
Band25	15MHz	16QAM	26615	75RB#0	0.009~0.15	-47.74	-43.0	PASS
Band25	15MHz	16QAM	26615	75RB#0	0.15~30	-54.61	-33.0	PASS
Band25	15MHz	16QAM	26615	75RB#0	30~1000	-59.48	-23.0	PASS
Band25	15MHz	16QAM	26615	75RB#0	1000~3000	-43.07	-13.0	PASS
Band25	15MHz	16QAM	26615	75RB#0	3000~20000	-40.38	-13.0	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.009~0.15	-48.03	-43.0	PASS
Band25	20MHz	QPSK	26140	1RB#0	0.15~30	-55.78	-33.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com