



Appendix H: Test Data for E-UTRA Band 26 (824-849)

Product Name: 4G module

Test Model: TM18NA

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Eason Zhou
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



I.1 Conducted Output Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	21.09	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	22.05	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#2	21.19	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#2	21.18	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#5	21.17	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#5	20.15	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#0	21.16	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#0	21.38	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#1	21.20	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#1	20.58	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#3	21.19	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#3	21.64	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	21.19	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	20.69	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	22.31	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	20.65	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#2	20.88	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#2	20.64	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#5	21.56	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#5	21.75	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#0	21.99	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#0	21.45	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#1	21.97	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#1	22.24	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#3	20.99	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#3	21.17	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	21.19	PASS
26(824-849)	1.4MHz	16QAM	26915	6RB#0	21.56	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	21.62	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	21.54	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#2	21.40	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#2	21.57	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#5	21.32	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#5	22.36	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#0	20.68	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)	1.4MHz	16QAM	27033	3RB#0	21.83	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#1	21.65	PASS
26(824-849)	1.4MHz	16QAM	27033	3RB#1	21.81	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#3	21.60	PASS
26(824-849)	1.4MHz	16QAM	27033	3RB#3	21.86	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.00	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.75	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	23.17	PASS
26(824-849)	3MHz	16QAM	26805	1RB#0	22.53	PASS
26(824-849)	3MHz	QPSK	26805	1RB#8	23.14	PASS
26(824-849)	3MHz	16QAM	26805	1RB#8	22.47	PASS
26(824-849)	3MHz	QPSK	26805	1RB#14	23.34	PASS
26(824-849)	3MHz	16QAM	26805	1RB#14	22.52	PASS
26(824-849)	3MHz	QPSK	26805	8RB#0	22.21	PASS
26(824-849)	3MHz	16QAM	26805	8RB#0	21.96	PASS
26(824-849)	3MHz	QPSK	26805	8RB#4	22.25	PASS
26(824-849)	3MHz	16QAM	26805	8RB#4	21.88	PASS
26(824-849)	3MHz	QPSK	26805	8RB#7	22.21	PASS
26(824-849)	3MHz	16QAM	26805	8RB#7	22.02	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	22.33	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	21.44	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	23.24	PASS
26(824-849)	3MHz	16QAM	26915	1RB#0	22.83	PASS
26(824-849)	3MHz	QPSK	26915	1RB#8	23.20	PASS
26(824-849)	3MHz	16QAM	26915	1RB#8	22.79	PASS
26(824-849)	3MHz	QPSK	26915	1RB#14	23.19	PASS
26(824-849)	3MHz	16QAM	26915	1RB#14	22.91	PASS
26(824-849)	3MHz	QPSK	26915	8RB#0	22.28	PASS
26(824-849)	3MHz	16QAM	26915	8RB#0	21.89	PASS
26(824-849)	3MHz	QPSK	26915	8RB#4	22.29	PASS
26(824-849)	3MHz	16QAM	26915	8RB#4	21.90	PASS
26(824-849)	3MHz	QPSK	26915	8RB#7	22.32	PASS
26(824-849)	3MHz	16QAM	26915	8RB#7	21.90	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	22.26	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	21.74	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	23.00	PASS
26(824-849)	3MHz	16QAM	27025	1RB#0	22.60	PASS
26(824-849)	3MHz	QPSK	27025	1RB#8	23.06	PASS
26(824-849)	3MHz	16QAM	27025	1RB#8	22.59	PASS
26(824-849)	3MHz	QPSK	27025	1RB#14	22.52	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)	3MHz	16QAM	27025	1RB#14	22.22	PASS
26(824-849)	3MHz	QPSK	27025	8RB#0	22.38	PASS
26(824-849)	3MHz	16QAM	27025	8RB#0	21.87	PASS
26(824-849)	3MHz	QPSK	27025	8RB#4	22.42	PASS
26(824-849)	3MHz	16QAM	27025	8RB#4	21.86	PASS
26(824-849)	3MHz	QPSK	27025	8RB#7	22.04	PASS
26(824-849)	3MHz	16QAM	27025	8RB#7	21.86	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	22.28	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	21.65	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	22.81	PASS
26(824-849)	5MHz	16QAM	26815	1RB#0	21.56	PASS
26(824-849)	5MHz	QPSK	26815	1RB#12	22.88	PASS
26(824-849)	5MHz	16QAM	26815	1RB#12	21.66	PASS
26(824-849)	5MHz	QPSK	26815	1RB#24	22.85	PASS
26(824-849)	5MHz	16QAM	26815	1RB#24	21.68	PASS
26(824-849)	5MHz	QPSK	26815	12RB#0	21.69	PASS
26(824-849)	5MHz	16QAM	26815	12RB#0	21.32	PASS
26(824-849)	5MHz	QPSK	26815	12RB#6	21.76	PASS
26(824-849)	5MHz	16QAM	26815	12RB#6	21.32	PASS
26(824-849)	5MHz	QPSK	26815	12RB#13	21.86	PASS
26(824-849)	5MHz	16QAM	26815	12RB#13	21.44	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	21.95	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	21.47	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	22.66	PASS
26(824-849)	5MHz	16QAM	26915	1RB#0	22.81	PASS
26(824-849)	5MHz	QPSK	26915	1RB#12	22.81	PASS
26(824-849)	5MHz	16QAM	26915	1RB#12	22.70	PASS
26(824-849)	5MHz	QPSK	26915	1RB#24	22.68	PASS
26(824-849)	5MHz	16QAM	26915	1RB#24	22.86	PASS
26(824-849)	5MHz	QPSK	26915	12RB#0	22.09	PASS
26(824-849)	5MHz	16QAM	26915	12RB#0	21.51	PASS
26(824-849)	5MHz	QPSK	26915	12RB#6	22.10	PASS
26(824-849)	5MHz	16QAM	26915	12RB#6	21.52	PASS
26(824-849)	5MHz	QPSK	26915	12RB#13	22.07	PASS
26(824-849)	5MHz	16QAM	26915	12RB#13	21.54	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	21.98	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	21.42	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	22.95	PASS
26(824-849)	5MHz	16QAM	27015	1RB#0	22.34	PASS
26(824-849)	5MHz	QPSK	27015	1RB#12	22.93	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)	5MHz	16QAM	27015	1RB#12	22.33	PASS
26(824-849)	5MHz	QPSK	27015	1RB#24	22.59	PASS
26(824-849)	5MHz	16QAM	27015	1RB#24	22.04	PASS
26(824-849)	5MHz	QPSK	27015	12RB#0	22.19	PASS
26(824-849)	5MHz	16QAM	27015	12RB#0	21.51	PASS
26(824-849)	5MHz	QPSK	27015	12RB#6	22.19	PASS
26(824-849)	5MHz	16QAM	27015	12RB#6	21.55	PASS
26(824-849)	5MHz	QPSK	27015	12RB#13	22.09	PASS
26(824-849)	5MHz	16QAM	27015	12RB#13	21.28	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	22.22	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	21.61	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	22.64	PASS
26(824-849)	10MHz	16QAM	26840	1RB#0	22.34	PASS
26(824-849)	10MHz	QPSK	26840	1RB#24	22.86	PASS
26(824-849)	10MHz	16QAM	26840	1RB#24	22.33	PASS
26(824-849)	10MHz	QPSK	26840	1RB#49	22.88	PASS
26(824-849)	10MHz	16QAM	26840	1RB#49	22.52	PASS
26(824-849)	10MHz	QPSK	26840	25RB#0	21.94	PASS
26(824-849)	10MHz	16QAM	26840	25RB#0	21.32	PASS
26(824-849)	10MHz	QPSK	26840	25RB#12	21.97	PASS
26(824-849)	10MHz	16QAM	26840	25RB#12	21.32	PASS
26(824-849)	10MHz	QPSK	26840	25RB#25	22.14	PASS
26(824-849)	10MHz	16QAM	26840	25RB#25	21.42	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	21.96	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	21.47	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	22.90	PASS
26(824-849)	10MHz	16QAM	26915	1RB#0	22.40	PASS
26(824-849)	10MHz	QPSK	26915	1RB#24	22.98	PASS
26(824-849)	10MHz	16QAM	26915	1RB#24	22.51	PASS
26(824-849)	10MHz	QPSK	26915	1RB#49	22.98	PASS
26(824-849)	10MHz	16QAM	26915	1RB#49	21.77	PASS
26(824-849)	10MHz	QPSK	26915	25RB#0	21.96	PASS
26(824-849)	10MHz	16QAM	26915	25RB#0	21.60	PASS
26(824-849)	10MHz	QPSK	26915	25RB#12	22.16	PASS
26(824-849)	10MHz	16QAM	26915	25RB#12	21.60	PASS
26(824-849)	10MHz	QPSK	26915	25RB#25	22.23	PASS
26(824-849)	10MHz	16QAM	26915	25RB#25	21.69	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	22.10	PASS
26(824-849)	10MHz	16QAM	26915	50RB#0	21.57	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	22.96	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)	10MHz	16QAM	26990	1RB#0	23.01	PASS
26(824-849)	10MHz	QPSK	26990	1RB#24	22.97	PASS
26(824-849)	10MHz	16QAM	26990	1RB#24	22.97	PASS
26(824-849)	10MHz	QPSK	26990	1RB#49	22.70	PASS
26(824-849)	10MHz	16QAM	26990	1RB#49	22.66	PASS
26(824-849)	10MHz	QPSK	26990	25RB#0	22.26	PASS
26(824-849)	10MHz	16QAM	26990	25RB#0	21.79	PASS
26(824-849)	10MHz	QPSK	26990	25RB#12	22.05	PASS
26(824-849)	10MHz	16QAM	26990	25RB#12	21.80	PASS
26(824-849)	10MHz	QPSK	26990	25RB#25	22.20	PASS
26(824-849)	10MHz	16QAM	26990	25RB#25	21.70	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	22.12	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	21.66	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	22.81	PASS
26(824-849)	15MHz	16QAM	26865	1RB#0	22.23	PASS
26(824-849)	15MHz	QPSK	26865	1RB#38	22.82	PASS
26(824-849)	15MHz	16QAM	26865	1RB#38	22.36	PASS
26(824-849)	15MHz	QPSK	26865	1RB#74	22.89	PASS
26(824-849)	15MHz	16QAM	26865	1RB#74	22.44	PASS
26(824-849)	15MHz	QPSK	26865	38RB#0	22.08	PASS
26(824-849)	15MHz	16QAM	26865	38RB#0	22.07	PASS
26(824-849)	15MHz	QPSK	26865	38RB#18	22.08	PASS
26(824-849)	15MHz	16QAM	26865	38RB#18	22.08	PASS
26(824-849)	15MHz	QPSK	26865	38RB#37	22.08	PASS
26(824-849)	15MHz	16QAM	26865	38RB#37	22.08	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	22.08	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	21.45	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	22.46	PASS
26(824-849)	15MHz	16QAM	26915	1RB#0	22.30	PASS
26(824-849)	15MHz	QPSK	26915	1RB#38	22.52	PASS
26(824-849)	15MHz	16QAM	26915	1RB#38	22.37	PASS
26(824-849)	15MHz	QPSK	26915	1RB#74	22.58	PASS
26(824-849)	15MHz	16QAM	26915	1RB#74	22.45	PASS
26(824-849)	15MHz	QPSK	26915	38RB#0	21.97	PASS
26(824-849)	15MHz	16QAM	26915	38RB#0	21.97	PASS
26(824-849)	15MHz	QPSK	26915	38RB#18	22.01	PASS
26(824-849)	15MHz	16QAM	26915	38RB#18	22.29	PASS
26(824-849)	15MHz	QPSK	26915	38RB#37	22.27	PASS
26(824-849)	15MHz	16QAM	26915	38RB#37	22.30	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	22.05	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)	15MHz	16QAM	26915	75RB#0	21.59	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	22.84	PASS
26(824-849)	15MHz	16QAM	26965	1RB#0	22.94	PASS
26(824-849)	15MHz	QPSK	26965	1RB#38	22.99	PASS
26(824-849)	15MHz	16QAM	26965	1RB#38	23.04	PASS
26(824-849)	15MHz	QPSK	26965	1RB#74	22.81	PASS
26(824-849)	15MHz	16QAM	26965	1RB#74	22.79	PASS
26(824-849)	15MHz	QPSK	26965	38RB#0	22.34	PASS
26(824-849)	15MHz	16QAM	26965	38RB#0	22.14	PASS
26(824-849)	15MHz	QPSK	26965	38RB#18	22.24	PASS
26(824-849)	15MHz	16QAM	26965	38RB#18	22.18	PASS
26(824-849)	15MHz	QPSK	26965	38RB#37	22.30	PASS
26(824-849)	15MHz	16QAM	26965	38RB#37	22.24	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	22.18	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	21.66	PASS





I.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	5.00	13	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	5.41	13	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.62	13	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	6.24	13	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	4.85	13	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	5.73	13	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.48	13	PASS
26(824-849)	1.4MHz	16QAM	26915	6RB#0	6.08	13	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	4.31	13	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	4.22	13	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	5.00	13	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	5.57	13	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	5.22	13	PASS
26(824-849)	3MHz	16QAM	26805	1RB#0	5.98	13	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	5.74	13	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	6.45	13	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	4.92	13	PASS
26(824-849)	3MHz	16QAM	26915	1RB#0	5.62	13	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	5.52	13	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	6.20	13	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	4.44	13	PASS
26(824-849)	3MHz	16QAM	27025	1RB#0	4.56	13	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	5.23	13	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	5.84	13	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	5.33	13	PASS
26(824-849)	5MHz	16QAM	26815	1RB#0	5.84	13	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	5.69	13	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	6.32	13	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	5.04	13	PASS
26(824-849)	5MHz	16QAM	26915	1RB#0	5.51	13	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	5.56	13	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	6.20	13	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	4.36	13	PASS
26(824-849)	5MHz	16QAM	27015	1RB#0	4.85	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





26(824-849)	5MHz	QPSK	27015	25RB#0	5.44	13	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	6.05	13	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	5.32	13	PASS
26(824-849)	10MHz	16QAM	26840	1RB#0	5.89	13	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	5.62	13	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	6.29	13	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	4.96	13	PASS
26(824-849)	10MHz	16QAM	26915	1RB#0	5.44	13	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	5.60	13	PASS
26(824-849)	10MHz	16QAM	26915	50RB#0	6.27	13	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	5.00	13	PASS
26(824-849)	10MHz	16QAM	26990	1RB#0	5.28	13	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	5.40	13	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	6.06	13	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	5.34	13	PASS
26(824-849)	15MHz	16QAM	26865	1RB#0	6.00	13	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	5.87	13	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	6.30	13	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	5.41	13	PASS
26(824-849)	15MHz	16QAM	26915	1RB#0	5.92	13	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	5.87	13	PASS
26(824-849)	15MHz	16QAM	26915	75RB#0	6.26	13	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	4.96	13	PASS
26(824-849)	15MHz	16QAM	26965	1RB#0	5.27	13	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	5.68	13	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	6.17	13	PASS






Test Graphs







26(824-849)-1.4MHz-QPSK-26915-1RB#0-PASS



26(824-849)-1.4MHz-16QAM-26915-1RB#0-PASS



26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-3MHz-QPSK-27025-1RB#0-PASS



26(824-849)-3MHz-16QAM-27025-1RB#0-PASS




26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




26(824-849)-3MHz-16QAM-27025-15RB#0-PASS







26(824-849)-5MHz-QPSK-26815-1RB#0-PASS



26(824-849)-5MHz-16QAM-26815-1RB#0-PASS



26(824-849)-5MHz-QPSK-26815-25RB#0-PASS



26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-5MHz-QPSK-26915-1RB#0-PASS



26(824-849)-5MHz-16QAM-26915-1RB#0-PASS



26(824-849)-5MHz-QPSK-26915-25RB#0-PASS



26(824-849)-5MHz-16QAM-26915-25RB#0-PASS







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-10MHz-QPSK-26840-1RB#0-PASS



26(824-849)-10MHz-16QAM-26840-1RB#0-PASS



26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



26(824-849)-10MHz-16QAM-26840-50RB#0-PASS







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-10MHz-QPSK-26990-1RB#0-PASS



26(824-849)-10MHz-16QAM-26990-1RB#0-PASS



26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



26(824-849)-10MHz-16QAM-26990-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-15MHz-QPSK-26865-1RB#0-PASS



26(824-849)-15MHz-16QAM-26865-1RB#0-PASS



26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



26(824-849)-15MHz-16QAM-26865-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-15MHz-QPSK-26915-1RB#0-PASS



26(824-849)-15MHz-16QAM-26915-1RB#0-PASS



26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



26(824-849)-15MHz-16QAM-26915-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-15MHz-QPSK-26965-1RB#0-PASS



26(824-849)-15MHz-16QAM-26965-1RB#0-PASS



26(824-849)-15MHz-QPSK-26965-75RB#0-PASS



26(824-849)-15MHz-16QAM-26965-75RB#0-PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



I.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0951	1.277	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.0993	1.292	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0996	1.284	PASS
26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.1073	1.306	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0983	1.275	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.0925	1.383	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	2.7146	3.087	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	2.7047	3.081	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	2.7100	3.155	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	2.7101	3.251	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	2.7159	3.081	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	2.7183	3.241	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	4.5188	5.215	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	4.5219	5.233	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	4.5214	5.327	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	4.5334	5.400	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	4.5203	5.195	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	4.5431	5.366	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	8.9861	10.05	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	8.9828	10.06	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	8.9946	10.08	PASS
26(824-849)	10MHz	16QAM	26915	50RB#0	9.0078	10.46	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	8.9525	9.896	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	8.9874	10.03	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	13.477	15.22	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	13.488	14.93	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	13.487	15.67	PASS
26(824-849)	15MHz	16QAM	26915	75RB#0	13.522	14.98	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	13.424	15.03	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	13.442	15.10	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs




26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS



26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-85291330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS



26(824-849)-3MHz-QPSK-26805-15RB#0-PASS



26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-3MHz-QPSK-26915-15RB#0-PASS



26(824-849)-3MHz-16QAM-26915-15RB#0-PASS



26(824-849)-3MHz-QPSK-27025-15RB#0-PASS



26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-5MHz-QPSK-26815-25RB#0-PASS



26(824-849)-5MHz-16QAM-26815-25RB#0-PASS



26(824-849)-5MHz-QPSK-26915-25RB#0-PASS



26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-5MHz-QPSK-27015-25RB#0-PASS



26(824-849)-5MHz-16QAM-27015-25RB#0-PASS



26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



26(824-849)-10MHz-16QAM-26840-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-10MHz-QPSK-26915-50RB#0-PASS



26(824-849)-10MHz-16QAM-26915-50RB#0-PASS



26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



26(824-849)-10MHz-16QAM-26990-50RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



26(824-849)-15MHz-16QAM-26865-75RB#0-PASS



26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



26(824-849)-15MHz-16QAM-26915-75RB#0-PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



26(824-849)-15MHz-QPSK-26965-75RB#0-PASS



26(824-849)-15MHz-16QAM-26965-75RB#0-PASS





I.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	6RB#0	-30.49	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	-31.29	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	-29.93	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	-29.50	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	-25.25	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	-26.46	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	-24.95	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	-26.38	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	-29.58	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	-30.83	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	-29.47	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	-29.98	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	-34.31	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	-35.31	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	-32.63	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	-34.05	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	-36.88	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	-36.93	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	-35.53	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	-36.66	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Test Graphs




Band26_1.4MHz_QPSK_26797_6RB#0



Band26_1.4MHz_16QAM_26797_6RB#0




Band26_1.4MHz_QPSK_27033_6RB#0




Band26_1.4MHz_16QAM_27033_6RB#0







Band26_3MHz_QPSK_26805_15RB#0



Band26_3MHz_16QAM_26805_15RB#0



Band26_3MHz_QPSK_27025_15RB#0



Band26_3MHz_16QAM_27025_15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Band26_5MHz_QPSK_26815_25RB#0



Band26_5MHz_16QAM_26815_25RB#0



Band26_5MHz_QPSK_27015_25RB#0



Band26_5MHz_16QAM_27015_25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Band26_10MHz_QPSK_26840_50RB#0



Band26_10MHz_16QAM_26840_50RB#0



Band26_10MHz_QPSK_26990_50RB#0



Band26_10MHz_16QAM_26990_50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Band26_15MHz_QPSK_26865_75RB#0



Band26_15MHz_16QAM_26865_75RB#0



Band26_15MHz_QPSK_26965_75RB#0



Band26_15MHz_16QAM_26965_75RB#0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



I.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	0.009~0.15	-58.23	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	0.15~30	-53.35	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	30~1000	-45.30	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	1000~3000	-42.02	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	3000~10000	-44.48	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	0.009~0.15	-59.74	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	0.15~30	-52.60	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	30~1000	-45.36	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	1000~3000	-42.04	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	3000~10000	-43.89	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	0.009~0.15	-58.40	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	0.15~30	-52.38	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	30~1000	-48.58	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	1000~3000	-43.48	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	3000~10000	-43.89	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	0.009~0.15	-55.76	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	0.15~30	-52.25	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	30~1000	-44.21	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	1000~3000	-41.78	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	3000~10000	-44.01	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	0.009~0.15	-54.71	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	0.15~30	-52.00	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	30~1000	-42.69	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	1000~3000	-44.86	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	3000~10000	-44.04	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	0.009~0.15	-56.58	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	0.15~30	-51.83	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	30~1000	-42.34	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	1000~3000	-44.53	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	3000~10000	-44.12	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	0.009~0.15	-55.98	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	0.15~30	-52.18	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	30~1000	-48.02	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	1000~3000	-43.01	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity