


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.53	-13	Pass	2986
30	500	0.1	Peak	491.5	-43.14	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.5	-13	N/A	5001
1000	10000	1	Peak	9993	-20.13	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.25	-13	Pass	2986
30	500	0.1	Peak	419.9	-42.71	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.4	-13	N/A	5001
1000	10000	1	Peak	7279	-20.71	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.85	-13	Pass	2986
30	500	0.1	Peak	434.7	-42.68	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.5	-13	N/A	5001
1000	10000	1	Peak	8389	-20.42	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.95	-13	Pass	2986
30	1000	0.1	Peak	956.7	-46.85	-13	Pass	9701
1000	3000	1	Peak	1850	26.17	-13	N/A	2001
3000	20000	1	Peak	9251	-28.49	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.95	-13	Pass	2986
30	1000	0.1	Peak	961.5	-46.17	-13	Pass	9701
1000	3000	1	Peak	1880	27.68	-13	N/A	2001
3000	20000	1	Peak	9400	-27.74	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.98	-13	Pass	2986
30	1000	0.1	Peak	924.2	-46.65	-13	Pass	9701
1000	3000	1	Peak	1910	29.27	-13	N/A	2001
3000	20000	1	Peak	9549	-25.87	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.62	-13	Pass	2986
30	500	0.1	Peak	438.5	-42.68	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.32	-13	N/A	5001
1000	10000	1	Peak	7349	-20.41	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.79	-13	Pass	2986
30	500	0.1	Peak	384.7	-43.19	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.73	-13	N/A	5001
1000	10000	1	Peak	7737	-20.67	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-36.76	-13	Pass	2986
30	500	0.1	Peak	378	-42.72	-13	Pass	4701
500	1000	0.1	Peak	848.8	27.92	-13	N/A	5001
1000	10000	1	Peak	7699	-20.51	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.75	-13	Pass	2986
30	1000	0.1	Peak	917.6	-47.07	-13	Pass	9701
1000	3000	1	Peak	1851	27.54	-13	N/A	2001
3000	20000	1	Peak	19730	-38.46	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-41.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.23	-13	Pass	2986
30	1000	0.1	Peak	952.3	-46.74	-13	Pass	9701
1000	3000	1	Peak	1880	27.32	-13	N/A	2001
3000	20000	1	Peak	20000	-37.56	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.05	-13	Pass	2986
30	1000	0.1	Peak	829.9	-46.72	-13	Pass	9701
1000	3000	1	Peak	1910	28.9	-13	N/A	2001
3000	20000	1	Peak	19982	-38.77	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.55	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.2	-13	Pass	2986
30	1000	0.1	Peak	902.635	-51.62	-13	Pass	9701
1000	3000	1	Peak	1853	23.58	-13	N/A	2001
3000	20000	1	Peak	17585	-19	-13	Pass	17003




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.18	-13	Pass	401
0.15	30	0.01	Peak	1.02	-62.96	-13	Pass	2986
30	1000	0.1	Peak	791.9	-52.27	-13	Pass	9701
1000	3000	1	Peak	1879	22.97	-13	N/A	2001
3000	20000	1	Peak	19637	-18.34	-13	Pass	17003



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.15	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.42	-13	Pass	2986
30	1000	0.1	Peak	786.3	-51.95	-13	Pass	9701
1000	3000	1	Peak	1906	23.17	-13	N/A	2001
3000	20000	1	Peak	17798	-18.69	-13	Pass	17003



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.03	-13	Pass	2986
30	1000	0.1	Peak	780.6	-50.55	-13	Pass	9701
1000	3000	1	Peak	1711	22.59	-13	N/A	2001
3000	20000	1	Peak	19981	-16.06	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.27	-13	Pass	2986
30	1000	0.1	Peak	918	-50.4	-13	Pass	9701
1000	3000	1	Peak	1732	23.52	-13	N/A	2001
3000	20000	1	Peak	19756	-16.24	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.98	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.1	-13	Pass	2986
30	1000	0.1	Peak	933.3	-50.77	-13	Pass	9701
1000	3000	1	Peak	1754	24.7	-13	N/A	2001
3000	20000	1	Peak	19758	-16.15	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.26	-13	Pass	2986
30	500	0.1	Peak	334.1	-53.1	-13	Pass	4701
500	1000	0.1	Peak	825.5	18.36	-13	N/A	5001
1000	10000	1	Peak	7297	-30.89	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.35	-13	Pass	2986
30	500	0.1	Peak	405.5	-53.07	-13	Pass	4701
500	1000	0.1	Peak	835.2	16.62	-13	N/A	5001
1000	10000	1	Peak	7703	-30.63	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.32	-13	Pass	2986
30	500	0.1	Peak	444	-53.02	-13	Pass	4701
500	1000	0.1	Peak	847.3	16.03	-13	N/A	5001
1000	10000	1	Peak	7712	-30.54	-13	Pass	9001



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	1000	0.1	RMS	970.3	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1850.2	23.19	60	Pass	401
1920	3000	1	RMS	2651	-46.49	-13	Pass	1081
3000	12000	1	RMS	3700	-33.39	-13	Pass	9001
12000	20000	1	RMS	19999	-27.22	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	941.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1838	-50.43	-13	Pass	841
1840	1920	1	RMS	1850.2	22.13	60	Pass	401
1920	3000	1	RMS	2651	-46.48	-13	Pass	1081
3000	12000	1	RMS	3701	-34.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	1000	0.1	RMS	942	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1879.6	23.03	60	Pass	401
1920	3000	1	RMS	2998	-46.52	-13	Pass	1081
3000	12000	1	RMS	3759	-33.59	-13	Pass	9001
12000	20000	1	RMS	19992	-27.3	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-13	Pass	2986
30	1000	0.1	RMS	922.2	-61.95	-13	Pass	9701
1000	1840	1	RMS	1836	-50.49	-13	Pass	841
1840	1920	1	RMS	1879.6	22.01	60	Pass	401
1920	3000	1	RMS	2658	-46.52	-13	Pass	1081
3000	12000	1	RMS	3759	-34.44	-13	Pass	9001
12000	20000	1	RMS	20000	-27.21	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	923.4	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1908.8	22.88	60	Pass	401
1920	3000	1	RMS	2641	-46.47	-13	Pass	1081
3000	12000	1	RMS	3818	-34.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.27	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.06	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1920	1	RMS	1908.8	21.94	60	Pass	401
1920	3000	1	RMS	2644	-46.5	-13	Pass	1081
3000	12000	1	RMS	3818	-35.07	-13	Pass	9001
12000	20000	1	RMS	19998	-27.22	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	927	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.2	23.21	60	Pass	401
1920	3000	1	RMS	2639	-46.49	-13	Pass	1081
3000	12000	1	RMS	3700	-33.41	-13	Pass	9001
12000	20000	1	RMS	19999	-27.26	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1839	-50.4	-13	Pass	841
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2649	-46.49	-13	Pass	1081
3000	12000	1	RMS	3700	-34	-13	Pass	9001
12000	20000	1	RMS	19999	-27.15	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.15	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.01	-13	Pass	9701
1000	1840	1	RMS	1838	-50.42	-13	Pass	841
1840	1920	1	RMS	1878.8	23.07	60	Pass	401
1920	3000	1	RMS	2659	-46.49	-13	Pass	1081
3000	12000	1	RMS	3757	-35.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.23	-13	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	920.8	-62.02	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1920	1	RMS	1878.8	22.06	60	Pass	401
1920	3000	1	RMS	2642	-46.48	-13	Pass	1081
3000	12000	1	RMS	3757	-35.97	-13	Pass	9001
12000	20000	1	RMS	19992	-27.23	-13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	938.3	-61.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1920	1	RMS	1907.2	22.92	60	Pass	401
1920	3000	1	RMS	2646	-46.5	-13	Pass	1081
3000	12000	1	RMS	3814	-35.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.3	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	886	-62.03	-13	Pass	9701
1000	1840	1	RMS	1838	-50.51	-13	Pass	841
1840	1920	1	RMS	1907.2	21.98	60	Pass	401
1920	3000	1	RMS	2652	-46.51	-13	Pass	1081
3000	12000	1	RMS	3814	-35.93	-13	Pass	9001
12000	20000	1	RMS	20000	-27.35	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	948.2	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	Pass	841
1840	1920	1	RMS	1850.4	23.08	60	Pass	401
1920	3000	1	RMS	2658	-46.47	-13	Pass	1081
3000	12000	1	RMS	3701	-32.54	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	914.6	-61.92	-13	Pass	9701
1000	1840	1	RMS	1839	-50.41	-13	Pass	841
1840	1920	1	RMS	1850.4	22.05	60	Pass	401
1920	3000	1	RMS	2646	-46.54	-13	Pass	1081
3000	12000	1	RMS	3701	-33.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.2	-13	Pass	2986
30	1000	0.1	RMS	947.4	-61.97	-13	Pass	9701
1000	1840	1	RMS	1833	-50.43	-13	Pass	841
1840	1920	1	RMS	1877.8	22.97	60	Pass	401
1920	3000	1	RMS	2643	-46.47	-13	Pass	1081
3000	12000	1	RMS	3756	-34.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.25	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.48	-13	Pass	841
1840	1920	1	RMS	1877.8	22.09	60	Pass	401
1920	3000	1	RMS	2654	-46.5	-13	Pass	1081
3000	12000	1	RMS	3756	-34.71	-13	Pass	9001
12000	20000	1	RMS	19999	-27.3	-13	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	918.9	-61.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1905.4	22.8	60	Pass	401
1920	3000	1	RMS	2644	-46.49	-13	Pass	1081
3000	12000	1	RMS	3811	-34.18	-13	Pass	9001
12000	20000	1	RMS	19997	-27.33	-13	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.17	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1905.4	22.05	60	Pass	401
1920	3000	1	RMS	2653	-46.51	-13	Pass	1081
3000	12000	1	RMS	3811	-34.7	-13	Pass	9001
12000	20000	1	RMS	19996	-27.21	-13	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	910.9	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-49.91	-13	Pass	841
1840	1920	1	RMS	1850.6	23.22	60	Pass	401
1920	3000	1	RMS	2655	-46.49	-13	Pass	1081
3000	12000	1	RMS	3701	-32.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.27	-13	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	910.2	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1850.6	22.27	60	Pass	401
1920	3000	1	RMS	2654	-46.52	-13	Pass	1081
3000	12000	1	RMS	3701	-32.62	-13	Pass	9001
12000	20000	1	RMS	20000	-27.2	-13	Pass	8001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	923	-61.96	-13	Pass	9701
1000	1840	1	RMS	1838	-50.5	-13	Pass	841
1840	1920	1	RMS	1875.6	23.08	60	Pass	401
1920	3000	1	RMS	2644	-46.47	-13	Pass	1081
3000	12000	1	RMS	3751	-33.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.23	-13	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	917.9	-62.01	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1875.6	22.09	60	Pass	401
1920	3000	1	RMS	2641	-46.5	-13	Pass	1081
3000	12000	1	RMS	3751	-33.79	-13	Pass	9001
12000	20000	1	RMS	19993	-27.27	-13	Pass	8001




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	893.9	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1900.6	23	60	Pass	401
1920	3000	1	RMS	2654	-46.47	-13	Pass	1081
3000	12000	1	RMS	3801	-33.84	-13	Pass	9001
12000	20000	1	RMS	19994	-27.22	-13	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-13	Pass	2986
30	1000	0.1	RMS	922.7	-61.86	-13	Pass	9701
1000	1840	1	RMS	1839	-50.42	-13	Pass	841
1840	1920	1	RMS	1900.6	22.04	60	Pass	401
1920	3000	1	RMS	2651	-46.49	-13	Pass	1081
3000	12000	1	RMS	3801	-34.51	-13	Pass	9001
12000	20000	1	RMS	19994	-27.28	-13	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	918.7	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-47.9	-13	Pass	841
1840	1920	1	RMS	1850.8	23.11	60	Pass	401
1920	3000	1	RMS	2645	-46.52	-13	Pass	1081
3000	12000	1	RMS	3702	-32.64	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-49.12	-13	Pass	841
1840	1920	1	RMS	1850.8	22.2	60	Pass	401
1920	3000	1	RMS	2652	-46.45	-13	Pass	1081
3000	12000	1	RMS	3702	-33.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.2	-13	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1873.4	22.96	60	Pass	401
1920	3000	1	RMS	2645	-46.46	-13	Pass	1081
3000	12000	1	RMS	3747	-33.11	-13	Pass	9001
12000	20000	1	RMS	19998	-27.25	-13	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1873.4	21.99	60	Pass	401
1920	3000	1	RMS	2656	-46.49	-13	Pass	1081
3000	12000	1	RMS	3747	-34.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.12	-13	Pass	8001




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-13	Pass	2986
30	1000	0.1	RMS	909.4	-61.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1895.8	22.84	60	Pass	401
1920	3000	1	RMS	2652	-46.43	-13	Pass	1081
3000	12000	1	RMS	3792	-35.47	-13	Pass	9001
12000	20000	1	RMS	19999	-27.28	-13	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	903.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1895.8	21.97	60	Pass	401
1920	3000	1	RMS	2649	-46.49	-13	Pass	1081
3000	12000	1	RMS	3792	-36.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.18	-13	Pass	8001




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	1000	0.1	RMS	909.9	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-49.33	-13	Pass	841
1840	1920	1	RMS	1851	22.87	60	Pass	401
1920	3000	1	RMS	2654	-46.53	-13	Pass	1081
3000	12000	1	RMS	3702	-32.16	-13	Pass	9001
12000	20000	1	RMS	19999	-27.25	-13	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.33	-13	Pass	2986
30	1000	0.1	RMS	922	-61.9	-13	Pass	9701
1000	1840	1	RMS	1840	-49.39	-13	Pass	841
1840	1920	1	RMS	1851	22.02	60	Pass	401
1920	3000	1	RMS	2640	-46.5	-13	Pass	1081
3000	12000	1	RMS	3702	-32.96	-13	Pass	9001
12000	20000	1	RMS	19998	-27.33	-13	Pass	8001




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.06	-13	Pass	9701
1000	1840	1	RMS	1836	-50.19	-13	Pass	841
1840	1920	1	RMS	1871	22.8	60	Pass	401
1920	3000	1	RMS	2656	-46.48	-13	Pass	1081
3000	12000	1	RMS	3742	-32.71	-13	Pass	9001
12000	20000	1	RMS	20000	-27.25	-13	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	896.3	-62.05	-13	Pass	9701
1000	1840	1	RMS	1835	-50.43	-13	Pass	841
1840	1920	1	RMS	1871	21.83	60	Pass	401
1920	3000	1	RMS	2653	-46.5	-13	Pass	1081
3000	12000	1	RMS	3742	-33.77	-13	Pass	9001
12000	20000	1	RMS	19994	-27.26	-13	Pass	8001




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1891	22.59	60	Pass	401
1920	3000	1	RMS	2639	-46.5	-13	Pass	1081
3000	12000	1	RMS	3782	-35.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.21	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1891	21.6	60	Pass	401
1920	3000	1	RMS	2638	-46.5	-13	Pass	1081
3000	12000	1	RMS	3782	-36.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.21	-13	Pass	8001



9. LTE_Band4


**9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2986
30	1000	0.1	RMS	951.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1699	-50.95	-13	Pass	701
1700	1765	1	RMS	1710.238	23.06	60	Pass	401
1765	3000	1	RMS	2645	-46.49	-13	Pass	1236
3000	12000	1	RMS	3421	-33.86	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	922.6	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2640	-46.57	-13	Pass	1236
3000	12000	1	RMS	3421	-34.73	-13	Pass	9001
12000	20000	1	RMS	19995	-27.33	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	907	-62.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.02	-13	Pass	701
1700	1765	1	RMS	1732.013	23.13	60	Pass	401
1765	3000	1	RMS	2642	-46.54	-13	Pass	1236
3000	12000	1	RMS	3464	-31.56	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1765	1	RMS	1732.013	22.13	60	Pass	401
1765	3000	1	RMS	2659	-46.53	-13	Pass	1236
3000	12000	1	RMS	3464	-32.52	-13	Pass	9001
12000	20000	1	RMS	19997	-27.38	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	901.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1753.788	23.24	60	Pass	401
1765	3000	1	RMS	2651	-46.46	-13	Pass	1236
3000	12000	1	RMS	3508	-33.33	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	910.9	-61.94	-13	Pass	9701
1000	1700	1	RMS	1690	-51.06	-13	Pass	701
1700	1765	1	RMS	1753.788	22.31	60	Pass	401
1765	3000	1	RMS	2643	-46.54	-13	Pass	1236
3000	12000	1	RMS	3508	-33.87	-13	Pass	9001
12000	20000	1	RMS	19997	-27.33	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	925.7	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1765	1	RMS	1710.238	23.13	60	Pass	401
1765	3000	1	RMS	2649	-46.46	-13	Pass	1236
3000	12000	1	RMS	3420	-33.9	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, 2.Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.63	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1765	1	RMS	1710.238	22.31	60	Pass	401
1765	3000	1	RMS	2650	-46.55	-13	Pass	1236
3000	12000	1	RMS	3420	-34.48	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.96	-13	Pass	9701
1000	1700	1	RMS	1698	-50.8	-13	Pass	701
1700	1765	1	RMS	1731.2	23.17	60	Pass	401
1765	3000	1	RMS	2643	-46.51	-13	Pass	1236
3000	12000	1	RMS	3462	-33.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	924.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1699	-51.04	-13	Pass	701
1700	1765	1	RMS	1731.2	22.19	60	Pass	401
1765	3000	1	RMS	2644	-46.52	-13	Pass	1236
3000	12000	1	RMS	3463	-34.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.38	-13	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.69	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.08	-13	Pass	9701
1000	1700	1	RMS	1688	-51.04	-13	Pass	701
1700	1765	1	RMS	1752.163	23.27	60	Pass	401
1765	3000	1	RMS	2640	-46.53	-13	Pass	1236
3000	12000	1	RMS	3504	-34.88	-13	Pass	9001
12000	20000	1	RMS	20000	-27.26	-13	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	Pass	701
1700	1765	1	RMS	1752.163	22.33	60	Pass	401
1765	3000	1	RMS	2640	-46.51	-13	Pass	1236
3000	12000	1	RMS	3505	-35.61	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1710.4	22.98	60	Pass	401
1765	3000	1	RMS	2660	-46.53	-13	Pass	1236
3000	12000	1	RMS	3421	-32.95	-13	Pass	9001
12000	20000	1	RMS	19996	-27.27	-13	Pass	8001




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1765	1	RMS	1710.4	22.04	60	Pass	401
1765	3000	1	RMS	2649	-46.58	-13	Pass	1236
3000	12000	1	RMS	3421	-33.57	-13	Pass	9001
12000	20000	1	RMS	19997	-27.38	-13	Pass	8001




9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	907	-62.03	-13	Pass	9701
1000	1700	1	RMS	1698	-51.03	-13	Pass	701
1700	1765	1	RMS	1730.388	23.04	60	Pass	401
1765	3000	1	RMS	2644	-46.51	-13	Pass	1236
3000	12000	1	RMS	3461	-32.13	-13	Pass	9001
12000	20000	1	RMS	19995	-27.27	-13	Pass	8001




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1730.388	22.24	60	Pass	401
1765	3000	1	RMS	2653	-46.53	-13	Pass	1236
3000	12000	1	RMS	3461	-33.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.34	-13	Pass	8001




9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1750.375	23.19	60	Pass	401
1765	3000	1	RMS	2647	-46.59	-13	Pass	1236
3000	12000	1	RMS	3501	-34.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1653	-51.1	-13	Pass	701
1700	1765	1	RMS	1750.375	22.49	60	Pass	401
1765	3000	1	RMS	2644	-46.51	-13	Pass	1236
3000	12000	1	RMS	3501	-34.85	-13	Pass	9001
12000	20000	1	RMS	19992	-27.39	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.07	-13	Pass	9701
1000	1700	1	RMS	1693	-47.63	-13	Pass	701
1700	1765	1	RMS	1710.563	23.12	60	Pass	401
1765	3000	1	RMS	2658	-46.59	-13	Pass	1236
3000	12000	1	RMS	3421	-32.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-48.52	-13	Pass	701
1700	1765	1	RMS	1710.563	22.29	60	Pass	401
1765	3000	1	RMS	2662	-46.57	-13	Pass	1236
3000	12000	1	RMS	3421	-32.91	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	928.5	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1765	1	RMS	1728.113	23.17	60	Pass	401
1765	3000	1	RMS	2657	-46.56	-13	Pass	1236
3000	12000	1	RMS	3456	-31.63	-13	Pass	9001
12000	20000	1	RMS	19999	-27.36	-13	Pass	8001




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.08	-13	Pass	9701
1000	1700	1	RMS	1687	-51.08	-13	Pass	701
1700	1765	1	RMS	1728.113	22.17	60	Pass	401
1765	3000	1	RMS	2649	-46.58	-13	Pass	1236
3000	12000	1	RMS	3456	-32.68	-13	Pass	9001
12000	20000	1	RMS	19997	-27.4	-13	Pass	8001




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.89	-13	Pass	2986
30	1000	0.1	RMS	919.6	-62	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1765	1	RMS	1745.663	23.32	60	Pass	401
1765	3000	1	RMS	2650	-46.44	-13	Pass	1236
3000	12000	1	RMS	3491	-32.34	-13	Pass	9001
12000	20000	1	RMS	19997	-27.22	-13	Pass	8001




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1684	-51.05	-13	Pass	701
1700	1765	1	RMS	1745.5	22.4	60	Pass	401
1765	3000	1	RMS	2648	-46.54	-13	Pass	1236
3000	12000	1	RMS	3491	-33.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	894	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-46.96	-13	Pass	701
1700	1765	1	RMS	1710.888	23.01	60	Pass	401
1765	3000	1	RMS	2641	-46.55	-13	Pass	1236
3000	12000	1	RMS	3422	-33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.26	-13	Pass	8001




9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	933	-61.88	-13	Pass	9701
1000	1700	1	RMS	1698	-47.21	-13	Pass	701
1700	1765	1	RMS	1710.888	22.17	60	Pass	401
1765	3000	1	RMS	2646	-46.5	-13	Pass	1236
3000	12000	1	RMS	3422	-33.76	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.53	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1699	-47	-13	Pass	701
1700	1765	1	RMS	1725.838	23.07	60	Pass	401
1765	3000	1	RMS	2650	-46.55	-13	Pass	1236
3000	12000	1	RMS	3452	-32.49	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.88	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-48.61	-13	Pass	701
1700	1765	1	RMS	1725.838	22.08	60	Pass	401
1765	3000	1	RMS	2657	-46.56	-13	Pass	1236
3000	12000	1	RMS	3452	-33.47	-13	Pass	9001
12000	20000	1	RMS	19998	-27.34	-13	Pass	8001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	943.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1699	-51.06	-13	Pass	701
1700	1765	1	RMS	1740.788	23.13	60	Pass	401
1765	3000	1	RMS	1767	-28.29	-13	Pass	1236
3000	12000	1	RMS	3482	-32.46	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	947.7	-61.97	-13	Pass	9701
1000	1700	1	RMS	1693	-51.07	-13	Pass	701
1700	1765	1	RMS	1740.788	22.33	60	Pass	401
1765	3000	1	RMS	1767	-29.76	-13	Pass	1236
3000	12000	1	RMS	3482	-33.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-48.18	-13	Pass	701
1700	1765	1	RMS	1711.05	22.86	60	Pass	401
1765	3000	1	RMS	2645	-46.54	-13	Pass	1236
3000	12000	1	RMS	3422	-32.78	-13	Pass	9001
12000	20000	1	RMS	19998	-27.33	-13	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	923.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1693	-48.53	-13	Pass	701
1700	1765	1	RMS	1711.05	22.03	60	Pass	401
1765	3000	1	RMS	2652	-46.51	-13	Pass	1236
3000	12000	1	RMS	3422	-33.42	-13	Pass	9001
12000	20000	1	RMS	19997	-27.4	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	973.3	-62	-13	Pass	9701
1000	1700	1	RMS	1688	-48.59	-13	Pass	701
1700	1765	1	RMS	1723.563	22.9	60	Pass	401
1765	3000	1	RMS	2654	-46.46	-13	Pass	1236
3000	12000	1	RMS	3447	-31.97	-13	Pass	9001
12000	20000	1	RMS	19997	-27.37	-13	Pass	8001




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	916	-62.05	-13	Pass	9701
1000	1700	1	RMS	1688	-49.78	-13	Pass	701
1700	1765	1	RMS	1723.563	21.88	60	Pass	401
1765	3000	1	RMS	2649	-46.49	-13	Pass	1236
3000	12000	1	RMS	3447	-33.06	-13	Pass	9001
12000	20000	1	RMS	19998	-27.33	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	938.9	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-47.69	-13	Pass	701
1700	1765	1	RMS	1736.075	22.91	60	Pass	401
1765	3000	1	RMS	1772	-27.01	-13	Pass	1236
3000	12000	1	RMS	3472	-32.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.32	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-47.92	-13	Pass	701
1700	1765	1	RMS	1736.075	21.95	60	Pass	401
1765	3000	1	RMS	1772	-28.65	-13	Pass	1236
3000	12000	1	RMS	3472	-32.96	-13	Pass	9001
12000	20000	1	RMS	19998	-27.38	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.2	19.76	60	Pass	461
860	1000	0.1	RMS	944.1	-62.37	-13	Pass	1401
1000	3000	1	RMS	2646	-46.54	-13	Pass	2001
3000	10000	1	RMS	7707	-42.21	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.3	18.88	60	Pass	461
860	1000	0.1	RMS	922.7	-62.27	-13	Pass	1401
1000	3000	1	RMS	2652	-46.52	-13	Pass	2001
3000	10000	1	RMS	7695	-42.14	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.3	-13	Pass	7841
814	860	0.1	RMS	836.1	19.89	60	Pass	461
860	1000	0.1	RMS	937.7	-62.39	-13	Pass	1401
1000	3000	1	RMS	2647	-46.57	-13	Pass	2001
3000	10000	1	RMS	7709	-42.23	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.36	-13	Pass	7841
814	860	0.1	RMS	836.1	18.86	60	Pass	461
860	1000	0.1	RMS	928.7	-62.3	-13	Pass	1401
1000	3000	1	RMS	2656	-46.57	-13	Pass	2001
3000	10000	1	RMS	7701	-42.22	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	814	0.1	RMS	798.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	847.9	19.89	60	Pass	461
860	1000	0.1	RMS	931.8	-62.26	-13	Pass	1401
1000	3000	1	RMS	2652	-46.54	-13	Pass	2001
3000	10000	1	RMS	7722	-42.18	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.4	-13	Pass	7841
814	860	0.1	RMS	847.9	18.92	60	Pass	461
860	1000	0.1	RMS	892.8	-62.19	-13	Pass	1401
1000	3000	1	RMS	2647	-46.53	-13	Pass	2001
3000	10000	1	RMS	7705	-42.23	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.27	-13	Pass	7841
814	860	0.1	RMS	824.2	20.02	60	Pass	461
860	1000	0.1	RMS	926.4	-62.28	-13	Pass	1401
1000	3000	1	RMS	2650	-46.55	-13	Pass	2001
3000	10000	1	RMS	7703	-42.2	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.11	-13	Pass	7841
814	860	0.1	RMS	824.2	19.13	60	Pass	461
860	1000	0.1	RMS	920	-62.23	-13	Pass	1401
1000	3000	1	RMS	2655	-46.57	-13	Pass	2001
3000	10000	1	RMS	7698	-42.19	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	814	0.1	RMS	793.7	-62.32	-13	Pass	7841
814	860	0.1	RMS	835.2	20.08	60	Pass	461
860	1000	0.1	RMS	930.7	-62.24	-13	Pass	1401
1000	3000	1	RMS	2657	-46.56	-13	Pass	2001
3000	10000	1	RMS	7712	-42.21	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	814	0.1	RMS	814	-62.29	-13	Pass	7841
814	860	0.1	RMS	835.2	19.06	60	Pass	461
860	1000	0.1	RMS	945.1	-62.32	-13	Pass	1401
1000	3000	1	RMS	2650	-46.56	-13	Pass	2001
3000	10000	1	RMS	7712	-42.18	-13	Pass	7001




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.24	-13	Pass	2986
30	814	0.1	RMS	804.1	-62.16	-13	Pass	7841
814	860	0.1	RMS	846.2	20.08	60	Pass	461
860	1000	0.1	RMS	915	-62.29	-13	Pass	1401
1000	3000	1	RMS	2645	-46.55	-13	Pass	2001
3000	10000	1	RMS	7713	-42.17	-13	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	846.2	19.17	60	Pass	461
860	1000	0.1	RMS	941.2	-62.45	-13	Pass	1401
1000	3000	1	RMS	2648	-46.54	-13	Pass	2001
3000	10000	1	RMS	7708	-42.17	-13	Pass	7001




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.95	-13	Pass	7841
814	860	0.1	RMS	824.3	19.86	60	Pass	461
860	1000	0.1	RMS	925.5	-62.38	-13	Pass	1401
1000	3000	1	RMS	2652	-46.54	-13	Pass	2001
3000	10000	1	RMS	7713	-42.19	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	814	0.1	RMS	812	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.3	18.94	60	Pass	461
860	1000	0.1	RMS	913.8	-62.36	-13	Pass	1401
1000	3000	1	RMS	2651	-46.53	-13	Pass	2001
3000	10000	1	RMS	7722	-42.22	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.33	-13	Pass	7841
814	860	0.1	RMS	834.3	19.99	60	Pass	461
860	1000	0.1	RMS	930.1	-62.35	-13	Pass	1401
1000	3000	1	RMS	2649	-46.55	-13	Pass	2001
3000	10000	1	RMS	7710	-42.21	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	814	0.1	RMS	806.3	-62.17	-13	Pass	7841
814	860	0.1	RMS	834.3	19.15	60	Pass	461
860	1000	0.1	RMS	912.1	-62.2	-13	Pass	1401
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	10000	1	RMS	7717	-42.19	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	814	0.1	RMS	799.7	-62.26	-13	Pass	7841
814	860	0.1	RMS	844.3	20.02	60	Pass	461
860	1000	0.1	RMS	917.9	-62.26	-13	Pass	1401
1000	3000	1	RMS	2652	-46.57	-13	Pass	2001
3000	10000	1	RMS	7718	-42.18	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.22	-13	Pass	7841
814	860	0.1	RMS	844.3	19.27	60	Pass	461
860	1000	0.1	RMS	925.6	-62.28	-13	Pass	1401
1000	3000	1	RMS	2644	-46.57	-13	Pass	2001
3000	10000	1	RMS	7713	-42.24	-13	Pass	7001




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	814	0.1	RMS	814	-60.96	-13	Pass	7841
814	860	0.1	RMS	824.6	20.39	60	Pass	461
860	1000	0.1	RMS	929.7	-62.39	-13	Pass	1401
1000	3000	1	RMS	2650	-46.57	-13	Pass	2001
3000	10000	1	RMS	7708	-42.17	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	814	0.1	RMS	814	-61.05	-13	Pass	7841
814	860	0.1	RMS	824.6	19.61	60	Pass	461
860	1000	0.1	RMS	922.3	-62.38	-13	Pass	1401
1000	3000	1	RMS	2642	-46.56	-13	Pass	2001
3000	10000	1	RMS	7707	-42.19	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	814	0.1	RMS	814	-62.16	-13	Pass	7841
814	860	0.1	RMS	832.1	20.53	60	Pass	461
860	1000	0.1	RMS	925.9	-62.34	-13	Pass	1401
1000	3000	1	RMS	2654	-46.58	-13	Pass	2001
3000	10000	1	RMS	7698	-42.21	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	814	0.1	RMS	814	-62.32	-13	Pass	7841
814	860	0.1	RMS	832.1	19.52	60	Pass	461
860	1000	0.1	RMS	920.3	-62.29	-13	Pass	1401
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	7709	-42.24	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	814	0.1	RMS	781.2	-62.21	-13	Pass	7841
814	860	0.1	RMS	839.6	20.51	60	Pass	461
860	1000	0.1	RMS	917.8	-62.25	-13	Pass	1401
1000	3000	1	RMS	2647	-46.56	-13	Pass	2001
3000	10000	1	RMS	7729	-42.22	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	814	0.1	RMS	785.1	-62.32	-13	Pass	7841
814	860	0.1	RMS	839.6	19.6	60	Pass	461
860	1000	0.1	RMS	950.6	-62.36	-13	Pass	1401
1000	3000	1	RMS	2660	-46.53	-13	Pass	2001
3000	10000	1	RMS	7704	-42.19	-13	Pass	7001



11. LTE_Band7


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-25	Pass	2986
30	1000	0.1	RMS	853.703	-63.91	-25	Pass	9701
1000	2490	1	RMS	2490	-50.31	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.62	60	Pass	401
2580	3000	1	RMS	2970	-49.04	-25	Pass	421
3000	12000	1	RMS	11696	-49.88	-25	Pass	9002
12000	26000	1	RMS	26000	-36.19	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-25	Pass	2986
30	1000	0.1	RMS	976.985	-63.96	-25	Pass	9701
1000	2490	1	RMS	2490	-50.39	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.77	60	Pass	401
2580	3000	1	RMS	2956	-49.02	-25	Pass	421
3000	12000	1	RMS	11700	-49.89	-25	Pass	9002
12000	26000	1	RMS	25993	-35.1	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-25	Pass	2986
30	1000	0.1	RMS	572.1	-63.8	-25	Pass	9701
1000	2490	1	RMS	2489	-50.66	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.68	60	Pass	401
2580	3000	1	RMS	2952	-49.05	-25	Pass	421
3000	12000	1	RMS	11694	-49.83	-25	Pass	9002
12000	26000	1	RMS	25985	-35.14	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.29	-73.12	-25	Pass	2986
30	1000	0.1	RMS	851.602	-63.91	-25	Pass	9701
1000	2490	1	RMS	2487	-50.76	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.98	60	Pass	401
2580	3000	1	RMS	2954	-49.03	-25	Pass	421
3000	12000	1	RMS	11701	-49.91	-25	Pass	9002
12000	26000	1	RMS	25999	-35.11	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.13	-25	Pass	9701
1000	2490	1	RMS	2484	-50.74	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.56	60	Pass	401
2580	3000	1	RMS	2956	-49.01	-25	Pass	421
3000	12000	1	RMS	11698	-49.95	-25	Pass	9002
12000	26000	1	RMS	25990	-35.2	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.45	-25	Pass	9701
1000	2490	1	RMS	2481	-50.77	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.67	60	Pass	401
2580	3000	1	RMS	2963	-49.07	-25	Pass	421
3000	12000	1	RMS	11707	-49.9	-25	Pass	9002
12000	26000	1	RMS	25999	-35.12	-25	Pass	14002




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.67	-25	Pass	2986
30	1000	0.1	RMS	970.28	-63.89	-25	Pass	9701
1000	2490	1	RMS	2483	-44.92	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.69	60	Pass	401
2580	3000	1	RMS	2954	-49	-25	Pass	421
3000	12000	1	RMS	11696	-49.85	-25	Pass	9002
12000	26000	1	RMS	25990	-35.16	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.8	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.16	-25	Pass	2986
30	1000	0.1	RMS	863.109	-63.92	-25	Pass	9701
1000	2490	1	RMS	2483	-46.1	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.89	60	Pass	401
2580	3000	1	RMS	2971	-49	-25	Pass	421
3000	12000	1	RMS	11690	-49.87	-25	Pass	9002
12000	26000	1	RMS	25990	-35.2	-25	Pass	14002




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2986
30	1000	0.1	RMS	854.203	-63.97	-25	Pass	9701
1000	2490	1	RMS	2489	-50.78	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.72	60	Pass	401
2580	3000	1	RMS	2947	-49.02	-25	Pass	421
3000	12000	1	RMS	11692	-49.92	-25	Pass	9002
12000	26000	1	RMS	25990	-35.12	-25	Pass	14002




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.42	-25	Pass	2986
30	1000	0.1	RMS	857.606	-63.92	-25	Pass	9701
1000	2490	1	RMS	2487	-50.73	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.79	60	Pass	401
2580	3000	1	RMS	2957	-49.01	-25	Pass	421
3000	12000	1	RMS	11699	-49.73	-25	Pass	9002
12000	26000	1	RMS	25994	-35.16	-25	Pass	14002




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.28	-25	Pass	9701
1000	2490	1	RMS	2488	-50.77	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.66	60	Pass	401
2580	3000	1	RMS	2957	-49.05	-25	Pass	421
3000	12000	1	RMS	11697	-49.87	-25	Pass	9002
12000	26000	1	RMS	26000	-35.07	-25	Pass	14002




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.82	-25	Pass	9701
1000	2490	1	RMS	2487	-50.64	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.74	60	Pass	401
2580	3000	1	RMS	2970	-49	-25	Pass	421
3000	12000	1	RMS	11701	-49.85	-25	Pass	9002
12000	26000	1	RMS	25991	-35.11	-25	Pass	14002




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.94	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.61	-25	Pass	2986
30	1000	0.1	RMS	847.6	-63.8	-25	Pass	9701
1000	2490	1	RMS	2488	-43.89	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.6	60	Pass	401
2580	3000	1	RMS	2957	-49.05	-25	Pass	421
3000	12000	1	RMS	11709	-49.82	-25	Pass	9002
12000	26000	1	RMS	25998	-35.11	-25	Pass	14002




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-25	Pass	2986
30	1000	0.1	RMS	852.102	-63.91	-25	Pass	9701
1000	2490	1	RMS	2487	-44.41	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.82	60	Pass	401
2580	3000	1	RMS	2945	-49.03	-25	Pass	421
3000	12000	1	RMS	11701	-49.84	-25	Pass	9002
12000	26000	1	RMS	25998	-35.06	-25	Pass	14002




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.18	-25	Pass	2986
30	1000	0.1	RMS	842.3	-64.01	-25	Pass	9701
1000	2490	1	RMS	2488	-50.71	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.6	60	Pass	401
2580	3000	1	RMS	2963	-49.04	-25	Pass	421
3000	12000	1	RMS	11702	-49.84	-25	Pass	9002
12000	26000	1	RMS	25994	-35.09	-25	Pass	14002




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.95	-25	Pass	2986
30	1000	0.1	RMS	834.1	-63.98	-25	Pass	9701
1000	2490	1	RMS	2488	-50.78	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.68	60	Pass	401
2580	3000	1	RMS	2957	-49.01	-25	Pass	421
3000	12000	1	RMS	11701	-49.85	-25	Pass	9002
12000	26000	1	RMS	25999	-35.1	-25	Pass	14002




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-25	Pass	2986
30	1000	0.1	RMS	595.2	-63.15	-25	Pass	9701
1000	2490	1	RMS	2478	-50.73	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.6	60	Pass	401
2580	3000	1	RMS	2582	-28.76	-25	Pass	421
3000	12000	1	RMS	11701	-49.83	-25	Pass	9002
12000	26000	1	RMS	25992	-35.13	-25	Pass	14002




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-25	Pass	2986
30	1000	0.1	RMS	595.2	-63.45	-25	Pass	9701
1000	2490	1	RMS	2490	-50.72	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.73	60	Pass	401
2580	3000	1	RMS	2582	-28.7	-25	Pass	421
3000	12000	1	RMS	11696	-49.86	-25	Pass	9002
12000	26000	1	RMS	25988	-35.17	-25	Pass	14002




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73	-25	Pass	2986
30	1000	0.1	RMS	843	-64.03	-25	Pass	9701
1000	2490	1	RMS	2483	-47.41	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.38	60	Pass	401
2580	3000	1	RMS	2947	-49	-25	Pass	421
3000	12000	1	RMS	11697	-49.91	-25	Pass	9002
12000	26000	1	RMS	25993	-35.12	-25	Pass	14002




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.26	-73.1	-25	Pass	2986
30	1000	0.1	RMS	821.2	-63.96	-25	Pass	9701
1000	2490	1	RMS	2483	-48.04	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.72	60	Pass	401
2580	3000	1	RMS	2961	-48.99	-25	Pass	421
3000	12000	1	RMS	11698	-49.86	-25	Pass	9002
12000	26000	1	RMS	25998	-35.05	-25	Pass	14002




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.25	-25	Pass	2986
30	1000	0.1	RMS	837.3	-63.89	-25	Pass	9701
1000	2490	1	RMS	2490	-47.52	-25	Pass	1491
2490	2580	1	RMS	2526	22.38	60	Pass	401
2580	3000	1	RMS	2947	-49.05	-25	Pass	421
3000	12000	1	RMS	11697	-49.87	-25	Pass	9002
12000	26000	1	RMS	26000	-35.09	-25	Pass	14002




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	Pass	2986
30	1000	0.1	RMS	859.007	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-48.36	-25	Pass	1491
2490	2580	1	RMS	2526	21.44	60	Pass	401
2580	3000	1	RMS	2953	-49.04	-25	Pass	421
3000	12000	1	RMS	11694	-49.91	-25	Pass	9002
12000	26000	1	RMS	25998	-35.1	-25	Pass	14002




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.81	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.62	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.52	-25	Pass	9701
1000	2490	1	RMS	2488	-50.66	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.48	60	Pass	401
2580	3000	1	RMS	2586	-30.96	-25	Pass	421
3000	12000	1	RMS	11703	-49.83	-25	Pass	9002
12000	26000	1	RMS	25993	-35.18	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.86	-25	Pass	9701
1000	2490	1	RMS	2488	-50.78	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.57	60	Pass	401
2580	3000	1	RMS	2586	-32.3	-25	Pass	421
3000	12000	1	RMS	11714	-49.93	-25	Pass	9002
12000	26000	1	RMS	25999	-35	-25	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	689	0.1	RMS	511.8	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.268	20.59	60	Pass	401
726	1000	0.1	RMS	931.9	-62.09	-13	Pass	2741
1000	3000	1	RMS	2656	-46.51	-13	Pass	2001
3000	10000	1	RMS	7715	-42.18	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.27	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.21	-13	Pass	6591
689	726	0.1	RMS	699.268	19.52	60	Pass	401
726	1000	0.1	RMS	952.8	-62.12	-13	Pass	2741
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7697	-42.18	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	689	0.1	RMS	510.3	-63.16	-13	Pass	6591
689	726	0.1	RMS	707.038	20.57	60	Pass	401
726	1000	0.1	RMS	937.8	-61.91	-13	Pass	2741
1000	3000	1	RMS	2647	-46.51	-13	Pass	2001
3000	10000	1	RMS	7722	-42.22	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	689	0.1	RMS	685.6	-63.32	-13	Pass	6591
689	726	0.1	RMS	707.038	19.53	60	Pass	401
726	1000	0.1	RMS	889.8	-61.91	-13	Pass	2741
1000	3000	1	RMS	2653	-46.55	-13	Pass	2001
3000	10000	1	RMS	7720	-42.17	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	689	0.1	RMS	505.3	-63.2	-13	Pass	6591
689	726	0.1	RMS	714.808	20.08	60	Pass	401
726	1000	0.1	RMS	921.3	-61.85	-13	Pass	2741
1000	3000	1	RMS	2643	-46.52	-13	Pass	2001
3000	10000	1	RMS	7698	-42.19	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	689	0.1	RMS	504.2	-63.29	-13	Pass	6591
689	726	0.1	RMS	714.808	19.13	60	Pass	401
726	1000	0.1	RMS	933.8	-62.06	-13	Pass	2741
1000	3000	1	RMS	2643	-46.53	-13	Pass	2001
3000	10000	1	RMS	7704	-42.16	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	689	0.1	RMS	675	-63.23	-13	Pass	6591
689	726	0.1	RMS	699.268	20.44	60	Pass	401
726	1000	0.1	RMS	884.3	-61.75	-13	Pass	2741
1000	3000	1	RMS	2658	-46.48	-13	Pass	2001
3000	10000	1	RMS	7714	-42.19	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	689	0.1	RMS	683.8	-63.33	-13	Pass	6591
689	726	0.1	RMS	699.268	19.71	60	Pass	401
726	1000	0.1	RMS	868.9	-62.01	-13	Pass	2741
1000	3000	1	RMS	2648	-46.53	-13	Pass	2001
3000	10000	1	RMS	7705	-42.23	-13	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	689	0.1	RMS	665.2	-63.18	-13	Pass	6591
689	726	0.1	RMS	706.205	20.26	60	Pass	401
726	1000	0.1	RMS	954.6	-61.99	-13	Pass	2741
1000	3000	1	RMS	2656	-46.52	-13	Pass	2001
3000	10000	1	RMS	7715	-42.13	-13	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.29	-13	Pass	6591
689	726	0.1	RMS	706.205	19.28	60	Pass	401
726	1000	0.1	RMS	899.2	-62.11	-13	Pass	2741
1000	3000	1	RMS	2650	-46.55	-13	Pass	2001
3000	10000	1	RMS	7700	-42.13	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	689	0.1	RMS	510.4	-63.14	-13	Pass	6591
689	726	0.1	RMS	713.235	20.72	60	Pass	401
726	1000	0.1	RMS	913.1	-61.8	-13	Pass	2741
1000	3000	1	RMS	2643	-46.51	-13	Pass	2001
3000	10000	1	RMS	7730	-42.16	-13	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	689	0.1	RMS	686.6	-63.37	-13	Pass	6591
689	726	0.1	RMS	713.235	19.81	60	Pass	401
726	1000	0.1	RMS	915.3	-62.1	-13	Pass	2741
1000	3000	1	RMS	2648	-46.53	-13	Pass	2001
3000	10000	1	RMS	7709	-42.18	-13	Pass	7001




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.2	-13	Pass	6591
689	726	0.1	RMS	699.36	20.31	60	Pass	401
726	1000	0.1	RMS	912.2	-62.1	-13	Pass	2741
1000	3000	1	RMS	2650	-46.54	-13	Pass	2001
3000	10000	1	RMS	7718	-42.19	-13	Pass	7001




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	689	0.1	RMS	682.1	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.36	19.53	60	Pass	401
726	1000	0.1	RMS	903.2	-62.02	-13	Pass	2741
1000	3000	1	RMS	2657	-46.52	-13	Pass	2001
3000	10000	1	RMS	7699	-42.18	-13	Pass	7001




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	689	0.1	RMS	519.6	-63.27	-13	Pass	6591
689	726	0.1	RMS	705.373	20.23	60	Pass	401
726	1000	0.1	RMS	919.3	-61.75	-13	Pass	2741
1000	3000	1	RMS	2116	-44.98	-13	Pass	2001
3000	10000	1	RMS	7729	-42.21	-13	Pass	7001




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	689	0.1	RMS	678.9	-63.42	-13	Pass	6591
689	726	0.1	RMS	705.373	19.36	60	Pass	401
726	1000	0.1	RMS	900.5	-62.1	-13	Pass	2741
1000	3000	1	RMS	2116	-45.44	-13	Pass	2001
3000	10000	1	RMS	7700	-42.09	-13	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	689	0.1	RMS	512.8	-63.32	-13	Pass	6591
689	726	0.1	RMS	711.293	20.01	60	Pass	401
726	1000	0.1	RMS	907.5	-62.07	-13	Pass	2741
1000	3000	1	RMS	1423	-45.4	-13	Pass	2001
3000	10000	1	RMS	7709	-42.21	-13	Pass	7001




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	689	0.1	RMS	520.4	-63.3	-13	Pass	6591
689	726	0.1	RMS	711.293	19.19	60	Pass	401
726	1000	0.1	RMS	914.3	-62.11	-13	Pass	2741
1000	3000	1	RMS	1423	-46.15	-13	Pass	2001
3000	10000	1	RMS	7728	-42.22	-13	Pass	7001




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	689	0.1	RMS	681.9	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.545	20.08	60	Pass	401
726	1000	0.1	RMS	911.4	-62.02	-13	Pass	2741
1000	3000	1	RMS	2653	-46.47	-13	Pass	2001
3000	10000	1	RMS	7714	-42.2	-13	Pass	7001




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2986
30	689	0.1	RMS	685.7	-63.33	-13	Pass	6591
689	726	0.1	RMS	699.638	19.17	60	Pass	401
726	1000	0.1	RMS	911.7	-62.13	-13	Pass	2741
1000	3000	1	RMS	2650	-46.49	-13	Pass	2001
3000	10000	1	RMS	7711	-42.16	-13	Pass	7001




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	689	0.1	RMS	686.9	-63.29	-13	Pass	6591
689	726	0.1	RMS	703.06	20.34	60	Pass	401
726	1000	0.1	RMS	909.8	-62.1	-13	Pass	2741
1000	3000	1	RMS	2653	-46.47	-13	Pass	2001
3000	10000	1	RMS	7711	-42.19	-13	Pass	7001




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.05	-13	Pass	2986
30	689	0.1	RMS	680.8	-63.38	-13	Pass	6591
689	726	0.1	RMS	703.06	19.35	60	Pass	401
726	1000	0.1	RMS	912.4	-61.98	-13	Pass	2741
1000	3000	1	RMS	2655	-46.48	-13	Pass	2001
3000	10000	1	RMS	7709	-42.2	-13	Pass	7001




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.31	-13	Pass	6591
689	726	0.1	RMS	706.575	20.58	60	Pass	401
726	1000	0.1	RMS	908.5	-62.05	-13	Pass	2741
1000	3000	1	RMS	2648	-46.46	-13	Pass	2001
3000	10000	1	RMS	7700	-42.19	-13	Pass	7001



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.33	-13	Pass	6591
689	726	0.1	RMS	706.575	19.63	60	Pass	401
726	1000	0.1	RMS	926.3	-62.18	-13	Pass	2741
1000	3000	1	RMS	2654	-46.48	-13	Pass	2001
3000	10000	1	RMS	7701	-42.2	-13	Pass	7001



13. LTE_Band17


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	694	0.1	RMS	693	-63.16	-13	Pass	6641
694	726	0.1	RMS	704.32	20.41	60	Pass	401
726	1000	0.1	RMS	903.7	-61.97	-13	Pass	2741
1000	3000	1	RMS	2113	-45.19	-13	Pass	2001
3000	10000	1	RMS	7712	-42.16	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	694	0.1	RMS	693.7	-63.03	-13	Pass	6641
694	726	0.1	RMS	704.32	19.48	60	Pass	401
726	1000	0.1	RMS	916.3	-62.16	-13	Pass	2741
1000	3000	1	RMS	2113	-46.15	-13	Pass	2001
3000	10000	1	RMS	7692	-42.17	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.89	-13	Pass	6641
694	726	0.1	RMS	707.84	20.57	60	Pass	401
726	1000	0.1	RMS	895.6	-62.04	-13	Pass	2741
1000	3000	1	RMS	2654	-46.47	-13	Pass	2001
3000	10000	1	RMS	7696	-42.15	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.6	-13	Pass	6641
694	726	0.1	RMS	707.84	19.79	60	Pass	401
726	1000	0.1	RMS	915.8	-62.03	-13	Pass	2741
1000	3000	1	RMS	2651	-46.49	-13	Pass	2001
3000	10000	1	RMS	7701	-42.14	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	694	0.1	RMS	693.7	-63.12	-13	Pass	6641
694	726	0.1	RMS	711.36	20.25	60	Pass	401
726	1000	0.1	RMS	930.5	-62.13	-13	Pass	2741
1000	3000	1	RMS	1423	-45.36	-13	Pass	2001
3000	10000	1	RMS	7717	-42.25	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-13	Pass	2986
30	694	0.1	RMS	692.7	-63.32	-13	Pass	6641
694	726	0.1	RMS	711.36	19.72	60	Pass	401
726	1000	0.1	RMS	930.5	-61.97	-13	Pass	2741
1000	3000	1	RMS	1423	-46.19	-13	Pass	2001
3000	10000	1	RMS	7702	-42.24	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	694	0.1	RMS	694	-61.85	-13	Pass	6641
694	726	0.1	RMS	704.56	20.41	60	Pass	401
726	1000	0.1	RMS	908.8	-62.05	-13	Pass	2741
1000	3000	1	RMS	2114	-44.74	-13	Pass	2001
3000	10000	1	RMS	7705	-42.2	-13	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	694	0.1	RMS	694	-61.99	-13	Pass	6641
694	726	0.1	RMS	704.56	19.61	60	Pass	401
726	1000	0.1	RMS	938.2	-62.17	-13	Pass	2741
1000	3000	1	RMS	2114	-45.65	-13	Pass	2001
3000	10000	1	RMS	7711	-42.2	-13	Pass	7001




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	694	0.1	RMS	694	-62.61	-13	Pass	6641
694	726	0.1	RMS	705.6	20.71	60	Pass	401
726	1000	0.1	RMS	931.5	-62.15	-13	Pass	2741
1000	3000	1	RMS	2117	-45.36	-13	Pass	2001
3000	10000	1	RMS	7701	-42.2	-13	Pass	7001




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.7	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.82	-13	Pass	6641
694	726	0.1	RMS	705.6	19.69	60	Pass	401
726	1000	0.1	RMS	904.5	-62.06	-13	Pass	2741
1000	3000	1	RMS	2117	-45.85	-13	Pass	2001
3000	10000	1	RMS	7714	-42.2	-13	Pass	7001




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.9	-13	Pass	6641
694	726	0.1	RMS	706.56	20.45	60	Pass	401
726	1000	0.1	RMS	893.3	-61.9	-13	Pass	2741
1000	3000	1	RMS	2120	-46.44	-13	Pass	2001
3000	10000	1	RMS	7721	-42.19	-13	Pass	7001



13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.88	-13	Pass	6641
694	726	0.1	RMS	706.56	19.49	60	Pass	401
726	1000	0.1	RMS	900.2	-62.06	-13	Pass	2741
1000	3000	1	RMS	2643	-46.48	-13	Pass	2001
3000	10000	1	RMS	7699	-42.16	-13	Pass	7001



14. LTE_Band25


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	918.6	-61.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.41	-13	Pass	841
1840	1925	1	RMS	1850.2	23.13	60	Pass	401
1925	3000	1	RMS	2652	-46.4	-13	Pass	1076
3000	12000	1	RMS	3700	-33.13	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-13	Pass	2986
30	1000	0.1	RMS	911.5	-61.94	-13	Pass	9701
1000	1840	1	RMS	1839	-50.45	-13	Pass	841
1840	1925	1	RMS	1850.2	22.08	60	Pass	401
1925	3000	1	RMS	2653	-46.51	-13	Pass	1076
3000	12000	1	RMS	3701	-33.95	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.91	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.13	-13	Pass	9701
1000	1840	1	RMS	1838	-50.47	-13	Pass	841
1840	1925	1	RMS	1882.075	23.05	60	Pass	401
1925	3000	1	RMS	2656	-46.48	-13	Pass	1076
3000	12000	1	RMS	3764	-33.96	-13	Pass	9001
12000	20000	1	RMS	19997	-27.38	-13	Pass	8001




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	949.9	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1925	1	RMS	1882.075	22.02	60	Pass	401
1925	3000	1	RMS	2640	-46.45	-13	Pass	1076
3000	12000	1	RMS	3764	-34.9	-13	Pass	9001
12000	20000	1	RMS	19998	-27.38	-13	Pass	8001




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.05	-13	Pass	9701
1000	1840	1	RMS	1837	-50.49	-13	Pass	841
1840	1925	1	RMS	1913.95	22.81	60	Pass	401
1925	3000	1	RMS	2651	-46.44	-13	Pass	1076
3000	12000	1	RMS	3828	-33.95	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	1000	0.1	RMS	930.6	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-50.63	-13	Pass	841
1840	1925	1	RMS	1913.95	21.66	60	Pass	401
1925	3000	1	RMS	2650	-46.64	-13	Pass	1076
3000	12000	1	RMS	3828	-34.93	-13	Pass	9001
12000	20000	1	RMS	19996	-27.47	-13	Pass	8001




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1925	1	RMS	1850.2	23.02	60	Pass	401
1925	3000	1	RMS	2641	-46.64	-13	Pass	1076
3000	12000	1	RMS	3700	-33.24	-13	Pass	9001
12000	20000	1	RMS	19996	-27.43	-13	Pass	8001




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1925	1	RMS	1850.2	22.11	60	Pass	401
1925	3000	1	RMS	2646	-46.64	-13	Pass	1076
3000	12000	1	RMS	3700	-33.91	-13	Pass	9001
12000	20000	1	RMS	19996	-27.46	-13	Pass	8001




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	946.9	-62.12	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1925	1	RMS	1881.225	22.91	60	Pass	401
1925	3000	1	RMS	2660	-46.62	-13	Pass	1076
3000	12000	1	RMS	3762	-35.54	-13	Pass	9001
12000	20000	1	RMS	19999	-27.51	-13	Pass	8001




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1925	1	RMS	1881.225	21.85	60	Pass	401
1925	3000	1	RMS	2654	-46.64	-13	Pass	1076
3000	12000	1	RMS	3762	-36.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.5	-13	Pass	8001




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	935.6	-61.93	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1925	1	RMS	1912.25	22.76	60	Pass	401
1925	3000	1	RMS	2648	-46.55	-13	Pass	1076
3000	12000	1	RMS	3824	-35.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.47	-13	Pass	8001




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1925	1	RMS	1912.25	21.81	60	Pass	401
1925	3000	1	RMS	2662	-46.62	-13	Pass	1076
3000	12000	1	RMS	3824	-36.6	-13	Pass	9001
12000	20000	1	RMS	19999	-27.42	-13	Pass	8001




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.32	-13	Pass	841
1840	1925	1	RMS	1850.413	22.8	60	Pass	401
1925	3000	1	RMS	2644	-46.58	-13	Pass	1076
3000	12000	1	RMS	3701	-32.43	-13	Pass	9001
12000	20000	1	RMS	19997	-27.49	-13	Pass	8001




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1925	1	RMS	1850.413	21.94	60	Pass	401
1925	3000	1	RMS	2641	-46.54	-13	Pass	1076
3000	12000	1	RMS	3701	-32.9	-13	Pass	9001
12000	20000	1	RMS	19999	-27.41	-13	Pass	8001




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1925	1	RMS	1880.375	22.88	60	Pass	401
1925	3000	1	RMS	2647	-46.46	-13	Pass	1076
3000	12000	1	RMS	3761	-34.42	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1925	1	RMS	1880.375	22.03	60	Pass	401
1925	3000	1	RMS	2652	-46.46	-13	Pass	1076
3000	12000	1	RMS	3761	-35.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-13	Pass	2986
30	1000	0.1	RMS	930.2	-61.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.41	-13	Pass	841
1840	1925	1	RMS	1910.338	22.75	60	Pass	401
1925	3000	1	RMS	2652	-46.47	-13	Pass	1076
3000	12000	1	RMS	3821	-34.72	-13	Pass	9001
12000	20000	1	RMS	19999	-27.48	-13	Pass	8001




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	926.1	-61.98	-13	Pass	9701
1000	1840	1	RMS	1837	-50.47	-13	Pass	841
1840	1925	1	RMS	1910.338	21.93	60	Pass	401
1925	3000	1	RMS	2657	-46.48	-13	Pass	1076
3000	12000	1	RMS	3821	-35.31	-13	Pass	9001
12000	20000	1	RMS	19996	-27.45	-13	Pass	8001




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	907.8	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-49.97	-13	Pass	841
1840	1925	1	RMS	1850.625	23.1	60	Pass	401
1925	3000	1	RMS	2645	-46.48	-13	Pass	1076
3000	12000	1	RMS	3701	-31.74	-13	Pass	9001
12000	20000	1	RMS	19998	-27.39	-13	Pass	8001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	900.1	-61.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.03	-13	Pass	841
1840	1925	1	RMS	1850.625	22.18	60	Pass	401
1925	3000	1	RMS	2650	-46.49	-13	Pass	1076
3000	12000	1	RMS	3701	-32.48	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.11	-13	Pass	9701
1000	1840	1	RMS	1836	-50.44	-13	Pass	841
1840	1925	1	RMS	1878.038	22.99	60	Pass	401
1925	3000	1	RMS	2642	-46.45	-13	Pass	1076
3000	12000	1	RMS	3756	-33.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.32	-13	Pass	8001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1925	1	RMS	1878.038	21.98	60	Pass	401
1925	3000	1	RMS	2658	-46.5	-13	Pass	1076
3000	12000	1	RMS	3756	-34.11	-13	Pass	9001
12000	20000	1	RMS	19996	-27.44	-13	Pass	8001




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.05	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1925	1	RMS	1905.663	22.87	60	Pass	401
1925	3000	1	RMS	2655	-46.47	-13	Pass	1076
3000	12000	1	RMS	3811	-33.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.42	-13	Pass	8001




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.05	-13	Pass	9701
1000	1840	1	RMS	1837	-50.44	-13	Pass	841
1840	1925	1	RMS	1905.663	21.92	60	Pass	401
1925	3000	1	RMS	2650	-46.42	-13	Pass	1076
3000	12000	1	RMS	3811	-34.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.34	-13	Pass	8001




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-48.99	-13	Pass	841
1840	1925	1	RMS	1850.838	23.09	60	Pass	401
1925	3000	1	RMS	2653	-46.47	-13	Pass	1076
3000	12000	1	RMS	3702	-32.3	-13	Pass	9001
12000	20000	1	RMS	19994	-27.41	-13	Pass	8001




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-49.19	-13	Pass	841
1840	1925	1	RMS	1850.838	22.21	60	Pass	401
1925	3000	1	RMS	2646	-46.48	-13	Pass	1076
3000	12000	1	RMS	3702	-32.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.41	-13	Pass	8001




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	891.6	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1925	1	RMS	1875.913	22.92	60	Pass	401
1925	3000	1	RMS	2642	-46.45	-13	Pass	1076
3000	12000	1	RMS	3752	-33.48	-13	Pass	9001
12000	20000	1	RMS	19998	-27.34	-13	Pass	8001




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1925	1	RMS	1875.913	21.92	60	Pass	401
1925	3000	1	RMS	2646	-46.48	-13	Pass	1076
3000	12000	1	RMS	3752	-34.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.24	-13	Pass	8001




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.25	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1925	1	RMS	1900.775	22.84	60	Pass	401
1925	3000	1	RMS	2650	-46.45	-13	Pass	1076
3000	12000	1	RMS	3802	-34.01	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001




**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	911.9	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.42	-13	Pass	841
1840	1925	1	RMS	1900.775	21.95	60	Pass	401
1925	3000	1	RMS	2655	-46.46	-13	Pass	1076
3000	12000	1	RMS	3802	-34.98	-13	Pass	9001
12000	20000	1	RMS	19996	-27.35	-13	Pass	8001




**14.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.91	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1925	1	RMS	1851.05	22.92	60	Pass	401
1925	3000	1	RMS	2648	-46.43	-13	Pass	1076
3000	12000	1	RMS	3702	-32	-13	Pass	9001
12000	20000	1	RMS	19997	-27.41	-13	Pass	8001




**14.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	1000	0.1	RMS	927.4	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-49.57	-13	Pass	841
1840	1925	1	RMS	1851.05	22.03	60	Pass	401
1925	3000	1	RMS	2640	-46.5	-13	Pass	1076
3000	12000	1	RMS	3702	-32.58	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001




**14.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.03	-13	Pass	9701
1000	1840	1	RMS	1838	-49.53	-13	Pass	841
1840	1925	1	RMS	1873.575	22.84	60	Pass	401
1925	3000	1	RMS	2655	-46.5	-13	Pass	1076
3000	12000	1	RMS	3747	-32.71	-13	Pass	9001
12000	20000	1	RMS	19997	-27.39	-13	Pass	8001




**14.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62	-13	Pass	9701
1000	1840	1	RMS	1838	-50.05	-13	Pass	841
1840	1925	1	RMS	1873.575	21.87	60	Pass	401
1925	3000	1	RMS	2649	-46.47	-13	Pass	1076
3000	12000	1	RMS	3747	-33.46	-13	Pass	9001
12000	20000	1	RMS	19997	-27.37	-13	Pass	8001




**14.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	929	-62.14	-13	Pass	9701
1000	1840	1	RMS	1823	-50.53	-13	Pass	841
1840	1925	1	RMS	1896.1	22.64	60	Pass	401
1925	3000	1	RMS	2646	-46.49	-13	Pass	1076
3000	12000	1	RMS	3792	-34.84	-13	Pass	9001
12000	20000	1	RMS	19998	-27.32	-13	Pass	8001



**14.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.04	-13	Pass	9701
1000	1840	1	RMS	1837	-50.52	-13	Pass	841
1840	1925	1	RMS	1896.1	21.69	60	Pass	401
1925	3000	1	RMS	2646	-46.49	-13	Pass	1076
3000	12000	1	RMS	3792	-35.88	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	814	0.1	RMS	812	-62.16	-13	Pass	7841
814	860	0.1	RMS	824.2	19.56	60	Pass	461
860	1000	0.1	RMS	915.1	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.51	-13	Pass	2001
3000	10000	1	RMS	7709	-42.14	-13	Pass	7001




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.3	18.58	60	Pass	461
860	1000	0.1	RMS	923.7	-62.36	-13	Pass	1401
1000	3000	1	RMS	2646	-46.52	-13	Pass	2001
3000	10000	1	RMS	7711	-42.2	-13	Pass	7001




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	814	0.1	RMS	787.9	-62.35	-13	Pass	7841
814	860	0.1	RMS	836.1	19.54	60	Pass	461
860	1000	0.1	RMS	900.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2645	-46.47	-13	Pass	2001
3000	10000	1	RMS	7722	-42.2	-13	Pass	7001




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	814	0.1	RMS	804.6	-62.43	-13	Pass	7841
814	860	0.1	RMS	836.1	18.55	60	Pass	461
860	1000	0.1	RMS	925.4	-62.36	-13	Pass	1401
1000	3000	1	RMS	2641	-46.51	-13	Pass	2001
3000	10000	1	RMS	7696	-42.17	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	814	0.1	RMS	792.2	-62.38	-13	Pass	7841
814	860	0.1	RMS	847.8	19.66	60	Pass	461
860	1000	0.1	RMS	922.7	-62.31	-13	Pass	1401
1000	3000	1	RMS	2657	-46.47	-13	Pass	2001
3000	10000	1	RMS	7726	-42.23	-13	Pass	7001




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.26	-13	Pass	2986
30	814	0.1	RMS	794.8	-62.47	-13	Pass	7841
814	860	0.1	RMS	847.9	18.63	60	Pass	461
860	1000	0.1	RMS	966.3	-62.24	-13	Pass	1401
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7725	-42.23	-13	Pass	7001




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.2	19.81	60	Pass	461
860	1000	0.1	RMS	915.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2643	-46.48	-13	Pass	2001
3000	10000	1	RMS	7696	-42.23	-13	Pass	7001




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.2	18.94	60	Pass	461
860	1000	0.1	RMS	932.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2645	-46.5	-13	Pass	2001
3000	10000	1	RMS	7699	-42.2	-13	Pass	7001




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.27	-13	Pass	7841
814	860	0.1	RMS	835.2	19.86	60	Pass	461
860	1000	0.1	RMS	918.2	-62.22	-13	Pass	1401
1000	3000	1	RMS	2650	-46.45	-13	Pass	2001
3000	10000	1	RMS	7703	-42.21	-13	Pass	7001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	814	0.1	RMS	794.8	-62.35	-13	Pass	7841
814	860	0.1	RMS	835.2	18.92	60	Pass	461
860	1000	0.1	RMS	934.4	-62.42	-13	Pass	1401
1000	3000	1	RMS	2649	-46.51	-13	Pass	2001
3000	10000	1	RMS	7709	-42.2	-13	Pass	7001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	801.8	-62.35	-13	Pass	7841
814	860	0.1	RMS	846.2	19.9	60	Pass	461
860	1000	0.1	RMS	912.7	-62.17	-13	Pass	1401
1000	3000	1	RMS	2640	-46.49	-13	Pass	2001
3000	10000	1	RMS	7704	-42.2	-13	Pass	7001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.41	-13	Pass	2986
30	814	0.1	RMS	780	-62.17	-13	Pass	7841
814	860	0.1	RMS	846.2	18.93	60	Pass	461
860	1000	0.1	RMS	899.1	-62.26	-13	Pass	1401
1000	3000	1	RMS	2649	-46.5	-13	Pass	2001
3000	10000	1	RMS	7722	-42.19	-13	Pass	7001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.02	-13	Pass	7841
814	860	0.1	RMS	824.3	19.67	60	Pass	461
860	1000	0.1	RMS	930.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2644	-46.51	-13	Pass	2001
3000	10000	1	RMS	7702	-42.18	-13	Pass	7001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.02	-13	Pass	7841
814	860	0.1	RMS	824.3	18.72	60	Pass	461
860	1000	0.1	RMS	914.2	-62.34	-13	Pass	1401
1000	3000	1	RMS	2651	-46.49	-13	Pass	2001
3000	10000	1	RMS	7715	-42.23	-13	Pass	7001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	814	0.1	RMS	797.8	-62.27	-13	Pass	7841
814	860	0.1	RMS	834.3	19.7	60	Pass	461
860	1000	0.1	RMS	979.4	-62.29	-13	Pass	1401
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7717	-42.14	-13	Pass	7001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2986
30	814	0.1	RMS	808.6	-62.32	-13	Pass	7841
814	860	0.1	RMS	834.3	18.96	60	Pass	461
860	1000	0.1	RMS	915.7	-62.29	-13	Pass	1401
1000	3000	1	RMS	2650	-46.49	-13	Pass	2001
3000	10000	1	RMS	7718	-42.16	-13	Pass	7001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	814	0.1	RMS	802	-62.26	-13	Pass	7841
814	860	0.1	RMS	844.3	19.83	60	Pass	461
860	1000	0.1	RMS	924.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2653	-46.49	-13	Pass	2001
3000	10000	1	RMS	7719	-42.2	-13	Pass	7001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	814	0.1	RMS	800.5	-62.3	-13	Pass	7841
814	860	0.1	RMS	844.3	19.05	60	Pass	461
860	1000	0.1	RMS	891.2	-62.33	-13	Pass	1401
1000	3000	1	RMS	2649	-46.5	-13	Pass	2001
3000	10000	1	RMS	7717	-42.21	-13	Pass	7001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.92	-13	Pass	7841
814	860	0.1	RMS	824.6	20.27	60	Pass	461
860	1000	0.1	RMS	900.9	-62.3	-13	Pass	1401
1000	3000	1	RMS	2647	-46.5	-13	Pass	2001
3000	10000	1	RMS	7725	-42.16	-13	Pass	7001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	814	0.1	RMS	814	-60.87	-13	Pass	7841
814	860	0.1	RMS	824.6	19.44	60	Pass	461
860	1000	0.1	RMS	922.5	-62.21	-13	Pass	1401
1000	3000	1	RMS	2653	-46.52	-13	Pass	2001
3000	10000	1	RMS	7716	-42.21	-13	Pass	7001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	800.2	-62.25	-13	Pass	7841
814	860	0.1	RMS	832.1	20.29	60	Pass	461
860	1000	0.1	RMS	912.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	2651	-46.47	-13	Pass	2001
3000	10000	1	RMS	7722	-42.2	-13	Pass	7001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.24	-13	Pass	7841
814	860	0.1	RMS	832.1	19.34	60	Pass	461
860	1000	0.1	RMS	946.5	-62.42	-13	Pass	1401
1000	3000	1	RMS	2651	-46.52	-13	Pass	2001
3000	10000	1	RMS	7692	-42.2	-13	Pass	7001




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.81	-13	Pass	2986
30	814	0.1	RMS	812.9	-59.4	-13	Pass	7841
814	860	0.1	RMS	839.6	20.18	60	Pass	461
860	1000	0.1	RMS	941.4	-62.28	-13	Pass	1401
1000	3000	1	RMS	2649	-46.45	-13	Pass	2001
3000	10000	1	RMS	7706	-42.19	-13	Pass	7001




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	814	0.1	RMS	785.1	-62.35	-13	Pass	7841
814	860	0.1	RMS	839.6	19.39	60	Pass	461
860	1000	0.1	RMS	964.5	-62.36	-13	Pass	1401
1000	3000	1	RMS	2647	-46.49	-13	Pass	2001
3000	10000	1	RMS	7703	-42.17	-13	Pass	7001




**15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	814	0.1	RMS	811.5	-49.69	-13	Pass	7841
814	860	0.1	RMS	824.8	19.66	60	Pass	461
860	1000	0.1	RMS	918.7	-62.36	-13	Pass	1401
1000	3000	1	RMS	2650	-46.51	-13	Pass	2001
3000	10000	1	RMS	7705	-42.16	-13	Pass	7001




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	814	0.1	RMS	811.6	-51.02	-13	Pass	7841
814	860	0.1	RMS	824.8	18.89	60	Pass	461
860	1000	0.1	RMS	918.7	-62.34	-13	Pass	1401
1000	3000	1	RMS	2647	-46.5	-13	Pass	2001
3000	10000	1	RMS	7701	-42.2	-13	Pass	7001




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	814	0.1	RMS	814	-61.43	-13	Pass	7841
814	860	0.1	RMS	829.8	19.74	60	Pass	461
860	1000	0.1	RMS	901.8	-62.31	-13	Pass	1401
1000	3000	1	RMS	2651	-46.5	-13	Pass	2001
3000	10000	1	RMS	7696	-42.22	-13	Pass	7001




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.4	-13	Pass	7841
814	860	0.1	RMS	829.8	18.75	60	Pass	461
860	1000	0.1	RMS	917.1	-62.33	-13	Pass	1401
1000	3000	1	RMS	2652	-46.52	-13	Pass	2001
3000	10000	1	RMS	7704	-42.2	-13	Pass	7001




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.64	-13	Pass	7841
814	860	0.1	RMS	834.8	19.68	60	Pass	461
860	1000	0.1	RMS	942.4	-62.4	-13	Pass	1401
1000	3000	1	RMS	2652	-46.49	-13	Pass	2001
3000	10000	1	RMS	7700	-42.14	-13	Pass	7001



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	811.8	-60.31	-13	Pass	7841
814	860	0.1	RMS	834.8	18.82	60	Pass	461
860	1000	0.1	RMS	913.3	-62.41	-13	Pass	1401
1000	3000	1	RMS	2647	-46.52	-13	Pass	2001
3000	10000	1	RMS	7716	-42.17	-13	Pass	7001



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.75	-13	Pass	401
0.15	30	0.01	Peak	0.17	-47.99	-13	Pass	2986
30	809	0.1	Peak	752.4	-51.31	-13	Pass	7791
809	829	0.1	Peak	814.3	25.22	60	Pass	401
829	1000	0.1	Peak	850.5	-51.87	-13	Pass	1711
1000	3000	1	Peak	2673	-34.72	-13	Pass	2001
3000	10000	1	Peak	7703	-30.57	-13	Pass	7001




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.23	-13	Pass	2986
30	809	0.1	Peak	795.6	-51.69	-13	Pass	7791
809	829	0.1	Peak	814.25	25.57	60	Pass	401
829	1000	0.1	Peak	850.5	-51.35	-13	Pass	1711
1000	3000	1	Peak	2908	-34.22	-13	Pass	2001
3000	10000	1	Peak	7737	-30.52	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.8	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.58	-13	Pass	2986
30	809	0.1	Peak	799.3	-51.3	-13	Pass	7791
809	829	0.1	Peak	818.55	25.42	60	Pass	401
829	1000	0.1	Peak	956.4	-51.06	-13	Pass	1711
1000	3000	1	Peak	2826	-35.24	-13	Pass	2001
3000	10000	1	Peak	8358	-30.66	-13	Pass	7001




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.73	-13	Pass	2986
30	809	0.1	Peak	789.8	-51.66	-13	Pass	7791
809	829	0.1	Peak	818.55	25.06	60	Pass	401
829	1000	0.1	Peak	958.1	-51.61	-13	Pass	1711
1000	3000	1	Peak	2985	-34.94	-13	Pass	2001
3000	10000	1	Peak	8082	-30.81	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.36	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.05	-13	Pass	2986
30	809	0.1	Peak	795.6	-51.69	-13	Pass	7791
809	829	0.1	Peak	822.9	25.03	60	Pass	401
829	1000	0.1	Peak	865.5	-51.5	-13	Pass	1711
1000	3000	1	Peak	2934	-35.11	-13	Pass	2001
3000	10000	1	Peak	7683	-30.05	-13	Pass	7001




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.26	-13	Pass	2986
30	809	0.1	Peak	753	-51.77	-13	Pass	7791
809	829	0.1	Peak	822.85	25.25	60	Pass	401
829	1000	0.1	Peak	829	-51.12	-13	Pass	1711
1000	3000	1	Peak	2669	-35.14	-13	Pass	2001
3000	10000	1	Peak	9817	-30.52	-13	Pass	7001




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.41	-13	Pass	2986
30	809	0.1	Peak	809	-48.95	-13	Pass	7791
809	829	0.1	Peak	814.25	25.23	60	Pass	401
829	1000	0.1	Peak	863.6	-51.47	-13	Pass	1711
1000	3000	1	Peak	2804	-35.1	-13	Pass	2001
3000	10000	1	Peak	8178	-30.52	-13	Pass	7001




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.32	-13	Pass	2986
30	809	0.1	Peak	809	-48.55	-13	Pass	7791
809	829	0.1	Peak	814.2	25.6	60	Pass	401
829	1000	0.1	Peak	851.5	-51.51	-13	Pass	1711
1000	3000	1	Peak	2779	-35.15	-13	Pass	2001
3000	10000	1	Peak	7716	-30.08	-13	Pass	7001




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.64	-13	Pass	2986
30	809	0.1	Peak	779.7	-51.1	-13	Pass	7791
809	829	0.1	Peak	817.75	25.49	60	Pass	401
829	1000	0.1	Peak	864.9	-51.71	-13	Pass	1711
1000	3000	1	Peak	2662	-35.19	-13	Pass	2001
3000	10000	1	Peak	7734	-31.06	-13	Pass	7001




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.56	-13	Pass	2986
30	809	0.1	Peak	800.2	-51.44	-13	Pass	7791
809	829	0.1	Peak	817.75	25.4	60	Pass	401
829	1000	0.1	Peak	890.9	-50.72	-13	Pass	1711
1000	3000	1	Peak	2802	-34.65	-13	Pass	2001
3000	10000	1	Peak	7329	-30.01	-13	Pass	7001




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.38	-13	Pass	2986
30	809	0.1	Peak	776.6	-51.5	-13	Pass	7791
809	829	0.1	Peak	821.25	25.38	60	Pass	401
829	1000	0.1	Peak	829.2	-45.81	-13	Pass	1711
1000	3000	1	Peak	2647	-34.3	-13	Pass	2001
3000	10000	1	Peak	7786	-30.71	-13	Pass	7001




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.78	-13	Pass	2986
30	809	0.1	Peak	762.5	-51.48	-13	Pass	7791
809	829	0.1	Peak	821.25	25.71	60	Pass	401
829	1000	0.1	Peak	829	-45.81	-13	Pass	1711
1000	3000	1	Peak	2943	-35.33	-13	Pass	2001
3000	10000	1	Peak	8160	-30.44	-13	Pass	7001




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.74	-13	Pass	2986
30	809	0.1	Peak	769.5	-51.39	-13	Pass	7791
809	829	0.1	Peak	814.35	25.59	60	Pass	401
829	1000	0.1	Peak	909.9	-51.4	-13	Pass	1711
1000	3000	1	Peak	2633	-34.4	-13	Pass	2001
3000	10000	1	Peak	7742	-30.34	-13	Pass	7001




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.75	-13	Pass	2986
30	809	0.1	Peak	722.8	-51.63	-13	Pass	7791
809	829	0.1	Peak	814.3	25.73	60	Pass	401
829	1000	0.1	Peak	994.5	-51.77	-13	Pass	1711
1000	3000	1	Peak	2683	-34.32	-13	Pass	2001
3000	10000	1	Peak	7739	-30.22	-13	Pass	7001




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.6	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.7	-13	Pass	2986
30	809	0.1	Peak	752.7	-51.25	-13	Pass	7791
809	829	0.1	Peak	816.85	25.42	60	Pass	401
829	1000	0.1	Peak	829.8	-51.46	-13	Pass	1711
1000	3000	1	Peak	2651	-34.81	-13	Pass	2001
3000	10000	1	Peak	7686	-30.5	-13	Pass	7001




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.13	-13	Pass	2986
30	809	0.1	Peak	757.9	-50.48	-13	Pass	7791
809	829	0.1	Peak	816.8	25.3	60	Pass	401
829	1000	0.1	Peak	979.7	-51.09	-13	Pass	1711
1000	3000	1	Peak	2991	-34.83	-13	Pass	2001
3000	10000	1	Peak	7420	-29.43	-13	Pass	7001




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.77	-13	Pass	2986
30	809	0.1	Peak	808.9	-34.44	-13	Pass	7791
809	829	0.1	Peak	819.35	25.22	60	Pass	401
829	1000	0.1	Peak	830.2	-26.73	-13	Pass	1711
1000	3000	1	Peak	2657	-34.24	-13	Pass	2001
3000	10000	1	Peak	7581	-30.51	-13	Pass	7001




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.52	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.13	-13	Pass	2986
30	809	0.1	Peak	690.8	-51.44	-13	Pass	7791
809	829	0.1	Peak	819.3	25.19	60	Pass	401
829	1000	0.1	Peak	829.1	-49.08	-13	Pass	1711
1000	3000	1	Peak	2642	-34.72	-13	Pass	2001
3000	10000	1	Peak	7687	-30.1	-13	Pass	7001




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.6	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.11	-13	Pass	7791
809	829	0.1	Peak	814.55	25.42	60	Pass	401
829	1000	0.1	Peak	829.9	-38.18	-13	Pass	1711
1000	3000	1	Peak	2667	-35.09	-13	Pass	2001
3000	10000	1	Peak	7711	-30.31	-13	Pass	7001



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.21	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.16	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.96	-13	Pass	7791
809	829	0.1	Peak	814.55	25.55	60	Pass	401
829	1000	0.1	Peak	829.9	-38.57	-13	Pass	1711
1000	3000	1	Peak	2576	-34.94	-13	Pass	2001
3000	10000	1	Peak	7729	-30.47	-13	Pass	7001



17. LTE_Band66


**17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	896	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1710.35	23.21	60	Pass	401
1790	3000	1	RMS	2653	-46.59	-13	Pass	1211
3000	12000	1	RMS	3421	-33.57	-13	Pass	9001
12000	20000	1	RMS	20000	-27.46	-13	Pass	8001




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.8	-13	Pass	2986
30	1000	0.1	RMS	924.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1710.35	22.22	60	Pass	401
1790	3000	1	RMS	2648	-46.54	-13	Pass	1211
3000	12000	1	RMS	3421	-34.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.49	-13	Pass	8001




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.02	-13	Pass	9701
1000	1700	1	RMS	1697	-51.1	-13	Pass	701
1700	1790	1	RMS	1744.55	23.54	60	Pass	401
1790	3000	1	RMS	2640	-46.54	-13	Pass	1211
3000	12000	1	RMS	3489	-31.59	-13	Pass	9001
12000	20000	1	RMS	19995	-27.39	-13	Pass	8001




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.38	-13	Pass	2986
30	1000	0.1	RMS	936.3	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1744.55	22.55	60	Pass	401
1790	3000	1	RMS	2654	-46.61	-13	Pass	1211
3000	12000	1	RMS	3489	-32.6	-13	Pass	9001
12000	20000	1	RMS	19994	-27.49	-13	Pass	8001




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1698	-51.09	-13	Pass	701
1700	1790	1	RMS	1778.75	23.42	60	Pass	401
1790	3000	1	RMS	2659	-46.57	-13	Pass	1211
3000	12000	1	RMS	3558	-33.37	-13	Pass	9001
12000	20000	1	RMS	19998	-27.5	-13	Pass	8001




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.53	-13	Pass	2986
30	1000	0.1	RMS	943.6	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1778.75	22.55	60	Pass	401
1790	3000	1	RMS	2656	-46.45	-13	Pass	1211
3000	12000	1	RMS	3558	-33.49	-13	Pass	9001
12000	20000	1	RMS	19997	-27.32	-13	Pass	8001




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	23.35	60	Pass	401
1790	3000	1	RMS	2653	-46.48	-13	Pass	1211
3000	12000	1	RMS	3420	-33.46	-13	Pass	9001
12000	20000	1	RMS	19997	-27.26	-13	Pass	8001




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	926.7	-61.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1790	1	RMS	1710.35	22.48	60	Pass	401
1790	3000	1	RMS	2649	-46.47	-13	Pass	1211
3000	12000	1	RMS	3421	-34.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.33	-13	Pass	8001




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	1000	0.1	RMS	937	-62.06	-13	Pass	9701
1000	1700	1	RMS	1695	-50.96	-13	Pass	701
1700	1790	1	RMS	1743.65	23.62	60	Pass	401
1790	3000	1	RMS	2657	-46.48	-13	Pass	1211
3000	12000	1	RMS	3487	-33.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.32	-13	Pass	8001




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	877.2	-62.1	-13	Pass	9701
1000	1700	1	RMS	1694	-50.99	-13	Pass	701
1700	1790	1	RMS	1743.65	22.7	60	Pass	401
1790	3000	1	RMS	2645	-46.47	-13	Pass	1211
3000	12000	1	RMS	3487	-33.9	-13	Pass	9001
12000	20000	1	RMS	19996	-27.36	-13	Pass	8001




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1699	-50.99	-13	Pass	701
1700	1790	1	RMS	1777.175	23.7	60	Pass	401
1790	3000	1	RMS	2651	-46.39	-13	Pass	1211
3000	12000	1	RMS	3555	-33.23	-13	Pass	9001
12000	20000	1	RMS	19998	-27.35	-13	Pass	8001




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	938	-61.94	-13	Pass	9701
1000	1700	1	RMS	1697	-50.98	-13	Pass	701
1700	1790	1	RMS	1777.175	22.79	60	Pass	401
1790	3000	1	RMS	2655	-46.47	-13	Pass	1211
3000	12000	1	RMS	3554	-33.84	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.35	23.38	60	Pass	401
1790	3000	1	RMS	2651	-46.49	-13	Pass	1211
3000	12000	1	RMS	3421	-32.6	-13	Pass	9001
12000	20000	1	RMS	19998	-27.36	-13	Pass	8001




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.64	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1790	1	RMS	1710.35	22.48	60	Pass	401
1790	3000	1	RMS	2650	-46.46	-13	Pass	1211
3000	12000	1	RMS	3421	-33.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.35	-13	Pass	8001




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1582	-50.96	-13	Pass	701
1700	1790	1	RMS	1742.75	23.54	60	Pass	401
1790	3000	1	RMS	2640	-46.43	-13	Pass	1211
3000	12000	1	RMS	3486	-32.28	-13	Pass	9001
12000	20000	1	RMS	19995	-27.37	-13	Pass	8001




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	914	-62.01	-13	Pass	9701
1000	1700	1	RMS	1698	-51.03	-13	Pass	701
1700	1790	1	RMS	1742.75	22.72	60	Pass	401
1790	3000	1	RMS	2643	-46.48	-13	Pass	1211
3000	12000	1	RMS	3486	-32.92	-13	Pass	9001
12000	20000	1	RMS	20000	-27.37	-13	Pass	8001




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.13	-13	Pass	9701
1000	1700	1	RMS	1578	-50.96	-13	Pass	701
1700	1790	1	RMS	1775.375	23.62	60	Pass	401
1790	3000	1	RMS	2646	-46.46	-13	Pass	1211
3000	12000	1	RMS	3551	-31.29	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	921.8	-62.1	-13	Pass	9701
1000	1700	1	RMS	1692	-51	-13	Pass	701
1700	1790	1	RMS	1775.375	22.87	60	Pass	401
1790	3000	1	RMS	2645	-46.45	-13	Pass	1211
3000	12000	1	RMS	3551	-32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	907.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1693	-46.73	-13	Pass	701
1700	1790	1	RMS	1710.575	23.49	60	Pass	401
1790	3000	1	RMS	2656	-46.41	-13	Pass	1211
3000	12000	1	RMS	3421	-32.07	-13	Pass	9001
12000	20000	1	RMS	19996	-27.43	-13	Pass	8001




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.96	-13	Pass	9701
1000	1700	1	RMS	1693	-48.01	-13	Pass	701
1700	1790	1	RMS	1710.575	22.65	60	Pass	401
1790	3000	1	RMS	2655	-46.46	-13	Pass	1211
3000	12000	1	RMS	3421	-32.9	-13	Pass	9001
12000	20000	1	RMS	20000	-27.3	-13	Pass	8001




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.93	-13	Pass	9701
1000	1700	1	RMS	1682	-50.97	-13	Pass	701
1700	1790	1	RMS	1740.5	23.59	60	Pass	401
1790	3000	1	RMS	2652	-46.43	-13	Pass	1211
3000	12000	1	RMS	3481	-31.68	-13	Pass	9001
12000	20000	1	RMS	19998	-27.24	-13	Pass	8001




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1697	-50.98	-13	Pass	701
1700	1790	1	RMS	1740.5	22.6	60	Pass	401
1790	3000	1	RMS	2646	-46.5	-13	Pass	1211
3000	12000	1	RMS	3481	-32.52	-13	Pass	9001
12000	20000	1	RMS	19998	-27.34	-13	Pass	8001




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.12	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1696	-50.95	-13	Pass	701
1700	1790	1	RMS	1770.65	23.73	60	Pass	401
1790	3000	1	RMS	2656	-46.45	-13	Pass	1211
3000	12000	1	RMS	3541	-30.61	-13	Pass	9001
12000	20000	1	RMS	19999	-27.35	-13	Pass	8001




**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	943	-62.07	-13	Pass	9701
1000	1700	1	RMS	1681	-50.98	-13	Pass	701
1700	1790	1	RMS	1770.65	22.79	60	Pass	401
1790	3000	1	RMS	2651	-46.45	-13	Pass	1211
3000	12000	1	RMS	3541	-31.7	-13	Pass	9001
12000	20000	1	RMS	19996	-27.32	-13	Pass	8001




**17.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	925	-61.84	-13	Pass	9701
1000	1700	1	RMS	1698	-47.97	-13	Pass	701
1700	1790	1	RMS	1710.8	23.38	60	Pass	401
1790	3000	1	RMS	2645	-46.48	-13	Pass	1211
3000	12000	1	RMS	3422	-32.58	-13	Pass	9001
12000	20000	1	RMS	19997	-27.35	-13	Pass	8001




**17.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	858	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-48	-13	Pass	701
1700	1790	1	RMS	1710.8	22.55	60	Pass	401
1790	3000	1	RMS	2645	-46.49	-13	Pass	1211
3000	12000	1	RMS	3422	-33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.32	-13	Pass	8001




**17.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.69	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.05	-13	Pass	9701
1000	1700	1	RMS	1699	-50.96	-13	Pass	701
1700	1790	1	RMS	1738.25	23.47	60	Pass	401
1790	3000	1	RMS	2652	-46.47	-13	Pass	1211
3000	12000	1	RMS	3477	-32.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001




**17.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-51.01	-13	Pass	701
1700	1790	1	RMS	1738.25	22.55	60	Pass	401
1790	3000	1	RMS	2644	-46.47	-13	Pass	1211
3000	12000	1	RMS	3477	-33.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.32	-13	Pass	8001




**17.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.81	-13	Pass	2986
30	1000	0.1	RMS	913.7	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1765.925	23.56	60	Pass	401
1790	3000	1	RMS	1792	-37.8	-13	Pass	1211
3000	12000	1	RMS	3532	-31.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




**17.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	941.7	-62.03	-13	Pass	9701
1000	1700	1	RMS	1692	-51.01	-13	Pass	701
1700	1790	1	RMS	1765.925	22.75	60	Pass	401
1790	3000	1	RMS	1792	-38.86	-13	Pass	1211
3000	12000	1	RMS	3532	-32.5	-13	Pass	9001
12000	20000	1	RMS	19997	-27.37	-13	Pass	8001




**17.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.1	-13	Pass	9701
1000	1700	1	RMS	1693	-48	-13	Pass	701
1700	1790	1	RMS	1711.025	23.21	60	Pass	401
1790	3000	1	RMS	2655	-46.46	-13	Pass	1211
3000	12000	1	RMS	3422	-32.4	-13	Pass	9001
12000	20000	1	RMS	19997	-27.36	-13	Pass	8001




**17.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-48.36	-13	Pass	701
1700	1790	1	RMS	1711.025	22.35	60	Pass	401
1790	3000	1	RMS	2649	-46.47	-13	Pass	1211
3000	12000	1	RMS	3422	-33.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.29	-13	Pass	8001




**17.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-46.27	-13	Pass	701
1700	1790	1	RMS	1736	23.29	60	Pass	401
1790	3000	1	RMS	2640	-46.47	-13	Pass	1211
3000	12000	1	RMS	3472	-31.61	-13	Pass	9001
12000	20000	1	RMS	20000	-27.28	-13	Pass	8001




**17.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	929	-61.92	-13	Pass	9701
1000	1700	1	RMS	1700	-47.98	-13	Pass	701
1700	1790	1	RMS	1736	22.31	60	Pass	401
1790	3000	1	RMS	2655	-46.46	-13	Pass	1211
3000	12000	1	RMS	3472	-32.59	-13	Pass	9001
12000	20000	1	RMS	19999	-27.32	-13	Pass	8001




**17.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.04	-13	Pass	9701
1000	1700	1	RMS	1681	-50.98	-13	Pass	701
1700	1790	1	RMS	1760.975	23.38	60	Pass	401
1790	3000	1	RMS	1797	-44.48	-13	Pass	1211
3000	12000	1	RMS	3522	-32.71	-13	Pass	9001
12000	20000	1	RMS	20000	-27.26	-13	Pass	8001



**17.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	877.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1687	-51.05	-13	Pass	701
1700	1790	1	RMS	1761.2	22.42	60	Pass	401
1790	3000	1	RMS	1797	-45.52	-13	Pass	1211
3000	12000	1	RMS	3522	-34.19	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001



18. LTE_Band38


**18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.11	-25	Pass	2986
30	1000	0.1	RMS	830.1	-59.87	-25	Pass	9701
1000	2560	1	RMS	2521	-46.5	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.43	60	Pass	401
2630	3000	1	RMS	2966.7	-45.03	-25	Pass	401
3000	12000	1	RMS	11699	-45.88	-25	Pass	9002
12000	26500	1	RMS	26009	-32.14	-25	Pass	14502




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-25	Pass	2986
30	1000	0.1	RMS	848.4	-60.06	-25	Pass	9701
1000	2560	1	RMS	2559	-46.45	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.89	60	Pass	401
2630	3000	1	RMS	2949.125	-45.07	-25	Pass	401
3000	12000	1	RMS	11698	-45.83	-25	Pass	9002
12000	26500	1	RMS	25998	-32.21	-25	Pass	14502




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.46	-25	Pass	2986
30	1000	0.1	RMS	831.9	-60.04	-25	Pass	9701
1000	2560	1	RMS	2525	-46.52	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.42	60	Pass	401
2630	3000	1	RMS	2960.225	-45.07	-25	Pass	401
3000	12000	1	RMS	11709	-45.83	-25	Pass	9002
12000	26500	1	RMS	26008	-32.16	-25	Pass	14502




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	Pass	2986
30	1000	0.1	RMS	861.008	-60	-25	Pass	9701
1000	2560	1	RMS	2521	-46.6	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.05	60	Pass	401
2630	3000	1	RMS	2957.45	-45.05	-25	Pass	401
3000	12000	1	RMS	11700	-45.92	-25	Pass	9002
12000	26500	1	RMS	26001	-32.12	-25	Pass	14502




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.67	-25	Pass	2986
30	1000	0.1	RMS	848.8	-59.96	-25	Pass	9701
1000	2560	1	RMS	2526	-46.53	-25	Pass	1561
2560	2630	1	RMS	2615.125	23	60	Pass	401
2630	3000	1	RMS	2943.575	-45.05	-25	Pass	401
3000	12000	1	RMS	11697	-45.9	-25	Pass	9002
12000	26500	1	RMS	26009	-32.19	-25	Pass	14502



18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.2	-25	Pass	2986
30	1000	0.1	RMS	842.3	-60	-25	Pass	9701
1000	2560	1	RMS	2519	-46.54	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.27	60	Pass	401
2630	3000	1	RMS	2956.525	-45.03	-25	Pass	401
3000	12000	1	RMS	11698	-45.84	-25	Pass	9002
12000	26500	1	RMS	26003	-32.16	-25	Pass	14502



**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.67	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.98	-25	Pass	9701
1000	2560	1	RMS	2553	-40.11	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.55	60	Pass	401
2630	3000	1	RMS	2954.675	-45.07	-25	Pass	401
3000	12000	1	RMS	11705	-45.89	-25	Pass	9002
12000	26500	1	RMS	26004	-32.17	-25	Pass	14502

