

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Maximum conducted output power (dBm)</i>	<i>Antenna Gain (dBi)</i>	<i>EIRP (dBm)</i>	<i>high Limit (dBm)</i>	<i>Verdict</i>
Band41	5	39675	1	#0	QPSK	21.12	1.36	22.48	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	21.06	1.36	22.42	33.01	PASS
Band41	5	39675	1	#Max	QPSK	20.99	1.36	22.35	33.01	PASS
Band41	5	39675	12	#0	QPSK	19.7	1.36	21.06	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	19.63	1.36	20.99	33.01	PASS
Band41	5	39675	12	#Max	QPSK	19.65	1.36	21.01	33.01	PASS
Band41	5	39675	25	#0	QPSK	19.64	1.36	21.00	33.01	PASS
Band41	5	39675	1	#0	QAM16	20.67	1.36	22.03	33.01	PASS
Band41	5	39675	1	#Mid	QAM16	20.6	1.36	21.96	33.01	PASS
Band41	5	39675	1	#Max	QAM16	20.59	1.36	21.95	33.01	PASS
Band41	5	39675	12	#0	QAM16	19.28	1.36	20.64	33.01	PASS
Band41	5	39675	12	#Mid	QAM16	19.27	1.36	20.63	33.01	PASS
Band41	5	39675	12	#Max	QAM16	19.25	1.36	20.61	33.01	PASS
Band41	5	39675	25	#0	QAM16	19.48	1.36	20.84	33.01	PASS
Band41	5	40620	1	#0	QPSK	21.31	1.36	22.67	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	21.34	1.36	22.70	33.01	PASS
Band41	5	40620	1	#Max	QPSK	21.36	1.36	22.72	33.01	PASS
Band41	5	40620	12	#0	QPSK	19.88	1.36	21.24	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	19.85	1.36	21.21	33.01	PASS
Band41	5	40620	12	#Max	QPSK	19.81	1.36	21.17	33.01	PASS
Band41	5	40620	25	#0	QPSK	19.87	1.36	21.23	33.01	PASS
Band41	5	40620	1	#0	QAM16	20.67	1.36	22.03	33.01	PASS
Band41	5	40620	1	#Mid	QAM16	20.63	1.36	21.99	33.01	PASS
Band41	5	40620	1	#Max	QAM16	20.69	1.36	22.05	33.01	PASS
Band41	5	40620	12	#0	QAM16	19.36	1.36	20.72	33.01	PASS
Band41	5	40620	12	#Mid	QAM16	19.32	1.36	20.68	33.01	PASS
Band41	5	40620	12	#Max	QAM16	19.29	1.36	20.65	33.01	PASS
Band41	5	40620	25	#0	QAM16	19.69	1.36	21.05	33.01	PASS
Band41	5	41565	1	#0	QPSK	20.9	1.36	22.26	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	20.85	1.36	22.21	33.01	PASS
Band41	5	41565	1	#Max	QPSK	20.86	1.36	22.22	33.01	PASS
Band41	5	41565	12	#0	QPSK	19.55	1.36	20.91	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	19.46	1.36	20.82	33.01	PASS
Band41	5	41565	12	#Max	QPSK	19.43	1.36	20.79	33.01	PASS
Band41	5	41565	25	#0	QPSK	19.64	1.36	21.00	33.01	PASS
Band41	5	41565	1	#0	QAM16	21.12	1.36	22.48	33.01	PASS

Band41	5	41565	1	#Mid	QAM16	21.08	1.36	22.44	33.01	PASS
Band41	5	41565	1	#Max	QAM16	21.1	1.36	22.46	33.01	PASS
Band41	5	41565	12	#0	QAM16	19.15	1.36	20.51	33.01	PASS
Band41	5	41565	12	#Mid	QAM16	19.1	1.36	20.46	33.01	PASS
Band41	5	41565	12	#Max	QAM16	19.16	1.36	20.52	33.01	PASS
Band41	5	41565	25	#0	QAM16	19.37	1.36	20.73	33.01	PASS
Band41	10	39700	1	#0	QPSK	21.43	1.36	22.79	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	21.35	1.36	22.71	33.01	PASS
Band41	10	39700	1	#Max	QPSK	21.33	1.36	22.69	33.01	PASS
Band41	10	39700	25	#0	QPSK	19.88	1.36	21.24	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	19.68	1.36	21.04	33.01	PASS
Band41	10	39700	25	#Max	QPSK	19.7	1.36	21.06	33.01	PASS
Band41	10	39700	50	#0	QPSK	19.88	1.36	21.24	33.01	PASS
Band41	10	39700	1	#0	QAM16	21.42	1.36	22.78	33.01	PASS
Band41	10	39700	1	#Mid	QAM16	21.5	1.36	22.86	33.01	PASS
Band41	10	39700	1	#Max	QAM16	21.38	1.36	22.74	33.01	PASS
Band41	10	39700	25	#0	QAM16	19.43	1.36	20.79	33.01	PASS
Band41	10	39700	25	#Mid	QAM16	19.42	1.36	20.78	33.01	PASS
Band41	10	39700	25	#Max	QAM16	19.31	1.36	20.67	33.01	PASS
Band41	10	39700	50	#0	QAM16	19.54	1.36	20.90	33.01	PASS
Band41	10	40620	1	#0	QPSK	21.5	1.36	22.86	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	21.45	1.36	22.81	33.01	PASS
Band41	10	40620	1	#Max	QPSK	21.37	1.36	22.73	33.01	PASS
Band41	10	40620	25	#0	QPSK	19.79	1.36	21.15	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	19.83	1.36	21.19	33.01	PASS
Band41	10	40620	25	#Max	QPSK	19.78	1.36	21.14	33.01	PASS
Band41	10	40620	50	#0	QPSK	19.88	1.36	21.24	33.01	PASS
Band41	10	40620	1	#0	QAM16	20.75	1.36	22.11	33.01	PASS
Band41	10	40620	1	#Mid	QAM16	20.68	1.36	22.04	33.01	PASS
Band41	10	40620	1	#Max	QAM16	20.72	1.36	22.08	33.01	PASS
Band41	10	40620	25	#0	QAM16	19.51	1.36	20.87	33.01	PASS
Band41	10	40620	25	#Mid	QAM16	19.54	1.36	20.90	33.01	PASS
Band41	10	40620	25	#Max	QAM16	19.47	1.36	20.83	33.01	PASS
Band41	10	40620	50	#0	QAM16	19.64	1.36	21.00	33.01	PASS
Band41	10	41540	1	#0	QPSK	20.99	1.36	22.35	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	20.95	1.36	22.31	33.01	PASS
Band41	10	41540	1	#Max	QPSK	21.02	1.36	22.38	33.01	PASS
Band41	10	41540	25	#0	QPSK	19.58	1.36	20.94	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	19.58	1.36	20.94	33.01	PASS
Band41	10	41540	25	#Max	QPSK	19.64	1.36	21.00	33.01	PASS
Band41	10	41540	50	#0	QPSK	19.6	1.36	20.96	33.01	PASS
Band41	10	41540	1	#0	QAM16	21.1	1.36	22.46	33.01	PASS
Band41	10	41540	1	#Mid	QAM16	21.08	1.36	22.44	33.01	PASS
Band41	10	41540	1	#Max	QAM16	21.1	1.36	22.46	33.01	PASS

Band41	10	41540	25	#0	QAM16	19.31	1.36	20.67	33.01	PASS
Band41	10	41540	25	#Mid	QAM16	19.31	1.36	20.67	33.01	PASS
Band41	10	41540	25	#Max	QAM16	19.23	1.36	20.59	33.01	PASS
Band41	10	41540	50	#0	QAM16	19.32	1.36	20.68	33.01	PASS
Band41	15	39725	1	#0	QPSK	21.32	1.36	22.68	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	21.36	1.36	22.72	33.01	PASS
Band41	15	39725	1	#Max	QPSK	21.46	1.36	22.82	33.01	PASS
Band41	15	39725	36	#0	QPSK	19.85	1.36	21.21	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	19.77	1.36	21.13	33.01	PASS
Band41	15	39725	36	#Max	QPSK	19.85	1.36	21.21	33.01	PASS
Band41	15	39725	75	#0	QPSK	19.94	1.36	21.30	33.01	PASS
Band41	15	39725	1	#0	QAM16	21.58	1.36	22.94	33.01	PASS
Band41	15	39725	1	#Mid	QAM16	21.41	1.36	22.77	33.01	PASS
Band41	15	39725	1	#Max	QAM16	21.39	1.36	22.75	33.01	PASS
Band41	15	39725	36	#0	QAM16	19.41	1.36	20.77	33.01	PASS
Band41	15	39725	36	#Mid	QAM16	19.37	1.36	20.73	33.01	PASS
Band41	15	39725	36	#Max	QAM16	19.48	1.36	20.84	33.01	PASS
Band41	15	39725	75	#0	QAM16	19.49	1.36	20.85	33.01	PASS
Band41	15	40620	1	#0	QPSK	21.53	1.36	22.89	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	21.37	1.36	22.73	33.01	PASS
Band41	15	40620	1	#Max	QPSK	21.29	1.36	22.65	33.01	PASS
Band41	15	40620	36	#0	QPSK	19.83	1.36	21.19	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	19.75	1.36	21.11	33.01	PASS
Band41	15	40620	36	#Max	QPSK	19.84	1.36	21.20	33.01	PASS
Band41	15	40620	75	#0	QPSK	19.92	1.36	21.28	33.01	PASS
Band41	15	40620	1	#0	QAM16	20.8	1.36	22.16	33.01	PASS
Band41	15	40620	1	#Mid	QAM16	20.83	1.36	22.19	33.01	PASS
Band41	15	40620	1	#Max	QAM16	20.7	1.36	22.06	33.01	PASS
Band41	15	40620	36	#0	QAM16	19.59	1.36	20.95	33.01	PASS
Band41	15	40620	36	#Mid	QAM16	19.52	1.36	20.88	33.01	PASS
Band41	15	40620	36	#Max	QAM16	19.45	1.36	20.81	33.01	PASS
Band41	15	40620	75	#0	QAM16	19.6	1.36	20.96	33.01	PASS
Band41	15	41515	1	#0	QPSK	21.12	1.36	22.48	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	21.01	1.36	22.37	33.01	PASS
Band41	15	41515	1	#Max	QPSK	21.14	1.36	22.50	33.01	PASS
Band41	15	41515	36	#0	QPSK	19.66	1.36	21.02	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	19.58	1.36	20.94	33.01	PASS
Band41	15	41515	36	#Max	QPSK	19.49	1.36	20.85	33.01	PASS
Band41	15	41515	75	#0	QPSK	19.56	1.36	20.92	33.01	PASS
Band41	15	41515	1	#0	QAM16	20.77	1.36	22.13	33.01	PASS
Band41	15	41515	1	#Mid	QAM16	20.89	1.36	22.25	33.01	PASS
Band41	15	41515	1	#Max	QAM16	20.86	1.36	22.22	33.01	PASS
Band41	15	41515	36	#0	QAM16	19.23	1.36	20.59	33.01	PASS
Band41	15	41515	36	#Mid	QAM16	19.15	1.36	20.51	33.01	PASS

Band41	15	41515	36	#Max	QAM16	19.19	1.36	20.55	33.01	PASS
Band41	15	41515	75	#0	QAM16	19.32	1.36	20.68	33.01	PASS
Band41	20	39750	1	#0	QPSK	21.3	1.36	22.66	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	21.31	1.36	22.67	33.01	PASS
Band41	20	39750	1	#Max	QPSK	21.34	1.36	22.70	33.01	PASS
Band41	20	39750	50	#0	QPSK	19.73	1.36	21.09	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	19.77	1.36	21.13	33.01	PASS
Band41	20	39750	50	#Max	QPSK	19.69	1.36	21.05	33.01	PASS
Band41	20	39750	100	#0	QPSK	19.88	1.36	21.24	33.01	PASS
Band41	20	39750	1	#0	QAM16	20.71	1.36	22.07	33.01	PASS
Band41	20	39750	1	#Mid	QAM16	20.64	1.36	22.00	33.01	PASS
Band41	20	39750	1	#Max	QAM16	20.61	1.36	21.97	33.01	PASS
Band41	20	39750	50	#0	QAM16	19.64	1.36	21.00	33.01	PASS
Band41	20	39750	50	#Mid	QAM16	19.6	1.36	20.96	33.01	PASS
Band41	20	39750	50	#Max	QAM16	19.57	1.36	20.93	33.01	PASS
Band41	20	39750	100	#0	QAM16	19.6	1.36	20.96	33.01	PASS
Band41	20	40620	1	#0	QPSK	21.42	1.36	22.78	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	21.37	1.36	22.73	33.01	PASS
Band41	20	40620	1	#Max	QPSK	21.2	1.36	22.56	33.01	PASS
Band41	20	40620	50	#0	QPSK	19.96	1.36	21.32	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	19.81	1.36	21.17	33.01	PASS
Band41	20	40620	50	#Max	QPSK	19.76	1.36	21.12	33.01	PASS
Band41	20	40620	100	#0	QPSK	19.86	1.36	21.22	33.01	PASS
Band41	20	40620	1	#0	QAM16	20.83	1.36	22.19	33.01	PASS
Band41	20	40620	1	#Mid	QAM16	20.69	1.36	22.05	33.01	PASS
Band41	20	40620	1	#Max	QAM16	20.9	1.36	22.26	33.01	PASS
Band41	20	40620	50	#0	QAM16	19.42	1.36	20.78	33.01	PASS
Band41	20	40620	50	#Mid	QAM16	19.45	1.36	20.81	33.01	PASS
Band41	20	40620	50	#Max	QAM16	19.37	1.36	20.73	33.01	PASS
Band41	20	40620	100	#0	QAM16	19.69	1.36	21.05	33.01	PASS
Band41	20	41490	1	#0	QPSK	21.16	1.36	22.52	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	21.19	1.36	22.55	33.01	PASS
Band41	20	41490	1	#Max	QPSK	21.11	1.36	22.47	33.01	PASS
Band41	20	41490	50	#0	QPSK	19.57	1.36	20.93	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	19.48	1.36	20.84	33.01	PASS
Band41	20	41490	50	#Max	QPSK	19.46	1.36	20.82	33.01	PASS
Band41	20	41490	100	#0	QPSK	19.71	1.36	21.07	33.01	PASS
Band41	20	41490	1	#0	QAM16	20.51	1.36	21.87	33.01	PASS
Band41	20	41490	1	#Mid	QAM16	20.02	1.36	21.38	33.01	PASS
Band41	20	41490	1	#Max	QAM16	19.83	1.36	21.19	33.01	PASS
Band41	20	41490	50	#0	QAM16	19.42	1.36	20.78	33.01	PASS
Band41	20	41490	50	#Mid	QAM16	19.32	1.36	20.68	33.01	PASS
Band41	20	41490	50	#Max	QAM16	19.31	1.36	20.67	33.01	PASS
Band41	20	41490	100	#0	QAM16	19.31	1.36	20.67	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-42.32	-0.017	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-11.98	-0.005	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-8.36	-0.003	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-2.97	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	1.48	0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-0.25	0.000	-2.5	2.5	PASS


3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	9.38	13	PASS
Band41	5	40620	1	#0	QAM16	9.93	13	PASS
Band41	10	40620	1	#0	QPSK	8.66	13	PASS
Band41	10	40620	1	#0	QAM16	8.46	13	PASS
Band41	15	40620	1	#0	QPSK	8.63	13	PASS
Band41	15	40620	1	#0	QAM16	8.40	13	PASS
Band41	20	40620	1	#0	QPSK	9.58	13	PASS
Band41	20	40620	1	#0	QAM16	9.03	13	PASS

Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0

**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.500	5.137	PASS
Band41	5	39675	25	#0	QAM16	4.474	5.078	PASS
Band41	5	40620	25	#0	QPSK	4.522	5.019	PASS
Band41	5	40620	25	#0	QAM16	4.513	5.372	PASS
Band41	5	41565	25	#0	QPSK	4.514	4.956	PASS
Band41	5	41565	25	#0	QAM16	4.505	5.294	PASS
Band41	10	39700	50	#0	QPSK	9.003	9.774	PASS
Band41	10	39700	50	#0	QAM16	9.000	9.943	PASS
Band41	10	40620	50	#0	QPSK	8.976	9.806	PASS
Band41	10	40620	50	#0	QAM16	8.968	9.723	PASS
Band41	10	41540	50	#0	QPSK	8.983	9.867	PASS
Band41	10	41540	50	#0	QAM16	8.991	10.613	PASS
Band41	15	39725	75	#0	QPSK	13.509	14.998	PASS
Band41	15	39725	75	#0	QAM16	13.511	15.457	PASS
Band41	15	40620	75	#0	QPSK	13.490	14.790	PASS
Band41	15	40620	75	#0	QAM16	13.497	15.129	PASS
Band41	15	41515	75	#0	QPSK	13.476	15.060	PASS
Band41	15	41515	75	#0	QAM16	13.436	16.300	PASS
Band41	20	39750	100	#0	QPSK	17.978	19.932	PASS
Band41	20	39750	100	#0	QAM16	17.914	20.037	PASS
Band41	20	40620	100	#0	QPSK	17.937	19.433	PASS
Band41	20	40620	100	#0	QAM16	17.920	19.526	PASS
Band41	20	41490	100	#0	QPSK	17.910	19.644	PASS
Band41	20	41490	100	#0	QAM16	17.971	19.476	PASS


Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2495.00	-16.79	-13	PASS
Band41	5	39675	25	#0	QAM16	2489.45	-30.26	-25	PASS
Band41	5	41565	25	#0	QPSK	2691.02	-17.40	-10	PASS
Band41	5	41565	25	#0	QAM16	2696.99	-28.65	-25	PASS
Band41	10	39700	50	#0	QPSK	2485.62	-35.05	-25	PASS
Band41	10	39700	50	#0	QAM16	2485.86	-35.69	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.96	-34.01	-25	PASS
Band41	10	41540	50	#0	QAM16	2700.56	-33.88	-25	PASS
Band41	15	39725	75	#0	QPSK	2494.96	-22.76	-13	PASS
Band41	15	39725	75	#0	QAM16	2494.80	-23.84	-13	PASS
Band41	15	41515	75	#0	QPSK	2707.55	-36.41	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.02	-35.21	-25	PASS
Band41	20	39750	100	#0	QPSK	2476.00	-41.17	-25	PASS
Band41	20	39750	100	#0	QAM16	2475.87	-40.16	-25	PASS
Band41	20	41490	100	#0	QPSK	2710.59	-38.43	-25	PASS
Band41	20	41490	100	#0	QAM16	2710.04	-38.13	-25	PASS


Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0





Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



**Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0**




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0



**Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0****Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0**




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0


**Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0****Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0**




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2468.58	-29.33	-25	PASS
Band41	5	39675	25	#0	QAM16	2471.50	-25.35	-25	PASS
Band41	5	41565	25	#0	QPSK	5377.60	-30.21	-25	PASS
Band41	5	41565	25	#0	QAM16	5375.13	-29.63	-25	PASS
Band41	10	39700	50	#0	QPSK	5000.95	-35.48	-25	PASS
Band41	10	39700	50	#0	QAM16	5008.38	-35.32	-25	PASS
Band41	10	41540	50	#0	QPSK	5370.18	-31.86	-25	PASS
Band41	10	41540	50	#0	QAM16	5366.80	-31.97	-25	PASS
Band41	15	39725	75	#0	QPSK	5006.58	-35.35	-25	PASS
Band41	15	39725	75	#0	QAM16	4999.83	-35.47	-25	PASS
Band41	15	41515	75	#0	QPSK	5358.93	-33.98	-25	PASS
Band41	15	41515	75	#0	QAM16	5363.43	-34.23	-25	PASS
Band41	20	39750	100	#0	QPSK	3823.30	-36.72	-25	PASS
Band41	20	39750	100	#0	QAM16	5010.40	-36.48	-25	PASS
Band41	20	41490	100	#0	QPSK	5358.03	-35.40	-25	PASS
Band41	20	41490	100	#0	QAM16	5358.70	-34.96	-25	PASS


Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0



Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0

