

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	24.26	PASS
Band12	1.4	23017	1	#Mid	QPSK	24.23	PASS
Band12	1.4	23017	1	#Max	QPSK	24.09	PASS
Band12	1.4	23017	3	#0	QPSK	23.21	PASS
Band12	1.4	23017	3	#Mid	QPSK	23.16	PASS
Band12	1.4	23017	3	#Max	QPSK	23.14	PASS
Band12	1.4	23017	6	#0	QPSK	22.16	PASS
Band12	1.4	23017	1	#0	16QAM	23.13	PASS
Band12	1.4	23017	1	#Mid	16QAM	23.09	PASS
Band12	1.4	23017	1	#Max	16QAM	22.91	PASS
Band12	1.4	23017	3	#0	16QAM	22.18	PASS
Band12	1.4	23017	3	#Mid	16QAM	22.25	PASS
Band12	1.4	23017	3	#Max	16QAM	22.07	PASS
Band12	1.4	23017	5	#0	16QAM	22.16	PASS
Band12	1.4	23095	1	#0	QPSK	24.14	PASS
Band12	1.4	23095	1	#Mid	QPSK	24.15	PASS
Band12	1.4	23095	1	#Max	QPSK	24.08	PASS
Band12	1.4	23095	3	#0	QPSK	23.23	PASS
Band12	1.4	23095	3	#Mid	QPSK	23.21	PASS
Band12	1.4	23095	3	#Max	QPSK	23.11	PASS
Band12	1.4	23095	6	#0	QPSK	22.39	PASS
Band12	1.4	23095	1	#0	16QAM	23.22	PASS
Band12	1.4	23095	1	#Mid	16QAM	23.20	PASS
Band12	1.4	23095	1	#Max	16QAM	23.04	PASS
Band12	1.4	23095	3	#0	16QAM	22.35	PASS
Band12	1.4	23095	3	#Mid	16QAM	22.31	PASS
Band12	1.4	23095	3	#Max	16QAM	22.21	PASS
Band12	1.4	23095	5	#0	16QAM	22.20	PASS
Band12	1.4	23173	1	#0	QPSK	24.29	PASS
Band12	1.4	23173	1	#Mid	QPSK	24.26	PASS
Band12	1.4	23173	1	#Max	QPSK	24.11	PASS
Band12	1.4	23173	3	#0	QPSK	23.21	PASS
Band12	1.4	23173	3	#Mid	QPSK	23.08	PASS
Band12	1.4	23173	3	#Max	QPSK	23.07	PASS
Band12	1.4	23173	6	#0	QPSK	22.20	PASS
Band12	1.4	23173	1	#0	16QAM	23.16	PASS
Band12	1.4	23173	1	#Mid	16QAM	23.12	PASS
Band12	1.4	23173	1	#Max	16QAM	22.96	PASS
Band12	1.4	23173	3	#0	16QAM	22.25	PASS
Band12	1.4	23173	3	#Mid	16QAM	22.31	PASS
Band12	1.4	23173	3	#Max	16QAM	22.11	PASS

Band12	1.4	23173	5	#0	16QAM	22.18	PASS
Band13	5	23205	1	#0	QPSK	24.65	PASS
Band13	5	23205	1	#Mid	QPSK	24.60	PASS
Band13	5	23205	1	#Max	QPSK	24.43	PASS
Band13	5	23205	3	#0	QPSK	23.75	PASS
Band13	5	23205	3	#Mid	QPSK	23.59	PASS
Band13	5	23205	3	#Max	QPSK	23.64	PASS
Band13	5	23205	6	#0	QPSK	23.62	PASS
Band13	5	23205	1	#0	16QAM	24.63	PASS
Band13	5	23205	1	#Mid	16QAM	24.54	PASS
Band13	5	23205	1	#Max	16QAM	24.41	PASS
Band13	5	23205	3	#0	16QAM	23.79	PASS
Band13	5	23205	3	#Mid	16QAM	23.66	PASS
Band13	5	23205	3	#Max	16QAM	23.66	PASS
Band13	5	23205	5	#0	16QAM	23.24	PASS
Band13	5	23230	1	#0	QPSK	24.59	PASS
Band13	5	23230	1	#Mid	QPSK	24.62	PASS
Band13	5	23230	1	#Max	QPSK	24.43	PASS
Band13	5	23230	3	#0	QPSK	23.70	PASS
Band13	5	23230	3	#Mid	QPSK	23.59	PASS
Band13	5	23230	3	#Max	QPSK	23.58	PASS
Band13	5	23230	6	#0	QPSK	23.55	PASS
Band13	5	23230	1	#0	16QAM	24.57	PASS
Band13	5	23230	1	#Mid	16QAM	24.50	PASS
Band13	5	23230	1	#Max	16QAM	24.32	PASS
Band13	5	23230	3	#0	16QAM	23.74	PASS
Band13	5	23230	3	#Mid	16QAM	23.58	PASS
Band13	5	23230	3	#Max	16QAM	23.57	PASS
Band13	5	23230	5	#0	16QAM	23.20	PASS
Band13	5	23255	1	#0	QPSK	24.70	PASS
Band13	5	23255	1	#Mid	QPSK	24.67	PASS
Band13	5	23255	1	#Max	QPSK	24.52	PASS
Band13	5	23255	3	#0	QPSK	23.72	PASS
Band13	5	23255	3	#Mid	QPSK	23.57	PASS
Band13	5	23255	3	#Max	QPSK	23.61	PASS
Band13	5	23255	6	#0	QPSK	23.62	PASS
Band13	5	23255	1	#0	16QAM	24.62	PASS
Band13	5	23255	1	#Mid	16QAM	24.55	PASS
Band13	5	23255	1	#Max	16QAM	24.41	PASS
Band13	5	23255	3	#0	16QAM	23.83	PASS
Band13	5	23255	3	#Mid	16QAM	23.62	PASS
Band13	5	23255	3	#Max	16QAM	23.64	PASS
Band13	5	23255	5	#0	16QAM	23.41	PASS
Band2	1.4	18607	1	#0	QPSK	25.26	PASS

Band2	1.4	18607	1	#Mid	QPSK	25.27	PASS
Band2	1.4	18607	1	#Max	QPSK	25.05	PASS
Band2	1.4	18607	3	#0	QPSK	24.26	PASS
Band2	1.4	18607	3	#Mid	QPSK	24.21	PASS
Band2	1.4	18607	3	#Max	QPSK	24.16	PASS
Band2	1.4	18607	6	#0	QPSK	23.12	PASS
Band2	1.4	18607	1	#0	16QAM	24.09	PASS
Band2	1.4	18607	1	#Mid	16QAM	24.06	PASS
Band2	1.4	18607	1	#Max	16QAM	23.88	PASS
Band2	1.4	18607	3	#0	16QAM	23.24	PASS
Band2	1.4	18607	3	#Mid	16QAM	23.21	PASS
Band2	1.4	18607	3	#Max	16QAM	23.12	PASS
Band2	1.4	18607	5	#0	16QAM	23.05	PASS
Band2	1.4	18900	1	#0	QPSK	25.14	PASS
Band2	1.4	18900	1	#Mid	QPSK	25.13	PASS
Band2	1.4	18900	1	#Max	QPSK	24.93	PASS
Band2	1.4	18900	3	#0	QPSK	24.11	PASS
Band2	1.4	18900	3	#Mid	QPSK	24.12	PASS
Band2	1.4	18900	3	#Max	QPSK	24.00	PASS
Band2	1.4	18900	6	#0	QPSK	23.03	PASS
Band2	1.4	18900	1	#0	16QAM	23.93	PASS
Band2	1.4	18900	1	#Mid	16QAM	23.92	PASS
Band2	1.4	18900	1	#Max	16QAM	23.73	PASS
Band2	1.4	18900	3	#0	16QAM	23.08	PASS
Band2	1.4	18900	3	#Mid	16QAM	23.08	PASS
Band2	1.4	18900	3	#Max	16QAM	22.98	PASS
Band2	1.4	18900	5	#0	16QAM	23.06	PASS
Band2	1.4	19193	1	#0	QPSK	25.09	PASS
Band2	1.4	19193	1	#Mid	QPSK	25.07	PASS
Band2	1.4	19193	1	#Max	QPSK	24.88	PASS
Band2	1.4	19193	3	#0	QPSK	24.02	PASS
Band2	1.4	19193	3	#Mid	QPSK	24.01	PASS
Band2	1.4	19193	3	#Max	QPSK	23.90	PASS
Band2	1.4	19193	6	#0	QPSK	22.95	PASS
Band2	1.4	19193	1	#0	16QAM	23.86	PASS
Band2	1.4	19193	1	#Mid	16QAM	23.82	PASS
Band2	1.4	19193	1	#Max	16QAM	23.66	PASS
Band2	1.4	19193	3	#0	16QAM	22.91	PASS
Band2	1.4	19193	3	#Mid	16QAM	22.89	PASS
Band2	1.4	19193	3	#Max	16QAM	22.79	PASS
Band2	1.4	19193	5	#0	16QAM	23.11	PASS
Band4	1.4	19957	1	#0	QPSK	24.81	PASS
Band4	1.4	19957	1	#Mid	QPSK	24.87	PASS
Band4	1.4	19957	1	#Max	QPSK	24.67	PASS


Band4	1.4	19957	3	#0	QPSK	23.81	PASS
Band4	1.4	19957	3	#Mid	QPSK	23.85	PASS
Band4	1.4	19957	3	#Max	QPSK	23.79	PASS
Band4	1.4	19957	6	#0	QPSK	22.76	PASS
Band4	1.4	19957	1	#0	16QAM	23.71	PASS
Band4	1.4	19957	1	#Mid	16QAM	23.72	PASS
Band4	1.4	19957	1	#Max	16QAM	23.51	PASS
Band4	1.4	19957	3	#0	16QAM	22.91	PASS
Band4	1.4	19957	3	#Mid	16QAM	22.87	PASS
Band4	1.4	19957	3	#Max	16QAM	22.75	PASS
Band4	1.4	19957	5	#0	16QAM	22.60	PASS
Band4	1.4	20175	1	#0	QPSK	25.08	PASS
Band4	1.4	20175	1	#Mid	QPSK	25.05	PASS
Band4	1.4	20175	1	#Max	QPSK	24.87	PASS
Band4	1.4	20175	3	#0	QPSK	24.08	PASS
Band4	1.4	20175	3	#Mid	QPSK	23.69	PASS
Band4	1.4	20175	3	#Max	QPSK	23.96	PASS
Band4	1.4	20175	6	#0	QPSK	22.95	PASS
Band4	1.4	20175	1	#0	16QAM	24.01	PASS
Band4	1.4	20175	1	#Mid	16QAM	23.91	PASS
Band4	1.4	20175	1	#Max	16QAM	23.71	PASS
Band4	1.4	20175	3	#0	16QAM	23.02	PASS
Band4	1.4	20175	3	#Mid	16QAM	22.69	PASS
Band4	1.4	20175	3	#Max	16QAM	22.89	PASS
Band4	1.4	20175	5	#0	16QAM	22.55	PASS
Band4	1.4	20393	1	#0	QPSK	25.18	PASS
Band4	1.4	20393	1	#Mid	QPSK	25.18	PASS
Band4	1.4	20393	1	#Max	QPSK	24.98	PASS
Band4	1.4	20393	3	#0	QPSK	24.12	PASS
Band4	1.4	20393	3	#Mid	QPSK	23.97	PASS
Band4	1.4	20393	3	#Max	QPSK	24.00	PASS
Band4	1.4	20393	6	#0	QPSK	22.99	PASS
Band4	1.4	20393	1	#0	16QAM	24.05	PASS
Band4	1.4	20393	1	#Mid	16QAM	24.01	PASS
Band4	1.4	20393	1	#Max	16QAM	23.82	PASS
Band4	1.4	20393	3	#0	16QAM	23.10	PASS
Band4	1.4	20393	3	#Mid	16QAM	22.87	PASS
Band4	1.4	20393	3	#Max	16QAM	22.98	PASS
Band4	1.4	20393	5	#0	16QAM	22.65	PASS
Band5	1.4	20407	1	#0	QPSK	25.08	PASS
Band5	1.4	20407	1	#Mid	QPSK	25.03	PASS
Band5	1.4	20407	1	#Max	QPSK	24.86	PASS
Band5	1.4	20407	3	#0	QPSK	24.01	PASS
Band5	1.4	20407	3	#Mid	QPSK	23.95	PASS

Band5	1.4	20407	3	#Max	QPSK	23.86	PASS
Band5	1.4	20407	6	#0	QPSK	22.95	PASS
Band5	1.4	20407	1	#0	16QAM	23.92	PASS
Band5	1.4	20407	1	#Mid	16QAM	23.85	PASS
Band5	1.4	20407	1	#Max	16QAM	23.67	PASS
Band5	1.4	20407	3	#0	16QAM	23.02	PASS
Band5	1.4	20407	3	#Mid	16QAM	22.96	PASS
Band5	1.4	20407	3	#Max	16QAM	22.89	PASS
Band5	1.4	20407	5	#0	16QAM	22.87	PASS
Band5	1.4	20525	1	#0	QPSK	24.86	PASS
Band5	1.4	20525	1	#Mid	QPSK	24.79	PASS
Band5	1.4	20525	1	#Max	QPSK	24.63	PASS
Band5	1.4	20525	3	#0	QPSK	23.73	PASS
Band5	1.4	20525	3	#Mid	QPSK	23.84	PASS
Band5	1.4	20525	3	#Max	QPSK	23.63	PASS
Band5	1.4	20525	6	#0	QPSK	22.72	PASS
Band5	1.4	20525	1	#0	16QAM	23.69	PASS
Band5	1.4	20525	1	#Mid	16QAM	23.64	PASS
Band5	1.4	20525	1	#Max	16QAM	23.45	PASS
Band5	1.4	20525	3	#0	16QAM	22.87	PASS
Band5	1.4	20525	3	#Mid	16QAM	22.85	PASS
Band5	1.4	20525	3	#Max	16QAM	22.73	PASS
Band5	1.4	20525	5	#0	16QAM	22.85	PASS
Band5	1.4	20643	1	#0	QPSK	25.20	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.55	PASS
Band5	1.4	20643	1	#Max	QPSK	24.92	PASS
Band5	1.4	20643	3	#0	QPSK	24.06	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.99	PASS
Band5	1.4	20643	3	#Max	QPSK	23.91	PASS
Band5	1.4	20643	6	#0	QPSK	22.93	PASS
Band5	1.4	20643	1	#0	16QAM	23.99	PASS
Band5	1.4	20643	1	#Mid	16QAM	23.86	PASS
Band5	1.4	20643	1	#Max	16QAM	23.67	PASS
Band5	1.4	20643	3	#0	16QAM	22.98	PASS
Band5	1.4	20643	3	#Mid	16QAM	22.87	PASS
Band5	1.4	20643	3	#Max	16QAM	22.83	PASS
Band5	1.4	20643	5	#0	16QAM	22.92	PASS


Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band12	1.4	23095	1	#0	QPSK	4.67	13	PASS
Band12	1.4	23095	1	#0	16QAM	5.55	13	PASS
Band13	5	23230	1	#0	QPSK	4.43	13	PASS
Band13	5	23230	1	#0	16QAM	5.06	13	PASS
Band2	1.4	18900	1	#0	QPSK	5.09	13	PASS
Band2	1.4	18900	1	#0	16QAM	5.93	13	PASS
Band4	1.4	20175	1	#0	QPSK	5.66	13	PASS
Band4	1.4	20175	1	#0	16QAM	6.17	13	PASS
Band5	1.4	20525	1	#0	QPSK	5.19	13	PASS
Band5	1.4	20525	1	#0	16QAM	5.69	13	PASS


Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23095	6	#0	QPSK	1.094	1.276	PASS
Band12	1.4	23095	5	#0	16QAM	0.931	1.230	PASS
Band13	5	23230	6	#0	QPSK	1.196	1.483	PASS
Band13	5	23230	5	#0	16QAM	1.014	1.301	PASS
Band2	1.4	18900	6	#0	QPSK	1.082	1.313	PASS
Band2	1.4	18900	5	#0	16QAM	0.914	1.128	PASS
Band4	1.4	20175	6	#0	QPSK	1.091	1.273	PASS
Band4	1.4	20175	5	#0	16QAM	0.923	1.145	PASS
Band5	1.4	20525	6	#0	QPSK	1.090	1.273	PASS
Band5	1.4	20525	5	#0	16QAM	0.922	1.140	PASS


Band12 16QAM BW=1.4MHz Channel=23095 RB Size=5 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=5 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=5 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=5 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	699.00	-33.41	-13	PASS
Band12	1.4	23017	1	#Max	QPSK	699.00	-57.51	-13	PASS
Band12	1.4	23017	6	#0	QPSK	699.00	-39.22	-13	PASS
Band12	1.4	23017	1	#0	16QAM	699.00	-33.20	-13	PASS
Band12	1.4	23017	1	#Max	16QAM	699.00	-53.84	-13	PASS
Band12	1.4	23017	5	#0	16QAM	699.00	-35.22	-13	PASS
Band12	1.4	23173	1	#0	QPSK	716.60	-51.38	-13	PASS
Band12	1.4	23173	1	#Max	QPSK	716.00	-34.62	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.00	-36.19	-13	PASS
Band12	1.4	23173	1	#0	16QAM	716.00	-50.05	-13	PASS
Band12	1.4	23173	1	#Max	16QAM	716.00	-33.39	-13	PASS
Band12	1.4	23173	5	#0	16QAM	716.00	-36.32	-13	PASS
Band13	5	23205	1	#0	QPSK	777.00	-22.98	-13	PASS
Band13	5	23205	1	#Max	QPSK	772.95	-45.58	-35	PASS
Band13	5	23205	6	#0	QPSK	774.82	-50.28	-35	PASS
Band13	5	23205	1	#0	16QAM	776.99	-23.88	-13	PASS
Band13	5	23205	1	#Max	16QAM	773.06	-45.67	-35	PASS
Band13	5	23205	5	#0	16QAM	774.90	-51.63	-35	PASS
Band13	5	23255	1	#0	QPSK	773.80	-54.54	-35	PASS
Band13	5	23255	1	#Max	QPSK	787.00	-25.07	-13	PASS
Band13	5	23255	6	#0	QPSK	787.00	-35.09	-13	PASS
Band13	5	23255	1	#0	16QAM	790.99	-33.19	-13	PASS
Band13	5	23255	1	#Max	16QAM	787.00	-24.09	-13	PASS
Band13	5	23255	5	#0	16QAM	787.01	-35.32	-13	PASS
Band2	1.4	18607	1	#0	QPSK	1850.00	-31.20	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1850.00	-57.67	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1850.00	-36.68	-13	PASS
Band2	1.4	18607	1	#0	16QAM	1850.00	-34.26	-13	PASS
Band2	1.4	18607	1	#Max	16QAM	1850.00	-58.47	-13	PASS
Band2	1.4	18607	5	#0	16QAM	1850.00	-37.38	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.00	-50.73	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.00	-31.82	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-39.75	-13	PASS
Band2	1.4	19193	1	#0	16QAM	1910.00	-54.69	-13	PASS
Band2	1.4	19193	1	#Max	16QAM	1910.00	-32.88	-13	PASS
Band2	1.4	19193	5	#0	16QAM	1910.00	-37.23	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-32.23	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1710.00	-28.14	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-34.98	-13	PASS
Band4	1.4	19957	1	#0	16QAM	1710.00	-18.77	-13	PASS

Band4	1.4	19957	1	#Max	16QAM	1710.00	-34.55	-13	PASS
Band4	1.4	19957	5	#0	16QAM	1710.00	-30.13	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.00	-56.26	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.00	-31.08	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.00	-38.56	-13	PASS
Band4	1.4	20393	1	#0	16QAM	1755.00	-61.91	-13	PASS
Band4	1.4	20393	1	#Max	16QAM	1755.00	-33.30	-13	PASS
Band4	1.4	20393	5	#0	16QAM	1755.00	-38.20	-13	PASS
Band5	1.4	20407	1	#0	QPSK	824.00	-32.91	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	824.00	-50.95	-13	PASS
Band5	1.4	20407	6	#0	QPSK	824.00	-35.82	-13	PASS
Band5	1.4	20407	1	#0	16QAM	824.00	-33.17	-13	PASS
Band5	1.4	20407	1	#Max	16QAM	824.00	-56.03	-13	PASS
Band5	1.4	20407	5	#0	16QAM	824.00	-37.25	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.00	-51.85	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-32.40	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-38.00	-13	PASS
Band5	1.4	20643	1	#0	16QAM	849.00	-53.97	-13	PASS
Band5	1.4	20643	1	#Max	16QAM	849.00	-34.44	-13	PASS
Band5	1.4	20643	5	#0	16QAM	849.00	-37.45	-13	PASS


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0



Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#0



Band13 16QAM BW=5MHz Channel=23255 RB Size=5 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.82	-50.28	-35
2	775	776.9	100	776.8981	-32.98	-13
3	776.9	777	30	776.995	-33.22	-13
4	787	787.1	30	787.0155	-50.35	-13
5	787.1	793	100	787.1295	-46.18	-13
6	793	805	6.8	793.792	-66.64	-35

Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	772.948	-45.58	-35
2	775	776.9	100	776.8943	-43.61	-13
3	776.9	777	30	776.9989	-37.88	-13
4	787	787.1	30	787.0491	-58.96	-13
5	787.1	793	100	790.3273	-42.5	-13
6	793	805	6.8	803.236	-66.88	-35

Band13 16QAM BW=5MHz Channel=23255 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	767.776	-66.93	-35
2	775	776.9	100	775.399	-54.62	-13
3	776.9	777	30	776.9407	-60.07	-13
4	787	787.1	30	787.0001	-24.09	-13
5	787.1	793	100	787.1059	-31.87	-13
6	793	805	6.8	795.34	-65.08	-35

Band13 16QAM BW=5MHz Channel=23205 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	773.056	-45.67	-35
2	775	776.9	100	776.8962	-42.55	-13
3	776.9	777	30	776.9974	-39.47	-13
4	787	787.1	30	787.0299	-59.17	-13
5	787.1	793	100	790.3155	-45.41	-13
6	793	805	6.8	796.228	-66.87	-35


Band13 16QAM BW=5MHz Channel=23205 RB Size=1 Position=#0



Band13 16QAM BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 16QAM BW=5MHz Channel=23205 RB Size=5 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.904	-51.63	-35
2	775	776.9	100	776.8297	-34.22	-13
3	776.9	777	30	776.9986	-33.54	-13
4	787	787.1	30	787.0411	-50.74	-13
5	787.1	793	100	787.1059	-46.21	-13
6	793	805	6.8	793.312	-66.88	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.952	-63.66	-35
2	775	776.9	100	776.8696	-44.67	-13
3	776.9	777	30	776.9824	-49.75	-13
4	787	787.1	30	787.0001	-35.09	-13
5	787.1	793	100	787.1059	-35.48	-13
6	793	805	6.8	793.312	-63.51	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.988	-67.11	-35
2	775	776.9	100	776.8582	-54.66	-13
3	776.9	777	30	776.9839	-59.74	-13
4	787	787.1	30	787.0048	-25.07	-13
5	787.1	793	100	787.1059	-30.05	-13
6	793	805	6.8	795.316	-63.83	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	773.8	-54.54	-35
2	775	776.9	100	776.7936	-53.55	-13
3	776.9	777	30	776.9871	-58.89	-13
4	787	787.1	30	787.0001	-38.32	-13
5	787.1	793	100	790.9232	-33.88	-13
6	793	805	6.8	795.244	-67.02	-35


Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=5 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=5 Position=#0



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=5 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#Max




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=5 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	3496.45	-28.54	-13	PASS
Band12	1.4	23017	6	#0	QPSK	3499.00	-31.14	-13	PASS
Band12	1.4	23017	1	#0	16QAM	3496.45	-29.72	-13	PASS
Band12	1.4	23017	5	#0	16QAM	3499.00	-30.61	-13	PASS
Band12	1.4	23095	1	#0	QPSK	3534.70	-31.36	-13	PASS
Band12	1.4	23095	6	#0	QPSK	1415.65	-34.37	-13	PASS
Band12	1.4	23095	1	#0	16QAM	3534.70	-32.12	-13	PASS
Band12	1.4	23095	5	#0	16QAM	3537.25	-34.06	-13	PASS
Band12	1.4	23173	1	#0	QPSK	3572.95	-29.32	-13	PASS
Band12	1.4	23173	6	#0	QPSK	3575.50	-31.41	-13	PASS
Band12	1.4	23173	1	#0	16QAM	3575.50	-24.99	-13	PASS
Band12	1.4	23173	5	#0	16QAM	3578.05	-30.86	-13	PASS
Band13	5	23205	1	#0	QPSK	1593.79	-45.21	-40	PASS
Band13	5	23205	6	#0	QPSK	1609.94	-44.88	-40	PASS
Band13	5	23205	1	#0	16QAM	1592.90	-44.69	-40	PASS
Band13	5	23205	5	#0	16QAM	1562.61	-44.80	-40	PASS
Band13	5	23230	1	#0	QPSK	1559.47	-40.56	-40	PASS
Band13	5	23230	6	#0	QPSK	1600.28	-45.17	-40	PASS
Band13	5	23230	1	#0	16QAM	1559.77	-41.15	-40	PASS
Band13	5	23230	5	#0	16QAM	1565.12	-43.62	-40	PASS
Band13	5	23255	1	#0	QPSK	1564.81	-40.62	-40	PASS
Band13	5	23255	6	#0	QPSK	1567.35	-44.34	-40	PASS
Band13	5	23255	1	#0	16QAM	1565.06	-40.05	-40	PASS
Band13	5	23255	5	#0	16QAM	1569.52	-44.06	-40	PASS
Band2	1.4	18607	1	#0	QPSK	26030.80	-31.37	-13	PASS
Band2	1.4	18607	6	#0	QPSK	25895.65	-32.92	-13	PASS
Band2	1.4	18607	1	#0	16QAM	25959.40	-33.09	-13	PASS
Band2	1.4	18607	5	#0	16QAM	26018.05	-32.62	-13	PASS
Band2	1.4	18900	1	#0	QPSK	25900.75	-32.00	-13	PASS
Band2	1.4	18900	6	#0	QPSK	26285.80	-32.70	-13	PASS
Band2	1.4	18900	1	#0	16QAM	25837.00	-32.98	-13	PASS
Band2	1.4	18900	5	#0	16QAM	26020.60	-32.57	-13	PASS
Band2	1.4	19193	1	#0	QPSK	25469.80	-32.20	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25867.60	-32.04	-13	PASS
Band2	1.4	19193	1	#0	16QAM	26043.55	-33.01	-13	PASS
Band2	1.4	19193	5	#0	16QAM	26092.00	-33.07	-13	PASS
Band4	1.4	19957	1	#0	QPSK	25984.90	-33.10	-13	PASS
Band4	1.4	19957	6	#0	QPSK	25926.25	-33.45	-13	PASS
Band4	1.4	19957	1	#0	16QAM	25984.90	-33.18	-13	PASS
Band4	1.4	19957	5	#0	16QAM	26012.95	-32.14	-13	PASS
Band4	1.4	20175	1	#0	QPSK	26125.15	-33.31	-13	PASS

Band4	1.4	20175	6	#0	QPSK	25990.00	-33.17	-13	PASS
Band4	1.4	20175	1	#0	16QAM	26046.10	-33.18	-13	PASS
Band4	1.4	20175	5	#0	16QAM	26000.20	-31.41	-13	PASS
Band4	1.4	20393	1	#0	QPSK	25385.65	-32.88	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25872.70	-33.24	-13	PASS
Band4	1.4	20393	1	#0	16QAM	25959.40	-32.74	-13	PASS
Band4	1.4	20393	5	#0	16QAM	26058.85	-32.62	-13	PASS
Band5	1.4	20407	1	#0	QPSK	25933.90	-20.67	-13	PASS
Band5	1.4	20407	6	#0	QPSK	25513.15	-20.94	-13	PASS
Band5	1.4	20407	1	#0	16QAM	26002.75	-21.20	-13	PASS
Band5	1.4	20407	5	#0	16QAM	26227.15	-20.41	-13	PASS
Band5	1.4	20525	1	#0	QPSK	25870.15	-20.58	-13	PASS
Band5	1.4	20525	6	#0	QPSK	25655.95	-20.74	-13	PASS
Band5	1.4	20525	1	#0	16QAM	25995.10	-20.55	-13	PASS
Band5	1.4	20525	5	#0	16QAM	26079.25	-20.88	-13	PASS
Band5	1.4	20643	1	#0	QPSK	26030.80	-20.87	-13	PASS
Band5	1.4	20643	6	#0	QPSK	25510.60	-20.64	-13	PASS
Band5	1.4	20643	1	#0	16QAM	25599.85	-20.75	-13	PASS
Band5	1.4	20643	5	#0	16QAM	25997.65	-21.28	-13	PASS


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=5 Position=#0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0



Band12 16QAM BW=1.4MHz Channel=23095 RB Size=5 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.83	-13
2	0.15	30	10	0.152985	-49.28	-13
3	30	1000	100	893.785	-55.79	-13
4	1000	26500	1000	3534.7	-32.12	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=5 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0134274	-46.59	-13
2	0.15	30	10	0.152985	-49.38	-13
3	30	1000	100	915.416	-56.73	-13
4	1000	26500	1000	3578.05	-30.86	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009282	-45.95	-13
2	0.15	30	10	0.158955	-49.49	-13
3	30	1000	100	475.909	-56.07	-13
4	1000	26500	1000	3575.5	-24.99	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109035	-47.33	-13
2	0.15	30	10	0.152985	-50.41	-13
3	30	1000	100	429.834	-55.97	-13
4	1000	26500	1000	3499	-31.14	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102408	-48.21	-13
2	0.15	30	10	0.16194	-47.6	-13
3	30	1000	100	692.51	-45.46	-13
4	1000	26500	1000	3496.45	-28.54	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098742	-47.77	-13
2	0.15	30	10	0.158955	-48.88	-13
3	30	1000	100	521.984	-55.81	-13
4	1000	26500	1000	3572.95	-29.32	-13


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=1 Position=#0




Band13 16QAM BW=5MHz Channel=23205 RB Size=5 Position=#0



Band13 16QAM BW=5MHz Channel=23205 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=5 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-44.14	-13
2	0.15	30	10	0.15	-44.92	-13
3	30	1000	100	877.198	-53.7	-13
4	1000	1559	1000	1470.0631	-45.6	-13
5	1559	1610	1000	1600.2845	-45.17	-40
6	1610	26500	1000	25449.642	-31.88	-13

Band13 QPSK BW=5MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-42.36	-13
2	0.15	30	10	0.16194	-45.5	-13
3	30	1000	100	902.515	-52.86	-13
4	1000	1559	1000	1071.2166	-45.07	-13
5	1559	1610	1000	1559.4743	-40.56	-40
6	1610	26500	1000	25845.393	-31.33	-13


Band13 QPSK BW=5MHz Channel=23255 RB Size=5 Position=#0




Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=5 Position=#0



Band13 16QAM BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=5 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105933	-43.35	-13
2	0.15	30	10	0.16791	-45.37	-13
3	30	1000	100	825.885	-53	-13
4	1000	1559	1000	1414.3867	-45	-13
5	1559	1610	1000	1565.12	-43.62	-40
6	1610	26500	1000	25887.706	-31.42	-13

Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093525	-41.99	-13
2	0.15	30	10	0.158955	-45.58	-13
3	30	1000	100	169.001	-52.58	-13
4	1000	1559	1000	1555.087	-40.27	-13
5	1559	1610	1000	1593.7871	-45.21	-40
6	1610	26500	1000	25663.696	-31.94	-13


Band13 16QAM BW=5MHz Channel=23255 RB Size=5 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=5 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=5 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=5 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=5 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=5 Position=#0



Band4 16QAM BW=1.4MHz Channel=20393 RB Size=5 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-43.79	-13
2	0.15	30	10	0.15597	-45.4	-13
3	30	1000	100	922.012	-50.27	-13
4	1000	26500	1000	25959.4	-32.74	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-44.1	-13
2	0.15	30	10	0.158955	-48.61	-13
3	30	1000	100	922.012	-48.19	-13
4	1000	26500	1000	26125.15	-33.31	-13


Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=5 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=5 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=5 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097755	-32.89	-13
2	0.15	30	10	0.15597	-35.5	-13
3	30	1000	100	959.454	-43.04	-13
4	1000	26500	1000	25655.95	-20.74	-13