

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	23.24	-2.80	18.29	<=34.77	Pass
			13	23.12	-2.80	18.17	<=34.77	Pass
			24	23.08	-2.80	18.13	<=34.77	Pass
		12	0	22.15	-2.80	17.20	<=34.77	Pass
			6	22.17	-2.80	17.22	<=34.77	Pass
			13	22.11	-2.80	17.16	<=34.77	Pass
		25	0	22.19	-2.80	17.24	<=34.77	Pass
	793	1	0	23.09	-2.80	18.14	<=34.77	Pass
			13	23.09	-2.80	18.14	<=34.77	Pass
			24	23.17	-2.80	18.22	<=34.77	Pass
		12	0	22.14	-2.80	17.19	<=34.77	Pass
			6	22.11	-2.80	17.16	<=34.77	Pass
			13	22.09	-2.80	17.14	<=34.77	Pass
		25	0	22.19	-2.80	17.24	<=34.77	Pass
	795.5	1	0	23.26	-2.80	18.31	<=34.77	Pass
			13	22.99	-2.80	18.04	<=34.77	Pass
			24	23.15	-2.80	18.20	<=34.77	Pass
		12	0	22.18	-2.80	17.23	<=34.77	Pass
			6	22.11	-2.80	17.16	<=34.77	Pass
			13	22.10	-2.80	17.15	<=34.77	Pass
		25	0	22.17	-2.80	17.22	<=34.77	Pass
16QAM	790.5	1	0	22.46	-2.80	17.51	<=34.77	Pass
			13	22.38	-2.80	17.43	<=34.77	Pass
			24	22.41	-2.80	17.46	<=34.77	Pass
		12	0	21.35	-2.80	16.40	<=34.77	Pass
			6	21.32	-2.80	16.37	<=34.77	Pass
			13	21.29	-2.80	16.34	<=34.77	Pass
		25	0	21.31	-2.80	16.36	<=34.77	Pass
	793	1	0	22.42	-2.80	17.47	<=34.77	Pass
			13	22.35	-2.80	17.40	<=34.77	Pass
			24	22.36	-2.80	17.41	<=34.77	Pass
		12	0	21.38	-2.80	16.43	<=34.77	Pass
			6	21.33	-2.80	16.38	<=34.77	Pass
			13	21.30	-2.80	16.35	<=34.77	Pass
		25	0	21.30	-2.80	16.35	<=34.77	Pass
	795.5	1	0	22.36	-2.80	17.41	<=34.77	Pass
			13	22.42	-2.80	17.47	<=34.77	Pass
			24	22.34	-2.80	17.39	<=34.77	Pass
		12	0	21.36	-2.80	16.41	<=34.77	Pass
			6	21.38	-2.80	16.43	<=34.77	Pass
			13	21.39	-2.80	16.44	<=34.77	Pass
		25	0	21.36	-2.80	16.41	<=34.77	Pass
64QAM	790.5	1	0	21.39	-2.80	16.44	<=34.77	Pass
			13	21.42	-2.80	16.47	<=34.77	Pass
			24	21.47	-2.80	16.52	<=34.77	Pass
		12	0	20.30	-2.80	15.35	<=34.77	Pass
			6	20.35	-2.80	15.40	<=34.77	Pass
			13	20.38	-2.80	15.43	<=34.77	Pass
		25	0	20.29	-2.80	15.34	<=34.77	Pass

	793	1	0	21.47	-2.80	16.52	<=34.77	Pass
			13	21.44	-2.80	16.49	<=34.77	Pass
			24	21.47	-2.80	16.52	<=34.77	Pass
		12	0	20.40	-2.80	15.45	<=34.77	Pass
			6	20.33	-2.80	15.38	<=34.77	Pass
			13	20.34	-2.80	15.39	<=34.77	Pass
		25	0	20.33	-2.80	15.38	<=34.77	Pass
	795.5	1	0	21.53	-2.80	16.58	<=34.77	Pass
			13	21.48	-2.80	16.53	<=34.77	Pass
			24	21.51	-2.80	16.56	<=34.77	Pass
		12	0	20.38	-2.80	15.43	<=34.77	Pass
			6	20.37	-2.80	15.42	<=34.77	Pass
			13	20.36	-2.80	15.41	<=34.77	Pass
		25	0	20.32	-2.80	15.37	<=34.77	Pass
256QAM	790.5	1	0	18.34	-2.80	13.39	<=34.77	Pass
			13	18.25	-2.80	13.30	<=34.77	Pass
			24	18.31	-2.80	13.36	<=34.77	Pass
		12	0	18.21	-2.80	13.26	<=34.77	Pass
			6	18.25	-2.80	13.30	<=34.77	Pass
			13	18.24	-2.80	13.29	<=34.77	Pass
		25	0	18.25	-2.80	13.30	<=34.77	Pass
	793	1	0	18.38	-2.80	13.43	<=34.77	Pass
			13	18.45	-2.80	13.50	<=34.77	Pass
			24	18.32	-2.80	13.37	<=34.77	Pass
		12	0	18.30	-2.80	13.35	<=34.77	Pass
			6	18.23	-2.80	13.28	<=34.77	Pass
			13	18.24	-2.80	13.29	<=34.77	Pass
		25	0	18.29	-2.80	13.34	<=34.77	Pass
	795.5	1	0	18.37	-2.80	13.42	<=34.77	Pass
			13	18.38	-2.80	13.43	<=34.77	Pass
			24	18.42	-2.80	13.47	<=34.77	Pass
		12	0	18.33	-2.80	13.38	<=34.77	Pass
			6	18.28	-2.80	13.33	<=34.77	Pass
			13	18.25	-2.80	13.30	<=34.77	Pass
		25	0	18.32	-2.80	13.37	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	23.30	-2.80	18.35	<=34.77	Pass
			25	23.23	-2.80	18.28	<=34.77	Pass
			49	23.26	-2.80	18.31	<=34.77	Pass
		25	0	22.21	-2.80	17.26	<=34.77	Pass
			13	22.19	-2.80	17.24	<=34.77	Pass
			25	22.12	-2.80	17.17	<=34.77	Pass
		50	0	22.20	-2.80	17.25	<=34.77	Pass
16QAM	793	1	0	22.61	-2.80	17.66	<=34.77	Pass
			25	22.44	-2.80	17.49	<=34.77	Pass
			49	22.41	-2.80	17.46	<=34.77	Pass
		25	0	21.34	-2.80	16.39	<=34.77	Pass
			13	21.32	-2.80	16.37	<=34.77	Pass
			25	21.32	-2.80	16.37	<=34.77	Pass
		50	0	21.33	-2.80	16.38	<=34.77	Pass
64QAM	793	1	0	21.44	-2.80	16.49	<=34.77	Pass

			25	21.46	-2.80	16.51	<=34.77	Pass
			49	21.45	-2.80	16.50	<=34.77	Pass
		25	0	20.31	-2.80	15.36	<=34.77	Pass
			13	20.30	-2.80	15.35	<=34.77	Pass
			25	20.29	-2.80	15.34	<=34.77	Pass
		50	0	20.30	-2.80	15.35	<=34.77	Pass
		256QAM	793	1	0	18.36	-2.80	13.41
25	18.46				-2.80	13.51	<=34.77	Pass
49	18.43				-2.80	13.48	<=34.77	Pass
25	0			18.30	-2.80	13.35	<=34.77	Pass
	13			18.24	-2.80	13.29	<=34.77	Pass
	25			18.27	-2.80	13.32	<=34.77	Pass
50	0			18.26	-2.80	13.31	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	790.5	25	0	20	3.60	-3.700	-0.0047	-2.5 to 2.5	Pass
					3.91	-4.900	-0.0062	-2.5 to 2.5	Pass
					4.50	-5.800	-0.0073	-2.5 to 2.5	Pass
				-30	3.91	1.900	0.0024	-2.5 to 2.5	Pass
				-20	3.91	-2.600	-0.0033	-2.5 to 2.5	Pass
				-10	3.91	0.200	0.0003	-2.5 to 2.5	Pass
				0	3.91	-5.700	-0.0072	-2.5 to 2.5	Pass
				10	3.91	-1.000	-0.0013	-2.5 to 2.5	Pass
				30	3.91	-2.500	-0.0032	-2.5 to 2.5	Pass
				40	3.91	1.800	0.0023	-2.5 to 2.5	Pass
				50	3.91	-6.700	-0.0085	-2.5 to 2.5	Pass
	793	25	0	20	3.60	-0.900	-0.0011	-2.5 to 2.5	Pass
					3.91	2.700	0.0034	-2.5 to 2.5	Pass
					4.50	-5.300	-0.0067	-2.5 to 2.5	Pass
				-30	3.91	0.400	0.0005	-2.5 to 2.5	Pass
				-20	3.91	3.900	0.0049	-2.5 to 2.5	Pass
				-10	3.91	4.300	0.0054	-2.5 to 2.5	Pass
				0	3.91	2.900	0.0037	-2.5 to 2.5	Pass
				10	3.91	-5.400	-0.0068	-2.5 to 2.5	Pass
				30	3.91	-5.300	-0.0067	-2.5 to 2.5	Pass
				40	3.91	-4.400	-0.0055	-2.5 to 2.5	Pass
				50	3.91	-5.700	-0.0072	-2.5 to 2.5	Pass
	795.5	25	0	20	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.91	1.500	0.0019	-2.5 to 2.5	Pass
					4.50	0.200	0.0003	-2.5 to 2.5	Pass
				-30	3.91	-3.800	-0.0048	-2.5 to 2.5	Pass
				-20	3.91	2.600	0.0033	-2.5 to 2.5	Pass
				-10	3.91	2.600	0.0033	-2.5 to 2.5	Pass
				0	3.91	1.500	0.0019	-2.5 to 2.5	Pass
				10	3.91	1.500	0.0019	-2.5 to 2.5	Pass
				30	3.91	1.500	0.0019	-2.5 to 2.5	Pass
				40	3.91	-1.900	-0.0024	-2.5 to 2.5	Pass

				50	3.91	-3.500	-0.0044	-2.5 to 2.5	Pass
16QAM	790.5	25	0	20	3.60	-2.300	-0.0029	-2.5 to 2.5	Pass
					3.91	1.200	0.0015	-2.5 to 2.5	Pass
					4.50	-4.500	-0.0057	-2.5 to 2.5	Pass
					-30	3.91	-5.800	-0.0073	-2.5 to 2.5
				-20	3.91	0.200	0.0003	-2.5 to 2.5	Pass
				-10	3.91	1.700	0.0022	-2.5 to 2.5	Pass
				0	3.91	0.100	0.0001	-2.5 to 2.5	Pass
				10	3.91	0.700	0.0009	-2.5 to 2.5	Pass
				30	3.91	-1.300	-0.0016	-2.5 to 2.5	Pass
				40	3.91	-1.700	-0.0022	-2.5 to 2.5	Pass
	50	3.91	0.600	0.0008	-2.5 to 2.5	Pass			
	793	25	0	20	3.60	-0.300	-0.0004	-2.5 to 2.5	Pass
					3.91	-0.900	-0.0011	-2.5 to 2.5	Pass
					4.50	-1.200	-0.0015	-2.5 to 2.5	Pass
					-30	3.91	-1.500	-0.0019	-2.5 to 2.5
				-20	3.91	-5.100	-0.0064	-2.5 to 2.5	Pass
				-10	3.91	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	3.91	-6.100	-0.0077	-2.5 to 2.5	Pass
				10	3.91	-0.600	-0.0008	-2.5 to 2.5	Pass
				30	3.91	-1.100	-0.0014	-2.5 to 2.5	Pass
				40	3.91	-4.900	-0.0062	-2.5 to 2.5	Pass
	50	3.91	-0.300	-0.0004	-2.5 to 2.5	Pass			
	795.5	25	0	20	3.60	1.000	0.0013	-2.5 to 2.5	Pass
					3.91	-3.400	-0.0043	-2.5 to 2.5	Pass
					4.50	-2.600	-0.0033	-2.5 to 2.5	Pass
					-30	3.91	-2.400	-0.0030	-2.5 to 2.5
				-20	3.91	1.600	0.0020	-2.5 to 2.5	Pass
				-10	3.91	5.000	0.0063	-2.5 to 2.5	Pass
				0	3.91	1.400	0.0018	-2.5 to 2.5	Pass
				10	3.91	-3.300	-0.0041	-2.5 to 2.5	Pass
				30	3.91	3.100	0.0039	-2.5 to 2.5	Pass
				40	3.91	2.800	0.0035	-2.5 to 2.5	Pass
	50	3.91	-3.900	-0.0049	-2.5 to 2.5	Pass			
	64QAM	790.5	25	0	20	3.60	-2.200	-0.0028	-2.5 to 2.5
3.91						-4.400	-0.0056	-2.5 to 2.5	Pass
4.50						-2.200	-0.0028	-2.5 to 2.5	Pass
-30						3.91	-0.300	-0.0004	-2.5 to 2.5
-20					3.91	2.200	0.0028	-2.5 to 2.5	Pass
-10					3.91	-1.500	-0.0019	-2.5 to 2.5	Pass
0					3.91	-2.800	-0.0035	-2.5 to 2.5	Pass
10					3.91	-1.000	-0.0013	-2.5 to 2.5	Pass
30					3.91	-5.300	-0.0067	-2.5 to 2.5	Pass
40					3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
50		3.91	-5.400	-0.0068	-2.5 to 2.5	Pass			
793		25	0	20	3.60	0.400	0.0005	-2.5 to 2.5	Pass
					3.91	-0.600	-0.0008	-2.5 to 2.5	Pass
					4.50	0.800	0.0010	-2.5 to 2.5	Pass
					-30	3.91	-1.100	-0.0014	-2.5 to 2.5
				-20	3.91	0.700	0.0009	-2.5 to 2.5	Pass
				-10	3.91	-3.600	-0.0045	-2.5 to 2.5	Pass
				0	3.91	-2.800	-0.0035	-2.5 to 2.5	Pass
				10	3.91	-6.500	-0.0082	-2.5 to 2.5	Pass
				30	3.91	-9.300	-0.0117	-2.5 to 2.5	Pass
				40	3.91	-7.100	-0.0090	-2.5 to 2.5	Pass
50		3.91	-15.600	-0.0197	-2.5 to 2.5	Pass			
795.5		25	0	20	3.60	-0.900	-0.0011	-2.5 to 2.5	Pass
					3.91	-0.500	-0.0006	-2.5 to 2.5	Pass
					4.50	0.100	0.0001	-2.5 to 2.5	Pass

256QAM	790.5	25	0	-30	3.91	1.500	0.0019	-2.5 to 2.5	Pass
				-20	3.91	-1.300	-0.0016	-2.5 to 2.5	Pass
				-10	3.91	-0.700	-0.0009	-2.5 to 2.5	Pass
				0	3.91	-2.300	-0.0029	-2.5 to 2.5	Pass
				10	3.91	-1.000	-0.0013	-2.5 to 2.5	Pass
				30	3.91	0.400	0.0005	-2.5 to 2.5	Pass
				40	3.91	0.200	0.0003	-2.5 to 2.5	Pass
				50	3.91	-0.700	-0.0009	-2.5 to 2.5	Pass
	793	25	0	20	3.60	-0.300	-0.0004	-2.5 to 2.5	Pass
					3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
					4.50	-1.700	-0.0022	-2.5 to 2.5	Pass
				-30	3.91	-1.600	-0.0020	-2.5 to 2.5	Pass
				-20	3.91	-1.400	-0.0018	-2.5 to 2.5	Pass
				-10	3.91	-2.900	-0.0037	-2.5 to 2.5	Pass
				0	3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
				10	3.91	-2.900	-0.0037	-2.5 to 2.5	Pass
				30	3.91	0.500	0.0006	-2.5 to 2.5	Pass
				40	3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
				50	3.91	-0.600	-0.0008	-2.5 to 2.5	Pass
				20	3.60	-1.900	-0.0024	-2.5 to 2.5	Pass
					3.91	-1.600	-0.0020	-2.5 to 2.5	Pass
					4.50	-4.300	-0.0054	-2.5 to 2.5	Pass
				-30	3.91	-2.200	-0.0028	-2.5 to 2.5	Pass
				-20	3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
				-10	3.91	-0.300	-0.0004	-2.5 to 2.5	Pass
				0	3.91	-1.400	-0.0018	-2.5 to 2.5	Pass
				10	3.91	0.400	0.0005	-2.5 to 2.5	Pass
				30	3.91	-2.700	-0.0034	-2.5 to 2.5	Pass
				40	3.91	1.200	0.0015	-2.5 to 2.5	Pass
				50	3.91	-4.800	-0.0061	-2.5 to 2.5	Pass
	795.5	25	0	20	3.60	-4.200	-0.0053	-2.5 to 2.5	Pass
					3.91	-5.200	-0.0065	-2.5 to 2.5	Pass
					4.50	-5.700	-0.0072	-2.5 to 2.5	Pass
				-30	3.91	-3.500	-0.0044	-2.5 to 2.5	Pass
				-20	3.91	-2.400	-0.0030	-2.5 to 2.5	Pass
				-10	3.91	-2.200	-0.0028	-2.5 to 2.5	Pass
				0	3.91	-0.700	-0.0009	-2.5 to 2.5	Pass
				10	3.91	-3.300	-0.0041	-2.5 to 2.5	Pass
				30	3.91	-1.200	-0.0015	-2.5 to 2.5	Pass
				40	3.91	-4.700	-0.0059	-2.5 to 2.5	Pass
				50	3.91	-4.000	-0.0050	-2.5 to 2.5	Pass

2.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	3.60	-0.800	-0.0010	-2.5 to 2.5	Pass
					3.91	-2.500	-0.0032	-2.5 to 2.5	Pass
					4.50	1.600	0.0020	-2.5 to 2.5	Pass
				-30	3.91	-1.600	-0.0020	-2.5 to 2.5	Pass
				-20	3.91	-5.600	-0.0071	-2.5 to 2.5	Pass
				-10	3.91	-2.800	-0.0035	-2.5 to 2.5	Pass
				0	3.91	1.300	0.0016	-2.5 to 2.5	Pass
				10	3.91	-1.700	-0.0021	-2.5 to 2.5	Pass
				30	3.91	-7.000	-0.0088	-2.5 to 2.5	Pass
				40	3.91	-1.200	-0.0015	-2.5 to 2.5	Pass

				50	3.91	1.400	0.0018	-2.5 to 2.5	Pass
16QAM	793	50	0	20	3.60	-4.400	-0.0055	-2.5 to 2.5	Pass
					3.91	-8.200	-0.0103	-2.5 to 2.5	Pass
					4.50	-7.000	-0.0088	-2.5 to 2.5	Pass
					3.91	-3.000	-0.0038	-2.5 to 2.5	Pass
				-20	3.91	-1.300	-0.0016	-2.5 to 2.5	Pass
				-10	3.91	-2.700	-0.0034	-2.5 to 2.5	Pass
				0	3.91	-3.000	-0.0038	-2.5 to 2.5	Pass
				10	3.91	-7.300	-0.0092	-2.5 to 2.5	Pass
				30	3.91	2.600	0.0033	-2.5 to 2.5	Pass
				40	3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
				50	3.91	-6.900	-0.0087	-2.5 to 2.5	Pass
64QAM	793	50	0	20	3.60	-5.900	-0.0074	-2.5 to 2.5	Pass
					3.91	1.800	0.0023	-2.5 to 2.5	Pass
					4.50	-4.500	-0.0057	-2.5 to 2.5	Pass
					3.91	-3.500	-0.0044	-2.5 to 2.5	Pass
				-20	3.91	-4.500	-0.0057	-2.5 to 2.5	Pass
				-10	3.91	-2.200	-0.0028	-2.5 to 2.5	Pass
				0	3.91	-2.400	-0.0030	-2.5 to 2.5	Pass
				10	3.91	-3.100	-0.0039	-2.5 to 2.5	Pass
				30	3.91	-2.400	-0.0030	-2.5 to 2.5	Pass
				40	3.91	-4.200	-0.0053	-2.5 to 2.5	Pass
				50	3.91	-1.500	-0.0019	-2.5 to 2.5	Pass
256QAM	793	50	0	20	3.60	-1.300	-0.0016	-2.5 to 2.5	Pass
					3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
					4.50	-2.300	-0.0029	-2.5 to 2.5	Pass
					3.91	-2.000	-0.0025	-2.5 to 2.5	Pass
				-20	3.91	-0.700	-0.0009	-2.5 to 2.5	Pass
				-10	3.91	0.400	0.0005	-2.5 to 2.5	Pass
				0	3.91	-3.400	-0.0043	-2.5 to 2.5	Pass
				10	3.91	-3.400	-0.0043	-2.5 to 2.5	Pass
				30	3.91	-2.200	-0.0028	-2.5 to 2.5	Pass
				40	3.91	-1.700	-0.0021	-2.5 to 2.5	Pass
				50	3.91	-4.300	-0.0054	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW

Band: 14 / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	790.5	25	0	4.539	/	Pass
		793	25	0	4.525	/	Pass
		795.5	25	0	4.542	/	Pass
	16QAM	790.5	25	0	4.547	/	Pass
		793	25	0	4.525	/	Pass
		795.5	25	0	4.534	/	Pass
	64QAM	790.5	25	0	4.531	/	Pass
		793	25	0	4.530	/	Pass
		795.5	25	0	4.540	/	Pass
	256QAM	790.5	25	0	4.519	/	Pass
		793	25	0	4.513	/	Pass
		795.5	25	0	4.526	/	Pass


10	QPSK	793	50	0	9.042	/	Pass
	16QAM	793	50	0	9.022	/	Pass
	64QAM	793	50	0	9.021	/	Pass
	256QAM	793	50	0	9.017	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	790.5	25	0	5.011	/	Pass
		793	25	0	5.037	/	Pass
		795.5	25	0	5.031	/	Pass
	16QAM	790.5	25	0	5.041	/	Pass
		793	25	0	5.029	/	Pass
		795.5	25	0	5.054	/	Pass
	64QAM	790.5	25	0	5.011	/	Pass
		793	25	0	5.013	/	Pass
		795.5	25	0	5.044	/	Pass
	256QAM	790.5	25	0	5.012	/	Pass
		793	25	0	5.028	/	Pass
		795.5	25	0	5.037	/	Pass
10	QPSK	793	50	0	9.879	/	Pass
	16QAM	793	50	0	9.864	/	Pass
	64QAM	793	50	0	9.941	/	Pass
	256QAM	793	50	0	9.899	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 25 0 NTV




Band14 5MHz 256QAM LCH 790.5MHz RB 25 0 NTV




Band14 5MHz 256QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 256QAM HCH 795.5MHz RB 25 0 NTNV




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 50 0 NTNV




Band14 10MHz 256QAM MCH 793MHz RB 50 0 NTNV




3.2.2 Band14_XDB




Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 25 0 NTN




Band14 5MHz 64QAM MCH 793MHz RB 25 0 NTN




Band14 5MHz 64QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 256QAM HCH 795.5MHz RB 25 0 NTNV




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV



Band14 10MHz 64QAM MCH 793MHz RB 50 0 NTNV



Band14 10MHz 256QAM MCH 793MHz RB 50 0 NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	25	0	5.54	<=13	Pass
	793	25	0	5.63	<=13	Pass
	795.5	25	0	5.70	<=13	Pass
16QAM	790.5	25	0	6.28	<=13	Pass
	793	25	0	6.30	<=13	Pass
	795.5	25	0	6.37	<=13	Pass
64QAM	790.5	25	0	6.64	<=13	Pass
	793	25	0	6.63	<=13	Pass
	795.5	25	0	6.68	<=13	Pass
256QAM	790.5	25	0	6.87	<=13	Pass
	793	25	0	6.87	<=13	Pass
	795.5	25	0	6.91	<=13	Pass

4.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.65	<=13	Pass
16QAM	793	50	0	6.30	<=13	Pass
64QAM	793	50	0	6.61	<=13	Pass
256QAM	793	50	0	6.84	<=13	Pass

4.2 Test Graph


4.2.1 B14_5MHz




Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 25 0 NTNV




Band14 5MHz 256QAM HCH 795.5MHz RB 25 0 NTNV




4.2.2 B14_10MHz



Band14 10MHz 64QAM MCH 793MHz RB 50 0 NTNV



Band14 10MHz 256QAM MCH 793MHz RB 50 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
16QAM	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
64QAM	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
256QAM	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
256QAM	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14 5MHz QPSK LCH 790.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.919	-67.98	-13	Pass
769	775	0.00625	CHP	2	773.941	-79.04	-35	Pass
775	787.9	0.1	CHP	3	787.848	-32.83	-13	Pass
787.9	788	0.03	CHP	4	787.999	-34.75	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14 5MHz QPSK MCH 793MHz RB 1 0 NTNV



Band14 5MHz QPSK HCH 795.5MHz RB 1 0 NTN




Band14 5MHz QPSK HCH 795.5MHz RB 1 24 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-22.84	-13	Pass
798.1	799	0.1	CHP	2	798.152	-29.41	-13	Pass
799	805	0.00625	CHP	3	800.155	-50.05	-35	Pass
805	810	0.1	CHP	4	806.289	-54.89	-13	Pass

Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-35.30	-13	Pass
798.1	799	0.1	CHP	2	798.152	-34.33	-13	Pass
799	805	0.00625	CHP	3	799.011	-48.05	-35	Pass
805	810	0.1	CHP	4	805.054	-53.48	-13	Pass

Band14 5MHz 16QAM LCH 790.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.333	-67.91	-13	Pass
769	775	0.00625	CHP	2	774.221	-79.48	-35	Pass
775	787.9	0.1	CHP	3	787.848	-28.53	-13	Pass
787.9	788	0.03	CHP	4	787.999	-22.99	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

Band14 5MHz 16QAM LCH 790.5MHz RB 1 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.632	-68.00	-13	Pass
769	775	0.00625	CHP	2	771.926	-79.43	-35	Pass
775	787.9	0.1	CHP	3	787.793	-32.91	-13	Pass
787.9	788	0.03	CHP	4	787.999	-34.66	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14 5MHz 16QAM MCH 793MHz RB 1 0 NTN



Band14 5MHz 16QAM HCH 795.5MHz RB 1 0 NTN




Band14 5MHz 16QAM HCH 795.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-23.34	-13	Pass
798.1	799	0.1	CHP	2	798.152	-29.01	-13	Pass
799	805	0.00625	CHP	3	800.188	-52.81	-35	Pass
805	810	0.1	CHP	4	806.244	-57.08	-13	Pass

Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-35.84	-13	Pass
798.1	799	0.1	CHP	2	798.159	-33.90	-13	Pass
799	805	0.00625	CHP	3	799.167	-47.32	-35	Pass
805	810	0.1	CHP	4	805.052	-53.73	-13	Pass

Band14 5MHz 64QAM LCH 790.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.237	-69.34	-13	Pass
769	775	0.00625	CHP	2	771.747	-80.86	-35	Pass
775	787.9	0.1	CHP	3	787.848	-30.70	-13	Pass
787.9	788	0.03	CHP	4	787.999	-24.69	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14 5MHz 64QAM LCH 790.5MHz RB 1 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 1 0 NTNV



Band14 5MHz 64QAM HCH 795.5MHz RB 1 0 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-23.96	-13	Pass
798.1	799	0.1	CHP	2	798.152	-30.28	-13	Pass
799	805	0.00625	CHP	3	800.118	-52.10	-35	Pass
805	810	0.1	CHP	4	806.290	-58.26	-13	Pass

Band14 5MHz 64QAM HCH 795.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-36.75	-13	Pass
798.1	799	0.1	CHP	2	798.159	-34.04	-13	Pass
799	805	0.00625	CHP	3	799.045	-47.22	-35	Pass
805	810	0.1	CHP	4	805.052	-54.93	-13	Pass

Band14 5MHz 256QAM LCH 790.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.693	-69.41	-13	Pass
769	775	0.00625	CHP	2	770.390	-81.06	-35	Pass
775	787.9	0.1	CHP	3	787.848	-33.35	-13	Pass
787.9	788	0.03	CHP	4	787.999	-27.51	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

Band14 5MHz 256QAM LCH 790.5MHz RB 1 0 NTV




Band14 5MHz 256QAM LCH 790.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.148	-69.50	-13	Pass
769	775	0.00625	CHP	2	773.284	-81.17	-35	Pass
775	787.9	0.1	CHP	3	787.847	-35.27	-13	Pass
787.9	788	0.03	CHP	4	787.999	-37.74	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14 5MHz 256QAM MCH 793MHz RB 1 0 NTV



Band14 5MHz 256QAM HCH 795.5MHz RB 1 0 NTV




Band14 5MHz 256QAM HCH 795.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-27.54	-13	Pass
798.1	799	0.1	CHP	2	798.152	-33.86	-13	Pass
799	805	0.00625	CHP	3	800.103	-53.90	-35	Pass
805	810	0.1	CHP	4	806.277	-62.10	-13	Pass

Band14 5MHz 256QAM HCH 795.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-38.24	-13	Pass
798.1	799	0.1	CHP	2	798.177	-35.52	-13	Pass
799	805	0.00625	CHP	3	799.139	-49.26	-35	Pass
805	810	0.1	CHP	4	805.056	-56.52	-13	Pass

5.2.2 B14_10MHz




Band14 10MHz QPSK LCH 793MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.799	-67.95	-13	Pass
769	775	0.00625	CHP	2	773.409	-79.45	-35	Pass
775	787.9	0.1	CHP	3	787.833	-35.80	-13	Pass
787.9	788	0.03	CHP	4	787.999	-39.60	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.005	-41.59	-13	Pass
798.1	799	0.1	CHP	6	798.150	-37.79	-13	Pass
799	803	0.00625	CHP	7	799.005	-49.73	-35	Pass

Band14 10MHz QPSK HCH 793MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.848	-48.16	-13	Pass
787.9	788	0.03	CHP	2	787.998	-54.13	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-28.47	-13	Pass
798.1	799	0.1	CHP	4	798.152	-29.52	-13	Pass
799	805	0.00625	CHP	5	799.913	-49.90	-35	Pass
805	810	0.1	CHP	6	805.074	-58.34	-13	Pass

Band14 10MHz QPSK HCH 793MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.845	-35.87	-13	Pass
787.9	788	0.03	CHP	2	788.000	-40.13	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.006	-41.71	-13	Pass
798.1	799	0.1	CHP	4	798.167	-38.08	-13	Pass
799	805	0.00625	CHP	5	799.303	-49.62	-35	Pass
805	810	0.1	CHP	6	805.410	-41.66	-13	Pass

Band14 10MHz 16QAM LCH 793MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.034	-67.85	-13	Pass
769	775	0.00625	CHP	2	769.214	-79.25	-35	Pass
775	787.9	0.1	CHP	3	787.848	-29.90	-13	Pass
787.9	788	0.03	CHP	4	787.999	-28.97	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.010	-57.22	-13	Pass
798.1	799	0.1	CHP	6	798.150	-51.36	-13	Pass
799	803	0.00625	CHP	7	800.192	-62.92	-35	Pass

Band14 10MHz 16QAM LCH 793MHz RB 1 0 NTNV




Band14 10MHz 16QAM LCH 793MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.702	-68.02	-13	Pass
769	775	0.00625	CHP	2	773.996	-79.54	-35	Pass
775	787.9	0.1	CHP	3	787.733	-35.83	-13	Pass
787.9	788	0.03	CHP	4	787.995	-39.57	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-41.27	-13	Pass
798.1	799	0.1	CHP	6	798.150	-37.49	-13	Pass
799	803	0.00625	CHP	7	799.081	-49.40	-35	Pass

Band14 10MHz 16QAM HCH 793MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.843	-48.93	-13	Pass
787.9	788	0.03	CHP	2	787.915	-54.98	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-28.98	-13	Pass
798.1	799	0.1	CHP	4	798.152	-29.89	-13	Pass
799	805	0.00625	CHP	5	799.881	-52.34	-35	Pass
805	810	0.1	CHP	6	805.115	-58.52	-13	Pass

Band14 10MHz 16QAM HCH 793MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.732	-35.73	-13	Pass
787.9	788	0.03	CHP	2	787.995	-39.56	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.029	-41.59	-13	Pass
798.1	799	0.1	CHP	4	798.152	-37.55	-13	Pass
799	805	0.00625	CHP	5	799.080	-49.43	-35	Pass
805	810	0.1	CHP	6	805.063	-44.16	-13	Pass

Band14 10MHz 64QAM LCH 793MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.361	-69.30	-13	Pass
769	775	0.00625	CHP	2	773.246	-80.62	-35	Pass
775	787.9	0.1	CHP	3	787.848	-30.64	-13	Pass
787.9	788	0.03	CHP	4	787.999	-29.83	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-58.44	-13	Pass
798.1	799	0.1	CHP	6	798.150	-52.76	-13	Pass
799	803	0.00625	CHP	7	800.191	-64.06	-35	Pass

Band14 10MHz 64QAM LCH 793MHz RB 1 0 NTNV




Band14 10MHz 64QAM LCH 793MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.039	-69.41	-13	Pass
769	775	0.00625	CHP	2	772.358	-80.88	-35	Pass
775	787.9	0.1	CHP	3	787.818	-35.48	-13	Pass
787.9	788	0.03	CHP	4	787.964	-39.87	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-41.81	-13	Pass
798.1	799	0.1	CHP	6	798.150	-37.16	-13	Pass
799	803	0.00625	CHP	7	799.846	-50.24	-35	Pass

Band14 10MHz 64QAM HCH 793MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.848	-49.57	-13	Pass
787.9	788	0.03	CHP	2	787.998	-55.41	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-30.39	-13	Pass
798.1	799	0.1	CHP	4	798.152	-31.16	-13	Pass
799	805	0.00625	CHP	5	799.878	-51.46	-35	Pass
805	810	0.1	CHP	6	805.058	-60.05	-13	Pass

Band14 10MHz 64QAM HCH 793MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.804	-35.81	-13	Pass
787.9	788	0.03	CHP	2	787.983	-39.90	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.073	-42.30	-13	Pass
798.1	799	0.1	CHP	4	798.152	-37.69	-13	Pass
799	805	0.00625	CHP	5	799.442	-49.88	-35	Pass
805	810	0.1	CHP	6	805.052	-46.61	-13	Pass

Band14 10MHz 256QAM LCH 793MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.866	-69.41	-13	Pass
769	775	0.00625	CHP	2	771.891	-80.89	-35	Pass
775	787.9	0.1	CHP	3	787.848	-34.45	-13	Pass
787.9	788	0.03	CHP	4	787.995	-33.19	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.028	-60.94	-13	Pass
798.1	799	0.1	CHP	6	798.150	-55.42	-13	Pass
799	803	0.00625	CHP	7	800.221	-67.70	-35	Pass

Band14 10MHz 256QAM LCH 793MHz RB 1 0 NTV




Band14 10MHz 256QAM LCH 793MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.503	-69.44	-13	Pass
769	775	0.00625	CHP	2	770.500	-81.13	-35	Pass
775	787.9	0.1	CHP	3	787.848	-37.49	-13	Pass
787.9	788	0.03	CHP	4	787.968	-41.53	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.006	-43.73	-13	Pass
798.1	799	0.1	CHP	6	798.170	-39.67	-13	Pass
799	803	0.00625	CHP	7	799.561	-52.00	-35	Pass

Band14 10MHz 256QAM HCH 793MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.846	-52.43	-13	Pass
787.9	788	0.03	CHP	2	787.992	-58.57	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-33.51	-13	Pass
798.1	799	0.1	CHP	4	798.152	-34.33	-13	Pass
799	805	0.00625	CHP	5	799.846	-54.50	-35	Pass
805	810	0.1	CHP	6	805.052	-62.00	-13	Pass

Band14 10MHz 256QAM HCH 793MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.850	-37.43	-13	Pass
787.9	788	0.03	CHP	2	787.977	-41.88	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.003	-43.76	-13	Pass
798.1	799	0.1	CHP	4	798.152	-39.41	-13	Pass
799	805	0.00625	CHP	5	799.065	-52.02	-35	Pass
805	810	0.1	CHP	6	805.052	-50.98	-13	Pass