





Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.581	-62.92	-10
2	2571	2575	1000	2573.964	-36.01	-10
3	2575	2576	1000	2575.026	-40.19	-13
4	2576	2595	1000	2583.486	-40.25	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.01	-30.14	-10
2	2571	2575	1000	2571.168	-22.5	-10
3	2575	2576	1000	2575.356	-38.94	-13
4	2576	2595	1000	2577.311	-39.79	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.001	-43.16	-10
2	2571	2575	1000	2571.012	-14	-10
3	2575	2576	1000	2575.006	-40.26	-13
4	2576	2595	1000	2578.09	-34.54	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2482.92	-40.35	-25
2	2490	2496	1000	2491.62	-38.37	-13
3	2496	2499	1000	2498.997	-24.06	-10
4	2499	2500	5.1	2499.989	-48.19	-10

Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.034	-32.49	-10
2	2571	2575	1000	2571.008	-24.23	-10
3	2575	2576	1000	2575.033	-39.44	-13
4	2576	2595	1000	2576.019	-39.93	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2488.23	-40.36	-25
2	2490	2496	1000	2495.832	-30.92	-13
3	2496	2499	1000	2498.79	-28.18	-10
4	2499	2500	200	2499.922	-33.64	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2487.465	-40.76	-25
2	2490	2496	1000	2491.986	-29.07	-13
3	2496	2499	1000	2497.743	-40.41	-10
4	2499	2500	5.1	2499.824	-62.93	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2483.43	-40.68	-25
2	2490	2496	1000	2491.674	-38.78	-13
3	2496	2499	1000	2499	-24.5	-10
4	2499	2500	5.1	2500	-48.91	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2488.995	-40.39	-25
2	2490	2496	1000	2495.886	-33.62	-13
3	2496	2499	1000	2498.976	-30.65	-10
4	2499	2500	200	2499.949	-36.59	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2490	1000	2484.27	-40.59	-25
2	2490	2496	1000	2491.824	-31.94	-13
3	2496	2499	1000	2498.655	-40.43	-10
4	2499	2500	5.1	2499.799	-63.05	-10


Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.001	-47.13	-10
2	2571	2575	1000	2571.004	-24.01	-10
3	2575	2580	1000	2578.215	-36.54	-13
4	2580	2595	1000	2586.735	-34.5	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.002	-48.83	-10
2	2571	2575	1000	2571.004	-24.56	-10
3	2575	2580	1000	2578.335	-37.42	-13
4	2580	2595	1000	2586.84	-36.11	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.167	-63.05	-10
2	2571	2575	1000	2574.068	-40.26	-10
3	2575	2580	1000	2578.295	-36.94	-13
4	2580	2595	1000	2591.58	-40.42	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.014	-34.71	-10
2	2571	2575	1000	2571.06	-29.01	-10
3	2575	2580	1000	2575.18	-33.61	-13
4	2580	2595	1000	2580.69	-39.98	-25


Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#Max



Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2482.61	-40.74	-25
2	2485	2496	1000	2495.89	-33.68	-13
3	2496	2499	1000	2497.17	-31.78	-10
4	2499	2500	300	2499.272	-36.29	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.013	-51.29	-10
2	2571	2575	1000	2571.016	-35.13	-10
3	2575	2585	1000	2582.6	-38.21	-13
4	2585	2595	1000	2587.98	-40.3	-25


Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	300	2570.479	-34.52	-10
2	2571	2575	1000	2571.324	-30.07	-10
3	2575	2585	1000	2575.31	-32.87	-13
4	2585	2595	1000	2585.69	-40.13	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.93	-40.74	-25
2	2480	2496	1000	2495.872	-32.39	-13
3	2496	2499	1000	2498.67	-31.03	-10
4	2499	2500	430	2499.986	-33.73	-10

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2479.525	-40.68	-25
2	2480	2496	1000	2483.12	-37.71	-13
3	2496	2499	1000	2498.061	-40.23	-10
4	2499	2500	5.1	2499.857	-63.21	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2479.065	-40.63	-25
2	2480	2496	1000	2492	-40.42	-13
3	2496	2499	1000	2498.958	-38.9	-10
4	2499	2500	5.1	2499.996	-53.83	-10


Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	5.1	2570.807	-62.98	-10
2	2571	2575	1000	2574.524	-40.31	-10
3	2575	2590	1000	2586.76	-37.43	-13
4	2590	2595	1000	2594.005	-40.3	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	430	2570.06	-35.22	-10
2	2571	2575	1000	2571.22	-32.24	-10
3	2575	2590	1000	2575.54	-34.53	-13
4	2590	2595	1000	2590.895	-40.31	-25

Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	26168.50	-34.35	-13	PASS
Band12	1.4	23017	6	#0	QPSK	25995.10	-34.79	-13	PASS
Band12	1.4	23017	1	#0	QAM16	25592.20	-34.07	-13	PASS
Band12	1.4	23017	6	#0	QAM16	26433.70	-34.86	-13	PASS
Band12	1.4	23095	1	#0	QPSK	1415.65	-32.93	-13	PASS
Band12	1.4	23095	6	#0	QPSK	25926.25	-34.83	-13	PASS
Band12	1.4	23095	1	#0	QAM16	1413.10	-32.26	-13	PASS
Band12	1.4	23095	6	#0	QAM16	26020.60	-34.82	-13	PASS
Band12	1.4	23173	1	#0	QPSK	2144.95	-34.08	-13	PASS
Band12	1.4	23173	6	#0	QPSK	26030.80	-34.83	-13	PASS
Band12	1.4	23173	1	#0	QAM16	25967.05	-33.53	-13	PASS
Band12	1.4	23173	6	#0	QAM16	26163.40	-34.89	-13	PASS
Band12	3	23025	1	#0	QPSK	26148.10	-35.02	-13	PASS
Band12	3	23025	15	#0	QPSK	26199.10	-34.84	-13	PASS
Band12	3	23025	1	#0	QAM16	26002.75	-34.41	-13	PASS
Band12	3	23025	15	#0	QAM16	26010.40	-34.29	-13	PASS
Band12	3	23095	1	#0	QPSK	1413.10	-31.13	-13	PASS
Band12	3	23095	15	#0	QPSK	25469.80	-33.36	-13	PASS
Band12	3	23095	1	#0	QAM16	1413.10	-32.78	-13	PASS
Band12	3	23095	15	#0	QAM16	26007.85	-34.96	-13	PASS
Band12	3	23165	1	#0	QPSK	1425.85	-34.33	-13	PASS
Band12	3	23165	15	#0	QPSK	26020.60	-34.63	-13	PASS
Band12	3	23165	1	#0	QAM16	1425.85	-34.00	-13	PASS
Band12	3	23165	15	#0	QAM16	26125.15	-34.80	-13	PASS
Band12	5	23035	1	#0	QPSK	25954.30	-34.18	-13	PASS
Band12	5	23035	25	#0	QPSK	26056.30	-34.32	-13	PASS
Band12	5	23035	1	#0	QAM16	26196.55	-35.00	-13	PASS
Band12	5	23035	25	#0	QAM16	26033.35	-33.82	-13	PASS
Band12	5	23095	1	#0	QPSK	1410.55	-30.82	-13	PASS
Band12	5	23095	25	#0	QPSK	25913.50	-34.78	-13	PASS
Band12	5	23095	1	#0	QAM16	25663.60	-34.60	-13	PASS
Band12	5	23095	25	#0	QAM16	25398.40	-34.97	-13	PASS
Band12	5	23155	1	#0	QPSK	1423.30	-31.72	-13	PASS
Band12	5	23155	25	#0	QPSK	25411.15	-34.83	-13	PASS
Band12	5	23155	1	#0	QAM16	1423.30	-34.00	-13	PASS
Band12	5	23155	25	#0	QAM16	26012.95	-34.96	-13	PASS
Band12	10	23060	1	#0	QPSK	1400.35	-32.93	-13	PASS
Band12	10	23060	50	#0	QPSK	26181.25	-34.37	-13	PASS
Band12	10	23060	1	#0	QAM16	25923.70	-33.12	-13	PASS
Band12	10	23060	50	#0	QAM16	25852.30	-34.14	-13	PASS

Band12	10	23095	1	#0	QPSK	2109.25	-32.13	-13	PASS
Band12	10	23095	50	#0	QPSK	26007.85	-34.87	-13	PASS
Band12	10	23095	1	#0	QAM16	2109.25	-33.53	-13	PASS
Band12	10	23095	50	#0	QAM16	25956.85	-34.44	-13	PASS
Band12	10	23130	1	#0	QPSK	1413.10	-32.18	-13	PASS
Band12	10	23130	50	#0	QPSK	26025.70	-34.44	-13	PASS
Band12	10	23130	1	#0	QAM16	1413.10	-34.20	-13	PASS
Band12	10	23130	50	#0	QAM16	25944.10	-34.74	-13	PASS
Band13	5	23205	1	#0	QPSK	1567.21	-45.78	-40	PASS
Band13	5	23205	25	#0	QPSK	1559.65	-45.12	-40	PASS
Band13	5	23205	1	#0	QAM16	1609.07	-45.64	-40	PASS
Band13	5	23205	25	#0	QAM16	1560.41	-44.98	-40	PASS
Band13	5	23230	1	#0	QPSK	1560.17	-43.47	-40	PASS
Band13	5	23230	25	#0	QPSK	1563.77	-44.81	-40	PASS
Band13	5	23230	1	#0	QAM16	1559.47	-43.04	-40	PASS
Band13	5	23230	25	#0	QAM16	1564.72	-45.42	-40	PASS
Band13	5	23255	1	#0	QPSK	1564.60	-44.46	-40	PASS
Band13	5	23255	25	#0	QPSK	1561.59	-44.63	-40	PASS
Band13	5	23255	1	#0	QAM16	1564.90	-44.96	-40	PASS
Band13	5	23255	25	#0	QAM16	1602.74	-45.15	-40	PASS
Band13	10	23230	1	#0	QPSK	1597.65	-44.81	-40	PASS
Band13	10	23230	50	#0	QPSK	1603.09	-45.57	-40	PASS
Band13	10	23230	1	#0	QAM16	1586.96	-43.56	-40	PASS
Band13	10	23230	50	#0	QAM16	1568.03	-44.30	-40	PASS
Band17	5	23755	1	#0	QPSK	1408.00	-31.08	-13	PASS
Band17	5	23755	25	#0	QPSK	25653.40	-34.93	-13	PASS
Band17	5	23755	1	#0	QAM16	25921.15	-34.41	-13	PASS
Band17	5	23755	25	#0	QAM16	26063.95	-34.73	-13	PASS
Band17	5	23790	1	#0	QPSK	1415.65	-32.21	-13	PASS
Band17	5	23790	25	#0	QPSK	26107.30	-34.57	-13	PASS
Band17	5	23790	1	#0	QAM16	1415.65	-32.80	-13	PASS
Band17	5	23790	25	#0	QAM16	25531.00	-34.87	-13	PASS
Band17	5	23825	1	#0	QPSK	25541.20	-34.32	-13	PASS
Band17	5	23825	25	#0	QPSK	26020.60	-34.48	-13	PASS
Band17	5	23825	1	#0	QAM16	26038.45	-34.42	-13	PASS
Band17	5	23825	25	#0	QAM16	25928.80	-34.71	-13	PASS
Band17	10	23780	1	#0	QPSK	2114.35	-30.64	-13	PASS
Band17	10	23780	50	#0	QPSK	26010.40	-34.05	-13	PASS
Band17	10	23780	1	#0	QAM16	1410.55	-33.98	-13	PASS
Band17	10	23780	50	#0	QAM16	25916.05	-34.97	-13	PASS
Band17	10	23790	1	#0	QPSK	1410.55	-29.80	-13	PASS
Band17	10	23790	50	#0	QPSK	26025.70	-35.06	-13	PASS
Band17	10	23790	1	#0	QAM16	26094.55	-33.65	-13	PASS
Band17	10	23790	50	#0	QAM16	25439.20	-35.42	-13	PASS

Band17	10	23800	1	#0	QPSK	1413.10	-31.41	-13	PASS
Band17	10	23800	50	#0	QPSK	25905.85	-34.07	-13	PASS
Band17	10	23800	1	#0	QAM16	1413.10	-33.15	-13	PASS
Band17	10	23800	50	#0	QAM16	25928.80	-34.84	-13	PASS
Band2	1.4	18607	1	#0	QPSK	26030.80	-31.37	-13	PASS
Band2	1.4	18607	6	#0	QPSK	25895.65	-32.92	-13	PASS
Band2	1.4	18607	1	#0	QAM16	25959.40	-33.09	-13	PASS
Band2	1.4	18607	6	#0	QAM16	26018.05	-32.62	-13	PASS
Band2	1.4	18900	1	#0	QPSK	25900.75	-32.00	-13	PASS
Band2	1.4	18900	6	#0	QPSK	26285.80	-32.70	-13	PASS
Band2	1.4	18900	1	#0	QAM16	25837.00	-32.98	-13	PASS
Band2	1.4	18900	6	#0	QAM16	26020.60	-32.57	-13	PASS
Band2	1.4	19193	1	#0	QPSK	25469.80	-32.20	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25867.60	-32.04	-13	PASS
Band2	1.4	19193	1	#0	QAM16	26043.55	-33.01	-13	PASS
Band2	1.4	19193	6	#0	QAM16	26092.00	-33.07	-13	PASS
Band2	3	18615	1	#0	QPSK	26018.05	-32.85	-13	PASS
Band2	3	18615	15	#0	QPSK	26079.25	-32.63	-13	PASS
Band2	3	18615	1	#0	QAM16	25464.70	-32.68	-13	PASS
Band2	3	18615	15	#0	QAM16	26010.40	-32.76	-13	PASS
Band2	3	18900	1	#0	QPSK	26148.10	-31.82	-13	PASS
Band2	3	18900	15	#0	QPSK	25793.65	-32.88	-13	PASS
Band2	3	18900	1	#0	QAM16	25997.65	-32.90	-13	PASS
Band2	3	18900	15	#0	QAM16	25972.15	-32.40	-13	PASS
Band2	3	19185	1	#0	QPSK	25939.00	-33.01	-13	PASS
Band2	3	19185	15	#0	QPSK	25528.45	-32.91	-13	PASS
Band2	3	19185	1	#0	QAM16	25951.75	-32.69	-13	PASS
Band2	3	19185	15	#0	QAM16	26010.40	-31.81	-13	PASS
Band2	5	18625	1	#0	QPSK	26053.75	-33.14	-13	PASS
Band2	5	18625	25	#0	QPSK	25500.40	-32.91	-13	PASS
Band2	5	18625	1	#0	QAM16	26030.80	-32.84	-13	PASS
Band2	5	18625	25	#0	QAM16	26018.05	-32.77	-13	PASS
Band2	5	18900	1	#0	QPSK	26033.35	-32.53	-13	PASS
Band2	5	18900	25	#0	QPSK	26043.55	-33.32	-13	PASS
Band2	5	18900	1	#0	QAM16	25536.10	-31.89	-13	PASS
Band2	5	18900	25	#0	QAM16	26010.40	-33.34	-13	PASS
Band2	5	19175	1	#0	QPSK	25926.25	-32.78	-13	PASS
Band2	5	19175	25	#0	QPSK	26048.65	-32.60	-13	PASS
Band2	5	19175	1	#0	QAM16	26132.80	-32.32	-13	PASS
Band2	5	19175	25	#0	QAM16	25944.10	-32.41	-13	PASS
Band2	10	18650	1	#0	QPSK	25446.85	-33.01	-13	PASS
Band2	10	18650	50	#0	QPSK	25865.05	-32.05	-13	PASS
Band2	10	18650	1	#0	QAM16	26130.25	-32.93	-13	PASS
Band2	10	18650	50	#0	QAM16	25819.15	-33.04	-13	PASS


Band2	10	18900	1	#0	QPSK	26007.85	-32.43	-13	PASS
Band2	10	18900	50	#0	QPSK	26130.25	-32.92	-13	PASS
Band2	10	18900	1	#0	QAM16	25941.55	-32.41	-13	PASS
Band2	10	18900	50	#0	QAM16	25956.85	-32.93	-13	PASS
Band2	10	19150	1	#0	QPSK	26007.85	-32.63	-13	PASS
Band2	10	19150	50	#0	QPSK	25536.10	-32.76	-13	PASS
Band2	10	19150	1	#0	QAM16	25961.95	-32.72	-13	PASS
Band2	10	19150	50	#0	QAM16	26107.30	-32.99	-13	PASS
Band2	15	18675	1	#0	QPSK	26074.15	-32.62	-13	PASS
Band2	15	18675	75	#0	QPSK	25977.25	-33.15	-13	PASS
Band2	15	18675	1	#0	QAM16	26471.95	-32.93	-13	PASS
Band2	15	18675	75	#0	QAM16	25964.50	-32.65	-13	PASS
Band2	15	18900	1	#0	QPSK	25949.20	-31.90	-13	PASS
Band2	15	18900	75	#0	QPSK	26005.30	-31.69	-13	PASS
Band2	15	18900	1	#0	QAM16	26171.05	-32.60	-13	PASS
Band2	15	18900	75	#0	QAM16	25967.05	-32.48	-13	PASS
Band2	15	19125	1	#0	QPSK	25867.60	-32.08	-13	PASS
Band2	15	19125	75	#0	QPSK	26012.95	-32.95	-13	PASS
Band2	15	19125	1	#0	QAM16	26252.65	-32.49	-13	PASS
Band2	15	19125	75	#0	QAM16	25974.70	-32.58	-13	PASS
Band2	20	18700	1	#0	QPSK	26150.65	-32.92	-13	PASS
Band2	20	18700	100	#0	QPSK	25987.45	-32.22	-13	PASS
Band2	20	18700	1	#0	QAM16	25969.60	-32.08	-13	PASS
Band2	20	18700	100	#0	QAM16	25342.30	-33.04	-13	PASS
Band2	20	18900	1	#0	QPSK	26275.60	-32.41	-13	PASS
Band2	20	18900	100	#0	QPSK	25485.10	-32.63	-13	PASS
Band2	20	18900	1	#0	QAM16	26043.55	-31.64	-13	PASS
Band2	20	18900	100	#0	QAM16	26018.05	-32.67	-13	PASS
Band2	20	19100	1	#0	QPSK	25523.35	-31.23	-13	PASS
Band2	20	19100	100	#0	QPSK	26002.75	-31.96	-13	PASS
Band2	20	19100	1	#0	QAM16	26033.35	-32.11	-13	PASS
Band2	20	19100	100	#0	QAM16	25987.45	-31.98	-13	PASS
Band4	1.4	19957	1	#0	QPSK	26461.75	-32.30	-13	PASS
Band4	1.4	19957	6	#0	QPSK	25997.65	-33.49	-13	PASS
Band4	1.4	20175	1	#0	QPSK	25946.65	-32.73	-13	PASS
Band4	1.4	20175	6	#0	QPSK	25979.80	-32.46	-13	PASS
Band4	1.4	20393	1	#0	QPSK	25872.70	-33.60	-13	PASS
Band4	1.4	20393	6	#0	QPSK	26061.40	-33.49	-13	PASS
Band4	3	19965	1	#0	QPSK	26097.10	-33.70	-13	PASS
Band4	3	19965	15	#0	QPSK	26010.40	-33.56	-13	PASS
Band4	3	20175	1	#0	QPSK	26122.60	-33.09	-13	PASS
Band4	3	20175	15	#0	QPSK	25528.45	-33.33	-13	PASS
Band4	3	20385	1	#0	QPSK	26084.35	-32.55	-13	PASS
Band4	3	20385	15	#0	QPSK	25936.45	-33.25	-13	PASS

Band4	5	19975	1	#0	QPSK	25964.50	-33.04	-13	PASS
Band4	5	19975	25	#0	QPSK	26173.60	-33.30	-13	PASS
Band4	5	20175	1	#0	QPSK	25995.10	-32.32	-13	PASS
Band4	5	20175	25	#0	QPSK	25888.00	-33.19	-13	PASS
Band4	5	20375	1	#0	QPSK	25640.65	-32.63	-13	PASS
Band4	5	20375	25	#0	QPSK	26196.55	-32.94	-13	PASS
Band4	10	20000	1	#0	QPSK	25543.75	-32.11	-13	PASS
Band4	10	20000	50	#0	QPSK	26102.20	-33.18	-13	PASS
Band4	10	20175	1	#0	QPSK	25750.30	-33.03	-13	PASS
Band4	10	20175	50	#0	QPSK	25406.05	-33.71	-13	PASS
Band4	10	20350	1	#0	QPSK	26048.65	-33.35	-13	PASS
Band4	10	20350	50	#0	QPSK	25969.60	-33.35	-13	PASS
Band4	15	20025	1	#0	QPSK	26000.20	-33.45	-13	PASS
Band4	15	20025	75	#0	QPSK	26153.20	-32.69	-13	PASS
Band4	15	20175	1	#0	QPSK	26028.25	-33.08	-13	PASS
Band4	15	20175	75	#0	QPSK	26206.75	-32.61	-13	PASS
Band4	15	20325	1	#0	QPSK	23840.35	-33.55	-13	PASS
Band4	15	20325	75	#0	QPSK	25500.40	-33.17	-13	PASS
Band4	20	20050	1	#0	QPSK	25964.50	-32.53	-13	PASS
Band4	20	20050	100	#0	QPSK	25701.85	-33.02	-13	PASS
Band4	20	20175	1	#0	QPSK	26063.95	-33.30	-13	PASS
Band4	20	20175	100	#0	QPSK	26058.85	-32.59	-13	PASS
Band4	20	20300	1	#0	QPSK	25579.45	-33.22	-13	PASS
Band4	20	20300	100	#0	QPSK	26015.50	-31.90	-13	PASS
Band5	1.4	20407	1	#0	QPSK	25967.05	-21.55	-13	PASS
Band5	1.4	20407	6	#0	QPSK	26012.95	-20.09	-13	PASS
Band5	1.4	20407	1	#0	QAM16	25910.95	-20.16	-13	PASS
Band5	1.4	20407	6	#0	QAM16	26015.50	-20.76	-13	PASS
Band5	1.4	20525	1	#0	QPSK	25890.55	-20.33	-13	PASS
Band5	1.4	20525	6	#0	QPSK	25834.45	-21.27	-13	PASS
Band5	1.4	20525	1	#0	QAM16	25903.30	-20.97	-13	PASS
Band5	1.4	20525	6	#0	QAM16	26313.85	-21.04	-13	PASS
Band5	1.4	20643	1	#0	QPSK	25961.95	-20.90	-13	PASS
Band5	1.4	20643	6	#0	QPSK	26046.10	-21.03	-13	PASS
Band5	1.4	20643	1	#0	QAM16	25995.10	-20.78	-13	PASS
Band5	1.4	20643	6	#0	QAM16	25959.40	-21.07	-13	PASS
Band5	3	20415	1	#0	QPSK	26018.05	-20.52	-13	PASS
Band5	3	20415	15	#0	QPSK	25421.35	-20.79	-13	PASS
Band5	3	20415	1	#0	QAM16	25992.55	-20.86	-13	PASS
Band5	3	20415	15	#0	QAM16	25961.95	-21.03	-13	PASS
Band5	3	20525	1	#0	QPSK	26023.15	-20.21	-13	PASS
Band5	3	20525	15	#0	QPSK	26237.35	-21.45	-13	PASS
Band5	3	20525	1	#0	QAM16	26025.70	-19.08	-13	PASS
Band5	3	20525	15	#0	QAM16	26025.70	-20.39	-13	PASS


Band5	3	20635	1	#0	QPSK	25520.80	-20.76	-13	PASS
Band5	3	20635	15	#0	QPSK	25513.15	-20.53	-13	PASS
Band5	3	20635	1	#0	QAM16	26033.35	-20.85	-13	PASS
Band5	3	20635	15	#0	QAM16	25701.85	-20.61	-13	PASS
Band5	5	20425	1	#0	QPSK	26000.20	-19.72	-13	PASS
Band5	5	20425	25	#0	QPSK	25982.35	-20.38	-13	PASS
Band5	5	20425	1	#0	QAM16	26038.45	-20.92	-13	PASS
Band5	5	20425	25	#0	QAM16	25905.85	-19.62	-13	PASS
Band5	5	20525	1	#0	QPSK	26012.95	-20.15	-13	PASS
Band5	5	20525	25	#0	QPSK	26043.55	-20.79	-13	PASS
Band5	5	20525	1	#0	QAM16	26012.95	-20.68	-13	PASS
Band5	5	20525	25	#0	QAM16	25936.45	-21.21	-13	PASS
Band5	5	20625	1	#0	QPSK	25995.10	-20.38	-13	PASS
Band5	5	20625	25	#0	QPSK	25513.15	-20.50	-13	PASS
Band5	5	20625	1	#0	QAM16	25477.45	-21.14	-13	PASS
Band5	5	20625	25	#0	QAM16	25551.40	-20.48	-13	PASS
Band5	10	20450	1	#0	QPSK	25607.50	-20.36	-13	PASS
Band5	10	20450	50	#0	QPSK	25961.95	-20.79	-13	PASS
Band5	10	20450	1	#0	QAM16	25954.30	-20.70	-13	PASS
Band5	10	20450	50	#0	QAM16	25944.10	-21.07	-13	PASS
Band5	10	20525	1	#0	QPSK	25936.45	-20.71	-13	PASS
Band5	10	20525	50	#0	QPSK	25831.90	-20.08	-13	PASS
Band5	10	20525	1	#0	QAM16	26015.50	-20.39	-13	PASS
Band5	10	20525	50	#0	QAM16	26423.50	-21.28	-13	PASS
Band5	10	20600	1	#0	QPSK	25862.50	-20.45	-13	PASS
Band5	10	20600	50	#0	QPSK	25954.30	-21.07	-13	PASS
Band5	10	20600	1	#0	QAM16	26030.80	-19.83	-13	PASS
Band5	10	20600	50	#0	QAM16	25492.75	-20.36	-13	PASS
Band7	5	20775	1	#0	QPSK	25933.90	-31.73	-25	PASS
Band7	5	20775	25	#0	QPSK	26061.40	-31.18	-25	PASS
Band7	5	20775	1	#0	QAM16	26035.90	-30.44	-25	PASS
Band7	5	20775	25	#0	QAM16	25941.55	-31.17	-25	PASS
Band7	5	21100	1	#0	QPSK	26030.80	-31.57	-25	PASS
Band7	5	21100	25	#0	QPSK	25505.50	-31.64	-25	PASS
Band7	5	21100	1	#0	QAM16	26280.70	-31.79	-25	PASS
Band7	5	21100	25	#0	QAM16	26494.90	-31.73	-25	PASS
Band7	5	21425	1	#0	QPSK	25916.05	-30.78	-25	PASS
Band7	5	21425	25	#0	QPSK	26005.30	-32.18	-25	PASS
Band7	5	21425	1	#0	QAM16	26099.65	-32.00	-25	PASS
Band7	5	21425	25	#0	QAM16	25546.30	-31.08	-25	PASS
Band7	10	20800	1	#0	QPSK	25640.65	-31.33	-25	PASS
Band7	10	20800	50	#0	QPSK	25928.80	-32.01	-25	PASS
Band7	10	20800	1	#0	QAM16	26033.35	-31.67	-25	PASS
Band7	10	20800	50	#0	QAM16	25910.95	-32.26	-25	PASS

Band7	10	21100	1	#0	QPSK	26002.75	-31.12	-25	PASS
Band7	10	21100	50	#0	QPSK	25457.05	-31.67	-25	PASS
Band7	10	21100	1	#0	QAM16	26007.85	-31.21	-25	PASS
Band7	10	21100	50	#0	QAM16	25936.45	-31.64	-25	PASS
Band7	10	21400	1	#0	QPSK	26313.85	-32.38	-25	PASS
Band7	10	21400	50	#0	QPSK	26051.20	-31.28	-25	PASS
Band7	10	21400	1	#0	QAM16	25977.25	-31.24	-25	PASS
Band7	10	21400	50	#0	QAM16	26012.95	-31.75	-25	PASS
Band7	15	20825	1	#0	QPSK	26012.95	-31.55	-25	PASS
Band7	15	20825	75	#0	QPSK	26020.60	-31.72	-25	PASS
Band7	15	20825	1	#0	QAM16	26092.00	-31.40	-25	PASS
Band7	15	20825	75	#0	QAM16	25502.95	-31.71	-25	PASS
Band7	15	21100	1	#0	QPSK	26030.80	-31.69	-25	PASS
Band7	15	21100	75	#0	QPSK	26000.20	-30.78	-25	PASS
Band7	15	21100	1	#0	QAM16	25949.20	-31.37	-25	PASS
Band7	15	21100	75	#0	QAM16	26002.75	-30.74	-25	PASS
Band7	15	21375	1	#0	QPSK	26000.20	-31.78	-25	PASS
Band7	15	21375	75	#0	QPSK	25995.10	-30.33	-25	PASS
Band7	15	21375	1	#0	QAM16	25977.25	-32.05	-25	PASS
Band7	15	21375	75	#0	QAM16	25525.90	-30.92	-25	PASS
Band7	20	20850	1	#0	QPSK	25518.25	-32.33	-25	PASS
Band7	20	20850	100	#0	QPSK	25765.60	-31.35	-25	PASS
Band7	20	20850	1	#0	QAM16	25477.45	-31.70	-25	PASS
Band7	20	20850	100	#0	QAM16	25959.40	-30.89	-25	PASS
Band7	20	21100	1	#0	QPSK	26030.80	-31.01	-25	PASS
Band7	20	21100	100	#0	QPSK	25926.25	-31.21	-25	PASS
Band7	20	21100	1	#0	QAM16	26063.95	-31.08	-25	PASS
Band7	20	21100	100	#0	QAM16	25972.15	-31.26	-25	PASS
Band7	20	21350	1	#0	QPSK	25691.65	-32.36	-25	PASS
Band7	20	21350	100	#0	QPSK	26471.95	-31.20	-25	PASS
Band7	20	21350	1	#0	QAM16	26107.30	-31.42	-25	PASS
Band7	20	21350	100	#0	QAM16	26069.05	-30.88	-25	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101703	-47.19	-13
2	0.15	30	10	0.182835	-49.73	-13
3	30	1000	100	485.415	-56.33	-13
4	1000	26500	1000	26020.6	-34.82	-13

Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109317	-47.59	-13
2	0.15	30	10	0.15597	-50.07	-13
3	30	1000	100	480.371	-55.87	-13
4	1000	26500	1000	1413.1	-32.26	-13


Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-43.98	-13
2	0.15	30	10	0.15	-48.35	-13
3	30	1000	100	854.209	-56.8	-13
4	1000	26500	1000	25954.3	-34.18	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-47.36	-13
2	0.15	30	10	0.16194	-47.96	-13
3	30	1000	100	918.132	-56.48	-13
4	1000	26500	1000	26196.55	-35	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-46.41	-13
2	0.15	30	10	0.16194	-48.5	-13
3	30	1000	100	896.21	-56.76	-13
4	1000	26500	1000	26056.3	-34.32	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.89	-13
2	0.15	30	10	0.15597	-47.76	-13
3	30	1000	100	791.062	-57.05	-13
4	1000	26500	1000	26033.35	-33.82	-13


Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113829	-48.04	-13
2	0.15	30	10	0.15	-49.43	-13
3	30	1000	100	477.267	-56.67	-13
4	1000	26500	1000	25663.6	-34.6	-13

Band12 QAM16 BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112842	-48.1	-13
2	0.15	30	10	0.15	-48.56	-13
3	30	1000	100	896.404	-56.75	-13
4	1000	26500	1000	25398.4	-34.97	-13


Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0



Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105087	-45.9	-13
2	0.15	30	10	0.158955	-49.63	-13
3	30	1000	100	836.167	-56.89	-13
4	1000	26500	1000	26181.25	-34.37	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.58	-13
2	0.15	30	10	0.15	-49.69	-13
3	30	1000	100	467.955	-56.06	-13
4	1000	26500	1000	1400.35	-32.93	-13


Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QAM16 BW=5MHz Channel=23205 RB Size=25 Position=#0



Band13 QAM16 BW=5MHz Channel=23205 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009564	-42.11	-13
2	0.15	30	10	0.152985	-43.88	-13
3	30	1000	100	213.524	-52.93	-13
4	1000	1559	1000	1508.131	-44.46	-13
5	1559	1610	1000	1560.1679	-43.47	-40
6	1610	26500	1000	25962.376	-30.96	-13

Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096204	-43.92	-13
2	0.15	30	10	0.16194	-44.55	-13
3	30	1000	100	208.577	-53.44	-13
4	1000	1559	1000	1279.2764	-44.86	-13
5	1559	1610	1000	1563.7685	-44.81	-40
6	1610	26500	1000	26007.178	-30.66	-13


Band13 QAM16 BW=5MHz Channel=23230 RB Size=1 Position=#0



Band13 QAM16 BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-43.11	-13
2	0.15	30	10	0.158955	-44.83	-13
3	30	1000	100	931.906	-53.32	-13
4	1000	1559	1000	1419.0264	-44.51	-13
5	1559	1610	1000	1561.5908	-44.63	-40
6	1610	26500	1000	26047.002	-30.75	-13

Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104241	-43.28	-13
2	0.15	30	10	0.15	-44.77	-13
3	30	1000	100	240.005	-53.94	-13
4	1000	1559	1000	1217.3951	-45.08	-13
5	1559	1610	1000	1564.5998	-44.46	-40
6	1610	26500	1000	25939.975	-30.89	-13


Band13 QAM16 BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 QAM16 BW=5MHz Channel=23255 RB Size=25 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=1 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=1 Position=#0



Band13 QAM16 BW=10MHz Channel=23230 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110727	-46.46	-13
2	0.15	30	10	0.164925	-49.13	-13
3	30	1000	100	780.586	-55.68	-13
4	1000	26500	1000	1408	-31.08	-13

Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.57	-13
2	0.15	30	10	0.158955	-50.29	-13
3	30	1000	100	816.088	-56.41	-13
4	1000	26500	1000	25921.15	-34.41	-13


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23790 RB Size=1 Position=#0



Band17 QAM16 BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093666	-46.64	-13
2	0.15	30	10	0.152985	-49.85	-13
3	30	1000	100	496.279	-55.71	-13
4	1000	26500	1000	25541.2	-34.32	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-42.71	-13
2	0.15	30	10	0.158955	-48.78	-13
3	30	1000	100	951.306	-56.68	-13
4	1000	26500	1000	26020.6	-34.48	-13


Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0



Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112983	-45.93	-13
2	0.15	30	10	0.164925	-49.81	-13
3	30	1000	100	899.896	-55.92	-13
4	1000	26500	1000	2114.35	-30.64	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113829	-48.66	-13
2	0.15	30	10	0.176865	-48.24	-13
3	30	1000	100	945.777	-56.06	-13
4	1000	26500	1000	26010.4	-34.05	-13


Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Band17 QAM16 BW=10MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009846	-45.87	-13
2	0.15	30	10	0.152985	-49.11	-13
3	30	1000	100	464.463	-55.76	-13
4	1000	26500	1000	26094.55	-33.65	-13

Band17 QAM16 BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.16	-13
2	0.15	30	10	0.188805	-51.85	-13
3	30	1000	100	549.823	-57.14	-13
4	1000	26500	1000	25439.2	-35.42	-13


Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#0



Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124263	-45.77	-13
2	0.15	30	10	0.17985	-48.72	-13
3	30	1000	100	900.09	-54.98	-13
4	1000	26500	1000	25895.65	-32.92	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114252	-44.95	-13
2	0.15	30	10	0.158955	-48.18	-13
3	30	1000	100	934.137	-54.81	-13
4	1000	26500	1000	26030.8	-31.37	-13


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-45.23	-13
2	0.15	30	10	0.15	-48.71	-13
3	30	1000	100	839.465	-55.34	-13
4	1000	26500	1000	25867.6	-32.04	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093807	-45.15	-13
2	0.15	30	10	0.152985	-46.5	-13
3	30	1000	100	876.81	-55.19	-13
4	1000	26500	1000	25469.8	-32.2	-13


Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0



Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0