

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Gain (dBi)	EIRP/ERP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.39	1.6	24.99	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.55	1.6	24.15	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.42	1.6	25.02	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.40	1.6	25	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.44	1.6	25.04	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.55	1.6	24.15	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.42	1.6	25.02	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.43	1.6	25.03	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.41	1.6	25.01	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.59	1.6	24.19	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.43	1.6	25.03	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.47	1.6	25.07	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.66	1.6	24.26	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.61	1.6	23.21	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.63	1.6	24.23	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.66	1.6	24.26	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.65	1.6	24.25	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.60	1.6	23.2	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.66	1.6	24.26	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.60	1.6	24.2	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.27	1.6	23.87	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.41	1.6	23.01	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.31	1.6	23.91	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.37	1.6	23.97	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.47	1.6	25.07	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.52	1.6	24.12	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.48	1.6	25.08	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.46	1.6	25.06	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.48	1.6	25.08	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.50	1.6	24.1	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.47	1.6	25.07	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.48	1.6	25.08	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.50	1.6	25.1	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.64	1.6	24.24	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.50	1.6	25.1	33	PASS

Band2	3MHz	QPSK	19185	1RB#14	23.50	1.6	25.1	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.44	1.6	24.04	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.58	1.6	23.18	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.42	1.6	24.02	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.46	1.6	24.06	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.44	1.6	24.04	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.58	1.6	23.18	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.46	1.6	24.06	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.44	1.6	24.04	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.36	1.6	23.96	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.40	1.6	23	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	22.34	1.6	23.94	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.33	1.6	23.93	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.64	1.6	25.24	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.53	1.6	24.13	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.66	1.6	25.26	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.63	1.6	25.23	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.66	1.6	25.26	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.53	1.6	24.13	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.66	1.6	25.26	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.64	1.6	25.24	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.61	1.6	25.21	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.60	1.6	24.2	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.62	1.6	25.22	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.60	1.6	25.2	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.24	1.6	23.84	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.62	1.6	23.22	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.24	1.6	23.84	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.23	1.6	23.83	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.22	1.6	23.82	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.56	1.6	23.16	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.24	1.6	23.84	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.22	1.6	23.82	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.53	1.6	24.13	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.56	1.6	23.16	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.55	1.6	24.15	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.58	1.6	24.18	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.45	1.6	25.05	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.53	1.6	24.13	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.40	1.6	25	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.36	1.6	24.96	33	PASS

Band2	10MHz	QPSK	18900	1RB#0	23.43	1.6	25.03	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.53	1.6	24.13	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.40	1.6	25	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.42	1.6	25.02	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.52	1.6	25.12	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.60	1.6	24.2	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.56	1.6	25.16	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.60	1.6	25.2	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.55	1.6	24.15	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.50	1.6	23.1	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.51	1.6	24.11	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.52	1.6	24.12	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.48	1.6	24.08	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.53	1.6	23.13	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.46	1.6	24.06	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.46	1.6	24.06	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.40	1.6	24	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.60	1.6	23.2	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.44	1.6	24.04	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.39	1.6	23.99	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.47	1.6	25.07	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.54	1.6	24.14	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.41	1.6	25.01	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.37	1.6	24.97	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.46	1.6	25.06	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.61	1.6	24.21	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.45	1.6	25.05	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.42	1.6	25.02	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.51	1.6	25.11	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.64	1.6	24.24	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.57	1.6	25.17	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.58	1.6	25.18	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.57	1.6	24.17	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.52	1.6	23.12	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.48	1.6	24.08	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.45	1.6	24.05	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.52	1.6	24.12	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.57	1.6	23.17	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.51	1.6	24.11	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.54	1.6	24.14	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.63	1.6	24.23	33	PASS


Band2	15MHz	16QAM	19125	75RB#0	21.66	1.6	23.26	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	22.70	1.6	24.3	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.74	1.6	24.34	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.40	1.6	25	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.34	1.6	23.94	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.32	1.6	24.92	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.27	1.6	24.87	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.38	1.6	24.98	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.40	1.6	24	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.40	1.6	25	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.40	1.6	25	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.51	1.6	25.11	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.45	1.6	24.05	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.56	1.6	25.16	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.59	1.6	25.19	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.21	1.6	23.81	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.35	1.6	22.95	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.10	1.6	23.7	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.03	1.6	23.63	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.20	1.6	23.8	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.42	1.6	23.02	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.13	1.6	23.73	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.14	1.6	23.74	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.62	1.6	24.22	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.48	1.6	23.08	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.68	1.6	24.28	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.68	1.6	24.28	33	PASS


Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	6.09	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	7.02	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.97	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.84	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	6.07	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.76	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.94	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.74	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	6.32	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.76	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.96	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.71	13	PASS

Test Graphs





Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	1.0974	1.264	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0911	1.252	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.6957	2.887	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6953	2.898	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.4927	4.833	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4982	4.836	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9551	9.652	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9624	9.658	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.438	14.48	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.449	14.46	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.978	19.59	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.994	19.60	PASS

Test Graphs







Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS

Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-33.98	20.98	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-36.42	23.42	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-36.37	23.37	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-33.41	20.41	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-31.25	18.25	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-29.04	16.04	PASS
Band2	3MHz	QPSK	18615	1RB#0	-30.81	17.81	PASS
Band2	3MHz	QPSK	18615	15RB#0	-38.38	25.38	PASS
Band2	3MHz	QPSK	18615	1RB#14	-41.34	28.34	PASS
Band2	3MHz	QPSK	19185	1RB#0	-42.20	29.20	PASS
Band2	3MHz	QPSK	19185	15RB#0	-34.54	21.54	PASS
Band2	3MHz	QPSK	19185	1RB#14	-26.47	13.47	PASS
Band2	5MHz	QPSK	18625	1RB#0	-34.25	21.25	PASS
Band2	5MHz	QPSK	18625	25RB#0	-40.34	27.34	PASS
Band2	5MHz	QPSK	18625	1RB#24	-54.41	41.41	PASS
Band2	5MHz	QPSK	19175	1RB#0	-54.57	41.57	PASS
Band2	5MHz	QPSK	19175	25RB#0	-38.20	25.20	PASS
Band2	5MHz	QPSK	19175	1RB#24	-30.73	17.73	PASS
Band2	10MHz	QPSK	18650	1RB#0	-41.37	28.37	PASS
Band2	10MHz	QPSK	18650	50RB#0	-41.01	28.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	-56.04	43.04	PASS
Band2	10MHz	QPSK	19150	1RB#0	-56.48	43.48	PASS
Band2	10MHz	QPSK	19150	50RB#0	-40.64	27.64	PASS
Band2	10MHz	QPSK	19150	1RB#49	-39.86	26.86	PASS
Band2	15MHz	QPSK	18675	1RB#0	-43.19	30.19	PASS
Band2	15MHz	QPSK	18675	75RB#0	-39.84	26.84	PASS
Band2	15MHz	QPSK	18675	1RB#74	-56.21	43.21	PASS
Band2	15MHz	QPSK	19125	1RB#0	-56.85	43.85	PASS
Band2	15MHz	QPSK	19125	75RB#0	-42.18	29.18	PASS
Band2	15MHz	QPSK	19125	1RB#74	-42.57	29.57	PASS
Band2	20MHz	QPSK	18700	1RB#0	-41.32	28.32	PASS
Band2	20MHz	QPSK	18700	100RB#0	-39.41	26.41	PASS
Band2	20MHz	QPSK	18700	1RB#99	-53.64	40.64	PASS
Band2	20MHz	QPSK	19100	1RB#0	-54.77	41.77	PASS
Band2	20MHz	QPSK	19100	100RB#0	-43.39	30.39	PASS
Band2	20MHz	QPSK	19100	1RB#99	-40.13	27.13	PASS

Test Graphs





Band2-3MHz-QPSK-18615-1RB#14-PASS




Band2-3MHz-QPSK-19185-1RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-QPSK-19185-1RB#14-PASS



Band2-5MHz-QPSK-18625-1RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-QPSK-18625-1RB#24-PASS




Band2-5MHz-QPSK-19175-1RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-QPSK-19175-1RB#24-PASS



Band2-10MHz-QPSK-18650-1RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-18650-1RB#49-PASS



Band2-10MHz-QPSK-19150-1RB#0-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-QPSK-19150-1RB#49-PASS



Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-QPSK-18675-1RB#74-PASS



Band2-15MHz-QPSK-19125-1RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-QPSK-19125-1RB#74-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-18700-1RB#99-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#99-PASS

Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-70.08	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-67.65	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-69.59	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-36.35	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-47.52	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-69.19	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-66.82	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-69.65	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-37.85	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-47.89	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-68.97	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-66.46	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-69.73	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-36.67	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-47.89	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-69.70	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-69.00	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-69.71	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-36.88	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-47.70	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-69.19	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-69.12	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-69.91	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-36.18	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-46.82	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-69.32	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-68.58	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-69.69	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-36.71	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-47.75	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-69.53	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-65.33	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-69.61	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-43.09	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-47.89	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-69.95	-43.0	PASS


Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-70.21	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-69.90	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-42.95	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-47.77	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-69.80	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-68.40	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-69.74	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-42.56	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-47.47	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-70.18	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-69.11	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-69.90	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-43.26	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-47.88	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-70.18	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-66.59	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-69.79	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-40.63	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-47.17	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-70.33	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-67.36	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	30~1000	-69.57	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-42.56	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-45.64	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-68.68	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-67.72	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-69.75	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-48.80	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-47.82	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-70.07	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-67.07	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-69.76	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-44.90	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-47.70	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-69.58	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-66.79	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-69.97	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-46.48	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-48.11	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-69.62	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-67.00	-33.0	PASS


Band2	5MHz	QPSK	18900	1RB#24	30~1000	-69.74	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-48.22	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-47.87	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-69.76	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-66.13	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-69.71	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-47.59	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-46.41	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-70.16	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-67.84	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-69.51	-23.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-48.94	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-46.68	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-70.04	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-67.83	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-69.75	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-49.03	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-47.79	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-69.57	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-68.14	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-69.33	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-49.07	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-47.65	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-69.45	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-66.44	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-69.83	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-49.27	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-47.40	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-69.41	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-67.57	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-69.82	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-49.24	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-48.10	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-69.61	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-69.35	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-69.37	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-49.14	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-46.77	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-67.27	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-65.99	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-69.89	-23.0	PASS

Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-49.29	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-47.90	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-68.50	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-67.60	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-69.59	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-48.89	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-47.97	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-70.18	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-66.36	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-69.96	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-49.35	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-47.78	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-68.86	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-67.04	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-69.91	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-49.06	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-47.65	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-69.98	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-66.04	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-69.44	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-48.68	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-47.91	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-70.57	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-67.45	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-69.96	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-49.00	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-47.36	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-70.58	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-67.34	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-69.59	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-49.05	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-47.12	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-69.19	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-68.29	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-69.49	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-49.20	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-47.92	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-70.40	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-67.63	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-69.19	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-49.12	-13.0	PASS

Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-47.52	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-69.72	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-69.55	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-69.55	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-49.35	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-47.78	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-68.54	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-67.99	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	30~1000	-69.77	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-49.38	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-48.03	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-69.91	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-66.52	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-69.41	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-49.03	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-47.35	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-69.91	-43.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-68.07	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-69.84	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-49.04	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-47.52	-13.0	PASS

Test Graphs






Band2-1.4MHz-QPSK-18607-1RB#5-1000~3000-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-3000~20000-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.009~0.15-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.15~30-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-30~1000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-1000~3000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-30~1000-PASS



Band2-1.4MHz-QPSK-18900-1RB#5-0.009~0.15-PASS

