

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.62	26.92	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.75	27.05	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.62	26.92	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.69	26.99	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.72	27.02	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.76	27.06	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.67	25.97	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.09	26.39	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.23	26.53	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.07	26.37	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.16	26.46	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.19	26.49	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.21	26.51	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.18	25.48	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.75	26.05	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.95	26.25	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.74	26.04	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.86	26.16	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.88	26.18	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.92	26.22	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.89	25.19	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.67	25.97	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.88	26.18	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.69	25.99	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.62	25.92	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.64	25.94	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.60	25.9	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.67	24.97	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.18	25.48	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.24	25.54	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.18	25.48	PASS

Band2	1.4MHz	16QAM	18900	3RB#0	22.08	25.38	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.06	25.36	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.01	25.31	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.03	24.33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.68	24.98	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.77	25.07	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.66	24.96	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.67	24.97	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.67	24.97	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	21.69	24.99	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.82	24.12	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.63	26.93	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.65	26.95	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.60	26.9	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.67	25.97	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.72	26.02	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.72	26.02	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.65	25.95	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.21	26.51	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.20	26.5	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.21	26.51	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.25	25.55	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.26	25.56	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.22	25.52	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.19	25.49	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.87	26.17	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.88	26.18	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.84	26.14	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.97	25.27	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.97	25.27	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.91	25.21	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.84	25.14	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.84	26.14	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.85	26.15	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.78	26.08	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.80	25.1	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.79	25.09	PASS

Band2	3MHz	16QAM	18615	8RB#7	21.78	25.08	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.78	25.08	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.32	25.62	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.27	25.57	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.27	25.57	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.26	24.56	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.23	24.53	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.24	24.54	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.15	24.45	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.76	25.06	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.78	25.08	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.76	25.06	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.99	24.29	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.97	24.27	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.92	24.22	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.83	24.13	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.55	26.85	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.63	26.93	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.49	26.79	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.60	25.9	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.67	25.97	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.52	25.82	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.58	25.88	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.11	26.41	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.19	26.49	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.03	26.33	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.11	25.41	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.18	25.48	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.06	25.36	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.09	25.39	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.81	26.11	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.93	26.23	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.77	26.07	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.84	25.14	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.87	25.17	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.68	24.98	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.80	25.1	PASS

Band2	5MHz	16QAM	18625	1RB#0	22.53	25.83	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.63	25.93	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.48	25.78	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.67	24.97	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.65	24.95	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.58	24.88	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.71	25.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.25	25.55	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.33	25.63	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.20	25.5	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.21	24.51	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.17	24.47	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.09	24.39	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.14	24.44	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.79	25.09	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.86	25.16	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.74	25.04	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.87	24.17	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.89	24.19	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.81	24.11	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.89	24.19	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.57	26.87	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.61	26.91	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.38	26.68	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.67	25.97	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.70	26	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.61	25.91	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.65	25.95	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.13	26.43	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.25	26.55	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.98	26.28	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.21	25.51	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.24	25.54	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.10	25.4	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.15	25.45	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.84	26.14	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.08	26.38	PASS

Band2	10MHz	QPSK	19150	1RB#49	22.74	26.04	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.90	25.2	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.93	25.23	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.72	25.02	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.83	25.13	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.72	26.02	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.85	26.15	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.57	25.87	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.76	25.06	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.81	25.11	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.61	24.91	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.71	25.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.21	25.51	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.48	25.78	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.15	25.45	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.30	24.6	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.29	24.59	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.18	24.48	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.27	24.57	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.72	25.02	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.89	25.19	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.64	24.94	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.01	24.31	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.04	24.34	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.81	24.11	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.88	24.18	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.44	26.74	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.55	26.85	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.12	26.42	PASS
Band2	15MHz	QPSK	18675	38RB#0	22.58	25.88	PASS
Band2	15MHz	QPSK	18675	38RB#18	22.58	25.88	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.58	25.88	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.57	25.87	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.07	26.37	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.21	26.51	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.80	26.1	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.18	25.48	PASS

Band2	15MHz	QPSK	18900	38RB#18	22.17	25.47	PASS
Band2	15MHz	QPSK	18900	38RB#37	22.21	25.51	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.21	25.51	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.80	26.1	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.88	26.18	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.60	25.9	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.85	25.15	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.93	25.23	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.85	25.15	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.92	25.22	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.66	25.96	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.68	25.98	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.34	25.64	PASS
Band2	15MHz	16QAM	18675	38RB#0	22.57	25.87	PASS
Band2	15MHz	16QAM	18675	38RB#18	22.58	25.88	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.60	25.9	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.54	24.84	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.24	25.54	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.37	25.67	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.12	25.42	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.23	25.53	PASS
Band2	15MHz	16QAM	18900	38RB#18	22.22	25.52	PASS
Band2	15MHz	16QAM	18900	38RB#37	22.24	25.54	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.19	24.49	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.68	24.98	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.78	25.08	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.53	24.83	PASS
Band2	15MHz	16QAM	19125	38RB#0	21.89	25.19	PASS
Band2	15MHz	16QAM	19125	38RB#18	21.86	25.16	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.86	25.16	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.85	24.15	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.41	26.71	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.67	26.97	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.09	26.39	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.50	25.8	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.58	25.88	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.36	25.66	PASS

Band2	20MHz	QPSK	18700	100RB#0	22.43	25.73	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.01	26.31	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.33	26.63	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.74	26.04	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.14	25.44	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.13	25.43	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.88	25.18	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.06	25.36	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.58	25.88	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.77	26.07	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.41	25.71	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.92	25.22	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.94	25.24	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.71	25.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.78	25.08	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.42	25.72	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.70	26	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.09	25.39	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.60	24.9	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.66	24.96	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.43	24.73	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.47	24.77	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.11	25.41	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.40	25.7	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.93	25.23	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.22	24.52	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.20	24.5	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.03	24.33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.08	24.38	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.75	25.05	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.94	25.24	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.54	24.84	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.03	24.33	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.07	24.37	PASS
Band2	20MHz	16QAM	19100	50RB#50	20.77	24.07	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.88	24.18	PASS


AppendixB:Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.25	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	4.95	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3.77	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	4.51	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3.54	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.53	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	5.25	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.71	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	4.68	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.37	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	4.36	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.40	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	4.11	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	4.93	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	3.54	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	4.53	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	3.15	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	4.41	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	4.93	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.76	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	4.40	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.38	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	4.09	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.27	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	4.31	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.09	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	3.69	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.63	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	3.29	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.38	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.11	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.85	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	4.53	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.44	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	4.11	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.23	13	PASS

Band2	10MHz	QPSK	18650	1RB#0	4.24	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.15	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	3.50	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	4.67	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	3.64	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	4.49	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	5.07	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	5.97	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	4.40	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.50	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	4.56	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.32	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	4.32	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.41	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	3.56	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.11	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	4.62	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.05	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	5.18	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.08	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	4.51	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	5.81	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	5.44	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	5.77	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	4.41	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.24	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	3.76	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.15	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	5.20	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.26	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	5.09	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.07	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	4.52	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.93	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	6.16	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.01	13	PASS


Test Graphs




Band2-1.4MHz-QPSK-18607-1RB#0




Band2-1.4MHz-QPSK-18607-6RB#0




Band2-1.4MHz-QPSK-18900-1RB#0




Band2-1.4MHz-QPSK-18900-6RB#0




Band2-1.4MHz-QPSK-19193-1RB#0




Band2-1.4MHz-QPSK-19193-6RB#0




Band2-1.4MHz-16QAM-18607-1RB#0




Band2-1.4MHz-16QAM-18607-6RB#0




Band2-1.4MHz-16QAM-18900-1RB#0




Band2-1.4MHz-16QAM-18900-6RB#0




Band2-1.4MHz-16QAM-19193-1RB#0




Band2-1.4MHz-16QAM-19193-6RB#0




Band2-3MHz-QPSK-18615-1RB#0




Band2-3MHz-QPSK-18615-15RB#0




Band2-3MHz-QPSK-18900-1RB#0




Band2-3MHz-QPSK-18900-15RB#0




Band2-3MHz-QPSK-19185-1RB#0




Band2-3MHz-QPSK-19185-15RB#0




Band2-3MHz-16QAM-18615-1RB#0




Band2-3MHz-16QAM-18615-15RB#0




Band2-3MHz-16QAM-18900-1RB#0




Band2-3MHz-16QAM-18900-15RB#0




Band2-3MHz-16QAM-19185-1RB#0




Band2-3MHz-16QAM-19185-15RB#0




Band2-5MHz-QPSK-18625-1RB#0




Band2-5MHz-QPSK-18625-25RB#0




Band2-5MHz-QPSK-18900-1RB#0




Band2-5MHz-QPSK-18900-25RB#0




Band2-5MHz-QPSK-19175-1RB#0




Band2-5MHz-QPSK-19175-25RB#0




Band2-5MHz-16QAM-18625-1RB#0




Band2-5MHz-16QAM-18625-25RB#0




Band2-5MHz-16QAM-18900-1RB#0




Band2-5MHz-16QAM-18900-25RB#0




Band2-5MHz-16QAM-19175-1RB#0




Band2-5MHz-16QAM-19175-25RB#0




Band2-10MHz-QPSK-18650-1RB#0




Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-18900-1RB#0



Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-1RB#0