


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.0985G	-44.20	-21.20	-23.00	4.55	0.00	-48.75	-48.75
1G	8G	1M	PK	5.39688G	-46.50	-21.20	-25.30	4.55	0.00	-51.05	-51.05
1G	8G	1M	PK	5.88075G	-53.33	-27.00	-26.33	4.55	0.00	-57.88	-57.88

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.10025G	-50.94	-41.20	-9.74	4.55	0.00	-55.49	-55.49
1G	8G	1M	AV	5.38463G	-51.67	-41.20	-10.47	4.55	0.00	-56.22	-56.22

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.10113G	-45.90	-21.20	-24.70	4.55	0.00	-50.45	-50.45
1G	8G	1M	PK	5.403G	-47.28	-21.20	-26.08	4.55	0.00	-51.83	-51.83
1G	8G	1M	PK	5.679G	-53.17	-27.00	-26.17	4.55	0.00	-57.72	-57.72

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.05213G	-51.72	-41.20	-10.52	4.55	0.00	-56.27	-56.27
1G	8G	1M	AV	5.37588G	-53.14	-41.20	-11.94	4.55	0.00	-57.69	-57.69

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.06613G	-44.89	-21.20	-23.69	3.80	0.00	-48.69	-48.69
1G	8G	1M	PK	5.39513G	-48.78	-21.20	-27.58	3.80	0.00	-52.58	-52.58
1G	8G	1M	PK	5.879G	-53.36	-27.00	-26.36	3.80	0.00	-57.16	-57.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.07138G	-51.65	-41.20	-10.45	3.80	0.00	-55.45	-55.45
1G	8G	1M	AV	5.37588G	-54.38	-41.20	-13.18	3.80	0.00	-58.18	-58.18

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.11075G	-45.89	-21.20	-24.69	3.80	0.00	-49.69	-49.69
1G	8G	1M	PK	5.41438G	-48.92	-21.20	-27.72	3.80	0.00	-52.72	-52.72
1G	8G	1M	PK	5.8755G	-53.62	-27.00	-26.62	3.80	0.00	-57.42	-57.42

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.10113G	-52.06	-41.20	-10.86	3.80	0.00	-55.86	-55.86
1G	8G	1M	AV	5.39775G	-54.08	-41.20	-12.88	3.80	0.00	-57.88	-57.88

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.123G	-46.62	-21.20	-25.42	3.80	0.00	-50.42	-50.42
1G	8G	1M	PK	5.30988G	-48.20	-21.20	-27.00	3.80	0.00	-52.00	-52.00
1G	8G	1M	PK	5.8755G	-53.42	-27.00	-26.42	3.80	0.00	-57.22	-57.22

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.123G	-53.76	-41.20	-12.56	3.80	0.00	-57.56	-57.56
1G	8G	1M	AV	5.37588G	-54.07	-41.20	-12.87	3.80	0.00	-57.87	-57.87

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.06963G	-48.60	-21.20	-27.40	3.49	0.00	-52.09	-52.09
1G	8G	1M	PK	5.3995G	-45.15	-21.20	-23.95	3.49	0.00	-48.64	-48.64
1G	8G	1M	PK	5.46775G	-57.62	-27.00	-30.62	3.49	0.00	-61.11	-61.11
1G	8G	1M	PK	5.87988G	-51.74	-27.00	-24.74	3.49	0.00	-55.23	-55.23

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.07838G	-56.41	-41.20	-15.21	3.49	0.00	-59.90	-59.90
1G	8G	1M	AV	5.3995G	-52.17	-41.20	-10.97	3.49	0.00	-55.66	-55.66

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.10463G	-51.26	-21.20	-30.06	3.49	0.00	-54.75	-54.75
1G	8G	1M	PK	5.39163G	-48.81	-21.20	-27.61	3.49	0.00	-52.30	-52.30
1G	8G	1M	PK	5.46075G	-58.73	-27.00	-31.73	3.49	0.00	-62.22	-62.22
1G	8G	1M	PK	5.87025G	-53.98	-27.00	-26.98	3.49	0.00	-57.47	-57.47

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.10463G	-57.84	-41.20	-16.64	3.49	0.00	-61.33	-61.33
1G	8G	1M	AV	5.39075G	-54.68	-41.20	-13.48	3.49	0.00	-58.17	-58.17

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.10463G	-51.38	-21.20	-30.18	3.49	0.00	-54.87	-54.87
1G	8G	1M	PK	5.39775G	-50.25	-21.20	-29.05	3.49	0.00	-53.74	-53.74
1G	8G	1M	PK	5.46338G	-58.72	-27.00	-31.72	3.49	0.00	-62.21	-62.21
1G	8G	1M	PK	5.88075G	-54.10	-27.00	-27.10	3.49	0.00	-57.59	-57.59

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.10813G	-57.15	-41.20	-15.95	3.49	0.00	-60.64	-60.64
1G	8G	1M	AV	5.37588G	-54.88	-41.20	-13.68	3.49	0.00	-58.37	-58.37

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.03725G	-50.76	-21.20	-29.56	3.49	0.00	-54.25	-54.25
1G	8G	1M	PK	5.38375G	-49.95	-21.20	-28.75	3.49	0.00	-53.44	-53.44
1G	8G	1M	PK	5.46425G	-58.72	-27.00	-31.72	3.49	0.00	-62.21	-62.21
1G	8G	1M	PK	5.88163G	-53.48	-27.00	-26.48	3.49	0.00	-56.97	-56.97

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.102G	-56.69	-41.20	-15.49	3.49	0.00	-60.18	-60.18
1G	8G	1M	AV	5.39688G	-56.55	-41.20	-15.35	3.49	0.00	-60.04	-60.04

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.40388G	-47.75	-21.20	-26.55	3.89	0.00	-51.64	-51.64
1G	8G	1M	PK	5.95863G	-55.64	-27.00	-28.64	3.89	0.00	-59.53	-59.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.403G	-54.73	-41.20	-13.53	3.89	0.00	-58.62	-58.62

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.4975G	-54.62	-27.00	-27.62	3.89	0.00	-58.51	-58.51
1G	8G	1M	PK	5.9776G	-55.32	-27.00	-28.32	3.89	0.00	-59.21	-59.21
1G	8G	1M	PK	6.95175G	-54.62	-27.00	-27.62	3.89	0.00	-58.51	-58.51

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.37588G	-56.41	-41.20	-15.21	3.89	0.00	-60.30	-60.30

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.56225G	-55.72	-27.00	-28.72	3.89	0.00	-59.61	-59.61
1G	8G	1M	PK	5.949G	-55.71	-27.00	-28.71	3.89	0.00	-59.60	-59.60
1G	8G	1M	PK	6.9675G	-53.91	-27.00	-26.91	3.89	0.00	-57.80	-57.80

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.37588G	-56.41	-41.20	-15.21	3.89	0.00	-60.30	-60.30

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.12825G	-41.07	-21.20	-19.87	4.55	0.00	-45.62	-45.62
1G	8G	1M	PK	5.30988G	-46.65	-21.20	-25.45	4.55	0.00	-51.20	-51.20
1G	8G	1M	PK	5.879G	-52.28	-27.00	-25.28	4.55	0.00	-56.83	-56.83

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.13G	-48.39	-41.20	-7.19	4.55	0.00	-52.94	-52.94
1G	8G	1M	AV	5.37588G	-52.23	-41.20	-11.03	4.55	0.00	-56.78	-56.78

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.0495G	-45.78	-21.20	-24.58	4.55	0.00	-50.33	-50.33
1G	8G	1M	PK	5.40825G	-47.06	-21.20	-25.86	4.55	0.00	-51.61	-51.61
1G	8G	1M	PK	5.67288G	-52.12	-27.00	-25.12	4.55	0.00	-56.67	-56.67

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.123G	-51.68	-41.20	-10.48	4.55	0.00	-56.23	-56.23
1G	8G	1M	AV	5.4065G	-51.80	-41.20	-10.60	4.55	0.00	-56.35	-56.35

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.074G	-45.75	-21.20	-24.55	3.80	0.00	-49.55	-49.55
1G	8G	1M	PK	5.37588G	-48.33	-21.20	-27.13	3.80	0.00	-52.13	-52.13
1G	8G	1M	PK	5.87988G	-52.40	-27.00	-25.40	3.80	0.00	-56.20	-56.20

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.06963G	-52.24	-41.20	-11.04	3.80	0.00	-56.04	-56.04
1G	8G	1M	AV	5.37588G	-53.89	-41.20	-12.69	3.80	0.00	-57.69	-57.69

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.06788G	-45.67	-21.20	-24.47	3.80	0.00	-49.47	-49.47
1G	8G	1M	PK	5.368G	-37.16	-21.20	-15.96	3.80	0.00	-40.96	-40.96
1G	8G	1M	PK	5.8825G	-52.98	-27.00	-25.98	3.80	0.00	-56.78	-56.78

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.11863G	-52.59	-41.20	-11.39	3.80	0.00	-56.39	-56.39
1G	8G	1M	AV	5.36275G	-46.11	-41.20	-4.91	3.80	0.00	-49.91	-49.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5510MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.16588G	-56.68	-27.00	-29.68	3.49	0.00	-60.17	-60.17
1G	8G	1M	PK	5.41175G	-46.99	-21.20	-25.79	3.49	0.00	-50.48	-50.48
1G	8G	1M	PK	5.46863G	-58.30	-27.00	-31.30	3.49	0.00	-61.79	-61.79
1G	8G	1M	PK	5.88338G	-53.43	-27.00	-26.43	3.49	0.00	-56.92	-56.92

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5510MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.06525G	-57.94	-41.20	-16.74	3.49	0.00	-61.43	-61.43
1G	8G	1M	AV	5.41088G	-54.05	-41.20	-12.85	3.49	0.00	-57.54	-57.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5550MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.05125G	-48.37	-21.20	-27.17	3.49	0.00	-51.86	-51.86
1G	8G	1M	PK	5.41G	-48.20	-21.20	-27.00	3.49	0.00	-51.69	-51.69
1G	8G	1M	PK	5.4695G	-57.81	-27.00	-30.81	3.49	0.00	-61.30	-61.30
1G	8G	1M	PK	5.87813G	-53.02	-27.00	-26.02	3.49	0.00	-56.51	-56.51

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5550MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.08188G	-56.03	-41.20	-14.83	3.49	0.00	-59.52	-59.52
1G	8G	1M	AV	5.37588G	-53.85	-41.20	-12.65	3.49	0.00	-57.34	-57.34

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.07925G	-50.95	-21.20	-29.75	3.49	0.00	-54.44	-54.44
1G	8G	1M	PK	5.40038G	-49.47	-21.20	-28.27	3.49	0.00	-52.96	-52.96
1G	8G	1M	PK	5.4625G	-58.41	-27.00	-31.41	3.49	0.00	-61.90	-61.90
1G	8G	1M	PK	5.8755G	-53.19	-27.00	-26.19	3.49	0.00	-56.68	-56.68

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.06G	-57.39	-41.20	-16.19	3.49	0.00	-60.88	-60.88
1G	8G	1M	AV	5.37588G	-56.50	-41.20	-15.30	3.49	0.00	-59.99	-59.99

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08888G	-50.31	-21.20	-29.11	3.49	0.00	-53.80	-53.80
1G	8G	1M	PK	5.41613G	-49.28	-21.20	-28.08	3.49	0.00	-52.77	-52.77
1G	8G	1M	PK	5.46338G	-57.72	-27.00	-30.72	3.49	0.00	-61.21	-61.21
1G	8G	1M	PK	5.88163G	-53.42	-27.00	-26.42	3.49	0.00	-56.91	-56.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.11338G	-56.66	-41.20	-15.46	3.49	0.00	-60.15	-60.15
1G	8G	1M	AV	5.37588G	-56.27	-41.20	-15.07	3.49	0.00	-59.76	-59.76

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5755MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.39775G	-48.25	-21.20	-27.06	3.89	0.00	-52.15	-52.15
1G	8G	1M	PK	5.949G	-54.81	-27.00	-27.81	3.89	0.00	-58.70	-58.70

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5755MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.39163G	-54.53	-41.20	-13.33	3.89	0.00	-58.42	-58.42

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [PK]

5795MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.40038G	-48.18	-21.20	-26.98	3.89	0.00	-52.07	-52.07
1G	8G	1M	PK	5.93588G	-55.57	-27.00	-28.57	3.89	0.00	-59.46	-59.46

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Other [AV]

5795MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.41G	-54.28	-41.20	-13.08	3.89	0.00	-58.17	-58.17

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5210MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.12913G	-34.92	-21.20	-13.72	4.55	0.00	-39.47	-39.47
1G	8G	1M	PK	5.40563G	-46.01	-21.20	-24.81	4.55	0.00	-50.56	-50.56
1G	8G	1M	PK	5.67288G	-51.75	-27.00	-24.75	4.55	0.00	-56.30	-56.30

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5210MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.12563G	-42.50	-41.20	-1.30	4.55	0.00	-47.05	-47.05
1G	8G	1M	AV	5.37588G	-51.66	-41.20	-10.46	4.55	0.00	-56.21	-56.21

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08625G	-46.54	-21.20	-25.34	3.80	0.00	-50.34	-50.34
1G	8G	1M	PK	5.3715G	-32.76	-21.20	-11.56	3.80	0.00	-36.56	-36.56
1G	8G	1M	PK	5.88425G	-53.25	-27.00	-26.25	3.80	0.00	-57.05	-57.05

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.09413G	-51.96	-41.20	-10.76	3.80	0.00	-55.76	-55.76
1G	8G	1M	AV	5.37063G	-43.36	-41.20	-2.16	3.80	0.00	-47.16	-47.16

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5530MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.20525G	-56.61	-27.00	-29.61	3.49	0.00	-60.10	-60.10
1G	8G	1M	PK	5.42225G	-43.41	-21.20	-22.21	3.49	0.00	-46.90	-46.90
1G	8G	1M	PK	5.46163G	-58.21	-27.00	-31.21	3.49	0.00	-61.70	-61.70
1G	8G	1M	PK	5.87638G	-54.52	-27.00	-27.52	3.49	0.00	-58.01	-58.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5530MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.0915G	-57.65	-41.20	-16.45	3.49	0.00	-61.14	-61.14
1G	8G	1M	AV	5.417G	-50.54	-41.20	-9.34	3.49	0.00	-54.03	-54.03

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5610MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.09588G	-50.67	-21.20	-29.47	3.49	0.00	-54.16	-54.16
1G	8G	1M	PK	5.40038G	-50.05	-21.20	-28.85	3.49	0.00	-53.54	-53.54
1G	8G	1M	PK	5.46863G	-57.81	-27.00	-30.81	3.49	0.00	-61.30	-61.30
1G	8G	1M	PK	5.8825G	-53.29	-27.00	-26.29	3.49	0.00	-56.78	-56.78

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5610MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.10113G	-58.02	-41.20	-16.82	3.49	0.00	-61.51	-61.51
1G	8G	1M	AV	5.41088G	-55.70	-41.20	-14.50	3.49	0.00	-59.19	-59.19

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.0845G	-50.45	-21.20	-29.25	3.49	0.00	-53.94	-53.94
1G	8G	1M	PK	5.41088G	-49.12	-21.20	-27.92	3.49	0.00	-52.61	-52.61
1G	8G	1M	PK	5.4625G	-57.92	-27.00	-30.92	3.49	0.00	-61.41	-61.41
1G	8G	1M	PK	5.88075G	-51.96	-27.00	-24.96	3.49	0.00	-55.45	-55.45

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.11513G	-56.97	-41.20	-15.77	3.49	0.00	-60.46	-60.46
1G	8G	1M	AV	5.37588G	-54.69	-41.20	-13.49	3.49	0.00	-58.18	-58.18

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [PK]

5775MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.40738G	-47.67	-21.20	-26.47	3.89	0.00	-51.56	-51.56
1G	8G	1M	PK	5.977G	-55.32	-27.00	-28.32	3.89	0.00	-59.21	-59.21

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Other [AV]

5775MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.3995G	-54.62	-41.20	-13.42	3.89	0.00	-58.51	-58.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.081G	-42.35	-21.20	-21.15	4.59	0.00	-46.94	-50.62	-49.37
1G	8G	1M	PK	5.403G	-45.42	-21.20	-34.22	4.59	0.00	-50.01	-52.11	-54.18
1G	8G	1M	PK	5.87463G	-50.89	-27.00	-23.89	4.59	0.00	-55.48	-58.07	-58.95

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.0775G	-48.24	-41.20	-7.04	4.59	0.00	-52.83	-55.98	-55.71
1G	8G	1M	AV	5.37588G	-49.93	-41.20	-8.73	4.59	0.00	-54.52	-55.77	-60.55

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.10025G	-43.58	-21.20	-22.38	4.59	0.00	-48.17	-49.69	-53.47
1G	8G	1M	PK	5.38988G	-45.16	-21.20	-23.96	4.59	0.00	-49.75	-50.95	-55.93
1G	8G	1M	PK	5.87288G	-51.04	-27.00	-24.04	4.59	0.00	-55.63	-57.34	-60.49

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.102G	-49.24	-41.20	-8.04	4.59	0.00	-53.83	-55.95	-57.96
1G	8G	1M	AV	5.39338G	-51.22	-41.20	-10.02	4.59	0.00	-55.81	-57.96	-59.90

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.05213G	-43.06	-21.20	-21.86	4.59	0.00	-47.65	-50.84	-50.48
1G	8G	1M	PK	5.396G	-45.27	-21.20	-24.07	4.59	0.00	-49.86	-52.09	-53.83
1G	8G	1M	PK	5.879G	-49.83	-27.00	-22.83	4.59	0.00	-54.42	-55.67	-60.42

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.05125G	-48.87	-41.20	-7.67	4.59	0.00	-53.46	-57.06	-55.95
1G	8G	1M	AV	5.37588G	-51.75	-41.20	-10.55	4.59	0.00	-56.34	-57.99	-61.33

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.06963G	-42.67	-21.20	-21.47	4.32	0.00	-46.99	-48.13	-53.35
1G	8G	1M	PK	5.37588G	-46.52	-21.20	-25.32	4.32	0.00	-50.84	-51.55	-59.07
1G	8G	1M	PK	5.87725G	-49.56	-27.00	-22.56	4.32	0.00	-53.88	-54.79	-61.13

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5260MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.07138G	-48.86	-41.20	-7.66	4.32	0.00	-53.18	-56.46	-55.94
1G	8G	1M	AV	5.37588G	-51.48	-41.20	-10.28	4.32	0.00	-55.80	-56.62	-63.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5300MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.10113G	-42.48	-21.20	-21.26	4.32	0.00	-46.78	-48.86	-50.97
1G	8G	1M	PK	5.39775G	-45.01	-21.20	-23.81	4.32	0.00	-49.33	-51.46	-53.41
1G	8G	1M	PK	5.88163G	-51.16	-27.00	-24.16	4.32	0.00	-55.48	-58.49	-58.49

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.10725G	-48.55	-41.20	-7.35	4.32	0.00	-52.87	-56.93	-55.04
1G	8G	1M	AV	5.39863G	-50.98	-41.20	-9.78	4.32	0.00	-55.30	-57.88	-58.78

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.07575G	-43.72	-21.20	-22.52	4.32	0.00	-48.04	-51.13	-50.97
1G	8G	1M	PK	5.42138G	-45.73	-21.20	-24.53	4.32	0.00	-50.05	-53.01	-53.12
1G	8G	1M	PK	5.86763G	-51.38	-27.00	-24.38	4.32	0.00	-55.70	-59.00	-58.43

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5320MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.12125G	-49.56	-41.20	-8.36	4.32	0.00	-53.88	-56.54	-57.28
1G	8G	1M	AV	5.40913G	-51.59	-41.20	-10.39	4.32	0.00	-55.91	-60.44	-57.80

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5500MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.0613G	-46.68	-21.20	-25.48	4.02	0.00	-50.70	-54.50	-53.05
1G	8G	1M	PK	5.3995G	-43.11	-21.20	-21.91	4.02	0.00	-47.13	-50.32	-49.96
1G	8G	1M	PK	5.46075G	-54.91	-27.00	-27.91	4.02	0.00	-58.93	-62.32	-61.60
1G	8G	1M	PK	5.88163G	-51.57	-27.00	-24.57	4.02	0.00	-55.59	-58.26	-58.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.06263G	-52.90	-41.20	-11.70	4.02	0.00	-56.92	-59.32	-60.63
1G	8G	1M	AV	5.40038G	-49.00	-41.20	-7.80	4.02	0.00	-53.02	-55.74	-56.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.08975G	-46.83	-21.20	-25.63	4.02	0.00	-50.85	-55.21	-52.83
1G	8G	1M	PK	5.3855G	-45.55	-21.20	-24.35	4.02	0.00	-49.57	-53.77	-51.65
1G	8G	1M	PK	5.46775G	-53.92	-27.00	-26.92	4.02	0.00	-57.94	-59.74	-62.64
1G	8G	1M	PK	5.87813G	-51.86	-27.00	-24.86	4.02	0.00	-55.88	-60.51	-57.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.09413G	-53.67	-41.20	-12.47	4.02	0.00	-57.69	-63.12	-59.15
1G	8G	1M	AV	5.38375G	-51.71	-41.20	-10.51	4.02	0.00	-55.73	-58.20	-59.35

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.07225G	-47.06	-21.20	-25.86	4.02	0.00	-51.08	-56.11	-52.71
1G	8G	1M	PK	5.40738G	-48.02	-21.20	-26.82	4.02	0.00	-52.04	-55.73	-54.47
1G	8G	1M	PK	5.46863G	-54.68	-27.00	-27.68	4.02	0.00	-58.70	-62.53	-61.02
1G	8G	1M	PK	5.87725G	-51.15	-27.00	-24.15	4.02	0.00	-55.17	-56.89	-60.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.06613G	-52.80	-41.20	-11.60	4.02	0.00	-56.82	-60.44	-59.29
1G	8G	1M	AV	5.37588G	-53.26	-41.20	-12.06	4.02	0.00	-57.28	-59.46	-61.33

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.05388G	-46.89	-21.20	-25.69	4.02	0.00	-50.91	-56.53	-52.30
1G	8G	1M	PK	5.40388G	-47.82	-21.20	-26.62	4.02	0.00	-51.84	-53.66	-56.51
1G	8G	1M	PK	5.4695G	-55.05	-27.00	-28.05	4.02	0.00	-59.07	-64.22	-60.66
1G	8G	1M	PK	5.87725G	-50.55	-27.00	-23.55	4.02	0.00	-54.57	-56.07	-59.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.06438G	-52.69	-41.20	-11.49	4.02	0.00	-56.71	-62.15	-58.17
1G	8G	1M	AV	5.41525G	-53.17	-41.20	-11.97	4.02	0.00	-57.19	-61.00	-59.52

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.074G	-46.64	-21.20	-25.44	4.45	0.00	-51.09	-54.63	-53.63
1G	8G	1M	PK	5.93938G	-52.83	-27.00	-25.83	4.45	0.00	-57.28	-61.16	-59.56
1G	8G	1M	PK	6.67263G	-51.61	-27.00	-24.61	4.45	0.00	-56.06	-58.24	-60.09

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.41613G	-52.69	-41.20	-11.49	4.45	0.00	-57.14	-58.52	-62.78

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.06175G	-47.11	-21.20	-25.91	4.45	0.00	-51.56	-58.65	-52.51
1G	8G	1M	PK	5.92625G	-52.91	-27.00	-25.91	4.45	0.00	-57.36	-60.72	-60.05
1G	8G	1M	PK	6.97975G	-51.83	-27.00	-24.83	4.45	0.00	-56.28	-58.63	-60.08

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.3995G	-53.61	-41.20	-12.41	4.45	0.00	-58.06	-60.77	-61.39

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [PK]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.088G	-45.70	-21.20	-24.50	4.45	0.00	-50.15	-55.53	-51.63
1G	8G	1M	PK	5.96038G	-52.51	-27.00	-25.51	4.45	0.00	-56.96	-60.93	-59.19

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Other [AV]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.0565G	-51.91	-41.20	-10.71	4.45	0.00	-56.36	-63.30	-57.34

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.08713G	-41.92	-21.20	-20.72	4.59	0.00	-46.51	-49.39	-49.65
1G	8G	1M	PK	5.37763G	-44.69	-21.20	-23.49	4.59	0.00	-49.28	-50.96	-54.19
1G	8G	1M	PK	5.88863G	-51.06	-27.00	-24.06	4.59	0.00	-55.65	-57.34	-60.56

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.08713G	-47.70	-41.20	-6.50	4.59	0.00	-52.29	-55.41	-55.20
1G	8G	1M	AV	5.37588G	-50.94	-41.20	-9.74	4.59	0.00	-55.53	-56.89	-61.24

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.09763G	-42.97	-21.20	-21.77	4.59	0.00	-47.56	-48.92	-53.27
1G	8G	1M	PK	5.3925G	-44.62	-21.20	-23.42	4.59	0.00	-49.21	-51.02	-53.88
1G	8G	1M	PK	5.88425G	-50.87	-27.00	-23.87	4.59	0.00	-55.46	-57.46	-59.78

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.10113G	-48.58	-41.20	-7.38	4.59	0.00	-53.17	-55.14	-57.55
1G	8G	1M	AV	5.39863G	-50.44	-41.20	-9.24	4.59	0.00	-55.03	-57.51	-58.65

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.053G	-42.00	-21.20	-20.80	4.59	0.00	-46.59	-51.25	-48.41
1G	8G	1M	PK	5.40388G	-46.16	-21.20	-24.96	4.59	0.00	-50.75	-54.05	-53.48
1G	8G	1M	PK	5.88075G	-51.07	-27.00	-24.07	4.59	0.00	-55.66	-57.80	-59.76

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.04775G	-48.12	-41.20	-6.92	4.59	0.00	-52.71	-56.25	-55.24
1G	8G	1M	AV	5.37588G	-51.75	-41.20	-10.55	4.59	0.00	-56.34	-58.37	-60.63

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.0705G	-43.36	-21.20	-22.16	4.32	0.00	-47.68	-50.03	-51.46
1G	8G	1M	PK	5.3995G	-45.92	-21.20	-24.72	4.32	0.00	-50.24	-51.59	-55.98
1G	8G	1M	PK	5.87725G	-50.84	-27.00	-23.84	4.32	0.00	-55.16	-57.16	-59.48

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.06613G	-49.13	-41.20	-7.93	4.32	0.00	-53.45	-55.49	-57.70
1G	8G	1M	AV	5.37588G	-51.57	-41.20	-10.37	4.32	0.00	-55.89	-57.11	-61.98

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.10725G	-42.49	-21.20	-21.29	4.32	0.00	-46.81	-49.93	-49.72
1G	8G	1M	PK	5.39425G	-44.94	-21.20	-23.74	4.32	0.00	-49.26	-53.21	-51.49
1G	8G	1M	PK	5.87725G	-51.20	-27.00	-24.20	4.32	0.00	-55.52	-57.64	-59.65

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.10288G	-48.64	-41.20	-7.44	4.32	0.00	-52.96	-55.85	-56.09
1G	8G	1M	AV	5.3995G	-51.09	-41.20	-9.89	4.32	0.00	-55.41	-59.06	-57.87

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.12038G	-43.85	-21.20	-22.65	4.32	0.00	-48.17	-52.23	-50.33
1G	8G	1M	PK	5.41G	-45.56	-21.20	-24.36	4.32	0.00	-49.88	-53.50	-52.35
1G	8G	1M	PK	5.879G	-50.07	-27.00	-23.07	4.32	0.00	-54.39	-56.08	-59.31

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.12213G	-49.99	-41.20	-8.79	4.32	0.00	-54.31	-57.73	-56.95
1G	8G	1M	AV	5.37588G	-51.35	-41.20	-10.15	4.32	0.00	-55.67	-57.34	-60.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.11075G	-46.99	-21.20	-25.79	4.02	0.00	-51.01	-52.70	-55.92
1G	8G	1M	PK	5.40213G	-43.11	-21.20	-21.91	4.02	0.00	-47.13	-49.23	-51.30
1G	8G	1M	PK	5.46163G	-53.77	-27.00	-26.77	4.02	0.00	-57.79	-60.94	-60.67
1G	8G	1M	PK	5.87463G	-51.31	-27.00	-24.31	4.02	0.00	-55.33	-58.23	-58.46

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5500MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.07488G	-52.91	-41.20	-11.71	4.02	0.00	-56.93	-59.30	-60.69
1G	8G	1M	AV	5.40213G	-48.77	-41.20	-7.57	4.02	0.00	-52.79	-55.83	-55.78

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5580MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.05825G	-46.87	-21.20	-25.67	4.02	0.00	-50.89	-55.89	-52.54
1G	8G	1M	PK	5.38813G	-45.80	-21.20	-24.60	4.02	0.00	-49.82	-53.06	-52.62
1G	8G	1M	PK	5.466G	-54.75	-27.00	-27.75	4.02	0.00	-58.77	-63.46	-60.57
1G	8G	1M	PK	5.88075G	-51.42	-27.00	-24.42	4.02	0.00	-55.44	-58.49	-58.41

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.03725G	-52.94	-41.20	-11.74	4.02	0.00	-56.96	-64.09	-57.90
1G	8G	1M	AV	5.39163G	-51.55	-41.20	-10.35	4.02	0.00	-55.57	-58.48	-58.68

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.08538G	-46.45	-21.20	-25.25	4.02	0.00	-50.47	-54.79	-52.48
1G	8G	1M	PK	5.40563G	-46.68	-21.20	-25.48	4.02	0.00	-50.70	-53.69	-53.73
1G	8G	1M	PK	5.466G	-54.95	-27.00	-27.95	4.02	0.00	-58.97	-62.53	-61.50
1G	8G	1M	PK	5.87638G	-51.43	-27.00	-24.43	4.02	0.00	-55.45	-57.36	-59.93

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.088G	-53.08	-41.20	-11.88	4.02	0.00	-57.10	-60.59	-59.68
1G	8G	1M	AV	5.403G	-53.30	-41.20	-12.10	4.02	0.00	-57.32	-59.32	-61.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.07838G	-46.49	-21.20	-25.29	4.02	0.00	-50.51	-55.69	-52.08
1G	8G	1M	PK	5.38288G	-47.65	-21.20	-26.45	4.02	0.00	-51.67	-54.53	-54.83
1G	8G	1M	PK	5.46075G	-54.30	-27.00	-27.30	4.02	0.00	-58.32	-60.32	-62.65
1G	8G	1M	PK	5.87375G	-50.79	-27.00	-23.79	4.02	0.00	-54.81	-57.21	-58.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.10288G	-53.45	-41.20	-12.25	4.02	0.00	-57.47	-61.97	-59.37
1G	8G	1M	AV	5.41438G	-53.51	-41.20	-12.31	4.02	0.00	-57.53	-61.28	-59.91

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.41G	-46.02	-21.20	-24.82	4.45	0.00	-50.47	-51.63	-56.79
1G	8G	1M	PK	5.98313G	-51.59	-27.00	-24.59	4.45	0.00	-56.04	-58.81	-59.30

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.40388G	-52.30	-41.20	-11.10	4.45	0.00	-56.75	-58.41	-61.74

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.41525G	-46.83	-21.20	-25.63	4.45	0.00	-51.28	-53.17	-55.81
1G	8G	1M	PK	5.93325G	-52.69	-27.00	-25.69	4.45	0.00	-57.14	-61.37	-59.20
1G	8G	1M	PK	6.86775G	-51.70	-27.00	-24.70	4.45	0.00	-56.15	-57.61	-61.61

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.40913G	-53.95	-41.20	-12.75	4.45	0.00	-58.40	-61.41	-61.41

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [PK]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.06088G	-45.41	-21.20	-24.21	4.45	0.00	-49.86	-56.67	-50.88
1G	8G	1M	PK	5.92538G	-52.72	-27.00	-25.72	4.45	0.00	-57.17	-59.08	-61.66

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Other [AV]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.38025G	-51.73	-41.20	-10.53	4.45	0.00	-56.18	-60.78	-58.03

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.13175G	-40.96	-21.20	-19.76	4.59	0.00	-45.55	-47.80	-49.48
1G	8G	1M	PK	5.38375G	-45.31	-21.20	-24.11	4.59	0.00	-49.90	-51.20	-55.77
1G	8G	1M	PK	5.88075G	-49.97	-27.00	-22.97	4.59	0.00	-54.56	-56.33	-59.32

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.13263G	-47.77	-41.20	-6.57	4.59	0.00	-52.36	-54.77	-56.06
1G	8G	1M	AV	5.37588G	-50.29	-41.20	-9.09	4.59	0.00	-54.88	-55.82	-61.98

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.04075G	-43.24	-21.20	-22.04	4.59	0.00	-47.83	-51.27	-50.45
1G	8G	1M	PK	5.41438G	-44.35	-21.20	-23.15	4.59	0.00	-48.94	-51.04	-53.10
1G	8G	1M	PK	5.88688G	-50.66	-27.00	-23.66	4.59	0.00	-55.25	-56.42	-61.50

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.03988G	-48.14	-41.20	-6.94	4.59	0.00	-52.73	-56.63	-55.00
1G	8G	1M	AV	5.41438G	-50.50	-41.20	-9.30	4.59	0.00	-55.09	-57.76	-58.46

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.08188G	-42.49	-21.20	-21.29	4.32	0.00	-46.81	-49.58	-50.08
1G	8G	1M	PK	5.39338G	-44.76	-21.20	-23.56	4.32	0.00	-49.06	-51.95	-52.23
1G	8G	1M	PK	5.67988G	-50.69	-27.00	-23.69	4.32	0.00	-55.01	-56.33	-60.83

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.07488G	-48.51	-41.20	-7.31	4.32	0.00	-52.83	-56.48	-55.29
1G	8G	1M	AV	5.37588G	-51.01	-41.20	-9.81	4.32	0.00	-55.33	-57.00	-60.30

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.12038G	-43.84	-21.20	-22.64	4.32	0.00	-48.16	-50.89	-51.46
1G	8G	1M	PK	5.35925G	-37.45	-21.20	-16.25	4.32	0.00	-41.77	-43.65	-46.32
1G	8G	1M	PK	5.8825G	-50.83	-27.00	-23.83	4.32	0.00	-55.15	-56.72	-60.34

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.109G	-50.19	-41.20	-8.99	4.32	0.00	-54.51	-56.37	-59.08
1G	8G	1M	AV	5.36013G	-46.51	-41.20	-5.31	4.32	0.00	-50.83	-52.20	-56.49

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5510MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.09763G	-47.56	-21.20	-26.36	4.02	0.00	-51.58	-56.34	-53.34
1G	8G	1M	PK	5.4135G	-45.21	-21.20	-24.01	4.02	0.00	-49.23	-50.90	-54.18
1G	8G	1M	PK	5.46425G	-54.65	-27.00	-27.65	4.02	0.00	-58.67	-61.21	-62.21
1G	8G	1M	PK	5.88163G	-51.14	-27.00	-24.14	4.02	0.00	-55.16	-57.11	-59.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5510MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.088G	-53.48	-41.20	-12.28	4.02	0.00	-57.50	-60.67	-60.36
1G	8G	1M	AV	5.40213G	-51.20	-41.20	-10.00	4.02	0.00	-55.22	-58.29	-58.17

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5550MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.0985G	-45.18	-21.20	-23.98	4.02	0.00	-49.20	-52.54	-51.90
1G	8G	1M	PK	5.40213G	-45.63	-21.20	-24.43	4.02	0.00	-49.65	-54.06	-51.60
1G	8G	1M	PK	5.4695G	-54.41	-27.00	-27.41	4.02	0.00	-58.43	-61.49	-61.40
1G	8G	1M	PK	5.87988G	-50.58	-27.00	-23.58	4.02	0.00	-54.60	-57.30	-57.95

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5550MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.05388G	-51.80	-41.20	-10.60	4.02	0.00	-55.82	-60.39	-57.68
1G	8G	1M	AV	5.37588G	-51.63	-41.20	-10.43	4.02	0.00	-55.65	-57.93	-59.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.05738G	-46.25	-21.20	-25.05	4.02	0.00	-50.27	-56.08	-51.59
1G	8G	1M	PK	5.40213G	-47.94	-21.20	-26.74	4.02	0.00	-51.96	-55.48	-54.51
1G	8G	1M	PK	5.4695G	-54.79	-27.00	-27.79	4.02	0.00	-58.81	-60.40	-63.96
1G	8G	1M	PK	5.886G	-51.31	-27.00	-24.31	4.02	0.00	-55.33	-56.93	-60.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.06088G	-53.09	-41.20	-11.89	4.02	0.00	-57.11	-61.29	-59.20
1G	8G	1M	AV	5.41438G	-53.37	-41.20	-12.17	4.02	0.00	-57.39	-60.66	-60.15

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.09675G	-44.19	-21.20	-22.99	4.02	0.00	-48.21	-54.30	-49.44
1G	8G	1M	PK	5.41263G	-45.61	-21.20	-24.41	4.02	0.00	-49.63	-55.04	-51.11
1G	8G	1M	PK	5.4625G	-55.02	-27.00	-28.02	4.02	0.00	-59.04	-61.80	-62.32
1G	8G	1M	PK	5.8755G	-51.16	-27.00	-24.16	4.02	0.00	-55.18	-57.49	-59.03

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.08363G	-50.85	-41.20	-9.65	4.02	0.00	-54.87	-61.46	-55.94
1G	8G	1M	AV	5.40475G	-51.82	-41.20	-10.62	4.02	0.00	-55.84	-59.60	-58.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5755MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.39775G	-45.37	-21.20	-24.17	4.45	0.00	-49.82	-53.19	-52.50
1G	8G	1M	PK	5.92888G	-52.87	-27.00	-25.87	4.45	0.00	-57.32	-59.97	-60.73

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5755MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.40038G	-51.38	-41.20	-10.18	4.45	0.00	-55.83	-59.05	-58.64

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [PK]

5795MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.41G	-45.00	-21.20	-23.80	4.45	0.00	-49.45	-51.36	-53.93
1G	8G	1M	PK	5.96475G	-52.31	-27.00	-25.31	4.45	0.00	-56.76	-58.56	-61.45

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE Other [AV]

5795MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.40475G	-51.13	-41.20	-9.93	4.45	0.00	-55.58	-58.15	-59.09

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5210MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.11775G	-34.77	-21.20	-13.57	4.59	0.00	-39.36	-41.25	-43.87
1G	8G	1M	PK	5.38725G	-46.49	-21.20	-25.28	4.59	0.00	-51.07	-53.87	-54.30
1G	8G	1M	PK	5.872G	-51.20	-27.00	-24.20	4.59	0.00	-55.79	-57.34	-61.00

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5210MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.1265G	-42.51	-41.20	-1.31	4.59	0.00	-47.10	-50.48	-49.77
1G	8G	1M	AV	5.37588G	-51.89	-41.20	-10.69	4.59	0.00	-56.48	-57.99	-61.79

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.088G	-45.73	-21.20	-24.53	4.32	0.00	-50.05	-52.10	-54.29
1G	8G	1M	PK	5.3715G	-33.97	-21.20	-12.77	4.32	0.00	-38.29	-38.89	-47.21
1G	8G	1M	PK	5.67463G	-51.66	-27.00	-24.66	4.32	0.00	-55.98	-58.86	-59.12

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.074G	-51.38	-41.20	-10.18	4.32	0.00	-55.70	-58.04	-59.51
1G	8G	1M	AV	5.3715G	-42.37	-41.20	-1.17	4.32	0.00	-46.69	-48.03	-52.46

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5530MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.09063G	-47.10	-21.20	-25.90	4.02	0.00	-51.12	-54.35	-53.93
1G	8G	1M	PK	5.4135G	-38.53	-21.20	-17.33	4.02	0.00	-42.55	-48.43	-43.85
1G	8G	1M	PK	5.46075G	-54.32	-27.00	-27.32	4.02	0.00	-58.34	-61.80	-60.94
1G	8G	1M	PK	5.88688G	-51.51	-27.00	-24.51	4.02	0.00	-55.53	-57.69	-59.61

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5530MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.09238G	-53.53	-41.20	-12.33	4.02	0.00	-57.55	-61.94	-59.51
1G	8G	1M	AV	5.41438G	-46.36	-41.20	-5.16	4.02	0.00	-50.38	-55.03	-52.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5610MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.074G	-46.65	-21.20	-25.45	4.02	0.00	-50.67	-57.68	-51.63
1G	8G	1M	PK	5.40388G	-45.30	-21.20	-24.10	4.02	0.00	-49.32	-53.55	-51.38
1G	8G	1M	PK	5.46863G	-54.72	-27.00	-27.72	4.02	0.00	-58.74	-62.75	-60.93
1G	8G	1M	PK	5.87725G	-51.72	-27.00	-24.72	4.02	0.00	-55.74	-58.01	-59.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5610MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.04775G	-53.01	-41.20	-11.81	4.02	0.00	-57.03	-62.65	-58.42
1G	8G	1M	AV	5.40913G	-52.32	-41.20	-11.12	4.02	0.00	-56.34	-58.71	-60.11

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.11163G	-44.98	-21.20	-23.78	4.02	0.00	-49.00	-54.21	-50.55
1G	8G	1M	PK	5.38463G	-45.86	-21.20	-24.66	4.02	0.00	-49.88	-52.40	-53.44
1G	8G	1M	PK	5.46425G	-53.81	-27.00	-26.81	4.02	0.00	-57.83	-60.84	-60.84
1G	8G	1M	PK	5.87113G	-49.52	-27.00	-22.52	4.02	0.00	-53.54	-55.52	-57.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.04513G	-50.84	-41.20	-9.64	4.02	0.00	-54.86	-62.97	-55.59
1G	8G	1M	AV	5.41525G	-52.54	-41.20	-11.34	4.02	0.00	-56.56	-61.46	-58.26

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [PK]

5775MHz

27/03/2023



Limit:PK
EIRP:PK
Sum:PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.39863G	-44.77	-21.20	-23.57	4.45	0.00	-49.22	-52.56	-51.92
1G	8G	1M	PK	5.94813G	-52.41	-27.00	-25.41	4.45	0.00	-56.86	-59.17	-60.71

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Other [AV]

5775MHz

27/03/2023



Limit:AV
EIRP:AV
Sum:AV
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.37588G	-50.83	-41.20	-9.63	4.45	0.00	-55.28	-56.78	-60.63

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5180MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07838G	-39.42	-21.20	-18.22	5.21	0.00	-44.63	-50.59	-49.39	-51.00	-52.02
1G	8G	1M	PK	5.37675G	-42.10	-21.20	-20.90	5.21	0.00	-47.31	-53.01	-55.25	-53.22	-52.35
1G	8G	1M	PK	5.87725G	-47.47	-27.00	-20.47	5.21	0.00	-52.68	-57.86	-59.84	-60.71	-57.29

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07663G	-45.67	-41.20	-4.47	5.21	0.00	-50.88	-55.94	-56.92	-55.85	-60.06
1G	8G	1M	AV	5.37588G	-46.94	-41.20	-5.74	5.21	0.00	-52.15	-55.92	-60.89	-59.91	-57.69

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.09763G	-40.60	-21.20	-19.40	5.21	0.00	-45.81	-50.35	-51.94	-52.55	-52.94
1G	8G	1M	PK	5.19425G	-41.37	-21.20	-20.17	5.21	0.00	-46.58	-51.58	-53.44	-52.62	-51.73
1G	8G	1M	PK	5.88425G	-47.64	-27.00	-20.64	5.21	0.00	-52.85	-58.66	-61.60	-59.33	-57.05

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5200MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.10813G	-46.23	-41.20	-5.03	5.21	0.00	-51.44	-55.65	-58.43	-57.59	-58.95
1G	8G	1M	AV	5.38988G	-47.67	-41.20	-6.47	5.21	0.00	-52.88	-57.44	-61.44	-59.32	-58.36

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5240MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.05038G	-39.87	-21.20	-18.67	5.21	0.00	-45.08	-51.08	-49.22	-52.97	-52.06
1G	8G	1M	PK	5.38725G	-42.76	-21.20	-21.56	5.21	0.00	-47.97	-53.57	-53.64	-53.83	-55.11
1G	8G	1M	PK	5.87375G	-46.94	-27.00	-19.94	5.21	0.00	-52.15	-58.54	-58.30	-57.00	-59.11

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.04863G	-45.69	-41.20	-4.49	5.21	0.00	-50.90	-56.68	-55.49	-57.08	-59.23
1G	8G	1M	AV	5.38463G	-48.74	-41.20	-7.54	5.21	0.00	-53.95	-59.49	-59.79	-60.26	-60.42

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06963G	-41.03	-21.20	-19.83	4.48	0.00	-45.51	-50.99	-51.75	-50.39	-53.63
1G	8G	1M	PK	5.40038G	-43.32	-21.20	-22.12	4.48	0.00	-47.80	-53.32	-56.23	-53.65	-52.79
1G	8G	1M	PK	5.87813G	-48.69	-27.00	-21.69	4.48	0.00	-53.17	-58.40	-61.46	-58.56	-58.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07225G	-46.68	-41.20	-5.48	4.48	0.00	-51.16	-55.31	-57.77	-56.85	-60.10
1G	8G	1M	AV	5.37588G	-49.48	-41.20	-8.28	4.48	0.00	-53.96	-57.75	-62.80	-60.89	-59.99

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.10463G	-41.02	-21.20	-19.82	4.48	0.00	-45.50	-49.37	-50.93	-53.32	-54.08
1G	8G	1M	PK	5.3995G	-42.50	-21.20	-21.30	4.48	0.00	-46.98	-53.47	-52.36	-52.73	-53.55
1G	8G	1M	PK	5.879G	-47.68	-27.00	-20.68	4.48	0.00	-52.16	-56.96	-60.42	-58.32	-57.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.10813G	-47.04	-41.20	-5.84	4.48	0.00	-51.52	-55.98	-56.88	-58.06	-60.40
1G	8G	1M	AV	5.39863G	-48.06	-41.20	-6.86	4.48	0.00	-52.54	-58.99	-58.99	-57.75	-58.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.09588G	-41.91	-21.20	-20.71	4.48	0.00	-46.39	-53.82	-51.95	-49.86	-56.76
1G	8G	1M	PK	5.40913G	-42.75	-21.20	-21.55	4.48	0.00	-47.23	-52.39	-54.09	-52.19	-54.93
1G	8G	1M	PK	5.67463G	-48.22	-27.00	-21.22	4.48	0.00	-52.70	-57.35	-59.46	-58.62	-59.92

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.06963G	-48.03	-41.20	-6.83	4.48	0.00	-52.51	-58.62	-58.49	-56.37	-62.89
1G	8G	1M	AV	5.41G	-48.43	-41.20	-7.23	4.48	0.00	-52.91	-59.19	-58.77	-57.61	-60.69

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06613G	-43.00	-21.20	-21.80	4.78	0.00	-47.78	-55.70	-55.70	-51.77	-53.34
1G	8G	1M	PK	5.40038G	-40.26	-21.20	-19.06	4.78	0.00	-45.04	-49.64	-51.88	-51.29	-51.85
1G	8G	1M	PK	5.46775G	-50.43	-27.00	-23.43	4.78	0.00	-55.21	-62.10	-62.10	-61.11	-59.98
1G	8G	1M	PK	5.8755G	-47.57	-27.00	-20.57	4.78	0.00	-52.35	-57.15	-60.40	-58.54	-58.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07575G	-49.23	-41.20	-8.03	4.78	0.00	-54.01	-60.93	-61.26	-57.63	-61.61
1G	8G	1M	AV	5.3995G	-45.88	-41.20	-4.68	4.78	0.00	-50.66	-55.10	-56.30	-57.39	-58.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.05125G	-43.10	-21.20	-21.90	4.78	0.00	-47.88	-57.41	-53.06	-51.34	-56.60
1G	8G	1M	PK	5.38638G	-42.82	-21.20	-21.62	4.78	0.00	-47.60	-52.08	-54.23	-54.51	-54.11
1G	8G	1M	PK	5.46425G	-51.44	-27.00	-24.44	4.78	0.00	-56.22	-62.00	-61.90	-61.80	-63.46
1G	8G	1M	PK	5.872G	-47.59	-27.00	-20.59	4.78	0.00	-52.37	-58.93	-58.93	-56.73	-59.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.0845G	-49.34	-41.20	-8.14	4.78	0.00	-54.12	-62.78	-59.43	-58.32	-61.37
1G	8G	1M	AV	5.39163G	-48.11	-41.20	-6.91	4.78	0.00	-52.89	-57.85	-58.35	-59.91	-59.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07488G	-41.73	-21.20	-20.53	4.78	0.00	-46.51	-54.02	-52.14	-50.95	-53.76
1G	8G	1M	PK	5.39338G	-43.48	-21.20	-22.28	4.78	0.00	-48.26	-55.12	-54.48	-53.92	-53.73
1G	8G	1M	PK	5.46775G	-51.15	-27.00	-24.15	4.78	0.00	-55.93	-62.31	-62.53	-62.75	-60.57
1G	8G	1M	PK	5.88513G	-47.10	-27.00	-20.10	4.78	0.00	-51.88	-57.47	-59.78	-57.68	-57.12

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.05825G	-48.27	-41.20	-7.07	4.78	0.00	-53.05	-61.92	-60.35	-56.08	-60.35
1G	8G	1M	AV	5.37588G	-49.22	-41.20	-8.02	4.78	0.00	-54.00	-58.83	-60.55	-61.24	-59.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.38375G	-42.80	-21.20	-21.60	5.20	0.00	-48.00	-51.97	-55.40	-55.63	-54.12
1G	8G	1M	PK	5.9315G	-49.37	-27.00	-22.37	5.20	0.00	-54.57	-60.84	-62.03	-60.54	-59.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5745MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.06788G	-48.82	-41.20	-7.62	5.20	0.00	-54.02	-61.49	-59.98	-58.51	-60.74

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07313G	-42.76	-21.20	-21.56	5.20	0.00	-47.96	-56.63	-55.00	-50.78	-56.34
1G	8G	1M	PK	5.928G	-49.36	-27.00	-22.36	5.20	0.00	-54.56	-61.14	-61.45	-61.35	-58.93

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.088G	-49.03	-41.20	-7.83	5.20	0.00	-54.23	-62.85	-61.25	-57.48	-61.43

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [PK]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06175G	-42.09	-21.20	-20.89	5.20	0.00	-47.29	-56.72	-53.24	-51.37	-53.48
1G	8G	1M	PK	5.95688G	-48.97	-27.00	-21.97	5.20	0.00	-54.17	-61.44	-58.86	-60.62	-60.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

CSE Other [AV]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.40125G	-48.12	-41.20	-6.92	5.20	0.00	-53.32	-59.55	-58.05	-60.34	-59.78

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07925G	-39.29	-21.20	-18.09	5.21	0.00	-44.50	-49.71	-50.97	-49.27	-53.04
1G	8G	1M	PK	5.3785G	-42.39	-21.20	-21.19	5.21	0.00	-47.60	-52.80	-54.07	-53.76	-54.27
1G	8G	1M	PK	5.86763G	-47.67	-27.00	-20.67	5.21	0.00	-52.88	-57.39	-59.70	-59.89	-59.08

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5180MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.08188G	-45.56	-41.20	-4.36	5.21	0.00	-50.77	-56.33	-56.09	-56.73	-58.34
1G	8G	1M	AV	5.37588G	-47.79	-41.20	-6.59	5.21	0.00	-53.00	-56.78	-61.06	-60.07	-59.39

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5200MHz

27/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.10725G	-40.35	-21.20	-19.15	5.21	0.00	-45.56	-50.29	-51.93	-51.30	-53.38
1G	8G	1M	PK	5.3896	-41.37	-21.20	-20.17	5.21	0.00	-46.58	-49.75	-55.79	-52.99	-54.26
1G	8G	1M	PK	5.87725G	-47.45	-27.00	-20.45	5.21	0.00	-52.66	-56.69	-60.31	-59.48	-59.13

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.10638G	-46.27	-41.20	-5.07	5.21	0.00	-51.48	-56.78	-57.32	-56.57	-60.17
1G	8G	1M	AV	5.39513G	-47.71	-41.20	-6.51	5.21	0.00	-52.92	-58.08	-59.37	-59.22	-59.22

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.04338G	-40.05	-21.20	-18.85	5.21	0.00	-45.26	-50.95	-50.48	-51.00	-53.14
1G	8G	1M	PK	5.389G	-42.56	-21.20	-21.36	5.21	0.00	-47.77	-53.13	-54.54	-54.10	-53.52
1G	8G	1M	PK	5.87288G	-47.68	-27.00	-20.68	5.21	0.00	-52.89	-57.62	-60.59	-59.28	-58.69

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.05125G	-45.69	-41.20	-4.49	5.21	0.00	-50.90	-56.71	-56.00	-56.14	-59.75
1G	8G	1M	AV	5.37588G	-48.54	-41.20	-7.34	5.21	0.00	-53.75	-58.05	-60.72	-60.97	-59.99

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07225G	-40.55	-21.20	-19.35	4.48	0.00	-45.03	-48.75	-51.23	-51.37	-54.85
1G	8G	1M	PK	5.40911G	-43.33	-21.20	-22.13	4.48	0.00	-47.81	-54.33	-56.79	-52.10	-53.36
1G	8G	1M	PK	5.87463G	-47.99	-27.00	-20.99	4.48	0.00	-52.47	-58.38	-57.92	-58.95	-58.78

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07225G	-46.86	-41.20	-5.66	4.48	0.00	-51.34	-56.16	-57.27	-57.38	-59.11
1G	8G	1M	AV	5.37588G	-49.35	-41.20	-8.15	4.48	0.00	-53.83	-57.93	-63.13	-60.14	-59.68

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.10375G	-40.33	-21.20	-19.13	4.48	0.00	-44.81	-47.49	-50.99	-53.21	-56.03
1G	8G	1M	PK	5.4036	-42.09	-21.20	-20.89	4.48	0.00	-46.57	-52.53	-54.26	-51.15	-52.98
1G	8G	1M	PK	5.67813G	-47.96	-27.00	-20.96	4.48	0.00	-52.44	-57.23	-59.05	-58.96	-58.88

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.102G	-46.76	-41.20	-5.56	4.48	0.00	-51.24	-56.48	-56.09	-57.38	-60.11
1G	8G	1M	AV	5.39513G	-47.99	-41.20	-6.79	4.48	0.00	-52.47	-58.60	-58.02	-58.40	-59.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.088G	-41.80	-21.20	-20.60	4.48	0.00	-46.28	-51.30	-53.77	-50.32	-55.80
1G	8G	1M	PK	5.41175G	-42.34	-21.20	-21.14	4.48	0.00	-46.82	-51.70	-52.37	-53.34	-54.40
1G	8G	1M	PK	5.87988G	-48.37	-27.00	-21.37	4.48	0.00	-52.85	-57.30	-59.58	-58.89	-60.32

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07925G	-47.88	-41.20	-6.68	4.48	0.00	-52.36	-57.88	-58.18	-56.95	-61.94
1G	8G	1M	AV	5.40913G	-48.69	-41.20	-7.49	4.48	0.00	-53.17	-59.06	-58.57	-58.78	-60.61

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.088G	-42.77	-21.20	-21.57	4.78	0.00	-47.55	-53.95	-53.59	-51.47	-56.92
1G	8G	1M	PK	5.40125G	-40.33	-21.20	-19.13	4.78	0.00	-45.11	-51.48	-50.05	-50.07	-53.95
1G	8G	1M	PK	5.46688G	-50.83	-27.00	-23.83	4.78	0.00	-55.61	-60.66	-61.21	-62.42	-62.53
1G	8G	1M	PK	5.87375G	-47.04	-27.00	-20.04	4.78	0.00	-51.82	-58.22	-60.01	-56.68	-57.14

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.05825G	-49.18	-41.20	-7.98	4.78	0.00	-53.96	-60.58	-59.84	-58.83	-60.98
1G	8G	1M	AV	5.40038G	-46.28	-41.20	-5.08	4.78	0.00	-51.06	-55.74	-56.04	-58.12	-59.41

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06613G	-42.91	-21.20	-21.71	4.78	0.00	-47.69	-57.74	-52.42	-51.04	-57.62
1G	8G	1M	PK	5.39163G	-42.48	-21.20	-21.28	4.78	0.00	-47.26	-53.04	-53.04	-54.49	-52.77
1G	8G	1M	PK	5.46075G	-50.48	-27.00	-23.48	4.78	0.00	-55.26	-60.67	-62.54	-60.58	-61.60
1G	8G	1M	PK	5.87638G	-47.73	-27.00	-20.73	4.78	0.00	-52.51	-59.12	-59.30	-59.12	-57.02

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.0635G	-49.14	-41.20	-7.94	4.78	0.00	-53.92	-62.44	-59.80	-57.61	-61.53
1G	8G	1M	AV	5.39163G	-48.53	-41.20	-7.33	4.78	0.00	-53.31	-57.79	-59.03	-60.15	-61.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5700MHz

27/03/2023




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5700MHz

27/03/2023




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5745MHz

27/03/2023




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5745MHz

27/03/2023




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07838G	-41.73	-21.20	-20.53	5.20	0.00	-46.93	-58.28	-55.17	-49.54	-53.32
1G	8G	1M	PK	5.94463G	-49.07	-27.00	-22.07	5.20	0.00	-54.27	-61.10	-59.67	-62.20	-58.92

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5785MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07925G	-48.84	-41.20	-7.64	5.20	0.00	-54.04	-62.04	-61.23	-57.27	-61.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [PK]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06G	-42.09	-21.20	-20.89	5.20	0.00	-47.29	-55.02	-50.04	-54.58	-56.73
1G	8G	1M	PK	5.92538G	-49.42	-27.00	-22.42	5.20	0.00	-54.62	-61.12	-59.51	-60.82	-61.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Other [AV]

5825MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.088G	-47.97	-41.20	-6.77	5.20	0.00	-53.17	-62.16	-56.99	-58.93	-60.28

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.10638G	-42.80	-21.20	-21.60	5.21	0.00	-48.01	-52.97	-53.59	-54.38	-55.60
1G	8G	1M	PK	5.39163G	-44.13	-21.20	-22.93	5.21	0.00	-49.34	-55.59	-55.78	-55.13	-55.00
1G	8G	1M	PK	5.67375G	-48.07	-27.00	-21.07	5.21	0.00	-53.28	-59.64	-58.62	-58.46	-60.90

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5190MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.088G	-48.25	-41.20	-7.05	5.21	0.00	-53.46	-59.06	-60.59	-58.23	-60.51
1G	8G	1M	AV	5.37588G	-50.01	-41.20	-8.81	5.21	0.00	-55.22	-58.43	-63.47	-63.24	-61.89

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.04775G	-40.34	-21.20	-19.14	5.21	0.00	-45.55	-50.75	-51.13	-50.90	-54.44
1G	8G	1M	PK	5.4065G	-41.66	-21.20	-20.46	5.21	0.00	-46.87	-50.85	-55.50	-52.41	-54.23
1G	8G	1M	PK	5.87463G	-47.26	-27.00	-20.26	5.21	0.00	-52.47	-57.70	-59.83	-57.35	-59.64

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5230MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.04425G	-46.33	-41.20	-5.13	5.21	0.00	-51.54	-57.97	-55.34	-58.08	-60.30
1G	8G	1M	AV	5.41G	-47.69	-41.20	-6.49	5.21	0.00	-52.90	-57.98	-59.27	-59.12	-59.49

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.074G	-40.87	-21.20	-19.67	4.48	0.00	-45.35	-51.68	-48.61	-52.21	-55.82
1G	8G	1M	PK	5.40038G	-42.92	-21.20	-21.72	4.48	0.00	-47.40	-53.47	-54.04	-52.52	-53.81
1G	8G	1M	PK	5.87638G	-47.78	-27.00	-20.78	4.48	0.00	-52.26	-57.93	-58.63	-57.36	-59.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5270MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07313G	-46.60	-41.20	-5.40	4.48	0.00	-51.08	-56.02	-56.54	-56.84	-59.94
1G	8G	1M	AV	5.37588G	-48.56	-41.20	-7.36	4.48	0.00	-53.04	-57.57	-60.47	-60.07	-58.76

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.1055G	-43.76	-21.20	-22.56	4.48	0.00	-48.24	-54.75	-52.84	-54.46	-55.43
1G	8G	1M	PK	5.361G	-43.25	-21.20	-22.05	4.48	0.00	-47.73	-51.26	-56.03	-52.62	-50.48
1G	8G	1M	PK	5.6715G	-48.97	-27.00	-21.97	4.48	0.00	-53.45	-59.72	-58.13	-60.48	-59.90

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5310MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.10725G	-49.38	-41.20	-8.18	4.48	0.00	-53.86	-59.02	-58.89	-60.09	-62.34
1G	8G	1M	AV	5.40738G	-50.00	-41.20	-8.80	4.48	0.00	-54.48	-59.97	-61.91	-60.62	-59.81

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5510MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.08363G	-44.94	-21.20	-23.74	4.78	0.00	-49.72	-56.75	-57.95	-52.37	-59.33
1G	8G	1M	PK	5.40475G	-42.96	-21.20	-21.76	4.78	0.00	-47.74	-54.33	-53.36	-52.16	-56.14
1G	8G	1M	PK	5.4695G	-51.23	-27.00	-24.23	4.78	0.00	-56.01	-62.53	-60.14	-63.34	-62.87
1G	8G	1M	PK	5.87375G	-48.12	-27.00	-21.12	4.78	0.00	-52.90	-57.35	-60.80	-57.85	-60.90

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5510MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07925G	-50.75	-41.20	-9.55	4.78	0.00	-55.53	-62.52	-62.72	-59.68	-62.04
1G	8G	1M	AV	5.41263G	-49.33	-41.20	-8.13	4.78	0.00	-54.11	-58.75	-60.84	-60.09	-61.29

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5550MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06613G	-41.87	-21.20	-20.67	4.78	0.00	-46.65	-55.57	-51.41	-50.61	-55.31
1G	8G	1M	PK	5.37325G	-42.61	-21.20	-21.41	4.78	0.00	-47.39	-51.57	-53.38	-55.27	-54.33
1G	8G	1M	PK	5.46688G	-51.22	-27.00	-24.22	4.78	0.00	-56.00	-63.10	-61.21	-60.84	-63.58
1G	8G	1M	PK	5.87988G	-46.71	-27.00	-19.71	4.78	0.00	-51.49	-56.58	-57.30	-57.51	-58.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5550MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.06525G	-48.08	-41.20	-6.88	4.78	0.00	-52.86	-60.45	-58.23	-56.95	-61.26
1G	8G	1M	AV	5.40738G	-48.87	-41.20	-7.67	4.78	0.00	-53.65	-59.66	-59.14	-59.89	-60.05

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.06G	-42.14	-21.20	-20.94	4.78	0.00	-46.92	-57.19	-54.32	-49.08	-56.29
1G	8G	1M	PK	5.3925G	-43.26	-21.20	-22.06	4.78	0.00	-48.04	-55.13	-55.49	-53.77	-52.50
1G	8G	1M	PK	5.46513G	-51.06	-27.00	-24.06	4.78	0.00	-55.84	-60.66	-62.00	-62.76	-62.32
1G	8G	1M	PK	5.88075G	-47.09	-27.00	-20.09	4.78	0.00	-51.87	-57.52	-59.40	-56.97	-58.03

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5670MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.0845G	-48.39	-41.20	-7.19	4.78	0.00	-53.17	-61.54	-59.36	-56.86	-60.46
1G	8G	1M	AV	5.39163G	-48.99	-41.20	-7.79	4.78	0.00	-53.77	-61.07	-61.62	-58.48	-58.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5710MHz Straddle 5.47-5.725GHz

27/03/2023




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5755MHz

27/03/2023




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5755MHz

27/03/2023




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [PK]

5795MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.08363G	-42.33	-21.20	-21.13	5.20	0.00	-47.53	-55.39	-53.59	-51.72	-54.37
1G	8G	1M	PK	5.93675G	-49.36	-27.00	-22.36	5.20	0.00	-54.56	-60.86	-60.18	-59.55	-62.17

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Other [AV]

5795MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.396G	-48.16	-41.20	-6.96	5.20	0.00	-53.36	-57.89	-60.21	-59.51	-60.37

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5210MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.12563G	-40.70	-21.20	-19.50	5.21	0.00	-45.91	-52.82	-53.40	-50.44	-51.68
1G	8G	1M	PK	5.38375G	-45.96	-21.20	-24.76	5.21	0.00	-51.17	-57.93	-57.51	-55.77	-57.93
1G	8G	1M	PK	5.88775G	-48.29	-27.00	-21.29	5.21	0.00	-53.50	-58.76	-62.57	-59.79	-58.13

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5210MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.12475G	-46.59	-41.20	-5.39	5.21	0.00	-51.80	-59.18	-59.25	-56.73	-56.79
1G	8G	1M	AV	5.39163G	-52.05	-41.20	-10.85	5.21	0.00	-57.26	-63.87	-62.94	-63.99	-62.51

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.09063G	-45.25	-21.20	-24.05	4.48	0.00	-49.73	-56.75	-54.05	-54.87	-58.75
1G	8G	1M	PK	5.37325G	-41.90	-21.20	-20.70	4.48	0.00	-46.38	-51.90	-53.20	-51.25	-53.68
1G	8G	1M	PK	5.84838G	-48.96	-27.00	-21.96	4.48	0.00	-53.44	-59.99	-57.88	-58.91	-62.15

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5290MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.07138G	-51.21	-41.20	-10.01	4.48	0.00	-55.69	-61.47	-61.47	-60.25	-64.82
1G	8G	1M	AV	5.37063G	-47.32	-41.20	-6.12	4.48	0.00	-51.80	-55.75	-58.99	-60.17	-57.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5530MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.29013G	-51.17	-27.00	-24.17	4.78	0.00	-55.95	-62.56	-61.17	-60.91	-63.87
1G	8G	1M	PK	5.41613G	-45.06	-21.20	-23.86	4.78	0.00	-49.84	-56.47	-53.76	-56.31	-58.03
1G	8G	1M	PK	5.46075G	-50.60	-27.00	-23.60	4.78	0.00	-55.38	-62.88	-61.60	-61.41	-60.15
1G	8G	1M	PK	5.88425G	-48.85	-27.00	-21.85	4.78	0.00	-53.63	-60.95	-61.72	-58.19	-58.74

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5530MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.08275G	-52.60	-41.20	-11.40	4.78	0.00	-57.38	-63.88	-63.00	-62.29	-64.86
1G	8G	1M	AV	5.40913G	-51.05	-41.20	-9.85	4.78	0.00	-55.83	-62.61	-61.89	-60.61	-62.61

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5610MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.07838G	-41.90	-21.20	-20.70	4.78	0.00	-46.68	-58.72	-53.77	-49.22	-53.99
1G	8G	1M	PK	5.40913G	-42.12	-21.20	-20.92	4.78	0.00	-46.90	-52.45	-54.17	-52.39	-52.90
1G	8G	1M	PK	5.46338G	-51.38	-27.00	-24.38	4.78	0.00	-56.16	-62.76	-61.80	-63.71	-60.94
1G	8G	1M	PK	5.88425G	-47.76	-27.00	-20.76	4.78	0.00	-52.54	-60.15	-59.96	-58.50	-56.60

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5610MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.088G	-47.78	-41.20	-6.58	4.78	0.00	-52.56	-61.43	-59.98	-55.81	-59.20
1G	8G	1M	AV	5.39075G	-48.57	-41.20	-7.37	4.78	0.00	-53.35	-61.16	-59.54	-57.26	-60.64

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5690MHz Straddle 5.47-5.725GHz

27/03/2023




5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE Other [PK]

5775MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.0705G	-43.22	-21.20	-22.02	5.20	0.00	-48.42	-57.00	-53.91	-53.66	-53.94
1G	8G	1M	PK	5.93938G	-49.29	-27.00	-22.29	5.20	0.00	-54.49	-59.14	-62.18	-59.74	-61.72
1G	8G	1M	PK	6.999G	-48.30	-27.00	-21.30	5.20	0.00	-53.50	-60.27	-58.77	-58.53	-60.98

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE Other [AV]

5775MHz

27/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.40388G	-49.73	-41.20	-8.53	5.20	0.00	-54.93	-61.18	-60.65	-62.44	-59.92



CSE (Band Reject Filter)_Radio 1-80+80
(Harmonic 1GHz ~ 8GHz)

Appendix E.3

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-45.29	-49.84	-49.84				-41.20	-4.09	4.55
802.11ax HEW80+80_Nss1,(MCS0)_2TX	Pass	1G	8G	AV	-42.25	-46.84	-63.49	-46.93			-41.20	-1.05	4.59
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss1,(MCS0)_1TX	Pass	1G	8G	AV	-43.69	-48.17	-	-	-	-48.17	-41.20	-2.49	4.48
802.11ax HEW80+80_Nss1,(MCS0)_2TX	Pass	1G	8G	AV	-45.50	-49.98	-	-	-50.64	-58.50	-41.20	-4.30	4.48
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_2TX	Pass	1G	8G	AV	-52.18	-55.80	-57.74	-	-	-60.22	-41.20	-10.98	3.62
802.11ax HEW80+80_Nss2,(MCS0)_4TX	Pass	1G	8G	AV	-44.77	-49.55	-65.91	-49.76	-68.82	-68.37	-41.20	-3.57	4.78

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE (Band Reject Filter)_Radio 1-80+80 (Harmonic 1GHz ~ 8GHz)

Appendix E.3

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW80+80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	1G	8G	AV	5.1335G	4.55	-49.84				-49.84	-45.29	-41.20	-4.09
#5210MHz,5290MHz	Pass	1G	8G	AV	5.36975G	4.55	-56.31				-56.31	-51.76	-41.20	-10.56
#5210MHz,5290MHz	Pass	1G	8G	PK	5.12563G	4.55	-39.92				-39.92	-35.37	-21.20	-14.17
#5210MHz,5290MHz	Pass	1G	8G	PK	5.38638G	4.55	-49.35				-49.35	-44.80	-21.20	-23.60
#5210MHz,5290MHz	Pass	1G	8G	PK	5.66725G	4.55	-52.51				-52.51	-47.96	-27.00	-20.96
802.11ax HEW80+80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,5290MHz	Pass	1G	8G	AV	5.13G	4.48	-	-	-	-53.03	-53.03	-48.55	-41.20	-7.35
5210MHz,5290MHz	Pass	1G	8G	AV	5.37763G	4.48	-	-	-	-48.17	-48.17	-43.69	-41.20	-2.49
5210MHz,5290MHz	Pass	1G	8G	PK	5.12475G	4.48	-	-	-	-50.10	-50.10	-45.62	-21.20	-24.42
5210MHz,5290MHz	Pass	1G	8G	PK	5.368G	4.48	-	-	-	-37.35	-37.35	-32.87	-21.20	-11.67
5210MHz,5290MHz	Pass	1G	8G	PK	5.49663G	4.48	-	-	-	-50.78	-50.78	-46.30	-27.00	-19.30
802.11ax HEW80+80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,5610MHz	Pass	1G	8G	AV	5.1335G	3.62	-62.13	-	-	-62.83	-59.46	-55.84	-41.20	-14.64
#5530MHz,5610MHz	Pass	1G	8G	AV	5.41175G	3.62	-57.74	-	-	-60.22	-55.80	-52.18	-41.20	-10.98
#5530MHz,5610MHz	Pass	1G	8G	PK	5.1545G	3.62	-55.40	-	-	-55.34	-52.36	-48.74	-27.00	-21.74
#5530MHz,5610MHz	Pass	1G	8G	PK	5.40213G	3.62	-48.96	-	-	-53.92	-47.76	-44.14	-21.20	-22.94
#5530MHz,5610MHz	Pass	1G	8G	PK	5.46863G	3.62	-78.43	-	-	-80.83	-76.46	-72.84	-27.00	-45.84
#5530MHz,5610MHz	Pass	1G	8G	PK	5.767G	3.62	-58.49	-	-	-47.17	-46.86	-43.24	-27.00	-16.24
802.11ax HEW80+80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	1G	8G	AV	5.05038G	4.59	-63.49	-46.93			-46.84	-42.25	-41.20	-1.05
#5210MHz,5290MHz	Pass	1G	8G	AV	5.36975G	4.59	-58.28	-54.11			-52.70	-48.11	-41.20	-6.91
#5210MHz,5290MHz	Pass	1G	8G	PK	5.05038G	4.59	-59.01	-46.23			-46.01	-41.42	-21.20	-20.22
#5210MHz,5290MHz	Pass	1G	8G	PK	5.36975G	4.59	-55.99	-52.25			-50.72	-46.13	-21.20	-24.93
#5210MHz,5290MHz	Pass	1G	8G	PK	5.76G	4.59	-53.35	-57.83			-52.03	-47.44	-27.00	-20.44
802.11ax HEW80+80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz,5290MHz	Pass	1G	8G	AV	5.13G	4.48	-	-	-50.64	-58.50	-49.98	-45.50	-41.20	-4.30
5210MHz,5290MHz	Pass	1G	8G	AV	5.45025G	4.48	-	-	-55.25	-63.28	-54.62	-50.14	-41.20	-8.94
5210MHz,5290MHz	Pass	1G	8G	PK	5.13G	4.48	-	-	-48.47	-56.15	-47.79	-43.31	-21.20	-22.11
5210MHz,5290MHz	Pass	1G	8G	PK	5.45025G	4.48	-	-	-51.31	-58.26	-50.51	-46.03	-21.20	-24.83
5210MHz,5290MHz	Pass	1G	8G	PK	5.466G	4.48	-	-	-53.62	-55.26	-51.35	-46.87	-27.00	-19.87
802.11ax HEW80+80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,5610MHz	Pass	1G	8G	AV	5.088G	4.78	-66.09	-64.00	-62.28	-66.47	-58.35	-53.57	-41.20	-12.37
#5530MHz,5610MHz	Pass	1G	8G	AV	5.36975G	4.78	-65.91	-49.76	-68.82	-68.37	-49.55	-44.77	-41.20	-3.57
#5530MHz,5610MHz	Pass	1G	8G	PK	5.20963G	4.78	-63.00	-47.63	-58.95	-60.03	-46.98	-42.20	-27.00	-15.20
#5530MHz,5610MHz	Pass	1G	8G	PK	5.36975G	4.78	-61.15	-48.02	-61.64	-62.53	-47.50	-42.72	-21.20	-21.52
#5530MHz,5610MHz	Pass	1G	8G	PK	5.46775G	4.78	-79.78	-80.01	-79.52	-78.73	-73.46	-68.68	-27.00	-41.68
#5530MHz,5610MHz	Pass	1G	8G	PK	5.7915G	4.78	-57.14	-56.87	-51.95	-57.47	-49.15	-44.37	-27.00	-17.37


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11ax_HEW80+80_Nss1,(MCS0)_1TX

CSE Other [PK]

#5210MHz,5290MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.12563G	-35.37	-21.20	-14.17	4.55	0.00	-39.92	-39.92
1G	8G	1M	PK	5.38638G	-44.80	-21.20	-23.60	4.55	0.00	-49.35	-49.35
1G	8G	1M	PK	5.66725G	-47.96	-27.00	-20.96	4.55	0.00	-52.51	-52.51

5.15-5.25GHz_802.11ax_HEW80+80_Nss1,(MCS0)_1TX

CSE Other [AV]

#5210MHz,5290MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.1335G	-45.29	-41.20	-4.09	4.55	0.00	-49.84	-49.84
1G	8G	1M	AV	5.36975G	-51.76	-41.20	-10.56	4.55	0.00	-56.31	-56.31

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_1TX

CSE Other [PK]

5210MHz,#5290MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.12475G	-45.62	-21.20	-24.42	4.48	0.00	-50.10	-	-	-	-50.10
1G	8G	1M	PK	5.368G	-32.87	-21.20	-11.67	4.48	0.00	-37.35	-	-	-	-37.35
1G	8G	1M	PK	5.49663G	-46.30	-27.00	-19.30	4.48	0.00	-50.78	-	-	-	-50.78

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_1TX

CSE Other [AV]

5210MHz,#5290MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.13G	-48.55	-41.20	-7.35	4.48	0.00	-53.03	-	-	-	-53.03
1G	8G	1M	AV	5.37763G	-43.69	-41.20	-2.49	4.48	0.00	-48.17	-	-	-	-48.17

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_2TX

CSE Other [PK]

#5530MHz,#5610MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.1545G	-48.74	-27.00	-21.74	3.62	0.00	-52.36	-55.40	-	-	-55.34
1G	8G	1M	PK	5.40213G	-44.14	-21.20	-22.94	3.62	0.00	-47.76	-48.96	-	-	-53.92
1G	8G	1M	PK	5.46863G	-72.84	-27.00	-45.84	3.62	0.00	-76.46	-78.43	-	-	-80.83
1G	8G	1M	PK	5.767G	-43.24	-27.00	-16.24	3.62	0.00	-46.86	-58.49	-	-	-47.17

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_2TX

CSE Other [AV]

#5530MHz,#5610MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.1335G	-55.84	-41.20	-14.64	3.62	0.00	-59.46	-62.13	-	-	-62.83
1G	8G	1M	AV	5.41175G	-52.18	-41.20	-10.98	3.62	0.00	-55.80	-57.74	-	-	-60.22

5.15-5.25GHz_802.11ax_HEW80+80_Nss1,(MCS0)_2TX

CSE Other [PK]

#5210MHz,5290MHz

18/05/2023



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	PK	5.05038G	-41.42	-21.20	-20.22	4.59	0.00	-46.01	-59.01	-46.23
1G	8G	1M	PK	5.36975G	-46.13	-21.20	-24.93	4.59	0.00	-50.72	-55.99	-52.25
1G	8G	1M	PK	5.176G	-47.44	-27.00	-20.44	4.59	0.00	-52.03	-53.35	-57.83

5.15-5.25GHz_802.11ax_HEW80+80_Nss1,(MCS0)_2TX

CSE Other [AV]

#5210MHz,5290MHz

18/05/2023



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	8G	1M	AV	5.05038G	-42.25	-41.20	-1.05	4.59	0.00	-46.84	-63.49	-46.93
1G	8G	1M	AV	5.36975G	-48.11	-41.20	-6.91	4.59	0.00	-52.70	-58.28	-54.11

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_2TX

CSE Other [PK]

5210MHz,#5290MHz

18/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	PK	5.13G	-43.31	-21.20	-22.11	4.48	0.00	-47.79	-	-	-48.47	-56.15
1G	8G	1M	PK	5.45025G	-46.03	-21.20	-24.83	4.48	0.00	-50.51	-	-	-51.31	-50.26
1G	8G	1M	PK	5.466G	-46.87	-27.00	-19.87	4.48	0.00	-51.35	-	-	-53.62	-55.26

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_2TX

CSE Other [AV]

5210MHz,#5290MHz

18/05/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.13G	-45.50	-41.20	-4.30	4.48	0.00	-49.98	-	-	-50.64	-58.50
1G	8G	1M	AV	5.45025G	-50.14	-41.20	-8.94	4.48	0.00	-54.62	-	-	-55.25	-63.28