

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-38.03	-13.00	-25.03	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.99M	-40.89	-13.00	-27.89	-	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-63.73	-13.00	-50.73	-	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-60.68	-13.00	-47.68	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	732.37M	-40.25	-13.00	-27.25	-	-
701.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.848G	-53.33	-13.00	-40.33	-	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	122.434k	-64.62	-13.00	-51.62	-	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.08	-13.00	-48.08	-	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	242.79M	-60.29	-13.00	-47.29	-	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	583.94M	-58.84	-13.00	-45.84	-	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	695.05M	-50.67	-13.00	-37.67	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-59.93	-13.00	-46.93	-	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-67.57	-13.00	-54.57	-	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.35M	-63.62	-13.00	-50.62	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	730.46M	-40.59	-13.00	-27.59	-	-
701.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.813G	-53.84	-13.00	-40.84	-	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	11.855k	-70.18	-13.00	-57.18	-	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.419M	-64.21	-13.00	-51.21	-	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	46.8M	-60.14	-13.00	-47.14	-	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	676.39M	-58.34	-13.00	-45.34	-	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-52.22	-13.00	-39.22	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-55.40	-13.00	-42.40	-	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-52.05	-13.00	-39.05	-	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-49.22	-13.00	-36.22	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	735.24M	-40.29	-13.00	-27.29	-	-
707.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.821G	-54.03	-13.00	-41.03	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	72.274k	-65.51	-13.00	-52.51	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.93	-13.00	-50.93	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	372.4M	-59.64	-13.00	-46.64	-	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	686.21M	-58.15	-13.00	-45.15	-	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	696.75M	-62.34	-13.00	-49.34	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-67.53	-13.00	-54.53	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-63.10	-13.00	-50.10	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-60.46	-13.00	-47.46	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	735.56M	-40.86	-13.00	-27.86	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.86G	-54.05	-13.00	-41.05	-	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	16.262k	-71.29	-13.00	-58.29	-	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.351M	-68.41	-13.00	-55.41	-	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	376.98M	-60.10	-13.00	-47.10	-	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	637.29M	-58.41	-13.00	-45.41	-	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-61.14	-13.00	-48.14	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-64.17	-13.00	-51.17	-	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-31.93	-13.00	-18.93	-	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.65M	-33.51	-13.00	-20.51	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	742.24M	-40.10	-13.00	-27.10	-	-
713.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.799G	-53.75	-13.00	-40.75	-	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	91.838k	-65.60	-13.00	-52.60	-	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-63.65	-13.00	-50.65	-	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	388.26M	-59.66	-13.00	-46.66	-	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	529.52M	-59.23	-13.00	-46.23	-	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	30k	100k	RMS	693.05M	-63.99	-13.00	-50.99	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.98M	-67.55	-13.00	-54.55	-	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-24.95	-13.00	-11.95	-	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-34.84	-13.00	-21.84	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
713.5MHz_RB 1,#RB H	Pass	726M	2G	100k	300k	RMS	745.11M	-40.61	-13.00	-27.61	-	-
713.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.861G	-53.75	-13.00	-40.75	-	-
Band 12_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	34.768k	-73.12	-13.00	-60.12	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	7.09M	-63.17	-13.00	-50.17	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	266.65M	-58.88	-13.00	-45.88	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	655.79M	-58.87	-13.00	-45.87	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.85M	-39.08	-13.00	-26.08	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-42.95	-13.00	-29.95	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.06M	-46.72	-13.00	-33.72	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	730.65M	-41.46	-13.00	-28.46	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	736.63M	-42.17	-13.00	-29.17	-	-
704MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.815G	-53.74	-13.00	-40.74	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	86.127k	-65.49	-13.00	-52.49	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-59.75	-13.00	-46.75	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	78.41M	-59.36	-13.00	-46.36	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	579.61M	-58.62	-13.00	-45.62	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	690.75M	-56.73	-13.00	-43.73	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-61.52	-13.00	-48.52	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.01M	-67.63	-13.00	-54.63	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	731.95M	-41.23	-13.00	-28.23	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	736M	-41.18	-13.00	-28.18	-	-
704MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.812G	-54.25	-13.00	-41.25	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.525k	-70.55	-13.00	-57.55	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	1.889M	-63.24	-13.00	-50.24	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	466.4M	-59.69	-13.00	-46.69	-	-
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	639.51M	-58.83	-13.00	-45.83	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.85M	-42.03	-13.00	-29.03	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.93M	-45.69	-13.00	-32.69	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.02M	-45.97	-13.00	-32.97	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	734.45M	-41.69	-13.00	-28.69	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	739.16M	-40.75	-13.00	-27.75	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.849G	-53.98	-13.00	-40.98	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	71.604k	-65.73	-13.00	-52.73	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-67.11	-13.00	-54.11	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	283.1M	-59.81	-13.00	-46.81	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	662.51M	-59.07	-13.00	-46.07	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.15M	-50.81	-13.00	-37.81	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.98M	-66.50	-13.00	-53.50	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.06M	-64.59	-13.00	-51.59	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	733.85M	-41.56	-13.00	-28.56	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	737.26M	-40.61	-13.00	-27.61	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.856G	-53.49	-13.00	-40.49	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-71.01	-13.00	-58.01	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	7.098M	-65.33	-13.00	-52.33	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	363M	-59.79	-13.00	-46.79	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	676.31M	-59.07	-13.00	-46.07	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-45.51	-13.00	-32.51	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-49.26	-13.00	-36.26	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-38.40	-13.00	-25.40	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.25M	-37.23	-13.00	-24.23	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	738.53M	-40.82	-13.00	-27.82	-	-
711MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.098G	-54.02	-13.00	-41.02	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	14.605k	-66.95	-13.00	-53.95	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-64.10	-13.00	-51.10	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	359.12M	-59.19	-13.00	-46.19	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	500.22M	-59.23	-13.00	-46.23	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-57.15	-13.00	-44.15	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-61.89	-13.00	-48.89	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-39.55	-13.00	-26.55	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-42.75	-13.00	-29.75	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	739.48M	-40.17	-13.00	-27.17	-	-
711MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.855G	-53.53	-13.00	-40.53	-	-
Band 12_LTE_1.4MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
699.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	12.349k	-69.27	-13.00	-56.27	-	-
699.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	433.575k	-64.51	-13.00	-51.51	-	-
699.7MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	388.49M	-59.89	-13.00	-46.89	-	-
699.7MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	694.76M	-57.37	-13.00	-44.37	-	-
699.7MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-43.29	-13.00	-30.29	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-45.56	-13.00	-32.56	-	-
699.7MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-67.90	-13.00	-54.90	-	-
699.7MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	717.15M	-64.29	-13.00	-51.29	MBW 100k	-
699.7MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	729.37M	-40.81	-13.00	-27.81	-	-
699.7MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	8.839G	-53.75	-13.00	-40.75	-	-
699.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	29.621k	-65.49	-13.00	-52.49	-	-
699.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-64.55	-13.00	-51.55	-	-
699.7MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	46.1M	-59.24	-13.00	-46.24	-	-
699.7MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	695.1M	-58.02	-13.00	-45.02	-	-
699.7MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	697.85M	-54.08	-13.00	-41.08	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.96M	-57.11	-13.00	-44.11	-	-
699.7MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-67.79	-13.00	-54.79	-	-
699.7MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	717.45M	-64.28	-13.00	-51.28	MBW 100k	-
699.7MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	730.01M	-43.00	-13.00	-30.00	-	-
699.7MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.84G	-53.66	-13.00	-40.66	-	-
707.5MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	10.269k	-71.42	-13.00	-58.42	-	-
707.5MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	515.662k	-64.08	-13.00	-51.08	-	-
707.5MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	486.96M	-59.53	-13.00	-46.53	-	-
707.5MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	668.85M	-58.20	-13.00	-45.20	-	-
707.5MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	696.65M	-64.25	-13.00	-51.25	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.95M	-67.80	-13.00	-54.80	-	-
707.5MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-67.69	-13.00	-54.69	-	-
707.5MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-63.88	-13.00	-50.88	MBW 100k	-
707.5MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	737.06M	-41.34	-13.00	-28.34	-	-
707.5MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	8.83G	-54.02	-13.00	-41.02	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	79.852k	-66.25	-13.00	-53.25	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	164.925k	-65.32	-13.00	-52.32	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	439.25M	-59.61	-13.00	-46.61	-	-
707.5MHz_RB 1,#RB L	Pass	500M	695.2M	100k	300k	RMS	625.07M	-59.05	-13.00	-46.05	-	-
707.5MHz_RB 1,#RB L	Pass	695.2M	697.9M	30k	100k	RMS	696.75M	-63.99	-13.00	-50.99	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	698M	-67.33	-13.00	-54.33	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-67.43	-13.00	-54.43	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	718.8M	30k	100k	RMS	716.45M	-63.82	-13.00	-50.82	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	718.8M	2G	100k	300k	RMS	737.38M	-40.91	-13.00	-27.91	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.858G	-53.97	-13.00	-40.97	-	-
715.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	14.006k	-72.83	-13.00	-59.83	-	-
715.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	530.588k	-59.38	-13.00	-46.38	-	-
715.3MHz_RB 6,#RB 0	Pass	30M	500M	100k	300k	RMS	265.59M	-59.17	-13.00	-46.17	-	-
715.3MHz_RB 6,#RB 0	Pass	500M	695.2M	100k	300k	RMS	538.5M	-58.69	-13.00	-45.69	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
715.3MHz_RB 6,#RB 0	Pass	695.2M	697.9M	30k	100k	RMS	695.35M	-64.34	-13.00	-51.34	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-68.15	-13.00	-55.15	-	-
715.3MHz_RB 6,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.05M	-31.74	-13.00	-18.74	-	-
715.3MHz_RB 6,#RB 0	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-28.95	-13.00	-15.95	MBW 100k	-
715.3MHz_RB 6,#RB 0	Pass	718.8M	2G	100k	300k	RMS	745.38M	-41.65	-13.00	-28.65	-	-
715.3MHz_RB 6,#RB 0	Pass	2G	10G	100k	300k	RMS	8.867G	-53.74	-13.00	-40.74	-	-
715.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	42.805k	-67.37	-13.00	-54.37	-	-
715.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	157.462k	-66.85	-13.00	-53.85	-	-
715.3MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	280.63M	-59.51	-13.00	-46.51	-	-
715.3MHz_RB 1,#RB H	Pass	500M	695.2M	100k	300k	RMS	651.38M	-58.33	-13.00	-45.33	-	-
715.3MHz_RB 1,#RB H	Pass	695.2M	697.9M	30k	100k	RMS	697.25M	-64.27	-13.00	-51.27	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.96M	-67.88	-13.00	-54.88	-	-
715.3MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-27.02	-13.00	-14.02	-	-
715.3MHz_RB 1,#RB H	Pass	716.1M	718.8M	30k	100k	RMS	716.15M	-33.46	-13.00	-20.46	MBW 100k	-
715.3MHz_RB 1,#RB H	Pass	718.8M	2G	100k	300k	RMS	745.06M	-42.03	-13.00	-29.03	-	-
715.3MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.828G	-53.95	-13.00	-40.95	-	-
Band 12_LTE_3MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
700.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.388k	-72.77	-13.00	-59.77	-	-
700.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	247.012k	-65.99	-13.00	-52.99	-	-
700.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	377.45M	-59.84	-13.00	-46.84	-	-
700.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	679.66M	-58.36	-13.00	-45.36	-	-
700.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.85M	-35.91	-13.00	-22.91	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-39.64	-13.00	-26.64	-	-
700.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-67.94	-13.00	-54.94	-	-
700.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	717.05M	-64.02	-13.00	-51.02	MBW 100k	-
700.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	729.35M	-40.48	-13.00	-27.48	-	-
700.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	8.851G	-53.75	-13.00	-40.75	-	-
700.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	91.767k	-64.70	-13.00	-51.70	-	-
700.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-64.83	-13.00	-51.83	-	-
700.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	324.1M	-59.45	-13.00	-46.45	-	-
700.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	621.68M	-59.16	-13.00	-46.16	-	-
700.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	696.75M	-51.64	-13.00	-38.64	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-57.26	-13.00	-44.26	-	-
700.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.04M	-67.77	-13.00	-54.77	-	-
700.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.85M	-64.02	-13.00	-51.02	MBW 100k	-
700.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	731.27M	-42.18	-13.00	-29.18	-	-
700.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.847G	-54.15	-13.00	-41.15	-	-
707.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.987k	-69.40	-13.00	-56.40	-	-
707.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-67.10	-13.00	-54.10	-	-
707.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	250.55M	-59.96	-13.00	-46.96	-	-
707.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	580.5M	-58.11	-13.00	-45.11	-	-
707.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	697.75M	-61.66	-13.00	-48.66	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-64.91	-13.00	-51.91	-	-
707.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.02M	-62.92	-13.00	-49.92	-	-
707.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.25M	-59.68	-13.00	-46.68	MBW 100k	-
707.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	738.29M	-41.27	-13.00	-28.27	-	-
707.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	9.951G	-54.16	-13.00	-41.16	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	43.51k	-65.74	-13.00	-52.74	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.70	-13.00	-48.70	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	103.44M	-60.05	-13.00	-47.05	-	-
707.5MHz_RB 1,#RB L	Pass	500M	692M	100k	300k	RMS	647.22M	-58.33	-13.00	-45.33	-	-
707.5MHz_RB 1,#RB L	Pass	692M	697.9M	30k	100k	RMS	697.55M	-63.65	-13.00	-50.65	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.9M	-67.44	-13.00	-54.44	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.08M	-67.08	-13.00	-54.08	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1,#RB L	Pass	716.1M	722M	30k	100k	RMS	716.25M	-63.41	-13.00	-50.41	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	722M	2G	100k	300k	RMS	737.66M	-41.42	-13.00	-28.42	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.869G	-53.77	-13.00	-40.77	-	-
714.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	42.593k	-71.98	-13.00	-58.98	-	-
714.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	2.232M	-66.06	-13.00	-53.06	-	-
714.5MHz_RB 15,#RB 0	Pass	30M	500M	100k	300k	RMS	242.09M	-59.84	-13.00	-46.84	-	-
714.5MHz_RB 15,#RB 0	Pass	500M	692M	100k	300k	RMS	544.26M	-58.65	-13.00	-45.65	-	-
714.5MHz_RB 15,#RB 0	Pass	692M	697.9M	30k	100k	RMS	696.85M	-64.02	-13.00	-51.02	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.92M	-67.92	-13.00	-54.92	-	-
714.5MHz_RB 15,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-28.12	-13.00	-15.12	-	-
714.5MHz_RB 15,#RB 0	Pass	716.1M	722M	30k	100k	RMS	716.15M	-31.51	-13.00	-18.51	MBW 100k	-
714.5MHz_RB 15,#RB 0	Pass	722M	2G	100k	300k	RMS	745M	-41.16	-13.00	-28.16	-	-
714.5MHz_RB 15,#RB 0	Pass	2G	10G	100k	300k	RMS	8.841G	-53.91	-13.00	-40.91	-	-
714.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	35.614k	-67.63	-13.00	-54.63	-	-
714.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-65.10	-13.00	-52.10	-	-
714.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	323.05M	-59.25	-13.00	-46.25	-	-
714.5MHz_RB 1,#RB H	Pass	500M	692M	100k	300k	RMS	673.62M	-59.22	-13.00	-46.22	-	-
714.5MHz_RB 1,#RB H	Pass	692M	697.9M	30k	100k	RMS	697.35M	-64.02	-13.00	-51.02	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.94M	-67.63	-13.00	-54.63	-	-
714.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-20.37	-13.00	-7.37	-	-
714.5MHz_RB 1,#RB H	Pass	716.1M	722M	30k	100k	RMS	716.15M	-32.55	-13.00	-19.55	MBW 100k	-
714.5MHz_RB 1,#RB H	Pass	722M	2G	100k	300k	RMS	743.41M	-41.92	-13.00	-28.92	-	-
714.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.837G	-53.83	-13.00	-40.83	-	-
Band 12_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.887k	-72.61	-13.00	-59.61	-	-
701.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	3.419M	-66.62	-13.00	-53.62	-	-
701.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	356.65M	-58.86	-13.00	-45.86	-	-
701.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	663.23M	-59.01	-13.00	-46.01	-	-
701.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.75M	-37.55	-13.00	-24.55	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-41.11	-13.00	-28.11	-	-
701.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.07M	-65.06	-13.00	-52.06	-	-
701.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.45M	-61.27	-13.00	-48.27	MBW 100k	-
701.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	733.01M	-40.94	-13.00	-27.94	-	-
701.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.853G	-53.74	-13.00	-40.74	-	-
701.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	63.074k	-66.55	-13.00	-53.55	-	-
701.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-63.06	-13.00	-50.06	-	-
701.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	340.91M	-59.68	-13.00	-46.68	-	-
701.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	661.12M	-59.08	-13.00	-46.08	-	-
701.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	695.05M	-52.25	-13.00	-39.25	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-61.29	-13.00	-48.29	-	-
701.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.01M	-67.68	-13.00	-54.68	-	-
701.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.55M	-63.39	-13.00	-50.39	MBW 100k	-
701.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	732.69M	-41.17	-13.00	-28.17	-	-
701.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.824G	-53.59	-13.00	-40.59	-	-
707.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	16.226k	-70.45	-13.00	-57.45	-	-
707.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	19.724M	-67.16	-13.00	-54.16	-	-
707.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	290.38M	-59.59	-13.00	-46.59	-	-
707.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	588.64M	-58.95	-13.00	-45.95	-	-
707.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.85M	-54.64	-13.00	-41.64	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.94M	-57.95	-13.00	-44.95	-	-
707.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.1M	-54.75	-13.00	-41.75	-	-
707.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-51.42	-13.00	-38.42	MBW 100k	-
707.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	737.47M	-40.83	-13.00	-27.83	-	-
707.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.883G	-54.24	-13.00	-41.24	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	15.98k	-65.67	-13.00	-52.67	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-63.56	-13.00	-50.56	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	390.84M	-58.57	-13.00	-45.57	-	-
707.5MHz_RB 1,#RB L	Pass	500M	688M	100k	300k	RMS	688M	-59.39	-13.00	-46.39	-	-
707.5MHz_RB 1,#RB L	Pass	688M	697.9M	30k	100k	RMS	694.65M	-63.18	-13.00	-50.18	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-67.35	-13.00	-54.35	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.05M	-64.59	-13.00	-51.59	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	726M	30k	100k	RMS	716.15M	-61.05	-13.00	-48.05	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	726M	2G	100k	300k	RMS	735.56M	-40.99	-13.00	-27.99	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.095G	-54.18	-13.00	-41.18	-	-
713.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	13.618k	-71.50	-13.00	-58.50	-	-
713.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	970.875k	-62.56	-13.00	-49.56	-	-
713.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	454.65M	-59.83	-13.00	-46.83	-	-
713.5MHz_RB 25,#RB 0	Pass	500M	688M	100k	300k	RMS	649.6M	-58.54	-13.00	-45.54	-	-
713.5MHz_RB 25,#RB 0	Pass	688M	697.9M	30k	100k	RMS	697.65M	-62.00	-13.00	-49.00	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.9M	-64.92	-13.00	-51.92	-	-
713.5MHz_RB 25,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-33.39	-13.00	-20.39	-	-
713.5MHz_RB 25,#RB 0	Pass	716.1M	726M	30k	100k	RMS	716.15M	-34.58	-13.00	-21.58	MBW 100k	-
713.5MHz_RB 25,#RB 0	Pass	726M	2G	100k	300k	RMS	742.24M	-40.98	-13.00	-27.98	-	-
713.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.907G	-54.05	-13.00	-41.05	-	-
713.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	11.855k	-66.79	-13.00	-53.79	-	-
713.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.56	-13.00	-52.56	-	-
713.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	157.14M	-59.66	-13.00	-46.66	-	-
713.5MHz_RB 1,#RB H	Pass	500M	688M	100k	300k	RMS	656.28M	-59.10	-13.00	-46.10	-	-
713.5MHz_RB 1,#RB H	Pass	688M	697.9M	30k	100k	RMS	696.35M	-63.91	-13.00	-50.91	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.98M	-67.85	-13.00	-54.85	-	-
713.5MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716M	-26.13	-13.00	-13.13	-	-
713.5MHz_RB 1,#RB H	Pass	716.1M	726M	30k	100k	RMS	716.15M	-37.40	-13.00	-24.40	MBW 100k	-
713.5MHz_RB 1,#RB H	Pass	726M	2G	100k	300k	RMS	743.52M	-40.61	-13.00	-27.61	-	-
713.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.837G	-53.88	-13.00	-40.88	-	-
Band 12_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.887k	-72.86	-13.00	-59.86	-	-
704MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	941.025k	-67.03	-13.00	-54.03	-	-
704MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	377.1M	-59.39	-13.00	-46.39	-	-
704MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	648.54M	-58.07	-13.00	-45.07	-	-
704MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.75M	-39.51	-13.00	-26.51	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.96M	-43.10	-13.00	-30.10	-	-
704MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.01M	-48.51	-13.00	-35.51	-	-
704MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	731.25M	-41.43	-13.00	-28.43	MBW 100k	-
704MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	736M	-40.59	-13.00	-27.59	-	-
704MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.944G	-53.65	-13.00	-40.65	-	-
704MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	70.476k	-65.32	-13.00	-52.32	-	-
704MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	344.025k	-66.10	-13.00	-53.10	-	-
704MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	437.26M	-59.80	-13.00	-46.80	-	-
704MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	632.21M	-58.44	-13.00	-45.44	-	-
704MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	695.25M	-56.59	-13.00	-43.59	MBW 100k	-
704MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.99M	-60.97	-13.00	-47.97	-	-
704MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.03M	-67.49	-13.00	-54.49	-	-
704MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	732.45M	-41.34	-13.00	-28.34	MBW 100k	-
704MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	736.32M	-41.05	-13.00	-28.05	-	-
704MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.841G	-53.96	-13.00	-40.96	-	-
707.5MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	10.093k	-72.10	-13.00	-59.10	-	-
707.5MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	239.55k	-67.10	-13.00	-54.10	-	-
707.5MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	210.01M	-59.29	-13.00	-46.29	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
707.5MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	666.65M	-59.08	-13.00	-46.08	-	-
707.5MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.85M	-42.19	-13.00	-29.19	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	697.91M	-45.88	-13.00	-32.88	-	-
707.5MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716.03M	-45.03	-13.00	-32.03	-	-
707.5MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	733.75M	-41.66	-13.00	-28.66	MBW 100k	-
707.5MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	739.16M	-40.75	-13.00	-27.75	-	-
707.5MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.839G	-53.50	-13.00	-40.50	-	-
707.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.794k	-66.18	-13.00	-53.18	-	-
707.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-61.91	-13.00	-48.91	-	-
707.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	446.54M	-59.22	-13.00	-46.22	-	-
707.5MHz_RB 1,#RB L	Pass	500M	678M	100k	300k	RMS	570.09M	-58.57	-13.00	-45.57	-	-
707.5MHz_RB 1,#RB L	Pass	678M	697.9M	30k	100k	RMS	694.25M	-52.25	-13.00	-39.25	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	697.9M	698M	30k	100k	RMS	697.94M	-66.55	-13.00	-53.55	-	-
707.5MHz_RB 1,#RB L	Pass	716M	716.1M	30k	100k	RMS	716.1M	-63.44	-13.00	-50.44	-	-
707.5MHz_RB 1,#RB L	Pass	716.1M	736M	30k	100k	RMS	734.55M	-41.59	-13.00	-28.59	MBW 100k	-
707.5MHz_RB 1,#RB L	Pass	736M	2G	100k	300k	RMS	738.53M	-40.39	-13.00	-27.39	-	-
707.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.836G	-54.41	-13.00	-41.41	-	-
711MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	11.961k	-72.28	-13.00	-59.28	-	-
711MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	941.025k	-67.74	-13.00	-54.74	-	-
711MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	471.33M	-59.89	-13.00	-46.89	-	-
711MHz_RB 50,#RB 0	Pass	500M	678M	100k	300k	RMS	622.15M	-58.58	-13.00	-45.58	-	-
711MHz_RB 50,#RB 0	Pass	678M	697.9M	30k	100k	RMS	697.85M	-48.66	-13.00	-35.66	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	697.9M	698M	30k	100k	RMS	698M	-52.33	-13.00	-39.33	-	-
711MHz_RB 50,#RB 0	Pass	716M	716.1M	30k	100k	RMS	716M	-39.22	-13.00	-26.22	-	-
711MHz_RB 50,#RB 0	Pass	716.1M	736M	30k	100k	RMS	716.15M	-37.02	-13.00	-24.02	MBW 100k	-
711MHz_RB 50,#RB 0	Pass	736M	2G	100k	300k	RMS	742.95M	-40.79	-13.00	-27.79	-	-
711MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	9.951G	-53.87	-13.00	-40.87	-	-
711MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	35.825k	-67.15	-13.00	-54.15	-	-
711MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-65.47	-13.00	-52.47	-	-
711MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	215.65M	-59.69	-13.00	-46.69	-	-
711MHz_RB 1,#RB H	Pass	500M	678M	100k	300k	RMS	671.37M	-58.51	-13.00	-45.51	-	-
711MHz_RB 1,#RB H	Pass	678M	697.9M	30k	100k	RMS	697.75M	-58.00	-13.00	-45.00	MBW 100k	-
711MHz_RB 1,#RB H	Pass	697.9M	698M	30k	100k	RMS	697.9M	-62.98	-13.00	-49.98	-	-
711MHz_RB 1,#RB H	Pass	716M	716.1M	30k	100k	RMS	716.01M	-41.78	-13.00	-28.78	-	-
711MHz_RB 1,#RB H	Pass	716.1M	736M	30k	100k	RMS	716.15M	-45.18	-13.00	-32.18	MBW 100k	-
711MHz_RB 1,#RB H	Pass	736M	2G	100k	300k	RMS	741.06M	-40.45	-13.00	-27.45	-	-
711MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.841G	-54.03	-13.00	-41.03	-	-
Band 13_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
779.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	10.48k	-70.56	-13.00	-57.56	-	-
779.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	552.975k	-68.40	-13.00	-55.40	-	-
779.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	404.83M	-59.10	-13.00	-46.10	-	-
779.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	749.04M	-34.59	-13.00	-21.59	-	-
779.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-43.46	-13.00	-30.46	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.92M	-45.45	-13.00	-32.45	-	-
779.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.03M	-48.79	-13.00	-35.79	-	-
779.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.25M	-44.31	-13.00	-31.31	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.5588G	-60.47	-13.00	-47.47	-	-
779.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.865G	-53.81	-13.00	-40.81	-	-
779.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	773.85M	-63.26	-35.00	-28.26	-	-
779.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	799.02M	-67.72	-35.00	-32.72	-	-
779.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.56056G	-46.48	-40.00	-6.48	-	-
779.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	102.06k	-67.79	-13.00	-54.79	-	-
779.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-67.30	-13.00	-54.30	-	-
779.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	273.46M	-58.41	-13.00	-45.41	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
779.5MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	750.17M	-36.94	-13.00	-23.94	-	-
779.5MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-59.52	-13.00	-46.52	MBW 100k	-
779.5MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-60.86	-13.00	-47.86	-	-
779.5MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.03M	-66.98	-13.00	-53.98	-	-
779.5MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.15M	-60.20	-13.00	-47.20	MBW 100k	-
779.5MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.55459G	-54.14	-13.00	-41.14	-	-
779.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.909G	-53.77	-13.00	-40.77	-	-
779.5MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	774.83M	-66.35	-35.00	-31.35	-	-
779.5MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	801.58M	-67.93	-35.00	-32.93	-	-
779.5MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.58505G	-48.62	-40.00	-8.62	-	-
782MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	9k	-73.86	-13.00	-60.86	-	-
782MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	970.875k	-64.12	-13.00	-51.12	-	-
782MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	437.26M	-58.86	-13.00	-45.86	-	-
782MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	749.38M	-38.29	-13.00	-25.29	-	-
782MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-49.65	-13.00	-36.65	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.97M	-51.92	-13.00	-38.92	-	-
782MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.1M	-40.56	-13.00	-27.56	-	-
782MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-36.02	-13.00	-23.02	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56602G	-61.03	-13.00	-48.03	-	-
782MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.815G	-54.21	-13.00	-41.21	-	-
782MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	774.09M	-65.51	-35.00	-30.51	-	-
782MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	795.24M	-67.00	-35.00	-32.00	-	-
782MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.5624G	-47.99	-40.00	-7.99	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	89.899k	-67.10	-13.00	-54.10	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-60.88	-13.00	-47.88	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	369.34M	-58.75	-13.00	-45.75	-	-
782MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	749.97M	-37.00	-13.00	-24.00	-	-
782MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-62.15	-13.00	-49.15	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-64.68	-13.00	-51.68	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.02M	-66.48	-13.00	-53.48	-	-
782MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.45M	-55.66	-13.00	-42.66	MBW 100k	-
782MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.5597G	-52.28	-13.00	-39.28	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.856G	-53.32	-13.00	-40.32	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	773.45M	-68.38	-35.00	-33.38	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	797.39M	-67.96	-35.00	-32.96	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.55973G	-42.79	-40.00	-2.79	-	-
784.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	17.213k	-73.55	-13.00	-60.55	-	-
784.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	217.162k	-68.36	-13.00	-55.36	-	-
784.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	362.29M	-59.41	-13.00	-46.41	-	-
784.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	752.57M	-37.12	-13.00	-24.12	-	-
784.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-55.04	-13.00	-42.04	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.93M	-58.16	-13.00	-45.16	-	-
784.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.01M	-31.68	-13.00	-18.68	-	-
784.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-33.44	-13.00	-20.44	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.56842G	-60.43	-13.00	-47.43	-	-
784.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.836G	-53.93	-13.00	-40.93	-	-
784.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	773.99M	-67.50	-35.00	-32.50	-	-
784.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	793.52M	-62.21	-35.00	-27.21	-	-
784.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.57192G	-47.10	-40.00	-7.10	-	-
784.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	91.661k	-66.81	-13.00	-53.81	-	-
784.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.33	-13.00	-51.33	-	-
784.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	271.23M	-59.81	-13.00	-46.81	-	-
784.5MHz_RB 1,#RB H	Pass	500M	766M	100k	300k	RMS	755.36M	-38.33	-13.00	-25.33	-	-
784.5MHz_RB 1,#RB H	Pass	766M	775.9M	30k	100k	RMS	775.85M	-63.24	-13.00	-50.24	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
784.5MHz_RB 1,#RB H	Pass	775.9M	776M	30k	100k	RMS	775.99M	-66.56	-13.00	-53.56	-	-
784.5MHz_RB 1,#RB H	Pass	787M	787.1M	30k	100k	RMS	787M	-25.05	-13.00	-12.05	-	-
784.5MHz_RB 1,#RB H	Pass	787.1M	797M	30k	100k	RMS	787.15M	-35.11	-13.00	-22.11	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	797M	2G	100k	300k	RMS	1.57324G	-55.01	-13.00	-42.01	-	-
784.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.884G	-53.99	-13.00	-40.99	-	-
784.5MHz_RB 1,#RB H	Pass	763M	775M	10k	10k	RMS	766.49M	-67.32	-35.00	-32.32	-	-
784.5MHz_RB 1,#RB H	Pass	793M	806M	10k	10k	RMS	804.07M	-68.08	-35.00	-33.08	-	-
784.5MHz_RB 1,#RB H	Pass	1.559G	1.61G	1M	3M	RMS	1.57311G	-42.67	-40.00	-2.67	-	-
Band 13_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
782MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	9.106k	-72.30	-13.00	-59.30	-	-
782MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	15.053M	-68.56	-13.00	-55.56	-	-
782MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	366.99M	-59.49	-13.00	-46.49	-	-
782MHz_RB 50,#RB 0	Pass	500M	756M	100k	300k	RMS	752.67M	-36.08	-13.00	-23.08	-	-
782MHz_RB 50,#RB 0	Pass	756M	775.9M	30k	100k	RMS	775.85M	-44.46	-13.00	-31.46	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-46.98	-13.00	-33.98	-	-
782MHz_RB 50,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.03M	-36.41	-13.00	-23.41	-	-
782MHz_RB 50,#RB 0	Pass	787.1M	807M	30k	100k	RMS	787.15M	-34.34	-13.00	-21.34	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	807M	2G	100k	300k	RMS	1.97495G	-61.13	-13.00	-48.13	-	-
782MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.825G	-53.70	-13.00	-40.70	-	-
782MHz_RB 50,#RB 0	Pass	763M	775M	10k	10k	RMS	774.03M	-63.92	-35.00	-28.92	-	-
782MHz_RB 50,#RB 0	Pass	793M	806M	10k	10k	RMS	793.06M	-59.91	-35.00	-24.91	-	-
782MHz_RB 50,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.5888G	-48.09	-40.00	-8.09	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.004k	-67.85	-13.00	-54.85	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-65.74	-13.00	-52.74	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	329.86M	-59.01	-13.00	-46.01	-	-
782MHz_RB 1,#RB L	Pass	500M	756M	100k	300k	RMS	750.62M	-37.32	-13.00	-24.32	-	-
782MHz_RB 1,#RB L	Pass	756M	775.9M	30k	100k	RMS	775.85M	-60.21	-13.00	-47.21	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.96M	-62.17	-13.00	-49.17	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787M	-60.78	-13.00	-47.78	-	-
782MHz_RB 1,#RB L	Pass	787.1M	807M	30k	100k	RMS	790.85M	-55.73	-13.00	-42.73	MBW 100k	-
782MHz_RB 1,#RB L	Pass	807M	2G	100k	300k	RMS	1.55531G	-53.09	-13.00	-40.09	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.846G	-53.69	-13.00	-40.69	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	774.47M	-66.53	-35.00	-31.53	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	803.93M	-67.95	-35.00	-32.95	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.58878G	-48.07	-40.00	-8.07	-	-
Band 13_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
779.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	15.662k	-70.80	-13.00	-57.80	-	-
779.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	1.531M	-67.71	-13.00	-54.71	-	-
779.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	239.86M	-59.71	-13.00	-46.71	-	-
779.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	749.11M	-36.13	-13.00	-23.13	-	-
779.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-44.17	-13.00	-31.17	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	776M	-46.25	-13.00	-33.25	-	-
779.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787M	-48.53	-13.00	-35.53	-	-
779.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.25M	-44.13	-13.00	-31.13	MBW 100k	-
779.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.81835G	-60.72	-13.00	-47.72	-	-
779.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.841G	-53.92	-13.00	-40.92	-	-
779.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	774.04M	-64.74	-35.00	-29.74	-	-
779.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	793.04M	-67.35	-35.00	-32.35	-	-
779.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.55994G	-47.45	-40.00	-7.45	-	-
779.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	68.079k	-68.78	-13.00	-55.78	-	-
779.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.84	-13.00	-54.84	-	-
779.5MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	446.19M	-59.38	-13.00	-46.38	-	-
779.5MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	746.32M	-37.72	-13.00	-24.72	-	-
779.5MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.85M	-59.79	-13.00	-46.79	MBW 100k	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
779.5MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.99M	-61.62	-13.00	-48.62	-	-
779.5MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.03M	-66.76	-13.00	-53.76	-	-
779.5MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.15M	-60.26	-13.00	-47.26	MBW 100k	-
779.5MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.55459G	-55.62	-13.00	-42.62	-	-
779.5MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	9.901G	-53.97	-13.00	-40.97	-	-
779.5MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	774.91M	-66.94	-35.00	-31.94	-	-
779.5MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	795.14M	-67.30	-35.00	-32.30	-	-
779.5MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.5607G	-48.86	-40.00	-8.86	-	-
782MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.887k	-72.87	-13.00	-59.87	-	-
782MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	784.312k	-66.43	-13.00	-53.43	-	-
782MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	250.9M	-59.49	-13.00	-46.49	-	-
782MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	753.1M	-37.99	-13.00	-24.99	-	-
782MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-50.85	-13.00	-37.85	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-53.11	-13.00	-40.11	-	-
782MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.09M	-41.31	-13.00	-28.31	-	-
782MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-37.45	-13.00	-24.45	MBW 100k	-
782MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.94977G	-61.13	-13.00	-48.13	-	-
782MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	8.84G	-53.92	-13.00	-40.92	-	-
782MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	773.27M	-66.63	-35.00	-31.63	-	-
782MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	793.22M	-67.51	-35.00	-32.51	-	-
782MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.56406G	-47.69	-40.00	-7.69	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	97.266k	-68.56	-13.00	-55.56	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-67.95	-13.00	-54.95	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	182.05M	-59.40	-13.00	-46.40	-	-
782MHz_RB 1,#RB L	Pass	500M	766M	100k	300k	RMS	749.11M	-35.32	-13.00	-22.32	-	-
782MHz_RB 1,#RB L	Pass	766M	775.9M	30k	100k	RMS	775.65M	-62.25	-13.00	-49.25	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	775.98M	-65.53	-13.00	-52.53	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.05M	-66.38	-13.00	-53.38	-	-
782MHz_RB 1,#RB L	Pass	787.1M	797M	30k	100k	RMS	788.45M	-56.58	-13.00	-43.58	MBW 100k	-
782MHz_RB 1,#RB L	Pass	797M	2G	100k	300k	RMS	1.5597G	-52.42	-13.00	-39.42	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.845G	-54.03	-13.00	-41.03	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	772.06M	-68.00	-35.00	-33.00	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	800.24M	-66.81	-35.00	-31.81	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.55975G	-43.26	-40.00	-3.26	-	-
784.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	14.71k	-70.42	-13.00	-57.42	-	-
784.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	8.433M	-68.69	-13.00	-55.69	-	-
784.5MHz_RB 25,#RB 0	Pass	30M	500M	100k	300k	RMS	409.53M	-58.86	-13.00	-45.86	-	-
784.5MHz_RB 25,#RB 0	Pass	500M	766M	100k	300k	RMS	753.23M	-38.42	-13.00	-25.42	-	-
784.5MHz_RB 25,#RB 0	Pass	766M	775.9M	30k	100k	RMS	775.85M	-54.96	-13.00	-41.96	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.99M	-57.95	-13.00	-44.95	-	-
784.5MHz_RB 25,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787M	-33.20	-13.00	-20.20	-	-
784.5MHz_RB 25,#RB 0	Pass	787.1M	797M	30k	100k	RMS	787.15M	-34.43	-13.00	-21.43	MBW 100k	-
784.5MHz_RB 25,#RB 0	Pass	797M	2G	100k	300k	RMS	1.94677G	-61.15	-13.00	-48.15	-	-
784.5MHz_RB 25,#RB 0	Pass	2G	10G	100k	300k	RMS	9.643G	-54.18	-13.00	-41.18	-	-
784.5MHz_RB 25,#RB 0	Pass	763M	775M	10k	10k	RMS	763.5M	-67.32	-35.00	-32.32	-	-
784.5MHz_RB 25,#RB 0	Pass	793M	806M	10k	10k	RMS	793.14M	-62.24	-35.00	-27.24	-	-
784.5MHz_RB 25,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.56614G	-47.07	-40.00	-7.07	-	-
784.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	109.533k	-68.48	-13.00	-55.48	-	-
784.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-64.52	-13.00	-51.52	-	-
784.5MHz_RB 1,#RB H	Pass	30M	500M	100k	300k	RMS	336.32M	-59.63	-13.00	-46.63	-	-
784.5MHz_RB 1,#RB H	Pass	500M	766M	100k	300k	RMS	755.43M	-37.55	-13.00	-24.55	-	-
784.5MHz_RB 1,#RB H	Pass	766M	775.9M	30k	100k	RMS	775.85M	-63.80	-13.00	-50.80	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	775.9M	776M	30k	100k	RMS	775.94M	-66.53	-13.00	-53.53	-	-
784.5MHz_RB 1,#RB H	Pass	787M	787.1M	30k	100k	RMS	787M	-27.21	-13.00	-14.21	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
784.5MHz_RB 1,#RB H	Pass	787.1M	797M	30k	100k	RMS	787.15M	-36.41	-13.00	-23.41	MBW 100k	-
784.5MHz_RB 1,#RB H	Pass	797M	2G	100k	300k	RMS	1.57324G	-53.78	-13.00	-40.78	-	-
784.5MHz_RB 1,#RB H	Pass	2G	10G	100k	300k	RMS	8.818G	-53.31	-13.00	-40.31	-	-
784.5MHz_RB 1,#RB H	Pass	763M	775M	10k	10k	RMS	770.12M	-67.68	-35.00	-32.68	-	-
784.5MHz_RB 1,#RB H	Pass	793M	806M	10k	10k	RMS	796.17M	-67.28	-35.00	-32.28	-	-
784.5MHz_RB 1,#RB H	Pass	1.559G	1.61G	1M	3M	RMS	1.57331G	-42.38	-40.00	-2.38	-	-
Band 13_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-	-	-	-
782MHz_RB 50,#RB 0	Pass	9k	150k	1k	3k	RMS	14.816k	-73.87	-13.00	-60.87	-	-
782MHz_RB 50,#RB 0	Pass	150k	30M	10k	30k	RMS	791.775k	-67.87	-13.00	-54.87	-	-
782MHz_RB 50,#RB 0	Pass	30M	500M	100k	300k	RMS	159.72M	-60.03	-13.00	-47.03	-	-
782MHz_RB 50,#RB 0	Pass	500M	756M	100k	300k	RMS	754.27M	-37.59	-13.00	-24.59	-	-
782MHz_RB 50,#RB 0	Pass	756M	775.9M	30k	100k	RMS	775.85M	-45.67	-13.00	-32.67	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	775.9M	776M	30k	100k	RMS	775.96M	-48.06	-13.00	-35.06	-	-
782MHz_RB 50,#RB 0	Pass	787M	787.1M	30k	100k	RMS	787.01M	-37.41	-13.00	-24.41	-	-
782MHz_RB 50,#RB 0	Pass	787.1M	807M	30k	100k	RMS	787.25M	-35.83	-13.00	-22.83	MBW 100k	-
782MHz_RB 50,#RB 0	Pass	807M	2G	100k	300k	RMS	1.96003G	-61.40	-13.00	-48.40	-	-
782MHz_RB 50,#RB 0	Pass	2G	10G	100k	300k	RMS	8.841G	-53.51	-13.00	-40.51	-	-
782MHz_RB 50,#RB 0	Pass	763M	775M	10k	10k	RMS	774.07M	-63.88	-35.00	-28.88	-	-
782MHz_RB 50,#RB 0	Pass	793M	806M	10k	10k	RMS	793.52M	-60.21	-35.00	-25.21	-	-
782MHz_RB 50,#RB 0	Pass	1.559G	1.61G	1M	3M	RMS	1.5628G	-47.94	-40.00	-7.94	-	-
782MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	15.592k	-68.45	-13.00	-55.45	-	-
782MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	157.462k	-67.36	-13.00	-54.36	-	-
782MHz_RB 1,#RB L	Pass	30M	500M	100k	300k	RMS	342.9M	-59.15	-13.00	-46.15	-	-
782MHz_RB 1,#RB L	Pass	500M	756M	100k	300k	RMS	751.97M	-37.32	-13.00	-24.32	-	-
782MHz_RB 1,#RB L	Pass	756M	775.9M	30k	100k	RMS	775.85M	-60.66	-13.00	-47.66	MBW 100k	-
782MHz_RB 1,#RB L	Pass	775.9M	776M	30k	100k	RMS	776M	-62.79	-13.00	-49.79	-	-
782MHz_RB 1,#RB L	Pass	787M	787.1M	30k	100k	RMS	787.02M	-60.29	-13.00	-47.29	-	-
782MHz_RB 1,#RB L	Pass	787.1M	807M	30k	100k	RMS	790.85M	-55.80	-13.00	-42.80	MBW 100k	-
782MHz_RB 1,#RB L	Pass	807M	2G	100k	300k	RMS	1.55531G	-54.03	-13.00	-41.03	-	-
782MHz_RB 1,#RB L	Pass	2G	10G	100k	300k	RMS	8.863G	-53.68	-13.00	-40.68	-	-
782MHz_RB 1,#RB L	Pass	763M	775M	10k	10k	RMS	764.84M	-67.69	-35.00	-32.69	-	-
782MHz_RB 1,#RB L	Pass	793M	806M	10k	10k	RMS	793.01M	-67.98	-35.00	-32.98	-	-
782MHz_RB 1,#RB L	Pass	1.559G	1.61G	1M	3M	RMS	1.57081G	-47.50	-40.00	-7.50	-	-
Band 66_LTE_1.4MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1710.7MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	15.274k	-73.12	-13.00	-60.12	-	-
1710.7MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	620.138k	-66.55	-13.00	-53.55	-	-
1710.7MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.16649G	-49.25	-13.00	-36.25	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.70694G	-38.77	-13.00	-25.77	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-27.26	-13.00	-14.26	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70997G	-34.32	-13.00	-21.32	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.78G	1.781G	20k	50k	RMS	1.78045G	-68.25	-13.00	-55.25	-	-
1710.7MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	20k	50k	RMS	1.7823G	-53.66	-13.00	-40.66	MBW 1M	-
1710.7MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	3.42116G	-47.22	-13.00	-34.22	-	-
1710.7MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.86688G	-40.13	-13.00	-27.13	-	-
1710.7MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	69.842k	-68.03	-13.00	-55.03	-	-
1710.7MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	396.262k	-67.17	-13.00	-54.17	-	-
1710.7MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	988.62M	-49.01	-13.00	-36.01	-	-
1710.7MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.70686G	-37.38	-13.00	-24.38	-	-
1710.7MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-39.76	-13.00	-26.76	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.71G	-25.29	-13.00	-12.29	-	-
1710.7MHz_RB 1,#RB L	Pass	1.78G	1.781G	20k	50k	RMS	1.78079G	-68.56	-13.00	-55.56	-	-
1710.7MHz_RB 1,#RB L	Pass	1.781G	1.7828G	20k	50k	RMS	1.7823G	-53.61	-13.00	-40.61	MBW 1M	-
1710.7MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.42035G	-45.01	-13.00	-32.01	-	-
1710.7MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.85563G	-39.92	-13.00	-26.92	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1745MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	11.926k	-71.92	-13.00	-58.92	-	-
1745MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	523.125k	-64.60	-13.00	-51.60	-	-
1745MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.48548G	-48.79	-13.00	-35.79	-	-
1745MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.6648G	-48.26	-13.00	-35.26	-	-
1745MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-54.00	-13.00	-41.00	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.7099G	-68.81	-13.00	-55.81	-	-
1745MHz_RB 6,#RB 0	Pass	1.78G	1.781G	20k	50k	RMS	1.78083G	-68.31	-13.00	-55.31	-	-
1745MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	20k	50k	RMS	1.7823G	-53.65	-13.00	-40.65	MBW 1M	-
1745MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	4.76233G	-47.77	-13.00	-34.77	-	-
1745MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.8575G	-40.16	-13.00	-27.16	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	13.829k	-68.39	-13.00	-55.39	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	918.638k	-68.33	-13.00	-55.33	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.27142G	-49.25	-13.00	-36.25	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.7072G	1M	3M	RMS	1.63784G	-48.38	-13.00	-35.38	-	-
1745MHz_RB 1,#RB L	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-53.95	-13.00	-40.95	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	20k	50k	RMS	1.70912G	-69.04	-13.00	-56.04	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	20k	50k	RMS	1.78086G	-68.49	-13.00	-55.49	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.7828G	20k	50k	RMS	1.7815G	-53.56	-13.00	-40.56	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.7828G	5G	1M	3M	RMS	3.48912G	-45.79	-13.00	-32.79	-	-
1745MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.84625G	-40.27	-13.00	-27.27	-	-
1779.3MHz_RB 6,#RB 0	Pass	9k	150k	1k	3k	RMS	21.866k	-71.52	-13.00	-58.52	-	-
1779.3MHz_RB 6,#RB 0	Pass	150k	30M	10k	30k	RMS	224.625k	-67.01	-13.00	-54.01	-	-
1779.3MHz_RB 6,#RB 0	Pass	30M	1.5G	1M	3M	RMS	844.38M	-48.85	-13.00	-35.85	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.5G	1.7072G	1M	3M	RMS	1.54092G	-47.62	-13.00	-34.62	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.7072G	1.709G	20k	50k	RMS	1.7085G	-54.02	-13.00	-41.02	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.709G	1.71G	20k	50k	RMS	1.70933G	-69.18	-13.00	-56.18	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.78G	1.781G	20k	50k	RMS	1.78009G	-33.24	-13.00	-20.24	-	-
1779.3MHz_RB 6,#RB 0	Pass	1.781G	1.7828G	20k	50k	RMS	1.7815G	-29.37	-13.00	-16.37	MBW 1M	-
1779.3MHz_RB 6,#RB 0	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-39.22	-13.00	-26.22	-	-
1779.3MHz_RB 6,#RB 0	Pass	5G	20G	1M	3M	RMS	19.83688G	-40.28	-13.00	-27.28	-	-
1779.3MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	92.049k	-67.10	-13.00	-54.10	-	-
1779.3MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	150k	-65.26	-13.00	-52.26	-	-
1779.3MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.43403G	-48.93	-13.00	-35.93	-	-
1779.3MHz_RB 1,#RB H	Pass	1.5G	1.7072G	1M	3M	RMS	1.65623G	-48.40	-13.00	-35.40	-	-
1779.3MHz_RB 1,#RB H	Pass	1.7072G	1.709G	20k	50k	RMS	1.7077G	-53.93	-13.00	-40.93	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.709G	1.71G	20k	50k	RMS	1.70943G	-69.04	-13.00	-56.04	-	-
1779.3MHz_RB 1,#RB H	Pass	1.78G	1.781G	20k	50k	RMS	1.78G	-24.26	-13.00	-11.26	-	-
1779.3MHz_RB 1,#RB H	Pass	1.781G	1.7828G	20k	50k	RMS	1.7815G	-40.69	-13.00	-27.69	MBW 1M	-
1779.3MHz_RB 1,#RB H	Pass	1.7828G	5G	1M	3M	RMS	1.7828G	-43.72	-13.00	-30.72	-	-
1779.3MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.8275G	-40.19	-13.00	-27.19	-	-
Band 66_LTE_3MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1711.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	9.881k	-72.26	-13.00	-59.26	-	-
1711.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	164.925k	-66.29	-13.00	-53.29	-	-
1711.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	978.52M	-49.29	-13.00	-36.29	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.70298G	-36.17	-13.00	-23.17	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-26.45	-13.00	-13.45	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-27.33	-13.00	-14.33	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78038G	-66.97	-13.00	-53.97	-	-
1711.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7835G	-53.57	-13.00	-40.57	MBW 1M	-
1711.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.93733G	-47.56	-13.00	-34.56	-	-
1711.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.83125G	-40.13	-13.00	-27.13	-	-
1711.5MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	90.181k	-68.14	-13.00	-55.14	-	-
1711.5MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.48	-13.00	-52.48	-	-
1711.5MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.15106G	-47.96	-13.00	-34.96	-	-

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	Detector	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Remark	Ref.Limit (dB)
1711.5MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.7038G	-44.65	-13.00	-31.65	-	-
1711.5MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-38.28	-13.00	-25.28	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.71G	-19.28	-13.00	-6.28	-	-
1711.5MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.7803G	-66.91	-13.00	-53.91	-	-
1711.5MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7845G	-53.53	-13.00	-40.53	MBW 1M	-
1711.5MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	3.42032G	-44.84	-13.00	-31.84	-	-
1711.5MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.86313G	-40.09	-13.00	-27.09	-	-
1745MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	12.243k	-71.95	-13.00	-58.95	-	-
1745MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	1.344M	-66.99	-13.00	-53.99	-	-
1745MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.41603G	-49.33	-13.00	-36.33	-	-
1745MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.58418G	-48.23	-13.00	-35.23	-	-
1745MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7065G	-53.95	-13.00	-40.95	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70912G	-67.16	-13.00	-54.16	-	-
1745MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78035G	-67.19	-13.00	-54.19	-	-
1745MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7855G	-53.53	-13.00	-40.53	MBW 1M	-
1745MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	4.92126G	-47.86	-13.00	-34.86	-	-
1745MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.85938G	-40.22	-13.00	-27.22	-	-
1745MHz_RB 1,#RB L	Pass	9k	150k	1k	3k	RMS	75.058k	-68.13	-13.00	-55.13	-	-
1745MHz_RB 1,#RB L	Pass	150k	30M	10k	30k	RMS	150k	-65.12	-13.00	-52.12	-	-
1745MHz_RB 1,#RB L	Pass	30M	1.5G	1M	3M	RMS	1.10751G	-48.76	-13.00	-35.76	-	-
1745MHz_RB 1,#RB L	Pass	1.5G	1.704G	1M	3M	RMS	1.67348G	-48.48	-13.00	-35.48	-	-
1745MHz_RB 1,#RB L	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-53.91	-13.00	-40.91	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.709G	1.71G	30k	100k	RMS	1.70976G	-67.02	-13.00	-54.02	-	-
1745MHz_RB 1,#RB L	Pass	1.78G	1.781G	30k	100k	RMS	1.78075G	-67.00	-13.00	-54.00	-	-
1745MHz_RB 1,#RB L	Pass	1.781G	1.786G	30k	100k	RMS	1.7845G	-53.51	-13.00	-40.51	MBW 1M	-
1745MHz_RB 1,#RB L	Pass	1.786G	5G	1M	3M	RMS	3.48741G	-46.05	-13.00	-33.05	-	-
1745MHz_RB 1,#RB L	Pass	5G	20G	1M	3M	RMS	19.8275G	-40.31	-13.00	-27.31	-	-
1778.5MHz_RB 15,#RB 0	Pass	9k	150k	1k	3k	RMS	14.252k	-72.72	-13.00	-59.72	-	-
1778.5MHz_RB 15,#RB 0	Pass	150k	30M	10k	30k	RMS	172.388k	-67.33	-13.00	-54.33	-	-
1778.5MHz_RB 15,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.05018G	-48.59	-13.00	-35.59	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.5G	1.704G	1M	3M	RMS	1.69283G	-48.23	-13.00	-35.23	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.704G	1.709G	30k	100k	RMS	1.7085G	-53.94	-13.00	-40.94	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.709G	1.71G	30k	100k	RMS	1.70954G	-67.44	-13.00	-54.44	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.78G	1.781G	30k	100k	RMS	1.78001G	-28.63	-13.00	-15.63	-	-
1778.5MHz_RB 15,#RB 0	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-25.26	-13.00	-12.26	MBW 1M	-
1778.5MHz_RB 15,#RB 0	Pass	1.786G	5G	1M	3M	RMS	1.786G	-41.15	-13.00	-28.15	-	-
1778.5MHz_RB 15,#RB 0	Pass	5G	20G	1M	3M	RMS	19.84813G	-40.20	-13.00	-27.20	-	-
1778.5MHz_RB 1,#RB H	Pass	9k	150k	1k	3k	RMS	60.888k	-70.43	-13.00	-57.43	-	-
1778.5MHz_RB 1,#RB H	Pass	150k	30M	10k	30k	RMS	164.925k	-66.14	-13.00	-53.14	-	-
1778.5MHz_RB 1,#RB H	Pass	30M	1.5G	1M	3M	RMS	1.39416G	-49.04	-13.00	-36.04	-	-
1778.5MHz_RB 1,#RB H	Pass	1.5G	1.704G	1M	3M	RMS	1.64443G	-48.24	-13.00	-35.24	-	-
1778.5MHz_RB 1,#RB H	Pass	1.704G	1.709G	30k	100k	RMS	1.7075G	-53.94	-13.00	-40.94	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.709G	1.71G	30k	100k	RMS	1.70971G	-67.57	-13.00	-54.57	-	-
1778.5MHz_RB 1,#RB H	Pass	1.78G	1.781G	30k	100k	RMS	1.78G	-20.07	-13.00	-7.07	-	-
1778.5MHz_RB 1,#RB H	Pass	1.781G	1.786G	30k	100k	RMS	1.7815G	-38.52	-13.00	-25.52	MBW 1M	-
1778.5MHz_RB 1,#RB H	Pass	1.786G	5G	1M	3M	RMS	3.55973G	-47.02	-13.00	-34.02	-	-
1778.5MHz_RB 1,#RB H	Pass	5G	20G	1M	3M	RMS	19.85G	-40.35	-13.00	-27.35	-	-
Band 66_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-	-	-	-
1712.5MHz_RB 25,#RB 0	Pass	9k	150k	1k	3k	RMS	18.835k	-70.76	-13.00	-57.76	-	-
1712.5MHz_RB 25,#RB 0	Pass	150k	30M	10k	30k	RMS	970.875k	-64.58	-13.00	-51.58	-	-
1712.5MHz_RB 25,#RB 0	Pass	30M	1.5G	1M	3M	RMS	1.18689G	-48.75	-13.00	-35.75	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.5G	1.7G	1M	3M	RMS	1.69863G	-39.42	-13.00	-26.42	-	-
1712.5MHz_RB 25,#RB 0	Pass	1.7G	1.709G	50k	200k	RMS	1.7085G	-29.71	-13.00	-16.71	MBW 1M	-
1712.5MHz_RB 25,#RB 0	Pass	1.709G	1.71G	50k	200k	RMS	1.71G	-30.97	-13.00	-17.97	-	-